YEARLY SUMMARY

OF THE

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1902.

Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown, there were registered during the year 1902 (53 weeks)* 11,052 births —5,730 boys and 5,322 girls—being equal to 1 in 35, or 29 per 1,000 of the estimated population.† The average rate for the preceding ten years was 28 per 1,000.

Of the 11,052 births registered in 1902, 9,375, or 31 in every 1,000 of the population, occurred in the city, and 1,677, or only 19 in every 1,000 inhabitants, in the suburban districts.

Of the 11,052 births in the entire district, 2,784 were registered during the first quarter of the year, 2,885 in the second, 2,673 in the third, and 2,710 in the fourth, the weekly average being 209.

In London the number of births registered during the year 1902 (53 weeks) was 132,806, being equal to a rate of 29 in every 1,000 of the estimated population; in Glasgow the number was 25,084, equal to 32 per 1,000; and in Edinburgh it was 8,204, or 25 per 1,000 of the population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the year 1902 was 9,727 (4,912 males and 4,815 females)—equal to 1 in 40, or 25·3 in every 1,000 of the estimated population. The average death-rate for the ten years 1892–1901 was 26·4 per 1,000 of the estimated population of the Area as then constituted. Thus the rate for last year is 1·1 below the average—a decrease equivalent to 4·2 per cent.

Omitting 386 deaths, which, being those of persons admitted into public institutions from localities outside the Dublin Registration Area, are not properly chargeable to it, the death-rate for last year (53 weeks) is 24·3 per 1,000 of the population, the rate for the city being 26·2 per 1,000 (25·8 on the North side, and 26·7 on the South), and for the suburbs 17·4 per 1,000. The rates for the several Registrars' districts range from 13·1, the rate for Crumlin (part of), to 33·7, for No. 2 South City (Castle-street) District.

Of the 9,727 deaths in the entire district, 2,514 were registered during the first quarter of the year, 2,245 in the second, 2,042 in the third, and 2,926 in the fourth, the weekly average being 183·5.

* See note (†) on pages viii. and ix. † See note (*), page xv.

In the twenty-one provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective annual death-rates are as follow, ranging in order from the lowest to the highest:—Portadown, 15·8 per 1,000 of the population*; Ballymena, 16·8; Newry, 17·3; Queenstown, 17·5; Lisburn, 17·8; Dundalk, 18·2; Armagh, 18·5; Londonderry, 18·6; Waterford, 18·7; Sligo, 19·1; Lurgan, 19·5; Kilkenny, 20·4; Belfast, 20·8; Tralee, 20·9; Limerick, 21·0; Cork, 21·5; Clonmel, 22·1; Wexford, 22·4; Drogheda, 22·7; Newtownards, 23·1; and Galway, 26·0.

The number of deaths registered in London during the year 1902 (53 weeks) was 82,540, or 17·7 in every 1,000 of the inhabitants; in Glasgow, 15,836, equal to 20·1 per 1,000; and in Edinburgh, 5,855, or 17·8 in every 1,000 of the estimated population.

Public Institutions.—Of the 9,727 deaths registered in the Dublin Registration Area last year 3,859, or 39·7 per cent. occurred in public institutions, viz.:—2,226 in the various hospitals, prisons, and lunatic asylums; 810 in the North Dublin Union Workhouse; 781 in the South Dublin Union Workhouse; and 42 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Diseases.—*Dublin Registration Area.*—(See Tables III. and IV.)—The mortality last year shows that the total number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area was 982. This number is equal to a rate of 2·6 per 1,000 of the estimated population, the average rate for the preceding ten years being 2·8 per 1,000.

Small-pox.—There was no death from Small-pox recorded in the Dublin Registration Area during the year 1902, nor in any previous year since 1897.

Measles, which in the year 1901 caused 7 deaths only, caused in the year 1902, now under review, 392 deaths; in 1892 there were 472 deaths from measles; in 1893 there were 103 deaths; in 1897 there were 474 deaths; and in 1899 there were 656 deaths.

In the first quarter of the year 1902 there were 23 deaths; in the second, 39; in the third, 153; and in the fourth quarter (14 weeks) the number rose to 177. The death-rate from measles for the year was equal to 1·02 per 1,000 of the population of the Dublin Registration Area, the annual average rate for the previous ten years being 0·51 per 1,000. There were 221 deaths tabulated to the northern portions of the City; of these 48 appertained to No. 1 North City East Registrar's District; 36 to No. 1 North City West Registrar's District; 40 to No. 2 North City; and 88 to No. 3 North City District; to the southern portions of the City 124 deaths from measles appertain; of these 45 were tabulated to No. 1 South City; 13 to No. 2 South City; 25 to No. 3 South City; and 39 to No. 4 South City. In Pembroke Urban District there were 35 deaths from measles. During the year 1,431 cases of measles were admitted to hospitals; 1,217 were discharged; 162 died; and 55 cases remained under treatment at the close of the year.

Scarlatina.—The deaths from Scarlet Fever, 76 in number, are equal to an annual rate of 0·20 per 1,000 of the population of the Dublin Registration Area, the annual average rate for the preceding ten years being 0·17 per 1,000. The greatest number of deaths in the previous decennial period occurred in the year 1896, when 148 deaths were registered. Omitting 6 deaths of hospital patients admitted from places outside the area, 26 of the deaths from scarlatina appertain to the northern portion of the City, 31 to the southern, and 13 to the Urban Districts, which, with the City, constitute the Dublin Registration Area.

* See note (*). page xv.
† Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery.

During the year 907 cases were admitted to hospitals; 750 cases were discharged; 61 deaths occurred; and 172* cases remained under treatment at the end of the year.

Typhus Fever.—There were 8 deaths from Typhus Fever. This number is 5 in excess of that for the year 1901. In the year 1893, 16 deaths from this disease occurred, which is the highest figure recorded in the decennial period 1892–1901. During the year, as appears from Table I., 45 cases of typhus fever were admitted to hospitals; 27 cases were discharged; there were 5 deaths; and 15 cases remained under treatment at the close of the year.

Whooping-cough. — The deaths from Whooping-cough, which in the year 1901 reached the high figure of 235 (which was the highest figure in any year of the decennial period 1892–1901, except the year 1897, when 392 deaths occurred), fell in the year 1902 to 59. This figure is equal to a rate of 0·15 per 1,000 of the population of the Dublin Registration Area, the annual average rate for the preceding 10 years being 0·51 per 1,000. To the North City Districts 21 deaths were tabulated, and to the South City 27, while 9 deaths from whooping-cough are shown by Table IV. as appertaining to the Urban Districts.

Diphtheria.—Deaths from Diphtheria, which had risen from 12 in 1892 to 75 in 1897, declined to 54 in 1900 and 1901 respectively, and rose to 85 in the year 1902. This number is equal to a rate of 0·22 per 1,000 of the population of the Dublin Registration Area, or double the average annual rate for the 10 years 1892-01, namely —0·11 per 1,000. Of a total of 78 (exclusive of hospital patients admitted from places outside the area), 34 deaths appertain to North Dublin City, 33 to South Dublin City, and 11 deaths from diphtheria appertain to the Urban Districts. Sixteen deaths from diphtheria appertain to No. 1 South City Registrar's District, and 10 to No. 2 North City Registrar's District. During the year 427 cases of diphtheria were admitted to hospitals; 372 cases were discharged; 63 deaths occurred; and 33 cases remained under treatment on the 3rd January, 1903.

Simple Continued and *Ill-defined Fever*—Four deaths were attributed to this disease.

Enteric Fever.—The deaths from Enteric Fever, 121 in number, are equal to an annual rate of 0·32 per 1,000 of the population of the Dublin Registration Area, the annual average rate for the preceding 10 years is 0·43 per 1,000; in the year preceding, *i.e.*, 1901, the deaths had numbered 107. It may be seen from inspection of Table III. that the highest number of deaths in any year of the decennial period 1892-1901 took place in the year 1893, when 276 deaths occurred. Fifty-five deaths appertain to North Dublin City, and 43 to South Dublin City, while 19 deaths appear from Table IV. to appertain to the Urban Districts. Of the deaths in the North City, 10 appertain to No. 1 North City East, and 20 to No. 1 North City West Registrar's District, while in the Southern portions of the City 12 deaths each appertain to Numbers 1 and 3 South City Registrars' Districts. During the year, as may be seen in Table I., 636 cases of enteric fever were admitted to hospitals; 569 cases were discharged therefrom; 60 deaths occurred; and 70 cases remained under treatment at the close of the year.

Diarrhœa.—The deaths from *Diarrhœal Diseases*, 237 in number, are equal to an annual rate of 0·62 per 1,000 of the population; the annual average rate for the preceding 10 years is 0·99 per 1,000. The number of deaths from diarrhœal diseases in 1899 was 529, the highest in the decennial period which precedes the year now being reviewed. Of the total deaths from this disease in 1902, 171 were of children under 5 years of age. In Table IV. the number of deaths from diarrhœal diseases is shown for the North and South City Districts, and also for the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown.

Amongst the other general diseases, Influenza caused 95 deaths.

* Exclusive of 27 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

Tuberculosis was the cause of 1,736 deaths, viz. ;—1,261 from *phthisis* ; 154 from tubercular meningitis ; 43 from tubercular peritonitis ; 31 from *tabes mesenterica* ; and 247 from other forms of the disease. Of the total number of deaths from *phthisis* in the Dublin Registration Area for the year 1902, 523 appertained to North Dublin City ; 526 to South Dublin City, and 149 were referred to the Urban Districts. The rate for *phthisis* in the whole area is 3·27 per 1,000 of the population, the annual average rate for the preceding 10 years being 3·4 per 1,000. The death-rate for *phthisis* in the North City was 3·4 per 1,000, and in the South City it was 3·7 per 1,000, while in the Urban Districts it was 1·7 per 1,000.

Cancer.—A total of 342 deaths were attributed either to carcinoma, sarcoma, or to *malignant disease*, "*cancer.*"

Nervous System.—Diseases of the Nervous System caused 961 deaths, including 429 deaths from "*convulsions*," of which number 425 were of children under 5 years of age.

Diseases of the heart and blood vessels caused the deaths of 1,073 persons.

Respiratory.—There were 1,959 deaths from diseases of the respiratory system, equal to an annual rate of 5·09 per 1,000 of the population of the Dublin Registration Area ; the annual average rate for the preceding 10 years amounting to 5·14 per 1,000. There were 1,186 deaths from bronchitis ; and 618 deaths from croupous pneumonia, broncho-pneumonia or *pneumonia*, not otherwise described.

Violence.—There were 207 deaths due to accidental violence, including 49 deaths from burns or scalds, of which number 33 were children under 5 years of age ; 12 deaths were certified by the Coroner as being caused by suicide, and two cases were returned as deaths from homicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the **Year** (53 weeks) **ended Saturday, 3rd January, 1903,** in the principal Dublin Hospitals in which cases of infective diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Dis-charged.	Died.	No. under treatment on above date.
Small Pox, . . .	.	7	6	.	1
Measles, . . .	3	1,431	1,217	162	55
Scarlet Fever, . .	76	907	750	61	172*
Typhus ,, . .	2	45	27	5	15
Diphtheria, . .	41	427	372	63	33
Enteric Fever, . .	63	636	569	60	70
Pneumonia, . .	19	329	280	53	15

In 488 cases the cause of death was uncertified, there having been no medical attendant during the last illness : of these 488 cases, 308, or 63·1 per cent., were deaths of children under 5 years of age : these 308 deaths form 9·6 per cent. of the total number of deaths of children of that age. Of the deaths of 526 infants under 1 month old registered, there were 153 (or 29·1 per cent.) regarding which the cause was uncertified.

* See note (*) on page v.

TABLE II.—Showing, for the YEAR (53 WEEKS) ENDED SATURDAY, 3rd JANUARY, 1903, the Number of Notifications of the undermentioned Diseases for Dublin City, Rathmines and Rathgar Urban District, Pembroke Urban District, and Belfast City.

CITIES, &c.	Population in middle of 1902.†	NOTIFIED CASES.															
		Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Whooping-cough.	Typhoid Fever.	Erysipelas.	Cerebro-spinal Meningitis.	Continued Fever.	Cholera & Cholera-ic Diarrhœa.	Diarrhœa and Dysentery.	TOTAL.
Dublin City, .	293,385	5	4,617	20	910	37	.	397	7	*	1,019	936	.	230	*	*	8,178
Rathmines and Rathgar,	33,203	.	37	*	97	1	.	37	.	*	43	24	*	12	5	.	256
Pembroke, .	26,025	.	609	8	72	.	.	30	2	203	34	22	.	4	.	*	984
Belfast City, .	358,680	11	*	*	448	5	.	338	95	*	1,044	434	*	730	.	*	3,105
TOTAL, .	711,293	16	5,263	28	1,527	43	.	802	104	203	2,140	1,416	.	976	5	.	12,523

* Not notifiable. † See note (*) on page xv.

TABLE III.—DUBLIN REGISTRATION AREA.*—CAUSES of DEATH in

Names of Diseases.	Number of Deaths									
	1892 (52 weeks).	1893 (52 weeks).	1894 (52 weeks).	1895 (52 weeks).	1896 (53† weeks).	1897 (52 weeks).	1898 (52 weeks).	1899 (52 weeks).	1900 (52 weeks).	1901 (52 weeks).
General Diseases:—										
Small Pox,	.	.	68	121	4	2	.	.	.	.
Measles,	472	103	48	3	10	474	9	656	75	7
Scarlet Fever (Scarlatina),	21	25	55	44	148	134	89	51	22	31
Typhus,	9	16	11	2	11	14	2	5	2	3
Whooping Cough,	155	191	200	95	174	392	154	150	137	235
Diphtheria,	12	34	17	21	18	75	65	66	54	54
Simple continued & ill-defined Fever,	7	13	10	12	12	8	7	4	6	10
Enteric Fever,	122	276	147	107	135	182	179	182	133	107
Diarrhœa, Dysentery,	245	478	202	298	365	356	381	529	365	390
Phthisis,	1,288	1,298	1,253	1,201	1,107	1,147	1,232	1,293	1,348	1,274
Other General Diseases,‡	1,676	1,504	1,408	1,655	1,483	1,691	1,788	1,845	1,884	1,664
Total,	4,007	3,938	3,419	3,559	3,467	4,475	3,906	4,781	4,026	3,775
Local Diseases:—										
Diseases of: Nervous System, Heart and Blood Vessels,	2,014	1,770	1,743	1,987	1,822	1,765	1,716	1,822	1,894	1,996
Organs of Special Sense,	4	5	9	5	7	7	10	10	6	9
Respiratory System,	2,135	1,642	1,603	2,143	1,575	1,961	1,741	2,083	2,062	1,860
Digestive System,	425	484	400	454	448	448	394	460	453	427
Lymphatic System, &c.,	8	10	5	11	7	9	9	14	13	14
Urinary System,	176	227	175	216	218	209	196	214	223	260
Generative System,	29	41	15	21	25	26	15	12	18	21
Accidents of Childbirth,	37	37	23	24	17	19	21	22	23	24
Diseases of Locomotive System,	25	29	23	32	32	27	26	20	15	20
Diseases of Integumentary‡ „	39	27	24	33	26	26	31	19	30	37
Total,	4,892	4,272	4,020	4,926	4,177	4,497	4,159	4,676	4,737	4,668
Other Specified Diseases,	.	.	.	.	.	.	.	.	.	.
Deaths from ill-defined and Unspecified causes,	1,093	981	993	1,027	929	879	1,031	999	989	877
Violent Deaths,	222	218	217	230	283	266	238	274	235	251
Deaths from all causes,	10,214	9,409	8,649	9,742	8,856	10,117	9,334	10,730	9,987	9,571
Annual Death Rate per 1,000 of Pop.,*	28·9	26·4	24·1	26·9	23·9	27·5	25·2	28·7	26·5	25·4
Mean Temperature of the Air (Fahr.),	46°·5	49°·5	48°·1	47°·0	48°·7	49°·0	49°·8	49°·2	.	47°·7
Rainfall in inches,	27·97	22·42	30·25	32·60	29·06	31·02	29·61	26·87	37·21	25·79

* The figures given for 1892-1900 are for the Dublin Registration Area as then constituted; those for 1901 and 1902 for

† The numbers for the years 1896 and 1902 respectively, embrace the returns for 53 weeks, and those for the 4th may correspond with

‡ Deaths from Carbuncle, Cellulitis, Lupus, and Phlegmon, which for the years 1892–1901 were included in

the years 1892–1902, with the Ratio of the Deaths to the Population.

Registered.						Number of Deaths from each Disease to every 10,000 Persons living.		Names of Diseases.
Yearly Average, 1892–01.	1902.							
	Total (53 weeks) †	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.†	Yearly Average, 1892–01	1902 (53 wks.) †	
								General Diseases :—
19	.	.	.	.	.	0·5	.	Small Pox.
186	392	23	39	153	177	5·1	10·2	Measles.
62	76	11	11	16	38	1·7	2·0	Scarlet Fever (Scarlatina.)
7	8	.	.	3	5	0·2	0·2	Typhus.
188	59	20	18	11	10	5·1	1·5	Whooping Cough.
42	85	14	16	22	33	1·1	2·2	Diphtheria.
9	4	.	.	1	3	0·3	0·1	Simple continued & ill-defined Fever.
157	121	24	20	36	41	4·3	3·2	Enteric Fever.
361	237	22	19	97	99	9·9	6·2	Diarrhœa, Dysentery.
1,244	1,261	378	336	240	307	34·0	32·7	Phthisis.
1,660	1,473	339	401	310	423	45·4	38·2	Other General Diseases.‡
3,935	3,716	831	860	889	1,136	107·6	96·5	Total.
								Local Diseases:—
1,853	961	274	231	186	270	50·6	24·9	Nervous System. (Diseases of)
	1,073	226	279	241	327		27·8	Heart and Blood Vessels. (Diseases of)
7	10	3	3	2	2	0·2	0·3	Organs of Special Sense. (Diseases of)
1,881	1,959	644	389	286	640	51·4	50·9	Respiratory System. (Diseases of)
439	554	126	127	136	165	12·0	14·4	Digestive System. (Diseases of)
10	14	7	1	5	1	0·3	0·4	Lymphatic System, &c. (Diseases of)
211	276	80	64	48	84	5·7	7·2	Urinary System. (Diseases of)
22	20	4	6	6	4	0·6	0·5	Generative System. (Diseases of)
25	40	14	9	9	8	0·7	1·0	Accidents of Childbirth.
25	29	10	5	8	6	0·7	0·8	Diseases of Locomotive System.
29	31	12	6	3	10	0·8	0·8	Diseases of Integumentary‡ ,,
4,502	4,967	1,400	1,120	930	1,517	123·0	129·0	Total.
.	1	.	1	.	.	.	0·0	Other Specified Diseases.
980	822	224	203	170	225	26·8	21·3	Deaths from ill-defined and Unspecified causes.
244	221	59	61	53	48	6·7	5·7	Violent Deaths.
9,661	9,727	2,514	2,245	2,042	2,926	264·1	252·5	Deaths from all causes.
26·4	25·3	26·5	23·7	21·6	28·7	.	.	Annual Death Rate per 1,000 of Population.*
.	47·9°	41·3°	48·5°	56·0°	45·8°	.	.	Mean Temperature of the Air (Fahr.)
29·28	26·97	4·80	6·99	7·75	7·43	.	.	Rainfall in inches.

the area as at present existing. The rates are calculated on the population estimated to the middle of the respective years. Quarter of 1902 the returns for 14 weeks. This arrangement is occasionally necessary in order that the annual series the calendar year.

"Diseases of the Integumentary System," have been tabulated under "Other General Diseases" for the year 1902.

TABLE IV.—Showing, for the **Year 1902 (53 weeks)**, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

	REGISTRARS' DISTRICTS.	POPULATION, ESTIMATED TO MIDDLE OF 1902.*	YEAR 1902 (53 WEEKS).† ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES.	FROM DISEASES IN COLS. 5–13.	TOTAL DEATHS.	NUMBER OF DEATHS FROM PRINCIPAL EPIDEMIC DISEASES: Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
NORTH CITY.	NORTH CITY, No. 1, E.,	8,332	26·8	3·0	773	.	48	4	.	7	3	.	10	15	108	199	20
	" " W.	39,146	25·9	2·4	1,032	.	36	6	1	3	8	1	20	20	129	229	28
	" 2, .	30,107	28·7	2·7	878	.	40	3	3	2	10	.	7	17	121	176	18
	" 3, .	31,673	29·0	4·5	935	.	88	11	1	5	7	.	9	23	122	181	14
	CLONTARF & HOWTH, No. 1, part of, .	4,806	14·1	0·6	69	.	.	.	.	1	.	1	1	.	5	12	2
	COOLOCK & DRUMCONDRA, No. 1, part of, .	10,017	17·2	1·6	175	.	4	.	.	.	5	.	6	1	23	28	1
	FINGLAS AND GLASNEVIN, part of, .	6,665	14·2	1·8	96	.	2	2	1	2	1	.	2	2	15	20	1
	BLANCHARDSTOWN AND CASTLEKNOCK, part of,	1,303	18·9	3·8	25	.	3	.	.	1	.	.	.	1	.	3	.
SOUTH CITY.	SOUTH CITY, No. 1, .	38,313	26·9	3·5	1,049	.	45	12	1	5	16	.	12	44	145	171	15
	" 2, .	17,113	33·7	2·7	587	.	13	4	1	1	2	.	8	18	100	147	14
	" 3, .	42,575	25·8	2·2	1,117	.	25	6	.	8	6	.	12	37	134	269	18
	" 4, .	34,893	25·9	2·4	917	.	39	9	.	9	8	.	9	12	132	181	24
	DONNYBROOK, part of,	245	.	.	3	.	.	.	.	.	.	.	.	.	.	2	.
	PALMERSTON, part of,	7,298	21·0	2·4	156	.	2	.	.	4	1	1	2	8	15	35	7
	CRUMLIN, part of, .	899	13·1	.	12	.	.	.	.	.	.	.	.	.	.	1	1
URBAN DISTRICTS.	RATHMINES, . .	33,203	16·1	1·2	545	.	5	8	.	2	5	.	6	15	60	98	12
	PEMBROKE (DONNYBROOK, part of),	26,025	17·5	2·5	463	.	35	3	.	6	4	.	5	13	42	89	8
	BLACKROCK, . .	8,759	16·4	1·2	146	.	2	1	.	1	1	.	4	2	15	22	4
	KINGSTOWN, Nos. 1 and 2, . . .	17,622	20·3	0·8	363	.	3	1	.	.	1	.	4	5	32	66	16
TOTAL CITY,	NORTH, .	152,049	25·8	2·9	3,983	.	221	26	6	21	34	2	55	79	523	848	84
	SOUTH, .	141,336	26·7	2·6	3,841	.	124	31	2	27	33	1	43	119	526	806	79
	N. & S., .	293,385	26·2	2·8	7,824	.	345	57	8	48	67	3	98	198	1049	1,654	163
TOTAL URBAN DISTRICTS,		85,609	17·4	1·5	1,517	.	45	13	.	9	11	.	19	35	149	275	40
TOTAL REGISTRATION AREA, ...		378,994	24·3	2·5	9,341	.	390	70	8	57	78	3	117	233	1198	1,929	203
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), .					386	.	2	6	.	2	7	1	4	4	63	30	18

* See note (*) on page xv. † See note (†) on pages viii. and ix.

Ages.—Of the 9,727 deaths registered during the year, 3,192, or 33 per cent., were of children under five years of age, and 2,267, or 23 per cent., were of persons aged 60 years and upwards, including those of 1,044 persons aged 70 years and upwards, of whom 52 were stated to have been nonagenarians, and one male, and two females were stated to have been aged 100, 102, and 103 years respectively.

The deaths of infants under 1 year old were equal to 164 for every 1,000 births registered, against 167 in the preceding year, and 174 in 1899.

TABLE V.—Showing by certain Age-Periods, the Population of the Dublin Registration Area * in 1901 the Number of Deaths registered in each of the years 1892–02, and the proportion which the Deaths at each age-period bear to the estimated Population at the same age.

Years, &c.		Ages.							
		All Ages	Under 20 years.			20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
			Under 5 years.	5 and under 20.	Total.				
Census Population in 1901,		375,350	38,157	106,723	144,880	135,683	68,610	24,273	1,904
Number of Deaths *Registered.*	Year 1892,	10,214	3,208	740	3,948	1,552	2,068	2,200	446
	„ 1893,	9,409	2,830	777	3,607	1,657	1,886	1,849	410
	„ 1894,	8,649	2,344	692	3,036	1,573	1,827	1,850	363
	„ 1895,	9,742	2,689	743	3,432	1,602	2,100	2,155	453
	„ 1896,†	8,856	2,715	778	3,493	1,484	1,792	1,695	392
	„ 1897,	10,117	3,854	865	4,719	1,487	1,775	1,771	365
	„ 1898,	9,334	2,923	738	3,661	1,507	1,801	1,955	410
	„ 1899,	10,730	3,776	817	4,593	1,573	2,067	2,069	428
	„ 1900,	9,987	2,885	765	3,650	1,627	2,111	2,119	480
	„ 1901,	9,571	2,750	751	3,501	1,548	1,988	2,084	450
	Yearly average, 1892–01,	9,661	2,997	767	3,764	1,561	1,941	1,975	420
	Year 1902,†	9,727	3,192	762	3,954	1,582	1,924	1,857	410
	1st Quarter, 1902,	2,514	608	193	801	411	579	593	130
	2nd „ „	2,245	649	216	865	390	459	436	95
	3rd „ „	2,042	757	159	916	343	375	333	75
	4th† „ „	2,926	1,178	194	1,372	438	511	495	110
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population* at same age.	Year 1892,	28·9	85·8	7·2	28·1	12·8	31·4	91·6	242·8
	„ 1893,	26·4	75·1	7·5	25·5	13·6	28·4	76·4	221·4
	„ 1894,	24·1	61·7	6·6	21·3	12·8	27·3	75·8	194·4
	„ 1895,	26·9	70·2	7·0	23·9	12·9	31·1	87·6	240·7
	„ 1896,†	23·9	69·2	7·2	23·7	11·7	25·9	67·2	203·3
	„ 1897,	27·5	99·0	8·1	32·3	11·8	25·9	70·9	190·9
	„ 1898,	25·2	74·5	6·8	24·9	11·9	26·0	77·6	212·8
	„ 1899,	28·7	95·5	7·5	31·0	12·3	29·7	81·5	220·4
	„ 1900,	26·5	72·4	7·0	24·4	12·6	30·0	82·8	245·3
	„ 1901,	25·4	71·9	7·0	24·1	11·4	28·9	85·7	235·8
	Yearly average, 1892–01,	26·4	77·5	7·2	25·9	12·4	28·5	79·7	220·8
	Year 1902,†	25·3	81·5	7·0	26·6	11·4	27·3	74·5	209·9

Occupations.—Table VII. on page xiii. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 26·5 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 14·4 per 1,000; among the "Artizan Class and Petty Shopkeepers" it was 19·5; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 35·6. The number of the living in each of the several classes and orders of occupations in 1901 is shown by age-periods in the following Table.

* See note (*), pages viii.-ix. † See note (†), pages viii.-ix.

TABLE VI.—Showing by AGES, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the INHABITANTS of the Dublin Registration Area in 1901.

CLASS.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	AGES. Under 5 years.	5 and under 15.	15 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	ALL PERSONS,	375,350	38,157	67,552	39,171	135,683	68,610	24,273	1,904
	CLASSES.								
	Families of the—								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	937	2,136	1,322	5,665	4,490	2,532	354
II.	MIDDLE CLASS,	87,188	7,418	14,383	9,936	33,875	15,662	5,460	454
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	12,336	21,973	11,462	37,921	20,434	5,920	377
IV.	GENERAL SERVICE CLASS,	154,279	17,205	28,768	16,320	57,135	26,398	7,989	464
V.	INMATES OF WORKHOUSES,	6,024	261	292	131	1,087	1,626	2,372	255
I.	PROFESSIONAL AND INDEPENDENT CLASS.								
	1. Clerical, Medical, and other Professions; Naval and Military Officers; and Heads of Public Departments,	7,799	541	997	548	2,654	2,196	793	70
	2. Merchants and Manufacturers, Higher Class,	1,277	139	268	98	325	322	116	9
	3. Persons of Rank and Property, not otherwise described,	8,360	257	871	676	2,686	1,972	1,623	275
II.	MIDDLE CLASS.								
	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	822	1,509	822	2,461	1,658	412	28
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	2,849	5,110	1,330	6,494	4,995	1,181	57
	6. Clerks and Commercial Assistants,	30,432	2,477	3,842	5,170	14,637	3,630	663	13
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	1,270	3,922	2,614	10,283	5,379	3,204	356
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	1,364	2,151	940	3,627	1,512	271	9
	9. Building and Furnishing Trades,	29,801	4,037	6,963	2,619	9,373	5,452	1,289	68
	10. Clothing Trades,	23,260	1,359	2,995	3,338	9,277	4,484	1,700	107
	11 Food Supply Trades,	9,242	1,279	2,023	742	3,300	1,565	320	13
	12. Other Trades and Callings ranking with Trades,	30,352	3,472	6,258	3,151	9,923	5,623	1,770	155
	13. Petty Shopkeepers,	7,894	825	1,583	672	2,421	1,798	570	25
IV.	GENERAL SERVICE CLASS.								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	1,376	2,217	2,238	5,068	1,655	836	35
	15. Domestic Servants,	36,603	916	2,256	5,873	18,887	6,290	2,203	178
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	2,250	3,385	838	5,084	2,416	407	10
	17. Hawkers, Porters, Labourers, &c.,	89,861	12,663	20,910	7,371	28,096	16,037	4,543	241
V.	INMATES OF WORKHOUSES.								
	18. Workhouse Inmates,	6,024	261	292	131	1,087	1,626	2,372	255

Registration Area during the Year (53 Weeks) ending Saturday, 3rd January, 1903; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death.

Class.	Occupation or Social Position [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Year (53 Weeks) ending Saturday, 3rd January, 1903. Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total. Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	25·5	9,727	3,192	762	1,582	1,924	1,857	410	.	392	76	8	59	85	4	121	237	982	1,261	429	1,959	221	4,875
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	17,436	26·5	470	15	13	50	96	177	119	.	1	1	.	.	2	.	3	1	8	32	.	62	10	358
II.	Middle Class,	87,188	14·4	1,273	289	121	249	258	282	74	.	18	22	2	6	15	.	23	20	106	160	47	213	23	724
III.	Artisan Class and Petty Shopkeepers,	110,423	19·5	2,185	691	210	405	465	367	47	.	88	19	.	12	16	2	35	56	228	312	109	431	43	1,062
IV.	General Service Class,	154,279	35·6	4166	1,950	373	604	650	507	82	.	272	34	6	40	51	2	54	136	595	453	262	870	140	1,846
V.	Inmates of Workhouses,	6,024		1633	247	45	274	455	524	88	.	13	.	.	1	1	.	6	24	45	304	11	383	5	885
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	26·2	208	12	10	25	48	71	42	.	1	1	.	.	.	.	1	1	4	15	.	24	7	158
	2. Merchants and Manufacturers, Higher Class,	1,277	14·6	19	.	2	.	7	8	2	.	.	.	.	.	1	.	.	.	1	.	.	2	1	15
	3. Persons of Rank and Property, not otherwise described,	8,360	28·6	243	3	1	25	41	98	75	.	.	.	.	.	1	.	2	.	3	17	.	36	2	185
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	12·8	100	23	5	15	24	27	6	.	2	.	.	.	.	.	1	.	3	10	2	21	.	64
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	17·3	388	95	27	52	88	95	31	.	1	5	.	2	4	.	6	8	26	27	17	81	4	233
	6. Clerks and Commercial Assistants,	30,432	14·2	438	128	50	117	80	55	8	.	9	14	1	4	6	.	12	9	55	76	23	61	11	212
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	12·6	347	43	39	65	66	105	29	.	6	3	1	.	5	.	4	3	22	47	5	50	8	215
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	21·3	214	77	23	53	41	20	.	.	10	2	.	1	1	.	7	10	31	42	15	41	6	79
	9. Building and Furnishing Trades,	29,801	19·7	598	252	63	79	113	79	12	.	36	4	.	3	10	.	9	12	74	71	35	112	15	291
	10. Clothing Trades,	23,260	14·0	331	81	28	79	55	75	13	.	10	5	.	.	.	.	4	6	25	68	16	64	3	155
	11. Food Supply Trades,	9,242	14·4	135	41	8	21	31	27	7	.	2	.	.	.	.	1	.	5	8	13	5	30	.	79
	12. Other Trades and Callings ranking with Trades,	30,352	25·0	772	208	78	149	184	140	13	.	24	7	.	7	4	1	13	20	76	99	35	158	15	389
	13. Petty Shopkeepers,	7,894	16·8	135	32	10	24	41	26	2	.	6	1	.	1	1	.	2	3	14	19	3	26	4	69
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	27·9	381	142	32	51	58	87	11	.	11	6	.	3	5	.	7	12	44	37	18	88	8	186
	15. Domestic Servants,	36,603	10·4	386	101	29	82	70	77	27	.	7	2	1	2	4	1	9	9	35	47	15	71	18	200
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·8	319	136	31	55	58	36	3	.	11	4	.	1	2	.	3	12	33	36	22	70	11	147
	17. Hawkers, Porters, Labourers, &c.,	89,861	33·7	3,080	1,571	281	416	464	307	41	.	243	22	5	34	40	1	35	103	483	333	207	641	103	1,313
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	6,024	–	1,633	247	45	274	455	524	88	.	13	.	.	1	1	.	6	24	45	304	11	383	5	885

PROVINCIAL URBAN DISTRICTS.—(See Tables VIII. and IX.)—The respective death-rates represented by the deaths from the principal epidemic diseases* registered during the year in the twenty-one urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest :—Portadown, 0·1 ; Newtownards, 0·4 ; Dundalk, 0·6 ; Clonmel, 0·9 ; Galway, 1·0 ; Wexford, 1·0 ; Tralee, 1·1 ; Newry, 1·1 ; Lisburn, 1·1 ; Ballymena, 1·2 ; Drogheda, 1·2 ; Lurgan, 1·3 ; Cork, 1·3 ; Kilkenny, 1·4 ; Londonderry, 1·7 ; Sligo, 1·9 ; Queenstown, 2·0 ; Limerick, 2·3 ; Waterford, 2·4 ; Armagh, 2·6 ; and Belfast, 2·8.

Small-pox.—From Table VIII. it appears that 1 death from small-pox was registered in the year 1902 in Belfast.

Measles.—In Belfast 349 deaths were registered, being equal to an annual rate of 0·96 per 1,000 of the estimated population. There were 66 deaths in Limerick, 31 in Londonderry, 21 in Cork, and 16 in Armagh.

Scarlet Fever.—Of 28 deaths registered in 7 of the 21 urban districts 15 occurred in Belfast, and 4 in Lurgan.

Typhus Fever.—Of 17 deaths, 6 occurred in Galway, 4 in Sligo, 3 in Belfast, 2 in Limerick, and 1 each in Drogheda and Tralee.

Whooping-cough.—In Belfast 208 deaths were registered—the number of deaths from this disease in 1901 being 162. Thirty deaths were registered in Cork, 28 in Waterford, and 10 in Sligo.

Diphtheria.—There were 66 deaths registered in Belfast during the year 1902 as against 65 in the preceding year ; in Lurgan 5 ; in Cork 4 ; 3 each in Londonderry and Dundalk ; 2 in Armagh ; and 1 death in each of the following urban districts :—Waterford, Clonmel, Tralee, and Newtownards.

Simple continued and ill-defined Fever.—Twenty-three deaths were thus registered. of which number 12 appertained to Belfast.

Enteric Fever.—The total deaths registered amount to 214 as compared with 388 in the year 1901. Of the 214 deaths, 169 were registered in Belfast as against 341 in the preceding year, 1901.

Diarrhœal Diseases.—In 1901 it appears that 529 deaths were attributed to diarrhœal diseases ; in the year 1902 (now under review) the number has declined to 353. In Belfast in 1901 the number of deaths registered was 292, which figure has declined to 204 in the year 1902. In Cork 34 deaths were registered, in Londonderry 29, in Waterford 22, and in Limerick 13.

Phthisis (*Pulmonary Tuberculosis*).—The total number of deaths assigned to this disease is 2,128, the corresponding number in the year 1901 being 2,127. The rate for the year 1902 is equal to 2·93 per 1,000 of the population of the 21 urban districts, the rate for Belfast being 3·1 per 1,000 of the estimated population, while the rate for the remaining 20 urban districts was 2·8 per 1,000 of the total population of these districts.

* See note (†) on page iv.

Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes.

TOWNS AND DISTRICTS	Census Statistics of Districts.*		REGISTRATION—YEAR 1902 (53 WEEKS).																				
			Annual Rate per 1,000 persons represented by			NUMBER REGISTERED.																	
				DEATHS from			DEATHS.																
										Caused by													
	Population.	Persons to an Acre.	BIRTHS.	All Causes.	From Diseases in Cols. 10-18.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
TOTAL OF 22 TOWN DISTRICTS,	1,092,621	19·2	28·6	21·8	2·3	31,738	24,201	4,661	5,732	1	916	98	25	358	165	26	331	586	3,326	5,065	485	984	6,767
DUBLIN REGISTRATION AREA,	378,994	27·5	28·7	24·3	2·5	11,052	9,341	1,793	2,197	.	390	70	8	57	78	3	117	233	1,198	1,929	203	309	3,473
URBAN DISTRICTS.																							
BELFAST,	358,680	24·4	30·5	20·8	2·8	11,113	7,577	1,677	1,394	1	349	15	3	208	66	12	169	204	1,132	1,779	176	458	1,471
CORK,	76,122	33·6	26·2	21·5	1·3	2,031	1,667	258	430	.	21	3	.	30	4	1	5	34	287	279	25	65	564
LONDONDERRY,	40,729	18·8	27·2	18·6	1·7	1,125	772	134	211	.	31	.	.	2	3	.	4	29	109	204	12	24	121
LIMERICK,	38,151	18·1	29·0	21·0	2·3	1,124	815	133	219	.	66	.	2	.	.	.	9	13	114	170	4	14	272
WATERFORD,	26,769	18·7	20·5	18·7	2·4	557	510	84	148	.	7	2	.	28	1	1	4	22	72	76	10	21	175
GALWAY,	13,426	2·5	27·8	26·0	1·0	379	355	66	119	.	.	.	6	.	.	5	.	3	31	53	10	8	95
DUNDALK,	13,076	9·4	23·2	18·2	0·6	309	242	44	85	.	3	.	.	.	3	.	1	1	25	68	5	4	35
DROGHEDA,	12,760	8·6	23·9	22·7	1·2	310	294	20	50	.	8	.	1	5	.	.	1	1	11	11	.	11	62
NEWRY,	12,405	17·8	27·7	17·3	1·1	349	218	34	74	.	.	.	.	2	.	.	9	3	19	31	8	14	11
LURGAN,	11,782	13·8	30·1	19·5	1·3	366	234	41	58	.	2	4	.	1	5	1	.	2	37	48	4	4	55
LISBURN,	11,461	10·1	28·8	17·8	1·1	336	207	37	65	.	1	2	.	3	.	.	4	3	30	48	.	5	49
WEXFORD,	11,168	23·2	26·8	22·4	1·0	304	254	45	86	.	.	1	.	4	.	1	1	4	26	68	5	3	26
BALLYMENA,	10,886	8·9	24·2	16·8	1·2	268	186	33	65	.	9	.	.	.	.	.	1	3	26	31	4	5	11
SLIGO,	10,870	3·7	24·3	19·1	1·9	268	211	41	71	.	2	.	4	10	.	.	.	5	24	17	4	8	60
KILKENNY,	10,609	11·5	26·9	20·4	1·4	290	220	34	92	.	.	.	.	7	.	.	.	8	21	33	4	4	74
CLONMEL,	10,167	7·8	23·4	22·1	0·9	242	228	18	89	.	.	.	.	.	1	.	2	6	39	51	1	.	107
PORTADOWN,	10,092	13·2	29·6	15·8	0·1	304	162	42	48	.	.	1	.	.	.	.	.	.	15	38	3	11	.
TRALEE,	9,867	16·6	32·3	20·9	1·0	324	210	38	61	.	1	.	1	.	1	2	1	5	37	19	1	7	49
NEWTOWNARDS,	9,110	18·9	27·4	23·1	0·4	254	214	33	82	.	1	.	.	1	1	.	.	1	35	54	5	6	29
QUEENSTOWN,	7,909	14·4	28·4	17·5	2·0	228	141	31	40	.	9	.	.	.	.	.	2	5	21	34	1	.	6
ARMAGH,	7,588	22·2	26·6	18·5	2·6	205	143	25	48	.	16	.	.	.	2	.	1	1	17	24	.	3	22

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is the estimated population in the middle of the year 1902; that for each of the other districts is the population according to the Census of 1901.

TABLE IX.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Year** (53 weeks) ended 3rd JANUARY, 1903, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Epidemic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	14,734	481	27·7	4·4	415	79	71	200	65	.	21	2	.	12	2	4	11	14	63	91	27	54	97
" 2 "	47,959	1,457	19·8	2·6	967	212	175	402	178	.	46	9	1	23	8	1	18	24	129	241	28	62	172
" 3 "	47,214	1,510	20·9	4·4	1,001	241	211	398	151	.	78	3	.	40	15	2	20	52	149	239	13	47	146
" 4 "	40,911	1,486	24·7	2·5	1,027	227	150	446	204	.	30	1	.	24	6	.	30	14	145	231	16	42	299
" 5 "	17,887	535	30·4	4·8	537	112	93	230	102	.	37	.	.	21	4	2	12	9	103	196	18	45	146
" 6 "	48,122	1,087	18·8	2·0	921	159	97	429	236	.	37	.	1	14	3	2	13	26	136	212	18	52	172
" 7 "	1,524	54	25·8	0·6	40	8	8	15	9	.	.	.	.	.	.	.	.	1	8	7	.	1	8
" 8 "	5,060	133	22·9	1·9	118	22	17	57	22	.	.	.	.	2	1	.	4	3	18	30	.	8	22
" 9 "	19,569	587	22·1	2·7	440	89	67	211	73	1	21	.	.	10	7	1	8	6	72	95	12	19	91
" 10 "	23,064	846	21·3	3·2	499	128	79	210	82	.	26	.	1	13	11	.	11	12	81	130	5	36	55
" 11 "	34,802	1,135	18·3	2·9	647	148	101	275	123	.	21	.	.	21	5	.	20	34	96	142	15	32	123
" 12 "	33,588	1,263	20·9	2·3	712	195	120	307	90	.	28	.	.	21	4	.	17	8	94	189	21	48	115
" 13 "	15,006	527	16·1	1·4	246	57	34	96	59	.	4	.	.	7	.	.	10	1	37	44	2	11	20
" 14 "	240	12	28·7	.	7	.	1	6	.	.	.	.	.	.	.	.	.	.	1	1	1	1	5
Total,	349,180	11,118	21·3	2·9	7,577	1,677	1,224	3,282	1,394	1	349	15	3	208	66	12	169	204	1,132	1,779	176	458	1,471
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	278	24·3	0·8	318	35	19	164	100	.	5	2	.	1	.	1	.	1	71	46	3	11	175
" 2 "	10,701	339	23·1	2·7	251	51	38	111	51	.	4	.	.	6	2	.	3	14	38	41	6	10	81
" 3 "	9,973	327	25·1	1·2	255	40	19	126	70	.	3	.	.	2	.	.	.	7	53	50	3	4	102
" 4 "	8,666	238	18·7	0·8	165	28	22	76	39	.	3	.	.	1	.	.	1	2	20	18	3	6	27
" 5 "	6,592	162	19·1	0·6	128	19	14	64	31	.	.	.	.	1	.	.	1	2	17	34	4	10	14
" 6 "	10,702	246	12·1	1·0	182	21	18	66	27	.	4	.	.	4	.	.	.	3	21	10	1	5	11
" 7 "	16,616	441	24·7	1·5	418	64	46	196	112	.	2	1	.	15	2	.	.	5	67	80	5	19	154
Total,	76,122	2,031	21·5	1·3	1,667	258	176	803	430	.	21	3	.	30	4	1	5	34	287	279	25	65	564

GENERAL REGISTER OFFICE,

Charlemont House, Dublin, 27th February, 1903.

R. E. MATHESON,

Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & CO. (Limited), 87, 88, and 89, Abbey-street.

360. Wt. P. 440. 3. 03.—(12.02).

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 4TH JANUARY, 1902. [No. 1.

General Register Office, Charlemont House, Dublin, 6th January, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 25·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Average Rate for 4 weeks
22 Town Dists.	18·8	22·3	22·8	25·2	22·3	Lisburn, . .	0·0	13·7	22·8	9·1	11·4
Armagh, . .	20·7	6·9	6·9	6·9	10·4	Londonderry, .	22·2	23·5	10·5	21·8	19·5
Ballymena, .	38·3	19·2	19·2	4·8	20·4	Lurgan, . .	4·4	13·3	26·6	0·0	11·1
Belfast, . .	21·0	21·4	22·3	20·8	21·4	Newry, . .	8·3	8·3	12·4	16·6	11·4
Clonmel, . .	10·2	5·1	5·1	5·1	6·4	Newtownards, .	11·4	28·6	17·2	11·4	17·2
Cork, . . .	24·0	25·4	26·1	34·3	27·4	Portadown, .	10·4	15·6	26·0	15·6	16·9
Drogheda, . .	16·3	16·3	4·1	36·8	18·4	Queenstown, .	6·6	0·0	13·2	13·2	8·3
Dublin Reg. Area,	17·9	25·9	26·8	29·4	25·0	Sligo, . .	0·0	24·0	4·8	38·4	16·8
Dundalk, . .	8·0	8·0	16·0	20·0	13·0	Tralee, . .	10·6	37·2	0·0	47·8	23·9
Galway, . .	38·9	7·8	23·3	31·1	25·3	Waterford, .	11·7	15·6	19·5	27·3	18·5
Kilkenny, . .	34·8	29·8	19·9	34·8	29·8	Wexford, . .	14·0	28·0	14·0	14·0	17·5
Limerick, . .	16·4	20·5	34·2	34·2	26·3						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·1 in Newry. Among the 143 deaths from all causes registered in Belfast are one from measles, one from scarlatina, one from whooping-cough, 3 from diphtheria, one from simple fever, 4 from enteric fever, and 2 from diarrhœa; and the 50 deaths in Cork include 2 from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 279—146 boys and 133 girls; and the deaths to 223—104 males and 119 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 30·7 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 29·4 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 16 deaths from zymotic diseases registered during the week, a number equal to that of the preceding week, the annual rate being also equal to 2·2 per 1,000 of the estimated population, the average rate for the 1st week of the past 10 years being 3·7 per 1,000, 4 deaths from diarrhœa, 3 from diphtheria, 2 from enteric fever, 2 from influenza, and one from whooping-cough being included in the total.

Tubercular disease caused 36 deaths—30 from pulmonary tuberculosis, 2 from tubercular meningitis, one from tabes mesenterica, and 3 from other forms of the disease.

Diseases of the respiratory system caused 57 deaths—including 37 from bronchitis and 16 from pneumonia—being 11 over the number recorded in the preceding week, and equal to a rate of 7·8 per 1,000 of the estimated population, the average rate for the 1st week of the preceding 10 years being 7·9 per 1,000.

The deaths of 11 children under 5 years of age, of whom 7 were under one year, including 3 infants under one month, were caused by convulsions.

There were 7 deaths from apoplexy, and 5 from other diseases of the brain and nervous system (exclusive of convulsions).

Eleven deaths were caused by cancer, and 24 by diseases of the circulatory system.

Five deaths from accident and one death by suicide were registered.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 12 were under one month old) and 66 were aged 60 years and upwards, including 28 persons aged 70 and upwards, of whom 7 were octogenarians, and 2 (men) were stated to have been aged 93 years each.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 23 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 29·4 per 1,000: the rate in the City was 31·3 (33·9 on the North side, and 28·4 on the South), and in the Suburbs 23·1.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·4 (1·4 in the North City Districts, and 1·5 in the South) and for the Suburbs 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000. One death was caused by diarrhœa, and 5 deaths by diseases of the respiratory system, including one from pneumonia; there were 3 deaths from pulmonary tuberculosis.

No. 1 North City District, West (Summer-hill).—The deaths (27) are equal to an annual rate of 36·0 per 1,000. There were 3 deaths from pulmonary tuberculosis and 7 deaths from diseases of the respiratory system, including 3 deaths from pneumonia.

No. 2 North City District (Lisburn-street).—The deaths (25) are equivalent to an annual rate of 43·3 per 1,000. There were 2 deaths from diarrhœa; also 2 deaths from pulmonary tuberculosis. Diseases of the respiratory system caused 6 deaths, including 3 from pneumonia, and 2 deaths were caused by accidental violence.

No. 3 North City District (Blackhall-place).—The deaths (26) represent an annual rate of 42·8 per 1,000. Diphtheria caused one death; pulmonary tuberculosis caused 7 deaths; 4 deaths were due to diseases of the respiratory system, and one death was the result of accidental violence.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 22·6 per 1,000. Pulmonary tuberculosis caused 4 deaths, and diseases of the respiratory system caused 3 deaths.

No. 2 South City District (Castle-street).—The deaths (21) are equal to an annual rate of 64·0 per 1,000. Enteric fever caused one death; pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 8 deaths.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 25·0 per 1,000. Enteric fever caused one death; cerebro-spinal meningitis caused one death; pulmonary tuberculosis caused one death, and 4 deaths (including one from pneumonia) were caused by diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·9 per 1,000. Diphtheria caused one death; pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 6 deaths, including 3 deaths from pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 25·1 per 1,000 inhabitants; Pembroke, 24·0; Blackrock, 0·0; and Kingstown, 29·6. The deaths from zymotic diseases tabulated for these districts consist of one from diphtheria and one from influenza in Rathmines, and one from influenza for Pembroke. Among the 16 deaths from all causes tabulated for Rathmines are one from pulmonary tuberculosis, and 3 from diseases of the respiratory system (including one from pneumonia). Of the 12 deaths from all causes for Pembroke, 5 were from diseases of the respiratory system (including 2 from pneumonia), and 3 from diseases of the circulatory system; and of the 10 deaths for Kingstown, one was from pulmonary tuberculosis, 2 from bronchitis, and 2 from pneumonia.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	14th December,	72 cases.
" "	21st December,	56 cases.
" "	28th December,	45 cases.
" "	4th January,	76 cases.

Of the 76 cases notified, 22 were erysipelas, 16 enteric fever, 15 scarlatina, 16 diphtheria, one continued fever, 4 measles, and one typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	14th December,	8 cases.
Fortnight "	28th December,	11 cases.
Week "	4th January,	9 cases.

Of the 9 cases notified, 3 were from scarlet fever, 3 from diphtheria, one from enteric fever, and 2 from erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	14th December,	6 cases.
" "	21st December,	12 cases.
" "	28th December,	28 cases.
" "	4th January,	41 cases.

Of the 41 cases notified, 2 were enteric fever, 4 scarlet fever, 31 measles, and 4 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	14th December,	62 cases.
" "	21st December,	52 cases.
" "	28th December,	43 cases.
" "	4th January,	59 cases.

Of the 59 cases notified, 14 were enteric fever, 9 erysipelas, 6 diphtheria, 10 continued fever, 12 scarlet fever, and 7 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th January, 1902.

From this it appears that:—

Eight cases of enteric fever were admitted to hospital, 9 cases were discharged, there were 3 deaths, and 59 cases remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 5 cases were discharged, and 63* cases remained under treatment at the close of the week.

One case of typhus was discharged and one remained under treatment at the close of the week.

Eleven cases of diphtheria were admitted to hospital, five cases were discharged, there was one death, and 46 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 13 cases of pneumonia were admitted to hospital, 5 patients were discharged, and 27 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 75 large English towns, including London (in which the rate was 20·6), was equal to an average annual death-rate of 21·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·2 per 1,000, the rate for Glasgow being 23·8, and for Edinburgh 23·0.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 4th January, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 4th January, 1902. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Deaths. Under 1 year of age.	Deaths. At 60 years & upwards.	Deaths. Caused by. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 4th Jan., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th Dec., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st Dec., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 22 TOWN DISTRICTS	1,092,322	18·7	25·3	25·2	1·3	739	528	81	143	.	1	1	.	5	6	1	6	7	66	124	12	30	146	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:— TOTAL,‡	379,068	27·8	38·4	29·4	1·2	279	214	33	65	.	.	.	.	1	3	.	2	3	28	57	6	9	67	§53·9	36·5	45·4	0·37	50·7	23·6	35·2	0·29	41·7	18·4	33·5	0·30
Registrars' Districts. CITY	293,394	37·8	43·5	31·3	1·4	245	176	28	44	.	.	.	.	1	2	.	2	3	26	45	3	6	63	a55·6 b57·0	37·2 33·2	47·2 45·3	0·32 0·34	49·8 48·9	30·0 25·0	37·6 35·5	0·29 0·33	42·8 45·2	24·0 20·0	35·8 35·1	0·28 0·26
Registrars' Districts. RATHMINES,‖	33,203	19·4	14·1	25·1	1·6	9	16	3	8	.	.	.	.	.	1	.	.	.	1	3	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. DONNYBROOK part of (Pembroke Urban District.)	26,025	16·0	30·1	24·0	.	15	12	1	6	.	.	.	.	.	.	.	.	.	.	5	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. BLACKROCK,‖	8,759	8·1	11·9	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Registrars' Districts. KINGSTOWN, 1 & 2,‖	17,622	12·1	23·7	29·6	.	8	10	1	7	.	.	.	.	.	.	.	.	.	1	4	1	1	.	56·5	37·5	47·6	0·45	48·5	29	39	0·53	43	26	36·7	.
URBAN DISTRICTS																																				
BELFAST,	358,693	21·8	34·4	20·8	1·9	237	143	24	21	.	1	1	.	1	3	1	4	2	19	36	3	12	22	52·5	26·0	42·8	0·57	40·4	21·0	33·6	0·97	43·9	28·0	37·1	0·59
CORK,	75,978	33·5	38·4	34·3	2·1	56	50	9	8	.	.	.	.	2	.	.	.	1	6	10	3	6	13	53	41	48·2	1·17	50	33	42·0	1·26	46	30	38·9	0·71
LONDONDERRY,	40,729	18·8	30·7	21·8	.	24	17	1	5	.	.	.	.	.	.	.	.	.	2	6	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	88,085	18·4	52·0	34·2	.	38	25	3	10	.	.	.	.	.	.	.	.	.	3	4	.	.	16	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,748	18·6	17·5	27·3	.	9	14	1	7	.	.	.	.	.	.	.	.	.	.	2	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,414	9·5	23·3	31·1	.	6	8	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	3	54	34	47	1·22	46	28	38	1·34	44	25	36	0·05
DUNDALK	18,067	9·4	39·9	20·0	4·0	10	5	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,765	8·1	28·6	36·8	.	7	9	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,587	17·9	37·3	16·6	4·1	9	4	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	52·0	36·4	44·7	0·80	47·2	19·8	34·9	0·67	42·0	20·0	32·5	0·43
LURGAN,	11,777	18·8	35·4	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52·0	36·4	44·7	0·80	47·2	19·8	34·9	0·67	42·0	20·0	32·5	0·43
LISBURN,	11,459	10·1	18·2	9·1	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	52·0	36·4	44·7	0·80	47·2	19·8	34·9	0·67	42·0	20·0	32·5	0·43
WEXFORD,	11,154	23·2	14·0	14·0	.	3	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,880	10·9	19·2	4·8	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,862	8·6	43·2	38·4	.	9	8	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	6	52·3	31·8	43·6	1·28	48·5	25·8	38·0	1·94	46·6	23·6	35·4	0·94
KILKENNY	10,493	11·4	54·7	34·8	.	11	7	1	5	.	.	.	.	.	.	.	.	.	.	1	.	.	2	54·0	31·0	44·5	0·88	51	24	37·3	1·00	41	25	33·4	0·19
CLONMEL,	10,209	7·9	20·4	5·1	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,046	18·1	31·1	15·6	.	6	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	52·0	36·4	44·7	0·80	47·2	19·8	34·9	0·67	42·0	20·0	32·5	0·43
TRALEE,	9,812	16·7	.	47·8	.	.	9	2	5	.	.	.	.	.	.	.	.	.	3	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	22·9	11·4	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	53	35	44·6	0·72	47	29	37·3	0·98	43	28	38·0	0·96
QUEENSTOWN,	7,887	14·7	39·7	18·2	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	53	41	48·2	1·17	50	33	42·0	1·26	46	30	38·9	0·71
ARMAGH,	7,569	22·1	34·4	6·9	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	52·0	36·4	44·7	0·80	47·2	19·8	34·9	0·67	42·0	20·0	32·5	0·43

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 9 deaths of persons (including one at 69 years) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

a Observations by Sir J. W. Moore taken at Fitzwilliam Square.

b Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 4th January, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.		.	.	.	.	1	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.		1	.	.	.	3	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.		.	.	.	.	2	.
Diarrhœa, Dysentery,	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	3	1
Other Zymotic Diseases	.	1	.	1	.	.	.	.	.	.	1	.	.	1	.		1	1	.	.	6	.
Total,	1	1	2	2	.	.	.	.	.	1	2	1	.	2	.		2	1	.	.	15	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
III. DIETETIC DISEASES,	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.		.	.	.	.	3	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	3	3	2	7	.	.	.	.	4	3	1	2	.	1	.		1	.	.	1	28	2
Other Constitutional Diseases,	1	1	1	.	.	.	.	.	3	2	4	2	.	.	.		2	.	.	1	17	1
Total,	4	4	3	7	.	.	.	.	7	5	5	4	.	1	.		3	.	.	2	45	3
V. DEVELOPMENTAL DISEASES,	.	6	.	2	.	.	.	.	1	1	1	1	.	.	.		.	1	.	1	14	.
VI. LOCAL DISEASES:																						
Diseases of: Brain & Nervous System,	1	3	7	1	1	.	.	.	2	.	4	2	.	.	.		1	.	.	.	22	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Circulatory System,	1	2	3	3	1	1	1	.	2	2	2	.	.	1	.		2	3	.	.	24	.
Respiratory System,	5	7	6	4	1	.	.	.	3	8	4	6	.	1	.		3	5	.	4	57	.
Digestive System,	.	2	1	2	.	1	.	.	1	1	1	.	.	.	.		2	1	.	1	13	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	.	.	1	.	.	1	.	.	1	1	.	.	.	.	.		.	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	2	.	.	.	.	.	1	1	.	.	.	.		.	.	.	.	4	1
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	1
Total,	7	14	18	12	3	3	1	.	9	13	12	8	.	2	.		8	9	.	5	124	5
VII. VIOLENT DEATHS,	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.		2	.	.	1	6	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	.	1	.	1	.	.	.	1	.	.	.	.	.		1	1	.	1	7	.
Deaths from all Causes,	12	27	25	26	3	5	1	.	17	21	20	14	.	5	.		16	12	.	10	214	9
Annual Rate of Mortality in every 1,000 of the population.	22·1	36·0	43·3	42·8	32·5	26·0	7·8	.	22·6	64·0	25·0	20·9	.	35·7	.		25·1	24·0	.	29·6		
	38·9								28·4								23·1				29·4	
	31·3																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	5	2	8	.	2	.	.	3	5	8	2	.	.	.		3	1	.	.	39	3
Workhouse Hospitals,	3	4	6	7	.	.	.	.	2	3	3	.	.	.	.		.	.	.	.	28	6

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 1st Week of the 10 years 1892-1901.	In the week ending Saturday 4th January, 1902							
												Deaths of persons of the Ages of							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
	Jan. 9 1892	Jan. 7, 1893	Jan. 6, 1894	Jan. 5, 1895	Jan. 4, 1896	Jan. 2, 1897	Jan. 8, 1898	Jan. 7, 1899	Jan. 6, 1900	Jan. 5, 1901		Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 32·5	° 30·8	° 31·1	° 32·8	° 48·7	° 41·6	° 44·4	° 40·3	° 38·8	° 41·1	° 38·2	° 45·4								
ALL CAUSES,	235	210	162	190	193	236	208	179	337	208	217·3	223	12	21	13	9	39	63	57	9
I. FEBRILE OR ZYMOTIC DISEASES,	36	22	24	17	10	48	29	18	37	25	26·6	16	1	3	3	2	3	2	2	.
II. PARASITIC DISEASES,	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	2	2	2	.	.	2	1	.	.	2	1·1	3	.	.	.	.	2	1	.	.
IV. CONSTITUTIONAL "	48	38	42	47	42	33	41	40	63	42	43·7	48	.	2	1	5	13	24	3	.
V. DEVELOPMENTAL "	16	21	17	14	19	11	14	15	29	16	17·2	14	3	1	.	.	.	1	6	3
VI. LOCAL "	116	111	90	105	94	122	109	96	193	109	114·5	129	4	12	9	2	20	32	44	6
VII. VIOLENT DEATHS,	7	5	2	1	18	4	8	6	4	3	5·8	6	1	.	.	.	1	2	2	.
VIII. ILL-DEFINED CAUSES,	9	10	4	6	10	16	6	4	11	6	8·2	7	3	3	.	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	3	3	.	.	9	.	.	10	2	2·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	.	2	4	5	.	.	.	1·2	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	13	.	7	2	1	1	5	4	.	.	5·2	2	.	.	.	.	.	2	.	.
Whooping Cough,	10	2	5	1	2	19	4	6	19	13	6·3	1	.	1	.	.	.	.	.	.
Diphtheria,	1	.	.	.	.	.	.	1	1	4	·6	3	.	1	2	.	.	.	.	.
Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	11	2	2	3	4	6	4	5	3	4·4	2	.	.	.	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	1	2	2	.	3	3	2	2	1	1·7	4	.	1	.	.	1	2	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	2	.	2	.	.	.	1	.	1	·6	2	1	.	1	.	.	.	.	.
Erysipelas,	.	1	1	2	1	2	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	1	.	.	.	3	2	.	.	.	·7	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	1	1	.	1	.	2	.	.	.	·5	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	5	.	2	1	.	2	2	.	.	1	1·3	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	2	2	2	.	.	2	1	.	.	2	1·1	3	.	.	.	.	2	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	.	.	1	1	1	.	.	2	·6	.	.	.	.	.	.	.	.	.
Rheumatism,	1	3	1	.	.	.	2	.	1	.	·8	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	3	4	8	4	4	7	9	8	5	2	5·4	11	.	.	.	.	3	7	1	.
Tabes Mesenterica,	4	5	3	6	3	1	5	4	5	5	4·1	1	.	.	.	1	.	.	.	.
Tubercular Meningitis,	5	1	2	3	3	3	3	6	2	4	3·2	2	.	.	1	1	.	.	.	.
Phthisis,	27	22	24	30	28	14	14	19	40	24	24·2	30	.	2	.	1	9	17	1	.
Scrofula, Tuberculosis,	7	2	4	2	3	5	5	3	6	4	4·1	3	.	.	.	2	1	.	.	.
Other Constitutional Diseases,	2	.	.	2	.	1	2	.	4	1	1·2	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	3	.	.	3	2	.	3	.	4	5	2·0	2	2	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	1	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.
Old Age,	13	21	17	11	16	11	11	15	25	11	15·1	10	.	.	.	.	.	1	6	3

* The figures for the years 1892-1900 are for the

each Disease registered in the FIRST WEEK ending Saturday, 4th January, 1902, with ten years, 1892–1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 1st Week of the 10 years 1892–1901.	In the Week ending Saturday, 4th January, 1902. Deaths of Persons of the Ages of								
	Jan. 9, 1892.	Jan. 7, 1893.	Jan. 6, 1894.	Jan. 5, 1895.	Jan. 4, 1896.	Jan. 9, 1897.	Jan. 8, 1898.	Jan. 7, 1899.	Jan. 6, 1900.	Jan. 5, 1901.		ALL AGES.	0 to 5				5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.						
Mean Temperature.	° 32·5	° 30·8	° 31·1	° 32·8	° 48·7	° 41·6	° 44·4	° 40·3	° 38·8	° 41·1	° 38·2	° 45·4									
VI. Local Diseases.																					
Apoplexy,	4	2	1	4	2	2	.	3	11	5	3·4	7	.	.	.	.	1	1	5	.
Epilepsy,	1	1	.	1	1	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
Convulsions,	15	6	9	5	7	10	8	8	12	14	9·4	11	3	4	4	.	.	.	.	.
Other Diseases of Brain and Nervous System,	8	6	5	6	8	4	7	12	13	8	7·7	5	.	.	.	.	1	1	3	.
Diseases of Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	12	19	14	29	19	23	18	20	24	14	19·2	24	.	.	.	.	4	11	8	1
Croup,	.	3	1	1	1	1	1	.	2	2	1·2	.	.	.	.	.	.	.	.	.
Bronchitis,	53	40	29	31	23	41	31	23	30	31	35·2	37	1	3	2	1	1	8	18	3
Pneumonia,	13	10	14	13	14	14	17	13	25	11	14·4	16	.	2	2	1	4	2	4	1
Pleurisy,	.	.	1	2	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1	5	3	1	1	2	2	1	3	2	2·1	4	.	.	.	.	1	2	1	.
Teething,	1	2	.	2	2	.	1	.	.	3	1·1	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	1	.	.	.	.	1	.	1	.	.	·3	1	.	1	.	.	.	.	.	.
Enteritis,	1	.	1	1	.	.	1	.	2	1	·7	.	.	.	.	.	.	.	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis,	.	2	.	.	.	2	.	1	1	1	·7	.	.	.	.	.	.	.	.	.
Disease of Liver,	3		.	2	4	4	2	.	3	6	3·0	3	.	.	.	.	.	3	.	.
Other Diseases of Digestive System,	2	.	9	2	7	8	7	6	6	4	5·1	11	.	2	1	.	3	1	3	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	4	1	2	3	6	9	6	6	3	4·1	4	.	.	.	.	1	1	2	.
Diseases of Generative System,	.	1	.	2	1	.	2	.	1	1	·8	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	2	1	1	.	.	2	.	.	1	·7	5	.	.	.	.	4	1	.	.
Diseases of Locomotive System,	.	.	1	.	.	.	1	1	1	1	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	.	.	.	1	.	1	1	1	·5	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	1	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,		4	.	.	.		2	1	2	1	1·5	1	.	.	.	.	.	.	1	.
By Drowning,	.	.	1	.	13	2	.	.	2	.	1·8	1	.	.	.	.	.	1	.	.
By Suffocation in Bed,	.	.	.	.	.		.	1	.	.	·2	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other or Not stated Causes,			1	.		.	4	4	.	1	1·7	3	1	.	.	.	1	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	10	4	6	10	16	6	4	11	6	8·2	7	3	3	.	.	.	1	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901–2—Week ending																									
	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
Births registered,	192	194	214	251	153	185	173	175	234	212	152	245	223	176	229	235	141	192	144	162	216	187	164	144	93	279
*Average Births in corresponding week of previous 10 years,**	193	193	189	202	197	201	187	205	190	211	200	210	176	170	188	171	183	179	193	183	186	191	180	153	186	192
Deaths registered,	157	138	155	158	166	148	179	176	154	164	180	133	149	146	150	146	168	171	180	176	141	153	138	196	200	223
Annual Death-rate per 1,000,	21·8	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7
*Average Deaths in corresponding week of previous 10 years,**	147	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185	19	183	189	188	212	217
Ages, Under 5 years,	42	37	50	58	73	50	72	71	64	64	64	42	49	46	50	49	54	53	59	53	36	37	31	47	38	46
5—20 ,,	16	12	7	9	14	14	10	14	10	13	12	11	14	17	8	6	18	15	11	18	13	12	15	18	15	9
20—40 ,,	30	24	28	25	26	25	23	28	23	32	37	28	24	21	22	24	13	23	31	26	20	23	16	35	31	39
40—60 ,,	37	31	30	32	23	25	34	26	30	25	34	24	24	33	26	34	40	36	31	32	30	33	39	54	53	63
60—80 ,,	25	30	35	25	28	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57
80 years and upwards,	7	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	1	1	.	.	.	1	1	2	2	.	1	1	.	.	.	1	1	.	.	.	1	1	.	2	.	.
,, Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	4	.	4	4	.	.	1	1	2	1	4	1	2	1	1	2	4	.	1	1	1	.	1	4	.	1
,, Diphtheria,	1	1	1	.	2	.	.	2	1	.	2	.	2	.	1	1	1	1	3	4	.	2	.	3	2	3
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
,, Enteric Fever,	.	2	.	1	1	.	.	2	.	1	3	3	8	6	3	.	5	2	.	3	2	1	.	4	5	2
,, Diarrhœa, Dysentery,	4	13	20	23	33	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4
,, Phthisis,	25	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30
,, Heart Diseases,	16	17	13	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24
,, Diseases of Respiratory System,	21	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57
Violent Deaths,	2	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6
Mean Temperature of the Air (Phœnix Park),	59·8	64·6	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4
Average Mean Temperature in corresponding week of previous 10 years,	58·6	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	4[illegible]	4[illegible]	43[illegible]	42·9	42·0	42·9	40·2	40·8	38·2
Rainfall in inches,	·015	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	[illegible]	·515	·545	·640	·130	1·205	·000	3·785	·315	·005	1·025	·425	·295	·290	·370
Mean Humidity of the Air, complete Saturation 1·0,	·77	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th January, 1902: be Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	33·6	223	46	9	39	63	57	9	.	.	.	.	1	8	.	2	4	10	30	11	57	6	109
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	30·4	9	1	.	1	.	6	1	.	.	.	.	.	1	.	1	.	2	.	.	2	2	3
II.	MIDDLE CLASS,	80,653	26·3	36	6	1	11	9	6	3	.	.	.	.	.	.	.	.	1	1	4	1	8	2	20
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	28·6	54	6	6	5	23	13	1	.	.	.	.	1	.	.	1	1	3	5	2	11	.	33
IV.	GENERAL SERVICE CLASS,	146,486	42·6	90	30	2	13	22	20	3	.	.	.	.	.	2	.	.	1	3	14	8	26	1	38
V.	INMATES OF WORKHOUSES,	5,191		34	3	.	9	9	12	1	.	.	.	.	.	.	.	.	1	1	7	.	10	1	15
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	18·2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	64·3	7	1	.	1	.	4	1	.	.	.	.	.	1	.	1	.	2	.	.	1	1	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	44·8	5	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	24·3	12	.	1	2	1	5	3	.	.	.	.	.	.	.	.	.	.	.	.	4	.	8
	6. Clerks and Commercial Assistants,	24,750	25·8	12	3	.	3	5	1	.	.	.	.	.	.	.	.	.	1	1	1	1	3	1	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	2	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	7·1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	9. Building and Furnishing Trades,	26,030	28·0	14	1	1	.	7	5	.	.	.	.	.	.	.	.	.	.	.	3	.	3	.	3
	10. Clothing Trades,	23,686	13·2	6	2	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	3
	11. Food Supply Trades,	7,869	46·4	7	2	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	12. Other Trades and Callings ranking with Trades,	26,666	41·4	21	1	2	2	12	3	1	.	.	.	.	1	.	.	1	1	3	2	.	3	.	13
	13. Petty Shopkeepers,	6,771	38·5	5	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	23·0	6	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	3
	15. Domestic Servants,	39,563	14·5	11	2	.	3	1	4	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	8
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	24·4	5	1	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	42·9	68	26	1	9	18	12	2	.	.	.	.	.	2	.	.	1	3	11	6	23	1	24
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	34	3	.	9	9	12	1	.	.	.	.	.	.	.	.	1	1	7	.	10	1	15

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901-1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,333.	Nov. 16,	34·9	1·8	19	.	.	.	.	.	1	.	.	.	6	2	.
		„ 23,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	3	3	.
		„ 30,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	2	.
		Dec. 7,	20·2	.	11	.	.	.	.	.	.	.	.	.	4	.	.
		„ 14,	14·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 21,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	1	.
		„ 28,	31·2	3·7	17	.	.	.	.	.	.	.	1	1	6	2	.
		Jan. 4,	22·1	1·8	12	.	.	.	.	.	.	.	.	1	3	5	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	Nov. 16,	25·8	.	19	.	.	.	.	.	.	.	.	.	.	5	.
		„ 23,	29·8	.	22	.	.	.	.	.	.	.	.	.	1	3	1
		„ 0,	16·3	.	12	.	.	.	.	.	.	.	.	.	4	1	1
		Dec. 7,	13·6	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
		„ 14,	27·1	.	20	.	.	.	.	.	.	.	.	.	2	5	.
		„ 21,	35·2	2·7	26	.	.	.	.	.	1	.	1	.	7	5	1
		„ 28,	39·3	2·7	29	.	.	.	.	.	.	.	2	.	3	10	.
		Jan. 4,	36·0	.	27	.	.	.	.	.	.	.	.	.	3	7	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Nov. 16,	25·9	1·7	15	.	.	.	.	.	.	.	.	1	4	1	.
		„ 23,	32·8	1·7	19	.	.	.	.	.	.	.	1	.	2	3	.
		„ 30,	15·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		Dec. 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	2	1
		„ 14,	22·5		13	.	.	.	.	.	.	.	.	.	1	4	.
		„ 21,	32·8	1·7	19	.	.	.	.	1	.	.	.	.	2	2	1
		„ 28,	34·6	.	20	.	.	.	.	.	.	.	.	.	1	4	.
		Jan. 4,	43·3	3·5	25	.	.	.	.	.	.	.	.	2	2	6	2
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,678.	Nov. 16,	18·5	1·7	11	.	.	.	.	.	.	.	.	1	2	2	.
		„ 23,	15·1	3·4	9	.	.	.	.	.	1	.	1	.	2	3	.
		„ 30,	28·6	.	17	.	.	.	.	.	.	.	.	.	4	2	.
		Dec. 7,	13·5	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 14,	11·8	.	7	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	35·3	3·4	21	.	.	1	.	.	1	.	.	.	2	5	.
		„ 28,	25·2	3·4	15	.	.	.	.	.	1	.	.	1	1	2	2
		Jan. 4,	42·8	1·6	26	.	.	.	.	.	1	.	.	.	7	4	1
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 39,152.	Nov. 16,	34·6	1·4	24	.	.	.	.	.	1	.	.	.	3	6	1
		„ 23,	24·5	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 30,	33·2	4·3	23	.	.	.	.	1	.	.	.	2	3	5	1
		Dec. 7,	31·7	1·4	22	.	.	.	.	.	.	.	.	1	3	4	.
		„ 14,	17·3	.	12	.	.	.	.	.	.	.	.	.	.	5	.
		„ 21,	24·5	1·4	17	.	.	.	.	1	.	.	.	.	3	2	1
		„ 28,	33·2	1·4	23	.	.	.	.	.	.	.	1	.	3	5	1
		Jan. 4,	23·6	.	17	.	.	.	.	.	.	.	.	.	4	3	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	Nov. 16,	22·8	.	8	.	.	.	.	.	.	.	.	.	4	1	.
		„ 23,	19·9	.		.	.	.	.	.	.	.	.	.	1	1	.
		„ 30,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	1	1
		Dec. 7,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		„ 14,	22·8	2·8	8	.	.	.	.	1	.	.	.	.	.	3	.
		„ 21,	37·0	5·7	13	.	.	.	.	.	.	.	.	2	3	.	.
		„ 28,	31·3	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		Jan. 4,	64·0	3·0	21	.	.	.	.	.	.	.	1	.		3	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 41,786.	Nov. 16,	23·2	.	19	.	.	.	.	.	.	.	.	.	4	4	1
		„ 23,	25·7	.	21	.	.	.	.	.	.	.	.	.	2	4	1
		„ 30,	26·9	1·2	22	.	.	.	.	.	.	.	.	1	5	2	.
		Dec. 7,	35·5	1·2	29	.	.	1	.	.	.	.	.	.	3	3	1
		„ 14,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 21,	20·8	1·2	17	.	.	.	.	.	.	.	1	.	2	3	.
		„ 28,	35·5	1·2	29	.	.	.	.	.	1	.	.	.	2	9	.
		Jan. 4,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	1	4	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	Nov. 16,	23·7	.	16	.	.	.	.	.	.	.	.	.	7	1	.
		„ 23,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	2	1
		„ 30,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	2	.
		Dec. 7,	20·8	.	14	.	.	.	.	.	.	.	.	.	.	2	.
		„ 14,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 21,	25·2	4·4	17	.	.	.	.	2	1	.	.	.	.	3	1
		„ 28,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	5	2
		Jan. 4,	20·9	1·5	14	.	.	.	.	.	.	.	.	.	2	6	.

the everal REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of he Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted*; also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901-1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1902 (Est.) 86,203.	Nov. 6,	28·8	.	18	.	.	.	.	.	.	.	.	.	4	2	2
	„ 23,	24·0	8·2	15	.	.	.	.	1	.	.	.	1	.	3	.
	„ 30,	16·0	8·2	10	.	.	1	.	.	.	.	1	.	.	1	.
	Dec. 7,	9·6	1·6	6	.	.	.	.	.	.	.	1	.	1	.	.
	„ 14,	12·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	16·0	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 28,	20·8	8·2	13	.	.	.	.	.	.	.	1	1	1	1	.
	Jan. 4,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	1	3	2
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Nov. 16,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	.	1
	„ 23,	24·5	4·1	12	.	.	.	.	.	1	1	.	.	2	4	.
	„ 30,	12·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	1	.
	„ 14,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 21,	18·4	.	9	.	.	.	.	.	.	.	.	.	1	4	2
	„ 28,	22·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 4,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	5	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Nov. 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	17·9	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	„ 30,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 4,	29·6	.	10	.	.	.	.	.	.	.	.	.	1	4	1
Belfast. Pop. in 1902 (Est.) 358,693.	Nov. 16,	19·5	2·7	131	.	.	.	.	2	4	.	9	3	21	33	6
	„ 23,	21·5	2·1	145	.	1	1	.	2	1	.	7	2	14	40	4
	„ 30,	19·5	2·5	131	.	3	.	.	4	1	2	3	4	12	28	2
	Dec. 7,	19·2	1·8	129	.	2	1	.	1	4	.	4	.	13	38	1
	„ 14,	21·0	3·6	141	.	1	2	.	6	3	1	9	2	20	36	5
	„ 21,	21·4	0·9	144	.	.	.	.	1	3	.	2	.	22	42	5
	„ 28,	22·3	1·0	150	.	.	.	.	3	.	.	3	1	20	51	4
	Jan. 4,	20·8	1·9	143	.	1	1	.	1	3	1	4	2	19	36	3
Cork. Pop. (in 1901) 75,978.	Nov. 16,	19·2	-	28	.	.	.	.	.	.	.	.	.	8	3	.
	„ 23,	20·6	2·1	30	.	.	.	.	1	.	.	.	2	4	4	1
	„ 30,	23·3	1·4	34	.	.	.	.	2	.	.	.	.	8	7	2
	Dec. 7,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	1	6	.
	„ 14,	24·0	1·4	35	.	.	.	.	2	.	.	.	.	8	7	.
	„ 21,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	8	7	.
	„ 28,	26·1	1·4	38	.	.	.	.	1	.	.	.	1	10	11	.
	Jan. 4,	34·3	2·1	50	.	.	.	.	2	.	.	.	1	6	10	3
Londonderry. Pop. in 1902 (Est.) 40,729.	Nov. 16,	11·8	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 23,	26·2	1·3	20	.	.	.	.	.	1	.	.	.	3	6	.
	„ 30,	17·0	1·3	13	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 7,	27·5	1·3	21	.	.	.	.	.	.	.	.	1	3	5	.
	„ 14,	22·2	3·9	17	.	.	.	1	2	.	.	.	.	2	5	.
	„ 21,	23·5	2·6	18	.	.	.	.	.	.	.	1	1	2	2	.
	„ 28,	10·5	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Jan. 4,	21·8	.	17	.	.	.	.	.	.	.	.	.	2	6	.
Limerick. Pop. (in 1901) 38,085.	Nov. 16,	23·3	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	„ 23,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	26·0	.	19	.	.	.	.	.	.	.	.	.	5	4	.
	Dec. 7,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 14,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	1	4	.
	„ 21,	20·5	1·4	15	.	.	.	.	.	.	.	1	.	1	3	.
	„ 28,	34·2	.	25	.	.	.	.	.	.	.	.	.	4	2	.
	Jan. 4,	34·2	.	25	.	.	.	.	.	.	.	.	.	3	4	.
Waterford. Pop. (in 1901) 26,743.	Nov. 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	25·3	1·9	13	.	.	.	.	.	.	.	1	.	4	.	.
	„ 30,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	Jan. 4,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 4th January, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population.*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	12	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	1	1	4	2	.	1	.	.	.	.	.	.	1	2	.	.	.	2
" 2 "		29			17	3	5	7	2	.	.	1	.	.	.	.	.	.	.	4	.	3	4
" 3 "		27			19	5	2	9	3	.	.	.	.	.	1	1	.	.	4	7	2	2	3
" 4 "		30			19	4	5	7	3	.	.	.	.	.	1	.	3	.	1	3	1	2	5
" 5 "		9			10	1	2	7	.	.	.	.	.	1	.	.	1	.	4	1	.	.	2
" 6 "		21			19	.	2	12	5	.	.	.	.	.	.	.	.	.	1	7	.	2	.
" 7 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		9			1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 9 "		13			9	1	2	6	.	.	.	.	.	.	.	.	.	.	1	5	.	1	.
" 10 "		20			12	2	2	7	1	.	.	.	.	.	1	.	.	.	3	4	.	2	2
" 11 "		24			7	.	3	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2
" 12 "		34			16	4	3	7	2	.	.	.	.	.	.	.	.	.	2	2	.	.	2
" 13 "		9			6	2	2	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	237	20·8	1·9	143	24	29	69	21	.	1	1	.	1	3	1	4	2	19	36	3	12	22
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	.	1	2	5	.	.	.	.	.	.	.	.	.	.	1	.	.	4
" 2 "		8			8	2	.	6	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
" 3 "		10			7	2	.	4	1	.	.	.	.	.	.	.	.	1	1	1	1	1	3
" 4 "		9			5	1	.	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
" 5 "		4			5	.	1	4	.	.	.	.	.	.	.	.	.	.	.	2	1	2	1
" 6 "		6			5	.	1	4	.	.	.	.	.	1	.	.	.	.	2	2	.	.	.
" 7 "		15			12	4	1	6	1	.	.	.	.	1	.	.	.	.	.	2	1	3	4
Total,	—	56	34·3	2·1	50	9	4	29	8	.	.	.	.	2	.	.	.	1	6	10	3	6	13

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dce. 28.	Jan. 4.
No. of week in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered,	142	248	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186	193	199	156	237
DEATHS registered.	144	164	132	117	166	143	150	150	143	149	119	138	100	132	121	103	153	112	131	145	131	129	141	144	150	143
Annual Death-rate per 1,000 of estimated Population,*	21·4	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8
AGES, Under 1 year,	31	40	38	38	61	42	52	52	49	32	33	28	25	37	24	20	23	23	23	32	28	20	32	37	29	24
AGES, 1-5 years,	20	31	25	27	20	28	18	17	20	18	13	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29
AGES, 5-60 years,	73	73	52	39	70	49	56	65	3	71	60	79	48	55	60	6	82	53	59	70	51	56	67	66	76	69
AGES, 60 years and upwar	20	20	17	13	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	12	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1
,, Scarlet Fever,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1
,, Typhus,	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1
,, Diphtheria,	.	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.	3
,, Simple continued and Ill-defined Fever,	.	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1
,, Enteric Fever,	10	13	9	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4
,, Diarrhœa, Dysentery,	4	11	13	19	23	19	17	20	18	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2
,, Phthisis	28	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19
,, Diseases of Respiratory System,	18	23	14	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33	40	28	38	36	42	51	36
Violent Deaths,	3	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th January, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 1, West,	.	2	.	3	.	.	1	.	.	7	1	.	14
" " 2,	.	.	.	1	.	.	.	.	.	1	2	.	4
" " 3,	.	.	.	5	.	.	8	.	.	.	6	.	19
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	2	.	.	.	.	.	1	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	3	.	.	4	9	.	17
" " 2,	.	.	.	2	1	.	1	.	.	.	1	.	5
" " 3,	.	1	.	1	.	.	.	.	1	3	2	1	9
" " 4,	.	.	.	.	.	.	3	.	.	.	.	.	3
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	4	.	15	1	.	16	.	1	16	22	1	76
Total for week ended Dec. 28, 1901,	.	.	.	16	.	.	6	.	1	12	10	.	45
Total for week ended Dec. 21, 1901,	.	1	.	16	.	.	5	.	5	11	18	.	56
Total for week ended Dec. 14, 1901,	.	5	.	13	.	.	5	1	1	25	22	.	72

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th January, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th January.			
	Dec. 14.	Dec. 21.	Dec. 28.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	2	2	3	1	1	.	3
Scarlet Fever,	69	57	57	11	5	.	63*
Typhus "	.	.	2	.	1	.	1
Diphtheria,	42	40	41	11	5	1	46
Enteric Fever,	73	66	63	8	9	3	59
Pneumonia,	26	23	19	13	5	.	27

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Jan. 4,	2,949	1,805	20·6	28	52	18	24	18	7	10
EDINBURGH, .	317,885	„ 4,	142	143	23·0	.	.	.	2	.	.	.
GLASGOW, . .	764,423	„ 4,	408	355	23·8	.	24	2	.	10	5	4
CALCUTTA, .	466,460	Nov. 2,	.	309	34·5	1	.	.	.	.	83§	63*
BOMBAY, . .	821,764	„ 21,	354	781	52·3	.	.	?	?	?	91§	71*
MADRAS, . .	509,346	„ 29.	340	570	58·1	.	5	?	?	?	197	114*
PARIS, . . .	2,511,629	Dec. 14,	1,064	949	19·8	8	3	1	.	2	7	30
BRUSSELS (with 8 Faubourgs).	582,665	„ 14,	257	189	16·9	.	.	2	3†	1	.	10
AMSTERDAM, .	530,104	„ 14,	294	133	13·1	.	.	.	1	.	.	6
ROTTERDAM, .	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	358,000	Dec. 21,	148	111	15·3	.	.	1	1	2	.	9
CHRISTIANIA, .	228,929	„ 14,	129	44	11·0	.	.	1	1	1	.	.
ST. PETERSBURG,	1,248,643	„ 7,	489	556	23·2	4	20	19	29	3	21	38
BERLIN, . .	1,890,374	Nov. 30,	837	568	15·6	.	7	17	6	13	.	43
HAMBURG, . .	705,738	Dec. 14,	.	229	16·9	.	5	6	3†	7	.	7
DRESDEN, . .	407,600	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,691,996	Nov. 30,	923	566	17·2	.	1	4	6†	1	.	26
BUDA-PESTH, .	744,719	Dec. 7,	401	252	17·6	.	2	10	2	.	1	11
PRAGUE and Faubourgs.	389,741	„ 7,	181	157	20·8	.	3	4	2	1	2	3
ROME, . . .	471,961	Nov. 9,	231	142	15·6	.	.	.	.	1	9	9
TURIN, . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, .	174,378	Dec. 7,	54	74	22·1	.	1	.	1	.	1	1
NEW YORK, .	3,536,517	„ 14,	1,715	1,255	18·5	2	13	12	28†	6	26	37
PHILADELPHIA, .	1,293,697	„ 7,	.	440	17·7	8	1	7	18	2	5	1

* Including 22 deaths from cholera in Calcutta, 2 in Bombay, and 22 in Madras.
† Including deaths from croup.
§ Exclusive of 15 deaths from bubonic fever in Calcutta, and 181 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 4th January, 1902:—

"This was a week of strong and squally south-westerly and westerly winds, clouds, frequent rains, and high but unsteady temperatures. Sunday was no doubt fine and bright, as a high pressure crest between two atmospheric depressions passed northeastwards across Ireland. During the following night however the wind rose to a gale from S. and S.W., temperature rose to 53·8°, and rain fell—in Dublin only to the amount of ·037 inch. At 8 a.m. of Monday the barometer was below 29 inches at both Blacksod Point (Mayo) and Malin Head (Donegal), and steep gradients for S.W. winds existed all over the British Isles. The depression reached the Shetlands on Tuesday morning, but it was soon followed by other disturbances advancing from the Atlantic. One of these covered Scotland on Thursday morning, when the barometer was below 28·9 inches all over that country. The changes of pressure now became very complex, and on Saturday the warm spell seemed to have drawn to a close, for, with a clearing sky and veering wind the thermometer fell fast. At 8 a.m. on that day the barometer varied from 28·70 inches at Bodö in Norway to 30·35 inches at Rochefort. At Yarmouth on Tuesday, December 31, the thermometer rose to 60° in the screen, a value higher by 4 degrees than the maximum recorded at that place in any December of the thirty years 1871–1900. In Dublin the mean atmospheric pressure of the week was only 29·512 inches, the range being from 28·958 inches at 9 p.m. of Wednesday (wind, W.S.W.) to 29·851 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 47·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·8°. These values are 6 degrees above the average. The screened thermometers fell to 37·2° on Sunday but rose to 55·6° on Friday. S.W. and W. winds prevailed throughout. Bright sunshine was estimated at 16¾ hours' duration. The rainfall was ·315 inch on five days, ·220 inch being measured on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park the mean height of the barometer during the week was 29·518 inches. The highest reading (29·863) was on Saturday at 9 p.m., wind W.S.W, and the lowest (28·952) on Wednesday at 9 p.m., wind W.S.W.

The mean temperature for the week was 45·4°, being 7·2° above the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Monday and Friday, on each of which days the thermometer registered 53·9°, and was lowest on Sunday, the mercury having fallen to 36·5°. The mean of the Dry Bulb for the week was 46·2°, and of the Wet Bulb 44·3°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 6·2 hours. The rain fall measured during the week was ·370 inch.

At Greenwich the mean temperature for the week was 48·6°, the maximum 55·4°, and the minimum 39·4°; and at Glasgow the maximum was 53·0°, the minimum 30·0°, and the mean 44·3°; and at Edinburgh the maximum was 53·4°; the minimum 32·7°, and the mean 43·1° The rainfall at Greenwich measured 0·84 inch; at Glasgow 1·51 inch., and at Edinburgh 0·49 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1901-1902. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Dec. 29,	29·278	45·0	36·5	40·8	39·7	38·5	·91	·7	3·1	·055	S.W.	S.W.
Monday, „ 30,	29·311	53·9	39·7	46·8	50·2	47·1	·79	·3	1·4	—	S.W.	S.W.
Tuesday, „ 31,	29·671	50·0	43·9	44·0	46·4	44·0	·84	·7	0·0	·025	S.W.	S.W.
Wednesday, Jan. 1,	29·264	51·0	39·1	45·1	46·1	44·7	·80	·6	0·0	·225	S.S.W.	W.S.W.
Thursday, „ 2,	29·468	50·2	43·1	46·7	46·2	44·7	·80	·8	0·7	·010	W.S.W.	W.
Friday, „ 3,	29·810	53·9	43·9	48·9	51·7	50·5	·91	·6	0·0	·050	S.W.	W.S.W.
Saturday, „ 4,	29·824	51·9	39·1	45·5	43·0	40·8	·83	·6	1·0	·005	W.S.W.	W.S.W.
Mean . .	29·518	50·8	40·8	45·4	46·2	44·3	·84	·6	Total 6·2	Total ·370	Prevailing wind S.W.	

Sunday—A cloudy day; night cloudy, drizzly rain 1.30 to 6 a.m. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; night cloudy, showers 3 to 6 a.m. *Wednesday*—A cloudy day, rain 12 to 5 and 7 to 8.30 p.m., and 4 to 6.30 a.m.; night cloudy. *Thursday*—A cloudy day; night cloudy, rain 10.45 to 11.30 p.m. *Friday*—A cloudy day, rain 2 to 4 p.m., and showery 5.30 to 11.30 p.m.; night cloudy. *Saturday*—Dull a.m., cloudy p.m., rain 9 to 9.30 a.m.; night clear p.m., cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425 12. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 11TH JANUARY, 1902. [No. 2.

General Register Office, Charlemont House,
Dublin, 13th January, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Dec. 21.	Week ending Dec. 28.	Week ending Jan. .	Week ending Jan. 11.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 21.	Week ending Dec. 28.	Week ending Jan. 4.	Week ending Jan. 11.	Average Rate for 4 weeks
22 Town Dists.	22·3	22·8	25·2	20·6	22·7	Lisburn, . .	13·7	22·8	9·1	13·7	14·8
Armagh, . .	6·9	6·9	6·9	20·7	10·4	Londonderry, .	23·5	10·5	21·8	19·6	18·9
Ballymena, .	19·2	19·2	4·8	19·2	15·6	Lurgan, . .	13·3	26·6	0·0	13·3	13·3
Belfast, . .	21·4	22·3	20·8	18·2	20·7	Newry, . .	8·3	12·4	16·6	16·6	13·5
Clonmel, . .	5·1	5·1	5·1	20·4	8·9	Newtownards, .	28·6	17·2	11·4	11·4	17·2
Cork, . . .	25·4	26·1	34·3	24·0	27·4	Portadown, .	15·6	26·0	15·6	36·3	23·4
Drogheda, . .	16·3	4·1	36·8	12·3	17·4	Queenstown, .	0·0	13·2	13·2	6·6	8·3
Dublin Reg. Area,	25·9	26·8	29·4	25·0	26·8	Sligo, . .	24·0	4·8	38·4	14·4	20·4
Dundalk, . .	8·0	16·0	20·0	4·0	12·0	Tralee, . .	37·2	0·0	47·8	10·6	23·9
Galway, . .	7·8	23·3	31·1	15·5	19·4	Waterford, .	15·6	19·5	27·3	19·5	20·5
Kilkenny, . .	29·8	19·9	34·8	0·0	21·1	Wexford, . .	28·0	14·0	14·0	9·3	16·3
Limerick, . .	20·5	34·2	34·2	24·6	28·4						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·8 in Ballymena. Among the 125 deaths from all causes registered in Belfast are 2 from measles, 3 from whooping-cough, one from diphtheria, 2 from enteric fever, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 204—115 boys and 89 girls; and the deaths to 186—93 males and 93 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·6 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 25·0 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 13 deaths from zymotic diseases registered during the week, a number 3 less than that on the preceding week. Three deaths from enteric fever, 3 from diphtheria, 2 deaths from whooping-cough, and one death each from measles, influenza, diarrhœa, and simple cholera are included in the total.

Tubercular disease caused 39 deaths—30 from pulmonary tuberculosis, 3 deaths from tubercular meningitis, and 4 from other forms of the disease.

Diseases of the respiratory system caused 34 deaths, which number is 23 below that of the preceding week. There were 25 deaths from bronchitis and 8 from pneumonia.

Convulsions caused 8 deaths of children under one year in age, including 2 deaths of infants under one month.

There were 4 deaths from apoplexy, and 7 from other diseases of the brain and nervous system (exclusive of convulsions).

Six deaths were caused by cancer, and 18 by diseases of the circulatory system.

Six cases of death by accidental violence were registered.

In 20 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the deaths of 7 persons aged 60 years and upwards.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 6 were under one month old) and 57 were aged 60 years and upwards, including 25 persons aged 70 and upwards, of whom 9 were octogenarians.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 25·0 per 1,000: the rate in the City was 26·1 (24·7 on the North side, and 27·7 on the South), and in the Suburbs 21·3.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·6 (2·1 in the North City Districts, and 1·1 in the South) and for the Suburbs 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·9 per 1,000. There was one death from pulmonary tuberculosis, and 3 deaths from diseases of the respiratory system registered.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 30·6 per 1,000. Diphtheria caused 2 deaths, and enteric fever caused one death; pulmonary tuberculosis caused 3 deaths, and 5 deaths were caused by diseases of the respiratory system. There was one death from accidental violence.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. Influenza caused one death, and pulmonary tuberculosis caused 3 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (17) represent an annual rate of 28·0 per 1,000. Whooping-cough, diphtheria, and diarrhœa each caused one death; pulmonary tuberculosis caused 2 deaths, and 2 deaths were caused by diseases of the respiratory system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 23·4.

No. 1 *South City District* (South Earl-street).—The deaths (24) represent an annual rate of 32·0 per 1,000. Simple cholera caused one death; 7 deaths were caused by pulmonary tuberculosis, and 5 by diseases of the respiratory system; there was also one death from accident.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 33·5 per 1,000. There were 4 deaths from diseases of the respiratory system.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 25·0 per 1,000. One death was caused by enteric fever, and 5 by pulmonary tuberculosis; diseases of the respiratory system caused 2 deaths, including one from pneumonia, and one accidental death was registered.

No. 4 *South City District* (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·9 per 1,000. Enteric fever and whooping-cough each caused one death; pulmonary tuberculosis caused 4 deaths; diseases of the respiratory system caused 5 deaths, including 3 from pneumonia, and one accidental death occurred.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 14·3.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 20·4 per 1,000 inhabitants; Pembroke, 14·0; Blackrock, 23·8; and Kingstown, 32·5. One death from measles for Pembroke constitute the mortality from zymotic diseases tabulated for these districts. Among the 13 deaths from all causes tabulated for Rathmines, 2 were from diseases of the respiratory system, and 2 from diseases of the circulatory system; 3 of the 7 deaths from all causes for Pembroke were from diseases of the respiratory system; and of the 11 deaths for Kingstown, 2 were from pulmonary tuberculosis,

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	21st December,	56 cases.
,, ,,	28th December,	45 cases.
,, ,,	4th January,	76 cases.
,, ,,	11th January,	51 cases.

Of the 51 cases notified, 14 were erysipelas, 18 enteric fever, 10 scarlatina, 8 diphtheria, and one measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Fortnight ending	28th December,	11 cases.
Week ,,	4th January,	9 cases.
,, ,,	11th January,	3 cases.

Of the 3 cases notified, one was from scarlet fever, and 2 from diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	21st December,	12 cases.
,, ,,	28th December,	28 cases.
,, ,,	4th January,	41 cases.
,, ,,	11th January,	18 cases.

Of the 18 cases notified, one was diphtheria, one scarlet fever, 11 were measles, and 5 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	21st December,	52 cases.
,, ,,	28th December,	43 cases.
,, ,,	4th January,	59 cases.
,, ,,	11th January,	53 cases.

Of the 53 cases notified, 18 were enteric fever, 12 erysipelas, 4 diphtheria, 10 continued fever, 4 scarlet fever, and 3 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th January, 1902.

From this it appears that:—

Four cases of enteric fever were admitted to hospital, 10 cases were discharged, and 53 cases remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 9 cases were discharged, and 65* cases remained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital, 12 cases were discharged, there was one death, and 42 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 6 cases of pneumonia were admitted to hospital, 8 patients were discharged, there was one death, and 24 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 75 large English towns, including London (in which the rate was 18·6), was equal to an average annual death-rate of 18·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·6 per 1,000, the rate for Glasgow being 20·5, and for Edinburgh 19·6.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 11th January, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Persons to an Acre	Registration—Week ending Saturday, 11th January, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	Not in Public Institutions.	Meteorology.† Week ending 11th Jan., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th Jan., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th Dec., 1901. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	1,092,322	18·7	27·6	20·6	1·2	578	451	65	128	.	4	.	.	6	4	1	5	5	63	95	11	12	129	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	379,003	27·8	28·1	25·0	1·4	204	182	23	57	.	1	.	.	2	3	.	3	1	29	34	6	5	79	53·5	35·5	44·7	0·80	§53·9	36·5	45·4	0·37	50·7	23·6	35·2	0·29
Registrars' Districts. City	293,394	37·8	30·6	26·1	1·6	172	147	22	41	.	.	.	.	2	3	.	3	1	26	28	5	3	72	{55·0 / 54·3	38·0 / 36·0	46·2 / 44·8	0·90 / 0·84	{55·5 / 55·0	37·2 / 33·2	47·2 / 45·3	0·32 / 0·31	49·8 / 48·9	30·0 / 25·0	37·6 / 35·5	0·29 / 0·33
Rathmines,‖	33,208	19·4	17·3	20·4	.	11	13	.	6	.	.	.	.	.	.	.	.	.	.	2	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	26·0	14·0	2·0	13	7	1	4	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	17·9	23·8	.	3	4	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	14·8	32·5	.	5	11	.	4	.	.	.	.	.	.	.	.	.	2	.	.	.	3	54·5	37·5	46·5	0·70	56·5	37·5	47·6	0·45	48·5	29	39	0·53
Urban Districts																																			
Belfast,	358,693	21·8	28·3	18·2	1·5	195	125	22	30	.	2	.	.	3	1	.	2	2	18	34	3	4	29	50·0	38·1	44·8	0·43	52·5	26·0	42·8	0·57	40·4	21·0	33·6	0·97
Cork,	75,978	33·5	36·4	24·0	0·7	53	35	5	8	.	.	.	.	1	.	.	.	.	5	9	1	1	9	52	40	47·5	0·21	53	41	48·2	1·17	50	33	42·0	1·26
Londonderry,	40,729	18·8	31·4	19·6	2·6	24	15	4	4	.	.	.	.	.	.	.	.	2	3	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,085	18·4	17·8	24·6	.	13	18	2	8	.	.	.	.	.	.	.	.	.	3	4	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	17·5	19·5	.	9	10	.	3	.	.	.	.	.	.	.	.	.	2	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,414	9·5	31·1	15·5	.	8	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	39	46	1·76	54	34	47	1·22	46	28	38	1·34
Dundalk	13,067	9·4	16·0	4·0	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	49·0	12·3	.	12	8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	20·7	16·6	.	5	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	49·7	35·5	43·6	0·66	52·0	36·4	44·7	0·80	47·2	19·8	34·9	0·67
Lurgan,	11,777	18·8	35·4	13·3	4·4	8	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	49·7	35·5	43·6	0·66	52·0	36·4	44·7	0·80	47·2	19·8	34·9	0·67
Lisburn,	11,459	10·1	22·8	13·7	.	5	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	49·7	35·5	43·6	0·66	52·0	36·4	44·7	0·80	47·2	19·8	34·9	0·67
Wexford,	11,154	28·2	18·7	9·3	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	24·0	19·2	4·8	5	4	2	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,862	8·6	19·2	14·4	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	49·1	34·6	43·9	1·03	52·3	31·8	43·6	1·28	48·5	25·8	38·0	1·94
Kilkenny,	10,498	11·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53	39	46·6	0·47	54·0	31·0	44·5	0·83	51	24	37·3	1·00
Clonmel,	10,209	7·9	35·8	20·4	.	7	4	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	13·1	31·1	36·3	.	6	7	1	2	.	.	.	.	.	.	.	.	.	1	.	1	2	.	49·7	35·5	43·6	0·66	52·0	36·4	44·7	0·80	47·2	19·8	34·9	0·67
Thurles,	9,812	16·7	21·3	10·6	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	11·4	11·4	.	2	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	50	33	43·9	0·52	53	35	44·6	0·72	47	29	37·3	0·98
Queenstown,	7,887	14·7	19·8	6·6	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	40	47·5	0·21	53	41	48·2	1·17	50	33	42·0	1·26
Armagh,	7,569	22·1	20·7	20·7	.	3	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	49·7	35·5	43·6	0·66	52·0	36·4	44·7	0·80	47·2	19·8	34·9	0·67

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 11th January, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of).	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Diphtheria,	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	3	.
Diarrhœa, Dysentery,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Zymotic Diseases	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	.
Total,	.	3	1	4	.	.	.	.	1	.	1	2	.	.	.	.	1	.	.	13	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	1	3	3	2	.	1	.	.	7	.	5	4	.	.	.	.	.	1	2	29	1
Other Constitutional Diseases,	.	4	3	4	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	16	2
Total,	1	7	6	6	.	1	.	.	8	.	5	5	.	.	.	1	1	1	3	45	3
V. DEVELOPMENTAL DISEASES,	.	1	2	.	.	.	.	.	.	2	.	.	.	1	.	3	.	2	3	14	.
VI. LOCAL DISEASES:																						
Diseases of: Brain & Nervous System,	1	1	3	2	.	1	.	1	3	2	2	1	.	1	.	1	.	.	.	19	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	1	1	1	1	.	2	.	.	3	1	2	1	.	.	.	2	1	.	2	18	.
Respiratory System,	3	5	1	2	1	.	.	.	5	4	2	5	.	.	.	2	3	1	.	34	.
Digestive System,	.	3	1	1	.	.	2	.	1	1	2	2	.	.	.	3	1	.	1	18	1
Lymphatic System, &c.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Urinary System,	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	1	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Accidents of Childbirth,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2	.
Total,	6	10	7	7	1	3	2	1	12	9	11	10	.	1	.	8	5	1	5	99	1
VII. VIOLENT DEATHS,	.	1	.	.	.	.	1	.	1	.	1	1	.	.	.	1	.	.	.	6	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	5	.
Deaths from all Causes,	7	23	16	17	1	4	3	1	24	11	20	18	.	2	.	13	7	4	11	182	4
Annual Rate of Mortality in every 1,000 of the population.	12·9	30·6	27·7	28·0	10·8	20·8	23·4	.	32·0	33·5	25·0	26·9	.	14·3	.	20·4	14·0	23·8	32·5	25·0	
	24·7								27·7							21·3					
	26·1																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	5	4	6	.	.	.	.	5	1	9	5	.	1	.	1	.	1	.	39	4
Workhouse Hospitals,	2	3	6	5	.	.	1	.	4	4	5	5	.	.	.	.	.	2	3	40	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1892–1901.	In the week ending Saturday 11th January, 1902								
												Deaths of persons of the Ages of								
	Jan. 16 1892	Jan. 14, 1893	Jan. 13, 1894	Jan. 12, 1895	Jan. 11 1896	Jan. 16, 1897	Jan. 15, 1898	Jan. 14, 1899	Jan. 13, 1900	Jan. 12, 1901		ALL AGES. Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 32·4	° 27·6	° 48·0	° 31·0	° 38·8	° 35·9	° 43·4	° 42·8	° 42·2	° 37·8	° 38·4	° 44·7								
ALL CAUSES,	294	282	285	268	190	233	218	182	331	191	235·9	186	6	17	15	15	35	41	48	9
I. FEBRILE OR ZYMOTIC DISEASES,	49	21	37	27	16	57	22	16	55	24	32·4	13	.	5	2	2	3	.	1	.
II. PARASITIC DISEASES,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	.	1	.	.	.	4	1	2	.	·9	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	48	59	50	35	40	41	49	39	57	34	45·2	48	.	2	4	5	20	12	5	.
V. DEVELOPMENTAL "	25	25	30	14	17	9	20	17	31	13	20·1	14	1	.	.	.	.	.	9	4
VI. LOCAL "	154	116	143	119	100	110	103	100	172	107	122·4	100	2	8	8	7	12	28	30	5
VII. VIOLENT DEATHS,	9	5	7	3	9	8	3	7	5	7	5·8	6	2	.	1	1	.	.	2	.
VIII. ILL-DEFINED CAUSES,	8	6	17	10	8	12	12	2	9	6	9·0	5	1	2	.	.	.	1	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	5	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	6	.	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	7	.	1	9	.	.	18	.	3·6	1	.	1	.	.	.	.	.	.
Scarlet Fever,	.	.	.	2	.	5	3	1	1	1	1·3	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	28	1	7	1	5	5	9	5	20	2	8·4	1	.	.	.	.	.	.	1	.
Whooping Cough,	5	3	6	2	1	27	2	3	1	10	6·0	2	.	1	1	.	.	.	.	.
Diphtheria,	.	3	.	.	.	.	4	2	3	2	1·4	3	.	1	.	1	1	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	7	2	2	2	2	2	1	5	3	2·8	3	.	.	.	1	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	1	.	.	.	.	.
Diarrhœa, Dysentery,	3	1	4	1	3	2	1	3	3	2	2·3	1	.	1	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	2	.	2	.	1	.	1	.	.	.	·6	1	.	1	.	.	.	.	.	.
Erysipelas,	.	1	.	2	2	1	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	2	1	2	.	.	.	1	2	2	1·1	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	7	1	6	2	1	4	.	.	1	2	2·4	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Tremens.	1	.	1	.	.	.	4	1	2	.	·9	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	1	.	1	.	.	.	3	1	.	·7	.	.	.	.	.	.	.	.	.
Rheumatism,	1	2	1	1	1	1	1	1	.	1	1·0	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	10	2	7	2	3	3	7	5	8	4	5·1	6	.	.	.	.	1	2	3	.
Tabes Mesenterica,	5	3	4	1	6	4	3	3	5	5	3·9	2	.	1	1	.	.	.	.	.
Tubercular Meningitis,	1	3	.	2	2	4	7	6	10	2	3·7	3	.	.	3	.	.	.	.	.
Phthisis,	24	40	34	22	24	23	26	18	27	19	25·7	30	.	.	.	3	19	8	.	.
Scrofula, Tuberculosis,	4	7	2	4	2	3	5	2	5	3	3·7	4	.	1	.	2	.	1	.	.
Other Constitutional Diseases,	1	1	2	1	1	3	.	1	1	.	1·1	3	.	.	.	.	.	1	2	.
V. Developmental Diseases—																				
Premature Birth,	8	6	2	1	1	.	3	3	2	4	3·0	1	1	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	17	19	28	13	16	8	16	13	29	9	16·8	13	.	.	.	.	.	.	9	4

* The figures for the years 1892–1900 are for the

each Disease registered in the SECOND WEEK ending Saturday, 11th January, 1902, with ten years, 1892-1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1892-1901.	In the Week ending Saturday, 11th January, 1902. Deaths of Persons of the Ages of								
	Jan. 16, 1892	Jan. 14, 1893	Jan. 13, 1894	Jan. 12, 1895	Jan. 11, 1896	Jan. 16, 1897	Jan. 15, 1898	Jan. 14, 1899	Jan. 13, 1900	Jan. 12, 1901		ALL AGES.	0 to 5				5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.						
Mean Temperature.	32·4	37·6	43·0	31·0	38·8	35·9	43·4	42·8	42·2	37·3	38·4	44·7									
VI. Local Diseases.																					
Apoplexy,	1	3	3	2	6	4	3	4	3	2	3·1	4	.	.	.	.	1	1	1	1
Epilepsy,	2	1	1	.	.	2	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Convulsions,	15	13	6	11	6	10	11	11	5	9	9·7	8	2	6	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	9	13	12	9	15	9	3	6	13	11	10·0	7	.	.	1	1	.	.	4	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	8	21	22	19	17	10	19	14	20	19	17·9	18	.	.	1	3	2	4	6	2
Croup,	.	.	.	1	.	2	.	2	.	.	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	77	33	56	38	29	30	28	32	80	32	43·5	25	.	.	1	.	1	11	12	.
Pneumonia,	13	8	18	14	10	18	24	13	28	13	15·9	8	.	.	1	.	1	3	3	.
Pleurisy,	1	2	.	1	.	.	.	1	1	.	·6	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	4	10	7	3	1	2	2	2	1	5	3·7	1	.	.	.	.	.	.	1	.
Teething,	1	.	1	1	1	2	.	2	.	1	·9	2	.	1	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	.	.	2	.	2	.	2	.	·7	2	.	.	.	1	.	1	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Peritonitis,	.	1	3	.	2	1	.	.	1	.	·8	3	.	.	1	1	1	.	.	.
Disease of Liver,	1	2	5	1	3	4	2	3	6	6	3·3	5	.	.	.	.	.	4	1	.
Other Diseases of Digestive System,	3	2	4	4	3	10	2	5	3	2	3·8	6	.	.	1	1	2	1	.	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	1	.	.	.
Diseases of Urinary System,	5	2	4	8	4	3	4	4	7	6	4·7	5	.	.	1	.	1	2	1	.
Diseases of Generative System,	.	1	.	.	.	1	1	.	1	.	·4	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	1	1	.	3	.	1	.	.	.	1	·7	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	2	1	1	.	1	1	.	1	.	·8	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	1	.	2	1	.	.	.	.	.	·5	2	.	.	.	.	.	1	1	.
VII. Violent Deaths																					
(ACCIDENT.)																					
By Railways,	.	.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	1	.	.	.	.	.		1	.	.	.	.	.	.	1	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	2	1	3	3	1	1	1	1	.	1	5·2	1	.	.	1	.	.	.	.	.
By Drowning,	1	.	2	.	4	.	1	.	1	1		1	.	.	.	.	.	.	1	.
By Suffocation in Bed,	.	.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	1	1	.	.	.	1		1	.	.	.	1	.	.	.	.
Other or Not stated Causes,	3	4	1	.	2	.	1	5	4	1		2	2	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																					
HOMICIDE,	2	.	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	.	.	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	6	17	10	8	12	12	2	9	6	9·0	5	1	2	.	.	.	1	1	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901-2—Week ending																									
	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
Births registered,	194	214	251	153	185	173	175	234	212	152	245	223	176	229	235	141	192	144	162	216	187	164	144	93	279	204
*Average Births in corresponding week of previous 10 years,**	193	189	202	197	201	187	205	190	211	200	210	176	170	188	171	183	179	193	1 3	186	191	180	153	186	192	203
Deaths registered,	138	155	158	166	148	179	176	154	164	180	133	149	146	150	146	168	171	180	176	141	153	138	196	200	223	186
Annual Death-rate per 1,000,	19·2	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6
*Average Deaths in corresponding week of previous 10 years,**	156	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236
Ages, Under 5 years,	37	50	58	73	50	72	71	64	64	64	42	49	46	50	49	54	53	59	53	36	37	31	47	38	46	38
5—20 ,,	12	7	9	14	14	10	14	10	13	12	11	14	17	8	6	18	15	11	18	13	12	15	18	15	9	15
20—40 ,,	24	28	25	26	25	23	28	23	32	37	28	24	21	22	24	13	23	31	26	20	28	16	35	31	39	35
40—60 ,,	31	30	32	23	25	34	26	30	25	34	24	24	33	26	34	40	36	31	32	30	38	39	54	53	63	41
60—80 ,,	30	35	25	28	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48
80 years and upwards,	4	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, Scarlet Fever,	1	.	.	.	1	1	2	2	.	1	1	.	.	.	1	1	.	.	.	1	1	.	2	.	.	.
,, Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	4	4	.	.	1	1	2	1	4	1	2	1	1	2	4	.	1	1	1	.	1	4	.	1	.
,, Diphtheria,	1	1	.	2	.	.	2	1	.	2	.	2	.	1	1	1	1	3	4	.	2	.	3	2	3	3
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
,, Enteric Fever,	2	.	1	1	.	.	2	.	1	3	3	8	6	3	.	5	2	.	3	2	1	.	4	5	2	3
,, Diarrhœa, Dysentery,	13	20	23	33	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1
,, Phthisis,	22	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30
,, Heart Diseases,	17	13	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18
,, Diseases of Respiratory System,	14	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34
Violent Deaths,	7	4	6	8	3	3	7	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6
Mean Temperature of the Air (Phœnix Park),	64·6	59·2	61·1	61·2	58·9	53·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7
Average Mean Temperature in corresponding week of previous 10 years,	59·6	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·	42·9	42·0	42·9	40·2	40·8	38·2	38·4
Rainfall in inches,	·040	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·800
Mean Humidity of the Air, complete Saturation 1·0,	·75	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th January, 1902; he Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	28·0	186	38	15	35	41	49	9	.	1	.	.	2	3	.	3	1	10	30	8	34	6	98
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	33·8	10	.	.	.	1	5	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	9
II.	MIDDLE CLASS,	80,653	14·2	22	1	3	10	4	2	2	.	.	.	.	.	1	.	1	.	2	6	1	1	.	12
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	26·5	50	7	3	9	16	13	2	.	1	.	.	.	2	.	2	.	5	10	1	12	1	21
IV.	GENERAL SERVICE CLASS,	146,486	35·8	64	23	6	8	11	15	1	.	.	.	.	2	.	.	.	.	2	7	5	16	5	29
V.	INMATES OF WORKHOUSES,	5,191		40	7	3	8	9	13	.	.	.	.	.	.	.	.	.	1	1	7	1	4	.	27
I.	PROFESSIONAL AND INDEPENDENT CLASS. 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	46·1	7	.	.	.	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	8·1	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	6. Clerks and Commercial Assistants,	24,750	21·1	10	.	1	6	2	1	.	.	.	.	.	.	.	.	.	.	.	5	.	1	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	1	2	3	.	1	.	.	.	.	.	.	1	.	1	.	2	1	1	.	.	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	14·2	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	9. Building and Furnishing Trades,	26,030	22·0	11	2	3	1	3	2	.	.	.	.	.	.	1	.	1	.	2	1	.	1	1	6
	10. Clothing Trades,	23,686	11·0	5	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	1
	11. Food Supply Trades,	7,869	13·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	..
	12. Other Trades and Callings ranking with Trades,	26,666	45·0	23	4	.	3	9	6	1	.	1	.	.	.	.	.	1	.	2	4	1	5	.	11
	13. Petty Shopkeepers,	6,771	53·9	7	.	.	2	2	2	1	.	.	.	.	.	1	.	.	.	1	1	.	3	.	2
IV.	GENERAL SERVICE CLASS. 14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	34·5	9	3	2	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	6
	15. Domestic Servants,	39,563	11·9	9	2	.	1	2	3	1	.	.	.	.	1	.	.	.	.	1	2	1	.	1	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	9·7	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	..	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	27·8	44	16	4	7	8	9	.	.	.	.	.	1	.	.	.	.	1	5	4	13	4	17
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates,	5,191	.	40	7	3	8	9	13	.	.	.	.	.	.	.	.	.	1	1	7	1	4	.	27

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

DISTRICTS.	1901-1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)																
North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,388.	Nov. 23,	22·0	1·8	12	.	.	.	.	.	.	.	.	1	3	3	.
	„ 30,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	2	.
	Dec. 7,	20·2	.	11	.	.	.	.	.	.	.	.	.	4	.	.
	„ 14,	14·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	„ 21,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	1	.
	„ 28,	31·2	5·7	17	.	.	.	.	.	.	.	1	1	6	2	.
	Jan. 4,	22·1	1·8	12	.	.	.	.	.	.	.	.	1	3	5	.
	„ 11,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	3	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 89,146.	Nov. 23,	29·8	.	22	.	.	.	.	.	.	.	.	.	1	3	1
	„ 0,	16·3	.	12	.	.	.	.	.	.	.	.	.	4	1	1
	Dec. 7,	18·6	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
	„ 14,	27·1	.	20	.	.	.	.	.	.	.	.	.	2	5	.
	„ 21,	35·2	2·7	26	.	.	.	.	.	1	.	1	.	7	5	1
	„ 28,	39·3	2·7	29	.	.	.	.	.	.	.	2	.	3	10	.
	Jan. 4,	36·0	.	27	.	.	.	.	.	.	.	.	.	3	7	.
	„ 11,	30·6	4·0	23	.	.	.	.	.	2	.	1	.	3	5	1
North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 80,107.	Nov. 23,	32·8	1·7	19	.	.	.	.	.	.	.	1	.	2	3	.
	„ 30,	15·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	Dec. 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	2	1
	„ 14,	22·5		13	.	.	.	.	.	.	.	.	.	1	4	.
	„ 21,	32·8	1·7	19	.	.	.	.	1	.	.	.	.	2	2	1
	„ 28,	34·6	.	20	.	.	.	.	.	.	.	.	.	1	4	.
	Jan. 4,	43·3	3·5	25	.	.	.	.	.	.	.	.	2	2	6	2
	„ 11,	27·7	.	16	.	.	.	.	.	.	.	.	.	3	1	.
North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Nov. 23,	15·1	3·4	9	.	.	.	.	.	1	.	1	.	2	3	.
	„ 30,	28·6	.	17	.	.	.	.	.	.	.	.	.	4	2	.
	Dec. 7,	13·5	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	„ 14,	11·8	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 21,	35·3	3·4	21	.	.	1	.	.	1	.	.	.	2	5	.
	„ 28,	25·2	3·4	15	.	.	.	.	.	1	.	.	1	1	2	2
	Jan. 4,	42·8	1·6	26	.	.	.	.	.	1	.	.	.	7	4	1
	„ 11,	28·0	4·9	17	.	.	.	.	1	1	.	.	1	2	2	.
South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 89,152.	Nov. 23,	24·5	.	17	.	.	.	.	.	.	.	.	.	3	5	.
	„ 30,	33·2	4·3	23	.	.	.	.	1	.	.	.	2	3	5	1
	Dec. 7,	31·7	1·4	22	.	.	.	.	.	.	.	.	1	3	4	.
	„ 14,	17·3	.	12	.	.	.	.	.	.	.	.	.	.	5	.
	„ 21,	24·5	1·4	17	.	.	.	.	1	.	.	.	.	3	2	1
	„ 28,	33·2	1·4	23	.	.	.	.	.	.	.	1	.	3	5	1
	Jan. 4,	22·6	.	17	.	.	.	.	.	.	.	.	.	4	3	.
	„ 11,	32·0	.	24	.	.	.	.	.	.	.	.	.	7	5	1
South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Nov. 23,	19·9	.		.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	1	1
	Dec. 7,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 14,	22·8	2·8	8	.	.	.	.	1	.	.	.	.	.	3	.
	„ 21,	37·0	5·7	13	.	.	.	.	.	.	.	.	2	3	.	.
	„ 28,	31·3	.	11	.	.	.	.	.	.	.	.	.	2	3	1
	Jan. 4,	64·0	5·0	21	.	.	.	.	.	.	.	1	.		8	.
	„ 11,	33·5	.	11	.	.	.	.	.	.	.	.	.	.	4	.
South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Nov. 23,	25·7	.	21	.	.	.	.	.	.	.	.	.	2	4	1
	„ 30,	26·9	1·2	22	.	.	.	.	.	.	.	.	1	5	2	.
	Dec. 7,	35·5	1·2	29	.	.	1	.	.	.	.	.	.	8	8	1
	„ 14,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 21,	20·8	1·2	17	.	.	.	.	.	.	.	1	.	2	3	.
	„ 28,	35·5	1·2	29	.	.	.	.	.	1	.	.	.	2	9	.
	Jan. 4,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	1	4	.
	„ 11,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	5	2	1
South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,898.	Nov. 23,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	2	1
	„ 30,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	2	.
	Dec. 7,	20·8	.	14	.	.	.	.	.	.	.	.	.		2	.
	„ 14,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	25·2	4·4	17	.	.	.	.	2	1	.	.	.	.	3	1
	„ 28,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	5	2
	Jan. 4,	20·9	1·5	14	.	.	.	.	.	1	.	.	.	2	6	.
	„ 11,	26·9	5·0	18	.	.	.	.	1	.	.	1	.	4	5	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of he Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901–1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1902 (Est.) 35,203.	Nov. 23,	24·0	3·2	15	.	.	.	.	1	.	.	.	1	.	3	.
	„ 30	16·0	3·2	10	.	.	1	.	.	.	.	1	.	.	1	.
	Dec. 7,	9·6	1·6	6	.	.	.	.	.	.	.	1	.	1	.	.
	„ 14,	12·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	16·0	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 28,	20·8	3·2	13	.	.	.	.	.	.	.	1	1	1	1	.
	Jan. 4,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	1	3	2
	„ 11,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	2	1
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Nov. 23,	24·5	4·1	12	.	.	.	.	.	1	1	.	.	2	4	.
	„ 30,	12·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	1	.
	„ 14,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 21,	18·4	.	9	.	.	.	.	.	.	.	.	.	1	4	2
	„ 28,	22·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 4,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	5	.
	„ 11,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	.	3	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Nov. 23,	17·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 30,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 4,	29·6	.	10	.	.	.	.	.	.	.	.	.	1	4	1
	„ 11,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	Nov. 23,	21·5	2·1	145	.	1	1	.	2	1	.	7	2	14	40	4
	„ 30,	19·5	2·5	131	.	3	.	.	4	1	2	3	4	12	28	2
	Dec. 7,	19·2	1·8	129	.	2	1	.	1	4	.	4	.	13	38	1
	„ 14,	21·0	3·6	141	.	1	2	.	6	3	1	9	2	20	36	5
	„ 21,	21·4	0·9	144	.	.	.	.	1	3	.	2	.	22	42	5
	„ 28,	22·3	1·0	150	.	.	.	.	3	.	.	3	1	20	51	4
	Jan. 4,	20·8	1·9	143	.	1	1	.	1	3	1	4	2	19	36	3
	„ 11,	18·2	1·5	125	.	2	.	.	3	1	.	2	2	18	34	3
Cork. Pop. (in 1901) 75,978.	Nov. 23,	20·6	2·1	30	.	.	.	.	1	.	.	.	2	4	4	1
	„ 30,	23·3	1·4	34	.	.	.	.	2	.	.	.	.	8	7	2
	Dec. 7,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	1	6	.
	„ 14,	24·0	1·4	35	.	.	.	.	2	.	.	.	.	8	7	.
	„ 21,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	8	7	.
	„ 28,	26·1	1·4	38	.	.	.	.	1	.	.	.	1	10	11	.
	Jan. 4,	34·3	2·1	50	.	.	.	.	2	.	.	.	1	6	10	3
	„ 11,	24·0	0·7	35	.	.	.	.	1	.	.	.	.	5	9	1
Londonderry. Pop. in 1902 (Est.) 40,729.	Nov. 23,	26·2	1·8	20	.	.	.	.	.	1	.	.	.	3	6	.
	„ 30,	17·0	1·3	13	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 7,	27·5	1·8	21	.	.	.	.	.	.	.	.	1	3	5	.
	„ 14,	22·2	3·9	17	.	.	.	1	2	.	.	.	.	2	5	.
	„ 21,	23·5	2·6	18	.	.	.	.	.	.	.	1	1	2	2	.
	„ 28,	10·5		8	.	.	.	.	.	.	.	.	.	1	4	.
	Jan. 4,	21·8	.	17	.	.	.	.	.	.	.	.	.	2	6	.
	„ 11,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	3	3	.
Limerick. Pop. (in 1901) 38,085.	Nov. 23,	11·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	26·0	.	19	.	.	.	.	.	.	.	.	.	5	4	.
	Dec. 7,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 14,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	1	4	.
	„ 21,	20·5	1·4	15	.	.	.	.	.	.	.	1	.	1	3	.
	„ 28,	34·2	.	25	.	.	.	.	.	.	.	.	.	4	2	.
	Jan. 4,	34·2	.	25	.	.	.	.	.	.	.	.	.	3	4	.
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	3	4	.
Waterford. Pop. (in 1901) 26,748.	Nov. 23,	26·3	1·9	13	.	.	.	.	.	.	.	1	.	4	.	.
	„ 30,	5·3	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	Jan. 4,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	2	.
	„ 11,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 11th January, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	7	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	.	2	5	1	.	.	.	.	.	1	.	.	.	1	2	1	1	1
" 2 "		32			13	2	1	6	4	.	1	.	.	.	.	.	.	.	3	2	1	1	2
" 3 "		22			18	4	1	10	3	.	.	.	.	.	.	.	1	.	1	8	1	1	6
" 4 "		27			20	4	3	10	3	.	.	.	.	.	.	.	.	.	4	6	.	1	5
" 5 "		10			10	4	2	4	.	.	.	.	.	2	.	.	.	1	2	1	.	.	4
" 6 "		21			16	1	.	6	9	.	1	.	.	.	.	.	.	.	2	4	.	.	2
" 7 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		1			3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "		10			5	1	1	.	3	.	.	.	.	1	.	.	.	.	.	3	.	.	.
" 10 "		19			8	1	.	5	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1
" 11 "		20			9	1	1	7	.	.	.	.	.	.	.	.	1	1	3	1	.	.	3
" 12 "		13			10	2	.	4	4	.	.	.	.	.	.	.	.	.	1	4	.	1	5
" 13 "		13			5	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	195	18·2	1·5	125	22	11	62	30	.	2	.	.	3	1	.	2	2	18	34	3	4	29
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	75,978	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1
" 2 "		11			7	.	2	4	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1
" 3 "		11			5	.	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	4
" 4 "		9			3	.	.	1	2		.	.	.	.	.	.	.	.	.	1	.	.	.
" 5 "		2			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1
" 6 "		6			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "		8			13	5	2	6	.	.	.	.	.	1	.	.	.	.	.	6	.	.	2
Total,	—	53	24·0	0·7	35	5	6	16	8	.	.	.	.	1	.	.	.	.	5	9	1	1	9

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dce. 28.	Jan. 4.	Jan. 11.
No. of week in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered,	248	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186	193	199	156	237	195
DEATHS registered.	164	132	117	166	143	150	150	143	149	119	138	100	132	121	103	153	112	131	145	131	129	141	144	150	143	125
Annual Death-rate per 1,000 of estimated Population,*	24·4	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2
AGES, Under 1 year,	40	38	38	61	42	52	52	49	32	33	28	25	37	24	20	23	23	23	32	28	20	32	37	29	24	22
AGES, 1–5 years,	31	25	27	20	28	18	17	20	18	13	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11
AGES, 5–60 years,	73	52	39	70	49	56	65	3	71	60	79	48	55	60	6	82	53	59	70	51	56	67	66	76	69	62
AGES, 60 years and upwar	20	17	13	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	6	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2
,, Scarlet Fever,	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.
,, Typhus,	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	5	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1	3
,, Diphtheria,	1	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.	3	1
,, Simple continued and Ill-defined Fever,	1	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.
,, Enteric Fever,	13	9	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2
,, Diarrhœa, Dysentery,	11	13	19	23	19	17	20	18	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2
,, Phthisis	30	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18
,, Diseases of Respiratory System,	23	14	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33	40	28	38	36	42	51	36	34
Violent Deaths,	4	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th January, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	1	.	.	4	.	.	3	.	.	8
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	.	.	4	.	.	3	.	.	6	2	.	15
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	2	.	.	1	.	.	3	10	.	16
" " 2,	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 3,	.	.	.	1	.	.	.	.	.	1	2	.	4
" " 4,	.	.	.	1	.	.	.	.	.	2	.	.	3
Palmerston (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	1	.	10	.	.	8	.	.	18	14	.	51
Total for week ended Jan. 4, 1902,	.	4	.	15	1	.	16	.	1	16	22	1	76
Total for week ended Dec. 28, 1901,	.	.	.	16	.	.	6	.	1	12	10	.	45
Total for week ended Dec. 21, 1901,	.	1	.	16	.	.	5	.	5	11	18	.	56

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th January, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th January.			
	Dec. 21.	Dec. 28.	Jan. 4.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	2	3	3	1	1	.	3
Scarlet Fever,	57	57	63	11	9	.	65*
Typhus "	.	2	1	.	.	.	1
Diphtheria,	40	41	46	9	12	1	42
Enteric Fever,	66	63	59	4	10	.	53
Pneumonia,	23	19	27	6	8	1	24

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Jan. 11,	2,690	1,633	18·6	45	38	14	27	22	11	12
EDINBURGH, .	317,885	„ 11,	137	122	19·6	.	.	.	1	2	.	1
GLASGOW, . .	764,423	„ 11,	501	306	20·5	.	19	.	1	2	2	11
CALCUTTA, .	466,460	Nov. 9,	.	316	35·3	2	.	.	.	.	79§	64*
BOMBAY, . .	821,764	„ 28,	268	790	52·9	.	.	?	?	?	101§	75*
MADRAS, . .	509,346	Dec. 6,	358	581	59·3	3	7	?	?	?	204	94*
PARIS, . . .	2,511,629	„ 21.	910	998	20·6	6	8	2	17	3	3	18
BRUSSELS (with 8 Faubourgs).	582,665	„ 21,	235	184	16·4	.	.	2	3†	4	2	15
AMSTERDAM, .	530,104	„ 21,	215	135	13·3	.	.	.	4	3	.	5
ROTTERDAM, .	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	358,000	Dec. 28,	237	116	16·8	.	.	.	.	2	1	5
CHRISTIANIA, .	228,929	„ 28,	120	51	11·6	.	.	.	.	.	.	1
ST. PETERSBURG,	1,248,643	„ 14,	630	592	24·7	1	11	17	22	4	17	51
BERLIN, . .	1,890,374	„ 7,	850	568	15·6	1	5	10	13	11	3	33
HAMBURG, . .	705,738	„ 21,	.	229	16·9	.	9	8	8†	11	.	6
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,691,996	Dec. 7,	865	529	16·1	.	4	8	7†	2	.	39
BUDA-PESTH, .	744,719	„ 14,	441	255	17·8	.	5	6	3	1	.	16
PRAGUE and Faubourgs.	389,741	„ 14,	181	180	23·9	.	8	7	1	.	1	4
ROME, . . .	471,961	Nov. 16,	208	180	19·1	.	.	.	.	.	11	12
TURIN, . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, .	174,378	Dec. 14,	80	77	22·9	.	1	.	1	.	1	9
NEW YORK, .	3,536,517	„ 14,	1,715	1,255	18·5	2	13	12	28†	6	26	37
PHILADELPHIA, .	1,293,697	„ 14,	.	455	18·3	8	.	6	17	2	7	1

* Including 30 deaths from cholera in Calcutta, 2 in Bombay, and 15 in Madras.
† Including deaths from croup.
§ Exclusive of 10 deaths from bubonic fever in Calcutta, and 177 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 11th January, 1902:—

"The singularly mild conditions, which marked the close of the Old Year and the opening of the New Year, held until Friday, when temperature fell briskly and in general. Up to the day mentioned large and deep depressions were observed in the far North, while an equally large anticyclone was central, at first off the S.W. of Ireland and over the Bay of Biscay, later on over France and the South of Germany. Baric gradients for S.W., W., or N.W. winds were very steep all over Western Europe, as may be gathered from the fact that the barometer remained below 28·9 inches over Norway continuously until Tuesday night, whereas it stood at 30·72 inches in Brittany on the mornings of both Monday and Tuesday. While the winds were strong, but little rain fell and temperature ranged very high for the time of year. On Thursday, with the easterly advance of the high pressure system the thermometer fell fast over the inland part of the Continent, and on Friday a wave of cold air spread south-eastwards across the British Islands. This latter chill was of cyclonic origin and was connected with the arrival over Ireland on Friday morning of an irregular depression subsidiary to a large primary depression situated in Scandinavia. At 8 a.m. of Friday the thermometer read only 40° at Blacksod Point, but 50° at Birr—an inland station which is usually in winter one of the coldest places in Ireland. The 'chill' was accompanied by heavy rain, dense clouds, and a shift of wind to N.E. and E. In Dublin the mean height of the barometer was 30·249 inches, pressure ranging from 30·572° inches at 9 a.m. of Tuesday (wind, W.S.W.) to 29·871 inches at 9 a.m. of Friday (wind also W.S.W.). The corrected mean temperature was 46·2°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 44·5°. The screened thermometers rose to 55·0° on Thursday and fell to 38·0° on Saturday. The prevailing winds were S.W. and W. until Friday, when N.E. and E. winds set in. Bright sunshine was estimated at only 5¾ hours. The rainfall was ·898 inch, ·692 inch being registered on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park the mean height of the barometer during the week was 30·256 inches. The highest reading (30·589) was on Tuesday at 9 a.m., wind S.W., and the lowest (29·866) on Friday at 9 a.m., wind S.W.

The mean temperature for the week was 44·7°, being 6·3° below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Thursday, on which day the thermometer registered 53·5°, and was lowest on Saturday, the mercury having fallen to 35·5°. The mean of the Dry Bulb for the week was 44·4°, and of the Wet Bulb 42·6°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 5·0 hours. The rainfall measured during the week was ·800 inch.

At Greenwich the mean temperature for the week was 45·0°, the maximum 52·5°, and the minimum 37·2°; at Glasgow the maximum was 51·9°, the minimum 31·8°, and the mean 45·2°: and at Edinburgh the maximum was 49·3°; the minimum 29·7°, and the mean 42·6.° The rainfall at Greenwich measured 0·04 inch; at Glasgow 0·28 inch., and at Edinburgh 0·03 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 5,	30·351	47·0	39·0	43·0	43·5	42·0	·89	·5	4·3	—	W.	W.
Monday, „ 6,	30·523	49·3	44·9	47·1	46·4	44·0	·83	·6	0·2	—	W.	W.
Tuesday, „ 7,	30·567	47·5	43·1	45·3	44·8	42·3	·82	·8	0·0	—	S.W.	S.W.
Wednesday, „ 8,	30·293	47·8	42·1	45·0	45·9	43·2	·81	·8	0·0	—	S.W.	S.S.W.
Thursday, „ 9,	29·990	53·5	41·9	47·7	45·6	43·7	·87	·7	0·5	·115	S.W.	S.W.
Friday, „ 10,	29·948	52·5	38·4	45·5	44·7	43·9	·94	·6	0·0	·640	S.W.	N.E.
Saturday, „ 11,	30·119	42·6	35·5	39·1	39·7	39·1	·94	·3	0·0	045	N.E.	Calm.
Mean . .	30·256	48·6	40·7	44·7	44·4	42·6	·87	4·3	Total 5·0	Total ·800	Prevailing wind S.W.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A cloudy day; night cloudy p.m., overcast a.m., rain 1.30 to 9 a.m. *Friday*—A dull wet day, rain 9 a.m. to 9 a.m.; night overcast and wet. *Saturday*—A dull damp day, drizzling rain 9 a.m. to 2 p.m.; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425 12. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 18TH JANUARY, 1902. [No. 3

General Register Office, Charlemont House, Dublin, 20th January, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Dec. 28.	Week ending Jan. 4.	Week ending Jan. 11.	Week ending Jan. 18.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 28.	Week ending Jan. 4.	Week ending Jan. 11.	Week ending Jan. 18.	Average Rate for 4 weeks
22 Town Dists.	**22·8**	**25·2**	**20·6**	**20·2**	**22·2**	Lisburn, . .	22·8	9·1	13·7	4·6	12·6
Armagh, . .	6·9	6·9	20·7	13·8	12·1	Londonderry, .	10·5	21·8	19·6	15·4	16·8
Ballymena, .	19·2	4·8	19·2	9·6	13·2	Lurgan, . .	26·6	0·0	13·3	17·7	14·4
Belfast, . .	22·3	20·8	18·2	18·3	19·9	Newry, . .	12·4	16·6	16·6	4·1	12·4
Clonmel, . .	5·1	5·1	20·4	76·6	26·8	Newtownards, .	17·2	11·4	11·4	5·7	11·4
Cork, . . .	26·1	34·3	24·0	24·0	27·1	Portadown, .	26·0	15·6	36·3	5·2	20·8
Drogheda, . .	4·1	36·8	12·3	32·7	21·5	Queenstown, .	13·2	13·2	6·6	13·2	11·6
Dublin Reg. Area,	26·8	29·4	25·0	23·4	26·2	Sligo, . .	4·8	38·4	14·4	14·4	18·0
Dundalk, . .	16·0	20·0	4·0	31·9	18·0	Tralee, . .	0·0	47·8	10·6	21·3	19·9
Galway, . .	23·3	31·1	15·5	23·3	23·3	Waterford, .	19·5	27·3	19·5	15·6	20·5
Kilkenny, . .	19·9	34·8	0·0	0·0	13·7	Wexford, . .	14·0	14·0	9·3	28·0	16·3
Limerick, . .	34·2	34·2	24·6	11·0	26·0						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in fourteen of the districts to 6·6 in Queenstown. Among the 126 deaths from all causes registered in Belfast are 2 from measles, 3 from whooping-cough, one from diphtheria, one from enteric fever, and one from diarrhœa. The deaths in Cork include one from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 208—107 boys and 101 girls; and the deaths to 177—82 males and 95 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 24·4 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 23·4 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 10 deaths from zymotic diseases registered during the week, a figure 3 below that of the preceding week. Two deaths from influenza, 2 from diarrhœa, and one death each from measles, diphtheria, enteric fever, and cerebro-spinal meningitis are included in the total.

Tubercular disease caused 28 deaths—20 from pulmonary tuberculosis, 2 from tubercular peritonitis, 2 from tubercular meningitis, and 4 from other forms of the disease.

Diseases of the respiratory system caused 43 deaths. This number is 9 in excess of the preceding week, and includes 31 deaths from bronchitis, 8 deaths from pneumonia, and one death from croup.

Convulsions caused the deaths of 11 children under one year, including the deaths of 4 infants under one month.

There were 4 deaths from apoplexy and 2 from epilepsy, and 8 from other diseases of the brain and nervous system (exclusive of convulsions).

One death was caused by cancer, and 18 deaths were caused by diseases of the circulatory system.

There was one death from accidental violence.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under one year old and the death of one person aged 60 years.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 13 were under one month old) and 52 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 8 were octogenarians.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·4 per 1,000: the rate in the City was 25·4 (24·7 on the North side, and 26·2 on the South), and in the Suburbs 16·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the City being 0·7 (1·0 in the North City Districts, and 0·4 in the South) and for the Suburbs 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·6 per 1,000. Diphtheria caused one death; pulmonary tuberculosis caused one death; diseases of the respiratory system caused 6 deaths, including 3 from pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000. Pulmonary tuberculosis was the cause of 2 deaths, and diseases of the respiratory system caused 6 deaths.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·3 per 1,000. Pulmonary tuberculosis caused one death; diseases of the respiratory system caused 3 deaths, including one from pneumonia.

No. 3 North City District (Blackhall-place).—The deaths (18) represent an annual rate of 29·6 per 1,000. Diarrhœa caused one death, and 6 deaths were caused by diseases of the respiratory system including one from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 0·0; Coolock and Drumcondra, No. 1, part of, 26·8, per 1,000 inhabitants; and Finglas and Glasnevin, part of, 23·4. There was one death from enteric fever in Coolock and Drumcondra, No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 26·6 per 1,000. Diarrhœa caused one death, and pulmonary tuberculosis caused 2 deaths; there were 3 deaths from diseases of the respiratory system, including 2 deaths from pneumonia.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 24·4 per 1000. Pulmonary tuberculosis caused 3 deaths, and 3 deaths were caused by diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 27·5 per 1,000. Pulmonary tuberculosis caused 5 deaths; diseases of the respiratory system caused 6 deaths, including one death from pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·4 per 1,000. Four deaths from pulmonary tuberculosis were registered in this district, and 5 deaths from diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 14·3. One of the 2 deaths was from influenza.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 12·6 per 1,000 inhabitants; Donnybrook, 12·0; Blackrock, 11·9; and Kingstown, 32·5 The deaths from zymotic diseases tabulated for these districts consist of one from measles for Pembroke, and one from influenza for Kingstown. Among the 8 deaths from all causes tabulated for Rathmines, are one from pulmonary tuberculosis, and 2 from diseases of the circulatory system; and of the 11 deaths from all causes for Kingstown, 4 were from diseases of the brain and nervous system; 2 from diseases of the circulatory system, and 3 from diseases of the organs of respiration.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	28th December,	45 cases.
,, ,,	4th January,	76 cases.
,, ,,	11th January,	51 cases.
,, ,,	18th January,	67 cases.

Of the 67 cases notified, 20 were erysipelas, 15 enteric fever, 12 scarlatina, 12 diphtheria, and 8 measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	4th January,	9 cases.
,, ,,	11th January,	3 cases.
,, ,,	18th January,	2 cases.

Of the 2 cases notified, one was from enteric fever, and one from erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	28th December,	28 cases.
,, ,,	4th January,	41 cases.
,, ,,	11th January,	18 cases.
,, ,,	18th January,	62 cases.

Of the 62 cases notified, 2 were erysipelas, 2 were scarlet fever, 42 were measles, and 16 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	28th December,	43 cases.
,, ,,	4th January,	59 cases.
,, ,,	11th January,	53 cases.
,, ,,	18th January,	40 cases.

Of the 40 cases notified, 5 were enteric fever, 7 erysipelas, 12 diphtheria, 12 continued fever, 3 scarlet fever, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th January, 1902.

From this it appears that:—

Eleven cases of enteric fever were admitted to hospital, 15 cases were discharged, there were 2 deaths, and 47 cases remained under treatment at the close of the week.

Twelve cases of scarlatina were admitted to hospital, 12 cases were discharged, and 65* cases remained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital, 5 cases were discharged, there was one death, and 45 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 3 cases of pneumonia were admitted to hospital, 2 patients were discharged, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 75 large English towns, including London (in which the rate was 18·0), was equal to an average annual death-rate of 17·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·8 per 1,000, the rate for Glasgow being 23·5, and for Edinburgh 17·1

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 18th January, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 18th January, 1902. Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Deaths caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	Non-in Public Institutions.
Total of 22 Town Districts	1,092,822	18·7	28·3	20·2	1·0	593	423	82	117	.	4	.	.	4	2	.	3	7	59	86	5	15	116
Dublin Registration Area:— Total,‡	379,063	27·8	28·6	23·4	0·7	208	170	39	52	.	1	.	.	.	1	.	1	2	19	43	1	2	58
Registrars' Districts. City	293,394	37·8	31·1	25·4	0·7	175	143	33	41	.	.	.	.	.	1	.	1	2	18	38	1	2	55
Rathmines,‖	33,203	19·4	20·4	12·6	.	13	8	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Donnybrook part of (Pembroke Urban District.) Blackrock,‖	26,025	16·0	16·0	12·0	2·0	8	6	4	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1
	8,759	8·1	17·9	11·9	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Kingstown, 1 & 2,‖	17,622	12·1	26·6	32·5	.	9	11	1	7	.	.	.	.	.	.	.	.	.	.	3	.	.	.
Urban Districts: Belfast,	358,693	21·8	27·2	18·3	1·2	187	126	23	29	.	2	.	.	3	1	.	1	1	24	21	1	6	30
Cork,	75,978	33·5	24·0	24·0	1·4	35	35	10	9	.	.	.	.	1	.	.	.	1	3	7	.	1	5
Londonderry,	40,729	18·8	24·3	15·4	1·3	19	12	.	2	.	.	.	.	.	.	.	.	1	1	4	1	1	1
Limerick,	38,085	18·4	24·3	11·0	1·4	17	8	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	3
Waterford	26,748	18·6	25·3	15·6	1·9	13	8	.	4	.	.	.	.	.	.	.	.	1	.	1	.	1	1
Galway,	18,414	9·5	46·6	23·3	.	12	6	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Dundalk	13,067	9·4	51·9	31·9	.	13	8	1	4	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Drogheda	12,765	8·1	12·3	32·7	.	3	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1
Newry,	12,587	17·9	33·1	4·1	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,777	18·8	44·3	17·7	.	10	4	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1
Lisburn,	11,459	10·1	22·8	4·6	.	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Wexford,	11,154	28·2	37·4	28·0	.	8	6	2	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Ballymena	10,880	10·9	28·8	9·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Sligo,	10,862	8·6	19·2	14·4	.	4	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	13
Kilkenny,	10,493	11·4	44·7	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,209	7·9	20·4	76·6	5·1	4	15	1	6	.	.	.	.	.	.	.	1	.	4	3	.	.	.
Portadown	10,046	13·1	26·0	5·2	.	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tralee,	9,812	16·7	47·8	21·3	.	9	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Newtownards,	9,110	18·9	40·1	5·7	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Queenstown,	7,887	14·7	46·3	18·2	6·6	7	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Armagh,	7,569	22·1	27·6	18·8	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 18th Jan. 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th Jan., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th Jan., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area: Total,‡	§46·9	22·9	37·8	0·03	§53·5	35·5	44·7	0·80	§53·9	36·5	45·4	0·37
City	a48·6 / 047·0	29·1 / 24·0	40·0 / 36·9	0·03 / 0·04	a55·0 / b54·3	38·0 / 36·0	46·2 / 44·8	0·90 / 0·84	a55·6 / b57·0	37·2 / 33·2	47·2 / 45·3	0·32 / 0·34
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	49·5	28	41·3	0·03	54·5	37·5	46·5	0·70	56·5	37·5	47·6	0·45
Urban Districts: Belfast,	49·0	25·2	37·9	0·16	50·0	38·1	44·8	0·43	52·5	26·0	42·8	0·57
Cork,	50	32	43·5	.	52	40	47·5	0·21	53	41	48·2	1·17
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	53	29	40	0·06	52	39	46	1·76	54	34	47	1·22
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	47·4	26·0	37·0	0·00	49·7	35·5	43·6	0·66	52·0	36·4	44·7	0·80
Lurgan,	47·4	26·0	37·0	0·00	49·7	35·5	43·6	0·66	52·0	36·4	44·7	0·80
Lisburn,	47·4	26·0	37·0	0·00	49·7	35·5	43·6	0·66	52·0	36·4	44·7	0·80
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	48·5	26·3	37·2	0·03	49·1	34·6	43·9	1·08	52·3	31·8	43·6	1·28
Kilkenny,	48	22	36·5	0·04	53	39	46·6	0·47	54·0	31·0	44·5	0·88
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	47·4	26·0	37·0	0·00	49·7	35·5	43·6	0·66	52·0	36·4	44·7	0·80
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	49	29	39·3	0·01	50	33	43·9	0·52	53	35	44·6	0·72
Queenstown,	50	32	43·5	.	52	40	47·5	0·21	53	41	48·2	1·17
Armagh,	47·4	26·0	37·0	0·00	49·7	35·5	43·6	0·66	52·0	36·4	44·7	0·80

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 7 deaths of persons (including one under 1 year old) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

a Observations by Sir J. W. Moore taken at Fitzwilliam Square.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 18th January, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
I. ZYMOTIC DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	1	4	1
Total,	1	.	.	1	.	1	.	.	2	.	1	.	.	1	.	.	1	.	1	9	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																					
Phthisis, or Pulmonary Consumption,	1	2	1	.	.	.	.	.	2	3	5	4	.	.	.	1	.	.	.	19	1
Other Constitutional Diseases,	1	2	1	1	.	.	.	.	1	.	1	.	.	.	.	1	1	.	1	10	1
Total,	2	4	2	1	.	.	.	.	3	3	6	4	.	.	.	2	1	.	1	29	2
V. DEVELOPMENTAL DISEASES,	3	1	1	1	.	1	.	.	2	.	4	.	.	1	.	2	.	.	.	16	1
VI. LOCAL DISEASES:																					
Diseases of: Brain & Nervous System,	2	4	1	3	.	.	.	.	2	1	1	4	.	.	.	.	2	.	4	24	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	2	2	1	.	1	1	.	2	.	2	2	.	.	.	2	.	1	2	18	.
Respiratory System,	6	6	3	6	.	.	.	.	3	3	6	5	.	.	.	1	1	.	3	43	.
Digestive System,	.	2	1	3	.	1	1	.	2	1	1	.	.	.	.	1	.	.	.	13	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Urinary System,	.	3	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	1	.	7	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	17	7	13	.	2	2	.	11	5	10	12	.	.	.	4	3	2	9	105	3
VII. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	.	.	2	.	.	1	.	2	.	.	3	.	.	.	.	1	.	.	10	.
Deaths from all Causes,	15	22	10	18	.	4	3	.	20	8	22	19	.	2	.	8	6	2	11	170	7
Annual Rate of Mortality in every 1,000 of the population.	27·6	29·3	17·8	29·6	.	20·8	23·4	.	26·6	24·4	27·5	28·4	.	14·3	.	12·6	12·0	11·2	32·5		
	24·7								26·2							16·4				23·4	
	25·4																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	2	5	1	.	.	.	.	4	1	4	1	.	1	.	1	.	1	.	25	6
Workhouse Hospitals,	2	7	2	7	.	.	.	.	8	1	2	3	.	.	.	.	1	.	.	33	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years 1892-1901.	In the week ending Saturday 18th January, 1902								
													Deaths of persons of the Ages of							
	Jan. 23 1892	Jan. 21, 1893	Jan. 20, 1894	Jan. 19, 1895	Jan. 18 1896	Jan. 23, 1897	Jan. 22, 1898	Jan. 21, 1899	Jan. 20, 1900	Jan. 19, 1901		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 37·9	° 41·2	° 43·9	° 37·4	° 45·0	° 32·7	° 48·9	° 45·7	° 40·7	° 44·7	° 41·8	° 37·8								
ALL CAUSES,	363	203	207	274	151	294	221	192	295	209	240·9	177	13	27	14	10	19	42	44	8
I. FEBRILE OR ZYMOTIC DISEASES,	50	27	40	33	9	63	31	21	47	24	34·5	10	.	2	1	4	.	2	1	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	1	.	1	.	.	2	.	8	.	·8	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	57	26	26	57	37	56	66	48	51	43	47·7	31	.	2	5	1	10	8	4	1
V. DEVELOPMENTAL "	39	16	20	27	11	16	17	21	29	11	20·7	17	6	.	.	.	.	2	7	2
VI. LOCAL "	197	115	105	139	79	142	86	87	153	118	122·1	108	4	19	7	3	9	30	31	5
VII. VIOLENT DEATHS,	1	1	7	6	6	5	6	6	5	6	4·9	1	.	.	.	1	.	.	.	.
VIII. ILL-DEFINED CAUSES,	18	7	9	11	9	12	13	9	7	7	10·2	10	3	4	1	1	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	5	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	4	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	1	.	3	.	.	15	.	.	9	.	2·3	1	.	1	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	1	4	2	1	.	.	·9	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	25	.	9	5	4	.	9	3	24	3	8·2	2	.	.	1	.	.	1	.	.
Whooping Cough,	10	4	12	4	.	23	2	4	8	12	7·4	.	.	.	.	.	.	.	.	.
Diphtheria,	2	.	1	.	.	1	6	1	2	.	1·3	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	1	.	2	.	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Enteric Fever,	5	10	5	2	2	2	7	2	2	3	4·0	1	.	.	1	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	1	4	4	.	10	3	1	6	2	*3·3	2	.	1	.	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	.	.	.	.	4	1	2	·8	.	.	.	.	.	.	.	.	.
Erysipelas,	.	4	1	1	.	2	1	1	.	.	1·0	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	.	1	.	1	.	1	.	2	.	1	·6	1	.	.	.	1	.	.	.	.
Puerperal Fever,	.	.	2	2	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	5	5	3	1	.	3	.	1	.	1	1·9	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Tremens.	1	1	.	1	.	.	2	.	3	.	·8	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	2	.	.	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	3	.	.	.	.	1	.	.	.	.	·4	1	.	.	.	.	.	.	.	1
Gout,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	6	8	5	5	7	3	8	7	5	8	6·2	1	.	.	.	.	.	1	.	.
Tabes Mesenterica,	4	1	5	5	2	6	7	4	4	6	4·4	2	.	.	2	.	.	.	.	.
Tubercular Meningitis,	1	1	2	4	5	5	6	4	2	4	4·1	2	.	1	1	.	.	.	.	.
Phthisis,	39	22	12	39	17	35	37	24	29	19	27·3	20	.	.	.	1	12	8	1	.
Scrofula, Tuberculosis,	3	1	2	3	6	5	7	7	4	6	4·4	4	.	1	2	.	.	.	1	.
Other Constitutional Diseases,	1	.	.	1	.	.	.	1	.	.	·3	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	3	2	1	7	5	6	.	5	.	3	3·2	4	4	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	1	.	.	.	.	.	2	·4	2	2	.	.	.	.	.	.	.
Old Age,	36	14	18	19	6	10	17	16	29	6	17·1	11	.	.	.	.	.	2	7	2

* The figures for the years 1892-1900 are for the

each Disease registered in the THIRD WEEK ending Saturday, 18th January, 1902, with ten years, 1892-1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years 1892-1901.	In the Week ending Saturday, 18th January, 1902. Deaths of Persons of the Ages of							
	Jan. 23, 1892	Jan. 21, 1893	Jan. 20, 1894	Jan. 19, 1895	Jan. 18, 1896	Jan. 23, 1897	Jan. 22, 1898	Jan. 21, 1899	Jan. 20, 1900	Jan. 19, 1901		ALL AGES. Mean Temp.	0 to 5: Under 1 month.	0 to 5: 1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 37·9	° 41·2	° 43·9	° 37·4	° 45·0	° 32·7	° 48·9	° 45·7	° 40·7	° 44·7	° 41·8	° 37·3								
VI. Local Diseases.																				
Apoplexy,	5	4	3	8	1	3	4	3	4	5	4·0	4	.	.	.	.	.	1	2	1
Epilepsy,	2	.	1	1	.	.	2	1	.	2	·9	2	.	.	.	.	1	.	1	.
Convulsions,	16	10	10	13	9	14	4	11	9	9	10·8	11	4	7	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	13	8	7	10	6	7	8	8	11	11	8·9	8	.	2	.	.	.	1	5	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	24	16	16	21	15	22	12	14	16	17	17·3	18	.	.	.	1	2	8	6	1
Croup,	.	2	1	2	.	.	.	1	.	.	·6	1	.	.	1	.	.	.	.	.
Bronchitis,	90	38	37	52	19	53	25	24	64	33	43·7	31	.	3	2	.	.	8	11	2
Pneumonia,	20	10	12	11	9	20	11	5	23	18	13·9	8	.	.	3	.	2	1	2	.
Pleurisy,	.	1	.	1	1	2	.	.	2	1	·8	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	17	4	3	3	4	3	.	.	3	3	4·0	3	.	.	.	.	.	2	.	1
Teething,	.	1	3	.	3	1	.	2	2	3	1·7	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	1	1	.	.	1	.	.	2	.	·5	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	.	1	.	1	1	.	2	·5	1	.	.	.	.	1	.	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Peritonitis,	.	1	.	1	2	1	.	2	1	.	·8	.	.	.	.	.	.	.	.	.
Disease of Liver,	1	4	.	3	1	3	9	2	3	3	2·9	5	.	.	.	.	1	3	1	.
Other Diseases of Digestive System,	3	3	6	4	1	6	3	2	7	5	4·0	5	.	1	.	.	1	2	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Diseases of Urinary System,	2	9	3	7	5	1	5	7	2	2	4·3	8	.	.	.	1	1	4	2	.
Diseases of Generative System,	.	2	1	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	1	.	1	.	3	1	·6	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	1	.	1	.	1	1	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	4	.	.	1	.	3	.	.	1	.	·9	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	1	1	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	.	.	2	3	1	2	3	3	3	2	4·5	.	.	.	.	.	.	.	.	.
By Drowning,	.	.	1	.	.	.	.	1	1	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	1	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	1	1	.		.	.	.	.	.	.	.	.	.
Other or Not stated Causes,	.	.	3	1	3	2	3	1	.	1		1	.	.	.	1	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	1	2	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	18	7	9	11	9	12	13	9	7	7	10·2	10	3	4	1	1	.	.	1	.

* Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901–2—Week ending																										
	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered,	214	251	153	185	173	175	234	212	152	245	223	176	229	235	141	192	144	162	216	187	164	144	23	279	204	208
*Average Births in corresponding week of previous 10 years,**	189	202	197	201	187	205	190	211	200	210	176	170	188	171	183	179	193	1 3	186	191	180	153	186	192	203	193
DEATHS registered,	155	158	166	148	179	176	154	164	180	133	149	146	150	146	168	171	189	176	141	153	138	196	200	223	186	177
Annual Death-rate per 1,000,	21·5	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	21·4
*Average Deaths in corresponding week of previous 10 years,**	161	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236	241
AGES, Under 5 years,	50	58	73	50	72	71	64	64	61	42	49	46	50	49	54	53	59	53	36	37	31	47	33	46	33	54
5—20 ,,	7	9	14	14	10	14	10	13	12	11	14	17	8	6	13	15	11	18	13	12	15	18	15	9	15	10
20—40 ,,	28	25	26	25	23	28	23	32	37	28	24	21	22	24	13	23	31	26	20	28	16	35	31	39	35	19
40—60 ,,	30	32	23	25	34	26	30	25	34	24	24	33	26	34	40	36	31	32	30	38	39	54	53	63	41	42
60—80 ,,	35	25	28	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48	44
80 years and upwards,	5	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
,, Scarlet Fever,	.	.	.	1	1	2	2	.	1	1	.	.	.	1	1	.	.	.	1	1	.	2	.	.	.	.
,, Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	4	4	.	.	1	1	2	1	4	1	2	1	1	2	4	.	1	1	1	.	1	4	.	1	.	.
,, Diphtheria,	1	.	2	.	.	2	1	.	2	.	2	.	1	1	1	1	3	4	.	2	.	3	2	3	3	1
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
,, Enteric Fever,	.	1	1	.	.	2	.	1	3	3	8	6	3	.	5	2	.	3	2	1	.	4	5	2	3	1
,, Diarrhœa, Dysentery,	20	23	33	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2
,, Phthisis,	26	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20
,, Heart Diseases,	18	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18
,, Diseases of Respiratory System,	9	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34	43
Violent Deaths,	4	6	8	3		7	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1
Mean Temperature of the Air (Phœnix Park),	59·2	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3
Average Mean Temperature in corresponding week of previous 10 years,	58·8	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8
Rainfall in inches,	·950	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·800	·025
Mean Humidity of the Air, complete Saturation 1·0,	·84	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th January, 1902; he Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	26·7	177	54	10	19	42	44	8	.	1	.	.	.	1	.	1	2	5	20	11	43	1	97
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	33·3	10	.	.	1	3	5	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	7
II.	MIDDLE CLASS,	80,653	16·8	26	6	3	3	7	6	1	.	.	.	.	.	1	.	1	.	2	2	2	2	.	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	16·4	31	14	2	3	5	7	.	.	1	.	.	.	.	.	.	.	1	5	5	6	.	14
IV.	GENERAL SERVICE CLASS,	146,486	37·8	76	29	5	10	18	11	3	.	.	.	.	.	.	.	.	1	1	9	4	20	1	41
V.	INMATES OF WORKHOUSES,	5,191		34	5	.	2	9	15	3	.	.	.	.	.	.	.	.	1	1	2	.	14	.	17
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	39·6	6	.	.	1	1	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	36·7	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	16·2	8	1	1	1	4	1	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	6
	6. Clerks and Commercial Assistants,	24,750	16·9	8	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	19·3	9	.	2	1	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	8
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,852	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	26,030	22·0	11	7	1	.	2	1	.	.	1	.	.	.	.	.	.	.	1	2	.	4	.	4
	10. Clothing Trades,	23,686	4·4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	11. Food Supply Trades,	7,869	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	32·3	16	5	1	3	1	6	.	.	.	.	.	.	.	.	.	.	.	2	3	2	.	9
	13. Petty Shopkeepers,	6,771	7·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·4	10	4	.	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	7
	15. Domestic Servants,	39,563	14·5	11	3	.	1	3	1	3	.	.	.	.	.	.	.	.	.	.	1	1	2	.	7
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	3	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,681	30·3	48	19	5	8	12	4	.	.	.	.	.	.	.	.	.	1	1	8	3	12	1	23
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	34	5	.	2	9	15	3	.	.	.	.	.	.	.	.	1	1	2	.	14	.	17

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901-1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,388.	Nov. 30,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	2	.
		Dec. 7,	20·2	.	11	.	.	.	.	.	.	.	.	.	4	.	.
		„ 14,	14·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 21,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	1	.
		„ 28,	31·2	3·7	17	.	.	.	.	.	.	.	1	1	6	2	.
		Jan. 4,	22·1	1·8	12	.	.	.	.	.	.	.	.	1	3	5	.
		„ 11,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	3	.
		„ 18,	27·6	1·8	15	.	.	.	.	.	1	.	.	.	1	6	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Nov. 30,	16·3	.	12	.	.	.	.	.	.	.	.	.	4	1	1
		Dec. 7,	18·6	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
		„ 14,	27·1	.	20	.	.	.	.	.	.	.	.	.	2	5	.
		„ 21,	35·2	2·7	26	.	.	.	.	.	1	.	1	.	7	5	1
		„ 28,	39·3	2·7	29	.	.	.	.	.	.	.	2	.	3	10	.
		Jan. 4,	36·0	.	27	.	.	.	.	.	.	.	.	.	3	7	.
		„ 11,	30·6	4·0	23	.	.	.	.	.	2	.	1	.	3	5	1
		„ 18,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	6	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Nov. 30,	15·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		Dec. 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	2	1
		„ 14,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	4	.
		„ 21,	32·8	1·7	19	.	.	.	.	1	.	.	.	.	2	2	1
		„ 28,	34·6	.	20	.	.	.	.	.	.	.	.	.	1	4	.
		Jan. 4,	43·3	3·5	25	.	.	.	.	.	.	.	.	2	2	6	2
		„ 11,	27·7	.	16	.	.	.	.	.	.	.	.	.	3	1	.
		„ 18,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Nov. 30,	28·6	.	17	.	.	.	.	.	.	.	.	.	4	2	.
		Dec. 7,	13·5	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 14,	11·8	.	7	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	35·3	3·4	21	.	.	1	.	.	1	.	.	.	2	5	.
		„ 28,	25·2	3·4	15	.	.	.	.	.	1	.	.	1	1	2	2
		Jan. 4,	42·8	1·6	26	.	.	.	.	.	1	.	.	.	7	4	1
		„ 11,	28·0	4·9	17	.	.	.	.	1	1	.	.	1	2	2	.
		„ 18,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	.	6	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Nov. 30,	33·2	4·3	23	.	.	.	.	1	.	.	.	2	3	5	1
		Dec. 7,	31·7	1·4	22	.	.	.	.	.	.	.	.	1	3	4	.
		„ 14,	17·3	.	12	.	.	.	.	.	.	.	.	.	.	5	.
		„ 21,	24·5	1·4	17	.	.	.	.	1	.	.	.	.	3	2	1
		„ 28,	33·2	1·4	23	.	.	.	.	.	.	.	1	.	3	5	1
		Jan. 4,	22·6	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		„ 11,	32·0	.	24	.	.	.	.	.	.	.	.	.	7	5	1
		„ 18,	26·6	1·4	20	.	.	.	.	.	.	.	.	1	2	3	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Nov. 30,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	1	1
		Dec. 7,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		„ 14,	23·8	2·8	8	.	.	.	.	1	.	.	.	.	.	3	.
		„ 21,	37·0	5·7	13	.	.	.	.	.	.	.	.	2	5	.	.
		„ 28,	31·3	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		Jan. 4,	64·0	3·0	21	.	.	.	.	.	.	.	1	.	.	8	.
		„ 11,	33·5	.	11	.	.	.	.	.	.	.	.	.	.	4	.
		„ 18,	24·4	.	8	.	.	.	.	.	.	.	.	.	3	3	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Nov. 30,	26·9	1·2	22	.	.	.	.	.	.	.	.	1	5	2	.
		Dec. 7,	35·5	1·2	29	.	.	1	.	.	.	.	.	.	8	8	1
		„ 14,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 21,	20·8	1·2	17	.	.	.	.	.	.	.	1	.	2	3	.
		„ 28,	35·5	1·2	29	.	.	.	.	.	1	.	.	.	2	2	.
		Jan. 4,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	1	4	.
		„ 11,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	5	2	1
		„ 18,	27·5	.	22	.	.	.	.	.	.	.	.	.	5	6	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Nov. 30,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	2	.
		Dec. 7,	20·8	.	14	.	.	.	.	.	.	.	.	.	.	2	.
		„ 14,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 21,	25·2	4·4	17	.	.	.	.	2	1	.	.	.	.	3	1
		„ 28,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	5	2
		Jan. 4,	20·9	1·5	14	.	.	.	.	.	1	.	.	.	2	6	.
		„ 11,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	4	5	1
		„ 18,	28·4	.	19	.	.	.	.	.	.	.	.	.	4	5	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of he Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901–1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1902 (Est.) 33,203.	Nov. 30	16·0	3·2	10	.	.	1	.	.	.	.	1	.	.	1	.
	Dec. 7,	9·6	1·6	6	.	.	.	.	.	.	.	1	.	1	.	.
	„ 14,	12·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	16·0	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 28,	20·8	3·2	13	.	.	.	.	.	.	.	1	1	1	1	.
	Jan. 4,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	1	3	2
	„ 11,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	2	1
	„ 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,625.	Nov. 30,	12·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	1	.
	„ 14,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 21,	18·4	.	9	.	.	.	.	.	.	.	.	.	1	4	2
	„ 28,	22·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 4,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	5	.
	„ 11,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	.	3	.
	„ 18,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	.	1	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Nov. 30,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 4,	29·6	.	10	.	.	.	.	.	.	.	.	.	1	4	1
	„ 11,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	„ 18,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	3	.
Belfast. Pop. in 1902 (Est.) 358,693.	Nov. 30,	19·5	2·5	131	.	3	.	.	4	1	2	3	4	12	28	2
	Dec. 7,	19·2	1·8	129	.	2	1	.	1	4	.	4	.	18	38	1
	„ 14,	21·0	3·6	141	.	1	2	.	6	3	1	9	2	20	36	5
	„ 21,	21·4	0·9	144	.	.	.	.	1	3	.	2	.	22	42	5
	„ 28,	22·3	1·0	150	.	.	.	.	3	.	.	3	1	20	51	4
	Jan. 4,	20·8	1·9	143	.	1	1	.	1	3	1	4	2	19	36	3
	„ 11,	18·2	1·5	125	.	2	.	.	3	1	.	2	2	18	34	3
	„ 18,	18·3	1·2	126	.	2	.	.	3	1	.	1	1	24	21	1
Cork. Pop. (in 1901) 75,978.	Nov. 30,	23·3	1·4	34	.	.	.	.	2	.	.	.	.	3	7	2
	Dec. 7,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	1	.	.
	„ 14,	24·0	1·4	35	.	.	.	.	2	.	.	.	.	3	7	.
	„ 21,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	3	7	.
	„ 28,	26·1	1·4	38	.	.	.	.	1	.	.	.	1	10	11	.
	Jan. 4,	34·3	2·1	50	.	.	.	.	2	.	.	.	1	6	10	3
	„ 11,	24·0	0·7	35	.	.	.	.	1	.	.	.	.	5	9	1
	„ 18,	24·0	1·4	35	.	.	.	.	1	.	.	.	1	3	7	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Nov. 30,	17·0	1·3	13	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 7,	27·5	1·3	21	.	.	.	.	.	.	.	.	1	3	5	.
	„ 14,	22·2	3·9	17	.	.	.	1	2	.	.	.	.	2	5	.
	„ 21,	23·5	2·6	18	.	.	.	.	.	.	.	1	1	2	2	.
	„ 28,	10·5	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Jan. 4,	21·8	.	17	.	.	.	.	.	.	.	.	.	2	6	.
	„ 11,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	3	3	.
	„ 18,	15·4	1·3	12	.	.	.	.	.	.	.	.	1	1	4	1
Limerick. Pop. (in 1901) 38,085.	Nov. 30,	26·0	.	19	.	.	.	.	.	.	.	.	.	5	4	.
	Dec. 7,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 14,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	1	4	.
	„ 21,	20·5	1·4	15	.	.	.	.	.	.	.	1	.	1	3	.
	„ 28,	34·2	.	25	.	.	.	.	.	.	.	.	.	4	2	.
	Jan. 4,	34·2	.	25	.	.	.	.	.	.	.	.	.	3	4	.
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	3	4	.
	„ 18,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	1	.
Waterford. Pop. (in 1901) 26,743.	Nov. 30,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 7,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	Jan. 4,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	2	.
	„ 11,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 18,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	.	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th January, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institution distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	2	1
" 2 "		27			10	1	2	4	3	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" 3 "		29			14	1	.	10	3	.	.	.	.	.	1	.	.	.	4	2	.	.	3
" 4 "		23			21	4	3	8	6	.	.	.	.	2	.	.	.	1	4	3	.	.	7
" 5 "		12			12	3	.	6	3	.	.	.	.	.	.	.	.	.	3	2	.	.	4
" 6 "		17			21	5	1	9	6	.	1	.	.	.	.	.	1	.	4	4	.	1	3
" 7 "		2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		1			3	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
" 9 "		11			9	2	2	4	1	.	.	.	.	.	.	.	.	.	3	2	.	.	2
" 10 "		17			4	1	.	2	1	.	.	.	.	.	.	.	.	.	2	1	.	1	1
" 11 "		19			13	2	3	5	3	.	1	.	.	1	.	.	.	.	1	1	1	1	2
" 12 "		13			9	2	1	5	1	.	.	.	.	.	.	.	.	.	1	2	.	1	2
" 13 "		6			3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 14 "		1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	—	187	18·3	1·2	126	23	13	61	29	.	2	.	.	3	1	.	1	1	24	21	1	6	30
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 2 "		6			6	3	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 3 "		5			7	3	.	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
" 4 "		5			3	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 5 "		5			5	1	1	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.
" 6 "		2			4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 7 "		9			6	1	.	3	2	.	.	.	.	1	.	.	.	.	1	1	.	1	1
Total,	—	35	24·0	1·4	35	10	3	13	9	.	.	.	.	1	.	.	.	1	3	7	.	1	5

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dce. 28.	Jan. 4.	Jan. 11.	Jan. 18.
No. of week in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered,	207	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186	193	199	156	237	195	187
DEATHS registered.	132	117	166	143	150	150	143	149	119	138	100	132	121	103	153	112	131	145	131	129	141	144	150	143	125	126
Annual Death-rate per 1,000 of estimated Population,*	19·6	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3
AGES, Under 1 year,	38	38	61	42	52	52	49	32	33	28	25	37	24	20	23	23	23	32	28	20	32	37	29	24	22	23
AGES, 1–5 years,	25	27	20	28	18	17	20	18	13	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13
AGES, 5–60 years,	52	39	70	49	56	65	3	71	60	79	48	55	60	6	82	53	59	70	51	56	67	66	76	69	62	61
AGES, 60 years and upwar ,	17	13	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	11	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2
,, Scarlet Fever,	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.
,, Typhus,	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1	3	3
,, Diphtheria,	1	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.	3	1	1
,, Simple continued and Ill-defined Fever,	.	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.
,, Enteric Fever,	9	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1
,, Diarrhœa, Dysentery,	13	19	23	19	17	20	18	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1
,, Phthisis	18	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24
,, Diseases of Respiratory System,	14	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33	40	28	38	36	42	51	36	34	21
Violent Deaths,	2	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th January, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	1	.	.	2
" " 1, West,	.	.	.	2	.	.	2	.	.	2	2	.	8
" " 2,	.	.	.	2	.	.	.	.	.	1	2	.	5
" " 3,	.	.	.	2	.	.	7	.	.	3	4	.	16
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	1	.	.	3	8	.	13
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	6	.	.	.	.	2	.	.	1	3	.	12
" " 4,	.	2	.	2	.	.	.	.	.	3	1	.	8
Palmerston (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	8	.	12	.	.	12	.	.	15	20	.	67
Total for week ended Jan. 11, 1902,	.	1	.	10	.	.	8	.	.	18	14	.	51
Total for week ended Jan. 4, 1902,	.	4	.	15	1	.	16	.	1	16	22	1	76
Total for week ended Dec. 28, 1901,	.	.	.	16	.	.	6	.	1	12	10	.	45

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th January, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th January.			
	Dec. 28.	Jan. 4.	Jan. 11.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	3	3	3	.	2	.	1
Scarlet Fever,	57	63	65	12	12	.	65*
Typhus "	2	1	1	.	.	.	1
Diphtheria,	41	46	42	9	5	1	45
Enteric Fever,	63	59	53	11	15	2	47
Pneumonia,	19	27	24	3	2	.	25

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Jan. 18,	2,580	1,583	18·0	55	57	12	29	21	4	13
EDINBURGH, .	317,885	„ 18,	173	106	17·1	.	.	.	2	.	1	3
GLASGOW, . .	764,423	„ 18,	437	351	23·5	.	20	1	1	9	2	6
CALCUTTA, .	466,460	Nov. 16,	.	303	33·8	1	.	.	.	.	85§	72*
BOMBAY, .	821,764	Dec. 5,	374	801	53·7	.	.	?	?	?	86§	60*
MADRAS, . .	509,316	„ 13,	343	587	59·4	.	5	?	?	?	205	101*
PARIS, . . .	2,511,629	„ 28.	1,040	967	20·0	4	11	5	20	10	14	39
BRUSSELS (with 8 Faubourgs).	582,665	„ 28,	273	157	14·0	.	.	.	2†	1	1	8
AMSTERDAM, .	530,104	„ 28,	286	136	13·3	.	1	.	.	2	2	3
ROTTERDAM, .	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	358,000	Jan. 4,	244	101	14·7	.	.	.	.	2	.	3
CHRISTIANIA, .	228,929	„ 4,	111	57	12·9	.	.	.	.	1	.	2
ST. PETERSBURG,	1,248,643	Dec. 21,	458	620	25·8	.	9	26	29	2	19	47
BERLIN, . .	1,890,374	„ 7,	850	568	15·6	1	5	10	13	11	3	33
HAMBURG, . .	705,738	„ 28,	.	244	18·0	.	9	4	4†	3	.	4
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,691,996	Dec. 14,	870	557	16·9	.	7	7	9†	2	.	28
BUDA-PESTH, .	744,719	„ 21,	453	231	16·1	.	2	4	.	.	.	4
PRAGUE and Faubourgs.	389,741	„ 21,	156	182	24·2	.	8	5	2	2	2	5
ROME, . . .	471,961	Nov. 23,	196	162	17·8	.	.	1	3	.	4	12
TURIN, . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, .	174,378	Dec. 21,	58	75	22·4	.	1	.	1	1	1	4
NEW YORK, .	3,536,517	„ 14,	1,715	1,255	18·5	2	13	12	28†	6	26	37
PHILADELPHIA, .	1,293,697	„ 21,	.	432	17·4	10	1	5	17	3	5	2

* Including 27 deaths from cholera in Calcutta, 3 in Bombay, and 5 in Madras.
† Including deaths from croup.
§ Exclusive of 15 deaths from bubonic fever in Calcutta, and 187 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 18th January, 1902:—

"Except on Sunday, which was dull, damp, and finally rainy, very fine weather prevailed. The changes in atmospheric pressure in the North of Europe were sudden and extreme, but from Monday onward Ireland and England remained under the influence of a large anticyclone, which displayed considerable staying power. On Sunday morning the barometer readings all over Ireland were singularly uniform—they varied only from 30·00 inches at Valentia and Donaghadee to 30·05 inches in Dublin and at Roche's Point, Cork Harbour. The sky was densely clouded, and temperature was high in the S. and W., comparatively low in the N. and E. Close rain fell in Dublin during the afternoon, but the sky cleared in the evening. By Tuesday morning a large anticyclone covered the British Isles, accompanied by quiet fine weather and sharp frost in the inland parts of Great Britain—at Newtown Reigny, Penrith, the minimum was 8° F., or 24° below freezing point. On Wednesday morning a sudden change in the N. was occurring as a vast and deep depression approached Norway from N.W., whereas the barometer continued to rise in the S., so that at 8 a.m. the very unusual reading of 30·90 inches was recorded at Oxford. Twenty-four hours later the barometer ranged from 28·59 inches at Haparanda on the Gulf of Bothnia to 30·92 inches at Brest and Rochefort in France. Fine weather held in the British Isles, where temperature rose; but it was very wild and rough in Scandinavia. In Dublin the mean height of the barometer was 30·517 inches, the range being from 30·050 inches at 9 a.m. of Sunday (wind, W. by N.) to 30·796 inches at 9 a.m. of Wednesday (wind, W.). The corrected mean temperature was 40·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 39·8°. The screened thermometers rose to 48·6° on Sunday and fell to 29·1° on Wednesday. The wind was variable and for the most part light. Bright sunshine was estimated at 15 hours. Rain fell on Sunday alone, to the amount of ·030 inch. Solar halos were seen on Thursday and Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·523 inches. The highest reading (30·807) was on Wednesday at 9 a.m., wind W.S.W., and the lowest (30·051) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 37·3°, being 4·5° below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Sunday, on which day the thermometer registered 46·9°, and was lowest on Wednesday, the mercury having fallen to 22 9°. The mean of the Dry Bulb for the week was 38·2°, and of the Wet Bulb 36·1°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 10·5 hours. The rainfall measured during the week was ·025 inch.

At Greenwich the mean temperature for the week was 38·2°, the maximum 48·5°, and the minimum 24·7°; at Glasgow the maximum was 56·0°, the minimum 16·5°, and the mean 36·4°: and at Edinburgh the maximum was 49·3°; the minimum 21·9°, and the mean 36·4.° The rainfall at Greenwich measured 0·00 inch; at Glasgow 0·08 inch, and at Edinburgh 0·06 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Jan. 12,	30·131	46·9	32·0	39·5	40·8	39·3	·88	·7	0·0	·025	W.	N.
Monday, „ 13,	30·427	39·0	31·9	35·5	36·5	33·8	·77	·1	0·0	—	E.	E.
Tuesday, „ 14,	30·741	38·1	23·6	30·9	30·6	28·5	·75	·3	4·3	—	E.	Calm.
Wednesday, „ 15,	30·789	43·4	22·9	33·2	39·7	37·7	·85	·6	0·1	—	W.S.W.	W.S.W.
Thursday, „ 16,	30·749	46·8	37·9	42·4	41·3	39·8	·88	·5	0·0	—	S.W.	W.
Friday, „ 17,	30·480	46·6	30·3	38·5	40·4	37·8	·80	·3	3·9	—	W.	S.W.
Saturday, „ 18,	30·343	46·0	31·5	38·8	38·0	35·8	·82	·3	2·2	—	Calm.	S.W.
Mean . .	30·523	43·8	30·0	37·3	38·2	36·1	·82	·4	Total 10·5	Total ·025	Prevailing wind Westerly.	

Sunday—A dull day, rain 1.0 to 2.30 p.m.; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A fine but cloudy day; night clear p.m., cloudy a.m. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A cloudy day; night cloudy. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425 12. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 25TH JANUARY, 1902. [No. 4.

General Register Office, Charlemont House, Dublin, 27th January, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 4.	Week ending Jan. 11.	Week ending Jan. 18.	Week ending Jan. 25.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 4.	Week ending Jan. 11.	Week ending Jan. 18.	Week ending Jan. 25.	Average Rate for 4 weeks
22 Town Dists.	25·2	20·6	20·2	21·0	21·7	Lisburn,	9·1	13·7	4·6	18·2	11·4
Armagh,	6·9	20·7	13·8	27·6	17·3	Londonderry,	21·8	19·6	15·4	32·0	22·2
Ballymena,	4·8	19·2	9·6	0·0	8·4	Lurgan,	0·0	13·3	17·7	17·7	12·2
Belfast,	20·8	18·2	18·3	21·9	19·8	Newry,	16·6	16·6	4·1	24·9	15·6
Clonmel,	5·1	20·4	76·6	0·0	25·5	Newtownards,	11·4	11·4	5·7	40·1	17·2
Cork,	34·3	24·0	24·0	21·3	25·9	Portadown,	15·6	36·3	5·2	31·1	22·0
Drogheda,	36·8	12·3	32·7	0·0	20·5	Queenstown,	13·2	6·6	13·2	19·8	13·2
Dublin Reg. Area,	29·4	25·0	23·4	20·9	•	Sligo,	38·4	14·4	14·4	38·4	26·4
Dundalk,	20·0	4·0	31·9	•	•	Tralee,	47·8	10·6	21·3	15·9	23·9
Galway,	31·1	15·5	23·3	42·8	28·2	Waterford,	27·3	19·5	15·6	11·7	18·5
Kilkenny,	34·8	0·0	0·0	0·0	8·7	Wexford,	14·0	9·3	28·0	18·7	17·5
Limerick,	34·2	24·6	11·0	19·2	22·2						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in fourteen of the districts to 6·6 in Queenstown. Among the 151 deaths from all causes registered in Belfast are one from typhus fever, 3 from whooping-cough, one from diphtheria, and 2 from diarrhœa. The 31 deaths in Cork include one from scarlet fever, one from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 215—116 boys and 99 girls; and the deaths to 158—79 males and 79 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·7 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 20·9 per 1,000. During the four weeks ending with Saturday last the death-rate averaged 25·6, and was 6·9 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 12 deaths from zymotic diseases registered during the week. This number is 2 in excess of the number registered in the preceding week, and equal to a rate or 1·6 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 4·5 per 1,000. There were 4 deaths from diarrhœal diseases, 2 from enteric fever, and one death each from measles, whooping-cough, diphtheria, septicæmia, and rötheln included in the total.

Tubercular disease caused 29 deaths—19 from pulmonary tuberculosis, 2 from tubercular meningitis, one from puerperal peritonitis, and 7 from other forms of the disease.

Diseases of the respiratory system caused 35 deaths. This number is 8 below the number registered in the preceding week, and is equal to a rate of 4·8 per 1,000 of the estimated population, the average for the corresponding period of the past 10 years being 7·6 per 1,000. Bronchitis caused 14 deaths, pneumonia caused 20 deaths, and croup caused one death.

Convulsions caused the deaths of 6 children under one year of age, of whom 3 were infants under one month old.

There were 2 deaths from apoplexy and one from epilepsy, and 11 from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer caused 8 deaths, and diseases of the circulatory system 12 deaths.

There were 5 deaths from accidental violence registered.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 infants under one year old and the death of one person aged 86 years.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 8 were under one month old) and 48 were aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 9 were octogenarians, and 2 (females) were stated to have been aged 93 and 94 years respectively.

Forty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·9 per 1,000; the rate in the City was 21·1 (21·9 on the North side, and 20·3 on the South), and in the Suburbs 20·1.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1.1 per 1,000 inhabitants, the rate for the City being 1·2 (1·7 in the North City Districts, and 0·7 in the South) and for the Suburbs 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000. There was one death from enteric fever and 3 deaths from pulmonary tuberculosis, and 5 deaths from diseases of the respiratory system, including 4 deaths from pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. Diarrhœa was the cause of of one death, pulmonary tuberculosis caused one death, and diseases of the respiratory system caused 6 deaths, including 5 deaths from pneumonia.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Enteric fever, diarrhœa, and septicæmia each caused one death, pulmonary tuberculosis caused one death, and one death was caused by pneumonia.

No. 3 North City District (Blackhall-place).—The deaths (16) represent an annual rate of 26·3 per 1,000. Diarrhœa caused one death, and pulmonary tuberculosis caused 4 deaths, 3 deaths were caused by diseases of the respiratory system, including 2 deaths from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8; Coolock and Drumcondra, No. 1. part of, 26·0, per 1,000 inhabitants; and Finglas and Glasnevin, part of, 7·8.

No. 1 South City District (South Earl-street).—The deaths (12) represent an annual rate of 16·0 per 1,000. There was one death from pulmonary tuberculosis, and 3 deaths from diseases of the respiratory system, including one death from pneumonia, there was also one death from accident.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 36·6 per 1000. There were 2 deaths from pulmonary tuberculosis, and 5 deaths from diseases of the respiratory system, including 2 from pneumonia.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 21·2 per 1,000. Diarrhœa caused one death, and 5 deaths were due to diseases of the respiratory system, including one from pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·9 per 1,000. Pulmonary tuberculosis caused one death, and one death was caused by pneumonia. There were three deaths from accidental violence.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 14·3. One death was caused by whooping-cough, and one by rötheln.

Suburban Districts.—The annual death-rates represented by the deaths recorded last weekare:—Rathmines, 28·3 per 1,000 inhabitants; Donnybrook, 22·0; Blackrock, 6·0; and Kingstown, 8·9. The only death from zymotic diseases tabulated for these districts consists of one from measles for Pembroke. The 18 deaths from all causes tabulated for Rathmines include 2 from phthisis, 4 from diseases of the circulatory and 3 from diseases of the respiratory systems.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	4th January,	76 cases.
" "	11th January,	51 cases.
" "	18th January,	67 cases.
" "	25th January,	58 cases.

Of the 58 cases notified, 10 were erysipelas, 10 enteric fever, 18 scarlatina, 6 diphtheria, 9 measles, one German measles, and 4 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	4th January,	9 cases.
" "	11th January,	3 cases.
" "	18th January,	2 cases.
" "	25th January,	6 cases.

Of the 6 cases notified, one was from enteric fever, 2 from scarlet fever, and 3 from continued fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	4th January,	41 cases.
" "	11th January,	18 cases.
" "	18th January,	62 cases.
" "	25th January,	44 cases.

Of the 44 cases notified, 2 were from diphtheria, 2 scarlet fever, 22 measles, 17 whooping-cough, and one "fever."

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	4th January,	59 cases.
" "	11th January,	53 cases.
" "	18th January,	40 cases.
" "	25th January,	63 cases.

Of the 63 cases notified, 18 were enteric fever, 9 erysipelas, 5 diphtheria, 17 continued fever, 7 scarlet fever, and 6 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th January, 1902.

From this it appears that:—

Eight cases of enteric fever were admitted to hospital, 5 cases were discharged, and 50 cases remained under treatment at the close of the week.

Twenty-one cases of scarlatina were admitted to hospital, 7 cases were discharged, and 79* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital, and two cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 13 cases were discharged, there was one death, and 36 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, one case of pneumonia was admitted to hospital, 10 patients were discharged, there was one death, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 75 large English towns, including London (in which the rate was 17·9), was equal to an average annual death-rate of 17·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·3 per 1,000, the rate for Glasgow being 22·1, and for Edinburgh 18·8.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 25th January, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 25th January, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 25th Jan., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th Jan. 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th Jan., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	1,092,322	18·7	27·6	21·0	1·1	579	489	78	118	.	2	1	2	5	1	.	4	8	47	118	8	17	104	° .	° .	° .	. .	° .	° .	° .	. .	° .	° .	° .	. .
Dublin Registration Area:—																																			
Total,‡	879,068	27·8	29·6	20·9	1·1	215	152	21	48	.	1	.	.	1	.	.	2	4	18	33	5	4	42	§53·4	29·8	45·0	0·21	§46·9	22·9	37·8	0·03	§53·5	35·5	44·7	0·80
Registrars' Districts. City	298,394	37·8	31·1	21·1	1·2	175	119	18	31	.	.	.	.	1	.	.	2	4	15	29	4	4	40	a54·0 b54·5	31·0 30·0	45·6 45·4	0·13 0·16	a48·6 b47·0	29·1 24·0	40·0 36·9	0·03 0·04	a55·0 b54·8	38·0 36·0	46·2 44·8	0·90 0·84
Rathmines,‖	33,203	19·4	22·0	28·8	.	14	18	1	12	.	.	.	.	.	.	.	.	.	2	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	30·1	22·0	2·0	15	11	1	5	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	11·2	6·0	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	26·6	8·9	.	9	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55	31·5	46·2	0·12	49·5	28	41·3	0·03	54·5	37·5	46·5	0·70
Urban Districts																																			
Belfast,	358,693	21·8	30·8	21·9	1·0	212	151	35	27	.	.	.	1	3	1	.	.	2	14	52	1	10	25	53·0	31·0	44·3	0·49	49·0	25·2	37·9	0·16	50·0	38·1	44·8	0·43
Cork,	75,978	33·5	21·3	21·3	2·1	31	31	6	6	.	.	1	.	1	.	.	.	1	5	6	.	.	13	52	32	46·2	0·97	50	32	43·5	.	52	40	47·5	0·21
Londonderry,	40,729	18·8	32·0	32·0	1·3	25	25	3	12	.	.	.	.	.	.	.	.	1	1	6	1	.	12	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,085	18·4	27	19·2	.	2	14	2	5	.	.	.	.	.	.	.	.	.	1	3	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,743	18·6	16·6	11·7	1·9	8	6	.	1	.	.	.	.	.	.	.	1	.	2	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,414	9·5	28·3	42·8	8·9	6	11	1	4	.	.	.	1	.	.	.	.	.	.	2	.	.	1	58	24	45	0·70	53	29	40	0·06	52	39	46	1·76
Dundalk	18,067	9·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	8·2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	8·8	24·9	4·1	2	6	1	2	.	.	.	.	.	.	.	1	.	.	1	1	1	.	51·0	28·0	43·0	0·77	47·4	26·0	37·0	0·00	49·7	35·5	43·6	0·66
Lurgan,	11,777	18·8	44·3	17·7	.	10	4	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	51·0	28·0	43·0	0·77	47·4	26·0	37·0	0·00	49·7	35·5	43·6	0·66
Lisburn,	11,469	10·1	27·3	18·2	.	6	4	.	1	.	.	.	.	.	.	.	.	.	.	3	.	.	1	51·0	28·0	43·0	0·77	47·4	26·0	37·0	0·00	49·7	35·5	43·6	0·66
Wexford	11,154	22·2	23·4	18·7	.	5	4	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	14·4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	19·2	38·4	.	4	8	1	4	.	.	.	.	.	.	.	.	.	.	3	.	.	1	51·9	29·3	44·6	1·44	48·5	26·3	37·2	0·03	49·1	34·6	43·9	1·03
Kilkenny,	10,493	11·4	79·5	.	.	16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53	29	43·5	0·64	48	22	36·5	0·04	53	39	46·6	0·47
Clonmel,	10,209	7·9	35·8	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	18·1	26·0	31·1	.	5	6	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	51·0	28·0	43·0	0·77	47·4	26·0	37·0	0·00	49·7	35·5	43·6	0·66
Tralee,	9,812	16·7	26·6	15·9	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	45·8	40·1	.	8	7	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	52	30	44·5	0·32	49	29	39·3	0·01	50	33	43·9	0·52
Queenstown,	7,887	14·7	33·1	19·8	6·6	5	3	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	52	32	46·2	0·97	50	32	43·5	.	52	40	47·5	0·21
Armagh,	7,569	22·1	18·8	27·6	.	2	4	1	1	.	.	.	.	.	.	.	.	.	3	1	.	.	.	51·0	28·0	43·0	0·77	47·4	26·0	37·0	0·00	49·7	35·5	43·6	0·66

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 6 deaths of persons (including one under 1 year old) admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 25th January, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.		.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	2	.
Diarrhœa, Dysentery,	.	1	1	1	.	.	.	.	.	.	1	.	.	.	.		.	.	.	.	4	.
Other Zymotic Diseases	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.		.	.	.	.	3	.
Total,	1	2	3	1	.	.	.	.	.	.	1	.	.	2	.		.	1	.	.	11	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	3	1	1	4	1	1	.	.	1	2	.	1	.	.	.		2	.	1	.	18	1
Other Constitutional Diseases,	.	1	3	1	.	2	1	.	1	.	2	1	.	.	.		3	2	.	2	19	.
Total,	3	2	4	5	1	3	1	.	2	2	2	2	.	.	.		5	2	1	2	37	1
V. DEVELOPMENTAL DISEASES,	2	.	1	2	.	.	.	.	.	2	2	2	.	.	.		3	1	.		15	1
VI. LOCAL DISEASES:																						
Diseases of: Brain & Nervous System,	.	1	4	3	.	1	.	.	2	2	2	2	.	.	.		1	1	.	1	20	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Circulatory System,	.	2	1	1	.	.	.	.	1	.	1	.	.	.	.		4	1	.	.	11	1
Respiratory System,	5	6	1	3	.	.	.	.	3	5	5	1	.	.	.		3	1	.	.	33	2
Digestive System,	.	2	.	.	.	1	.	.	.	1	2	.	.	.	.		.	1	.	.	7	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.		.	1	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.	.	.	1	.
" Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1	.	.	.	2	.
Total,	6	11	6	8	.	2	.	.	6	8	11	5	.	.	.		10	5	.	1	79	3
VII. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.		.	1	.	.	5	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.		.	1	.	.	5	.
Deaths from all Causes,	12	15	14	16	1	5	1	.	12	12	17	12	.	2	.		18	11	1	3	152	6
Annual Rate of Mortality in every 1,000 of the population.	22·1	26·0	24·2	26·3	10·8	26·0	7·8	.	16·0	36·6	21·2	17·9	.	14·3	.		28·3	22·0	6·0	8·9		
	21·9								20·3								20·1				20·9	
	21·1																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	1	3	3	.	.	1	.	1	.	2	4	.	.	.		2	.	.	.	18	6
Workhouse Hospitals,	2	1	2	5	.	.	.	.	5	5	3	.	1	.	.		.	.	.	.	24	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Jan. 30, 1892	Jan. 28, 1893	Jan. 27, 1894	Jan. 26, 1895	Jan. 25, 1896	Jan. 30, 1897	Jan. 29, 1898	Jan. 28, 1899	Jan. 27, 1900	Jan. 26, 1901	Averages in 4th Week of the 10 years 1892-1901.	In the week ending Saturday 25th January, 1902 — Deaths of persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
Mean Temperature,	° 44·1	° 44·7	° 40·4	° 35·6	° 39·2	° 38·7	° 47·3	° 36·6	° 43·8	° 41·5	° 40·7	° 45·0								
ALL CAUSES,	278	198	217	208	184	284	194	167	259	196	218·5	158	8	14	14	14	27	33	37	11
I. FEBRILE OR ZYMOTIC DISEASES,	42	18	42	26	18	59	29	18	39	27	31·8	12	.	3	3	4	2	.	.	.
II. PARASITIC DISEASES,	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	.	1	.	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	48	46	41	43	36	44	47	39	67	45	45·1	38	.	1	1	9	13	10	4	.
V. DEVELOPMENTAL "	20	16	12	16	14	21	13	10	21	19	16·2	16	3	.	1	.	.	.	5	7
VI. LOCAL "	158	106	104	111	100	140	96	86	121	94	111·6	82	3	8	8	1	11	20	27	4
VII. VIOLENT DEATHS,	5	5	4	4	9	11	3	10	2	4	5·7	5	.	.	1	.	1	2	1	.
VIII. ILL-DEFINED CAUSES,	9	7	14	7	7	8	5	3	8	7	7·5	5	2	2	.	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Measles,	.	1	3	.	.	7	.	.	5	.	1·6	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	2	2	1	6	3	1	.	1	1·6	.	.	.	.	.	.	.	.	.
Typhus,	.	1	1	.	.	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	30	1	9	3	3	5	10	3	27	3	9·4	.	.	.	.	.	.	.	.	.
Whooping Cough,	5	.	11	2	1	27	4	5	3	8	6·6	1	.	.	.	1	.	.	.	.
Diphtheria,	.	3	2	1	.	.	1	.	1	2	1·0	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	.	.	.	2	.	.	1	·4	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	5	2	5	6	1	6	5	1	5	3·9	2	.	.	.	2	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	1		3	3	4	1	.	.	3	1·7	4	.	2	1	.	1	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	1	.	2	.	1	.	1	·6	1	.	1	.	.	.	.	.	.
Erysipelas,	.	3	2	.	.	2	2	1	.	.	1·0	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	.	2	1	2	2	.	1	1	1	1·1	1	.	.	.	.	1	.	.	.
Puerperal Fever,	1	.	1	.	2	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	2	5	1	.	2	.	1	1	1	1·4	1	.	.	1	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	1	.	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	.	.	.	1	.	.	3	.	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	6	9	5	7	7	2	8	6	6	5	6·1	8	.	.	.	.	1	3	4	.
Tabes Mesenterica,	3	2	4	7	5	7	3	6	6	4	4·7	1	.	.	.	1	.	.	.	.
Tubercular Meningitis,	3	.	3	4	2	2	9	5	8	2	3·9	2	.	.	1	1	.	.	.	.
Phthisis,	28	32	26	22	20	21	23	18	6	26	25·2	19	.	.	.	4	9	6	.	.
Scrofula, Tuberculosis,	3	2	3	3	.	9	3	3	6	6	3·8	7	.	1	.	3	3	.	.	.
Other Constitutional Diseases,	.	1	.	.	1	1	1	1	.	2	·7	1	.	.	.	.	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	2	1	2	.	4		2	1	2	2	2·4	3	3	.	.				.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	1	.	.	.	.	.
Old Age,	18	15	10	15	10	13	11	9	19	17	13·7	12	.	.	.	.	.	.	5	7

* The figures for the years 1892-1900 are for the

each Disease registered in the FOURTH WEEK ending Saturday, 25th January, 1902, with ten years, 1892-1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years 1892-1901.	In the Week ending Saturday, 25th January, 1902. Deaths of Persons of the Ages of								
	Jan. 30, 1892	Jan. 28, 1893	Jan. 27, 1894	Jan. 26, 1895	Jan. 25, 1896	Jan. 30, 1897	Jan. 29, 1898	Jan. 28, 1899	Jan. 27, 1900	Jan. 26, 1901		ALL AGES.	0 to 5							
Mean Temperature.	° 44·1	° 44·7	° 40·4	° 35·6	° 39·2	° 38·7	° 47·3	° 36·6	° 48·8	° 41·5	° 40·7	Mean Temp. ° 45·0	Under 1 month	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
VI. Local Diseases.																				
Apoplexy,	3	2	2	4	1	6	4	9	4	3	3·8	2	.	.	.	.	.	1	.	1
Epilepsy,	1	2	1	.	.	1	1	2	1	1	1·0	1	.	.	.	.	.	.	1	.
Convulsions,	13	11	14	13	13	7	13	7	12	7	11·0	6	3	3	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	20	6	3	11	7	9	6	9	9	6	8·6	11	.	.	1	.	1	3	5	1
Diseases of Organs of Special Sense,	.	.	1	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	22	20	12	13	23	15	11	12	25	13	16·6	12	.	.	.	.	2	6	3	1
Croup,	2	.	3	1	2	1	.	1	2	1	1·3	1	.	.	1	.	.	.	.	.
Bronchitis,	61	31	33	29	28	67	26	19	30	34	35·8	14	.	1	.	.	2	4	7	.
Pneumonia,	16	14	7	15	10	14	15	10	20	12	13·3	20	.	3	5	.	4	2	5	1
Pleurisy,	.	1	.	.	2	1	1	.	1	1	·7	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	2	2	5	8	.	3	1	.	2	4	2·2	.	.	.	.	.	.	.	.	.
Teething,	2	1	1	.	1	3	2	1	.	.	1·1	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	1	.	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	1	1	1	.	.	.	.	1	.	1	·5	.	.	.	.	.	.	.	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Peritonitis,	.	2	.	.	.	.	2	1	.	.	·5	.	.	.	.	.	.	.	.	.
Disease of Liver,	.	.	4	1	3	.	3	2	2	3	1·8	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	6	5	10	5	3	8	4	4	6	2	5·3	3	.	.	.	1	.	1	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	6	5	5	12	3	1	6	5	6	6	5·5	4	.	.	.	.	1	2	1	.
Diseases of Generative System,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	.	1	1	.	2	.	.	·5	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	2	1	1	.	1	.	.	1	.	·6	1	.	.	.	.	.	.	1	.
Diseases of Integumentary System,	2	1	.	2	2	1	.	.	.	.	·8	2	.	.	.	.	.	.	2	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	1	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	1	.	.	1	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	1	.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	1	1	.	3	1	2	1	4	.	2	5·6	2	.	.	1	.	.	1	.	.
By Drowning,	.	2	2	.	4	2	1	.	1	1		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Other or Not stated Causes,	2	1	2	1	3	7	1	2	1	1		2	.	.	.	.	1	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	7	1	7	7	8	5	3	8	7	7·5		2	2	.	.	.	1	.	.

Dublin Registration Area as then constituted.

TABLE IV.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901-2—Week ending																									
	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered,	251	153	185	178	175	234	212	152	245	223	176	229	235	141	192	144	162	216	187	164	144	23	279	204	208	215
*Average Births in corresponding week of previous 10 years,**	202	197	201	187	205	190	211	200	210	176	170	188	171	183	179	193	183	186	191	180	153	186	192	203	193	197
DEATHS registered,	158	166	148	179	176	154	164	180	133	149	146	150	146	168	171	180	176	141	153	138	196	200	223	186	177	158
Annual Death-rate per 1,000,	22·0	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7
*Average Deaths in corresponding week of previous 10 years,**	163	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236	241	219
AGES, Under 5 years,	58	73	50	72	71	64	64	64	42	49	46	50	49	54	53	59	53	36	37	31	47	33	45	38	54	36
5—20 "	9	14	14	10	14	10	13	12	11	14	17	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14
20—40 "	25	26	25	23	28	23	32	37	28	24	21	22	24	13	23	31	26	20	28	16	35	31	39	35	19	27
40—60 "	32	23	25	34	26	30	25	34	24	24	33	26	34	40	36	31	32	30	38	39	54	53	63	41	42	33
60—80 "	25	28	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48	44	37
80 years and upwards,	9	2	5	7	3	5	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
" Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Scarlet Fever,	.	.	1	1	2	2	.	1	1	.	.	.	1	1	.	.	.	1	1	.	2	.	.	.	.	.
" Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Whooping-cough,	4	.		1	1	2	1	4	1	2	1		2	4	.	1	1	1	.	1	4	.	1		.	1
" Diphtheria,	.	2	.	.	2	1	.	2	.	2	.	1	1	1	1	3		.	2	.	3	2	3	3	1	1
" Simple continued and Ill-defined Fever,	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
" Enteric Fever,	1	1	.	.	2	.	1	3	3	3	6	3	.	5	2	.	5	2	1	.	4	5	2	3	1	2
" Diarrhœa, Dysentery,	23	33	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2	4
" Phthisis,	15	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20	19
" Heart Diseases,	19	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12
" Diseases of Respiratory System,	17	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34	43	35
Violent Deaths,	6	8	3		7	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5
Mean Temperature of the Air (Phœnix Park),	61·1	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	38·5	35·2	45·4	44·7	37·3	45·0
Average Mean Temperature in corresponding week of previous 10 years,	59·3	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44	43·	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6
Rainfall in inches,	·190	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·785	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205
Mean Humidity of the Air, complete Saturation 1·0,	·90	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th January, 1902; he Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	23·8	158	36	14	27	33	37	11	.	1	.	.	1	1	.	2	4	9	19	6	35	5	34
	CLASSES.	(Estimated.)																							
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	27·0	8	.	.	1	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
II.	MIDDLE CLASS,	80,653	24·6	38	8	2	3	8	11	6	.	.	.	.	.	.	.	.	1	1	2	.	9	1	25
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	17·5	33	9	7	4	5	7	1	.	.	.	.	1	.	.	2	1	4	5	2	6	1	15
IV.	GENERAL SERVICE CLASS,	146,486	27·2	55	16	5	15	11	8	.	.	1	.	.	3	1	.	.	2	4	8	3	12	3	25
V.	INMATES OF WORKHOUSES,	5,191		24	3	.	4	9	8	.	.	.	.	.	.	.	.	.	.	.	4	1	7	.	12
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,888	28·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Bank and Property, not otherwise described,	5,676	36·7	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	30·3	15	3	1	2	1	4	4	.	.	.	.	.	.	.	.	.	.	1	.	6	1	7
	6. Clerks and Commercial Assistants,	24,750	14·7	7	3	1	1	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	27·9	13	2	.	.	3	7	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	11
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	3	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	2
	9. Building and Furnishing Trades,	26,030	28·0	14	3	4	2	3	1	1	.	.	.	.	1	.	.	1	.	2	2	.	1	1	8
	10. Clothing Trades,	23,686	6·6	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	11. Food Supply Trades,	7,869	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	13·7	7	1	2	1	.	3	.	.	.	.	.	.	.	.	1	.	1	1	.	2	.	3
	13. Petty Shopkeepers,	6,771	23·1	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	1	.	2	2	2	.	.	1	.	.	.	.	.	.	.	1	1	.	1	.	4
	15. Domestic Servants,	39,563	6·6	5	1	.	2	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	2	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	22·7	36	12	4	9	8	3	.	.	.	.	.	.	1	.	.	1	2	5	2	9	3	15
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	.	24	3	.	4	9	8	.	.	.	.	.	.	.	.	.	.	.	4	1	7	.	12

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901-1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,333.	Dec. 7,	20·2	.	11	.	.	.	.	.	.	.	.	.	4	.	.
		„ 14,	14·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 21,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	1	.
		„ 28,	31·2	3·7	17	.	.	.	.	.	.	.	1	1	6	2	.
		Jan. 4,	22·1	1·8	12	.	.	.	.	.	.	.	.	1	3	5	.
		„ 11,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	3	.
		„ 18,	27·6	1·8	15	.	.	.	.	.	1	.	.	.	1	6	.
		„ 25,	22·1	1·8	12	.	.	.	.	.	.	.	1	.	3	5	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Dec. 7,	13·6	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
		„ 14,	27·1	.	20	.	.	.	.	.	.	.	.	.	2	5	.
		„ 21,	35·2	2·7	26	.	.	.	.	.	1	.	1	.	7	5	1
		„ 28,	39·3	2·7	29	.	.	.	.	.	.	.	2	.	3	10	.
		Jan. 4,	36·0	.	27	.	.	.	.	.	.	.	.	.	3	7	.
		„ 11,	30·6	4·0	23	.	.	.	.	.	2	.	1	.	3	5	1
		„ 18,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	6	.
		„ 25,	20·0	1·4	15	.	.	.	.	.	.	.	.	1	1	6	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Dec. 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	2	1
		„ 14,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	4	.
		„ 21,	32·8	1·7	19	.	.	.	.	1	.	.	.	.	2	2	1
		„ 28,	34·6	.	20	.	.	.	.	.	.	.	.	.	1	4	.
		Jan. 4,	43·3	3·5	25	.	.	.	.	.	.	.	.	2	2	6	2
		„ 11,	27·7	.	16	.	.	.	.	.	.	.	.	.	3	1	.
		„ 18,	17·5	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 25,	24·2	3·5	14	.	.	.	.	.	.	.	1	1	1	1	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Dec. 7,	13·5	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 14,	11·8	.	7	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	35·3	3·4	21	.	.	1	.	.	1	.	.	.	2	5	.
		„ 28,	25·2	3·4	15	.	.	.	.	.	1	.	.	1	1	3	2
		Jan. 4,	42·8	1·6	26	.	.	.	.	.	1	.	.	.	7	4	1
		„ 11,	28·0	4·9	17	.	.	.	.	1	1	.	.	1	2	2	.
		„ 18,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	.	6	.
		„ 25,	26·3	1·6	16	.	.	.	.	.	.	.	.	1	4	3	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Dec. 7,	31·7	1·4	22	.	.	.	.	.	.	.	.	1	3	4	.
		„ 14,	17·3	.	12	.	.	.	.	.	.	.	.	.	.	5	.
		„ 21,	24·5	1·4	17	.	.	.	.	1	.	.	.	.	3	2	1
		„ 28,	33·2	1·4	23	.	.	.	.	.	.	.	1	.	3	5	1
		Jan. 4,	22·6	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		„ 11,	32·0	.	24	.	.	.	.	.	.	.	.	.	7	5	1
		„ 18,	26·6	1·4	20	.	.	.	.	.	.	.	.	1	2	3	.
		„ 25,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	1
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Dec. 7,	19·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		„ 14,	22·8	2·8	8	.	.	.	.	1	.	.	.	.	.	3	.
		„ 21,	37·0	5·7	13	.	.	.	.	.	.	.	.	2	3	.	.
		„ 28,	31·3	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		Jan. 4,	64·0	3·0	21	.	.	.	.	.	.	.	1	.	.	3	.
		„ 11,	33·5	.	11	.	.	.	.	.	.	.	.	.	.	4	.
		„ 18,	24·4	.	8	.	.	.	.	.	.	.	.	.	3	3	.
		„ 25,	36·6	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Dec. 7,	35·5	1·2	29	.	.	1	.	.	.	.	.	.	8	3	1
		„ 14,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 21,	20·8	1·2	17	.	.	.	.	.	.	.	1	.	2	3	.
		„ 28,	35·5	1·2	29	.	.	.	.	.	1	.	.	.	2	9	.
		Jan. 4,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	1	4	.
		„ 11,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	5	2	1
		„ 18,	27·5	.	22	.	.	.	.	.	.	.	.	1	5	6	1
		„ 25,	21·2	1·2	17	.	.	.	.	.	.	.	.	.	.	5	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 4,925.	Dec. 7,	20·8	.	14	.	.	.	.	.	.	.	.	.	.	2	.
		„ 14,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 21,	25·2	4·4	17	.	.	.	.	2	1	.	.	.	.	3	1
		„ 28,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	5	2
		Jan. 4,	20·9	1·5	14	.	.	.	.	.	1	.	.	.	2	6	.
		„ 11,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	4	5	1
		„ 18,	28·4	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 25,	17·9	.	12	.	.	.	.	.	.	.	.	.	1	1	3

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of he Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901-1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1902 (Est.) 33,203.	Dec. 7,	9·6	1·6	6	.	.	.	.	.	.	.	1	.	1	.	.
	„ 14,	12·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	16·0	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 28,	20·8	3·2	13	.	.	.	.	.	.	.	1	1	1	1	.
	Jan. 4,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	1	3	2
	„ 11,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	2	1
	„ 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 25	28·3	.	18	.	.	.	.	.	.	.	.	.	2	3	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Dec. 7,	16·3	2·0	8	.	.	.	.	.	1	.	.	.	1	1	.
	„ 14,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 21,	18·4	.	9	.	.	.	.	.	.	.	.	.	1	4	2
	„ 28,	22·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 4,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	5	.
	„ 11,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	.	3	.
	„ 18,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	.	1	.
	„ 25,	22·0	2·0	11	.	1	.	.	.	.	.	.	.	.	1	1
Kingstown. Pop. in 1902 (Est.) 17,622.	Dec. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 4,	29·6	.	10	.	.	.	.	.	.	.	.	.	1	4	1
	„ 11,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	„ 18,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	3	.
	„ 25,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	Dec. 7,	19·2	1·8	129	.	2	1	.	1	4	.	4	.	13	38	1
	„ 14,	21·0	3·6	141	.	1	2	.	6	3	1	9	2	20	36	5
	„ 21,	21·4	0·9	144	.	.	.	.	1	3	.	2	.	22	42	5
	„ 28,	22·3	1·0	150	.	.	.	.	3	.	.	3	1	20	51	4
	Jan. 4,	20·8	1·9	143	.	1	1	.	1	3	1	4	2	19	36	3
	„ 11,	18·2	1·5	125	.	2	.	.	3	1	.	2	2	18	34	3
	„ 18,	18·3	1·2	126	.	2	.	.	3	1	.	1	1	24	21	1
	„ 25,	21·9	1·0	151	.	.	.	1	3	1	.	.	2	14	52	1
Cork. Pop. (in 1901) 75,978.	Dec. 7,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	1	.	.
	„ 14,	24·0	1·4	35	.	.	.	.	2	.	.	.	.	8	7	.
	„ 21,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	8	7	.
	„ 28,	26·1	1·4	38	.	.	.	.	1	.	.	.	1	10	11	.
	Jan. 4,	34·3	2·1	50	.	.	.	.	2	.	.	.	1	6	10	3
	„ 11,	24·0	0·7	35	.	.	.	.	1	.	.	.	.	5	9	1
	„ 18,	24·0	1·4	35	.	.	.	.	1	.	.	.	1	3	7	.
	„ 25,	21·3	2·1	31	.	.	1	.	1	.	.	.	1	5	6	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Dec. 7,	27·5	1·3	21	.	.	.	.	.	.	.	.	1	3	5	.
	„ 14,	22·2	3·9	17	.	.	.	1	2	.	.	.	.	2	5	.
	„ 21,	23·5	2·6	18	.	.	.	.	.	.	.	1	1	2	2	.
	„ 28,	10·5	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Jan. 4,	21·8	.	17	.	.	.	.	.	.	.	.	.	2	6	.
	„ 11,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	3	3	.
	„ 18,	15·4	1·3	12	.	.	.	.	.	.	.	.	1	1	4	1
	„ 25,	32·0	1·3	25	.	.	.	.	.	.	.	.	1	1	6	1
Limerick. Pop. (in 1901) 38,085.	Dec. 7,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 14,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	1	4	.
	„ 21,	20·5	1·4	15	.	.	.	.	.	.	.	1	.	1	3	.
	„ 28,	34·2	.	25	.	.	.	.	.	.	.	.	.	4	2	.
	Jan. 4,	34·2	.	25	.	.	.	.	.	.	.	.	.	3	4	.
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	3	4	.
	„ 18,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	..
Waterford. Pop. (in 1901) 26,743.	Dec. 7,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 21,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	Jan. 4,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	2	.
	„ 11,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 18,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	11·7	1.9	6	.	.	.	.	.	.	.	.	1	2	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 25th January, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institution distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
Belfast Urban No. 1 District,	358,698	18	The Population of Belfast by Districts not having been yet ascertained, the death rate for each District cannot be inserted in this Table.		5	1	1	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
" 2 "		24			18	4	1	7	6	.	.	.	.	.	.	.	.	1	3	4	.	.	3
" 3 "		26			13	3	4	4	2	.	.	.	.	.	.	.	.	.	.	5	.	1	2
" 4 "		27			21	4	1	14	2	.	.	.	.	2	.	.	.	.	2	9	.	1	5
" 5 "		13			8	2	4	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	1
" 6 "		26			27	5	3	11	8	.	.	.	1	.	.	.	.	.	1	10	1	5	4
" 7 "		.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		.			3	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 9 "		9			9	3	2	4	.	.	.	.	.	.	1	.	.	.	2	4	.	.	4
" 10 "		19			16	4	2	7	3	.	.	.	.	.	.	.	.	.	2	7	.	1	1
" 11 "		19			10	4	.	5	1	.	.	.	.	.	.	.	.	1	.	4	.	.	2
" 12 "		17			14	3	2	6	3	.	.	.	.	.	.	.	.	.	1	6	.	1	2
" 13 "		14			6	1	.	4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	212	21·9	1·0	151	35	21	68	27	.	.	.	1	3	1	.	.	2	14	52	1	10	25
City of Cork.																							
Cork Urban, No. 1 District.	75,978	2	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	1	4	.	.	.	.	.	.	.	.	.	.	3	1	.	.	4
" 2 "		6			4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3
" 3 "		11			7	3	.	1	3	.	.	.	.	.	.	.	.	1	1	2	.	.	3
" 4 "		4			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 5 "		2			3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 6 "		2			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		4			8	.	4	3	1	.	.	1	.	1	.	.	.	.	2	1	.	.	4
Total,	—	31	21·3	2·1	31	6	5	14	6	.	.	1	.	1	.	.	.	1	5	6	.	.	13

* See note (*) Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.
No. of week in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered,	219	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186	193	199	156	237	195	187	212
DEATHS registered.	117	166	143	150	150	143	149	119	138	100	132	121	103	153	112	131	145	131	129	141	144	150	143	125	126	151
Annual Death-rate per 1,000 of estimated Population,*	17·4	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9
AGES, Under 1 year,	38	61	42	52	52	49	32	33	28	25	37	24	20	23	23	23	32	28	20	32	37	29	24	22	23	35
AGES, 1-5 years,	27	20	28	18	17	20	18	13	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21
AGES, 5-60 years,	39	70	49	56	65	3	71	60	79	48	55	60	6	82	53	59	70	51	56	67	66	76	69	62	61	68
AGES, 60 years and upwar ,	13	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.
,, Scarlet Fever,	.	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, Whooping-cough,	2	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1	3	3	3
,, Diphtheria,	2	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.	3	1	1	1
,, Simple continued and Ill-defined Fever,	1	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.
,, Enteric Fever,	10	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.
,, Diarrhœa, Dysentery,	19	23	19	17	20	18	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2
,, Phthisis	15	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14
,, Diseases of Respiratory System,	11	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33	40	28	38	36	42	51	36	34	21	52
Violent Deaths,	1	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th January, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	1	1	.	.	.	.	.	.	.	.	2
" " 1, West,	.	.	.	2	.	.	.	.	1	4	.	.	7
" " 2,	.	.	.	1	.	.	1	.	.	1	1	.	4
" " 3,	.	.	.	1	.	.	.	.	.	.	1	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	.	1	.	.	2	.	2	4	5	.	17
" " 2,	.	.	.	5	.	.	.	.	.	.	.	.	5
" " 3,	.	6	.	4	.	.	1	.	1	1	2	.	15
" " 4,	.	.	.	2	.	.	2	.	.	.	1	.	5
Palmerston (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	9	1	18	.	.	6	.	4	10	10	.	58
Total for week ended Jan. 18, 1902,	.	8	.	12	.	.	12	.	.	15	20	.	67
Total for week ended Jan. 11, 1902,	.	1	.	10	.	.	8	.	.	18	14	.	51
Total for week ended Jan. 4, 1902,	.	4	.	15	1	.	16	.	1	16	22	1	76

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th January, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th January.			
	Jan. 4.	Jan. 11.	Jan. 18.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	3	3	1	.	1	.	.
Scarlet Fever,	63	65	65	21	7	.	79*
Typhus "	1	1	1	1	.	.	2
Diphtheria,	46	42	45	5	13	1	36
Enteric Fever,	59	53	47	8	5	.	50
Pneumonia,	27	24	25	1	10	1	15

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XL.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Jan. 25,	2,467	1,571	17·9	34	60	11	31	23	9	14
EDINBURGH,	317,885	„ 25,	135	117	18·8	.	1	.	1	1	.	4
GLASGOW,	764,423	„ 25,	432	329	22·1	.	23	1	1	10	3	13
CALCUTTA,	466,460	Nov. 23,	.	306	34·2	1	.	.	.	.	85§	49*
BOMBAY,	821,764	Dec. 12,	291	760	50·9	.	1	?	?	?	89§	74*
MADRAS,	509,346	„ 13,	343	587	59·4	.	5	?	?	?	205	104*
PARIS,	2,511,629	Jan. 4.	1,040	946	19·5	3	8	3	15	8	4	22
BRUSSELS (with 8 Faubourgs).	582,665	„ 4,	250	169	15·1	.	.	.	2†	1	2	2
AMSTERDAM,	530,778	„ 4,	277	143	14·0	.	1	.	.	2	.	3
ROTTERDAM,	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	378,325	Jan. 11,	210	110	15·1	.	.	.	.	2	.	4
CHRISTIANIA,	228,929	„ 11,	126	53	12·0	.	.	1	.	.	.	5
ST. PETERSBURG,	1,248,643	Dec. 28,	494	610	25·4	2	10	23	34	4	19	46
BERLIN,	1,890,374	„ 7,	850	568	15·6	1	5	10	13	11	3	33
HAMBURG,	705,738	Jan. 4,	.	238	17·5	.	6	5	4†	5	.	4
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,709,211	Dec. 21,	954	597	18·2	.	7	5	7†	1	.	32
BUDA-PESTH,	744,719	„ 28,	447	254	17·7	.	6	6	4	.	3	7
PRAGUE and Faubourgs.	391,644	„ 28,	181	148	19·7	.	3	2	3	3	4	2
ROME,	469,877	Nov. 30,	208	175	19·4	.	.	.	.	.	2	21
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	174,378	Dec. 28,	75	79	23·6	.	3	.	1	.	1	4
NEW YORK,	3,536,517	„ 21,	1,579	1,238	18·3	1	22	14	40†	6	14	33
PHILADELPHIA,	1,293,697	„ 28,	.	476	19·1	19	.	9	25	1	4	2

* Including 15 deaths from cholera in Calcutta, 2 in Bombay, and 5 in Madras.
† Including deaths from croup.
§ Exclusive of 15 deaths from bubonic fever in Calcutta, and 151 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 25th January, 1902:—

"The mild spell which set in on December 30, 1901, lasted until Friday, when winter returned with startling suddenness and in full force. At the beginning of the week the anticyclone, which had reached its greatest intensity on the evening of Wednesday, January 15, when the barometer rose to 30·96 inches on the West Coast of France, was still found over France and the South of England. But the barometer did not then much exceed 30·4 inches in the central area of high pressure. Warm S.W. to W. winds swept over the British Isles, with the exception of the central and southeastern counties of England, where calms, fog and sharp frost, prevailed on Sunday morning. These conditions soon gave place in the districts named to warmth and brisk S.W. to W. winds, as a large and very deep depression once more passed eastwards over the extreme North of Europe. At 8 a.m. of Monday the barometer ranged from 28·60 inches at Bodö in Norway to 30·59 inches at Rochefort in France. No great change occurred after this, beyond the disappearance of the Northern depression, until Thursday night or Friday morning, when a series of V-shaped depressions advanced directly over Ireland from the Atlantic. Heavy rains and a brisk fall of temperature followed, and the last two days of the week were cold, with showers of hail and snow at intervals. In Dublin the mean height of the barometer was 29·923 inches, pressure ranging between 30·308 inches at 9 a.m. of Sunday (wind, W.S.W.) and 29·141 inches at 9 p.m. of Friday (wind, W.). The corrected mean temperature was 45·6°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 44·9°. The screened thermometers rose to 54·0° on Wednesday and fell to 31·0° on Saturday. Bright sunshine was estimated at 10 hours. W.S.W. was the prevailing wind. The rainfall was ·126 inch, on three days, ·100 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·892 inches. The highest reading (30·300) was on Sunday at 9 a.m., wind S.W., and the lowest (29·153) on Friday at 9 p.m., wind W.

The mean temperature for the week was 45·0°, being 4·4° above the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Wednesday, on which day the thermometer registered 53·4°, and was lowest on Saturday, the mercury having fallen to 29·8°. The mean of the Dry Bulb for the week was 44·1°, and of the Wet Bulb 42·1°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 7·5 hours. The rainfall measured during the week was ·205 inch.

At Greenwich the mean temperature for the week was 43·3°, the maximum 51·7°, and the minimum 27·4°; at Glasgow the maximum was 51·0°, the minimum 30·0°, and the mean 42·9°; and at Edinburgh the maximum was 50·5°; the minimum 29·3°, and the mean 43·2°. The rainfall at Greenwich measured 0·11 inch; at Glasgow 1·04 inch, and at Edinburgh 0·44 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 19,	30·228	48·8	42·4	45·6	45·8	43·6	·84	·4	0·7	—	S.W.	S.W.
Monday, „ 20,	30·139	51·0	45·7	48·4	49·2	46·8	·84	·4	0·0	·005	W.S.W.	W.S.W.
Tuesday, „ 21,	30·262	52·9	46·3	49·6	48·3	46·4	·86	·5	1·5	·010	W.S.W.	S.W.
Wednesday, „ 22,	30·242	53·4	47·9	50·7	49·6	48·6	·93	·4	0·8	·005	S.W.	W.S.W.
Thursday, „ 23	29·884	50·3	44·9	47·6	46·8	43·5	·78	·3	1·0	·160	S.W.	S.S.W.
Friday, „ 24,	29·208	47·5	31·8	39·7	35·7	34·3	·86	·6	1·7	·015	W.	W.
Saturday, „ 25,	29·482	37·0	29·8	33·4	33·4	31·4	·80	·5	1·8	·010	W.S.W.	N.W.
Mean	29·892	48·7	41·3	45·0	44·1	42·1	·84	·4	Total 7·5	Total ·205	Prevailing wind S.W.	

Sunday—A cloudy day; night cloudy. *Monday*—A dull day; night overcast, rain 4 to 6 a.m. *Tuesday*—A cloudy day; night cloudy, rain 4.30 to 7.30 a.m. *Wednesday*—A cloudy day; rain 7 to 8 p.m.; night cloudy. *Thursday*—A cloudy day; night overcast; rain 11.45 p.m. to 4.30 a.m. *Friday*—A cloudy day; snow 1.30 to 2 p.m.; lunar halo 8 p.m.; night cloudy; snow showers 4.30 to 5.30. *Saturday*—A cloudy day; showery p.m.; night clear p.m., cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425 12. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 1ST FEBRUARY, 1902. [No. 5.

General Register Office, Charlemont House,
Dublin, 3rd ~~January~~ Feb., 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Average Rate for 4 weeks
22 Town Dists.	20·6	20·2	21·0	20·0	20·5	Lisburn,	13·7	4·6	18·2	18·2	13·7
Armagh,	20·7	13·8	27·6	6·9	17·3	Londonderry,	19·6	15·4	32·0	11·5	19·6
Ballymena,	19·2	9·6	0·0	14·4	10·8	Lurgan,	13·3	17·7	17·7	17·7	16·6
Belfast,	18·2	18·3	21·9	18·9	19·3	Newry,	16·6	4·1	24·9	37·3	20·7
Clonmel,	20·4	76·6	0·0	25·5	30·6	Newtownards,	11·4	5·7	40·1	11·4	17·2
Cork,	24·0	24·0	21·3	26·1	23·8	Portadown,	36·3	5·2	31·1	10·4	20·8
Drogheda,	12·3	32·7	0·0	20·4	16·4	Queenstown,	6·6	13·2	19·8	13·2	13·2
Dublin Reg. Area,	25·0	23·4	20·9	22·7	23·0	Sligo,	14·4	14·4	38·4	24·0	22·8
Dundalk,	4·0	31·9	·	8·0	·	Tralee,	10·6	21·3	15·9	5·3	13·3
Galway,	15·5	23·3	42·8	38·9	30·1	Waterford,	19·5	15·6	11·7	13·6	15·1
Kilkenny,	0·0	0·0	0·0	5·0	1·3	Wexford,	9·3	28·0	13·7	14·0	17·5
Limerick,	24·6	11·0	19·2	13·7	17·1						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 0·6 per 1,000, the rates varying from 0·0 in nineteen of the districts to 1·4 in Cork; the 38 deaths from all causes registered in that district including 2 from whooping-cough. The 130 deaths in Belfast include one from whooping-cough, 3 from enteric fever, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 152—79 boys and 73 girls; and the deaths to 169—84 males and 85 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·3 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 22·7 per 1,000. During the five weeks ending with Saturday last the death-rate averaged 25·1, and was 7·1 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 9 deaths from zymotic diseases registered during the week. This figure is 3 below that of the preceding week, and equal to a rate of 1·2 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 3·9 per 1,000. The total includes 2 deaths from influenza, and one death each from measles, scarlatina, whooping-cough, diphtheria, and erysipelas.

Tubercular disease caused 39 deaths—33 being caused by pulmonary tuberculosis and 6 by other forms of the disease.

Diseases of the respiratory system caused 47 deaths, which figure is 12 in excess of the number in the preceding week, and equal to a rate of 6·5 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 7·8 per 1,000. There were 29 deaths from bronchitis, 15 from pneumonia, and one from pleurisy included in the total.

The deaths of 5 children were registered as being due to convulsions. Of these 2 were under one month, 2 were over one month but under one year in age, and one was between the ages of one year and 5 years.

There were 4 deaths from apoplexy and 9 from other diseases of the brain and nervous system (exclusive of convulsions).

Cancer was the cause of 7 deaths, and 12 deaths were due to diseases of the circulatory system.

Two deaths from accidental violence, namely burns, were registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the death of a woman aged 85 years.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 7 were under one month old) and 46 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 10 were octogenarians.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 22·7 per 1,000; the rate in the City was 25·8 (28·1 on the North side, and 23·2 on the South), and in the Suburbs 12·2.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·6 per 1,000 inhabitants, the rate for the City being 0·4 (0·3 in the North City Districts, and 0·4 in the South) and for the Suburbs 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (20) are equal to an annual rate of 36·8 per 1,000. Four deaths from pulmonary tuberculosis were registered, and 8 deaths from diseases of the respiratory system, including 2 from pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. Three deaths from pulmonary tuberculosis, 4 deaths from diseases of the respiratory system, and one accidental death were registered.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·1 per 1,000. One death from pulmonary tuberculosis and 5 deaths from diseases of the respiratory system, including two deaths from pneumonia, were registered.

No 3 North City District (Blackhall-place).—The deaths (22) represent an annual rate of 36·2 per 1,000. Pulmonary tuberculosis caused 5 deaths, and diseases of the respiratory system caused 7 deaths, including 1 from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7; Coolock and Drumcondra, No. 1, part of, 20·8, per 1,000 inhabitants; and Finglas and Glasnevin, part of, 15·6. One of the 2 deaths tabulated for the first-named district was from influenza.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 21·3 per 1,000. There were 3 deaths registered as being due to pulmonary tuberculosis and 5 to diseases of the respiratory system, including one from pneumonia.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 24·4 per 1,000. One death from scarlatina, 2 deaths from pulmonary tuberculosis, and 1 death from pneumonia were registered.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·7 per 1,000. One death from erysipelas, 2 deaths from pulmonary tuberculosis, and 7 deaths from diseases of the respiratory system, including 3 from pneumonia, were registered, also one death from accident, namely burns, occurred.

No. 4 South City District (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·4 per 1,000. Four deaths from pulmonary tuberculosis, and 5 deaths from diseases of the respiratory system, including 2 from pneumonia, were registered.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 7·1.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 4·7 per 1,000 inhabitants; Pembroke, 26·0; Blackrock, 6·0; and Kingstown, 8·9. The deaths from zymotic diseases tabulated for these districts consist of one from influenza for Rathmines and one from measles and one from diphtheria for Pembroke. Among the 13 deaths from all causes tabulated for Pembroke are 4 from pulmonary tuberculosis and 3 from diseases of the respiratory system (including 2 from pneumonia).

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	11th January,	51 cases.
,, ,,	18th January,	67 cases.
,, ,,	25th January,	58 cases.
,, ,,	1st Febuary,	53 cases.

Of the 53 cases notified, 15 were erysipelas, 18 enteric fever, 9 scarlatina, 3 diphtheria, 5 measles, 2 continued fever, and one typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	11th January,	3 cases.
,, ,,	18th January,	2 cases.
,, ,,	25th January,	6 cases.
,, ,,	1st February,	2 cases.

Of the 2 cases notified, one was enteric fever, and one scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	11th January,	18 cases.
,, ,,	18th January,	62 cases.
,, ,,	25th January,	44 cases.
,, ,,	1st February,	66 cases.

Of the 66 cases notified, one was diphtheria, 2 scarlet fever, 38 measles, 17 whooping-cough, one membranous croup, 2 erysipelas, 2 enteric fever, and 3 continued fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	11th January,	53 cases.
,, ,,	18th January,	40 cases.
,, ,,	25th January,	63 cases.
,, ,,	1st February,	44 cases.

Of the 44 cases notified, 10 were enteric fever, 11 erysipelas, 5 diphtheria, 11 continued fever, 2 scarlet fever, 4 membranous croup, and one typhus fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st February, 1902.

From this it appears that :—

Fourteen cases of enteric fever were admitted to hospital, 14 cases were discharged, and 50 cases remained under treatment at the close of the week.

Twelve cases of scarlatina were admitted to hospital, 16 cases were discharged, there was one death, and 74* cases remained under treatment at the close of the week.

Three cases of typhus were admitted to hospital, and five cases remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital, 6 cases were discharged, and 39 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, three cases of pneumonia were admitted to hospital, 2 patients were discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·8), were equal to an average annual death-rate of 17·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·8 per 1,000, the rate for Glasgow being 23·2, and for Edinburgh 19·2.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 1st February, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 1st February, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No in Public Institutions.	Meteorology.† Week ending 1st Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th Jan., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th Jan. 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inche
Total of 22 Town Districts	1,092,822	18·7	23·7	20·0	0·6	497	418	62	111	.	1	1	.	4	1	.	3	2	75	108	8	17	115	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	379,003	27·8	20·9	22·7	0·6	152	165	20	46	.	1	1	.	1	1	.	.	.	32	46	2	4	55	§47·2	20·7	34·9	0·39	§53·4	29·8	45·0	0·21	§46·9	22·9	37·3	0·03
Registrars' Districts. City	293,394	37·8	22·7	25·8	0·4	128	145	17	41	.	.	1	.	1	.	.	.	.	26	43	2	4	52	a47·7 b47·0	26·9 21·2	37·0 35·6	0·32 0·36	a54·0 b54·5	31·0 30·0	45·6 45·4	0·13 0·16	a48·6 b47·0	29·1 24·0	40·0 36·9	0·03 0·04
Rathmines,‖	33,203	19·4	12·6	4·7	.	8	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	..	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	8·0	26·0	4·0	4	13	2	4	.	1	.	.	.	1	.	.	.	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	11·9	6·0	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	29·6	8·9	.	10	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	47·5	28	38·4	0·30	55	31·5	46·2	0·12	49·5	28	41·3	0·03
Urban Districts																																			
Belfast,	358,693	21·8	27·3	18·9	0·9	188	130	26	24	.	.	.	.	1	.	.	3	2	21	27	2	8	28	40·7	21·0	.	0·41	53·0	31·0	44·3	0·49	49·0	25·2	37·9	0·16
Cork,	75,978	33·5	26·1	26·1	1·4	38	38	6	11	.	.	.	.	2	.	.	.	.	9	9	.	.	8	50	32	39·9	0·21	52	32	46·2	0·97	50	32	43·5	.
Londonderry,	40,729	18·8	20·5	11·5	.	16	9	.	3	.	.	.	.	.	.	.	.	.	1	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	88,085	18·4	20·5	13·7	.	15	10	2	4	.	.	.	.	.	.	.	.	.	2	5	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	19·5	13·6	.	10	7	.	2	.	.	.	.	.	.	.	.	.	3	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,414	9·5	28·3	38·9	.	6	10	.	4	.	.	.	.	.	.	.	.	.	.	1	2	2	4	50	25	39	1·24	53	24	45	0·70	53	29	40	0·06
Dundalk	13,067	9·4	39·9	8·0	.	10	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	24·5	20·4	.	6	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	29·0	37·3	.	7	9	1	5	.	.	.	.	.	.	.	.	.	1	2	.	.	5	42·6	19·8	32·7	0·33	51·0	28·0	43·0	0·77	47·4	26·0	37·0	0·00
Lurgan,	11,777	13·8	53·1	17·7	.	12	4	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	42·0	19·8	32·7	0·33	51·0	28·0	43·0	0·77	47·4	26·0	37·0	0·00
Lisburn,	11,459	10·1	50·1	18·2	.	11	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	42·0	19·8	32·7	0·33	51·0	28·0	43·0	0·77	47·4	26·0	37·0	0·00
Wexford,	11,154	23·2	4·7	14·0	.	1	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	9·6	14·4	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	14·4	24·0	.	3	5	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	45·5	22·9	35·6	0·64	51·9	29·3	44·6	1·44	48·5	26·3	37·2	0·03
Kilkenny	10,493	11·4	29·8	5·0	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	49	25	36·5	0·55	53	29	43·5	0·64	48	22	36·5	0·04
Clonmel,	10,209	7·9	10·2	25·5	.	2	5	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	13·1	.	10·4	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	42·0	19·8	32·7	0·33	51·0	28·0	43·0	0·77	47·4	26·0	37·0	0·00
Tralee,	9,812	16·7	21·3	5·3	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	17·2	11·4	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	48	28	35·6	0·30	52	30	44·5	0·32	49	29	39·3	0·01
Queenstown,	7,887	14·7	19·8	13·2	.	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	50	32	39·9	0·21	52	32	46·2	0·97	50	32	43·5	.
Armagh,	7,569	22·1	18·8	6·9	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	42·0	19·8	32·7	0·33	51·0	28·0	43·0	0·77	47·4	26·0	37·0	0·00

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 4 deaths of persons (including one under 1 year old) admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 1st February, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Other Zymotic Diseases,	1	1	.	.	1	.	.	.	.	.	1	.	.	.	.		1	.	.	.	5	.
Total,	1	1	.	.	1	.	1	.	.	1	1	.	.	.	.		1	2	.	.	9	.
II. PARASITIC DISEASES,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	4	3	1	5	.	1	1	.	3	2	2	4	.	.	.		1	4	1	.	32	1
Other Constitutional Diseases,	1	.	1	.	.	.	.	1	3	2	4	.	.	.	.		.	1	.	.	13	.
Total,	5	3	2	5	.	1	1	1	6	4	6	4	.	.	.		1	5	1	.	45	1
V. DEVELOPMENTAL DISEASES,	.	3	.	1	.	1	.	.	2	.	.	1	.	.	.		.	.	.	.	8	.
VI. LOCAL DISEASES:																						
Diseases of: Brain & Nervous System,	4	1	1	2	.	1	.	.	1	1	1	3	.	.	.		1	1	.	1	18	.
Organs of Special Sense,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Circulatory System,	1	2	.	1	.	.	.	.	.	1	3	2	.	1	.		.	.	.	.	11	1
Respiratory System,	8	4	5	7	.	1	.	.	5	1	7	5	.	.	.		.	8	.	.	46	1
Digestive System,	1	1	3	1	.	.	.	.	.	.	3	.	.	.	.		.	.	.	1	10	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	.	2	.	2	1	.	.	.	1	.	1	.	.	.	.		.	1	.	.	8	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Total,	14	10	9	15	1	2	.	.	7	3	15	10	.	1	.		1	5	.	2	95	2
VII. VIOLENT DEATHS,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.	.	2	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.		.	1	.	1	5	1
Deaths from all Causes,	20	20	11	22	2	4	2	1	16	8	23	15	.	1	.		3	13	1	3	165	4
Annual Rate of Mortality in every 1,000 of the population.	26·8	26·6	19·1	36·2	21·7	20·8	15·6	.	21·3	24·4	28·7	22·4	.	7·1	.		4·7	26·0	6·0	8·9		
	28·1								23·2								12·2				22·7	
	25.8																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	1	1	3	.	1	.	.	3	1	3	2	.	1	.		1	1	.	1	22	3
Workhouse Hospitals,	3	6	2	7	.	.	1	.	5	2	3	4	.	.	.		.	.	.	.	33	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years 1892-1901.	In the week ending Saturday 1st February, 1902	Deaths of persons of the Ages of							
	Feb. 6, 1892	Feb. 4, 1893	Feb. 3, 1894	Feb. 2, 1895	Feb. 1, 1896	Feb. 6, 1897	Feb. 5, 1898	Feb. 4, 1899	Feb. 3, 1900	Feb. 2, 1901		ALL AGES. Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
Mean Temperature,	41·1°	45·8°	41·0°	38·2°	41·5°	38·7°	44·6°	35·8°	35·6°	35·9°	39·8°	34·9°								
ALL CAUSES,	225	168	225	214	178	296	220	213	238	186	216·3	169	7	14	17	11	31	43	36	10
I. FEBRILE OR ZYMOTIC DISEASES,	32	22	34	20	11	56	29	13	32	22	27·1	9	.	2	1	2	1	2	1	.
II. PARASITIC DISEASES,	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	1	.	.	.	.	.
III. DIETETIC "	.	.	.	.	.	1	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	43	40	50	53	41	55	60	47	51	38	47·8	46	.	.	1	6	21	12	6	.
V. DEVELOPMENTAL "	10	12	18	23	14	26	11	18	19	15	16·6	8	2	.	.	.	.	.	3	3
VI. LOCAL "	129	81	110	108	98	142	105	117	124	97	111·1	97	3	10	10	3	9	29	26	7
VII. VIOLENT DEATHS,	2	1	5	7	8	6	8	5	5	8	5·5	2	.	.	2	.	.	.	.	.
VIII. ILL-DEFINED CAUSES,	9	12	7	3	6	10	6	12	6	6	7·7	6	2	2	2	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	.	.	3	.	.	18	.	.	4	.	2·5	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	2	1	1	4	2	2	1	.	1·3	1	.	1	.	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	23	2	10	.	4	.	14	2	18	3	7·6	2	.	.	.	.	.	1	1	.
Whooping Cough,	2	3	10	3	2	24	3	3	.	12	6·2	1	.	.	.	1	.	.	.	.
Diphtheria,	.	1	1	.	.	1	.	.	3	1	·7	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	7	1	3	2	2	7	1	2	3	2·9	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	3	2	2	3	1	3	2	4	2	2	2·5	.	.	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	.	.	2	1	.	1	.	·5	1	.	1	.	.	.	.	.	.
Erysipelas,	1	1	1	1	.	.	.	.	.	.	·4	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	2	2	3	3	.	1	.	1	.	.	1·2	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	1	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	.	.	1	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	1	.	.	1	.	1	2	·5	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	.	.	1	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Gout,	1	1	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Cancer,	5	.	5	8	6	5	7	12	5	4	5·7	7	.	.	.	.	2	2	3	.
Tabes Mesenterica,	3	1	5	3	2	6	9	4	5	2	4·0	.	.	.	.	.	.	.	.	.
Tubercular Meningitis,	2	2	5	10	4	5	7	8	7	2	5·2	.	.	.	.	.	.	.	.	.
Phthisis,	30	28	29	27	17	31	32	18	29	20	26·1	33	.	.	.	3	18	9	3	.
Scrofula, Tuberculosis,	2	5	4	2	9	5	3	4	4	5	4·3	6	.	.	1	3	1	1	.	.
Other Constitutional Diseases,	.	3	2	2	1	3	1	.	.	1	1·3	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	.	.	3	7	3	6	4	3	3	2	3·1	2	2	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
Old Age,	10	12	15	16	11	20	7	15	15	11	13·2	6	.	.	.	.	.	.	3	3

* The figures for the years 1892-1900 are for the

each Disease registered in the FIFTH WEEK ending Saturday, 1st February, 1902, with ten years, 1892-1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years 1892-1901.	In the Week ending Saturday, 1st February, 1902. Deaths of Persons of the Ages of							
	Feb. 6, 1892	Feb. 4, 1893	Feb. 3, 1894	Feb. 2, 1895	Feb. 1, 1896	Feb. 6, 1897	Feb. 5, 1898	Feb. 4, 1899	Feb. 3, 1900	Feb. 2, 1901		ALL AGES.	0 to 5		1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.						
Mean Temperature.	41·1	45·8	41·0	33·2	41·5	38·7	41·6	35·8	35·6	35·9	39·3	34·9								
VI. Local Diseases.																				
Apoplexy,	2	2	5	4	1	2	4	1	2	4	2·7	4	.	.	.	.	.	1	1	2
Epilepsy,	.	2	.	3	3	.	1	1	.	.	1·0	.	.	.	.	.	.	.	.	.
Convulsions,	12	7	11	11	8	16	12	13	10	6	10·6	5	2	2	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	13	7	7	2	10	8	11	8	15	5	8·6	9	.	1	.	1	2	2	2	1
Diseases of Organs of Special Sense,	.	1	.	.	1	.	1	.	.	.	·3	1	.	1	.	.	.	.	.	.
Diseases of Circulatory System,	28	12	15	16	19	21	11	30	15	20	18·7	12	.	.	.	.	.	9	1	2
Croup,	.	1	.	2	.	.	.	2	1	1	·7	.	.	.	.	.	.	.	.	.
Bronchitis,	45	18	38	44	27	54	32	42	44	27	37·1	29	.	2	6	.	.	8	12	1
Pneumonia,	15	11	14	8	15	14	15	5	17	19	13·3	15	.	3	2	1	2	2	5	.
Pleurisy,	.	.	.	1	.	.	.	1	2	.	·4	1	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System	3	4	2	4	3	7	.	2	3	3	3·1	2	.	.	.	.	1	1	.	.
Teething,	1	1	3	1	.	3	5	.	.	4	1·8	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	.	1	.	.	1	.	1	·3	3	1	1	1	.	.	.	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis,	.	1	2	1	1	.	.	.	2	.	·7	.	.	.	.	.	.	.	.	.
Disease of Liver,	2	1	6	2	.	4	3	3	3	1	2·5	3	.	.	.	.	1	1	.	1
Other Diseases of Digestive System,	2	6	2	4	4	4	2	2	6	2	3·4	4	.	.	.	.	1	3	.	.
Diseases of Lymphatics, &c.,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	5	2	2	3	4	4	5	1	2	3·1	8	.	.	.	.	1	2	5	.
Diseases of Generative System,	.	.	.	.	.	1	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	2	.	.	.	1	1	.	2	1	·7	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	1	1	1	1	1	1	1	.	·7	1	.	.	.	1	.	.	.	.
Diseases of Integumentary System,	3	.	1	2	.	2	1	.	.	.	·9	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	1	.	.	.	1	.	.	2		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	1	1	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	.	1	2	4	1	.	1	.	3	3	5·1	2	.	.	2	.	.	.	.	.
By Drowning,	.	.	.	.	3	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not stated Causes,	1	.	.	2	3	6	4	4	1	2		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	12	7	3	6	10	6	12	6	6	7·7	6	2	2	2	.	.	.	.	.

Dublin Registration Area as then constituted

TABLE IV.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901–2—Week ending																									
	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered,	153	185	173	175	231	212	152	245	223	176	229	235	141	192	144	162	216	187	164	144	93	279	204	208	215	152
*Average Births in corresponding week of previous 10 years,**	197	201	187	205	190	211	200	210	176	170	188	171	183	179	193	183	186	191	180	153	186	192	203	193	197	207
DEATHS registered,	166	148	179	176	154	164	180	133	149	146	150	146	168	171	180	176	141	153	138	196	200	223	186	177	158	169
Annual Death-rate per 1,000,	23·1	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3
*Average Deaths in corresponding week of previous 10 years,**	163	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236	241	219	216
AGES, Under 5 years,	73	50	72	71	64	64	64	42	49	46	50	49	54	53	59	53	36	37	31	47	38	46	38	54	36	38
5—20 ,,	14	14	10	14	10	13	12	11	14	17	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11
20—40 ,,	26	25	23	28	23	32	37	28	24	21	22	24	13	23	31	26	20	28	16	35	31	39	35	19	27	31
40—60 ,,	23	25	34	26	30	25	34	24	24	33	26	34	40	36	31	32	30	38	39	54	53	63	41	42	33	43
60—80 ,,	28	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48	44	37	36
80 years and upwards,	2	5	7	3	5	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1
,, Scarlet Fever,	.	1	1	2	2	.	1	1	.	.	.	1	1	.	.	.	1	1	.	2	.	.	.	.	.	1
,, Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.		1	1	2	1	4	1	2	1		2	4	.	1	1	1	.	1	4	.	1		.	1	1
,, Diphtheria,	2	.	.	2	1	.	2	.	2	.	1	1	1	1	3		.	2	.	3	2	3	3	1	1	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
,, Enteric Fever,	1	.	.	2	.	1	3	3	3	6	3	.	5	2	.	3	2	1	.	4	5	2	3	1	2	.
,, Diarrhœa, Dysentery,	33	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2	4	.
,, Phthisis,	20	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20	19	33
,, Heart Diseases,	17	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12
,, Diseases of Respiratory System,	11	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34	43	35	47
Violent Deaths,	8	3		7	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2
Mean Temperature of the Air (Phœnix Park),	61·2	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	48·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9
Average Mean Temperature in corresponding week of previous 10 years,	58·0	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·	43·	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3
Rainfall in inches,	1·390	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390
Mean Humidity of the Air, complete Saturation 1·0,	·91	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	81

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st February, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 1st February, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	25·5	169	33	11	31	43	36	10	.	1	1	.	1	1	.	.	.	4	33	5	47	2	78
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	27·0	8	.	.	.	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6
II.	MIDDLE CLASS,	80,653	12·3	19	3	2	5	3	4	2	.	.	1	.	.	.	.	.	.	1	6	1	4	.	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	22·3	42	7	5	5	13	10	2	.	.	.	.	1	.	.	.	.	1	8	.	13	.	20
IV.	GENERAL SERVICE CLASS,	146,486	34·4	66	25	4	15	15	5	2	.	1	.	.	.	1	.	.	.	2	12	4	18	2	28
V.	INMATES OF WORKHOUSES,	5,191		34	3	.	6	12	12	1	.	.	.	.	.	.	.	.	.	.	7	.	10	.	17
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	1	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	2
	6. Clerks and Commercial Assistants,	24,750	21·1	10	2	.	3	2	2	1	.	.	1	.	.	.	.	.	.	1	3	.	3	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	8·6	4	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
	9. Building and Furnishing Trades,	26,030	20·0	10	2	1	1	3	2	1	.	.	.	.	.	.	.	.	.	.	3	.	5	.	4
	10. Clothing Trades,	23,686	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades,	7,869	33·1	5	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	12. Other Trades and Callings ranking with Trades,	26,666	35·2	18	5	3	.	5	5	.	.	.	.	.	1	.	.	.	.	1	2	.	7	.	8
	13. Petty Shopkeepers,	6,771	30·8	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·4	10	4	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	2	2	.	1	5
	15. Domestic Servants,	39,568	9·2	7	3	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	19·5	4	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.
	17. Hawkers, Porters, Labourers, &c.,	82,631	28·4	45	17	3	10	10	3	2	.	1	.	.	.	1	.	.	.	2	9	.	15	1	18
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	34	3	.	6	12	12	1	.	.	.	.	.	.	.	.	.	.	7	.	10	.	17

* Occupation Statistics for 1901 not yet available

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901-1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,333.	Dec. 14,	14·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
		„ 21,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	1	.
		„ 28,	31·2	3·7	17	.	.	.	.	.	.	.	1	1	6	2	.
		Jan. 4,	22·1	1·8	12	.	.	.	.	.	.	.	.	1	3	5	.
		„ 11,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	3	.
		„ 18,	27·6	1·8	15	.	.	.	.	.	1	.	.	.	1	6	.
		„ 25,	22·1	1·8	12	.	.	.	.	.	.	.	1	.	3	5	.
		Feb. 1,	36·8	.	20	.	.	.	.	.	.	.	.	.	4	8	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Dec. 14,	27·1	.	20	.	.	.	.	.	.	.	.	.	2	5	.
		„ 21,	35·2	2·7	26	.	.	.	.	.	1	.	1	.	7	5	1
		„ 28,	39·3	2·7	29	.	.	.	.	.	.	.	2	.	3	10	.
		Jan. 4,	36·0	.	27	.	.	.	.	.	.	.	.	.	3	7	.
		„ 11,	30·6	4·0	23	.	.	.	.	.	2	.	1	.	3	5	1
		„ 18,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	6	.
		„ 25,	20·0	1·4	15	.	.	.	.	.	.	.	.	1	1	6	.
		Feb. 1,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	4	1
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Dec. 14,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	4	.
		„ 21,	32·8	1·7	19	.	.	.	.	1	.	.	.	.	2	2	1
		„ 28,	34·6	.	20	.	.	.	.	.	.	.	.	.	1	4	.
		Jan. 4,	43·3	3·5	25	.	.	.	.	.	.	.	.	2	2	6	2
		„ 11,	27·7	.	16	.	.	.	.	.	.	.	.	.	3	1	.
		„ 18,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 25,	24·2	3·5	14	.	.	.	.	.	.	.	1	1	1	1	.
		Feb. 1,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Dec. 14,	11·8	.	7	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	35·3	3·4	21	.	.	1	.	.	1	.	.	.	2	5	.
		„ 28,	25·2	3·4	15	.	.	.	.	.	1	.	.	1	1	2	2
		Jan. 4,	42·8	1·6	26	.	.	.	.	.	1	.	.	.	7	4	1
		„ 11,	28·0	4·9	17	.	.	.	.	1	1	.	.	1	2	2	.
		„ 18,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	.	6	.
		„ 25,	26·3	1·6	16	.	.	.	.	.	.	.	.	1	4	3	.
		Feb. 1,	36·2	.	22	.	.	.	.	.	.	.	.	.	5	7	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Dec. 14,	17·3	.	12	.	.	.	.	.	.	.	.	.	.	5	.
		„ 21,	24·5	1·4	17	.	.	.	.	1	.	.	.	.	3	2	1
		„ 28,	33·2	1·4	23	.	.	.	.	.	.	.	1	.	3	5	1
		Jan. 4,	22·6	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		„ 11,	32·0	.	24	.	.	.	.	.	.	.	.	.	7	5	1
		„ 18,	26·6	1·4	20	.	.	.	.	.	.	.	.	1	2	3	.
		„ 25,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	1
		Feb. 1,	21·3	.	16	.	.	.	.	.	.	.	.	.	3	5	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Dec. 14,	22·8	2·8	8	.	.	.	.	1	.	.	.	.	.	3	.
		„ 31,	37·0	5·7	13	.	.	.	.	.	.	.	.	2	3	.	.
		„ 28,	31·3	.	11	.	.	.	.	.	.	.	.	.	2	2	1
		Jan. 4,	64·0	3·0	21	.	.	.	.	.	.	.	1	.	.	3	.
		„ 11,	33·5	.	11	.	.	.	.	.	.	.	.	.	.	4	.
		„ 18,	24·4	.	8	.	.	.	.	.	.	.	.	.	3	3	.
		„ 25,	36·6	.	12	.	.	.	.	.	.	.	.	.	2	5	.
		Feb. 1,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	2	1	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Dec. 14,	19·6	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 21,	20·8	1·2	17	.	.	.	.	.	.	.	1	.	2	3	.
		„ 28,	35·5	1·2	29	.	.	.	.	.	1	.	.	.	2	9	.
		Jan. 4,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	1	4	.
		„ 11,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	5	2	1
		„ 18,	27·5	.	22	.	.	.	.	.	.	.	.	.	5	6	1
		„ 25,	21·2	1·2	17	.	.	.	.	.	.	.	.	1	.	3	.
		Feb. 1,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	7	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 4,893.	Dec. 14,	22·2	.	15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 21,	25·2	4·4	17	.	.	.	.	2	1	.	.	.	.	3	1
		„ 28,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	5	2
		Jan. 4,	20·9	1·5	14	.	.	.	.	.	1	.	.	.	2	6	.
		„ 11,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	4	5	1
		„ 18,	28·4	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 25,	17·9	.	12	.	.	.	.	.	.	.	.	.	1	1	3
		Feb. 1,	22·4	.	15	.	.	.	.	.	.	.	.	.	4	5	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of he Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901-1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1902 (Est.) 33,203.	Dec. 14,	12·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	,, 21,	16·0	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	,, 28,	20·8	3·2	13	.	.	.	.	.	.	.	1	1	1	1	.
	Jan. 4,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	1	3	2
	,, 11,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	2	1
	,, 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	,, 25	28·3	.	18	.	.	.	.	.	.	.	.	.	2	3	.
	Feb. 1,	4·7	.	3	.	.	.	.	.	.	.	.	.	1	.	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Dec. 14,	14·3	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	,, 21,	18·4	.	9	.	.	.	.	.	.	.	.	.	1	4	2
	,, 28,	22·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 4,	24·0		12	.	.	.	.	.	.	.	.	.	.	5	.
	,, 11,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	.	3	.
	,, 18,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	.	1	.
	,, 25,	22·0	2·0	11	.	1	.	.	.	.	.	.	.	.	1	1
	Feb. 1,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	4	3	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Dec. 14,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	,, 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	,, 28,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 4,	29·6	.	10	.	.	.	.	.	.	.	.	.	1	4	1
	,, 11,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	,, 18,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	3	.
	,, 25,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Feb. 1,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	Dec. 14,	21·0	3·6	141	.	1	2	.	6	3	1	9	2	20	36	5
	,, 21,	21·4	0·9	144	.	.	.	.	1	3	.	2	.	22	42	5
	,, 28,	22·3	1·0	150	.	.	.	.	3	.	.	3	1	20	51	4
	Jan. 4,	20·8	1·9	143	.	1	1	.	1	3	1	4	2	19	36	3
	,, 11,	18·2	1·5	125	.	2	.	.	3	1	.	2	2	18	34	3
	,, 18,	18·3	1·2	126	.	2	.	.	3	1	.	1	1	24	21	1
	,, 25,	21·9	1·0	151	.	.	.	1	3	1	.	.	2	14	52	1
	Feb. 1,	18·9	0·9	130	.	.	.	.	1	.	.	3	2	21	27	2
Cork. Pop. (in 1901) 75,978.	Dec. 14,	24·0	1·4	35	.	.	.	.	2	.	.	.	.	3	7	.
	,, 21,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	3	7	.
	,, 28,	26·1	1·4	38	.	.	.	.	1	.	.	.	1	10	11	.
	Jan. 4,	34·3	2·1	50	.	.	.	.	2	.	.	.	1	6	10	3
	,, 11,	24·0	0·7	35	.	.	.	.	1	.	.	.	.	5	9	1
	,, 18,	24·0	1·4	35	.	.	.	.	1	.	.	.	1	3	7	.
	,, 25,	21·3	2·1	31	.	.	1	.	1	.	.	.	1	5	6	.
	Feb. 1,	26·1	1·4	38	.	.	.	.	2	.	.	.	.	9	9	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Dec. 14,	22·2	3·9	17	.	.	.	1	2	.	.	.	.	2	5	.
	,, 21,	23·5	2·6	18	.	.	.	.	.	.	.	1	1	2	2	.
	,, 28,	10·5	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Jan. 4,	21·8	.	17	.	.	.	.	.	.	.	.	.	2	6	.
	,, 11,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	3	3	.
	,, 18,	15·4	1·3	12	.	.	.	.	.	.	.	.	1	1	4	1
	,, 25,	32·0	1·3	25	.	.	.	.	.	.	.	.	1	1	6	1
	Feb. 1,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	4	.
Limerick. Pop. (in 1901) 38,085.	Dec. 14,	16·4	1·4	12	.	.	.	.	.	.	.	.	1	1	4	.
	,, 21,	20·5	1·4	15	.	.	.	.	.	.	.	1	.	1	3	.
	,, 28,	34·2	.	25	.	.	.	.	.	.	.	.	.	4	2	.
	Jan. 4,	34·2	.	25	.	.	.	.	.	.	.	.	.	3	4	.
	,, 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	3	4	.
	,, 18,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	1	.
	,, 25,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 1,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	5	.
Waterford. Pop. (in 1901) 26,748.	Dec. 14,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	,, 21,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	,, 28,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	Jan. 4,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	2	.
	,, 11,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	,, 18,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	.	1	.
	,, 25,	11·7	1.9	6	.	.	.	.	.	.	.	.	1	2	1	.
	Feb. 1,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 1st February, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population*	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	858,693	7	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	3	.	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2
" 2 "		28			11	.	1	2	1	.	.	.	.	.	.	.	.	.	1	2	.	1	5
" 3 "		21			20	6	3	9	2	.	.	.	.	.	.	.	.	.	4	7	.	1	4
" 4 "		33			17	5	5	5	2	.	.	.	.	.	.	.	.	1	2	3	1	2	4
" 5 "		6			6	1	.	3	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1
" 6 "		22			24	2	1	16	5	.	.	.	.	.	.	.	.	1	5	8	1	1	6
" 7 "		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		4			3	2	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.
" 9 "		9			7	1	1	1	4	.	.	.	.	.	.	.	1	.	.	1	.	1	1
" 10 "		15			8	.	.	6	2	.	.	.	.	.	.	.	1	.	2	1	.	.	1
" 11 "		16			9	2	1	3	3	.	.	.	.	.	.	.	1	.	1	4	.	.	2
" 12 "		20			14	2	2	9	1	.	.	.	.	.	.	.	.	.	4	3	.	2	2
" 13 "		3			3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	188	18·9	0·9	130	26	14	66	24	.	.	.	.	1	.	.	2	2	21	27	2	8	28
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 2 "		9			5	2	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
" 3 "		7			13	1	.	8	4	.	.	.	.	.	.	.	.	.	5	3	.	.	6
" 4 "		2			3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 5 "		4			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 6 "		2			8	2	1	2	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" 7 "		7			4	.	1	3	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.
Total,	—	38	26·1	1·4	38	6	2	19	11	.	.	.	.	2	.	.	.	.	9	9	.	.	8

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.
No. of week in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered,	201	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186	193	199	156	237	195	187	212	188
DEATHS registered.	166	148	150	150	148	149	119	138	100	132	121	103	153	112	131	145	131	129	141	144	150	148	125	126	151	130
Annual Death-rate per 1,000 of estimated Population,*	24·7	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9
AGES, Under 1 year,	61	42	52	52	49	32	33	28	25	37	24	20	23	23	13	32	28	20	32	37	29	24	22	23	35	26
1–5 years,	20	28	18	17	20	18	13	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14
5–60 years,	70	49	56	65	3	71	60	79	48	55	60	6	82	53	59	70	51	56	67	66	76	69	62	61	68	66
60 years and upwar ,	15	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.
,, Scarlet Fever,	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Whooping-cough,	.	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1	3	3	3	1
,, Diphtheria,	2	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.	3	1	1	1	.
,, Simple continued and Ill-defined Fever,	.	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.
,, Enteric Fever,	7	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3
,, Diarrhœa, Dysentery,	23	19	17	20	18	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2
,, Phthisis	23	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21
Diseases of Respiratory System,	21	15	11	21	10	14	16	27	13	24	17	15	23	36	33	40	28	38	36	42	51	36	34	21	52	27
Violent Deaths,	1	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st February, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 1, West,	.	2	.	2	.	.	.	.	1	8	3	.	16
" " 2,	.	.	.	2	.	.	.	.	.	3	1	.	6
" " 3,	.	.	.	1	.	.	.	.	.	2	1	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	1	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	.	.	.	1	6	.	8
" " 2,	.	1	.	.	.	.	2	.	.	1	1	.	5
" " 3,	.	2	.	1	1	.	.	.	.	1	1	.	6
" " 4,	.	.	.	1	.	.	1	.	1	1	1	.	5
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	5	.	9	1	.	3	.	2	18	15	.	53
Total for week ended Jan. 25, 1902,	.	9	1	1	.	.	6	.	4	10	10	.	58
Total for week ended Jan. 18, 1902,	.	8	.	12	.	.	12	.	.	15	20	.	67
Total for week ended Jan. 11, 1902,	.	1	.	10	.	.	8	.	.	18	14	.	51

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st February, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st February.			
	Jan. 11.	Jan. 18.	Jan. 25.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	3	1	.	5	.	.	5
Scarlet Fever,	65	65	79	12	16	1	74*
Typhus "	1	1	2	3	.	.	5
Diphtheria,	42	45	36	9	6	.	39
Enteric Fever,	53	47	50	14	14	.	50
Pneumonia,	24	25	15	3	2	.	16

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Feb. 1,	2,448	1,652	18·8	39	41	12	24	27	6	9
EDINBURGH,	317,885	„ 1,	167	119	19·2	.	.	.	1	.	.	1
GLASGOW,	764,423	„ 1,	409	346	23·2	1	16	5	2	12	2	2
CALCUTTA,	166,460	Nov. 30,	.	325	36·3	.	.	.	.	.	107§	58*
BOMBAY,	821,764	Dec. 19,	346	778	52·1	.	.	?	?	?	94§	63*
MADRAS,	509,346	„ 13,	343	587	59·4	.	5	?	?	?	205	101*
PARIS,	2,511,629	Jan. 11,	1,071	955	19·7	6	12	2	15	15	5	32
BRUSSELS (with 8 Faubourgs).	582,665	„ 11,	248	157	14·0	.	.	.	2†	1	.	14
AMSTERDAM,	530,778	„ 11,	282	129	12·6	.	1	1	3	3	1	5
ROTTERDAM,	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	378,235	Jan. 18,	211	124	17·0	.	.	1	1	7	.	6
CHRISTIANIA,	228,929	„ 11,	126	53	12·0	.	.	1	.	.		5
ST. PETERSBURG,	1,248,643	„ 5,	663	611	25·4	2	15	15	27	1	21	40
BERLIN,	1,890,374	Dec. 21,	857	613	15·8	1	7	10	10	10	3	36
HAMBURG,	705,738	Jan. 11,	.	236	16·9	.	5	5	7†	5	.	7
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,703,211	Dec. 28,	1,043	615	18·7	.	7	4	13†	1	1	37
BUDA-PESTH,	751,177	Jan. 4,	439	253	17·1	.	3	6	4	1	1	4
PRAGUE and Faubourgs.	413,756	„ 4,	188	192	24·1	.	12	8	2	.	5	4
ROME,	469,877	Dec. 7,	220	207	22·9	.	.	.	.	.	5	13
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	170,577	Jan. 4,	79	85	26·0	.	2	.	1	.	.	1
NEW YORK,	3,536,517	Dec. 28,	1,460	1,366	20·2	4	34	16	61†	10	16	41
PHILADELPHIA,	1,293,697	Jan. 4,	.	488	19·6	14	2	6	15	2	6	.

* Including 15 deaths from cholera in Calcutta, 2 in Bombay, and 5 in Madras.
† Including deaths from croup.
§ Exclusive of 10 deaths from bubonic fever in Calcutta, and 144 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 1st February, 1902:—

"A very cold, but withal a dry and bracing, spell of weather prevailed. The most noteworthy feature of the week's weather was the extraordinary increase of atmospheric pressure which occurred with unwonted rapidity after Wednesday. On Sunday the barometer was below 29 inches over nearly the whole of Scandinavia (including Denmark—at Bodö it marked 28·78 inches. On Monday and Tuesday an independent area of low pressure lay over the British Isles, causing raw winds and a good deal of rain in England and Ireland, but snow in Scotland. On Monday morning the thermometric gradient was very steep—from 12° F. at Nairn, in Scotland, to 49° at Portland Bill and 50° at Jersey. The British depression travelled eastwards across the North Sea on Tuesday, reaching Kiel on Wednesday morning. In its rear the barometer rose with unusual speed and a large anticyclone developed such intensity that at 8 a.m. of Friday the phenomenal readings of 31·05 inches and 31·06 inches were reported from Aberdeen and Skudesnes (in the S.W. of Norway) respectively. At 10 p.m. 31·11 inches was reached at Nairn and 31·10 inches at Aberdeen. On the day named, the wind rose to a fresh gale from E. and N.E., with the barometer as high as 30·897 inches in Dublin. In the S.W. of Norway the barometer stood 2·16 inches higher on Friday than it had registered on Sunday. Early on Saturday morning the thermometer fell to 7° in the screen at Nairn, and even at 8 a.m. the reading was 10°. In Dublin the mean height of the barometer was 30·168 inches, the range being from 29·678 inches at 7.15 a.m. of Tuesday (wind, W.) to 30·897 inches at 9 a.m. of Friday (wind, E.). The corrected mean temperature was 37·0°. The mean dry bulb reading at 9 a.m and 9 p.m. was 36·2°. The screened thermometers rose to 47·7° on Monday and fell to 26·9° on Thursday, at first W.N.W. winds prevailed, afterwards E. Rainfall amounted to ·316 inch on two days ·211 inch being measured on Sunday. The duration of bright sunshine was estimated at 20 hours—maximum, 6 hours on Thursday. A phenomenal rise of temperature from −33° to +35° occurred at Haparanda on the Gulf of Bothnia, on Friday, amounting to 68° F. in 24 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·303 inches. The highest reading (30·898) was on Friday at 9 a.m., wind E., and the lowest (29·163) on Tuesday at 9 a.m., wind W.

The mean temperature for the week was 34·9°, being 4·4° below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Monday, on which day the thermometer registered 47·2°, and was lowest on Thursday, the mercury having fallen to 20·7°. The mean of the Dry Bulb for the week was 34·8°, and of the Wet Bulb 32·9°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 21·4 hours. The rainfall measured during the week was ·390 inch.

At Greenwich the mean temperature for the week was 36·3°, the maximum 47·1°, and the minimum 29·2°; at Glasgow the maximum was 38·3°, the minimum 12·8°, and the mean 28·5°; and at Edinburgh the maximum was 37·8°; the minimum 21·4°, and the mean 29·3°. The rainfall at Greenwich measured 0·20 inch; at Glasgow 0·00 inch, and at Edinburgh 0·06 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 26,	29·757	38·7	28·0	33·4	35·3	34·3	·89	·3	0·0	·240	W.	Calm.
Monday, „ 27,	—	47·2	37·1	42·2	42·3	40·3	·86	·4	3·1	·150	W.	S.W.
Tuesday, „ 28,	29·492	42·9	30·5	36·7	33·7	32·7	·87	·6	1·6	—	W.	N.W.
Wednesday, „ 29,	30·2	39·7	24·7	32·2	30·9	30·0	·87	·5	5·0	—	W.S.W.	W.
Thursday, „ 30,	30·717	37·3	20·7	29·0	24·1	23·1	·75	·2	4·1	—	Calm.	Calm.
Friday, „ 31,	30·880	40·8	22·7	31·8	37·9	33·6	·67	·1	3·9	—	E.	E.
Saturday, Feb. 1,	30·734	41·9	36·6	39·3	39·1	36·3	·79	·5	3·7	—	E.N.E.	N.E.
Mean . .	30·303†	41·2	28·6	34·9	34·8	32·9	·81	·4	Total 21·4	Total ·390	Prevailing wind W.	

Sunday—A dull day; snow 11 a.m. to 12.30 p.m.; night overcast; rain 8.30 p.m. to 3 a.m., and 6 to 6.30 a.m. *Monday*—A cloudy day; showery 3.45 p.m. to 6 a.m.; night cloudy. *Tuesday*—A cloudy day; night clear. *Wednesday*—Bright a.m.; cloudy p.m; night clear. *Thursday*—Hazy a.m.; bright p.m.; night cloudy. *Friday*—A fine but cloudy day; night clear p.m., cloudy a.m. *Saturday*—A fine but cloudy day; night clear p.m., cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

† The mean of the Barometer is for six days, Barometer was not read on Monday night.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 8TH FEBRUARY, 1902. [No. 6.

General Register Office, Charlemont House, Dublin, 10th February, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 18.	Week ending Jan. 25.	Week ending Feb. 1.	Week ending Feb. 8.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 18.	Week ending Jan. 25.	Week ending Feb. 1.	Week ending Feb. 8.	Average Rate for 4 weeks.
22 Town Dists.	**20·2**	**21·0**	**20·0**	**22·1**	**20·8**	Lisburn, . .	4·6	18·2	18·2	36·4	19·4
Armagh, . .	13·8	27·6	6·9	13·8	15·5	Londonderry, .	15·4	32·0	11·5	25·6	21·1
Ballymena, . .	9·6	0·0	14·4	9·6	8·4	Lurgan, . .	17·7	17·7	17·7	31·0	21·0
Belfast, . .	18·3	21·9	18·9	17·9	19·3	Newry, . .	4·1	24·9	37·3	16·6	20·7
Clonmel, . . .	76·6	0·0	25·5	30·6	33·2	Newtownards, .	5·7	40·1	11·4	40·1	24·3
Cork, . . .	24·0	21·3	26·1	26·8	24·5	Portadown, .	5·2	31·1	10·4	15·6	15·6
Drogheda, . .	32·7	0·0	20·4	53·1	26·5	Queenstown, .	13·2	19·8	13·2	33·1	19·8
Dublin Reg. Area,	23·4	20·9	22·7	23·8	22·7	Sligo, . .	14·4	38·4	24·0	0·0	19·2
Dundalk, . .	31·9	·	8·0	12·0	·	Tralee, . .	21·3	15·9	5·3	26·6	17·3
Galway, . .	23·3	42·8	38·9	19·4	31·1	Waterford, .	15·6	11·7	13·6	13·6	13·6
Kilkenny, . .	0·0	0·0	5·0	9·9	3·7	Wexford, . .	28·0	18·7	14·0	23·4	21·0
Limerick, . .	11·0	19·2	13·7	31·5	18·9						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in seventeen of the districts to 13·2 in Queenstown; the 5 deaths from all causes registered in that district including 2 from measles. The 123 deaths in Belfast include 6 from whooping-cough, 3 from diphtheria, one from simple fever, 2 from enteric fever, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 222—102 boys and 120 girls; and the deaths to 181—75 males and 106 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 24·9 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 23·8 per 1,000. During the six weeks ending with Saturday last the death-rate averaged 25·1, and was 6·7 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

As in the preceding week, 9 deaths from zymotic diseases were registered, equal to a rate of 1·2 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 3·8 per 1,000. Of the total, influenza caused 3 deaths, whooping-cough and enteric fever each 2 deaths; moreover, one death was due to diarrhœa and one death was caused by septicæmia.

Tubercular disease caused 38 deaths—31 being caused by pulmonary tuberculosis, one by tubercular peritonitis, and 6 from other forms of the disease.

Thirty-six deaths were caused by diseases of the respiratory system; this equals a rate of 5 per 1,000 of the estimated population, the rate for the corresponding week of the past 10 years being 8·1 per 1,000. Twenty-nine deaths were registered from bronchitis, 5 from pneumonia, and 2 from other diseases of the respiratory system.

Three deaths were registered as being due to convulsions. Of these 2 were under one year in age, and one was between the ages of one year and 5 years.

There was one death from apoplexy and 9 deaths from other diseases of the brain and nervous system (exclusive of convulsions).

There were 6 deaths from cancer and 23 deaths from diseases of the circulatory system.

There were 4 deaths from accident and one from suicide registered.

In 14 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under one year of age and the deaths of 5 persons aged 60 years and upwards.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 6 were under one month old), and 48 were aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 10 were octogenarians, and 2 (females) were stated to have been aged 90 and 94 years respectively.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·8 per 1,000; the rate in the City was 25·6 (22·6 on the North side, and 28·8 on the South), and in the Suburbs 17·7.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the City being 0·7 (0·7 in the North City Districts, and 0·7 in the South) and for the Suburbs 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 31·3 per 1,000. Influenza caused 2 deaths and enteric fever caused 1 death, 3 deaths were caused by pulmonary tuberculosis, also 3 deaths from diseases of the respiratory system (including 2 from pneumonia), also 1 death from accident, namely drowning, were registered.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. Enteric fever caused 1 death and pulmonary tuberculosis caused 2 deaths, 5 deaths from diseases of the respiratory system and 1 death from accidental burns were registered.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. There were 2 deaths from pulmonary tuberculosis and 3 deaths from diseases of the respiratory system registered.

No 3 North City District (Blackhall-place).—The deaths (11) represent an annual rate of 18·1 per 1,000. One death from pulmonary tuberculosis, 2 deaths from diseases of the respiratory system, and 1 death from violence, namely burns, were registered.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8; Coolock and Drumcondra, No. 1, part of, 5·2, per 1,000 inhabitants; and Finglas and Glasnevin, part of, 23·4. One of the 3 deaths registered in Finglas and Glasnevin, part of, was from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 32·0 per 1,000. There was 1 death from diarrhœal disease and 7 deaths from pulmonary tuberculosis, and 3 deaths from diseases of the respiratory system registered in this district.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 27·4 per 1,000. There were 4 deaths from pulmonary tuberculosis and 4 deaths from diseases of the respiratory system registered.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 31·2 per 1,000. There was 1 death from whooping-cough, 4 deaths from pulmonary tuberculosis, and 3 deaths from diseases of the respiratory system registered in this district.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·9 per 1,000. There was 1 death from influenza, there were 2 deaths from pulmonary tuberculosis, and 4 deaths from diseases of the respiratory system, including 1 from pneumonia, registered in this district.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 7·1.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 11·0 per 1,000 inhabitants; Pembroke, 16·0; Blackrock, 29·8; and Kingstown, 26·6. The only death from any zymotic disease tabulated for any of these districts is one from whooping-cough for Pembroke. Among the 7 deaths from all causes tabulated for Rathmines are 2 from diseases of the respiratory system; and the 9 deaths from all causes in Kingstown include 2 from pulmonary tuberculosis and 2 from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	18th January,	67 cases.
,, ,,	25th January,	58 cases.
,, ,,	1st February,	53 cases.
,, ,,	8th February,	51 cases.

Of the 51 cases notified, 14 were erysipelas, 8 enteric fever, 15 scarlatina, 4 diphtheria, 4 measles, 2 German measles, one continued fever, and 3 typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	18th January,	2 cases.
,, ,,	25th January,	6 cases.
,, ,,	1st February,	2 cases.
,, ,,	8th February,	3 cases.

Of the 3 cases notified, one was enteric fever, one continued fever, and one scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	18th January,	62 cases.
,, ,,	25th January,	44 cases.
,, ,,	1st February,	66 cases.
,, ,,	8th February,	30 cases.

Of the 30 cases notified, one was diphtheria, one scarlet fever, 21 measles, and 7 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	18th January,	40 cases.
,, ,,	25th January,	63 cases.
,, ,,	1st February,	44 cases.
,, ,,	8th February,	34 cases.

Of the 34 cases notified, 12 were enteric fever, 9 erysipelas, 4 diphtheria, 7 continued fever, and 2 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th February, 1902.

From this it appears that:—

Fourteen cases of enteric fever were admitted to hospital, 6 cases were discharged, there was one death, and 57 cases remained under treatment at the close of the week.

Eighteen cases of scarlatina were admitted to hospital, 15 cases were discharged, there was one death, and 76* cases remained under treatment at the close of the week.

Five cases of typhus fever remained under treatment at the close of the week.

Eleven cases of diphtheria were admitted to hospital, 7 cases were discharged, and 43 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 10 cases of pneumonia were admitted to hospital, 6 patients were discharged, there were two deaths, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 22·5), was equal to an average annual death-rate of 20·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·9 per 1,000, the rate for Glasgow being 23·9, and for Edinburgh 24·3.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th February, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 8th February, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	Not in Public Institutions.	Meteorology.† Week ending 8th Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th Jan. 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	1,092,322	18·7	26·7	22·1	1·1	560	462	76	116	.	2	.	1	9	8	1	4	3	88	114	10	8	108	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	379,008	27·8	30·5	23·8	0·7	222	173	28	45	.	.	.	.	2	.	.	2	1	29	36	5	3	58	§42·7	23·5	35·7	0·28	§47·2	20·7	34·9	0·39	§53·4	29·8	45·0	0·21
Registrars' Districts. City	298,394	37·8	31·3	25·6	0·7	193	144	24	35	.	.	.	.	1	.	.	2	1	26	30	3	1	45	a42·9 b44·8	29·4 24·0	37·7 39·8	0·17 0·23	a47·7 b47·0	26·9 21·2	37·0 35·6	0·32 0·36	a54·0 b54·5	31·0 30·0	45·6 45·4	0·13 0·16
Rathmines,‖	33,208	19·4	14·1	11·0	.	9	7	2	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	22·0	16·0	2·0	11	8	2	2	.	.	.	.	1	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	11·9	29·8	.	2	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	20·7	26·6	.	7	2	.	4	.	.	.	.	.	.	.	.	.	2	2	2	2	3	42·5	30·5	38·1	0·4	47·5	28	38·4	0·30	55	31·5	46·2	0·12
Urban Districts																																				
Belfast,	358,693	21·8	27·5	17·9	2·0	189	128	25	28	.	.	.	.	6	3	1	2	2	18	46	4	4	15	43·9	28·0	36·9	0·39	40·7	21·0	.	0·41	53·0	31·0	44·3	0·49
Cork,	75,978	33·5	16·5	26·8	.	24	39	4	9	.	.	.	.	.	.	.	.	.	17	6	.	.	12	48	30	37·6	0·30	50	32	39·9	0·21	52	32	46·2	0·97
Londonderry,	40,729	18·8	17·9	25·6	.	14	20	2	7	.	.	.	.	.	.	.	.	.	3	9	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,085	18·4	32·9	31·5	.	24	28	5	7	.	.	.	.	.	.	.	.	.	3	5	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	21·4	13·6	.	11	7	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,414	9·5	7·8	19·4	3·9	2	5	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	44	32	37·5	0·33	50	25	39	1·24	53	24	45	0·70
Dundalk	13,067	9·4	31·9	12·0	.	8	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	16·8	53·1	.	4	13	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	20·7	16·6	.	5	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	42·0	28·6	34·5	1·06	42·0	19·8	32·7	0·33	51·0	28·0	43·0	0·77
Lurgan,	11,777	13·8	26·6	31·0	.	6	7	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	42·0	28·6	34·5	1·06	42·0	19·8	32·7	0·33	51·0	28·0	43·0	0·77
Lisburn,	11,459	10·1	27·3	36·4	4·6	6	8	2	3	.	.	.	.	1	.	.	.	.	1	1	.	.	1	42·0	28·6	34·5	1·06	42·0	19·8	32·7	0·33	51·0	28·0	43·0	0·77
Wexford	11,154	28·2	28·0	28·4	.	6	5	.	1	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	33·5	9·6	.	7	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	9·6	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	43·5	26·5	36·6	0·12	45·5	22·9	35·6	0·64	51·9	29·5	44·6	1·44
Kilkenny,	10,498	11·4	19·9	9·9	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	44	25	35·6	0·25	49	25	36·5	0·55	53	29	43·5	0·64
Clonmel,	10,209	7·9	5·1	30·6	.	1	6	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	18·1	26·0	15·6	.	5	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	42·0	23·6	34·5	1·06	42·0	19·8	32·7	0·33	51·0	28·0	43·0	0·77
Tralee,	9,812	16·7	26·6	26·6	.	5	5	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	22·9	40·1	.	4	7	.	4	.	.	.	.	.	.	.	.	.	2	1	.	.	2	48	31	38·0	0·87	48	28	35·6	0·30	52	30	44·5	0·32
Queenstown,	7,887	14·7	39·7	33·1	13·2	6	5	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	48	30	37·6	0·30	50	32	39·9	0·21	52	32	46·2	0·97
Armagh,	7,569	22·1	34·4	13·8	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	42·0	23·6	34·5	1·06	42·0	19·8	32·7	0·33	51·0	28·0	43·0	0·77

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 8 deaths of persons (including one under 1 year old and 3 at 60 years or upwards) admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 8th February, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Other Zymotic Diseases,	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	1
Total,	3	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	.	.	8	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																					
Phthisis, or Pulmonary Consumption,	3	2	2	1	.	.	1	.	7	4	4	2	.	.	.	.	1	.	2	29	2
Other Constitutional Diseases,	1	1	1	2	.	.	.	.	2	.	4		.	.	.	.	1	1	1	14	2
Total,	4	3	3	3	.	.	1	.	9	4	8	2	.	.	.	.	2	1	3	43	4
V. DEVELOPMENTAL DISEASES,	2	1	1	1	.	.	.	.	2	.	1	1	.	.	.	.	.		2	11	1
VI. LOCAL DISEASES:																					
Diseases of: Brain & Nervous System,	1	3	1	1	.	.	.	.	1	.	1	.	.	1	.	1	2	.	.	12	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	2	1	3	2	.	.	.	.	2	1	4	6	.	.	.	1	.	1	.	23	.
Respiratory System,	3	5	3	2	.	1	1	.	3	4	3	4	.	.	1	2	1	1	2	36	.
Digestive System,	.	2	1	.	.	.	.	.	.	.	2	1	.	.	.	1	1	1	.	9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Urinary System,	.	1	.	.	.	.	1	.	1	.	1	.	.	.	.	1	.	.	.	5	.
Generative System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	3	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Total,	6	13	8	6	1	1	2	.	8	5	12	11	.	1	1	7	4	4	2	92	1
VII. VIOLENT DEATHS,	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	5	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	1	1	.	.	.	.	.	4	.	3	3	.	.	.	.	1	.	.	14	1
Deaths from all Causes,	17	20	13	11	1	1	3	.	24	9	25	18	.	1	1	7	8	5	9	173	8
Annual Rate of Mortality in every 1,000 of the population.	31·3	26·6	22·5	18·1	10·8	5·2	28·4	.	32·0	27·4	31·2	26·9	.	7·1	.	11·0	16·0	29·5	26·6	23·8	
	22·6								28·8							17·7					
	25.6																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	1	4	3	.	.	.	.	3	2	2	1	.	.	.	1	2	2	3	26	6
Workhouse Hospitals,	1	4	4	5	.	.	1	.	1	3	4	4	.	.	.	.	.	.	.	27	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years 1892–1901.	In the week ending Saturday 8th February, 1902								
												Deaths of persons of the Ages of								
	Feb. 13, 1892	Feb. 11, 1893	Feb. 10, 1894	Feb. 9, 1895	Feb. 8, 1896	Feb. 13, 1897	Feb. 12, 1898	Feb. 11, 1899	Feb. 10, 1900	Feb. 9, 1901		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 44·9	° 44·9	° 46·4	° 29·4	° 45·5	° 43·4	° 43·8	° 46·1	° 29·9	° 36·9	° 41·1	° 35·7								
ALL CAUSES,	213	163	222	214	165	276	284	212	199	229	212·7	181	0	23	17	12	36	39	36	12
I. FEBRILE OR ZYMOTIC DISEASES,	19	11	30	23	16	71	29	13	32	24	26·8	9	.	2	1	1	.	.	4	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	4	.	.	1	.	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	47	36	50	38	38	45	56	58	43	48	45·9	47	.	1	3	5	22	12	3	1
V. DEVELOPMENTAL "	16	11	14	13	9	18	17	20	13	25	15·6	12	2	1	.	.	.	.	5	4
VI. LOCAL "	112	90	113	132	93	123	117	109	105	119	111·3	93	.	18	10	3	12	26	23	6
VII. VIOLENT DEATHS,	8	5	5	4	4	6	5	4	3	6	5·0	5	.	.	1	1	1	1	1	.
VIII. ILL-DEFINED CAUSES,	10	6	10	4	4	13	9	7	3	7	7·3	15	4	6	2	2	1	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	5	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	1	1	1	.	.	26	.	.	3	.	3·2	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	3	1	1	2	3	1	2	.	1·4	.	.	.	.	.	.	.	.	.
Typhus,	.	1	1	.	.	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	12	.	6	1	4	6	9	3	13	5	5·9	3	.	.	.	.	.	.	3	.
Whooping Cough,	3	.	8	5	2	25	2	2	5	9	6·1	2	.	2	.	.	.	.	.	.
Diphtheria,	.	.	2	.	.	.	2	1	5	.	1·0	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	3	2	4	2	1	7	4	.	4	2·8	2	.	.	1	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	1	3	2	5	1	3	.	2	2	2·0	1	.	.	.	.	.	.	.	1
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	1	1	2	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	.	1	.	.	1	1	.	1	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	1	.	1	1	1	.	1	1	·7	1	.	.	.	.	.	.	1	.
Puerperal Fever,	.	.	.	.	.	1	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	2	1	1	.	2	.	.	1	1	·9	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	3	.	.	1	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	.	1	1	.	.	.	·2	1	.	.	.	.	1	.	.	.
Rheumatism,	.	.	2	.	.	1	.	.	1	1	·5	2	.	.	.	.	.	1	.	1
Gout,	.	.	.	.	.	1	.	1	.	1	·8	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	2	3	6	10	5	4	7	11	3	4	5·5	6	.	.	.	.	2	1	3	.
Tabes Mesenterica,	2	7	5	6	3	7	3	4	4	7	4·8	1	.	.	1	.	.	.	.	.
Tubercular Meningitis,	6	4	5	2	5	2	6	7	5	2	4·4	.	.	.	.	.	.	.	.	.
Phthisis,	31	19	25	17	21	20	35	30	23	28	24·9	31	.	.	1	4	18	8	.	.
Scrofula, Tuberculosis,	6	3	6	3	3	7	4	5	5	4	4·6	6	.	1	1	1	1	2	.	.
Other Constitutional Diseases,	.	.	1	.	1	2	.	.	2	1	·7	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	4	3	3	1	2	4	8	1	1	4	3·1	3	2	1	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	2	1	1	.	.	.	1	1	1	·7	.	.	.	.	.	.	.	.	.
Old Age,	12	6	10	11	7	14	9	18	11	20	11·8	9	.	.	.	.	.	.	5	4

* The figures for the years 1892–1900 are for the

each Disease registered in the SIXTH WEEK ending Saturday, 8th February, 1902, with ten years, 1892–1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years 1892–1901.	In the Week ending Saturday, 8th February, 1902. Deaths of Persons of the Ages of							
	Feb. 13, 1892	Feb. 11, 1893	Feb. 10, 1894	Feb. 9, 1895	Feb. 8, 1896	Feb. 13, 1897	Feb. 12, 1898	Feb. 11, 1899	Feb. 10, 1900	Feb. 9, 1901		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
													Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 44·9	° 41·9	° 46·4	° 29·4	° 45·5	° 43·4	° 43·8	° 46·1	° 29·9	° 36·9	° 41·1	° 35·7								
VI. Local Diseases.																				
Apoplexy,	1	6	3	7	3	3	1	3	6	5	3·8	1	.	.	.	.	.	.	.	1
Epilepsy,	.	.	2	1	.	1	2	2	1	.	1·1	.	.	.	.	.	.	.	.	.
Convulsions,	7	17	11	16	12	9	11	12	6	7	10·8	3	.	2	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	5	5	8	9	10	5	6	9	9	7	7·3	9	.	2	1	.	1	4	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	16	11	16	22	16	16	17	10	11	24	15·9	23	.	.	.	2	6	8	6	1
Croup,	.	1	.	.	1	1	2	.	.	2	·3	.	.	.	.	.	.	.	.	.
Bronchitis,	42	19	35	38	24	53	48	43	45	39	33·6	29	.	4	4	.	.	9	10	2
Pneumonia,	14	6	15	13	7	23	16	9	17	18	13·8	5	.	2	2	.	.	1	.	.
Pleurisy,	.	1	.	.	.	1	.	2	.	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	6	6	3	5	4	2	.	.	3	3	3·2	2	.	.	1	.	.	.	1	.
Teething,	5	2	2	2	1	.	1	2	2	1	1·8	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	1	2	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis,	2	.	2	1	.	1	3	.	.	1	1·0	.	.	.	.	.	.	.	.	.
Disease of Liver,	3	4	4	3	1	3	2	4	1	1	2·6	1	.	.	.	.	.	.	1	.
Other Diseases of Digestive System,	5	2	6	4	7	3	3	6	1	5	4·2	7	.	2	1	.	.	2	1	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of Urinary System,	2	4	6	4	3	2	3	4	2	5	3·5	5	.	.	.	.	1	1	2	1
Diseases of Generative System,	2	.	.	2	.	.	.	.	1	.	·5	1	.	.	.	.	.	1	.	.
Accidents of Childbirth,	1	1	.	.	1	.	1	.	.	.	·4	3	.	.	.	.	3	.	.	.
Diseases of Locomotive System,	.	1	.	1	1	.	1	1	.	1	·6	1	.	.	.	1	.	.	.	.
Diseases of Integumentary System,	.	1	.	3	.	.	.	.	.	.	·4	1	.	.	.	.	1	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	.	.	1	.	1		1	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	1	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	2	.	2	1	3	3	2	1	2	4·9	2	.	.	1	.	.	1	.	.
By Drowning,	.	1	.	.	1	.	.	.	.	.		1	.	.	.	1	.	.	.	.
By Suffocation in Bed,	.	1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	2	.	.	.	1	1	.	1		.	.	.	.	.	.	.	.	.
Other or Not stated Causes,	2	1	3	1	2	3	.	.	1	1		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	1	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	16	6	10	4	4	13	9	7	3	7	7·3	15	4	6	2	2	1	.	.	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901-2—Week ending																									
	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered,	185	178	175	234	212	152	245	228	176	229	235	141	192	144	162	216	187	164	144	98	279	204	208	215	152	222
*Average Births in corresponding week of previous 10 years,**	201	187	205	190	211	200	210	176	170	188	171	183	179	193	183	186	191	180	153	186	192	203	193	197	207	208
DEATHS registered,	148	179	176	154	164	180	133	149	146	150	146	168	171	180	176	141	153	138	196	200	223	186	177	158	169	181
Annual Death-rate per 1,000,	20·6	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9
*Average Deaths in corresponding week of previous 10 years,**	158	166	166	173	170	165	162	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213
AGES, Under 5 years,	50	72	71	64	64	64	42	49	46	50	49	54	53	59	53	36	37	31	47	38	46	38	54	36	38	46
5—20 ,,	14	10	14	10	13	12	11	14	17	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12
20—40 ,,	25	28	28	23	32	37	28	24	21	22	24	13	23	31	26	20	28	16	35	31	39	35	19	27	31	36
40—60 ,,	25	34	26	30	25	34	24	24	33	26	34	40	36	31	32	30	38	39	54	53	63	41	42	38	43	39
60—80 ,,	29	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48	44	37	36	36
80 years and upwards,	5	7	3	5	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
,, Scarlet Fever,	1	1	2	2	.	1	1	.	.	.	1	1	.	.	.	1	1	.	2	.	.	.	.	.	1	.
,, Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	1	1	2	1	4	1	2	1	.	2	4	.	1	1	1	.	1	4	.	1	.	.	1	1	2
,, Diphtheria,	.	.	2	1	.	2	.	2	.	1	1	1	1	3	4	.	2	.	3	2	3	3	1	1	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
,, Enteric Fever,	.	.	2	.	1	3	3	8	6	3	.	5	2	.	3	2	1	.	4	5	2	3	1	2	.	2
,, Diarrhœa, Dysentery,	30	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2	4	.	1
,, Phthisis,	24	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20	19	33	31
,, Heart Diseases,	12	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23
,, Diseases of Respiratory System,	18	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34	43	35	47	36
Violent Deaths,	3		7	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5
Mean Temperature of the Air (Phœnix Park),	58·9	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	35·7
Average Mean Temperature in corresponding week of previous 10 years,	59·4	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1
Rainfall in inches,	0·470	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·275
Mean Humidity of the Air, complete Saturation 1·0,	·87	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th February, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 8th February, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	27·5	181	46	12	36	39	36	12	.	.	.	.	2	.	.	2	1	5	31	3	36	5	101
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	20·3	6	.	.	1	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5
II.	MIDDLE CLASS,	80,653	12·3	19	5	.	1	4	7	2	.	.	.	.	.	.	.	.	1	1	.	.	3	1	14
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	27·6	52	9	3	13	12	9	1	.	.	.	.	1	.	.	1	.	2	14	.	9	.	27
IV.	GENERAL SERVICE CLASS,	146,486	35·8	75	28	9	11	12	10	5	.	.	.	.	1	.	.	1	.	2	9	3	17	8	41
V.	INMATES OF WORKHOUSES,	5,191		29	4	.	5	10	7	3	.	.	.	.	.	.	.	.	.	.	8	.	7	.	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	1	.	1	2	2	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	5
	6. Clerks and Commercial Assistants,	24,750	10·5	5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	1	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	14·2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	9. Building and Furnishing Trades,	26,030	32·0	16	3	1	2	4	5	1	.	.	.	.	.	.	.	.	.	.	3	.	4	.	9
	10. Clothing Trades,	23,686	13·2	6	1	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	2
	11. Food Supply Trades,	7,869	18·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	45·0	23	3	2	10	6	2	.	.	.	.	.	1	.	.	1	.	2	7	.	1	.	13
	13. Petty Shopkeepers,	6,771	23·1	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	2	1	2	1	2	.	.	.	.	.	.	.	.	1	.	1	1	.	3	.	3
	15. Domestic Servants,	39,563	14·5	11	1	1	2	2	2	3	.	.	.	.	.	.	.	.	.	.	2	.	3	.	6
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	24·4	5	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	32·2	51	25	7	6	6	5	2	.	.	.	.	1	.	.	.	.	1	5	3	9	2	31
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	29	4	.	5	10	7	3	.	.	.	.	.	.	.	.	.	.	8	.	7	.	14

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901-1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,333.	Dec. 21,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	1	.
		„ 28,	31·2	3·7	17	.	.	.	.	.	.	.	1	1	6	2	.
		Jan. 4,	22·1	1·8	12	.	.	.	.	.	.	.	.	1	3	5	.
		„ 11,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	3	.
		„ 18,	27·6	1·8	15	.	.	.	.	.	1	.	.	.	1	6	.
		„ 25,	22·1	1·8	12	.	.	.	.	.	.	.	1	.	3	5	.
		Feb. 1,	36·8	.	20	.	.	.	.	.	.	.	.	.	4	3	.
		„ 8,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	3	3	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Dec. 21,	35·2	2·7	26	.	.	.	.	.	1	.	1	.	7	5	1
		„ 28,	39·3	2·7	29	.	.	.	.	.	.	.	2	.	3	10	.
		Jan. 4,	36·0	.	27	.	.	.	.	.	.	.	.	.	3	7	.
		„ 11,	30·6	4·0	23	.	.	.	.	.	2	.	1	.	3	5	1
		„ 18,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	6	.
		„ 25,	20·0	1·4	15	.	.	.	.	.	.	.	.	1	1	6	.
		Feb. 1,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	4	1
		„ 8,	26·6	1·4	20	.	.	.	.	.	.	.	1	.	2	5	1
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Dec. 21,	32·8	1·7	19	.	.	.	.	1	.	.	.	.	2	2	1
		„ 28,	34·6	.	20	.	.	.	.	.	.	.	.	.	1	4	.
		Jan. 4,	43·3	3·5	25	.	.	.	.	.	.	.	.	2	2	6	2
		„ 11,	27·7	.	16	.	.	.	.	.	.	.	.	.	3	1	.
		„ 18,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 25,	24·2	3·5	14	.	.	.	.	.	.	.	1	1	1	1	.
		Feb. 1,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 8,	22·5		13	.	.	.	.	.	.	.	.	.	2	3	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Dec. 21,	35·3	3·4	21	.	.	1	.	.	1	.	.	.	2	5	.
		„ 28,	25·2	3·4	15	.	.	.	.	.	1	.	.	1	1	2	2
		Jan. 4,	42·8	1·6	26	.	.	.	.	.	1	.	.	.	7	4	1
		„ 11,	28·0	4·9	17	.	.	.	.	1	1	.	.	1	2	2	.
		„ 18,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	.	6	.
		„ 25,	26·3	1·6	16	.	.	.	.	.	.	.	.	1	4	3	.
		Feb. 1,	36·2	.	22	.	.	.	.	.	.	.	.	.	5	7	.
		„ 8,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Dec. 21,	24·5	1·4	17	.	.	.	.	1	.	.	.	.	3	2	1
		„ 28,	33·2	1·4	23	.	.	.	.	.	.	.	1	.	3	5	1
		Jan. 4,	24·6	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		„ 11,	32·0	.	24	.	.	.	.	.	.	.	.	.	7	5	1
		„ 18,	26·6	1·4	20	.	.	.	.	.	.	.	.	1	2	3	.
		„ 25,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	1
		Feb. 1,	21·3	.	16	.	.	.	.	.	.	.	.	.	3	5	.
		„ 8,	32·0	1·4	24	.	.	.	.	.	.	.	.	1	7	3	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,118.	Dec. 31,	37·0	5·7	13	.	.	.	.	.	.	.	.	2	3	.	.
		„ 28,	31·3	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		Jan. 4,	64·0	3·0	21	.	.	.	.	.	.	.	1	.	.	8	.
		„ 11,	38·5	.	11	.	.	.	.	.	.	.	.	.	.	4	.
		„ 18,	24·4	.	8	.	.	.	.	.	.	.	.	.	3	3	.
		„ 25,	36·6	.	12	.	.	.	.	.	.	.	.	.	2	5	.
		Feb. 1,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	2	1	.
		„ 8,	27·4	.	9	.	.	.	.	.	.	.	.	.	4	4	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Dec. 1,	20·8	1·2	17	.	.	.	.	.	.	.	1	.	2	3	.
		„ 28,	35·5	1·2	29	.	.	.	.	.	1	.	.	.	2	9	.
		Jan. 4,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	1	4	.
		„ 11,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	5	2	1
		„ 18,	27·5	.	22	.	.	.	.	.	.	.	.	.	5	6	1
		„ 25,	21·2	1·2	17	.	.	.	.	.	.	.	.	1	.	5	.
		Feb. 1,	28·7	.	28	.	.	.	.	.	.	.	.	.	2	7	1
		„ 8,	31·2	1·2	25	.	.	.	.	1	.	.	.	.	4	3	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) ,898.	Dec. 21,	25·2	4·4	17	.	.	.	.	2	1	.	.	.	.	3	1
		„ 28,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	5	2
		Jan. 4,	20·9	1·5	14	.	.	.	.	.	1	.	.	.	2	6	.
		„ 11,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	4	5	1
		„ 18,	28·4	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 25,	17·9	.	12	.	.	.	.	.	.	.	.	.	1	1	3
		Feb. 1,	22·4	.	15	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	26·9	.	18	.	.	.	.	.	.	.	.	.	2	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of he Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901-1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1902 (Est.) 38,208.	Dec. 21,	16·0	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 28,	20·8	3·2	13	.	.	.	.	.	.	.	1	1	1	1	.
	Jan. 4,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	1	3	2
	„ 11,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	2	1
	„ 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 25	28·3	.	18	.	.	.	.	.	.	.	.	.	2	3	.
	Feb. 1,	4·7	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	„ 8,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Dec. 21,	18·4	.	9	.	.	.	.	.	.	.	.	.	1	4	2
	„ 28,	22·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 4,	24·0		12	.	.	.	.	.	.	.	.	.	.	5	.
	„ 11,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	.	3	.
	„ 18,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	.	1	.
	„ 25,	22·0	2·0	11	.	1	.	.	.	.	.	.	.	.	1	1
	Feb. 1,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	4	3	.
	„ 8,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	1	1	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Dec. 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 4,	29·6	.	10	.	.	.	.	.	.	.	.	.	1	4	1
	„ 11,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	„ 18,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	3	.
	„ 25,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Feb. 1,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
Belfast. Pop. in 1902 (Est.) 358,693.	Dec. 21,	21·4	0·9	144	.	.	.	.	1	3	.	2	.	22	42	5
	„ 28,	22·3	1·0	150	.	.	.	.	3	.	.	3	1	20	51	4
	Jan. 4,	20·8	1·9	143	.	1	1	.	1	3	1	4	2	19	36	3
	„ 11,	18·2	1·5	125	.	2	.	.	3	1	.	2	2	18	34	3
	„ 18,	18·3	1·2	126	.	2	.	.	3	1	.	1	1	24	21	1
	„ 25,	21·9	1·0	151	.	.	.	1	3	1	.	.	2	14	52	1
	Feb. 1,	18·9	0·9	130	.	.	.	.	1	.	.	3	2	21	27	2
	„ 8,	17·9	2·0	123	.	.	.	.	6	3	1	2	2	18	46	4
Cork. Pop. (in 1901) 75,978.	Dec. 21,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	3	7	.
	„ 28,	26·1	1·4	38	.	.	.	.	1	.	.	.	1	10	11	.
	Jan. 4,	34·3	2·1	50	.	.	.	.	2	.	.	.	1	6	10	3
	„ 11,	24·0	0·7	35	.	.	.	.	1	.	.	.	.	5	9	1
	„ 18,	24·0	1·4	35	.	.	.	.	1	.	.	.	1	3	7	.
	„ 25,	21·3	2·1	31	.	.	1	.	1	.	.	.	1	5	6	.
	Feb. 1,	26·1	1·4	38	.	.	.	.	2	.	.	.	.	9	9	.
	„ 8,	26·8	.	39	.	.	.	.	.	.	.	.	.	17	6	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Dec. 21,	23·5	2·6	18	.	.	.	.	.	.	.	1	1	2	2	.
	„ 28,	10·5	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Jan. 4,	21·8	.	17	.	.	.	.	.	.	.	.	.	2	6	.
	„ 11,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	3	3	.
	„ 18,	15·4	1·3	12	.	.	.	.	.	.	.	.	1	1	4	1
	„ 25,	32·0	1·3	25	.	.	.	.	.	.	.	.	1	1	6	1
	Feb. 1,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	25·6	.	20	.	.	.	.	.	.	.	.	.	3	9	.
Limerick. Pop. (in 1901) 38,085.	Dec. 21,	20·5	1·4	15	.	.	.	.	.	.	.	1	.	1	3	.
	„ 28,	34·2	.	25	.	.	.	.	.	.	.	.	.	4	2	.
	Jan. 4,	34·2	.	25	.	.	.	.	.	.	.	.	.	3	4	.
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	3	4	.
	„ 18,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 1,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	31·5	.	23	.	.	.	.	.	.	.	.	.	3	5	.
Waterford. Pop. (in 1901) 26,748.	Dec. 21,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 28,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	Jan. 4,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	2	.
	„ 11,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 18,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	11·7	1·9	6	.	.	.	.	.	.	.	.	1	2	1	.
	Feb. 1,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	„ 8,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 8th February, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	7	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	.	5	1	.	.	.	.	.	.	1	.	.	.	3	.	.	1
" 2 "		85			15	2	4	5	4	.	.	.	.	1	2	.	.	.	2	7	.	.	2
" 3 "		27			19	6	3	8	2	.	.	.	.	1	.	.	.	1	6	4	1	.	1
" 4 "		17			13	2	3	6	2	.	.	.	.	1	.	.	.	.	1	5	.	.	2
" 5 "		12			5	1	1	1	2	.	.	.	.	1	.	.	.	.	1	3	.	.	.
" 6 "		17			21	2	1	13	5	.	.	.	.	.	.	.	1	.	4	9	.	.	4
" 7 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		2			4	3	.	.	1	.	.	.	.	1	.	.	.	.	.	2	.	.	.
" 9 "		8			4	.	.	4	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.
" 10 "		9			6	4	1	.	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.
" 11 "		15			12	3	2	5	2	.	.	.	.	1	.	.	.	1	.	6	.	.	.
" 12 "		31			13	1	1	9	2	.	.	.	.	.	1	.	.	.	4	2	1	2	4
" 13 "		9			5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	1
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	189	17·9	2·0	123	25	17	58	23	.	.	.	.	6	3	1	2	2	18	46	4	4	15
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	2	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		10	.	.	6	4	.	.	.	.	.	.	.	.	.	5	2	.	.	10
" 2 "		3			5	1	1	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
" 3 "		8			8	1	.	6	1	.	.	.	.	.	.	.	.	.	5	.	.	.	1
" 4 "		3			3	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 5 "		4			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 6 "		.			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 7 "		4			9	1	2	4	2	.	.	.	.	.	.	.	.	.	4	1	.	.	1
Total,	—	24	26·8	—	39	4	3	23	9	.	.	.	.	.	.	.	.	.	17	6	.	.	12

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8
No. of week in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered,	200	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186	193	199	156	237	195	187	212	188	189
DEATHS registered.	143	150	150	143	149	119	138	100	132	121	103	158	112	131	145	131	129	141	144	150	143	125	126	151	130	123
Annual Death-rate per 1,000 of estimated Population,*	21·3	22·3	22·3	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9
AGES, Under 1 year,	42	52	52	49	32	33	28	25	37	24	20	23	23	23	32	28	20	32	37	29	24	22	23	35	26	25
AGES, 1-5 years,	28	18	17	20	18	13	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17
AGES, 5-60 years,	49	56	65	3	71	60	79	48	55	60	6	82	53	59	70	51	56	67	66	76	69	62	61	68	66	58
AGES, 60 years and upwar ,	24	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.
,, Scarlet Fever,	.	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Whooping-cough,	4	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1	3	3	3	1	6
,, Diphtheria,	1	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.		1	1	1	.	3
,, Simple continued and Ill-defined Fever,	1	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1
,, Enteric Fever,	4	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2
,, Diarrhœa, Dysentery,	19	17	20	18	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2
,, Phthisis	15	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18
Diseases of Respiratory System,	15	11	21	10	14	16	27	13	24	17	13	23	36	33	40	28	38	36	42	51	36	34	21	52	27	46
Violent Deaths,	4	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th February, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	1	2	.	1	.	.	1	3	.	8
" " 2,	.	1	.	4	.	.	.	.	.	2	.	.	7
" " 3,	.	.	.	3	.	.	.	.	.	2	2	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	3	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	1	4	1	.	1	.	1	.	6	.	17
" " 2,	.	.	.	.	.	.	.	.	.	.	2	.	2
" " 3,	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 4,	.	.	.	2	.	.	2	.	.	.	.	.	4
Palmerston (part of),	.	.	.	1	.	.	.	.	.	.	1	.	2
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	4	2	15	3	.	4	.	1	8	14	.	51
Total for week ended Feb. 1, 1902,	.	5	.	9	1	.	3	.	2	18	15	.	53
Total for week ended Jan. 25, 1902,	.	9	1	18	.	.	6	.	4	10	10	.	58
Total for week ended Jan. 18, 1902,	.	8	.	12	.	.	12	.	.	15	20	.	67

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th February, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th February.			
	Jan. 18.	Jan. 25.	Feb. 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	1	.	5	4	.	.	9
Scarlet Fever,	65	79	74	18	15	1	76*
Typhus "	1	2	5	.	.	.	5
Diphtheria,	45	36	39	11	7	.	43
Enteric Fever,	47	50	50	14	6	1	57
Pneumonia,	25	15	16	10	6	2	18

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Feb. 8,	2,637	1,978	22·5	64	51	14	30	31	8	10
EDINBURGH, .	317,885	„ 8,	126	151	24·3	.	.	.	1	.	2	4
GLASGOW, . .	764,423	„ 8,	469	357	23·9	1	16	5	4	10	2	9
CALCUTTA, .	466,460	Dec. 7,	.	331	37·0	.	.	.	.	1	76§	74*
BOMBAY, . .	821,764	Dec. 31,	329	820	54·9	.	1	?	?	?	116§	64*
MADRAS, . .	509,346	„ 13,	343	587	59·4	.	5	?	?	?	205	104*
PARIS, . . .	2,511,629	Jan. 18,	1,066	928	19·2	7	11	2	20	10	3	30
BRUSSELS (with 8 Faubourgs).	582,665	„ 18,	258	164	14·6	.	.	.	2†	4	2	8
AMSTERDAM, .	530,778	„ 18,	256	134	13·2	.	.	.	1	2	.	3
ROTTERDAM, .	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	378,235	Jan. 25,	170	143	19·7	.	.	.	1	2	1	4
CHRISTIANIA, .	228,929	„ 18,	205	51	11·6	.	.	.	1	.	.	1
ST. PETERSBURG,	1,248,643	„ 11,	761	591	24·6	1	10	14	30	4	18	45
BERLIN, . .	1,890,374	Dec. 28,	880	587	16·1	.	11	9	6	10	1	37
HAMBURG, . .	705,738	Jan. 18,	.	208	14·9	.	2	11	1†	5	.	5
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,709,211	Dec. 23,	1,043	615	18·7	.	7	4	13†	1	1	37
BUDA-PESTH, .	751,177	Jan. 11,	431	264	17·9	.	15	4	1	1	.	11
PRAGUE and Faubourgs.	413,756	„ 11,	194	158	19·9	.	9	.	1†	2	4	7
ROME, . . .	469,877	Dec. 14,	237	216	23·9	.	.	.	.	.	2	13
TURIN, . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, .	170,577	Jan. 11,	58	52	15·9	.	.	.	2†	.	1	4
NEW YORK, .	3,536,517	„ 4,	2,066	1,292	18·6	2	25	17	41†	2	10	32
PHILADELPHIA, .	1,293,697	„ 11,	.	471	18·9	15	.	3	20	3	8	3

* Including 33 deaths from cholera in Calcutta, 2 in Bombay, and 5 in Madras.
† Including deaths from croup.
§ Exclusive of 23 deaths from bubonic fever in Calcutta, and 180 in Bombay,

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 8th February, 1902:—

"Cold weather persisted throughout this week. At first it was very dry and often sunny and bright, but the last two days were extremely gloomy and damp, with occasional rain and sleet. On Sunday the wind was very strong from E.N.E., the barometric gradients being steep owing to a large anticyclone in the north and to a wide area of low pressure over the South of France, Spain and the Mediterranean. As the barometer continued to fall steadily in the north, gradients became less steep and the wind gradually moderated until on Tuesday evening there was a calm. During the following three days a depression moved northwards and north-eastwards along the Portuguese coasts to the Bay of Biscay and finally Northern France. This disturbance brought a very decided rise in temperature to France—at Biarritz the thermometer rose to 64° on Thursday and 63° on Friday, and even in Paris the thermometer read 51° at 8 a.m. of Friday compared with 34° in London. Thursday was a lovely winter's day in Dublin, but the weather then broke and gloom, cold, rain, hail and sleet 'held the field' to the end of the week. In Dublin the mean height of the barometer was 29·836 inches, the range being from 30·411 inches at 9 a.m. of Sunday (wind, E.N.E.) to 29·254 inches about 2 a.m. of Saturday (wind, E.?). The corrected mean temperature was 37·7°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 36·5°. The screened thermometers rose to 42·9° on Monday and fell to 29·4° on Thursday. The rainfall was ·166 inch on three days, ·137 inch being measured on Friday. North-easterly winds were the most prevalent. Bright sunshine was estimated at 14¼ hours' duration."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·834 inches. The highest reading (30·396) was on Sunday at 9 a.m., wind E., and the lowest (29·295) on Friday at 9 p.m., wind S.E.

The mean temperature for the week was 35·7°, being 5·4° below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Sunday, on which day the thermometer registered 42·7°, and was lowest on Thursday, the mercury having fallen to 23·5°. The mean of the Dry Bulb for the week was 34·7°, and of the Wet Bulb 32·3°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 16·9 hours. The rainfall measured during the week was ·175 inch.

At Greenwich the mean temperature for the week was 29·6°, the maximum 41·0°, and the minimum 30·5°; at Glasgow the maximum was 43·1°, the minimum 27·9°, and the mean 35·9°: and at Edinburgh the maximum was 41·3°; the minimum 26·3°, and the mean 34·3°. The rainfall at Greenwich measured 0·17 inch; at Glasgow 0·08 inch, and at Edinburgh 0·21 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 2,	30·339	42·7	37·8	40·3	39·7	35·5	·68	·2	6·1	—	E.	E.N.E.
Monday, „ 3,	30·205	42·1	37·4	39·8	39·6	37·1	·85	·3	2·8	—	E.	N.E.
Tuesday, „ 4,	30·187	41·3	34·6	38·0	36·9	35·1	·86	·1	0·0	·020	E.	Calm.
Wednesday, „ 5,	29·862	35·8	32·0	33·9	33·3	32·3	·89	·4	0·0	—	Calm.	Calm.
Thursday, „ 6,	29·470	41·6	23·5	32·6	27·2	26·4	·84	·3	8·0	Trace	Calm.	Calm.
Friday, „ 7,	29·364	39·2	25·2	32·2	34·3	33·3	·90	·4	0·0	·145	Calm.	S.E.
Saturday, „ 8,	29·410	37·0	29·7	33·4	31·6	30·3	·87	·3	0·0	·010	Calm.	N.
Mean . .	29·834	40·0	31·4	35·7	34·7	32·3	·84	·3	Total 16·9	Total ·175	—	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A dull day; rain 2 to 3 p.m., and 9.30 p.m. to 12 noon; night overcast. *Wednesday*—A dull day; night overcast to 3 a.m., then clear. *Thursday*—A beautiful day; night clear p.m., cloudy a.m., snow 8.30 to 9 a.m. *Friday*—A dull day, snow 9 to 9.15, rain 9.15 to 11 a.m., and 1 to 10.30 p.m.; night overcast; snow 6.15 to 7.15 a.m. *Saturday*—A dull day, light showers; night cloudy (light).

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 15TH FEBRUARY, 1902. [No. 7.

General Register Office, Charlemont House, Dublin, 17th February, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 25·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Average Rate for 4 weeks
22 Town Dists.	**21·0**	**20·0**	**22·1**	**25·9**	**22·3**	Lisburn, . .	18·2	18·2	36·4	18·2	22·7
Armagh, . .	27·6	6·9	13·8	34·4	20·7	Londonderry, .	32·0	11·5	25·6	20·5	22·4
Ballymena, .	0·0	14·4	9·6	43·1	16·8	Lurgan, . .	17·7	17·7	31·0	31·0	24·3
Belfast, . .	21·9	18·9	17·9	24·6	20·8	Newry, . .	24·9	37·3	16·6	20·7	24·9
Clonmel, . .	0·0	25·5	30·6	40·9	24·2	Newtownards, .	40·1	11·4	40·1	22·9	28·6
Cork, . . .	21·3	26·1	26·8	36·4	27·6	Portadown, .	31·1	10·4	15·6	36·3	23·3
Drogheda, . .	0·0	20·4	53·1	4·1	19·4	Queenstown, .	19·8	13·2	33·1	39·7	26·4
Dublin Reg. Area,	20·9	22·7	23·8	25·7	23·3	Sligo, . .	38·4	24·0	0·0	4·8	16·8
Dundalk, . .	.	8·0	12·0	27·9	.	Tralee, . .	15·9	5·3	26·6	53·1	25·2
Galway, . .	42·8	38·9	19·4	46·6	36·9	Waterford, .	11·7	13·6	13·6	13·6	13·1
Kilkenny, . .	0·0	5·0	9·9	14·9	7·5	Wexford, . .	18·7	14·0	23·4	18·7	18·7
Limerick, . .	19·2	13·7	31·5	23·3	21·9						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in eighteen of the districts to 5·0 in Kilkenny. Among the 169 deaths from all causes registered in Belfast are 2 from measles, 5 from whooping-cough, 2 from diphtheria, 3 from enteric fever, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 177—90 boys and 87 girls; and the deaths to 200—89 males and 111 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·5 in every 1,000 of the population; omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, the rate was 25·7 per 1,000. During the seven weeks ending with Saturday last the death-rate averaged 25·4, and was 6·4 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note(*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 15 deaths from zymotic diseases, comprising 3 deaths each from measles, influenza, and whooping-cough, and 2 deaths each from scarlatina, enteric fever, and diarrhœal diseases. The total is equal to a rate of 2·1 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 4·3.

Tubercular disease caused 34 deaths, namely—27 deaths from pulmonary tuberculosis, one death from tubercular peritonitis, one death from tubercular meningitis, and 5 deaths from other forms of the disease.

Diseases of the respiratory system caused 48 deaths, equal to a rate of 6·6 per 1,000 of the estimated population, and 1·2 below the average for the preceding 10 years. There were 33 deaths from bronchitis and 13 deaths from pneumonia, and 2 deaths from other diseases of the respiratory system.

Cancer caused 6 deaths; and 5 deaths were registered as being caused by convulsions—of these one was an infant under one month, 3 infants between one month and one year, and one between the ages of one year and 5 years.

Apoplexy caused 5 deaths and epilepsy 2 deaths; 8 deaths were caused by other diseases of the brain and nervous system (exclusive of convulsions). Diseases of the circulatory system caused 18 deaths.

Seven accidental deaths were registered, including 3 from burns or scalds, 2 from drowning, and one from poisoning.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the deaths of 7 persons aged 60 years and upwards.

Forty of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 11 were under one month old), and 61 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 9 were octogenarians, and 3 (females) were stated to have been aged 90, 90, and 98 years respectively.

Eighty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 7 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 25·7 per 1,000; the rate in the City was 27·9 (29·8 on the North side, and 25·8 on the South), and in the Suburbs 18·3.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·2 (2·1 in the North City Districts, and 0·4 in the South) and for the Suburbs 2·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 31·3 per 1,000. One death was caused by influenza, 3 deaths were caused by pulmonary tuberculosis, 5 deaths were caused by diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (27) are equal to an annual rate of 36·0 per 1,000. Scarlatina, enteric fever, and diarrhœa each caused 1 death, 4 deaths were due to pulmonary tuberculosis, and 7 to diseases of the respiratory system, including 2 from pneumonia.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. There were no deaths from any of the so-called zymotic diseases or of pulmonary tuberculosis. There were 4 deaths from diseases of the respiratory system, including 2 deaths from pneumonia. There was 1 accidental death from fracture of thigh.

No. 3 North City District (Blackhall-place).—The deaths (20) represent an annual rate of 32·9 per 1,000. Diarrhœa and whooping-cough each caused 1 death, 5 deaths were caused by pulmonary tuberculosis, and 4 deaths from diseases of the respiratory system, including 1 from pneumonia, were registered.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1. part of, 15·6; and Finglas and Glasnevin, part of, 15·6. One of the 3 deaths tabulated for Coolock and Drumcondra, No. 1, part of, was from enteric fever.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 18·6 per 1,000. Two deaths from pulmonary tuberculosis, and 3 deaths from diseases of the respiratory system, were registered.

No. 2 South City District (Castle-street).—The deaths (16) are equal to an annual rate of 48·8 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 5 deaths, including 2 from pneumonia; there were 2 deaths from accident, namely burns.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 27·5 per 1,000. Pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 7 deaths, including 2 from pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·9 per 1,000. Influenza was the cause of 1 death, and pulmonary tuberculosis caused 3 deaths; 4 deaths were due to diseases of the respiratory system, including one from pneumonia. There were 2 deaths also from accidental violence.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 14·3.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 14·1 per 1,000 inhabitants; Pembroke, 20·0; Blackrock, 23·8; and Kingstown, 20·7. The deaths from zymotic diseases tabulated for these districts consist of 3 from measles and one from whooping-cough for Pembroke, and one from influenza for Kingstown. Among the 9 deaths from all causes tabulated for Rathmines are 2 from pulmonary tuberculosis and 2 from diseases of the respiratory system; the 10 deaths from all causes for Pembroke include 2 from diseases of the brain and nervous system and one from pneumonia; and the 7 deaths tabulated for Kingstown include 2 from pulmonary tuberculosis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	25th January,	58 cases.
,, ,,	1st February,	53 cases.
,, ,,	8th February,	51 cases.
,, ,,	15th February,	94 cases.

Of the 94 cases notified, 20 were erysipelas, 32 enteric fever, 12 scarlatina, 5 diphtheria, 6 measles, 3 continued fever, 3 small-pox, and 13 chicken-pox.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	25th January,	6 cases.
,, ,,	1st February,	2 cases.
,, ,,	8th February,	3 cases.
,, ,,	15th February,	5 cases.

Of the 5 cases notified, one was diphtheria, one erysipelas, and 3 scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	25th January,	44 cases.
,, ,,	1st February,	66 cases.
,, ,,	8th February,	30 cases.
,, ,,	15th February,	39 cases.

Of the 39 cases notified, one was diphtheria, 3 scarlet fever, 22 measles, 9 whooping-cough, one German measles, and 3 chicken-pox.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	25th January,	63 cases.
,, ,,	1st February,	44 cases.
,, ,,	8th February,	34 cases.
,, ,,	15th February,	39 cases.

Of the 39 cases notified, 12 were enteric fever, 6 erysipelas, 3 diphtheria, 9 continued fever, 3 membranous croup, and 5 scarlatina.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th February, 1902.

From this it appears that:—

Three cases of small-pox were admitted to hospital.*

Eleven cases of enteric fever were admitted to hospital, 10 cases were discharged, and 58 cases remained under treatment at the close of the week.

Twelve cases of scarlatina were admitted to hospital, 10 cases were discharged, and 97* cases remained under treatment at the close of the week.

One case of typhus fever was discharged from hospital, leaving 4 under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 7 cases were discharged, and 41 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 8 cases of pneumonia were admitted to hospital, 6 patients were discharged, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 75 large English towns, including London (in which the rate was 25·9), was equal to an average annual death-rate of 22·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·6 per 1,000, the rate for Glasgow being 25·2, and for Edinburgh 23·2.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th February, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 15th February, 1902. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No in Public Institutions.	Meteorology.† Week ending 15th Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	1,092,822	18·7	25·4	25·9	1·8	585	542	85	152	.	5	2	.	8	2	.	5	5	87	152	13	19	151	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																				
Total,‡	879,063	27·8	24·4	25·7	1·5	177	187	22	60	.	3	1	.	3	.	.	2	2	26	47	7	5	71	45·5	19·5	29·9	0·00	42·7	28·5	35·7	0·18	47·2	20·7	34·9	0·39
Registrars' Districts. City	298,394	37·8	27·2	27·9	1·2	158	157	14	50	.	.	1	.	2	.	.	2	2	22	41	7	5	66	a43·8	22·0	31·4	0·00	a42·9	29·4	37·7	0·17	a47·7	26·9	37·0	0·32
																								b47·0	19·0	30·3	0·00	b44·8	24·0	39·8	0·23	b47·0	21·2	35·6	0·36
Rathmines,‖	33,208	19·4	9·4	14·1	.	6	9	3	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	18·0	20·0	8·0	9	10	5	3	.	3	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	23·8	23·8	.	4	4	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	14·8	20·7	.	5	7	.	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2	47	22·5	33·0	0·00	42·5	30·5	38·1	0·4	47·5	28	38·4	0·30
Urban Districts																																				
Belfast,	358,693	21·8	29·2	24·6	2·0	201	169	34	28	.	2	.	.	5	2	.	3	2	33	58	1	5	33	38·9	18·0	27·2	0·01	43·9	28·0	36·9	0·39	40·7	21·0	.	0·41
Cork,	75,978	33·5	19·2	36·4	0·7	28	53	5	16	.	.	1	.	.	.	.	.	.	10	16	2	3	22	45	25	35·1	0·04	48	30	37·6	0·30	50	32	39·9	0·21
Londonderry,	40,729	18·8	25·6	20·5	.	20	16	2	5	.	.	.	.	.	.	.	.	.	4	5	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	88,085	18·4	18·7	28·3	.	10	17	4	8	.	.	.	.	.	.	.	.	.	2	8	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	25·3	13·6	.	13	7	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,414	9·5	54·4	46·6	.	14	12	2	4	.	.	.	.	.	.	.	.	.	1	3	2	2	.	45	20	38	0·00	44	32	37·5	0·33	50	25	39	1·24
Dundalk	18,067	9·4	31·9	27·9	.	8	7	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	24·5	4·1	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	4·1	20·7	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	37·0	13·0	26·0	0·00	42·0	23·6	34·5	1·06	42·0	19·8	32·7	0·33
Lurgan,	11,777	18·8	22·1	31·0	.	5	7	2	3	.	.	.	.	.	.	.	.	.	2	1	.	.	1	37·0	13·0	26·0	0·00	42·0	23·6	34·5	1·06	42·0	19·8	32·7	0·33
Lisburn,	11,459	10·1	22·8	18·2	.	5	4	1	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	37·0	13·0	26·0	0·00	42·0	23·6	34·5	1·06	42·0	19·8	32·7	0·33
Wexford	11,154	28·2	14·0	18·7	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	14·4	43·1	.	3	9	1	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	19·2	4·8	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	41·4	12·0	29·2	0·24	43·5	26·5	36·6	0·12	45·5	22·9	35·6	0·64
Kilkenny,	10,493	11·4	5·0	14·9	50	1	3	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	46	17	29·7	0·00	44	25	35·6	0·25	49	25	36·5	0·55
Clonmel,	10,209	7·9	30·6	40·9	.	6	8	.	3	.	.	.	.	.	.	.	.	.	3	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	18·1	31·1	36·3	.	6	7	1	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.	37·0	13·0	26·0	0·00	42·0	23·6	34·5	1·06	42·0	19·8	32·7	0·33
Tralee,	9,812	16·7	42·5	53·1	.	8	10	1	5	.	.	.	.	.	.	.	.	.	1	1	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	34·3	22·9	.	6	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	41	20	31·0	0·32	48	31	38·0	0·87	48	28	35·6	0·30
Queenstown,	7,887	14·7	19·8	39·7	.	3	6	2	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	45	25	55·1	0·04	43	30	37·6	0·30	50	32	39·9	0·21
Armagh,	7,569	22·1	34·4	34·4	.	5	5	.	2	.	.	.	.	.	.	.	.	.	2	2	.	.	.	37·0	13·0	26·0	0·00	42·0	23·6	34·5	1·06	42·0	19·8	32·7	0·33

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 13 deaths of persons (including one at 69 years) admitted to hospital from localities outside the area.

a Observations by Mr. E. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 15th February, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.
Scarlet Fever (Scarlatina),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	3	.
Total,	1	3	.	2	.	1	.	.	.	1	.	1	.	.	.	.	4	.	1	14	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																					
Phthisis, or Pulmonary Consumption,	3	4	.	5	.	.	.	.	2	2	3	3	.	.	.	2	.	.	2	26	1
Other Constitutional Diseases,	3	3	.	1	.	2	.	.	1	1	3	1	.	.	.	2	.	.	1	18	2
Total,	6	7	.	6	.	2	.	.	3	3	6	4	.	.	.	4	.	.	3	44	3
V. DEVELOPMENTAL DISEASES,	.	2	2	1	.	.	.	.	4	2	1	1	.	.	.	2	1	1	1	18	1
VI. LOCAL DISEASES: Diseases of																					
Brain & Nervous System,	3	2	.	5	.	.	1	.	.	1	2	2	.	.	.	.	2	.	.	18	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Circulatory System,	1	5	4	.	.	.	.	.	1	.	2	.	.	.	.	1	1	1	.	16	2
Respiratory System,	5	7	4	4	1	.	1	.	3	5	7	4	.	.	.	2	1	2	1	47	1
Digestive System,	1	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	6	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Urinary System,	.	.	1	.	.	.	.	.	1	.	2	.	.	.	.	.	1	.	.	5	.
Generative System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	10	14	11	9	1	.	2	1	6	7	14	6	.	1	.	3	5	3	2	95	7
VII. VIOLENT DEATHS,	.	.	1	1	.	.	.	.	.	2	.	2	.	1	.	.	.	.	.	7	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	2	1	.	.	.	.	1	1	1	2	.	.	.	.		.	.	9	1
Deaths from all Causes,	17	27	16	20	1	3	2	1	14	16	22	16	.	2	.	9	10	4	7	187	13
Annual Rate of Mortality in every 1,000 of the population.	31·3	36·0	27·7	32·9	10·8	15·6	15·6	.	18·6	48·8	27·5	23·9	.	14·3	.	14·1	20·0	23·8	20·7		
	29·8								25·8							18·3				25·7	
	27·9																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	6	14	2	4	.	1	1	.	1	5	5	3	.	2	.	1	.	.	.	45	13
Workhouse Hospitals,	2	3	4	7	.	.	.	.	3	.	3	.	.	.	.	.	1	1	2	26	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1892-1901.	In the week ending Saturday 15th February, 1902								
												Deaths of persons of the Ages of								
	Feb. 20, 1892	Feb. 18, 1893	Feb. 17, 1894	Feb. 16, 1895	Feb. 15, 1896	Feb. 20, 1897	Feb. 19, 1898	Feb. 18, 1899	Feb. 17, 1900	Feb. 16, 1901		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	33·8°	43·0°	43·0°	30·3°	44·0°	45·5°	43·4°	43·2°	32·9°	31·8°	39·4°	29·9°								
ALL CAUSES,	251	199	223	229	151	291	191	183	284	235	223·7	200	11	11	18	18	34	47	49	12
I. FEBRILE OR ZYMOTIC DISEASES,	32	26	31	23	9	79	26	17	36	20	29·9	15	.	3	4	2	2	2	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC "	2	1	1	.	2	1	1	.	.	.	·8	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	48	52	48	50	32	56	44	45	61	57	49·3	47	.	1	4	7	20	9	6	.
V. DEVELOPMENTAL "	25	16	14	21	11	19	14	15	28	23	18·6	19	8	.	.	.	.	.	7	4
VI. LOCAL "	126	96	113	120	88	120	95	93	143	126	112·0	102	1	4	9	6	11	33	30	8
VII. VIOLENT DEATHS,	4	1	7	4	3	6	5	3	8	4	4·5	7	.	.	.	2	1	2	2	.
VIII. ILL-DEFINED CAUSES,	14	7	9	11	6	10	6	10	8	5	8·6	10	2	3	1	1	.	1	2	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Measles,	3	.	3	.	.	43	.	.	1	1	5·1	3	.	2	1	.	.	.	.	.
Scarlet Fever,	2	1	2	.	2	5	2	.	1	2	1·7	2	.	.	.	1	1	.	.	.
Typhus,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	17	2	4	3	1	3	11	7	20	6	7·4	3	.	.	.	.	.	2	1	.
Whooping Cough,	3	1	10	1	2	16	2	4	5	3	4·7	3	.	1	2	.	.	.	.	.
Diphtheria,	.	4	1	1	.	1	1	2	3	1	1·4	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	7	3	2	3	3	4	2	3	2	3·0	2	.	.	.	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	4	1	4	5	1	2	2	.	2	2	2·3	2	.	.	1	.	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	1	.	.	1	2	.	2	·7	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	2	1	.	.	1	.	1	1	·7	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	1	.	.	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	4	.	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	2	1	1	.	2	2	.	.	.	1·0	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	2	1	1	.	2	1	1	.	.	.	·8	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	1	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Rheumatism,	1	1	.	1	1	1	.	1	.	2	·8	1	.	.	.	.	.	1	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	1	.	.	1	.	.	.	.	·2	1	.	1	.	.	.	.	.	.
Cancer,	4	3	4	7	5	8	4	4	5	4	4·8	6	.	.	.	.	2	1	3	.
Tabes Mesenterica,	2	.	3	3	1	6	3	3	10	6	3·7	1	.	.	.	1	.	.	.	.
Tubercular Meningitis,	3	7	2	4	3	4	7	3	7	2	4·2	1	.	.	1	.	.	.	.	.
Phthisis,	30	31	27	31	20	28	26	30	32	36	29·1	27	.	.	2	2	16	6	1	.
Scrofula, Tuberculosis,	7	6	9	3	1	8	4	3	7	4	5·2	5	.	.	1	3	.	.	1	.
Other Constitutional Diseases,	.	3	2	1	1	.	.	1	.	2	1·0	5	.	.	.	1	2	1	1	.
V. Developmental Diseases—																				
Premature Birth,	1	4	.	1	3	6	3	3	5	7	3·3	7	7	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	.	.	.	1	·1	1	1	.	.	.	.	.	.	.
Old Age,	24	12	14	20	8	13	11	12	22	15	15·1	11	.	.	.	.	.	7	4	.

* The figures for the years 1892-1900 are for the

each Disease registered in the SEVENTH WEEK ending Saturday, 15th February, 1902, with ten years, 1892–1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1892–1901.	In the Week ending Saturday, 15th February, 1902.							
												Deaths of Persons of the Ages of							
	Feb. 20, 1892	Feb. 18, 1893	Feb. 17, 1894	Feb. 16, 1895	Feb. 15, 1896	Feb. 20, 1897	Feb. 19, 1898	Feb. 18, 1899	Feb. 17, 1900	Feb. 16, 1901		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 33·8	° 43·0	° 43·0	° 30·3	° 44·0	° 45·5	° 43·4	° 43·2	° 32·9	° 34·8	° 39·4	° 29·9								
VI. Local Diseases.																				
Apoplexy,	5	3	4	3	3	.	4	3	10	3	3·8	5	.	.	.	.	2	1	2	.
Epilepsy,	1	.	.	.	1	1	.	1	.	.	·4	2	.	.	.	1	.	1	.	.
Convulsions,	23	7	14	14	6	14	6	8	4	8	10·4	5	1	3	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	5	2	8	11	10	11	12	10	10	9	8·3	8	.	.	1	2	1	.	3	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Diseases of Circulatory System,	17	13	17	18	13	14	16	19	28	23	18·0	18	.	.	.	.	2	10	5	1
Croup,	4	2	2	.	2	4	.	.	.	1	1·5	.	.	.	.	.	.	.	.	.
Bronchitis,	36	25	34	45	19	44	30	29	51	38	35·1	33	.	.	3	.	1	7	16	6
Pneumonia,	10	14	14	13	13	16	9	9	19	24	14·1	13	.	1	3	1	4	4	.	.
Pleurisy,	1	1	1	1	.	.	.	.	2	1	·7	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	10	4	7	3	2	3	2	2	2	2	3·7	2	.	.	1	.	.	1	.	.
Teething,	1	1	1	.	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	1	.	.	.	.	1	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	2	.	.	.	.	1	.	·3	1	.	.	.	.	.	1	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis,	1	.	1	1	1	.	.	.	.	.	·4	1	.	.	.	.	.	1	.	.
Disease of Liver,	3	2	2	1	3	.	2	3	.	1	1·7	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	3	7	4	2	6	6	.	4	6	6	4·4	4	.	.	.	.	1	2	1	.
Diseases of Lymphatics, &c.,	.	1	.	.	.	.	1	1	.	.	·3	1	.	.	.	.	.	1	.	.
Diseases of Urinary System,	3	11	3	4	4	4	9	3	7	10	5·8	5	.	.	.	1	.	3	2	.
Diseases of Generative System,	1	3	1	1	.	.	.	.	.	.	·6	1	.	.	.	.	.	1	.	.
Accidents of Childbirth,	1	.	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	1	.	1	.	.	2	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	3	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	.	.	1		.	1	.		4	1	·9	3	.	.	.	2	.	.	1	.
By Drowning,	1	.	1	.		.	.	.	.	2	·7	2	.	.	.	.	1	1	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.		1	.	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
Other or Not stated Causes,	2	1		2	.	4	4	1	4	1	2·3	1	.	.	.	.	.	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	14	7	9	11	6	10	6	10	8	5	8·6	10	2	3	1	1	.	1	2	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901–2—Week ending																									
	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered,	178	175	234	212	152	245	228	176	229	235	141	192	144	162	216	187	164	144	93	279	204	208	215	152	222	177
*Average Births in corresponding week of previous 10 years,**	187	205	190	211	200	210	176	170	188	171	183	179	193	183	186	191	180	153	186	192	203	193	197	207	208	195
DEATHS registered,	179	176	154	161	180	133	149	146	150	146	168	171	180	176	141	153	138	196	200	223	186	177	158	169	181	200
Annual Death-rate per 1,000,	24·9	24·5	21·4	22·8	25·0	18·5	20·7	20·8	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5
*Average Deaths in corresponding week of previous 10 years,**	166	166	173	170	165	162	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213	224
AGES, Under 5 years,	72	71	64	64	64	42	49	46	50	49	54	53	59	53	36	37	31	47	38	46	38	54	36	38	46	40
5—20 ,,	10	14	10	13	12	11	14	17	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18
20—40 ,,	23	28	23	32	37	28	24	21	22	24	13	23	31	26	20	28	16	35	31	39	35	19	27	31	36	34
40—60 ,,	34	26	30	25	34	24	24	38	26	34	40	36	31	32	30	38	39	54	53	63	41	42	33	43	39	47
60—80 ,,	33	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48	44	37	36	36	49
80 years and upwards,	7	3	5	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3
,, Scarlet Fever,	1	2	2	.	1	1	.	.	.	1	1	.	.	.	1	1	.	2	.	.	.	.	.	1	.	2
,, Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	1	2	1	4	1	2	1	.	2	4	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3
,, Diphtheria,	.	2	1	.	2	.	2	.	1	1	1	1	3	4	.	2	.	3	2	3	3	1	1	1	.	.
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
,, Enteric Fever,	.	2	.	1	3	3	8	6	3	.	5	2	.	3	2	1	.	4	5	2	3	1	2	.	2	2
,, Diarrhœa, Dysentery,	33	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2	4	.	1	2
,, Phthisis,	30	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20	19	33	31	27
,, Heart Diseases,	11	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18
,, Diseases of Respiratory System,	11	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34	43	35	47	36	43
Violent Deaths,	.	7	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7
Mean Temperature of the Air (Phœnix Park),	56·4	54·8	53·8	56·8	54·7	57·0	52·1	48·9	46·5	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	35·7	29·9
Average Mean Temperature in corresponding week of previous 10 years,	57·8	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4
Rainfall in inches,	·000	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·379	·800	·025	·205	·390	·175	·000
Mean Humidity of the Air, complete Saturation 1·0,	·87	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	·79

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th February, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 15th February, 1902. Annual Death Rate per 1,000 of the Population	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	30·1	200	40	18	34	47	49	12	.	3	2	.	3	.	.	2	2	12	27	5	48	7	101
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	50·7	15	1	.	1	5	6	2	.	.	.	.	.	.	.	.	.	.	1	.	3	.	11
II.	MIDDLE CLASS,	80,653	22·0	34	7	4	8	7	5	3	.	.	1	.	.	.	.	2	.	3	2	2	7	1	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	25·4	48	8	2	10	15	12	1	.	.	.	.	.	.	.	.	1	1	9	1	9	1	27
IV.	GENERAL SERVICE CLASS,	146,486	35·4	77	22	11	12	16	13	3	.	3	1	.	3	.	.	.	1	8	11	2	20	5	31
V.	INMATES OF WORKHOUSES,	5,191		26	2	1	3	4	13	3	.	.	.	.	.	.	.	.	.	.	4	.	9	.	13
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	39·6	6	1	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	82·7	9	.	.	.	2	5	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	6
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	2	1	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
	6. Clerks and Commercial Assistants,	24,750	27·4	13	3	2	5	2	1	.	.	.	.	.	.	.	.	2	.	2	2	1	1	1	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	19·3	9	2	1	2	1	1	2	.	.	1	.	.	.	.	.	.	1	.	1	2	.	5
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
	9. Building and Furnishing Trades,	26,030	22·0	11	5	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	8
	10. Clothing Trades,	23,686	17·6	8	1	.	2	1	4	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	5
	11. Food Supply Trades,	7,869	18·3	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	39·1	20	2	1	5	7	5	.	.	.	.	.	.	.	.	.	1	1	4	1	6	.	8
	13. Petty Shopkeepers,	6,771	15·4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	19·2	5	.	1	.	1	2	1	.	.	1	.	.	.	.	.	.	1	.	.	2	.	2
	15. Domestic Servants,	39,563	19·8	15	4	.	2	2	5	2	.	1	.	.	1	.	.	.	.	2	.	.	5	1	7
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	19·5	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
	17. Hawkers, Porters, Labourers, &c.,	82,631	33·4	53	17	10	9	11	6	.	.	2	.	.	2	.	.	.	1	5	7	2	13	4	22
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	26	2	1	3	4	13	3	.	.	.	.	.	.	.	.	.	.	4	.	9	.	13

* Occupation Statistics for 1901 not yet available

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1901-1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,333.	Dec. 28,	31·2	3·7	17	.	.	.	.	.	.	.	1	1	6	2	.
		Jan. 4,	22·1	1·8	12	.	.	.	.	.	.	.	.	1	3	5	.
		„ 11,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	3	.
		„ 18,	27·6	1·8	15	.	.	.	.	.	1	.	.	.	1	6	.
		„ 25,	22·1	1·8	12	.	.	.	.	.	.	.	1	.	3	5	.
		Feb. 1,	36·8	.	20	.	.	.	.	.	.	.	.	.	4	8	.
		„ 8,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	3	3	1
		„ 15,	31·3	.	17	.	.	.	.	.	.	.	.	.	3	5	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Dec. 28,	39·3	2·7	29	.	.	.	.	.	.	.	2	.	3	10	.
		Jan. 4,	36·0	.	27	.	.	.	.	.	.	.	.	.	3	7	.
		„ 11,	30·6	4·0	23	.	.	.	.	.	2	.	1	.	3	5	1
		„ 18,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	6	.
		„ 25,	20·0	1·4	15	.	.	.	.	.	.	.	.	1	1	6	.
		Feb. 1,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	4	1
		„ 8,	26·6	1·4	20	.	.	.	.	.	.	.	1	.	2	5	1
		„ 15,	36·0	4·0	27	.	.	1	.	.	.	.	1	1	4	7	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Dec. 28,	34·6	.	20	.	.	.	.	.	.	.	.	.	1	4	.
		Jan. 4,	43·3	3·5	25	.	.	.	.	.	.	.	.	2	2	6	2
		„ 11,	27·7	.	16	.	.	.	.	.	.	.	.	.	3	1	.
		„ 18,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 25,	24·2	3·5	14	.	.	.	.	.	.	.	1	1	1	1	.
		Feb. 1,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 8,	22·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 15,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	4	1
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Dec. 28,	25·2	3·4	15	.	.	.	.	.	1	.	.	1	1	2	2
		Jan. 4,	42·8	1·6	26	.	.	.	.	.	1	.	.	.	7	4	1
		„ 11,	28·0	4·9	17	.	.	.	.	1	1	.	.	1	2	2	.
		„ 18,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	.	6	.
		„ 25,	26·3	1·6	16	.	.	.	.	.	.	.	.	1	4	3	.
		Feb. 1,	36·2	.	22	.	.	.	.	.	.	.	.	.	5	7	.
		„ 8,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
		„ 15,	32·9	3.4	20	.	.	.	.	1	.	.	.	1	5	4	1
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Dec. 28,	33·2	1·4	23	.	.	.	.	.	.	.	1	.	3	5	1
		Jan. 4,	22·6	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		„ 11,	32·0	.	24	.	.	.	.	.	.	.	.	.	7	5	1
		„ 18,	26·6	1·4	20	.	.	.	.	.	.	.	.	1	2	3	.
		„ 25,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	1
		Feb. 1,	21·3	.	16	.	.	.	.	.	.	.	.	.	3	5	.
		„ 8,	32·0	1·4	24	.	.	.	.	.	.	.	.	1	7	3	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Dec. 28,	31·3	.	11	.	.	.	.	.	.	.	.	.	2	3	1
		Jan. 4,	64·0	3·0	21	.	.	.	.	.	.	.	1	.	.	8	.
		„ 11,	33·5	.	11	.	.	.	.	.	.	.	.	.	.	4	.
		„ 18,	24·4	.	8	.	.	.	.	.	.	.	.	.	3	3	.
		„ 25,	36·6	.	12	.	.	.	.	.	.	.	.	.	2	5	.
		Feb. 1,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	2	1	.
		„ 8,	27·4	.	9	.	.	.	.	.	.	.	.	.	4	4	.
		„ 15,	48·8	3·0	16	.	.	.	.	1	.	.	.	.	2	5	2
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Dec. 28,	35·5	1·2	29	.	.	.	.	.	1	.	.	.	2	9	.
		Jan. 4,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	1	4	.
		„ 11,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	5	2	1
		„ 18,	27·5	.	22	.	.	.	.	.	.	.	.	.	5	6	1
		„ 25,	21·2	1·2	17	.	.	.	.	.	.	.	.	1	.	5	.
		Feb. 1,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	7	1
		„ 8,	31·2	1·2	25	.	.	.	.	1	.	.	.	.	4	3	.
		„ 15,	27·5	.	22	.	.	.	.	.	.	.	.	.	3	7	.
	South City, No. 4. (Office, Grand Canal-street). Pop. in 1902 (Est.) ,893.	Dec. 28,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	5	2
		Jan. 4,	20·9	1·5	14	.	.	.	.	.	1	.	.	.	2	6	.
		„ 11,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	4	5	1
		„ 18,	28·4	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 25,	17·9	.	12	.	.	.	.	.	.	.	.	.	1	1	3
		Feb. 1,	22·4	.	15	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	26·9	.	18	.	.	.	.	.	.	.	.	.	2	4	.
		„ 15,	23·9	.	16	.	.	.	.	.	.	.	.	.	3	4	2

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of he Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1901–1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1902 (Est.) 33,903.	Dec. 28,	20·8	3·2	13	.	.	.	.	.	.	.	1	1	1	1	.
	Jan. 4,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	1	3	2
	„ 11,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	2	1
	„ 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 25	28·3	.	18	.	.	.	.	.	.	.	.	.	2	3	.
	Feb. 1,	4·7	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	„ 8,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 15,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Dec. 28,	22·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	Jan. 4,	24·0		12	.	.	.	.	.	.	.	.	.	.	5	.
	„ 11,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	.	3	.
	„ 18,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	.	1	.
	„ 25,	22·0	2·0	11	.	1	.	.	.	.	.	.	.	.	1	1
	Feb. 1,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	4	3	.
	„ 8,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	1	1	.
	„ 15,	20·0	8·0	10	.	3	.	.	1	.	.	.	.	.	1	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Dec. 28,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 4,	29·6	.	10	.	.	.	.	.	.	.	.	.	1	4	1
	„ 11,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	„ 18,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	3	.
	„ 25,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Feb. 1,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 15,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
Belfast. Pop. in 1902 (Est.) 358,698.	Dec. 28,	22·3	1·0	150	.	.	.	.	3	.	.	3	1	20	51	4
	Jan. 4,	20·8	1·9	143	.	1	1	.	1	3	1	4	2	19	36	3
	„ 11,	18·2	1·5	125	.	2	.	.	3	1	.	2	2	18	34	3
	„ 18,	18·3	1·2	126	.	2	.	.	3	1	.	1	1	24	21	1
	„ 25,	21·9	1·0	151	.	.	.	1	3	1	.	.	2	14	52	1
	Feb. 1,	18·9	0·9	130	.	.	.	.	1	.	.	3	2	21	27	2
	„ 8,	17·2	2·0	123	.	.	.	.	6	3	1	2	2	18	46	4
	„ 15,	24·6	2·0	169	.	2	.	.	5	2	.	3	2	33	58	1
Cork. Pop. (in 1901) 75,978.	Dec. 28,	26·1	1·4	38	.	.	.	.	1	.	.	.	1	10	11	.
	Jan. 4,	34·3	2·1	50	.	.	.	.	2	.	.	.	1	6	10	3
	„ 11,	24·0	0·7	35	.	.	.	.	1	.	.	.	.	5	9	1
	„ 18,	24·0	1·4	35	.	.	.	.	1	.	.	.	1	3	7	.
	„ 25,	21·3	2·1	31	.	.	1	.	1	.	.	.	1	5	6	.
	Feb. 1,	26·1	1·4	38	.	.	.	.	2	.	.	.	.	9	9	.
	„ 8,	26·8	.	39	.	.	.	.	.	.	.	.	.	17	6	.
	„ 15,	36·4	0·7	53	.	.	1	.	.	.	.	.	.	10	16	2
Londonderry. Pop. in 1902 (Est.) 40,729.	Dec. 28,	10·5	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Jan. 4,	21·3	.	17	.	.	.	.	.	.	.	.	.	2	6	.
	„ 11,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	3	3	.
	„ 18,	15·4	1·3	12	.	.	.	.	.	.	.	.	1	1	4	1
	„ 25,	32·0	1·3	25	.	.	.	.	.	.	.	.	1	1	6	1
	Feb. 1,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	25·6	.	20	.	.	.	.	.	.	.	.	.	3	9	.
	„ 15,	20·5	.	16	.	.	.	.	.	.	.	.	.	4	5	.
Limerick. Pop. (in 1901) 38,085.	Dec. 28,	34·2	.	25	.	.	.	.	.	.	.	.	.	4	2	.
	Jan. 4,	34·2	.	25	.	.	.	.	.	.	.	.	.	3	4	.
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	3	4	.
	„ 18,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 1,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	31·5	.	23	.	.	.	.	.	.	.	.	.	3	5	.
	„ 15,	23·3	.	17	.	.	.	.	.	.	.	.	.	2	3	.
Waterford. Pop. (in 1901) 26,743.	Dec. 28,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	Jan. 4,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	2	.
	„ 11,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 18,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	11·7	1·9	6	.	.	.	.	.	.	.	.	1	2	1	.
	Feb. 1,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	„ 8,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 15th February, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
Belfast Urban No. 1 District,	358,693	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		12	3	.	8	1	.	.	.	.	.	.	.	1	.	4	3	.	2	1
" 2 "		20			17	2	.	13	2	.	.	.	.	1	.	.	.	.	5	2	.	.	3
" 3 "		29			30	7	3	18	2	.	.	.	.	2	2	.	1	.	4	7	1	2	12
" 4 "		25			29	5	6	12	6	.	.	.	.	1	.	.	.	.	7	11	.	.	5
" 5 "		15			15	6	1	3	5	.	.	.	.	1	.	.	.	.	3	10	.	.	4
" 6 "		20			22	3	2	13	4	.	.	.	.	.	.	.	.	2	5	7	.	.	3
" 7 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		.			3	1	1	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1
" 9 "		18			7	1	.	4	2	.	.	.	.	.	.	.	.	.	1	3	.	.	1
" 10 "		14			8	3	1	3	1	.	.	.	.	.	.	.	.	.	2	4	.	.	1
" 11 "		29			12	2	2	5	3	.	.	.	.	.	.	.	1	.	1	3	.	1	1
" 12 "		22			12	.	4	6	2	.	1	.	.	.	.	.	.	.	.	6	.	.	1
" 13 "		5			2	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	201	24·6	2·0	169	34	21	86	28	.	2	.	.	5	2	.	3	2	33	58	1	5	33
City of Cork.																							
Cork Urban, No. 1 District,	75,978	3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		12	2	1	3	6	.	.	1	.	.	.	.	.	.	2	4	.	.	6
" 2 "		5			9	1	1	4	3	.	.	.	.	.	.	.	.	.	2	4	.	.	4
" 3 "		3			9	1	.	7	1	.	.	.	.	.	.	.	.	.	2	3	.	.	6
" 4 "		1			3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
" 5 "		1			3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
" 6 "		5			7	1	2	4	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.
" 7 "		10			10	.	.	6	4	.	.	.	.	.	.	.	.	.	2	4	.	.	5
Total,	—	28	36·4	0·7	53	5	5	27	16	.	.	1	.	.	.	.	.	.	10	16	2	3	22

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb. 15.
No. of week in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered,	224	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186	193	199	156	237	195	187	212	188	189	201
DEATHS registered.	150	150	143	149	119	138	100	132	121	163	153	112	131	145	131	129	141	144	150	143	125	126	151	130	123	169
Annual Death-rate per 1,000 of estimated Population,*	22·3	22·3	21·3	22·1	17·7	20·5	14·9	·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6
AGES, Under 1 year,	52	52	49	32	33	28	25	37	24	20	23	23	23	32	28	20	32	37	29	4	22	23	35	26	25	34
AGES, 1-5 years,	18	17	20	18	13	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21
AGES, 5-60 years,	56	65	3	71	60	79	48	55	60	6	82	53	59	70	51	56	67	66	76	69	62	61	68	66	58	86
AGES, 60 years and upwar	24	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2
,, Scarlet Fever,	.	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Whooping-cough,	1	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1	3	3	3	1	6	5
,, Diphtheria,	.	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.		1	1	1	.	3	2
,, Simple continued and Ill-defined Fever,	.	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.
,, Enteric Fever,	11	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3
,, Diarrhœa, Dysentery,	17	20	18	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2
,, Phthisis	16	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33
Diseases of Respiratory System,	11	21	10	14	16	27	13	24	17	15	23	36	33	40	28	38	36	42	51	36	34	21	52	27	46	58
Violent Deaths,	1	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th February, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken Pox.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	1	.	.	3	.	.	.	.	3	12	5	.	.	24
" " 2,	.	.	.	.	.	.	.	.	.	4	1	.	1	6
" " 3,	.	.	.	1	.	.	.	.	.	9	2	.	8	20
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	2	.	5	.	.	.	.	.	2	6	.	1	16
" " 2,	1	.	.	.	.	.	.	.	.	.	1	.	1	3
" " 3,	.	4	.	.	.	.	.	.	.	.	3	.	2	9
" " 4,	1	.	.	.	.	.	1		.	2	2	.	.	6
Palmerston (part of),	.	.	.	.	.	.	1	.	.	1	.	.	.	2
Crumlin (part of),	.	.	.	.	.	.	3	.	.	.	.	.	.	3
Totals,	3	6	.	12	.	.	5	.	3	32	20	.	13	94
Total for week ended Feb. 8, 1902,	.	4	2	15	3	.	4	.	1	8	14	.	.	51
Total for week ended Feb. 1, 1902,	.	5	.	9	1	.	3	.	2	18	15	.	.	53
Total for week ended Jan. 25, 1902,	.	9	1	18	.	.	6	.	4	10	10	.	.	58

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th February, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th February.			
	Jan. 25.	Feb. 1.	Feb. 8.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	3	.	.	3*
Measles,	.	5	9	7	1	.	15
Scarlet Fever,	79	74	76	12	10	.	97*
Typhus "	2	5	5	.	1	.	4
Diphtheria,	36	39	43	5	7	.	41
Enteric Fever,	50	50	57	11	10	.	58
Pneumonia,	15	16	18	8	6	.	20

* "Beneavin," the Convalescent Home of Cork-street Fever Hospital, now contains the three small-pox patients; the 19 cases of scarlatina there last week are included in the 97 in Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Feb. 15,	2,694	2,277	25·9	55	47	21	32	34	13	6
EDINBURGH, .	317,885	„ 15,	147	144	23·2	.	1	.	.	1	3	2
GLASGOW, . .	764,423	„ 15,	453	376	25·2	2	8	1	2	10	5	5
CALCUTTA, .	466,460	Dec. 14,	.	317	35·4	.	.	.	.	.	82§	70*
BOMBAY, . .	821,764	„ 31,	329	820	54·9	.	1	?	?	?	116§	64*
MADRAS, . .	509,346	„ 20,	336	569	58·2	3	7	?	?	?	237	76*
PARIS, . . .	2,511,629	Jan. 25,	1,122	988	20·5	6	12	1	24	10	5	24
BRUSSELS (with 8 Faubourgs).	582,665	„ 25,	273	135	12·0	.	1	.	5†	2	1	6
AMSTERDAM, .	530,778	„ 25,	321	146	14·3	.	.	.	.	.	1	6
ROTTERDAM, .	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	378,235	Feb. 1,	170	108	14·8	.	.	.	3	4	.	4
CHRISTIANIA, .	228,929	Jan. 25,	148	73	16·6	.	.	1	2	1	.	8
ST. PETERSBURG,	1,248,643	Feb. 1,	803	675	28·1	4	6	16	21	7	18	46
BERLIN, . .	1,902,009	Dec. 29 to 31.	402	270	17·3	1	3	7	7	9	.	13
		Jan. 1 to 4.	582	358	19·2	.	8	4	4	9	2	30
HAMBURG, . .	724,835	„ 25,	.	224	16·1	.	3	2	3†	8	.	8
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,709,211	Dec. 28,	1,043	615	18·7	.	7	4	13†	1	1	37
BUDA-PESTH, .	751,177	Jan. 18,	483	239	16·2	.	2	9	5	.	.	9
PRAGUE and Faubourgs.	413,756	Feb. 1,	206	157	19·4	.	7	7	3†	2	1	7
ROME, . . .	469,877	Dec. 21,	221	181	20·3	.	.	.	.	.	.	9
TURIN, . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, .	170,577	Jan. 18,	65	64	19·9	.	1	.	3†	.	.	5
NEW YORK, .	3,536,517	„ 11,	1,643	1,479	21·2	3	28	26	49†	7	18	43
PHILADELPHIA, .	1,293,697	„ 18,	.	502	20·9	16	2	2	18	1	7	1

* Including 27 deaths from cholera in Calcutta, 2 in Bombay, and 4 in Madras.
† Including deaths from croup.
§ Exclusive of 14 deaths from bubonic fever in Calcutta, and 180 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 15th February, 1902:—

"This was by far the coldest week of the present winter in all parts of the British Isles, but the weather was most severe in Scotland, the North of England, and Ulster, where heavy falls of snow ushered in the week, and where temperature fell to an unwonted extent over a snow-clad surface. One of the most striking features of the severe frost which prevailed was the thick coating of rime which morning after morning bedecked the trees, shrubs, and grass. Nothing could exceed the beauty of the landscape with a cloudless blue sky above and every branch of every tree sparkling in the sunshine. The barometer as a rule stood lowest over the North Sea and Scandinavia, whereas in Ireland it rose gradually until on Saturday it touched 30·3 inches. This distribution of pressure caused northerly and north-westerly winds which blowing over a snow-covered country caused very low night temperatures. Among the lowest readings in the screen were 4°F at Newton Reigny, Penrith, on Thursday morning, 8° at Nairn on Thursday night, 9° at Loughborough on both Wednesday and Friday, and 13° at Parsonstown on Friday night. In Dublin the mean height of the barometer was 29·947 inches, pressure ranging between 29·560 inches at 9 a.m. of Sunday (wind, W.), and 30·291 inches at 9 a.m. of Saturday (wind, E.). The mean temperature was 31·4°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 29·3°. The screened thermometers fell to 22·0° on Wednesday and rose to 43·8° on Saturday. Westerly and north-westerly winds prevailed. Bright sunshine was estimated at 42 hours. In Dublin neither snow nor hail fell, but there were "night showers" along the coast south-east of the city on more than one occasion."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·951 inches. The highest reading (30·280) was on Saturday at 9 a.m., air calm, and the lowest (29·570) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 29·9°, being 9·5° below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Saturday, on which day the thermometer registered 45·5°, and was lowest on Wednesday, the mercury having fallen to 19·5°. The mean of the Dry Bulb for the week was 28·5°, and of the Wet Bulb 27·2°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 39·7 hours. There was no rain during the week.

At Greenwich the mean temperature for the week was 30·4°, the maximum 39·8°, and the minimum 19·0°; at Edinburgh the maximum was 44·1°; the minimum 21·0°, and the mean 30·2°. The rainfall at Greenwich measured 0·03 inch; and at Edinburgh 0·00 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 9,	29·573	38·5	21·8	30·2	27·9	26·9	·81	·4	7·6	—	W.	W.
Monday, „ 10,	29·703	36·4	21·4	28·9	27·0	26·0	·79	·6	6·1	—	W.	W.
Tuesday, „ 11,	29·856	31·8	25·4	28·6	27·9	26·8	·79	·5	1·5	—	W.	W.
Wednesday, „ 12,	30·000	35·3	19·5	27·4	24·7	23·7	·77	·4	7·4	—	W.	W.
Thursday, „ 13,	30·070	37·9	20·4	29·2	24·5	23·7	·79	·4	6·0	—	W.	N.
Friday, „ 14,	30·206	39·7	20·0	29·9	30·8	29·6	·81	·4	4·6	—	N.W.	W.
Saturday, „ 15,	30·246	45·5	21·0	31·8	36·6	33·8	·75	·2	6·5	—	Calm.	S.S.W.
Mean . .	29·951	37·9	21·8	29·9	28·5	27·2	·79	·4	Total 39·7	Nil.	W	

Sunday—A beautiful day; light clouds: night clear to 2 30 a.m. *Monday*—A fine but cloudy day; night clear p.m., cloudy a.m. *Tuesday*—A cloudy day; night overcast; overhead fog p.m., cloudy and clear a.m. *Wednesday*—A beautiful day; night clear to 5 a.m. *Thursday*—A fine but cloudy day; night clear. *Friday*—A beautiful day; light clouds p.m.; night clear. *Saturday*—Bright a.m., cloudy p.m.; night cloudy; Lunar halo p.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 22ND FEBRUARY, 1902. [No. 8

General Register Office, Charlemont House, Dublin, 24th February, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 30·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Feb. 1.	Week ending Feb. 8.	Week ending Feb. 15.	Week ending Feb. 22.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 1.	Week ending Feb. 8.	Week ending Feb. 15.	Week ending Feb. 22.	Average Rate for 4 weeks
22 Town Dists.	**20·0**	**22·1**	**25·9**	**30·2**	**24·6**	Lisburn, . .	18·2	36·4	18·2	22·8	23·9
Armagh, . .	6·9	13·8	34·4	27·6	20·7	Londonderry, .	11·5	25·6	20·5	29·4	21·8
Ballymena, .	14·4	9·6	43·1	24·0	22·8	Lurgan, . .	17·7	31·0	31·0	39·8	29·9
Belfast, . .	18·9	17·9	24·6	29·8	22·8	Newry, . .	37·3	16·6	20·7	20·7	23·8
Clonmel, . .	25·5	30·6	40·9	40·9	34·5	Newtownards, .	11·4	40·1	22·9	45·8	30·1
Cork, . . .	26·1	26·8	36·4	30·9	30·1	Portadown, .	10·4	15·6	36·3	20·8	20·8
Drogheda, . .	20·4	53·1	4·1	20·4	24·5	Queenstown, .	13·2	33·1	39·7	26·4	28·1
Dublin Reg. Area,	22·7	23·8	25·7	33·3	26·4	Sligo, . .	24·0	0·0	4·8	33·6	15·6
Dundalk, . .	8·0	12·0	27·9	12·0	15·0	Tralee, . .	5·3	26·6	53·1	15·9	25·2
Galway, . .	38·9	19·4	46·6	46·6	37·9	Waterford, .	13·6	13·6	13·6	19·5	15·1
Kilkenny, . .	5·0	9·9	14·9	9·9	9·9	Wexford, . .	14·0	23·4	18·7	23·4	19·9
Limerick, . .	13·7	31·5	23·3	26·0	23·6						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·6 in Queenstown. Among the 205 deaths from all causes registered in Belfast are 2 from measles, 4 from whooping-cough, one from diphtheria, 4 from enteric fever, and 4 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 248—125 boys and 123 girls; and the deaths to 248—109 males and 139 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 34·1 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 33·3 per 1,000. The deaths registered include 16 deaths which occurred in the South Dublin Union Workhouse before Saturday, 15th instant. During the eight weeks ending with Saturday last the death-rate averaged 26·5, and was 5·4 below the mean rate for the corresponding portions of the ten years 1892–1901.

There were 16 deaths from zymotic diseases. This number is equal to a rate of 2·2 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 3·6 per 1,000. Four deaths were caused by influenza; measles

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

and enteric fever each caused 3 deaths; whooping-cough and diarrhœa each caused 2 deaths. There was one death from diphtheria and one death from septicæmia.

Tuberculosis was the cause of 32 deaths, namely—from pulmonary tuberculosis, 27 deaths; tubercular meningitis and tubercular peritonitis each caused one death; there were, moreover, 3 deaths from other forms of the disease.

Diseases of the respiratory system were the causes of 82 deaths. Of these 56 were due to bronchitis and 22 to pneumonia; 4 deaths were caused by other diseases of the respiratory system. The above total is equal to a rate of 11·3 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 8·7 per 1,000.

Cancer caused 11 deaths. Eleven deaths were registered as being caused by convulsions—of these 4 were infants under one month, 5 were between the ages of one month and one year, and 2 were of children over one year but under 5 years of age.

There were 4 deaths from apoplexy, and 11 from other diseases of the brain and nervous system (exclusive of convulsions). Diseases of the circulatory system caused 22 deaths.

There were 7 accidental deaths; of these 3 were caused by burns, &c., and one by vehicles and horses.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Sixty of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 11 were under one month old), and 80 were aged 60 years and upwards, including 32 persons aged 70 and upwards, of whom 8 were octogenarians, and 2 (a man and a woman) were stated to have been aged 94 years each.

One hundred and seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 22 took place in the North Dublin Union Workhouse, 42 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 33·3 per 1,000; the rate in the City was 33·9 (30·9 on the North side, and 37·3 on the South), and in the Suburbs 31·1.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·1 (1·0 in the North City Districts, and 1·1 in the South) and for the Suburbs 3·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. There was 1 death from influenza, and 2 deaths were due to pulmonary tuberculosis. There were 8 deaths from diseases of the respiratory system, including 1 from pneumonia. There was also a death from accident, namely fracture of skull.

No. 1 North City District, West (Summer-hill).—The deaths (26) are equal to an annual rate of 34·6 per 1,000. Diarrhœa caused 1 death, diseases of the respiratory system caused 8 deaths, including 3 from pneumonia. There was 1 death from accident, namely septicæmia following injuries to scalp.

No. 2 North City District (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 39·8 per 1,000. Whooping-cough caused 1 death, pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 8 deaths, including 2 from pneumonia. There was also an accidental death from injury to hip.

No. 3 North City District (Blackhall-place).—The deaths (16) represent an annual rate of 26·3 per 1,000. Pulmonary tuberculosis caused 1 death and diseases of the respiratory system caused 5 deaths, including 2 from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 31·3. One of the 4 deaths tabulated for Finglas and Glasnevin, part of, was from enteric fever, and 2 from diseases of the organs of respiration.

No. 1 South City District (South Earl-street).—The deaths (31) represent an annual rate of 41·3 per 1,000. Diphtheria caused 1 death, pulmonary tuberculosis caused 6 deaths, and diseases of the respiratory system caused 9 deaths.

No. 2 South City District (Castle-street).—The deaths (17) are equal to an annual rate of 51·8 per 1,000. Pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 5 deaths, including 3 from pneumonia. There was 1 death from accident, namely "burns."

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 26·2 per 1,000. Diarrhœa, influenza, and pulmonary tuberculosis each caused 1 death. There were 8 deaths from diseases of the respiratory system, including 1 from pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (30) are equivalent to an annual rate of 44·8 per 1,000. Enteric fever caused 1 death, pulmonary tuberculosis caused 4 deaths, and diseases of the respiratory system caused 6 deaths, including 1 from pneumonia.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 14·3. There was one death from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 17·3 per 1,000 inhabitants; Pembroke, 44·1; Blackrock, 35·7; and Kingstown, 35·5. The deaths from zymotic diseases tabulated for these districts consist of 3 from measles, one from whooping-cough, and one from influenza for Pembroke, one from enteric fever for Blackrock, and one from influenza for Kingstown. Among the 11 deaths from all causes tabulated for Rathmines are 6 from diseases of the organs of respiration (including 3 from pneumonia); the 22 deaths tabulated for Pembroke include 3 from pulmonary tuberculosis, 2 from cancer, 3 from diseases of the circulatory system, and 7 from diseases of the respiratory system (including 2 from pneumonia); and the 12 deaths from all causes for Kingstown include one from pulmonary tuberculosis, 2 from diseases of the circulatory system, one from bronchitis, and one from pneumonia.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st February,	53 cases.
,, ,,	8th February,	51 cases.
,, ,,	15th February,	94 cases.
,, ,,	22nd February,	108 cases.

Of the 108 cases notified, 14 were erysipelas, 17 enteric fever, 9 scarlatina, 4 diphtheria, 15 measles, 3 continued fever, and 46 chicken-pox.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st February,	2 cases.
,, ,,	8th February,	3 cases.
,, ,,	15th February,	5 cases.
,, ,,	22nd February,	3 cases.

Of the 3 cases notified, one was erysipelas, one enteric, and one "undefined" fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st February,	66 cases.
,, ,,	8th February,	30 cases.
,, ,,	15th February,	39 cases.
,, ,,	22nd February,	12 cases.

Of the 12 cases notified, one was diphtheria, 9 measles, and 2 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st February,	44 cases.
,, ,,	8th February,	34 cases.
,, ,,	15th February,	39 cases.
,, ,,	22nd February,	33 cases.

Of the 33 cases notified, 7 were enteric fever, 4 erysipelas, 4 diphtheria, 8 continued fever, and 9 scarlatina.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd February, 1902.

From this it appears that:—

Three cases of small-pox remained in hospital at the close of the week.

One case of enteric fever was admitted to hospital, 8 cases were discharged, and 51 cases remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 19 cases were discharged, there was one death, and 88* cases remained under treatment at the close of the week.

One case of typhus fever was discharged from hospital, leaving 3 under treatment at the close of the week

Three cases of diphtheria were admitted to hospital, 8 cases were discharged, there was one death, and 35 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 12 cases of pneumonia were admitted to hospital, 6 patients were discharged, there were 2 deaths, and 24 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 75 large English towns, including London (in which the rate was 29·3), was equal to an average annual death-rate of 24·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 25·3 per 1,000, the rate for Glasgow being 25·9, and for Edinburgh 22·1.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 22nd February, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 22nd February, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 22 Town Districts	1,092,322	18·7	32·7	30·2	1·5	684	633	101	206	.	6	1	.	7	2	.	7	8	68	179	24	29	194
Dublin Registration Area:— Total,‡	379,003	27·8	34·1	33·3	1·5	248	242	39	79	.	3	.	.	2	1	.	3	2	25	81	6	4	101
Registrars' Districts. City	293,394	37·8	39·1	38·9	1·1	220	191	32	56	.	.	.	.	1	1	.	2	2	20	64	4	4	89
Rathmines,‖	33,208	19·4	14·1	17·8	.	9	11	3	5	.	.	.	.	.	.	.	.	.	.	6	.	.	2
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	18·0	44·1	8·0	9	22	3	8	.	3	.	.	1	.	.	.	.	3	7	.	.	3
Blackrock,‖	8,759	8·1	17·9	35·7	6·0	3	6	.	3	.	.	.	.	.	.	.	1	.	1	2	.	.	4
Kingstown, 1 & 2,‖	17,622	12·1	20·7	35·5	.	7	12	1	7	.	.	.	.	.	.	.	.	.	1	2	2	.	3
Urban Districts: Belfast,	358,693	21·8	35·8	29·8	2·2	246	205	35	49	.	2	.	.	4	1	.	4	4	25	55	15	20	41
Cork,	75,978	33·5	24·0	30·9	0·7	35	45	4	13	.	.	.	.	1	.	.	.	.	6	10	.	1	17
Londonderry,	40,729	18·8	30·7	29·4	.	24	23	7	10	.	.	.	.	.	.	.	.	.	2	7	.	1	9
Limerick,	38,085	18·4	28·8	36·0	.	21	19	2	12	.	.	.	.	.	.	.	.	.	1	4	.	1	11
Waterford	26,748	18·6	17·5	19·5	.	9	10	1	2	.	.	.	.	.	.	.	.	.	3	2	.	.	6
Galway,	18,414	9·5	15·5	46·6	3·9	4	12	1	6	.	.	.	.	.	.	.	.	1	2	2	.	.	1
Dundalk	18,067	9·4	8·0	12·0	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Drogheda	12,765	8·1	24·5	20·4	.	6	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	41·4	20·7	4·1	10	5	1	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Lurgan,	11,777	18·8	48·7	39·8	.	11	9	6	2	.	.	.	.	.	.	.	.	.	.	4	.	.	.
Lisburn,	11,459	19·1	41·0	22·8	.	9	5	.	4	.	.	.	.	.	.	.	.	.	1	2	.	.	1
Wexford	11,154	28·2	23·4	23·4	.	5	5	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Ballymena	10,880	10·9	28·8	24·0	.	6	5	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Sligo,	10,862	8·6	48·0	33·6	.	10	7	.	2	.	.	.	.	.	.	.	.	.	.	.	2	2	3
Kilkenny	10,493	11·4	19·9	9·9	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,209	7·9	30·6	40·9	.	6	8	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Portadown	10,046	18·1	26·0	20·8	5·2	5	4	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,812	16·7	58·5	15·9	.	11	8	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Newtownards,	9,110	18·9	22·9	45·8	.	4	8	.	5	.	.	.	.	.	.	.	.	.	1	4	.	.	2
Queenstown,	7,887	14·7	26·4	26·4	6·6	4	4	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,569	22·1	27·6	27·6	.	4	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 22nd Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	51·9	31·1	40·5	0·15	45·5	19·5	29·9	0·00	42·7	23·5	35·7	0·18
City	a49·8 b48·8	34·7 32·4	41·5 40·8	0·16 0·21	a43·8 b47·0	22·0 19·0	31·4 30·3	0·00 0·00	a42·9 b44·8	29·4 24·0	37·7 39·8	0·17 0·23
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	52·5	37·5	41·2	0·25	47	22·5	33·0	0·00	42·5	30·5	38·1	0·4
Urban Districts: Belfast,	44·9	24·5	38·2	0·03	38·9	18·0	27·2	0·01	43·9	28·0	36·9	0·39
Cork,	50	32	43·8	2·12	45	25	35·1	0·04	48	30	37·6	0·30
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	52	32	43	0·68	45	20	38	0·00	44	32	37·5	0·33
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	47·0	34·8	39·4	0·57	37·0	13·0	26·0	0·00	42·0	23·6	34·5	1·06
Lurgan,	47·0	34·8	39·4	0·57	37·0	13·0	26·0	0·00	42·0	23·6	34·5	1·06
Lisburn,	47·0	34·8	39·4	0·57	37·0	13·0	26·0	0·00	42·0	23·6	34·5	1·06
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	49·6	35·1	41·5	0·82	44·4	12·0	29.2	0·24	43·5	26·5	36·6	0·12
Kilkenny	49	25	42·4	0·80	46	17	29·7	0·00	44	25	35·6	0·25
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	47·0	34·8	39·4	0·57	37·0	13·0	26·0	0·00	42·0	23·6	34·5	1·06
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	46	29	38·8	0·43	41	20	31·0	0·32	48	31	38·0	0·87
Queenstown,	50	32	43·8	2·12	45	25	35·1	0·04	43	30	37·6	0·30
Armagh,	47·0	34·8	39·4	0·57	37·0	13·0	26·0	0·00	42·0	23·6	34·5	1·06

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 6 deaths of persons (including one under 1 year old and one at 60 years) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

a Observations by Sir J. W. Moore taken at Fitzwilliam Square.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 22nd February, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLASTHULE & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of).	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.	3	.	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.
Other Zymotic Diseases,	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	5	.	.
Total,	1	2	1	.	.	.	1	.	1	.	2	1	.	.	.	.	5	1	1	16	.	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	2	.	3	1	.	.	.	.	6	2	1	4	.	1	.	.	3	1	1	25	2	
Other Constitutional Diseases,	.	4	2	.	.	.	.		1	1	1	4	.	.	.	2	2	.	.	17	.	
Total,	2	4	5	1	.	.	.	.	7	3	2	8	.	1	.	2	5	1	1	42	2	
V. DEVELOPMENTAL DISEASES,	1	2	1	.	.	1	.	.	2	2	1	1	.	.	.	1	.	.	.	12	.	
VI. LOCAL DISEASES:																						
Diseases of: Brain & Nervous System,	1	3	3	3	.	.	1	.	2	1	2	6	.	.	.	.	2	1	1	26	.	
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
Circulatory System,	.	1	1	4	.	.	.	.	4	.	3	2	.	.	.	2	3	.	2	22	.	
Respiratory System,	8	8	8	5	2	1	2	1	9	5	8	6	.	1	.	6	7	2	2	81	1	
Digestive System,	.	1	2	.	.	1	.	.	1	1	2	1	.	.	.	.	.	1	1	11	.	
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary System,	.	2	1	1	.	.	.	.	1	2	.	2	.	.	.	.	.	.	2	11	1	
Generative System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Locomotive System,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	
,, Integumentary System,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	
Total,	9	17	15	15	2	2	3	1	17	9	16	17	.	1	.	8	12	4	8	157	2	
VII. VIOLENT DEATHS,	1	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	6	1	
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	.	.	.	.	4	1	.	3	.	.	.	.	.	.	.	8	1	
Deaths from all Causes,	14	26	23	16	2	4	4	1	31	17	21	30	.	2	.	11	22	6	12	242	6	
Annual Rate of Mortality in every 1,000 of the population.	25·8	34·6	39·8	26·3	21·7	20·8	31·8	.	41·3	51·8	26·2	44·3	.	14·3	.	17·3	44·1	35·7	35·5	33·3		
	30·9								37·3							31·1						
	33·9																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	5	6	3	.	1	.	.	5	2	3	6	.	1	.	1	1	4	2	41	1	
Workhouse Hospitals,	4	7	8	2	1	.	1	.	10	8	4	10	.	1	.	1	2	.	1	60	5	

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1892-1901.	In the week ending Saturday 22nd February, 1902 — Deaths of persons of the Ages of							
	Feb. 27, 1892	Feb. 25, 1893	Feb. 24, 1894	Feb. 23, 1895	Feb. 22, 1896	Feb. 27, 1897	Feb. 26, 1898	Feb. 25, 1899	Feb. 24, 1900	Feb. 23, 1901		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature,	° 40·9	° 37·3	° 38·6	° 33·4	° 40·8	° 47·5	° 37·1	° 41·2	° 41·4	° 37·4	° 39·6	° 40·5								
ALL CAUSES,	265	184	196	285	183	252	209	203	342	232	225·1	248	11	29	20	16	37	55	70	10
I. FEBRILE OR ZYMOTIC DISEASES,	34	8	25	18	8	65	27	20	30	16	25·1	16	.	8	4	4	2	.	3	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL "	55	51	35	38	32	51	52	50	77	37	47·8	44	.	.	.	7	14	12	10	1
V. DEVELOPMENTAL "	20	18	11	17	18	18	19	19	33	24	18·2	12	4	.	.	.	.	.	4	4
VI. LOCAL "	135	96	115	147	65	110	108	103	184	138	112·1	159	5	19	15	5	18	42	50	5
VII. VIOLENT DEATHS,	6	7	5	8	4	1	6	3	4	6	5·0	7		1	1	.	2	1	2	.
VIII. ILL-DEFINED CAUSES,	15	9	5	7	11	11	2	8	14	16	9·8	9	2	6	.	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	4	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	8	.	2	.	.	34	.	.	5	.	4·4	8	.	.	2	1	.	.	.	.
Scarlet Fever,	2	.	.	1	1	2	.	8	1	.	1·0	.	.	.	.	.	.	.	.	.
Typhus,	1	.	2	.	.	.	.	.	.	.	·8	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	6	.	9	4	5	5	18	6	17	4	6·9	4	.	1	.	1	.	.	2	.
Whooping Cough,	8	2	5	1	.	12	.	2	.	3	3·8	2	.	.	2	.	.	.	.	.
Diphtheria,	.	.	.	1	.	8	4	.	.	1	·9	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	2	.	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	2	2	1	1	2	4	4	1	4	2·5	3	.	.	.	1	2	.	.	.
Cholera and Chol. Diarr.,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	.	2	1	.	2	1	3	4	4	1·9	2	.	2	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	1	1	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	2	1	.	.	.	1	.	.	.	.	·4	1	.	.	.	.	.	.	1	.
Puerperal Fever,	.	3	.	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	.	1	1	.	3	3	1	1	.	1·4	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Rheumatism	.	2	.	1	.	.	2	1	.	2	·8	.	.	.	.	.	.	.	.	.
Gout,	1	1	.	.	.	1	.	.	.	2	·5	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	8	4	7	1	2	7	9	6	10	1	5·5	11	.	.	.	.	2	4	5	.
Tabes Mesenterica,	3	8	4	1	3	5	3	2	4	5	3·8	1	.	.	.	1	.	.	.	.
Tubercular Meningitis,	2	3	4	4	5	6	4	3	15	1	4·7	1	.	.	.	1	.	.	.	.
Phthisis,	36	27	19	27	18	23	28	32	40	19	26·9	27	.	.	.	4	11	7	5	.
Scrofula, Tuberculosis,	5	4	.	3	4	8	5	5	4	6	4·4	3	.	.	.	1	1	1	.	.
Other Constitutional Diseases,	.	1	1	1	.	.	1	.	3	1	·8	1	.	.	.	.	.	.	.	1
V. Developmental Diseases—																				
Premature Birth,	1	.	2	2	2	2	.	8	4	5	2·6	4	4	.	.	.	.	.	.	.
Atelectasis	.	.	.	1	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	1	.	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
Old Age,	19	18	9	18	11	11	18	10	28	18	15·0	8	.	.	.	.	.	.	4	4

* The figures for the years 1892-1900 are for the

each Disease registered in the EIGHTH WEEK ending Saturday, 22nd February, 1902, with ten years, 1892-1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1892-1901.	In the Week ending Saturday, 22nd February, 1902. Deaths of Persons of the Ages of							
	Feb. 27, 1892	Feb. 25, 1893	Feb. 24, 1894	Feb. 23, 1895	Feb. 22, 1896	Feb. 27, 1897	Feb. 26, 1898	Feb. 25, 1899	Feb. 24, 1900	Feb. 23, 1901		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	40·9	37·3	38·6	33·4	40·8	47·5	37·1	41·2	41·4	37·4	39·6	40·5								
VI. Local Diseases.																				
Apoplexy,	6	1	.	4	2	4	4	2	1	4	2·8	4	.	.	.	.	1	.	3	.
Epilepsy,	2	1	1	3	1	.	2	2	.	.	1·2	.	.	.	.	.	.	.	.	.
Convulsions,	13	10	11	9	6	9	10	13	14	11	10·6	11	4	5	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	10	9	12	6	7	5	8	6	13	5	8·1	11	.	.	2	1	.	2	5	1
Diseases of Organs of Special Sense,	.	1	1	.	.	.	.	1	.	1	·4	1	.	1	.	.	.	.	.	.
Diseases of Circulatory System,	21	18	13	27	14	15	13	13	33	21	18·3	22	.	.	.	.	3	2	14	3
Croup,	1	.	.	.	1	1	1	1	.	.	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	52	28	39	60	10	33	39	31	74	45	41·1	56	.	6	4	1	2	19	23	1
Pneumonia,	11	12	16	17	7	17	8	15	19	27	14·9	22	.	4	5	1	4	5	3	.
Pleurisy,	.	.	1	.	1	2	2	1	1	.	3	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1	6	6	5	6	10	1	2	.	.	3·7	4	.	.	1	.	1	2	.	.
Teething,	2	1	1	1	.	1	1	1	.	.	·8	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	.	1	.	3	.	·4	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	1	.	.	.	3	1	2	.	·8	.	.	.	.	.	.	.	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis,	1	1	.	.	1	.	1	.	2	.	·6	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	3	5	1	5	1	2	2	3	1	2·7	2	.	.	.	.	.	2	.	.
Other Diseases of Digestive System,	3	4	3	9	1	5	2	5	7	5	4·4	8	1	.	.	.	5	2	.	.
Diseases of Lymphatics, &c.,	2	.	.	1	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	1	4	4	2	6	5	6	10	9	5·1	12	.	.	1	1	2	6	2	.
Diseases of Generative System,	1	2	.	.	.	.	.	1	1	.	·5	1	.	.	.	.	.	1	.	.
Accidents of Childbirth,	1	.	.	.	.	.	.	.	1	2	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	2	1	.	.	1	.	.	1	.	·5	2	.	.	.	1	.	1	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	.	.	1	·1	2	.	2	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	2	.	.	1	2	.	.	.	.	.		1	.	.	.	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	2	.	5	.	.	3	.	2	2	5·0	3	.	.	1	.	1	.	1	.
By Drowning,	.	1	2	1	1	.	1	1	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	1	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not stated Causes,	2	4	2	1	1	1	2	2	1	3		3	.	1	.	.	1	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	15	9	5	7	11	11	2	8	14	16	9·8	9	2	6	.	.	.	.	1	.

Dublin Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901–2—Week ending																									
	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered,	175	234	212	152	245	223	176	229	235	141	192	144	162	216	187	164	144	33	279	204	208	215	152	222	177	248
*Average Births in corresponding week of previous 10 years,**	205	190	211	200	210	176	170	188	171	183	179	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210
DEATHS registered,	176	154	164	180	133	149	146	150	146	168	171	180	176	141	153	138	196	200	223	186	177	158	169	181	200	248
Annual Death-rate per 1,000,	24·5	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1
*Average Deaths in corresponding week of previous 10 years,**	166	173	170	165	162	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213	224	225
AGES, Under 5 years,	71	64	64	64	42	49	46	50	49	54	53	59	53	36	37	31	47	38	46	38	54	36	38	46	40	60
5—20 ,,	14	10	13	12	11	14	17	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16
20—40 ,,	28	23	32	37	28	24	21	22	24	13	23	31	26	20	28	16	35	31	39	35	19	27	31	36	34	37
40—60 ,,	26	30	25	34	24	24	33	26	34	40	36	31	32	30	38	39	54	53	63	41	42	33	43	39	47	55
60—80 ,,	34	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48	44	37	36	36	49	70
80 years and upwards,	3	5	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3	3
,, Scarlet Fever,	2	2	.	1	1	.	.	.	1	1	.	.	.	1	1	.	2	.	.	.	.	.	1	.	2	.
,, Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	2	1	4	1	2	1	.	2	4	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3	2
,, Diphtheria,	2	1	.	2	.	2	.	1	1	1	1	3	4	.	2	.	3	2	3	3	1	1	1	.	.	1
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	2	.	1	3	3	8	6	3	.	5	2	.	3	2	1	.	4	5	2	3	1	2	.	2	2	3
,, Diarrhœa, Dysentery,	28	29	22	20	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2	4	.	1	2	2
,, Phthisis,	20	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20	19	23	31	27	27
,, Heart Diseases,	17	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22
,, Diseases of Respiratory System,	11	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34	43	35	47	36	48	32
Violent Deaths,	7	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7
Mean Temperature of the Air (Phœnix Park),	54·8	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	43·2		44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	35·7	29·9	40·5
Average Mean Temperature in corresponding week of previous 10 years,	56·3	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6
Rainfall in inches,	·875	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145
Mean Humidity of the Air, complete Saturation 1·0,	·92	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	·79	·84

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd February, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 22nd February, 1902.																								
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.															
											Principal Zymotic Diseases.															
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	37·4	248	60	16	37	55	70	10	.	3	.	.	2	1	.	3	2	11	27	11	82	7	110
	CLASSES. **Deaths in Families of the—**	(Estimated.)																									
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	54·1	16	1	.	2	2	9	1	.	.	.	.	.	.	.	.	.	.	.	.	4	.	12
II.	MIDDLE CLASS,	80,653	12·9	20	5	1	4	5	4	1	.	.	.	.	.	.	.	.	.	.	2	.	5	.	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	30·7	58	19	4	9	10	15	1	.	3	.	.	.	.	.	.	1	4	6	5	16	1	26
IV.	GENERAL SERVICE CLASS,	146,486	52·9	89	26	9	13	18	20	3	.	.	.	.	2	1	.	2	1	6	8	5	32	4	34
V.	INMATES OF WORKHOUSES,	5,191		65	9	2	9	19	22	4	.	.	.	.	.	.	.	1	.	1	11	1	25	2	25
	PROFESSIONAL AND INDEPENDENT CLASS.																										
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	52·7	8	1	.	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6
	2. Merchants and Manufacturers, Higher Class,	1,838	56·7	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	.	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	MIDDLE CLASS.																										
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	2	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	6. Clerks and Commercial Assistants,	24,750	12·6	6	1	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	8·6	4	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																										
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	63·8	9	2	1	5	1	.	.	.	1	.	.	.	.	.	.	.	1	1	1	2	.	4
	9. Building and Furnishing Trades,	26,030	16·0	8	3	.	.	2	3	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1	4
	10. Clothing Trades,	23,686	19·8	9	5	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	3	.	4
	11. Food Supply Trades,	7,869	39·8	6	.	2	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
	12. Other Trades and Callings ranking with Trades,	26,666	43·0	22	9	.	1	5	7	.	.	2	.	.	.	.	.	.	.	2	2	1	11	.	6
	13. Petty Shopkeepers,	6,771	30·8	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	GENERAL SERVICE CLASS.																										
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·4	10	3	2	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	6
	15. Domestic Servants,	39,563	15·8	12	4	1	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	3	1	8
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	2	2	.	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	38·5	61	17	4	8	13	17	2	.	.	.	.	2	.	.	2	1	5	8	5	24	2	17
	INMATES OF WORKHOUSES.																										
V.	18. Workhouse Inmates,	5,191	.	65	9	2	9	19	22	4	.	.	.	.	.	.	.	1	.	1	11	1	25	2	25

* Occupation Statistics for 1901 not yet available

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.)	Jan. 4,	22·1	1·8	12	.	.	.	.	.	.	.	.	1	3	5	.
		„ 11,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	3	.
		„ 18,	27·6	1·8	15	.	.	.	.	.	1	.	.	.	1	6	.
		„ 25,	22·1	1·8	12	.	.	.	.	.	.	.	1	.	3	5	.
	(*Office,*	Feb. 1,	36·8	.	20	.	.	.	.	.	.	.	.	.	4	8	.
	Clarence-street, Nth.	„ 8,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	3	3	1
		„ 15,	31·3	.	17	.	.	.	.	.	.	.	.	.	3	5	.
	Pop. in 1902 (Est.) 28,333.	„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	8	1
	North City, No. 1 (W.)	Jan. 4,	36·0	.	27	.	.	.	.	.	.	.	.	.	3	7	.
		„ 11,	30·6	4·0	23	.	.	.	.	.	2	.	1	.	3	5	1
		„ 18,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	6	.
		„ 25,	20·0	1·4	15	.	.	.	.	.	.	.	.	1	1	6	.
	(*Office,*	Feb. 1,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	4	1
	Summer-hill.)	„ 8,	26·6	1·4	20	.	.	.	.	.	.	.	1	.	2	5	1
		„ 15,	36·0	4·0	27	.	.	1	.	.	.	.	1	1	4	7	.
	Pop. in 1902 (Est.) 39,146.	„ 22,	34·6	1·4	26	.	.	.	.	.	.	.	.	1	.	8	1
	North City, No. 2.	Jan. 4,	48·3	3·5	25	.	.	.	.	.	.	.	.	2	2	6	2
		„ 11,	27·7	.	16	.	.	.	.	.	.	.	.	.	3	1	.
		„ 18,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 25,	24·2	3·5	14	.	.	.	.	.	.	.	1	1	1	1	.
	(*Office,*	Feb. 1,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	Lisburn-street.)	„ 8,	22·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 15,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	4	1
	Pop. in 1902 (Est.) 30,107.	„ 22,	39·8	1·7	23	.	.	.	.	1	.	.	.	.	3	8	1
	North City, No. 3.	Jan. 4,	42·8	1·6	26	.	.	.	.	.	1	.	.	.	7	4	1
		„ 11,	28·0	4·9	17	.	.	.	.	1	1	.	.	1	2	2	.
		„ 18,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	.	6	.
		„ 25,	26·3	1·6	16	.	.	.	.	.	.	.	.	1	4	3	.
	(*Office,*	Feb. 1,	36·2	.	22	.	.	.	.	.	.	.	.	.	5	7	.
	Blackhall-place.)	„ 8,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
		„ 15,	32·9	3·4	20	.	.	.	.	1	.	.	.	1	5	4	1
	Pop. in 1902 (Est.) 31,673.	„ 22,	26·3	.	16	.	.	.	.	.	.	.	.	.	1	5	.
	South City, No. 1.	Jan. 4,	22·6	.	17	.	.	.	.	.	.	.	.	.	4	3	.
		„ 11,	32·0	.	24	.	.	.	.	.	.	.	.	.	7	5	1
		„ 18,	26·6	1·3	20	.	.	.	.	.	.	.	.	1	2	3	.
		„ 25,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	1
	(*Office,*	Feb. 1,	21·3	.	16	.	.	.	.	.	.	.	.	.	3	5	.
	South Earl-street.	„ 8,	32·0	1·3	24	.	.	.	.	.	.	.	.	1	7	3	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	Pop. in 1902 (Est.) 39,152.	„ 22,	41·3	1·3	31	.	.	.	.	.	1	.	.	.	5	9	.
	South City, No. 2.	Jan. 4,	64·0	3·0	21	.	.	.	.	.	.	.	1	.	.	3	.
		„ 11,	33·5	.	11	.	.	.	.	.	.	.	.	.	.	4	.
		„ 18,	24·4		8	.	.	.	.	.	.	.	.	.	3	3	.
		„ 25,	36·6	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	(*Office,*	Feb. 1,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	2	1	.
	Castle-street.)	„ 8,	27·4	.	9	.	.	.	.	.	.	.	.	.	4	4	.
		„ 15,	48·8	3·0	16	.	.	.	.	1	.	.	.	.	2	5	2
	Pop. in 1902 (Est.) 17,113.	„ 22,	51·8	.	17	.	.	.	.	.	.	.	.	.	2	5	1
	South City, No. 3.	Jan. 4,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	1	4	.
		„ 11,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	5	2	1
		„ 18,	27·5	.	22	.	.	.	.	.	.	.	.	.	5	6	1
		„ 25,	21·2	1·2	17	.	.	.	.	.	.	.	.	1	.	5	.
	Office,	Feb. 1,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	7	1
	Peter-street.)	„ 8,	31·2	1·2	25	.	.	.	.	1	.	.	.	.	4	3	.
		„ 15,	27·5	.	22	.	.	.	.	.	.	.	.	.	3	7	.
	Pop. in 1902 (Est.) 41,786.	„ 22,	26·2	1·2	21	.	.	.	.	.	.	.	.	1	1	8	.
	South City, No. 4.	Jan. 4,	20·9	1·5	14	.	.	.	.	.	1	.	.	.	2	6	.
		„ 11,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	4	5	1
		„ 18,	28·4	.	19	.	.	.	.	.	.	.	.	.	4	5	.
	(*Office,*	„ 25,	17·9	.	12	.	.	.	.	.	.	.	.	.	1	1	3
	Grand Canal-street.)	Feb. 1,	22·4	.	15	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	26·9	.	18	.	.	.	.	.	.	.	.	.	2	4	.
		„ 15,	28·9	.	16	.	.	.	.	.	.	.	.	.	3	4	2
	Pop. in 1902 (Est.) ,898.	„ 22,	44·8	1·5	30	.	.	.	.	.	.	.	1	.	4	6	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of he Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1902 (Est.) 38,208.	Jan. 4,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	1	3	2
	" 11,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	2	1
	" 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	" 25	28·3	.	18	.	.	.	.	.	.	.	.	.	2	3	.
	Feb. 1	4·7	.	3	.	.	.	.	.	.	.	.	.	1		.
	" 8,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	" 15,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	" 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	6	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Jan. 4,	24·0		12	.	.	.	.	.	.	.	.	.	.	5	.
	" 11,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	.	3	.
	" 18,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	.	1	.
	" 25,	22·0	2·0	11	.	1		.	.	.	.	.	.	.	1	1
	Feb. 1,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	4	3	.
	" 8,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	1	1	.
	" 15,	20·0	8·9	10	.	3	.	.	1	.	.	.	.	.	1	.
	" 22,	44·0	8·0	22	.	3	.	.	1	.	.	.	.	3	7	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Jan. 4,	29·6	.	10	.	.	.	.	.	.	.	.	.	1	4	1
	" 11,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	" 18,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	3	.
	" 25,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Feb. 1,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	" 8,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	" 15,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	" 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	2	2
Belfast. Pop. in 1902 (Est.) 358,693.	Jan. 4,	20·8	1·9	143	.	1	1	.	1	3	1	4	2	19	36	3
	" 11,	18·2	1·5	125	.	2	.	.	3	1	.	2	2	18	34	3
	" 18,	18·3	1·2	126	.	2	.	.	3	1	.	1	1	24	21	1
	" 25,	21·9	1·0	151	.	.	.	1	3	1	.		2	14	52	1
	Feb. 1,	18·9	0·9	130	.	.	.	.	1	.	.	3	2	21	27	2
	" 8,	17·9	2·0	123	.	.	.	.	6	3	1	2	2	18	46	4
	" 15,	24·5	2·0	169	.	2	.	.	5	2	.	3	2	33	58	1
	" 22,	29·8	2·2	205	.	2	.	.	4	1	.	4	4	25	55	15
Cork. Pop. (in 1901) 75,978.	Jan. 4,	34·3	2·1	50	.	.	.	.	2	.	.	.	1	6	10	3
	" 11,	24·0	0·7	35	.	.	.	.	1	.	.	.	.	5	9	1
	" 18,	24·0	1·4	35	.	.	.	.	1	.	.	.	1	3	7	.
	" 25,	21·3	2·1	31	.	.	1	.	1	.	.	.	1	5	6	.
	Feb. 1,	26·1	1·4	38	.	.	.	.	2	.	.	.	.	9	9	.
	" 8,	26·8	.	39	.	.	.	.	.	.	.	.	.	17	6	.
	" 15,	36·4	0·7	53	.	.	1	.	.	.	.	.	.	10	16	2
	" 22,	30·9	0·7	45	.	.	.	.	1	.	.	.	.	6	10	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Jan. 4,	21·8	.	17	.	.	.	.	.	.	.	.	.	2	6	.
	" 11,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	3	3	.
	" 18,	15·4	1·3	12	.	.	.	.	.	.	.	.	1	1	4	1
	" 25,	32·0	1·3	25	.	.	.	.	.	.	.	.	1	1	6	1
	Feb. 1,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	" 8,	25·6	.	20	.	.	.	.	.	.	.	.	.	3	9	.
	" 15,	20·5	.	16	.	.	.	.	.	.	.	.	.	4	5	.
	" 22,	29·4	.	23	.	.	.	.	.	.	.	.	.	2	7	.
Limerick. Pop. (in 1901) 38,085.	Jan. 4,	34·2	.	25	.	.	.	.	.	.	.	.	.	3	4	.
	" 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	3	4	.
	" 18,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	1	.
	" 25,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 1,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	5	.
	" 8,	31·5	.	23	.	.	.	.	.	.	.	.	.	3	5	.
	" 15,	23·3	.	17	.	.	.	.	.	.	.	.	.	2	3	.
	" 22,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	4	.
Waterford. Pop. (in 1901) 26,743.	Jan. 4,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	2	.
	" 11,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	" 18,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	.	1	.
	" 25,	11·7	1·9	6	.	.	.	.	.	.	.	.	1	2	1	.
	Feb. 1,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	" 8,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	" 15,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	" 22,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 22nd February, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	18	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		21	2	1	17	1	.	.	.	.	.	.	.	.	.	1	5	11	11	2
" 2 "		38			17	5	3	4	5	.	.	.	.	1	.	.	.	.	1	4	.	.	5
" 3 "		33			22	4	2	13	3	.	.	.	.	2	.	.	.	.	2	8	.	2	2
" 4 "		25			34	7	6	13	8	.	.	.	.	1	.	.	1	1	4	11	1	1	11
" 5 "		9			10	2	1	1	6	.	.	.	.	.	.	.	.	.	1	4	.	.	4
" 6 "		21			25	2	1	14	8	.	.	.	.	.	.	.	.	.	6	6	.	.	5
" 7 "		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		2			5	.	2	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	3
" 9 "		15			13	1	5	3	4	.	.	.	.	.	.	.	.	.	2	3	1	1	.
" 10 "		28			12	2	1	5	4	.	.	.	.	.	1	.	.	.	2	1	.	2	1
" 11 "		27			17	5	4	6	2	.	.	.	.	.	.	.	1	2	1	5	.	.	2
" 12 "		26			16	2	2	9	3	.	1	.	.	.	.	.	1	.	3	5	1	2	5
" 13 "		7			12	3	2	3	4	.	1	.	.	.	.	.	1	1	1	1	.	.	.
" 14 "		.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,	—	246	29·8	2·2	205	35	30	91	49	.	2	.	.	4	1	.	4	4	25	55	15	20	41
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	75,978	3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		9	.	.	8	1	.	.	.	.	.	.	.	.	.	2	1	.	1	6
" 2 "		4			4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
" 3 "		3			2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 4 "		3			4	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 5 "		6			4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 6 "		7			3	.	1	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" "		9			19	.	4	6	9	.	.	.	.	.	.	.	.	.	1	7	.	.	9
Total,	—	35	30·9	0·7	45	4	6	22	13	.	.	.	.	1	.	.	.	.	6	10	.	1	17

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb 15.	Feb. 22.
No. of week in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered,	199	210	197	230	189	211	216	205	193	195	195	186	206	195	186	193	199	156	237	195	187	212	188	189	201	246
DEATHS registered.	150	143	149	119	138	100	132	121	103	153	112	131	145	131	129	141	144	150	143	125	126	151	130	123	169	205
Annual Death-rate per 1,000 of estimated Population,*	22·8	21·3	22·1	17·7	20·5	14·9	·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8
AGES, Under 1 year,	52	49	32	33	28	25	37	24	20	23	23	23	32	28	20	32	37	29	14	22	23	35	26	25	34	35
AGES, 1-5 years,	17	20	18	13	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30
AGES, 5-60 years,	65	3	71	69	79	48	55	60	6	82	53	59	70	51	56	67	66	76	69	62	61	68	65	58	86	91
AGES, 60 years and upwar ,	16	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2
,, Scarlet Fever,	.	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, Whooping-cough,	5	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1	3	3	3	1	6	5	4
,, Diphtheria,	1	2	4	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.		1	1	1	.	3	2	1
,, Simple continued and Ill-defined Fever,	1	2	1	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.
,, Enteric Fever,	11	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4
,, Diarrhœa, Dysentery,	20	18	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4
,, Phthisis	12	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25
Diseases of Respiratory System,	21	10	14	16	27	13	24	17	15	23	36	33	40	28	38	36	42	51	36	34	21	52	27	46	58	55
Violent Deaths,	.	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd February, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken Pox.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 1, West,	.	.	.	1	.	.	.	.	1	3	2	.	.	7
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	1	2
" " 3,	.	1	.	.	.	.	1	.	.	.	1	.	35	38
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	2	.	.	1	.	1	1	.	.	.	5
Finglas and Glasnevin (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	1	.	.	.	.	.	1	.	.	1	3
South City No. 1,	.	1	.	.	.	.	.	.	.	4	8	.	2	15
" " 2,	.	.	.	1	.	.	.	.	.	.	1	.	.	2
" " 3,	.	9	.	4	.	.	1	.	.	3	.	.	6	23
" " 4,	.	4	.	.	.	.	.	.	1	1	.	.	1	7
Palmerston (part of),	.	.	.	.	.	.	.	.	.	3	1	.	.	4
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	15	.	9	.	.	4	.	3	17	14	.	46	103
Total for week ended Feb. 15, 1902,	3	6	.	12	.	.	5	.	3	32	20	.	13	94
Total for week ended Feb. 8, 1902,	.	4	2	15	3	.	4	.	1	8	14	.	.	51
Total for week ended Feb. 1, 1902,	.	5	.	9	1	.	3	.	2	18	15	.	.	53

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd February, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd February.			
	Feb. 1.	Feb. 8.	Feb. 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	3	.	.	.	3*
Measles,	5	9	15	4	4	.	15
Scarlet Fever,	74	76	97†	11	19	1	88
Typhus "	5	5	4	.	1	.	3
Diphtheria,	39	43	41	3	8	1	35
Enteric Fever,	50	57	58	1	8	.	51
Pneumonia,	16	18	20	12	6	2	24

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.
† Including 19 patients who were in "Beneavin" at the close of the week ended Feb. 8, 1902.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Feb. 22,	2,723	2,569	29·3	64	63	4	26	43	17	4
EDINBURGH,	317,885	„ 22,	149	137	22·1	.	1	1	.	.	1	3
GLASGOW,	764,423	„ 22,	455	386	25·9	6	7	1	1	15	4	12
CALCUTTA,	466,460	Dec. 21,	.	275	30·7	1	.	.	.	.	66§	46*
BOMBAY,	776,006	Jan. 9,	268	859	57·5	1	1	?	?	?	139§	69*
MADRAS,	509,346	Dec. 27,	361	550	56·1	4	4	?	?	?	215	95
PARIS,	2,511,629	Feb. 1,	1,076	881	18·2	5	9	2	11	9	9	20
BRUSSELS (with 8 Faubourgs).	582,665	„ 1,	272	151	13·5	.	.	1	2†	2	.	6
AMSTERDAM,	530,778	„ 1,	273	147	14·4	.	2	.	4	1	3	6
ROTTERDAM,	329,204	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	378,235	Feb. 8,	228	114	15·6	.	.	.	1	2	.	4
CHRISTIANIA,	228,929	„ 1,	106	57	12·5	.	.	2	.	2	1	.
ST. PETERSBURG,	1,248,643	„ 8,	740	604	25·2	1	3	16	29	1	19	54
BERLIN,	1,902,009	Jan. 18,	961	610	16·7	1	5	7	6	14	1	36
HAMBURG,	724,835	Feb. 1,	.	202	14·5	.	2	4	6†	3	.	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,709,211	Jan. 11,	911	573	17·6	.	15	7	6†	1	.	33
BUDA-PESTH,	751,177	„ 25,	448	274	18·6	.	1	5	3	2	1	12
PRAGUE and Faubourgs.	413,756	Feb. 1,	206	157	19·4	.	7	7	3†	2	1	7
ROME,	469,877	Dec. 28,	225	197	20·2	.	.	.	.	.	6	10
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	170,577	Jan. 25,	98	90	27·4	.	2	.	2†	.	2	3
NEW YORK,	3,632,501	„ 18,	1,782	1,362	19·6	5	25	23	52†	12	14	29
PHILADELPHIA,	1,293,697	„ 25,	.	563	22·6	19	1	3	13	2	9	2

* Including 13 deaths from cholera in Calcutta, 1 in Bombay.
† Including deaths from croup.
§ Exclusive of 10 deaths from bubonic fever in Calcutta, and 213 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 22nd February, 1902:—

"The weather underwent a considerable change in the course of this week, which witnessed a conflict between the cold Continental current and a warm Atlantic current spreading gradually eastwards and putting an end to the vigorous frosts of the previous week. The change was accompanied by S.E. to S. winds, densely clouded skies and occasional rains, which were heavy only on Sunday in the S. and W. of Ireland, the Shetlands and W. of Norway. At Valentia, in Kerry, the rainfall measured on Monday morning was 1·36 inches; at Roche's Point, Cork Harbour, the corresponding measurement was ·85 inch. Heavy rains also fell at these stations on Friday. On Sunday a depression, with readings below 29·2 inches lay off the N.W. of Norway, while the barometer exceeded 30·5 inches in an anticyclone over Northern Germany. The thermometric gradient was even steeper than the barometric gradient in the British Isles, for at 8 a.m. temperature was up to 47° in the W. of Ireland, whereas it was down to 18° in London. Twenty four hours later the range was from 15° at Loughborough to 46° at Blacksod Point, in Mayo. It was this steep thermometric gradient which determined the overcast skies of the week. The eastern anticyclone spread westward on Wednesday and Thursday, but a new depression was observed off the W. of Ireland on Friday, and the weather broke, becoming gloomy, damp, mild, and rainy. On Saturday afternoon the wind backed for a time towards E. with a renewed fall of temperature. In Dublin the mean height of the barometer was 29·917 inches, pressure ranging between 30·134 inches at 9 a.m. of Thursday (wind, S.E.) and 29·461 inches at 9 p.m. of Saturday (wind, S.S.E.). The mean temperature was 41·5°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 41·3°. The screened thermometers fell to 34·7° on Tuesday and rose to 49·8° on Saturday. Only 5 hours of bright sunshine prevailed. S.E. and S. winds predominated. Rain fell on three days to the amount of ·160 inch, ·062 inch being recorded on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·905 inches. The highest reading (30·130) was on Thursday at 9 a.m., wind S.E., and the lowest (29·436) on Saturday at 9 p.m., wind S E.

The mean temperature for the week was 40·5°, being 0·9° above the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Saturday, on which day the thermometer registered 49·1°, and was lowest on Tuesday, the mercury having fallen to 31·1°. The mean of the Dry Bulb for the week was 40·4°, and of the Wet Bulb 38·3°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 5·9 hours. The rainfall measured ·145 inch.

At Greenwich, the mean temperature for the week was 33·8°, the maximum 50·2°, and the minimum 14·3°; at Glasgow the maximum was 44·8°, the minimum 24·5°, and the mean 37·0°; and at Edinburgh the maximum was 42·4°; the minimum 25·8°, and the mean 35·2°. The rainfall at Greenwich measured 0·15 inch; at Glasgow 0·03 inch; and at Edinburgh 0·10 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Feb. 16,	29·923	45·3	38·1	41·7	41·4	37·4	·71	·1	0·4	.005	S.	S.
Monday, „ 17,	29·935	42·9	37·9	40·4	39·3	38·1	·91	·0	0·0	·100	E.	Calm.
Tuesday, „ 18,	29·972	46·9	31·1	39·0	37·1	35·7	·88	·3	2·5	—	Calm.	S.E.
Wednesday, „ 19,	30·009	44·3	35·3	39·8	38·5	36·4	·84	·1	2·8	—	S.E.	S.E.
Thursday, „ 20,	30·086	38·6	35·4	37·0	37·1	35·3	·85	·0	0·0	—	S.E.	S.S.E.
Friday, „ 21,	29·870	44·9	34·8	39·9	41·7	40·1	·88	·5	0·2	·040	S,S.E.	S.
Saturday, „ 22,	29·542	49·1	42·6	45·9	47·7	45·3	·84	·3	0·0	—	S.	S.E.
Mean . .	29·905	44·6	36·5	40·5	40·4	38·3	·84	·2	Total 5·9	·145	Prevailing Wind S.E.	

Sunday—Cloudy a.m., dull p.m.; night overcast; rain 8 to 9 a.m. *Monday*—A dull day; rain 9 to 11.30 a.m.; night overcast and foggy. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A cloudy day; night overcast from 10 p.m. *Thursday*—A dull day; night overcast. *Friday*—A dull day; rain 8.15 to 8.45 p.m., and 4.30 to 5 a.m.; night overcast. *Saturday*—A dull day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 1ST MARCH, 1902. [No. 9

General Register Office, Charlemont House,
Dublin, 3rd March, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 29·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Feb. 8	Feb. 15.	Feb. 22.	Mar. 1.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Average Rate for 4 weeks
22 Town Dists.	22·1	25·9	30·2	29·3	26·9	Lisburn, . .	36·4	18·2	22·8	36·4	28·4
Armagh, . .	13·8	34·4	27·6	20·7	24·1	Londonderry, .	25·6	20·5	29·4	15·4	22·7
Ballymena, .	9·6	43·1	24·0	52·7	32·3	Lurgan, . .	31·0	31·0	39·8	31·0	33·2
Belfast, . .	17·9	24·6	29·8	27·3	24·9	Newry, . .	16·6	20·7	20·7	16·6	18·7
Clonmel, . .	30·6	40·9	40·9	20·4	33·2	Newtownards, .	40·1	22·9	45·8	40·1	37·2
Cork, . . .	26·8	36·4	30·9	31·6	31·4	Portadown, .	15·6	36·3	20·8	20·8	23·4
Drogheda, . .	53·1	4·1	20·4	53·1	32·7	Queenstown, .	33·1	39·7	26·4	19·8	29·7
Dublin Reg. Area,	23·8	25·7	33·3	28·6	27·9	Sligo, . .	0·0	4·8	33·6	38·4	19·2
Dundalk, . .	12·0	27·9	12·0	47·9	24·9	Tralee, . .	26·6	53·1	15·9	47·8	35·9
Galway, . .	19·4	46·6	46·6	54·4	41·7	Waterford, .	13·6	13·6	19·5	27·3	18·5
Kilkenny, . .	9·9	14·9	9·9	39·8	18·6	Wexford, . .	23·4	18·7	23·4	46·7	28·0
Limerick, . .	31·5	23·3	26·0	19·2	25·0						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in twelve of the districts to 9·1 in Lisburn; the 8 deaths from all causes registered in that district including one from enteric fever and one from diarrhœa. Among the 188 deaths from all causes registered in Belfast are 2 from measles, one from whooping-cough, one from diphtheria, 2 from enteric fever, and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 193—100 boys and 93 girls; and the deaths to 218—101 males and 117 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 30·0 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 28·6 per 1,000. During the nine weeks ending with Saturday last the death-rate averaged 27·8, and was 4·1 below the mean rate for the corresponding portions of the ten years 1892–1901.

There were 20 deaths from zymotic diseases, equal to a rate of 2·8 per 1,000 of the estimated population of the area, the average rate for the corresponding period of the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

past 10 years being 4·4 per 1,000. Influenza and whooping-cough each caused 5 deaths; enteric fever and diarrhœal diseases each caused 3 deaths; and one death was caused by each of the following diseases—measles, scarlatina, and simple cholera.

Tubercular diseases caused 42 deaths, namely—33 from pulmonary disease, 3 deaths from tubercular meningitis, one death from tubercular peritonitis, and 5 deaths from other forms of the disease.

There were 73 deaths from diseases of the respiratory system, equal to an average rate of 10 per 1,000 of the estimated population of the area, the average rate for the corresponding period of the past 10 years being 7·8 per 1,000. Fifty-four deaths were caused by bronchitis and 18 deaths were due to pneumonia.

Cancer was the cause of 6 deaths. Five deaths were registered as being caused by convulsions—of these 3 were of infants under one month, and 2 were over one month but under one year of age.

Fourteen deaths were caused by diseases of the circulatory system.

There was one death from apoplexy and 2 from epilepsy, and 11 deaths from other diseases of the brain and spinal cord (exclusive of convulsions).

There were 5 accidental deaths, of which 3 were due to burns, scalds, or explosions.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under one year of age and the deaths of 3 persons aged 60 years and upwards.

Sixty of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 10 were under one month old), and 68 were aged 60 years and upwards, including 32 persons aged 70 and upwards, of whom 14 were octogenarians, and 2 (females) were stated to have been aged 90 and 91 years respectively.

Seventy-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 28·6 per 1,000; the rate in the City was 30·7 (29·5 on the North side, and 32·1 on the South), and in the Suburbs 21·3.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·3 (3·1 in the North City Districts, and 1·5 in the South) and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (20) are equal to an annual rate of 36·8 per 1,000. Influenza caused 2 deaths, simple cholera and diarrhœa each caused one death. There were 5 deaths from diseases of the respiratory system, and one death from accident, namely, "falling down stairs."

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. Enteric fever caused 1 death, pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 10 deaths, including 1 from pneumonia. There was, moreover, 1 death from accidental violence, namely, "burns."

No. 2 North City District (Lisburn-street).—The deaths (24) are equivalent to an annual rate of 41·6 per 1,000. Whooping-cough and enteric fever each caused 1 death, pulmonary tuberculosis caused 5 deaths; diseases of the respiratory system caused 7 deaths, including 1 from pneumonia. There was 1 death from accidental violence, namely, "burns."

No. 3 North City District (Blackhall-place).—The deaths (14) represent an annual rate of 23·0 per 1,000. One death was caused by each of the following diseases—scarlatina, whooping-cough, diarrhœa and influenza; there was also 1 death from pulmonary tuberculosis, and 4 deaths from diseases of the respiratory system, including 2 from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 31·3. One of the 4 deaths tabulated for Finglas and Glasnevin, part of, was from enteric fever, and 1 from diseases of the organs of respiration.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 22·6 per 1,000. Influenza and diarrhœa each caused 1 death, pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 5 deaths, including 1 from pneumonia.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 24·4 per 1,000. Pulmonary tuberculosis caused 2 deaths, and 1 death was caused by bronchitis: there was, moreover, one accidental death from "scalds."

No. 3 South City District (Peter-street).—The deaths (37) are equal to an annual rate of 46·2 per 1,000. There were 2 deaths from whooping-cough, 1 death from measles, 4 deaths from pulmonary tuberculosis, and 20 deaths from diseases of the respiratory system, including 5 from pneumonia; there was also 1 death from accidental violence, namely, "fall from a window."

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 31·4 per 1,000. Influenza caused 1 death and pulmonary tuberculosis caused 5 deaths. There were 6 deaths from diseases of the respiratory system, including 3 from pneumonia.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 28·6. There was one death from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are Rathmines, 26·7 per 1,000 inhabitants; Pembroke, 14·0; Blackrock, 11·9; Kingstown, 26·6. There were no deaths from zymotic diseases tabulated for these districts. Among the 17 deaths from all causes tabulated for Rathmines are 3 from phthisis and 2 each from diseases of the brain and nervous and circulatory systems, and 5 from diseases of the respiratory systems. The 7 deaths in Pembroke include 4 from diseases of the respiratory system. There were 2 deaths in Kingstown from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th February,	51 cases.
,, ,,	15th February,	94 cases.
,, ,,	22nd February,	108 cases.
,, ,,	1st March,	75 cases.

Of the 75 cases notified, 11 were erysipelas, 5 enteric fever, 16 scarlatina, 6 diphtheria, 14 measles, and 23 chicken-pox.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th February,	3 cases.
,, ,,	15th February,	5 cases.
,, ,,	22nd February,	3 cases.
,, ,,	1st March,	7 cases.

Of the 7 cases notified, 2 were erysipelas, one continued fever, 2 diphtheria, and 2 scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th February,	30 cases.
,, ,,	15th February,	39 cases.
,, ,,	22nd February,	12 cases.
,, ,,	1st March,	63 cases.

Of the 63 cases notified, one was enteric, 55 measles, and 7 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th February,	34 cases.
,, ,,	15th February,	39 cases.
,, ,,	22nd February,	33 cases.
,, ,,	1st March,	51 cases.

Of the 51 cases notified, 13 were enteric fever, 8 erysipelas, 7 diphtheria, 17 continued fever, one scarlatina, and 4 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st March, 1902.

From this it appears that:—

Three cases of small-pox remained in hospital at the close of the week.

Eight cases of enteric fever were admitted to hospital, 10 cases were discharged, there were two deaths, and 47 cases remained under treatment at the close of the week.

Seventeen cases of scarlatina were admitted to hospital, 13 cases were discharged, and 92* cases remained under treatment at the close of the week.

Three cases of typhus remained under treatment at the close of the week.

One case of diphtheria was admitted to hospital, 8 cases were discharged, and 28 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 13 cases of pneumonia were admitted to hospital, 8 patients were discharged, and 29 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 75 large English towns, including London (in which the rate was 28·2), was equal to an average annual death-rate of 23·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·6 per 1,000, the rate for Glasgow being 24·0, and for Edinburgh 20·3.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 1st March, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature and Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 1st March, 1902. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Births.	Numbers Registered. Deaths. Total Numbers.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	Not in Public Institutions.	Meteorology.† Week ending 1st Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	1,092,322	18·7	28·0	29·3	1·6	580	607	108	175	.	5	1	1	8	3	2	7	7	88	182	23	30	155	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	379,003	27·8	26·6	28·6	1·8	193	208	35	66	.	1	1	.	5	.	.	3	3	30	78	5	3	65	§55·3	39·1	46·0	1·16	§49·1	31·1	40·5	0·15	§45·5	19·5	29·9	0·00
Registrars' Districts. City	293,394	37·8	27·7	30·7	2·3	156	173	30	43	.	1	1	.	5	.	.	3	3	24	61	5	3	60	a54·6 b56·2	42·1 41·0	47·5 47·1	1·42 1·24	a49·8 b48·8	34·7 32·4	41·5 40·8	0·16 0·21	a43·8 b47·0	22·0 19·0	31·4 30·3	0·00 0·00
Rathmines,‖	38,208	19·4	17·8	26·7	.	11	17	2	12	.	.	.	.	.	.	.	.	.	3	5	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	30·1	14·0	.	15	7	1	5	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	6·1	11·9	11·9	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	26·6	26·6	.	9	9	2	4	.	.	.	.	.	.	.	.	.	2	2	.	.	1	56	42·5	47·0	1·41	52·5	37·5	41·2	0·25	47	22·5	33·0	0·00
Urban Districts																																			
Belfast,	358,693	21·8	30·1	27·3	1·0	207	188	41	39	.	2	.	.	1	1	.	2	1	28	58	16	25	33	54·0	38·2	44·8	0·25	44·9	24·5	38·2	0·03	38·9	13·0	27·2	0·01
Cork,	75,978	33·5	29·5	31·6	2·1	43	46	5	14	.	.	.	.	2	.	.	1	.	11	14	.	.	22	50	44	47·0	2·14	50	32	43·8	2·12	45	25	35·1	0·04
Londonderry,	40,729	18·8	24·3	15·4	.	19	12	1	6	.	.	.	.	.	.	.	.	.	2	5	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,085	18·4	17·8	19·2	.	13	14	2	3	.	.	.	.	.	.	.	.	.	4	3	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	13·6	27·3	.	7	14	1	7	.	.	.	.	.	.	.	.	.	.	4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,414	9·5	31·1	54·4	3·9	8	14	5	4	.	.	.	1	.	.	.	.	.	1	1	1	.	4	57	42	49	1·33	52	32	43	0·68	45	20	38	0·00
Dundalk	13,067	9·4	16·0	47·9	.	4	12	3	4	.	.	.	.	.	.	.	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	36·8	58·1	.	9	13	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	12·4	16·6	.	8	4	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	53·5	34·7	45·5	1·05	47·0	34·8	39·4	0·57	37·0	13·0	26·0	0·00
Lurgan,	11,777	13·8	31·0	31·0	.	7	7	1	4	.	.	.	.	.	.	.	.	.	2	1	.	.	2	53·5	34·7	45·5	1·05	47·0	34·8	39·4	0·57	37·0	13·0	26·0	0·00
Lisburn,	11,469	19·1	18·2	36·4	9·1	4	8	1	1	.	.	.	.	.	.	.	1	1	1	2	.	.	1	53·5	34·7	45·5	1·05	47·0	34·8	39·4	0·57	37·0	13·0	26·0	0·00
Wexford	11,154	23·2	18·7	46·7	4·7	4	10	.	3	.	.	.	.	.	.	.	.	1	2	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	9·6	52·7	4·8	2	11	3	5	.	1	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	57·6	38·4	.	12	8	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	55·8	37·0	46·9	0·36	49·6	35·1	41·5	0·82	44·4	12·0	29·2	0·24
Kilkenny,	10,493	11·4	24·8	39·8	5·0	5	8	4	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	53	43	46·9	1·62	49	25	42·4	0·83	46	17	29·7	0·00
Clonmel,	10,209	7·9	35·8	20·4	.	7	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	13·1	15·6	20·8	.	3	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	53·5	34·7	45·5	1·05	47·0	34·8	39·4	0·57	37·0	13·0	26·0	0·00
Tralee,	9,812	16·7	69·1	47·8	15·9	13	9	.	4	.	.	.	.	.	1	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	11·4	40·1	.	2	7	2	1	.	.	.	.	.	.	.	.	.	2	3	.	.	.	51	34	43·6	1·04	46	29	38·8	0·43	41	20	31·0	0·32
Queenstown,	7,887	14·7	59·5	19·8	6·6	9	3	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	50	44	47·0	2·14	50	32	43·8	2·12	45	25	35·1	0·04
Armagh,	7,569	22·1	41·3	20·7	6·9	6	3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	53·5	34·7	45·5	1·05	47·0	34·8	39·4	0·57	37·0	13·0	26·0	0·00

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been [illegible] Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 1st March, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				
	CITY OF DUBLIN.																				
	REGISTRATION DISTRICTS.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	1	1	.	.	1	.	.	.	2	.	.	.	.		.	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.		.	.	.	.	3	.
Diarrhœa, Dysentery,	1	.	.	1	.	.	.	.	1	.	.	.	.	.	.		.	.	.	.	3	.
Other Zymotic Diseases,	3	.	.	1	.	.	.	.	2	.	.	1	.	.	.		.	.	.	.	7	.
Total,	4	1	2	4	.	.	2	.	3	.	3	1	.	.	.		.	.	.	.	20	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	.	3	5	1	.	1	.	.	2	2	4	5	.	1	.		3	1	.	2	30	3
Other Constitutional Diseases,	2	1	1	.	1	.	.	1	1	1	2	1	.	.	.		2	.	.	.	13	3
Total,	2	4	6	1	1	1	.	1	3	3	6	6	.	1	.		5	1	.	2	43	6
V. DEVELOPMENTAL DISEASES,	1	.	.	1	.	.	.	.	2	2	1	2	.	.	.		1	1	.	1	12	.
VI. LOCAL DISEASES:																						
Diseases of: Brain & Nervous System,	5	.	2	.	.	1	.	.	.	.	3	2	.	1	.		2	1	1	.	18	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Circulatory System,	.	.	4	1	.	.	.	.	1	.	2	1	.	1	.		2	.	.	1	13	1
Respiratory System,	5	10	7	4	.	1	1	.	5	1	20	6	.	1	.		5	4	1	2	73	.
Digestive System,	1	1	.	2	.	.	.	.	1	.	1	1	.	.	.		.	.	.	2	9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	1
Urinary System,	1	.	.	.	.	.	.	.	1	1	.	1	.	.	.		.	.	.	.	4	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.	.	.	.	1	.
,, Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Total,	12	12	13	8	.	2	1	.	8	2	26	12	.	3	.		9	5	2	5	120	4
VII. VIOLENT DEATHS,	1	1	1	.	.	.	.	.	.	1	1	.	.	.	.		.	.	.	.	5	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.		2	.	.	.	1	.	1	.	.	.	.	.	.		2	.	.	1	8	.
Deaths from all Causes,	20	19	24	14	1	8	4	1	17	8	37	21	.	4	.		17	7	2	9	208	10
Annual Rate of Mortality in every 1,000 of the population.	36·8	25·8	41·6	28·0	10·8	15·6	31·3	.	22·6	24·4	46·2	31·4	.	28·6	.		26·7	14·0	11·9	26·6		
	29·5								32·1								21·3				28·6	
	30·7																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	4	5	.	1	.	.	1	1	8	3	.	.	.		3	1	.	.	33	8
Workhouse Hospitals,	2	1	7	2	.	1	.	.	4	3	8	3	.	.	.		.	.	.	1	32	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 9th Week of the 10 years 1892-1901.	In the week ending Saturday 1st March, 1902								
													Deaths of persons of the Ages of							
	Mar. 5, 1892	Mar. 4, 1893	Mar. 3, 1894	Mar. 2, 1895	Mar. 1, 1896	Mar. 6, 1897	Mar. 5, 1898	Mar. 4, 1899	Mar. 3, 1900	Mar. 2, 1901		ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature,	° 34·4	° 42·2	° 44·1	° 37·1	° 42·1	° 39·4	° 38·9	° 41·1	° 40·2	° 42·9	° 40·2	° 46·0								
ALL CAUSES,	219	186	202	219	178	303	218	214	230	320	228·9	218	10	25	25	17	30	48	52	16
I. FEBRILE OR ZYMOTIC DISEASES,	35	20	25	14	15	87	27	23	28	33	30·7	20	.	6	4	3	2	2	2	1
II. PARASITIC DISEASES,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	.	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	44	49	46	42	51	52	38	62	54	50	48·8	49	.	2	3	9	21	9	4	1
V. DEVELOPMENTAL "	16	13	22	15	10	14	18	15	25	33	18·1	12	4	.	.	.	.	.	6	2
VI. LOCAL "	109	88	93	134	79	133	119	98	112	189	115·4	124	3	13	15	4	6	31	40	12
VII. VIOLENT DEATHS,	5	5	2	5	8	5	7	8	2	6	5·3	5	.	.	2	1	1	1	.	.
VIII. ILL-DEFINED CAUSES,	8	11	14	9	14	12	8	8	9	9	10·2	8	3	4	1	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated	.	.	.	4	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	7	.	2	.	.	44	.	.	1	1	5·5	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	.	.	2	4	5	4	1	.	1·6	1	.	.	1	.	.	.	.	.
Typhus,	.	1	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	8	.	6	4	2	8	7	3	13	16	6·2	5	.	1	.	.	1	1	1	1
Whooping Cough,	8	5	7	1	1	21	2	5	.	5	5·5	5	.	3	2	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	4	3	1	4	7	7	6	4	3	4·3	3	.	.	.	3	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Diarrhœa, Dysentery,	2	2	1	.	1	3	2	2	5	2	2·0	3	.	1	.	.	.	1	1	.
Remittent Fever,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	1	.	1	1	2	1	1	·8	1	.	1	.	.	.	.	.	.
Erysipelas,	.	1	1	1	1	.	1	.	2	1	·8	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	1	.	1	2	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	2	.	.	.	.	1	1	.	.	·5	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	5	4	2	2	1	2	1	.	.	2	1·9	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rheumatism	2	1	1	2	.	.	2	.	1	.	·9	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	5	7	8	5	8	6	6	6	8	12	6·1	6	.	.	.	.	.	3	2	1
Tabes Mesenterica,	2	7	5	5	1	5	3	6	2	6	4·2	·1	.	.	1	.	.	.	.	.
Tubercular Meningitis,	2	2	5	2	4	3	1	8	6	3	3·6	3	.	2	.	1	.	.	.	.
Phthisis,	26	26	25	19	37	25	19	32	30	20	25·9	33	.	.	1	5	19	6	2	.
Scrofula, Tuberculosis,	4	5	5	8	4	9	5	7	7	5	5·9	5	.	.	1	2	2	.	.	.
Other Constitutional Diseases,	2	1	1	1	2	3	1	2	.	4	1·7	1	.	.	.	1	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	.	3	2	2	.	2	3	.	1	6	1·9	4	4	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	.	.	2	2	2	.	.	.	·7	.	.	.	.	.	.	.	.	.
Old Age,	15	10	20	13	8	10	13	15	24	27	15·5	8	.	.	.	.	.	.	6	2

* The figures for the years 1892–1900 are for the

each Disease registered in the NINTH WEEK ending Saturday, 1st March, 1902, with ten years, 1892-1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday: Mar. 5, 1892	Mar. 4, 1893	Mar. 3, 1894	Mar. 2, 1895	Mar. 1, 1896	Mar. 6, 1897	Mar. 5, 1898	Mar. 4, 1899	Mar. 3, 1900	Mar. 2, 1901	Averages in 9th Week of the 10 years 1892-1901	In the Week ending Saturday, 1st March, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5: Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	34·4	42·2	44·1	37·1	42·1	39·4	33·9	41·1	40·2	42·9	40·2	46·0								
VI. Local Diseases.																				
Apoplexy,	2	3	3	1	4	5	5	3	2	5	3·3	1	.	.	.	.	.	.	1	.
Epilepsy,	1	.	2	.	.	.	.	.	1	1	·5	2	.	.	.	2	.	.	.	.
Convulsions,	13	16	13	11	5	16	9	4	9	11	10·7	5	3	2	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	14	4	5	5	7	8	12	5	5	19	8·4	11	.	.	1	.	1	3	4	2
Diseases of Organs of Special Sense,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	21	11	19	32	13	21	18	15	24	35	20·9	14	.	.	.	1	1	3	3	1
Croup,	.	.	.	1	1	2	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	30	22	25	56	24	27	44	28	38	74	36·8	54	.	3	6	.	2	11	23	4
Pneumonia,	11	5	12	11	11	29	10	17	16	15	14·0	18	.	2	6	1	1	2	4	2
Pleurisy,	1	2	.	1	.	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	2	7	4	6	2	4	1	2	.	5	3·3	1	.	1	.	.	.	.	.	.
Teething,	.	.	.	1	.	1	4	.	.	2	·8	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	1	1	1	.	.	.	·4	1	.	.	1	.	.	.	.	.
Enteritis,	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis,	.	6	.	1	1	1	.	2	1	.	1·2	.	.	.	.	.	.	.	.	.
Disease of Liver,	5	3	2	2	4	5	1	2	3	3	3·0	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	6	3	4	2	3	3	3	10	6	7	4·7	5	.	.	.	.	.	2	2	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
Diseases of Urinary System,	2	4	1	.	2	5	6	7	2	3	3·2	5	.	.	.	.	.	2	1	2
Diseases of Generative System,	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	2	.	.	1	2	1	2	1	·9	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	.	.	2	1	1	1	.	1	2	·8	1	.	.	.	.	.	1	.	.
Diseases of Integumentary System,	.	.	1	1	.	1	2	1	1	2	·9	1	.	.	.	.	.	.	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	.	.	.	.	1	1	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	1	2	.	4	2	.	2	2	1	4	4·7	3	.	.	2	1	.	.	.	.
By Drowning,	1	.	.	.	2	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	1	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	1	.	.	.	.	1	1	.	1		.	.	.	.	.	.	.	.	.
Other or Not stated Causes,	2	1	.	1	2	2	3	2	1	1		2	.	.	.	.	1	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	1	.	2	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	11	14	9	14	12	8	8	9	9	10·2	8	3	4	1	.	.	.	.	.

Dublin Registration Area as then constituted.

TABLE IV.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901-2—Week ending																									
	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.
No. weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered,	234	212	152	245	228	176	229	235	141	192	144	162	216	187	164	144	93	279	204	208	215	152	222	177	248	198
*Average Births in corresponding week of previous 10 years,**	190	211	200	210	176	170	188	171	183	179	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219
DEATHS registered,	154	164	180	138	149	146	150	146	168	171	180	176	141	153	138	196	200	223	186	177	158	169	181	200	248	218
Annual Death-rate per 1,000,	21·4	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0
*Average Deaths in corresponding week of previous 10 years,**	173	170	165	162	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213	224	225	229
AGES, Under 5 years,	64	64	61	42	49	46	50	49	54	58	59	53	36	37	31	47	33	46	33	54	36	38	46	40	60	60
5—20 ,,	10	18	12	11	14	17	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17
20—40 ,,	23	32	37	28	24	21	22	24	13	23	31	26	20	23	16	35	31	39	35	19	27	31	36	34	37	30
40—60 ,,	30	25	34	24	24	33	26	34	40	36	31	32	30	38	39	54	53	63	41	42	33	43	39	47	55	43
60—80 ,,	22	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48	44	37	36	36	49	70	52
80 years and upwards,	5	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1	1	1	.	3	3	1
,, Scarlet Fever,	2	.	1	1	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	2	.	1
,, Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	1	4	1	2	1	.	2	4	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3	2	5
,, Diphtheria,	1	.	2	.	2	.	1	1	1	1	3	4	.	2	.	3	2	3	3	1	1	1	.	.	1	.
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	.	1	3	3	8	6	3	.	5	2	.	3	2	1	.	4	5	2	3	1	2	.	2	2	3	3
,, Diarrhœa, Dysentery,	29	22	20	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2	4	.	1	2	2	3
,, Phthisis,	25	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20	19	33	31	27	27	33
,, Heart Diseases,	9	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14
,, Diseases of Respiratory System,	12	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34	43	35	47	36	48	82	73
Violent Deaths,	1	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5
Mean Temperature of the Air (Phœnix Park),	53·8	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	35·7	29·9	40·5	46·0
Average Mean Temperature in corresponding week of previous 10 years,	56·0	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2
Rainfall in inches,	·155	·405	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·175	·030	·145	1·160
Mean Humidity of the Air, complete Saturation 1·0,	·84	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·81	·81	·84	·79	·84	·87

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st March, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 1st March, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	32·8	218	60	17	30	43	52	16	.	1	1	.	5	.	.	3	3	13	33	5	73	5	89
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	33·8	10	.	.	.	1	5	4	.	.	.	.	.	.	.	.	.	.	.	.	3	.	7
II.	MIDDLE CLASS,	80,658	23·3	36	7	3	4	6	11	5	.	.	.	.	.	.	.	2	1	3	5	1	9	.	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	26·5	50	13	3	9	12	11	2	.	.	.	.	1	.	.	.	.	1	7	.	19	3	20
IV.	GENERAL SERVICE CLASS,	146,486	41·9	88	36	10	11	11	17	3	.	1	1	.	4	.	.	1	1	8	12	4	29	2	33
V.	INMATES OF WORKHOUSES,	5,191		34	4	1	6	12	8	2	.	.	.	.	.	.	.	.	1	1	9	.	13	.	11
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	.	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	35·8	4	.	1	.	1	1	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	22·8	11	3	.	1	2	4	1	.	.	.	.	.	.	.	.	.	.	1	1	5	.	4
	6. Clerks and Commercial Assistants,	24,750	25·3	12	3	1	3	2	2	1	.	.	.	.	.	.	.	1	1	2	2	.	2	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	19·3	9	1	1	.	1	4	2	.	.	.	.	.	.	.	.	.	.	2	.		.	5
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	26,030	26·0	13	6	.	1	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	6	1	5
	10. Clothing Trades,	23,686	30·8	14	3	1	3	1	5	1	.	.	.	.	.	.	.	.	.	.	3	.	7	1	3
	11. Food Supply Trades,	7,869	19·9	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	33·2	17	3	2	3	5	4	.	.	.	.	.	1	.	.	.	.	1	2	.	5	1	3
	13. Petty Shopkeepers,	6,771	23·1	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26.9	7	4	1	2	.	.	.	.	1	.	.	1	.	.	.	.	2	.	1	1	.	3
	15. Domestic Servants,	39,563	14·5	11	1	.	3	.	6	1	.	.	1	.	.	.	.	.	.	1	2	.	4	.	
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	19·5	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.
	17. Hawkers, Porters, Labourers, &c.,	82,631	41·6	66	28	9	6	10	11	2	.	.	.	.	3	.	.	1	1	5	10	2	21	2	26
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	34	4	1	6	13	8	2	.	.	.	.	.	.	.	.	1	1	9	.	13	.	11

* Occupation Statistics for 1901 not yet available

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** *(Office, Clarence-street, Nth.* Pop. in 1902 (Est.) 28,333.	Jan. 11,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	3	.
		„ 18,	27·6	1·8	15	.	.	.	.	.	1	.	.	.	1	6	.
		„ 25,	22·1	1·8	12	.	.	.	.	.	.	.	1	.	3	5	.
		Feb. 1,	36·8	.	20	.	.	.	.	.	.	.	.	.	4	8	.
		„ 8,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	3	3	1
		„ 15,	31·3	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	8	1
		Mar. 1,	36·8	1·8	20	.	.	.	.	.	.	.	.	1	.	5	1
	North City, No. 1 (W.) *(Office, Summer-hill.)* Pop. in 1902 (Est.) 39,146.	Jan. 11,	30·6	4·0	23	.	.	.	.	.	2	.	1	.	3	5	1
		„ 18,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	6	.
		„ 25,	20·0	1·4	15	.	.	.	.	.	.	.	.	1	1	6	.
		Feb. 1,	36·6	.	20	.	.	.	.	.	.	.	.	.	3	4	1
		„ 8,	26·6	1·4	20	.	.	.	.	.	.	.	1	.	2	5	1
		„ 15,	36·0	4·0	27	.	.	1	.	.	.	.	1	1	4	7	.
		„ 22,	34·6	1·4	26	.	.	.	.	.	.	.	.	1	.	8	1
		Mar. 1,	25·3	1·4	19	.	.	.	.	.	.	.	1	.	3	10	1
	North City, No. 2. *(Office, Lisburn-street.)* Pop. in 1902 (Est.) 30,107.	Jan. 11,	27·7	.	16	.	.	.	.	.	.	.	.	.	3	1	.
		„ 18,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 25,	24·2	3·5	14	.	.	.	.	.	.	.	1	1	1	1	.
		Feb. 1,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 8,	22·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 15,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	4	1
		„ 22,	39·8	1·7	23	.	.	.	.	1	.	.	.	.	3	8	1
		Mar. 1,	41·6	3·5	24	.	.	.	.	1	.	.	1	.	5	7	1
	North City, No. 3. *(Office, Blackhall-place.)* Pop. in 1902 (Est.) 31,673.	Jan. 11,	28·0	4·9	17	.	.	.	.	1	1	.	.	1	2	2	.
		„ 18,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	.	6	.
		„ 25,	26·3	1·6	16	.	.	.	.	.	.	.	.	1	4	3	.
		Feb. 1,	36·2	.	22	.	.	.	.	.	.	.	.	.	5	7	.
		„ 8,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
		„ 15,	32·9	3.4	20	.	.	.	.	1	.	.	.	1	5	4	1
		„ 22,	26·3	.	16	.	.	.	.	.	.	.	.	.	1	5	.
		Mar. 1,	23·0	4·9	14	.	.	1	.	1	.	.	.	1	1	4	.
	South City, No. 1. *(Office, South Earl-street.)* Pop. in 1902 (Est.) 39,152.	Jan. 11,	32·0	.	24	.	.	.	.	.	.	.	.	.	7	5	1
		„ 18,	26·6	1·3	20	.	.	.	.	.	.	.	.	1	2	3	.
		„ 25,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	1
		Feb. 1,	21·3	.	16	.	.	.	.	.	.	.	.	.	3	5	.
		„ 8,	32·0	1·3	24	.	.	.	.	.	.	.	.	1	7	3	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		„ 22,	41·3	1·3	31	.	.	.	.	.	1	.	.	.	6	9	.
		Mar. 1,	22·6	1·3	17	.	.	.	.	.	.	.	.	1	2	5	.
	South City, No. 2. *(Office, Castle-street.)* Pop. in 1902 (Est.) 17,118.	Jan. 11,	33·5	.	1	.	.	.	.	.	.	.	.	.	.	4	.
		„ 18,	24·4		8	.	.	.	.	.	.	.	.	.	3	3	.
		„ 25,	36·6	.	12	.	.	.	.	.	.	.	.	.	2	5	.
		Feb. 1,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	2	1	.
		„ 8,	27·4		9	.	.	.	.	.	.	.	.	.	4	4	.
		„ 15,	48·8	3·0	16	.	.	.	.	1	.	.	.	.	2	5	2
		„ 22,	51·8	.	17	.	.	.	.	.	.	.	.	.	2	5	1
		Mar. 1,	24·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	South City, No. 3. *Office, Peter-street.* Pop. in 1902 (Est.) 41,786.	Jan. 11,	25·0	1·2	20	.	.	.	.	.	.	.	1	.	5	2	1
		„ 18,	27·5	.	22	.	.	.	.	.	.	.	.	.	5	6	1
		„ 25,	21·2	1·2	17	.	.	.	.	.	.	.	.	1	.	5	.
		Feb. 1,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	7	1
		„ 8,	31·2	1·2	25	.	.	.	.	1	.	.	.	.	4	3	.
		„ 15,	27·5	.	22	.	.	.	.	.	.	.	.	.	3	7	.
		„ 22,	26·2	1·2	21	.	.	.	.	.	.	.	.	1	1	8	.
		Mar. 1,	46·2	.	37	.	1	.	.	2	.	.	.	.	4	20	1
	South City, No. 4. *(Office, Grand Canal-street).* Pop. in 1902 (Est.) ,898.	Jan. 11,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	4	5	1
		„ 18,	28·4	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 25,	17·9	.	12	.	.	.	.	.	.	.	.	.	1	1	3
		Feb. 1,	22·4	.	15	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	26·9	.	18	.	.	.	.	.	.	.	.	.	2	4	.
		„ 15,	23·9	.	16	.	.	.	.	.	.	.	.	.	3	4	2
		„ 22,	44·8	1·5	30	.	.	.	.	.	.	.	1	.	4	6	.
		Mar. 1,	31·4	.	21	.	.	.	.	.	.	.	.	.	5	6	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of he Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Rathmines. Pop. n 1902 (Est.) 83,203.	Jan. 11,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	2	1
	„ 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 25	28·3	.	18	.	.	.	.	.	.	.	.	.	2	3	.
	Feb. 1.	4·7	.	8	.	.	.	.	.	.	.	.	.	1		.
	„ 8,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 15,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	Mar. 1,	26·7	.	17	.	.	.	.	.	.	.	.	.	3	5	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Jan. 11,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	.	3	.
	„ 18,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	.	1	.
	„ 25,	22·0	2·0	11	.	1	.	.	.	.	.	.	.	.	1	1
	Feb. 1,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	4	3	.
	„ 8,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	1	1	.
	„ 15,	20·0	8·0	10	.	3	.	.	1	.	.	.	.	.	1	.
	„ 22,	44·0	8·0	22	.	3	.	.	1	.	.	.	.	3	7	.
	Mar. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	4	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Jan. 11,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	.	.
	„ 18,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	3	.
	„ 25,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Feb. 1,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 15,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	2	2
	Mar. 1,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
Belfast. Pop. in 1902 (Est.) 358,693.	Jan. 11,	18·2	1·5	125	.	2	.	.	3	1	.	2	2	18	34	3
	„ 18,	18·3	1·2	120	.	2	.	.	3	1	.	1	1	24	21	1
	„ 25,	21·9	1·0	151	.	.	.	1	3	1	.	.	2	14	52	1
	Feb. 1,	18·9	0·9	130	.	.	.	.	1	.	.	3	2	21	27	2
	„ 8,	17·9	2·0	123	.	.	.	.	6	3	1	2	2	18	46	4
	„ 15,	24·6	2·0	169	.	2	.	.	5	2	.	3	2	33	58	1
	„ 22,	29·8	2·2	205	.	2	.	.	4	1	.	4	4	25	55	15
	Mar. 1,	27·3	1·0	188	.	2	.	.	1	1	.	2	1	28	58	16
Cork. Pop. (in 1901) 75,978.	Jan. 11,	24·0	0·7	35	.	.	.	.	1	.	.	.	.	5	9	1
	„ 18,	24·0	1·4	35	.	.	.	.	1	.	.	.	1	3	7	.
	„ 25,	21·3	2·1	31	.	.	1	.	1	.	.	.	1	5	6	.
	Feb. 1,	26·1	1·4	38	.	.	.	.	2	.	.	.	.	9	9	.
	„ 8,	26·8	.	39	.	.	.	.	.	.	.	.	.	17	6	.
	„ 15,	36·4	0·7	53	.	.	1	.	.	.	.	.	.	10	16	2
	„ 22,	30·9	0·7	45	.	.	.	.	1	.	.	.	.	6	10	.
	Mar. 1,	31·6	2·1	46	.	.	.	.	2	.	.	1	.	11	14	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Jan. 11,	19·6	2·6	15	.	.	.	.	.	.	.	.	2	3	3	.
	„ 18,	15·4	1·3	12	.	.	.	.	.	.	.	.	1	1	4	1
	„ 25,	32·0	1·3	25	.	.	.	.	.	.	.	.	1	1	6	1
	Feb. 1,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	25·6	.	20	.	.	.	.	.	.	.	.	.	3	9	.
	„ 15,	20·5	.	16	.	.	.	.	.	.	.	.	.	4	5	.
	„ 22,	29·4	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	Mar. 1,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	5	.
Limerick. Pop. (in 1901) 38,085.	Jan. 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	3	4	.
	„ 18,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 1,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	31·5	.	23	.	.	.	.	.	.	.	.	.	3	5	.
	„ 15,	23·3	.	17	.	.	.	.	.	.	.	.	.	2	3	.
	„ 22,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 1,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	.
Waterford. Pop. (in 1901) 26,748.	Jan. 11,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 18,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	11·7	1.9	6	.	.	.	.	.	.	.	.	1	2	1	.
	Feb. 1,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	„ 8,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Mar. 1,	27·3		14	.	.	.	.	.	.	.	.	.	.	4	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 1st March, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	858,693	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	3	1	3	1	.	.	.	.	.	.	.	.	.	1	3	1	1	1
" 2 "		25			19	2	2	10	5	.	.	.	.	.	1	.	.	.	2	7	.	1	4
" 3 "		27			21	2	2	14	3	.	.	.	.	.	.	.	.	.	5	8	1	1	2
" 4 "		33			31	6	5	11	9	.	.	.	.	1	.	.	1	.	5	11	.	1	5
" 5 "		8			20	.	.	18	2	.	.	.	.	.	.	.	.	.	4	3	11	1	3
" 6 "		20			26	8		9	7	.	2	.	.	.	.	.	.	1	1	10	2	3	4
" 7 "		3			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		2			7	1	1	2	3	.	.	.	.	.	.	.	1	.	.	4	.	.	1
" 9 "		10			10	5	1	3	1	.	.	.	.	.	.	.	.	.	1	4	1	1	.
" 10 "		14			12	3	1	6	2	.	.	.	.	.	.	.	.	.	4	.	.	2	2
" 11 "		21			18	3	.	7	3	.	.	.	.	.	.	.	.	.	3	4	.	1	5
" 12 "		24			12	6	1	3	2	.	.	.	.	.	.	.	.	.	1	4	.	2	3
" 13 "		11			8	2	.	5	1	.	.	.	.	.	.	.	.	.	1	.	.	1	3
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	207	27·3	1·0	188	41	17	91	39	.	2	.	.	1	1	.	2	1	28	58	16	25	33
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	75,978	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		12	.	.	6	6	.	.	.	.	.	.	.	.	.	2	2	.	.	9
" 2 "		6			8	1	.	5	2	.	.	.	.	.	.	.	.	.	3	2	.	.	4
" 3 "		7			4	.	1	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" 4 "		1			4	.	.	2	2	.	.	.	.	.	.	.	1	.	1	.	.	.	2
" 5 "		5			4	1	1	2	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
" 6 "		7			2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" "		10			12	2	2	7	1	.	.	.	.	2	.	.	.	.	4	4	.	.	5
Total,	—	43	31·6	2·1	46	5	4	23	14	.	.	.	.	2	.	.	1	.	11	14	.	.	22

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb 15.	Feb. 22.	Mar. 1.
No. of week in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered,	210	197	230	189	211	216	205	193	195	195	186	206	195	186	193	199	156	237	195	187	212	188	189	201	246	207
DEATHS registered.	143	149	119	138	100	132	121	103	158	112	131	145	131	129	141	144	150	143	125	126	151	130	123	169	205	188
Annual Death-rate per 1,000 of estimated Population,*	21·3	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3
AGES, Under 1 year,	49	32	33	28	25	37	24	20	23	23	23	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41
AGES, 1-5 years,	20	18	13	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17
AGES, 5-60 years,	3	71	60	79	48	55	60	6	82	53	59	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91
AGES, 60 years and upwards,	21	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2
,, Scarlet Fever,	1	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Whooping-cough,	5	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1	3	3	3	1	6	5	4	1
,, Diphtheria,	2	4	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.		1	1	1	.	3	2	1	1
,, Simple continued and Ill-defined Fever,	2	1	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.
,, Enteric Fever,	13	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2
,, Diarrhœa, Dysentery,	18	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1
,, Phthisis	16	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28
,, Diseases of Respiratory System,	10	14	16	27	13	24	17	15	23	36	33	40	28	38	36	42	51	36	34	21	52	27	46	58	55	58
Violent Deaths,	4	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st March, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken Pox.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	2	.	.	.	.	.	1	.	.	1	4
" " 2,	.	1	.	1	.	.	1	.	.	.	.	.	.	3
" " 3,	.	2	.	6	.	.	.	.	.	.	.	.	14	22
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Blanchardstown and Castleknock (part of),	.	1	.	.	.	.	1	.	.	.	.	.	.	2
South City No. 1,	.	1	.	1	.	.	.	.	.	1	4	.	5	12
" " 2,	.	.	.	1	.	.	.	.	.	.	1	.	.	2
" " 3,	.	9	.	3	.	.	2	.	.	.	1	.	3	18
" " 4,	.	.	.	2	.	.	1	.	.	2	5	.	.	10
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	14	.	16	.	.	6	.	.	5	11	.	23	75
Total for week ended Feb. 22, 1902,	.	15	.	9	.	.	4	.	3	17	14	.	46	108
Total for week ended Feb. 15, 1902,	3	6	.	12	.	.	5	.	3	32	20	.	13	94
Total for week ended Feb. 8, 1902.	.	4	2	15	3	.	4	.	1	8	14	.	.	51

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st March, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st March.			
	Feb. 8.	Feb. 15.	Feb. 22.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	3	3*	.	.	.	3
Measles.	9	15	15	4	5	1	13
Scarlet Fever,	76	97†	88	17	13	.	92
Typhus ,,	5	4	3	.	.	.	3
Diphtheria,	43	41	35	1	8	.	28
Enteric Fever,	57	58	51	8	10	2	47
Pneumonia,	18	20	24	13	8	.	29

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.
† Including 19 patients who were in "Beneavin" at the close of the week ended Feb. 8, 1902.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Mar. 1,	2,567	2,478	28·2	75	67	10	41	46	8	14
EDINBURGH, .	317,885	,, 1,	142	126	20·3	.	3	.	1	5	1	.
GLASGOW, . .	764,423	,, 1,	473	358	24·0	10	6	4	.	7	2	5
CALCUTTA, . .	466,460	Dec. 28,	.	342	38·2	.	.	.	.	.	103§	74*
BOMBAY, . .	776,006	Jan. 14,	321	899	60·2	1	2	?	?	?	373§	70*
MADRAS, . .	509,346	,, 3,	323	502	51·2	2	4	?	?	?	175	84
PARIS, . . .	2,511,629	Feb. 8,	1,045	1,047	21·6	3	8	1	16	14	13	23
BRUSSELS (with 8 Faubourgs).	582,665	,, 8,	270	177	15·7	.	.	.	2†	1	1	7
AMSTERDAM, .	531,966	,, 8,	315	162	15·9	.	4	.	2	3	1	4
ROTTERDAM, .	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	378,235	Feb. 15,	259	120	16·5	.	.	1	1	4	3	3
CHRISTIANIA, .	228,929	,, 8,	128	50	11·4	.	.	.	.	1	1	2
ST. PETERSBURG,	1,248,643	,, 15,	880	613	25·5	2	8	11	22	.	10	53
BERLIN, . .	1,902,009	Jan. 25,	952	545	14·9	.	13	7	3	15	1	37
HAMBURG, . .	724,835	Feb. 8,	.	228	16·4	.	3	5	6†	7	.	6
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,709,211	Jan. 18,	753	601	18·3	.	18	8	11†	2	2	32
BUDA-PESTH, .	751,177	Feb. 1,	476	280	19·0	.	7	2	4	2	1	10
PRAGUE and Faubourgs.	413,756	,, 8,	207	209	26·3	.	4	5	7†	2	1	11
ROME, . . .	472,298	Jan. 4,	252	168	18·5	2	.	.	.	.	3	15
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	168,069	Feb. 1,	73	86	26·6	.	5	.	3†	.	1	1
NEW YORK, .	3,632,501	Jan. 25,	1,819	1,392	20·0	11	22	25	48†	10	13	29
PHILADELPHIA, .	1,293,697	Feb. 1,	.	530	21·3	13	6	9	17	2	21	2

* Including 21 deaths from cholera in Calcutta, 1 in Bombay, and 4 in Madras.
† Including deaths from croup.
§ Exclusive of 21 deaths from bubonic fever in Calcutta, and 250 in Bombay,

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 1st March, 1902:—

"The conflict between the warm oceanic or southerly air-current and the continental or polar air which signalised the previous week was continued during the period now under review and was finally decided in favour of the equatorial current ere the week closed. Day after day the area of cold weather was driven back eastward across Western Europe. Strong southerly winds, clouds and heavy rain marked the line of battle, but once the warm current got the upper hand the wind moderated, the sky cleared, and the weather became fair and springlike. Sunday proved damp and rainy in Dublin, and at 9 p.m. a fine lunar rainbow was seen in the West. Monday and Tuesday were fine and mild, but on the night of the latter day the barometer fell briskly as a large and deep depression began to spread northward and eastward over the British Isles. This disturbance resulted in a severe rainstorm on Wednesday evening, when ·918 inch of rain fell in Dublin. By 8 a.m. of Thursday the barometer fell to 28·89 inches at Valentia, Co. Kerry. On this day the frost began to break up in Germany, where it had been pretty severe and steady for some time. Friday was the first really mild day in England, and it was not until Saturday that the morning temperatures were above average in Scotland. The last two days of the week were fair and springlike in Dublin, where the mean height of the barometer during the week was 29·390 inches, pressure ranging between 28·950 inches at 11 p.m. of Wednesday (wind, E.) and 29·603 inches at 9 p.m. of Saturday (wind, S.). The corrected mean temperature was 47·5°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 46·3°. The screened thermometers rose to 54·6° on Saturday, having fallen to 42·1° also on that day and on Thursday. S. and S.S.E. winds prevailed throughout. The rainfall was 1·424 inches on five days, ·918 inch being measured on Wednesday. The duration of bright sunshine was estimated at 19 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·390 inches. The highest reading (29·608) was on Saturday at 9 p.m., wind S.S.W., and the lowest (29·054) on Thursday at 9 a.m., wind S.E.

The mean temperature for the week was 46·0°, being 5·8° above the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Saturday, on which day the thermometer registered 55·3°, and was lowest on Tuesday, the mercury having fallen to 39·1°. The mean of the Dry Bulb for the week was 45·7°, and of the Wet Bulb 43·9°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 23·4 hours. The rainfall measured 1·160 inches.

At Greenwich the mean temperature for the week was 44·1°, the maximum 54·1°, and the minimum 35·2°; at Glasgow the maximum was 59·4°, the minimum 32·8°, and the mean 44·3°; and at Edinburgh the maximum was 49·8°; the minimum 30·9°, and the mean 40·6°. The rainfall at Greenwich measured 0·44 inch; at Glasgow 0·66 inch; and at Edinburgh 0·48 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Feb. 23,	29·511	51·1	39·9	45·5	48·6	46·7	·88	·5	0·0	·020	S.E.	S.S.E.
Monday, „ 24,	29·506	52·7	39·7	46·2	44·7	43·2	·90	·0	1·5	—	S.	S.E.
Tuesday, „ 25,	29·572	50·7	39·1	44·9	44·6	43·7	·93	·1	4·4	·065	E.	E.
Wednesday, „ 26,	29·239	46·1	40·9	43·5	43·2	42·2	·93	·7	0·0	·890	E.S.E.	E.N.E.
Thursday, „ 27,	29·069	51·8	40·9	46·4	46·2	44·1	·86	·5	3·4	·185	S.E.	E.
Friday, „ 28,	29·298	53·9	42·1	48·0	47·0	43·6	·76	·3	9·1	—	S.W.	S.
Saturday, Mar. 1,	29·536	55·3	39·9	47·6	45·8	43·7	·85	·6	5·0	—	E.S.E.	S.S.W.
Mean . . .	29·390	51·7	40·4	46·0	45·7	43·9	·87	·4	Total 23·4	1·160	Prevailing Wind Easterly.	

Sunday—A dull day; rain 1.0 to 2.30 p.m.; night cloudy; rain 10 p.m. to 1.0 a.m. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; night cloudy p.m.; overcast a.m.; rain 11 p.m. to 6.15 a.m. *Wednesday*—A dull day; rain 2.30 p.m. to 2.0 a.m.; night overcast and wet. *Thursday*—A cloudy day; showers 2 to 3.30 p.m.; night cloudy; showers 12 to 3 a.m. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 8TH MARCH, 1902. [No. 10.

General Register Office, Charlemont House, Dublin, 10*th March,* 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 26·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Average Rate for 4 weeks
22 Town Dists.	25·9	30·2	29·3	26·0	27·9	Lisburn, . .	18·2	22·8	36·4	50·1	31·9
Armagh, . .	34·4	27·6	20·7	0·0	20·7	Londonderry, .	20·5	29·4	15·4	24·3	22·4
Ballymena, .	43·1	24·0	52·7	33·5	38·3	Lurgan, . .	31·0	39·8	31·0	39·8	35·4
Belfast, . .	24·6	29·8	27·3	19·8	25·4	Newry, . .	20·7	20·7	16·6	8·3	16·6
Clonmel, . .	40·9	40·9	20·4	15·3	29·4	Newtownards, .	22·9	45·8	40·1	40·1	37·2
Cork, . . .	36·4	30·9	31·6	32·3	32·8	Portadown, .	36·3	20·8	20·8	31·1	27·2
Drogheda, . .	4·1	20·4	53·1	44·9	30·6	Queenstown, .	39·7	26·4	19·8	19·8	26·4
Dublin Reg. Area,	25·7	33·3	28·6	29·7	29·3	Sligo, . .	4·8	33·6	38·4	0·0	19·2
Dundalk, . .	27·9	12·0	47·9	47·9	33·9	Tralee, . .	53·1	15·9	47·8	31·9	37·2
Galway, . .	46·6	46·6	54·4	46·6	48·5	Waterford, .	13·6	19·5	27·3	11·7	18·0
Kilkenny, . .	14·9	9·9	39·8	44·7	27·3	Wexford, . .	18·7	23·4	46·7	46·7	33·9
Limerick, . .	23·3	26·0	19·2	16·4	21·2						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in fifteen of the districts to 14·4 in Ballymena; the 7 deaths from all causes registered in that district including 3 from measles. The 10 deaths in Wexford include 2 from whooping cough and one from simple fever. The 136 deaths from all causes registered in Belfast include one from measles, and one from diphtheria, and the 47 deaths in Cork include one from scarlet fever, one from whooping cough, and 2 from enteric fever.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 220—111 boys and 109 girls; and the deaths to 222—118 males and 104 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 30·5 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 29·7 per 1,000. During the ten weeks ending with Saturday last the death-rate averaged 27·3, and was 4·7 under the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 18 deaths from zymotic diseases. This figure is equal to a rate of 2·5 per 1,000 of the estimated population of the area, the average rate for the corresponding period of the past 10 years being 4·0 per 1,000; 6 deaths were caused by measles, 3 deaths by diphtheria, 2 deaths each by influenza and enteric fever, and one death was caused by each of the following diseases—scarlet fever, diarrhœa, erysipelas, and septicæmia.

Tuberculosis was the cause of 44 deaths, of these 38 were due to pulmonary tuberculosis, 3 to tubercular meningitis, and 3 to other forms of the disease. 7 deaths were caused by cancer.

There were 65 deaths from diseases of the respiratory system, this number is equal to an average rate of 8·9 per 1,000 of the estimated population of the area, the average rate for the corresponding period of the past 10 years being 8·5 per 1,000. Bronchitis caused 43 deaths, and pneumonia was the cause of 16. There were 2 deaths from pleurisy, one from croup, and 3 deaths from other diseases of the respiratory system.

Nine deaths were registered as being caused by convulsions; of these 2 were infants under one month, 3 were between the ages of one month and one year, 3 were between the ages of one year and 5 years, and one death occurred between the ages of 5 years and 20 years. There were 5 deaths from apoplexy, and 13 deaths from other diseases of the brain and spinal cord (exclusive of convulsions). Diseases of the circulatory system caused 15 deaths.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under one year of age and the death of a woman aged 70 years.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 13 were under one month old), and 76 were aged 60 years and upwards, including 34 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a man) was stated to have been aged 90 years.

Eighty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 23 took place in the North Dublin Union Workhouse, and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 29·7 per 1,000; the rate in the City was 30·6 (29·8 on the North side, and 31·4 on the South), and in the Suburbs 26·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 1·2 (1·0 in the North City Districts, and 1·5 in the South) and for the Suburbs 3·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. Pulmonary tuberculosis caused 3 deaths. There were 6 deaths from diseases of the respiratory system, including one from pneumonia. There was one death from accident, namely, "food getting into trachea, presumably through vomiting."

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000. Enteric fever caused one death, pulmonary tuberculosis caused 3 deaths, and 9 deaths were caused by diseases of the respiratory system, including 5 deaths from pneumonia.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 34·6 per 1,000. Pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 8 deaths.

No. 3 North City District (Blackhall-place).—The deaths (20) represent an annual rate of 32·9 per 1,000. Diphtheria and influenza each caused one death; 6 deaths were due to diseases of the respiratory system, including 4 from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·8 per 1,000 inhabitants; and Finglas and Glasnevin, part of, 39·1. Of the 5 deaths tabulated for the last-named district, one was from diphtheria, one from pulmonary tuberculosis, and 3 from diseases of the circulatory rystem.

No. 1 South City District (South Earl-street).—The deaths (27) represent an annual rate of 36·0 per 1,000. There were 5 deaths from pulmonary tuberculosis, and 7 deaths from diseases of the respiratory system, including one from pneumonia.

No. 2 South City District (Castle-street).—The deaths (17) are equal to an annual rate of 51·8 per 1,000. Diphtheria and influenza each caused one death, 4 deaths were caused by pulmonary tuberculosis; 4 deaths were due to diseases of the respiratory system, including one from pneumonia; there was one death from violence, namely, "shock, the result of violence."

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 21·2 per 1,000. Pulmonary tuberculosis was the cause of 5 deaths, 3 deaths were caused by diseases of the respiratory system, and one death was due to violence, namely, "coma following fracture of the skull, from accidentally falling."

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·9 per 1,000. Scarlatina and diarrhœa each caused one death, 6 deaths were due to pulmonary tuberculosis, and 5 to diseases of the respiratory system, including one from pneumonia.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 28·6. There was one death from enteric fever, and 2 from diseases of the respiratory system, including one from pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 12·6 per 1,000 inhabitants; Pembroke, 48·1; Blackrock, 23·8; Kingstown, 23·7. The deaths from zymotic diseases tabulated for these districts include 6 from measles for Pembroke. Of the 8 deaths from all causes tabulated for Rathmines, 3 were from diseases of the respiratory system. The 24 deaths from all causes for Pembroke include one from pulmonary tuberculosis, 5 from diseases of the brain and nervous system, and 5 from diseases of the respiratory system; and the 8 deaths for Kingstown include 5 from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 15th February,	94 cases.
" " 22nd February,	108 cases.
" " 1st March,	75 cases.
" " 8th March,	93 cases.

Of the 93 cases notified, 20 were erysipelas, 13 enteric fever, 12 scarlatina, 4 diphtheria, 17 measles, 8 chicken-pox, 18 continued fever, and 1 typhus.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 15th February,	5 cases.
" " 22nd February,	3 cases.
" " 1st March,	7 cases.
" " 8th March,	No cases notified.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 15th February,	39 cases.
" " 22nd February,	12 cases.
" " 1st March,	63 cases.
" " 8th March,	29 cases.

Of the 29 cases notified, one was enteric, 21 measles, 5 whooping-cough, one diphtheria, and one scarlet fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 15th February,	39 cases.
" " 22nd February,	33 cases.
" " 1st March,	51 cases.
" " 8th March,	47 cases.

Of the 47 cases notified, 12 were enteric fever, 5 erysipelas, 3 diphtheria, 13 continued fever, 5 scarlatina, 6 membranous croup, and 1 typhus fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th March, 1902.

From this it appears that:—

Three cases of small-pox remained in hospital at the close of the week.

Six cases of measles were admitted to hospital, 8 were discharged, and 11 cases remained under treatment at the close of the week.

Ten cases of enteric fever were admitted to hospital, 10 cases were discharged, and 47 cases remained under treatment at the close of the week.

Ten cases of scarlatina were admitted to hospital, 15 cases were discharged, there were 2 deaths, and 85* cases remained under treatment at the close of the week.

There was 1 case of typhus admitted to hospital and 4 remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 7 cases were discharged, and 27 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 4 cases of pneumonia were admitted to hospital, 8 patients were discharged, there were 2 deaths, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 75 large English towns, including London (in which the rate was 24·6), was equal to an average annual death-rate of 20·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 25·4 per 1,000, the rate for Glasgow being 25·6, and for Edinburgh 26·9.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th March, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons on an Acre	Registration—Week ending Saturday, 8th March, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Deaths. Caused by Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 8th Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd Feb., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	1,092,322	18·7	34·3	26·0	1·3	718	544	99	168	.	10	2	1	3	4	1	4	2	87	147	8	18	155	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																				
Total,‡	879,063	27·8	30·3	29·7	1·8	220	216	32	75	.	6	1	.	.	3	.	2	1	36	64	3	5	81	§52·1	30·4	44·3	0·04	§55·3	39·1	46·0	1·16	§49·1	31·1	40·5	0·15
Registrars' Districts. City	293,394	37·8	30·6	30·6	1·2	172	172	22	55	.	.	1	.	.	3	.	2	1	35	51	3	5	76	a32·9 / 52·7	37·0 / 31·0	46·6 / 44·3	0·03 / 0·03	a54·6 / b56·2	42·1 / 41·0	47·5 / 47·1	1·42 / 1·24	a49·8 / b48·8	34·7 / 32·4	41·5 / 40·8	0·16 / 0·21
Rathmines,‖	33,208	19·4	22·0	12·6	.	14	8	1	5	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	26·0	48·1	12·0	13	24	7	7	.	6	.	.	.	.	.	.	.	1	5	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	29·8	23·8	.	5	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	47·3	23·7	.	16	8	.	7	.	.	.	.	.	.	.	.	.	.	5	.	.	1	54·5	35·5	46·0	0·03	56	42·5	47·0	1·41	52·5	37·5	41·2	0·25
Urban Districts																																				
Belfast,	358,693	21·8	40·3	19·8	0·3	277	136	36	27	.	1	.	.	.	1	.	.	.	24	33	4	8	23	54·0	38·9	46·2	0·10	54·0	38·2	44·8	0·25	44·9	24·5	38·2	0·03
Cork,	75,978	33·5	28·1	32·3	2·7	41	47	7	14	.	.	1	.	1	.	.	2	.	7	14	.	2	15	58	35	44·9	0·00	50	44	47·0	2·14	50	32	43·8	2·12
Londonderry,	40,729	18·8	30·7	24·3	1·3	24	19	4	6	.	.	.	.	.	.	.	.	1	2	8	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	88,085	18·4	30·8	16·4	.	59	12	3	2	.	.	.	.	.	.	.	.	.	2	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,743	18·6	15·6	11·7	.	8	6	1	4	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,414	9·5	77·7	46·6	.	20	12	1	5	.	.	.	.	.	.	.	.	.	3	1	.	.	4	58	37	47	0·23	57	42	49	1·33	52	32	43	0·68
Dundalk	13,067	9·4	28·9	47·9	.	6	12	2	4	.	.	.	.	.	.	.	.	.	5	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	24·5	44·9	.	6	11	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,557	17·9	37·3	8·3	.	9	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52·0	40·8	46·3	0·13	53·5	34·7	45·5	1·05	47·0	34·8	39·4	0·57
Lurgan,	11,777	13·8	22·1	39·8	.	5	9	1	3	.	.	.	.	.	.	.	.	.	1	4	.	.	1	52·0	40·8	46·3	0·13	53·5	34·7	45·5	1·05	47·0	34·8	39·4	0·57
Lisburn,	11,459	10·1	22·8	50·1	.	5	11	4	6	.	.	.	.	.	.	.	.	.	.	5	.	.	7	52·0	40·8	46·3	0·13	53·5	34·7	45·5	1·05	47·0	34·8	39·4	0·57
Wexford	11,154	23·2	9·3	46·7	14·0	2	10	1	5	.	.	.	.	2	.	1	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	33·5	33·5	14·4	7	7	1	3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	3·6	14·4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52·8	40·3	46.8	0·30	55·8	37·0	46·9	0·96	49·6	35·1	41·5	0·82
Kilkenny,	10,498	11·4	.	44·7	.	.	9	1	4	.	.	.	.	.	.	.	.	.	2	2	.	.	6	55	31	45	0·00	58	43	46·9	1·62	49	25	42·4	0·80
Clonmel,	10,209	7·9	10·2	15·3	.	2	3	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	13·1	15·6	31·1	.	3	6	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	52·0	40·8	46·3	0·13	53·5	34·7	45·5	1·05	47·0	34·8	39·4	0·57
Tralee,	9,812	16·7	58·5	31.9	5·8	11	6	1	1	.	.	.	1	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	28·6	40·1	.	5	7	.	3	.	.	.	.	.	.	.	.	.	2	2	.	.	1	51	40	45·0	0·10	51	34	48·6	1·04	46	29	38·8	0·43
Queenstown,	7,887	14·7	26·4	19·8	.	4	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	55	35	44·9	0·00	50	44	47·0	2·14	50	32	43·8	2·12
Armagh,	7,569	22·1	6·9	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52·0	40·8	46·3	0·18	53·5	34·7	45·5	1·05	47·0	34·8	39·4	0·57

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 8th March, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	6	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Other Zymotic Diseases,	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	4	1
Total,	.	1	.	2	.	.	1	.	.	2	.	3	.	1	.	.	7	.	.	17	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																					
Phthisis, or Pulmonary Consumption,	3	3	3	4	.	1	1	.	5	4	5	6	.	.	.	.	1	.	.	33	2
Other Constitutional Diseases,	.	1	3	2	.	.	.	.	1	.	3	.	.	.	.	1	1	.	1	13	.
Total,	3	4	6	6	.	1	1	.	6	4	8	6	.	.	.	1	2	.	1	49	2
V. DEVELOPMENTAL DISEASES,	2	2	3	2	.	.	.	.	5	1	1	1	.	.	.	2	2	1	.	22	.
VI. LOCAL DISEASES:																					
Diseases of: Brain & Nervous System,	2	4	1	3	.	.	.	.	.	2	2	3	.	.	.	.	5	3	1	26	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	.	2	.	.	1	3	.	3	2	.	1	.	1	.	.	1	.	1	15	.
Respiratory System,	6	9	8	6	.	1	.	.	7	4	3	5	.	2	.	3	5	.	5	64	1
Digestive System,	.	1	.	1	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	5	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Urinary System,	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
,, Integumentary System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	8	15	11	10	.	3	3	.	12	9	7	10	.	3	.	5	11	3	7	117	2
VII. VIOLENT DEATHS,	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	3	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	2	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	2	.	.	8	.
Deaths from all Causes,	16	22	20	20	.	4	5	.	27	17	17	20	.	4	.	8	24	4	8	216	6
Annual Rate of Mortality in every 1,000 of the population.	29·4	29·3	34·6	32·9	.	20·8	39·1	.	36·0	51·8	21·2	29·9	.	28·6	.	12·6	48·1	23·8	23·7	29·7	
	29·8								31·4							26·8					
	30·6																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	4	3	3	.	.	.	.	5	1	4	5	.	1	.	1	2	.	1	33	4
Workhouse Hospitals,	2	4	10	5	.	1	.	.	9	7	.	4	.	.	.	1	.	.	.	43	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1892–1901.	In the week ending Saturday 8th March, 1902								
												Deaths of persons of the Ages of								
	Mar. 12, 1892	Mar. 11, 1893	Mar. 10, 1894	Mar. 9, 1895	Mar. 7, 1896	Mar. 13, 1897	Mar. 12, 1898	Mar. 11, 1899	Mar. 10, 1900	Mar. 9, 1901		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
Mean Temperature,	° 31·4	° 46·7	° 43·2	° 38·9	° 43·1	° 40·7	° 40·2	° 42·3	° 8·3	° 41·5	° 40·6	° 44·3								
ALL CAUSES,	238	169	204	327	157	262	250	191	247	276	232·1	222	13	20	26	12	29	46	67	9
I. FEBRILE OR ZYMOTIC DISEASES,	32	15	22	31	11	67	31	23	21	31	28·4	18	.	2	9	2	3	.	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	1	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	1	1	.	1	1	.	.	1	1	·7	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	52	51	58	49	33	42	65	44	62	53	50·9	51	.	.	3	6	18	16	8	.
V. DEVELOPMENTAL "	21	10	11	34	12	20	28	12	20	28	19·1	22	5	1	.	.	.	.	10	6
VI. LOCAL "	117	81	98	193	93	117	112	100	134	157	120·2	119	4	12	13	4	8	29	46	3
VII. VIOLENT DEATHS,	8	4	4	4	3	5	1	6	2	5	3·7	4	.	1	1	.	.	1	1	.
VIII. ILL-DEFINED CAUSES,	12	7	10	16	4	9	12	6	6	6	8·8	8	4	4	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	12	1	1	.	.	43	.	.	2	.	5·9	6	.	1	5	.	.	.	.	.
Scarlet Fever,	.	1	1	.	.	2	6	.	1	.	1·1	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	9	1	5	8	1	1	11	7	6	16	6·5	2	.	.	.	1	.	.	1	.
Whooping Cough,	6	1	6	3	3	9	3	5	.	10	4·6	.	.	.	.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	1	1	1	2	.	·6	3	.	.	3	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	6	3	6	2	1	5	6	2	1	3·2	2	.	.	.	.	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	.	2	3	2	5	1	2	3	1	2·1	1	.	1	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	.	1	.	.	2	·3	1	.	.	.	1	.	.	.	.
Erysipelas,	1	.	.	1	.	1	.	.	.	1	·4	1	.	.	.	.	.	.	1	.
Pyæmia, Septicæmia,	.	.	.	.	.	.	1	1	1	.	·7	1	.	.	.	.	1	.	.	.
Puerperal Fever,	.	2	.	.	2	1	1	.	2	.	·8	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	2	.	1	1	3	1	.	2	.	1·6	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	1	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	1	.	1	1	.	.	1	1	·7	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rheumatism	.	.	.	1	1	1	2	.	2	.	·7	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
Cancer,	4	4	6	7	5	7	8	6	6	9	6·2	7	.	.	1	.	1	.	5	.
Tabes Mesenterica,	5	3	4	4	4	9	6	3	3	3	4·4	.	.	.	.	.	.	.	.	.
Tubercular Meningitis,	5	2	1	4	2	4	4	4	8	7	4·1	3	.	.	1	2	.	.	.	.
Phthisis,	29	37	42	27	17	15	39	25	37	25	29·3	38	.	.	1	3	15	16	3	.
Scrofula, Tuberculosis,	7	1	3	4	4	2	4	3	3	8	3·9	3	.	.	.	1	2	.	.	.
Other Constitutional Diseases,	2	3	1	2	.	4	1	2	3	.	1·8	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	4	2	2	2	.	6	5	.	7	4	3·3	5	5	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	1	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.
Old Age,	17	8	.	2	11	14	22	11	13	19	15·6	16	.	.	.	.	.	.	10	6

* The figures for the years 1892–1900 are for the

each Disease registered in the TENTH WEEK ending Saturday, 8th March, 1902, with ten years, 1892-1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1892-1901.	In the Week ending Saturday, 8th March, 1902. Deaths of Persons of the Ages of							
	Mar. 12, 1892.	Mar. 11, 1893.	Mar. 10, 1894.	Mar. 9, 1895.	Mar. 7, 1896.	Mar. 13, 1897.	Mar. 12, 1898.	Mar. 11, 1899.	Mar. 10, 1900.	Mar. 9, 1901.		All Ages. Mean Temp.	0 to 5 Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 31·4	° 46·7	° 43·2	° 38·9	° 43·1	° 40·7	° 40·2	° 42·3	° 38·3	° 41·5	40·6	° 44·3								
VI. Local Diseases.																				
Apoplexy,	3		2	2	1	3	5	4	5	7	3·6	5	.		.	.	.	3	2	.
Epilepsy,	2	1	1	.	.	.	1	1	.	1	·7	.	.	.	.	.	.	.	.	.
Convulsions,	10	11	12	21	14	13	4	9	8	6	10·8	9	2	3	3	1	.	.	.	.
Other Diseases of Brain and Nervous System,	8	8	4	15	12	7	8	7	9	18	9·6	13	.	1	1	3	.	4	4	.
Diseases of Organs of Special Sense,	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	20	13	21	28	8	15	20	11	18	25	17·9	15	.	.	.	.	2	5	8	.
Croup,	.	.	.	1	.	1	.	1	.	.	·3	1	.	.	1	.	.	.	.	.
Bronchitis,	39	15	30	67	26	41	46	38	54	54	41·0	43	.	3	5	.	.	3	20	2
Pneumonia,	12	7	9	25	14	18	14	13	23	20	15·5	16	.	.	2	.	3	4	6	1
Pleurisy,	.	1	1	.	.	.	1	1	.	.	·4	2	.	.	.	.	1	.	1	.
Other Diseases of Respiratory System	5	2	5	6	2	5	.	2	1	2	3·0	3	.	.	.	.	1	2	.	.
Teething,	.	.	2	2	2	2	2	3	3	2	1·8	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	.	.	.	.	1	.	.	·2	1	1	.	.	.	.	.	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis,	2	.	1	1	.	.	2	1	.	3	1·0	1	.	.	.	.	.	.	1	.
Disease of Liver,	1	4	2	2	.	2	2	1	2	4	2·0	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,		5		9	4	6	4	3	5	4	5·0	2	1	.	.	.	1	.	.	.
Diseases of Lymphatics, &c.,	.	.	.		.	.	.	.	1	1	·2	1	.	.	.	.	.	1	.	.
Diseases of Urinary System,	8		1	12	5	2	2	2	4	8	4·9	3	.	.	.	.	.	1	2	.
Diseases of Generative System,	.	2	.	.	2	.	.	1	.	1	·6	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,		2	.		.	1	1	1	.	.	·7	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	1	.	.	2	.	.	.	.	.	·4	2	.	.	.	.	.	.	2	.
Diseases of Integumentary System,	1	.	.	.	.	1	.	.	1	.	·3	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	1	.	.	.	.	3·5	.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	1	1	.	.	.	2	.	1	1	.		1	.	.	1	.	.	.	.	.
By Drowning,	.	.	.	1	.	1	1	1	.	2		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not stated Causes,	2	3	4	3	3	1	.	2	1	2		2	.	1	.	.	.	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
SUICIDE,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	12	7	10	16	4	9	12	6	6	6	8·8	8	4	4	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901-2—Week ending																									
	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Births registered,	212	152	245	223	176	229	285	141	192	144	162	216	187	164	144	93	279	204	208	215	152	222	177	248	193	220
*Average Births in corresponding week of previous 10 years,**	211	200	210	176	170	188	171	183	179	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196
Deaths registered,	164	180	183	149	146	150	146	168	171	180	176	141	153	188	196	200	223	186	177	158	169	181	200	248	218	222
Annual Death-rate per 1,000,	22·8	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5
*Average Deaths in corresponding week of previous 10 years,**	170	165	162	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213	224	225	229	232
Ages, Under 5 years,	64	64	42	49	46	50	49	54	53	59	53	36	37	31	47	38	46	38	54	36	38	46	40	60	60	59
5—20 ,,	13	12	11	14	17	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12
20—40 ,,	32	37	28	24	21	22	24	13	23	31	26	20	28	16	35	31	39	35	19	27	31	36	34	37	30	29
40—60 ,,	25	34	24	24	33	26	34	40	36	31	32	30	38	39	54	53	63	41	42	33	43	39	47	55	43	46
60—80 ,,	27	27	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48	44	37	36	36	49	70	52	67
80 years and upwards,	3	6	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6
,, Scarlet Fever,	.	1	1	.	.	.	1	1	.	.	.	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	4	1	2	1	.	2	4	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3	2	5	.
,, Diphtheria,	.	2	.	2	.	1	1	1	1	3	4	.	2	.	3	2	3	3	1	1	1	.	.	1	.	3
,, Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	1	3	3	8	6	3	.	5	2	.	3	2	1	.	4	5	2	3	1	2	.	2	2	3	3	2
,, Diarrhœa, Dysentery,	22	20	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2	4	.	1	2	2	3	1
,, Phthisis,	20	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20	19	33	31	27	27	33	38
,, Heart Diseases,	17	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15
,, Diseases of Respiratory System,	23	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34	43	35	47	36	48	82	73	65
Violent Deaths,	5	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4
Mean Temperature of the Air (Phœnix Park),	56·8	54·7	57·0	52·1	48·0	46·5	44·2	51·0	48·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	35·7	29·9	40·5	46·0	44·3
Average Mean Temperature in corresponding week of previous 10 years,	55·9	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6
Rainfall in inches,	·405	1·835	·750	·515	·545	·640	·180	1·205	·000	3·785	·815	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040
Mean Humidity of the Air, complete Saturation 1·0,	·88	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	·79	·84	·87	·86

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th March, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	33·4	222	59	12	29	46	67	9	.	6	1	.	.	3	.	2	1	13	38	9	65	4	93
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	57·5	17	2	.	3	3	7	2	.	.	.	.	.	.	.	.	.	.	2	.	5	.	10
II.	MIDDLE CLASS,	80,653	18·1	28	5	1	4	5	11	2	.	.	.	.	.	1	.	.	.	1	3	1	5	.	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	23·3	44	9	3	7	11	14	.	.	2	.	.	.	.	.	.	1	3	8	2	14	1	16
IV.	GENERAL SERVICE CLASS,	146,486	45·7	88	36	7	10	16	18	1	.	4	1	.	.	2	.	2	.	9	16	5	24	3	31
V.	INMATES OF WORKHOUSES,	5,191		45	7	1	5	11	17	4	.	.	.	.	.	.	.	.	.	.	9	1	17	.	18
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	65·9	10	2	.	2	2	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	7
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	64·3	7	.	.	1	1	3	2	.	.	.	.	.	.	.	.	.	.	1	.	3	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	35·8	4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	22·3	11	3	.	2	2	2	2	.	.	.	.	.	.	.	.	.	.	2	.	3	.	6
	6. Clerks and Commercial Assistants,	24,750	19·0	9	2	.	1	3	3	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	8·6	4	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,852	14·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	9. Building and Furnishing Trades,	26,030	24·0	12	3	.	2	4	3	.	.	.	.	.	.	.	.	.	.	.	3	.	3	1	5
	10. Clothing Trades,	23,686	15·4	7	1	.	3	.	3	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	2
	11. Food Supply Trades,	7,869	26·5	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	12. Other Trades and Callings ranking with Trades,	26,636	31·3	16	2	3	1	4	6	.	.	1	.	.	.	.	.	.	.	1	3	1	5	.	6
	13. Petty Shopkeepers,	6,771	23·1	3	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	15·3	4	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1
	15. Domestic Servants,	39,563	15·8	12	.	.	4	3	5	.	.	.	.	.	.	.	.	.	.	.	3	.	4	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	48·7	10	3	.	.	4	3	.	.	.	.	.	.	.	.	.	.	.	1	.	6	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	39·1	62	32	6	6	8	9	1	.	4	1	.	.	2	.	2	.	9	10	5	13	3	22
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	45	7	1	5	11	17	4	.	.	.	.	.	.	.	.	.	.	9	1	17	.	18

* Occupation Statistics for 1901 not yet available

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,888.	Jan. 18,	27·6	1·8	15	.	.	.	.	.	1	.	.	.	1	6	.
		„ 25,	22·1	1·8	12	.	.	.	.	.	.	.	1	.	3	5	.
		Feb. 1,	36·8	.	20	.	.	.	.	.	.	.	.	.	4	8	.
		„ 9,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	3	3	1
		„ 15,	31·3	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	8	1
		Mar. 1,	36·8	1·8	20	.	.	.	.	.	.	.	.	1	.	5	1
		„ 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	3	6	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Jan. 18,	29·3	.	22	.	.	.	.	.	.	.	.	.	3	6	.
		„ 25,	20·0	1·3	15	.	.	.	.	.	.	.	.	1	1	6	.
		Feb. 1,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	4	1
		„ 8,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	2	5	1
		„ 15,	36·0	4·0	27	.	.	1	.	.	.	.	1	1	4	7	.
		„ 22,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	.	8	1
		Mar. 1,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	10	1
		„ 8,	29·3	1·3	22	.	.	.	.	.	.	.	1	.	3	9	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Jan. 18,	17·3	.	10	.	.	.	.	.	.	.	.	.	1	3	.
		„ 25,	24·2	3·5	14	.	.	.	.	.	.	.	1	1	1	1	.
		Feb. 1,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 8,	22·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 15,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	4	1
		„ 22,	39·8	1·7	23	.	.	.	.	1	.	.	.	.	3	6	1
		Mar. 1,	41·6	3·5	24	.	.	.	.	1	.	.	1	.	3	7	1
		„ 8,	34·6	.	20	.	.	.	.	.	.	.	.	.	3	8	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Jan. 18,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	.	6	.
		„ 25,	26·3	1·6	16	.	.	.	.	.	.	.	.	1	4	3	.
		Feb. 1,	36·2	.	22	.	.	.	.	.	.	.	.	.	5	7	.
		„ 8,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	3	1
		„ 15,	32·9	3.4	20	.	.	.	.	1	.	.	.	1	5	4	1
		„ 22,	26·3	.	16	.	.	.	.	.	.	.	.	.	1	5	.
		Mar. 1,	23·0	4·9	14	.	.	1	.	1	.	.	.	1	1	4	.
		„ 8,	32·9	1·6	20	.	.	.	.	.	1	.	.	.	4	6	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Jan. 18,	26·6	1·3	20	.	.	.	.	.	.	.	.	1	2	3	.
		„ 25,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	1
		Feb. 1,	21·3	.	16	.	.	.	.	.	.	.	.	.	3	5	.
		„ 8,	32·0	1·3	24	.	.	.	.	.	.	.	.	1	7	3	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	3	3	.
		„ 22,	41·3	1·3	31	.	.	.	.	.	1	.	.	.	6	9	.
		Mar. 1,	22·6	1·3	17	.	.	.	.	.	.	.	.	1	2	5	.
		„ 8,	36·0	.	27	.	.	.	.	.	.	.	.	.	5	7	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Jan. 18,	24·4		8	.	.	.	.	.	.	.	.	.	3	3	.
		„ 25,	36·6	.	12	.	.	.	.	.	.	.	.	.	2	5	.
		Feb. 1,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	2	1	.
		„ 8,	27·4	.	9	.	.	.	.	.	.	.	.	.	4	4	.
		„ 15,	48·8	3·0	16	.	.	.	.	1	.	.	.	.	2	5	2
		„ 22,	51·8	.	17	.	.	.	.	.	.	.	.	.	2	5	1
		Mar. 1,	24·4		8	.	.	.	.	.	.	.	.	.	2	1	1
		„ 8,	51·8	3·0	17	.	.	.	.	.	1	.	.	.	4	4	1
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Jan. 18,	27·5	.	22	.	.	.	.	.	.	.	.	.	5	6	1
		„ 25,	21·2	1·2	17	.	.	.	.	.	.	.	.	1	.	5	.
		Feb. 1,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	7	1
		„ 8,	31·2	1·2	25	.	.	.	.	1	.	.	.	.	4	3	.
		„ 15,	27·5	.	22	.	.	.	.	.	.	.	.	.	3	7	.
		„ 22,	26·2	1·2	21	.	.	.	.	.	.	.	.	1	1	8	.
		Mar. 1,	46·2	3·7	37	.	1	.	.	2	.	.	.	.	4	20	1
		„ 8,	21·2	.	17	.	.	.	.	.	.	.	.	.	5	3	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) ,893.	Jan. 18,	28·4	.	19	.	.	.	.	.	.	.	.	.	4	5	.
		„ 25,	17·9	.	14	.	.	.	.	.	.	.	.	.	1	1	3
		Feb. 1,	23·4	.	15	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	26·9	.	18	.	.	.	.	.	.	.	.	.	2	4	.
		„ 15,	23·9	.	16	.	.	.	.	.	.	.	.	.	3	4	2
		„ 22,	44·8	1·5	30	.	.	.	.	.	.	.	1	.	4	6	.
		Mar. 1,	31·4	.	21	.	.	.	.	.	.	.	.	.	5	6	.
		„ 8,	29·9	3·0	20	.	.	1	.	.	.	.	.	1	6	5	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted*; also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1902 (Est.) 38,208.	Jan. 18,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 25,	28·3	.	18	.	.	.	.	.	.	.	.	.	2	3	.
	Feb. 1,	4·7	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	„ 8,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 15,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	Mar. 1,	26·7	.	17	.	.	.	.	.	.	.	.	.	3	5	.
	„ 8,	12·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Jan. 18,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	.	1	.
	„ 25,	22·0	2·0	11	.	1	.	.	.	.	.	.	.	.	1	1
	Feb. 1,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	4	3	.
	„ 8,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	1	1	.
	„ 15,	20·0	8·0	10	.	3	.	.	1	.	.	.	.	.	1	.
	„ 22,	44·0	8·0	22	.	3	.	.	1	.	.	.	.	3	7	.
	Mar. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	48·1	12·0	24	.	6	.	.	.	.	.	.	.	1	5	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Jan. 18,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	3	.
	„ 25,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Feb. 1,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 15,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	2	2
	Mar. 1,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	5	.
Belfast. Pop. in 1902 (Est.) 358,693.	Jan. 18,	18·3	1·2	126	.	2	.	.	3	1	.	1	1	24	21	1
	„ 25,	21·9	1·0	151	.	.	.	1	3	1	.	.	2	14	52	1
	Feb. 1,	18·9	0·9	130	.	.	.	.	1	.	.	3	2	21	27	2
	„ 8,	17·9	2·0	123	.	.	.	.	6	3	1	2	2	18	46	4
	„ 15,	24·6	2·0	169	.	2	.	.	5	2	.	3	2	33	58	1
	„ 22,	29·8	2·2	205	.	2	.	.	4	1	.	4	4	25	55	15
	Mar. 1,	27·3	1·0	188	.	2	.	.	1	1	.	2	1	28	58	16
	„ 8,	19·8	0·3	136	.	1	.	.	.	1	.	.	.	24	33	4
Cork. Pop. (in 1901) 75,978.	Jan. 18,	24·0	1·4	35	.	.	.	.	1	.	.	.	1	3	7	.
	„ 25,	21·3	2·1	31	.	.	1	.	1	.	.	.	1	5	6	.
	Feb. 1,	26·1	1·4	38	.	.	.	.	2	.	.	.	.	9	9	.
	„ 8,	26·8	.	39	.	.	.	.	.	.	.	.	.	17	6	.
	„ 15,	36·4	0·7	53	.	.	1	.	.	.	.	.	.	10	16	2
	„ 22,	30·9	0·7	45	.	.	.	.	1	.	.	.	.	6	10	.
	Mar. 1,	31·6	2·1	46	.	.	.	.	2	.	.	1	.	11	14	.
	„ 8,	32·3	2·7	47	.	.	1	.	1	.	.	2	.	7	14	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Jan. 18,	15·4	1·3	12	.	.	.	.	.	.	.	.	1	1	4	1
	„ 25,	32·0	1·3	25	.	.	.	.	.	.	.	.	1	1	6	1
	Feb. 1,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	25·6	.	20	.	.	.	.	.	.	.	.	.	3	9	.
	„ 15,	20·5	.	16	.	.	.	.	.	.	.	.	.	4	5	.
	„ 22,	29·4	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	Mar. 1,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	24·3	1·3	19	.	.	.	.	.	.	.	.	1	2	.	.
Limerick. Pop. (in 1901) 38,085.	Jan. 18,	11·0	1·4	8	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 1,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	31·5	.	23	.	.	.	.	.	.	.	.	.	.	5	.
	„ 15,	23·3	.	17	.	.	.	.	.	.	.	.	.	2	3	.
	„ 22,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 1,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	.
	„ 8,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	1	.
Waterford. Pop. (in 1901) 26,748.	Jan. 18,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	11·7	1.9	6	.	.	.	.	.	.	.	.	1	2	1	.
	Feb. 1,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	„ 8,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Mar. 1,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	„ 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 8th March, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 60 years.	Ages at Death: 60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	858,698	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	2	.	5	1	.	.	.	.	.	.	.	.	.	.	3	.	.	1
" 2 "		40			19	4	1	10	4	.	.	.	.	.	.	.	.	.	4	6	.	.	4
" 3 "		42			15	5	1	7	2	.	.	.	.	.	.	.	.	.	2	3	.	.	.
" 4 "		33			16	2	2	9	3	.	.	.	.	.	.	.	.	.	3	4	.	.	5
" 5 "		18			7	1	.	5	1	.	.	.	.	.	.	.	.	.	4	1	1	1	2
" 6 "		35			20	7	5	5	3	.	.	.	.	.	.	.	.	.	3	5	1	3	5
" 7 "		1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		3			3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.
" 9 "		9			5	.	1	3	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1
" 10 "		17			9	4	2	3	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1
" 11 "		27			14	5	2	5	2	.	1	.	.	.	.	.	.	.	2	.	2	2	2
" 12 "		42			14	5	1	4	4	.	.	.	.	.	1	.	.	.	3	6	.	.	1
" 13 "		8			5	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 14 "		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	277	19·8	0·3	186	36	16	57	27	.	1	.	.	.	1	.	.	.	24	33	4	8	23
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	.	2	2	1	.	.	1	.	.	.	.	.	.	2	1	.	.	2
" 2 "		8			5	1	.	3	1	.	.	.	.	.	.	.	2	.	.	1	.	.	3
" 3 "		2			8	.	1	2	5	.	.	.	.	.	.	.	.	.	.	3	.	.	3
" 4 "		5			2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 5 "		3			3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 6 "		5			6	1	1	4	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
" 7 "		12			18	4	3	6	5	.	.	.	.	1	.	.	.	.	2	6	.	2	7
Total,	—	41	32·3	2·7	47	7	7	19	14	.	.	1	.	1	.	.	2	.	7	14	.	2	15

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered,	197	230	189	211	216	205	193	195	195	186	206	195	186	193	199	156	237	195	187	212	188	189	201	246	207	277
DEATHS registered.	149	119	138	100	132	121	103	153	112	131	145	131	129	141	144	150	143	125	126	151	130	123	169	205	188	136
Annual Death-rate per 1,000 of estimated Population,*	22·1	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·3
AGES, Under 1 year,	32	33	28	25	37	24	20	23	23	23	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36
AGES, 1-5 years,	18	13	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16
AGES, 5-60 years,	71	60	79	48	55	60	46	82	53	59	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57
AGES, 60 years and upwards,	28	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1
,, Scarlet Fever,	.	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Whooping-cough,	2	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.
Diphtheria,	4	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.		1	1	1	.	3	2	1	1	1
,, Simple continued and Ill-defined Fever,	1	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.
,, Enteric Fever,	21	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.
,, Diarrhœa, Dysentery,	16	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.
,, Phthisis	20	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28	24
,, Diseases of Respiratory System,	14	16	27	13	24	17	15	23	36	33	40	28	38	36	42	51	36	34	21	52	27	46	58	55	58	33
Violent Deaths,	2	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th March, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken Pox.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 1, West,	.	3	.	.	.	.	.	.	1	3	3	.	2	12
" " 2,	.	1	.	.	.	.	.	.	.	3	1	.	.	5
" " 3,	.	4	.	3	1	.	1	.	13	2	3	.	4	31
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
South City No. 1,	.	2	.	1	.	.	.	.	.	.	7	.	.	10
" " 2,	.	.	.	2	.	.	1	.	3	3	2	.	.	11
" " 3,	.	7	.	5	.	.	1	.	.	.	2	.	1	16
" " 4,	.	.	.	1	.	.	.	.	.	2	1	.	.	4
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Totals,	.	17	.	12	1	.	4	.	18	13	20	.	8	93
Total for week ended Mar. 1st, 1902,	.	14	.	16	.	.	6	.	.	5	11	.	23	75
Total for week ended Feb. 22, 1902,	.	15	.	9	.	.	4	.	3	17	14	.	46	108
Total for week ended Feb. 15, 1902,	3	6	.	12	.	.	5	.	3	32	20	.	13	94

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th March, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th March.			
	Feb. 15.	Feb. 22.	Mar. 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	3	3	3	.	.	.	3*
Measles,	15	15	13	6	8	.	11
Scarlet Fever,	97†	88	92	10	15	2	85
Typhus "	4	3	3	1	.	.	4
Diphtheria,	41	35	28	6	7	.	27
Enteric Fever,	58	51	47	10	10	.	47
Pneumonia,	20	24	29	4	8	2	23

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.
† This figure includes 19 convalescent patients who were removed from Beneavin to make room for the small-pox cases.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Mar. 8,	2,680	2,160	24·6	80	65	5	25	44	7	10
EDINBURGH, .	317,885	„ 8,	165	167	26·9	.	1	1	.	3	.	5
GLASGOW, . .	764,423	„ 8,	532	382	25·6	2	9	4	1	8	2	9
CALCUTTA, . .	466,460	Jan. 4,	.	307	34·3	.	.	.	1	1	84§	55*
BOMBAY, . .	776,006	„ 23,	324	987	66·1	4	.	?	?	?	123§	68*
MADRAS, . .	509,316	„ 10,	312	483	49·3	3	5	?	?	?	179	92
PARIS, . . .	2,660,559	Feb. 15,	1,285	1,121	23·2	3	13	1	21	13	14	18
BRUSSELS (with 8 Faubourgs).	582,665	„ 15,	282	128	11·4	.	.	.	1†	1	.	2
AMSTERDAM, .	531,966	„ 15,	307	185	18·1	.	8	.	.	7	.	4
ROTTERDAM, .	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	378,235	Feb. 22,	200	127	17·5	.	.	.	.	3	2	4
CHRISTIANIA, .	228,929	„ 15,	151	47	10·6	.	.	1	.	.	.	.
ST. PETERSBURG,	1,248,643	„ 22,	638	559	23·3	.	7	11	17	5	14	48
BERLIN, . .	1,904,835	„ 1,	886	529	14·4	.	10	4	8	14	.	32
HAMBURG, . .	724,835	„ 15,	.	214	15·4	.	1	2	2†	3	.	3
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,709,211	Jan. 25,	920	558	17·0	.	9	3	7†	2	2	35
BUDA-PESTH, .	767,661	Feb. 8,	513	278	18·8	.	11	4	6	2	1	6
PRAGUE and Faubourgs.	413,756	„ 15,	227	193	24·3	.	4	3	4†	2	3	7
ROME, . . .	472,298	Jan. 11,	249	177	19·6	.	.	.	2	1	5	9
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	165,350	Feb. 8,	68	102	32·1	.	4	.	2†	1	.	2
NEW YORK, .	3,632,501	„ 1,	1,630	1,307	18·8	15	22	29	51†	6	9	39
PHILADELPHIA, .	1,293,697	„ 1,	.	.	.	.	.	.	.	.	.	.

* Including 16 deaths from cholera in Calcutta, and 2 in Madras.
† Including deaths from croup.
§ Exclusive of 18 deaths from bubonic fever in Calcutta, and 296 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 8th March, 1902:—

"Mild, fine, dry weather prevailed throughout this week, but except on Tuesday afternoon and during Wednesday, the sky was usually densely clouded. On Sunday morning a shallow secondary V-shaped depression lay over St. George's Channel. It equalised atmospheric pressure in Ireland, where the weather was consequently fine, but it led to a moderate rainfall in many parts of England. On Monday a depression travelled northwards along the W. coasts of Ireland and Scotland, while an area of high barometer spread westward from the Continent. The latter system, causing calms and a fall of temperature, produced dense fogs by land and sea on Wednesday and Thursday. On the early morning of the latter day sharp frost occurred over Central England, the thermometer falling to 25° at Loughborough, 27° at Oxford, and 29° at Bath. In Scotland it was quite mild at the time. On Friday morning also the distribution of temperature was peculiar—in Ireland at 8 a.m. Malin Head reported 46°, but Valentia only 34°; and in Great Britain Nairn reported 45° but London only 32°—Loughborough being 44°, or 12° warmer than London, where fog prevailed. Saturday showed a restoration to temperature-equilibrium and a gradually falling barometer with densely clouded sky, freshening westerly winds, and an occasional threatening of rain. In Dublin the mean atmospheric pressure was 29·931 inches, the barometer ranging between 30·055 inches at 9 a.m. of Wednesday (wind, calm) and 29·775 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 46·6°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 46·2°. The screened thermometers fell to 37·0° on Wednesday and rose to 52·9° on Saturday. The duration of bright sunshine was estimated at 13 hours. The prevailing winds were S. and W. Rain fell on Saturday to the amount of ·029 inch. A sun pillar was seen on Thursday afternoon."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·934 inches. The highest reading (30·052) was on Wednesday at 9 a.m., wind W., and the lowest (29·785) on Sunday at 9 a.m., wind W.S.W.

The mean temperature for the week was 44·3°, being 3·7° above the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Wednesday, on which day the thermometer registered 52·1°, and was lowest on Thursday, the mercury having fallen to 30·4°. The mean of the Dry Bulb for the week was 45·0°, and of the Wet Bulb 42·9°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 13·6 hours. The rainfall measured ·040 inch.

At Greenwich the mean temperature for the week was 41·2°, the maximum 53·6°, and the minimum 26·6°; at Glasgow the maximum was 55·1°, the minimum 38·5°, and the mean 46·5°; and at Edinburgh the maximum was 52·4°; the minimum 38·1°, and the mean 45·2°. The rainfall at Greenwich measured 0·07 inch; at Glasgow 0·23 inch; and at Edinburgh 0·03 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, March 2,	29·831	51·8	37·1	44·5	42·9	40·7	·85	·5	4·5	—	W.S.W.	Calm.
Monday, „ 3,	29·815	52·0	38·4	45·2	48·4	45·3	·79	·5	0·5	—	S.S.W.	S.S.W.
Tuesday, „ 4,	29·941	50·7	40·9	45·8	45·7	42·4	·78	·4	0·2	—	S.	S.W.
Wednesday, „ 5,	30·052	52·1	33·9	43·0	40·6	38·7	·86	·1	6·5	—	W.	Calm.
Thursday, „ 6,	30·022	51·8	30·4	41·1	43·5	41·9	·89	·7	1·7	—	N.W.	W.
Friday, „ 7,	30·012	50·1	41·9	46·0	46·5	45·7	·95	·8	0·0	—	W.	W.
Saturday, „ 8,	29·863	51·2	38·1	44·7	47·1	45·4	·92	1·0	0·2	·040	W.S.W.	W.
Mean . .	29·934	51·4	37·2	44·3	45·0	42·9	·86	·6	Total 13·6	·040	Prevailing Wind Westerly.	

Sunday—A fine but cloudy day; night cloudy p.m.; overcast a.m. *Monday*—Dull a.m.; cloudy p.m. night cloudy. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A fine but cloudy day; fog 8.30 p.m. to 1.0 a.m.; night sky clear p.m.; cloudy a.m. *Thursday*—A cloudy day; night cloudy. *Friday*—Dull a.m.; cloudy p.m.; night cloudy. *Saturday*—A dull day, showers 5.0 p.m. to 3.0 a.m.; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 15TH MARCH, 1902. [No. 11.

General Register Office, Charlemont House, Dublin, 17th March, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Average Rate for 4 weeks
22 Town Dists.	30·2	29·3	26·0	21·9	26·9	Lisburn, . .	22·8	36·4	50·1	27·3	34·1
Armagh, . .	27·6	20·7	0·0	13·8	15·5	Londonderry, .	29·4	15·4	24·3	32·0	25·3
Ballymena, .	21·0	52·7	33·5	21·0	33·5	Lurgan, . .	39·8	31·0	39·8	22·1	33·2
Belfast, . .	29·8	27·3	19·8	23·4	25·1	Newry, . .	20·7	16·6	8·3	4·1	12·4
Clonmel, . .	40·9	20·4	15·3	10·2	21·7	Newtownards, .	45·8	40·1	40·1	11·4	34·3
Cork, . . .	30·9	31·6	32·3	25·4	30·0	Portadown, .	20·8	20·8	31·1	10·4	20·8
Drogheda, . .	20·4	53·1	44·9	16·3	33·7	Queenstown, .	26·4	19·8	19·8	19·8	21·5
Dublin Reg. Area,	33·3	28·6	29·7	20·6	28·1	Sligo, . .	33·6	38·4	0·0	9·6	20·4
Dundalk, . .	12·0	47·9	47·9	16·0	30·9	Tralee, . .	15·9	47·8	31·9	21·3	29·2
Galway, . .	46·6	54·4	46·6	46·6	48·5	Waterford, .	19·5	27·3	11·7	15·6	18·5
Kilkenny, . .	9·9	39·8	44·7	29·8	31·0	Wexford, . .	23·4	46·7	46·7	32·7	37·4
Limerick, . .	26·0	19·2	16·4	15·1	19·2						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·8 in Sligo. Among the 161 deaths from all causes in Belfast are 3 from whooping cough, 2 from enteric fever, and 3 from diarrhœa, and the 37 deaths in Cork include 2 from whooping cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 239—121 boys and 118 girls; and the deaths to 154—79 males and 75 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·2 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 20·6 per 1,000. During the eleven weeks ending with Saturday last the death-rate averaged 26·7, and was 5·3 under the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note(*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 15 deaths from zymotic diseases. This number is equal to a rate of 2·1 per 1,000 of the estimated population of the registration area, the average rate for the corresponding period of the past 10 years being 4·3 per 1,000; influenza caused 5 deaths, measles 4 deaths, scarlet fever 3 deaths, and enteric fever and diarrhœa each caused one death.

Tubercular disease was the cause of 23 deaths, namely—17 deaths from pulmonary tuberculosis, 3 deaths from tubercular meningitis, and 3 deaths from other forms of the disease. Four deaths were due to cancer.

Diseases of the respiratory system caused 41 deaths, including 21 deaths from bronchitis, 17 deaths from pneumonia, and 2 deaths from pleurisy. The rate for deaths from these diseases is equal to 5·6 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 7·1 per 1,000.

Convulsions appeared as the registered cause of 5 deaths; of these 2 were of infants under one month, 2 were between the ages of one month and one year, and one death occurred between the ages of one year and 5 years. There were 4 deaths from apoplexy and 7 deaths from other diseases of the brain and spinal cord (exclusive of convulsions); diseases of the circulatory system caused 17 deaths.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 5 infants under one year old).

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 8 were under one month old), and 37 were aged 60 years and upwards, including 16 persons aged 70 and upwards, of whom 9 were octogenarians.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·6 per 1,000; the rate in the City was 22·2 (21·3 on the North side, and 23·2 on the South), and in the Urban Districts 15·2.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 0·5 (1·0 in the North City Districts, and 0·0 in the South) and for the Urban Districts 3·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000. One death was caused by enteric fever, and 2 deaths were caused by pulmonary tuberculosis. There were 4 deaths from diseases of the respiratory system, including 3 deaths from pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 16·0 per 1,000. There was one death from influenza, and 3 deaths from pulmonary tuberculosis. Diseases of the respiratory system caused 2 deaths.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. There was no death from any recognised zymotic disease, nor was any death from tubercular disease registered. There were 7 deaths from diseases of the respiratory system, including 3 deaths from pneumonia.

No. 3 North City District (Blackhall-place).—The deaths (20) represent an annual rate of 32·9 per 1,000. Influenza was the cause of one death, scarlatina of 2 deaths, and pulmonary tuberculosis of 3 deaths. There were 6 deaths from diseases of the respiratory system, including 3 from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 0·0. Of the 4 deaths tabulated for Coolock and Drumcondra, No. 1, part of, 2 were from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 18·6 per 1,000. There was no death either from any recognised form of zymotic disease or from tubercular disease in this district. Diseases of the respiratory system caused 3 deaths.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 18·3 per 1,000. No death was registered from either recognised zymotic disease, or from tubercular disease in this district. There were 5 deaths from diseases of the respiratory system, including 2 from pneumonia.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·7 per 1,000. There was one death from influenza, and 2 deaths from pulmonary tuberculosis, and 6 deaths from diseases of the respiratory system, including 2 deaths from pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·4 per 1,000. Pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 4 deaths, including one death from pneumonia.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 7·1.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 12·6 per 1,000 inhabitants; Pembroke, 20·0; Blackrock, 6·0; Kingstown, 17·8. The deaths from zymotic diseases tabulated for these districts consist of 4 from measles and one from diarrhœa for Pembroke; and one death from influenza for Rathmines and Kingstown respectively. Among the 8 deaths from all causes tabulated for Rathmines are 2 from pulmonary tuberculosis, and 1 from pneumonia. The 10 deaths from all causes for Pembroke include 2 from diseases of the organs of respiration; and of the 6 deaths tabulated for Kingstown, one was from cancer, and one from pneumonia.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd February,	108 cases.
" " 1st March,	75 cases.
" " 8th March,	93 cases.
" " 15th March,	68 cases.

Of the 68 cases notified, 22 were erysipelas, 8 enteric fever, 7 scarlatina, 3 diphtheria, 15 measles, 7 chicken-pox, and 6 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd February,	3 cases.
" " 1st March,	7 cases.
" " 8th March,	No cases notified.
" " 15th March,	3 cases.

Of the 3 cases notified, 2 were scarlet fever and one continued fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd February,	12 cases.
" " 1st March,	63 cases.
" " 8th March,	29 cases.
" " 15th March,	43 cases.

Of the 43 cases notified, one was enteric, 26 measles, 11 whooping-cough, 2 diphtheria, one erysipelas, and 2 German measles.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd February,	33 cases.
" " 1st March,	51 cases.
" " 8th March,	47 cases.
" " 15th March,	54 cases.

Of the 54 cases notified, 9 were enteric fever, 7 erysipelas, 8 diphtheria, 5 scarlatina, one membranous croup, and 23 continued fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th March, 1902.

From this it appears that:—

One case of small-pox was discharged from hospital, and 2 cases remained under treatment at the close of the week.

Fourteen cases of measles were admitted to hospital, 4 were discharged, and 21 cases remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital, 6 cases were discharged, and 49 cases remained under treatment at the close of the week.

Ten cases of scarlatina were admitted to hospital, 14 cases were discharged, there were 3 deaths, and 78* cases remained under treatment at the close of the week.

There were 3 cases of typhus discharged, and one remained under treatment at the close of the week.

Two cases of diphtheria were admitted to hospital, 3 cases were discharged, and 26 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 6 cases of pneumonia were admitted to hospital, 4 patients were discharged, there were 3 deaths, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 75 large English towns, including London (in which the rate was 22·0), was equal to an average annual death-rate of 19·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·6 per 1,000, the rate for Glasgow being 22·6, and for Edinburgh 20·6.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th March, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 15th March, 1902. Annual Rate per 1,000 persons represented by: Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 22 Town Districts	1,092,822	18·7	31·4	21·9	1·0	658	459	77	125	.	4	2	.	6	.	.	4	5	54	130	9	24	125
Dublin Registration Area:— Total,‡	379,068	27·8	32·9	20·6	1·1	289	150	21	37	.	4	2	.	.	.	.	1	1	16	41	.	2	54
Registrars' Districts. City	293,894	37·8	35·9	22·2	0·5	202	125	16	30	.	.	2	.	.	.	.	1	.	14	37	.	2	51
Rathmines,‖	33,208	19·4	18·8	12·6	.	12	8	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	20·0	20·0	10·0	10	10	3	2	.	4	.	.	.	.	.	.	1	.	2	.	.	.
Blackrock,‖	8,759	8·1	23·8	6·0	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	32·5	17·8	.	11	6	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Urban Districts: Belfast,	358,693	21·8	32·9	23·4	1·2	226	161	33	41	.	.	.	.	3	.	.	2	3	18	53	8	17	38
Cork,	75,978	33·5	41·9	25·4	2·1	61	37	3	11	.	.	.	.	2	.	.	.	1	5	8	.	3	15
Londonderry,	40,729	18·8	25·6	32·0	.	20	25	4	7	.	.	.	.	.	.	.	.	.	5	5	.	.	5
Limerick,	88,085	18·4	27·4	15·1	.	20	11	2	4	.	.	.	.	.	.	.	.	.	1	6	.	.	2
Waterford	26,748	18·6	15·6	15·6	.	8	8	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Galway,	18,414	9·5	28·3	46·6	.	6	12	1	4	.	.	.	.	.	.	.	.	.	1	3	.	1	3
Dundalk	18,067	9·4	16·0	16·0	.	4	4	3	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Drogheda	12,765	8·1	40·8	16·8	.	10	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	16·6	4·1	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,777	13·8	22·1	22·1	.	5	5	2	.	.	.	.	.	.	.	.	.	.	.	4	1	1	.
Lisburn,	11,459	10·1	36·4	27·3	.	8	6	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Wexford	11,154	28·2	28·0	32·7	4·7	6	7	.	3	.	.	.	.	.	.	.	1	.	1	2	.	.	.
Ballymena	10,880	10·9	14·4	24·0	.	3	5	1	2	.	.	.	.	.	.	.	.	.	1	3	.	.	.
Sligo,	10,862	8·6	24·0	9·6	4·8	5	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Kilkenny,	10,498	11·4	14·9	29·8	.	3	6	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Clonmel,	10,209	7·9	40·9	10·2	.	8	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Portadown	10,046	18·1	20·8	10·4	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tralee,	9,812	16·7	37·2	21·3	.	7	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Newtownards,	9,110	18·9	34·3	11·4	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Queenstown,	7,887	14·7	18·2	19·8	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Armagh,	7,569	22·1	20·7	13·8	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 15th Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	55·2	30·5	44·9	0·15	§52·1	30·4	44·3	0·04	§55·3	39·1	46·0	1·16
City	a56·8 b56·8	36·9 30·0	47·9 46·1	0·18 0·16	a52·9 b52·7	37·0 31·0	46·6 44·3	0·03 0·03	a54·6 b56·2	42·1 41·0	47·5 47·1	1·42 1·24
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	57·5	35·5	48·3	0·07	54·5	35·5	46·0	0·03	56	42·5	47·0	1·41
Belfast,	54·0	35·0	45·6	0·15	54·0	38·9	46·2	0·10	54·0	38·2	44·8	0·25
Cork,	54	35	46·3	0·21	53	35	44·9	0·00	50	44	47·0	2·14
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	53	36	47	0·19	53	37	47	0·23	57	42	49	1·33
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	54·0	37·6	45·7	0·21	52·0	40·8	46·3	0·13	53·5	34·7	45·5	1·05
Lurgan,	54·0	37·6	45·7	0·21	52·0	40·8	46·3	0·13	53·5	34·7	45·5	1·05
Lisburn,	54·0	37·6	45·7	0·21	52·0	40·8	46·3	0·13	53·5	34·7	45·5	1·05
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	52·7	36·7	45·7	0·44	52·8	40·3	46.8	0·30	55·8	37·0	46·9	0·96
Kilkenny,	55	30	46·3	0·24	55	31	45	0·00	58	43	46·9	1·62
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	54·0	37·6	45·7	0·21	52·0	40·8	46·3	0·13	53·5	34·7	45·5	1·05
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	51	36	44·4	0·23	51	40	45·0	0·10	51	34	43·6	1·04
Queenstown,	54	35	46·6	0·21	55	35	44·9	0·00	50	44	47·0	2·14
Armagh,	54·0	37·6	45·7	0·21	52·0	40·8	46·3	0·13	53·5	34·7	45·5	1·05

* According to the Census of 901 unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 4 deaths of persons admitted into hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 15th March, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	4	.
Scarlet Fever (Scarlatina),	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Other Zymotic Diseases,	.	1	.	1	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1	6	.
Total,	1	1	.	3	.	.	.	.	.	.	1	1	.	.	.	1	5	.	1	14	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																					
Phthisis, or Pulmonary Consumption,	2	3	.	3	.	2	.	.	.	.	2	2	.	.	.	2	.	.	.	16	1
Other Constitutional Diseases,	1	.	.	2	1	.	.	.	1	.	2	4	.	.	.	1	.	.	2	14	.
Total,	3	3	.	5	1	2	.	.	1	.	4	6	.	.	.	3	.	.	2	30	1
V. DEVELOPMENTAL DISEASES,	.	1	.	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	5	.
VI. LOCAL DISEASES:																					
Diseases of: Brain & Nervous System,	1	1	1	3	.	.	.	.	2	1	2	2	.	.	.	1	1	.	1	16	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	1	2	3	1	1	.	.	.	1	.	3	2	.	.	.	.	1	1	1	17	.
Respiratory System,	4	2	7	6	.	.	.	.	3	5	6	4	.	.	.	1	2	.	1	41	.
Digestive System,	.	2	2	1	.	1	.	.	1	.	2	.	.	.	.	.	.	.	.	9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Urinary System,	.	.	.	.	.	.	.	.	1	.	3	2	.	.	.	1	.	.	.	7	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	7	13	11	1	1	.	.	8	6	16	10	.	.	.	4	4	1	3	91	.
VII. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	.	.	.	.	.	.	.	3	.	2	2	.	1	.	.	1	.	.	10	.
Deaths from all Causes,	11	12	18	20	2	4	.	.	14	6	23	19	.	1	.	8	10	1	6	150	4
Annual Rate of Mortality in every 1,000 of the population.	20·2	16·0	22·5	32·9	21·7	20·8	.	.	18·6	18·3	28·7	28·1	.	7·1	.	12·6	20·0	6·0	17·8	20·6	
	21·3								23·2							15·2					
	22·2																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	2	2	8	.	1	.	.	.	.	3	3	.	.	.	2	.	.	1	25	4
Workhouse Hospitals,	1	5	2	7	.	.	.	.	6	1	5	2	.	.	.	.	.	.	.	29	.

TABLE I.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1892-1901.	In the week ending Saturday 15th March, 1902 — Deaths of persons of the Ages of							
	Mar. 19, 1892	Mar. 18, 1893	Mar. 17, 1894	Mar. 16, 1895	Mar. 14, 1896	Mar. 20, 1897	Mar. 19, 1898	Mar. 18, 1899	Mar. 17, 1900	Mar. 16, 1901		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
Mean Temperature,	° 43·0	° 42·4	° 40·3	° 42·4	° 45·0	° 45·2	° 45·3	° 44·8	° 41·1	° 43·6	° 43·3	° 44·9							
ALL CAUSES,	247	174	173	284	190	271	287	217	209	234	228·6	154	8	13	16	22	23	35	28	9
I. FEBRILE OR ZYMOTIC DISEASES,	39	21	20	27	18	30	30	28	14	30	30·2	15	.	1	5	4	1	2	1	1
II. PARASITIC DISEASES,	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	2	1	1	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	65	59	41	48	50	59	47	53	56	54	53·2	31	.	.	2	9	9	8	3	.
V. DEVELOPMENTAL "	14	12	12	18	16	17	27	23	20	20	17·9	5	1	.	.	.	.	.	.	4
VI. LOCAL "	112	71	88	171	88	102	119	110	103	115	107·9	91	3	8	8	9	12	23	24	4
VII. VIOLENT DEATHS,	8	6	3	2	5	6	4	8	4	5	4·1	2	.	.	.	.	1	1	.	.
VIII. ILL-DEFINED CAUSES,	14	3	7	17	13	6	9	5	12	10	9·6	10	4	4	1	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	4	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	12	2	1	.	.	46	.	.	4	.	6·5	4	.	.	4	.	.	.	.	.
Scarlet Fever,	2	1	.	.	4	2	4	.	.	.	1·3	3	.	.	.	3	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	6	1	8	14	3	4	11	9	5	14	7·5	5	.	.	.	.	1	2	1	1
Whooping Cough,	5	4	5	3	2	20	8	10	1	11	6·4	.	.	.	.	.	.	.	.	.
Diphtheria,	.	1	.	1	.	.	1	2	.	2	·7	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	3	2	.	3	2	7	.	.	1	2·1	1	.	.	.	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	1	1	1	1	4	2	.	4	.	1·6	1	.	1	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	.	1	.	.	.	.	.	1	·8	1	.	.	1	.	.	.	.	.
Erysipelas,	.	3	.	.	.	.	1	1	.	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	1	.	1	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	2	.	.	1	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	5	4	3	1	4	1	1	.	.	1	2·0	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	2	1	.	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	1	.	1	1	1	.	·4	1	.	.	.	1	.	.	.	.
Rheumatism,	1	.	1	1	.	.	.	1	3	.	·7	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	2	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	5	5	8	4	7	6	5	3	4	9	5·6		.	.	.	.	1	1	2	.
Tabes Mesenterica,	3	11	2	4	7	6	3	7	4	9	5·6	.	.	.	.	.	.	.	.	.
Tubercular Meningitis,	6	5	4	1	2	3	7	4	6	4	4·2	3	.	.	1	2	.	.	.	.
Phthisis,	48	33	20	32	27	38	26	33	29	23	30·4	17	.	.	.	3	7	7	.	.
Scrofula, Tuberculosis,	6	3	5	4	4	6	1	4	5	7	4·5	3	.	.	1	2	.	.	.	.
Other Constitutional Diseases,	1	2	1	.	1	.	3	.	4	2	1·4	3	.	.	.	1	1	.	1	.
V. Developmental Diseases—																				
Premature Birth,	4	.	4	.	3	1	.	5	1	5	2·3	1	1	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Old Age,	10	11	7	18	13	16	26	18	19	15	15·3	4	.	.	.	.	.	.	.	4

* The figures for the years 1892-1900 are for the

each Disease registered in the ELEVENTH WEEK ending Saturday, 15th March, 1902, with ten years, 1892-1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1892-1901.	In the Week ending Saturday, 15th March, 1902. Deaths of Persons of the Ages of								
	Mar. 19, 1892	Mar. 18, 1893	Mar. 17, 1894	Mar. 16, 1895	Mar. 14 1896	Mar. 20, 1897	Mar. 19, 1898	Mar. 18, 1899	Mar. 17, 1900	Mar. 16, 1901		All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp. ° 44·9	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 43·0	° 42·4	° 40·3	° 42·4	° 45·0	° 45·2	° 45·3	° 44·8	° 41·1	° 43·6	43·3									
VI. Local Diseases.																				
Apoplexy,	1	3	4	1	6	6	7	1	3	4	3·6	4	.	.	.	.	2	.	2	.
Epilepsy,	2	.	.	1	1	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Convulsions,	10	9	10	13	7	9	10	8	12	13	10·1	5	2	2	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	5	3	3	15	11	7	6	9	8	14	8·1	7	.	.	1	1	2	1	2	.
Diseases of Organs of Special Sense,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.		.	.
Diseases of Circulatory System,	23	13	15	19	10	16	29	18	17	15	17·5	17	1	.	.	.	3	6	7	.
Croup,	.	1	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis,	43	18	29	62	24	27	35	38	27	37	33·5	21	.	5	2	1	.	6	7	.
Pneumonia,	9	12	14	23	9	15	7	19	10	14	13·2	17	.	.	2	4	3	4	2	2
Pleurisy,	.	1	.	2	.	1	.	1	.	1	·6	2	.	.	.	.	.	.	2	.
Other Diseases of Respiratory System	3	1	1	8	.	5	.	1	2	3	2·4	1	.	.	1	.	.	.	.	.
Teething,	.	1	2	4	1	2	4	2	1	1	1·8	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	2	.	1	.	.	.	.	1	1	1	·6	.	.	.	.	.	.	.	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis,	1	2	.	.	1	1	1	1	.	2	·9	2	.	.	.	1	.	1	.	.
Disease of Liver,	7	3	2	2	1	1	4	.	6	1	2·7	3	.	.	.	.	.	2	1	.
Other Diseases of Digestive System,	2	3	1	9	5	5	5	4	5	5	4·4	3	.	1	.	.	1	1	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	1	.	1	.	.	.	·2	1	.	.	.	1	.	.	.	.
Diseases of Urinary System,	3	4	3	6	5	4	6	4	9	4	4·8	7	.	.	.	1	1	2	1	2
Diseases of Generative System,	.	.	.	1	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	1	1	1	.	1	1	.	.	·6	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	1	1	1	2	3	.	1	1	.	.	1·0	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	1	.	.	2	.	1	.	·4	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	.	.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	3	.	.	.	3	.	2	.	3	.	4·0	.	.	.	.	.	.	.	.	.
By Drowning,	.	1	1	.	.	2	1	1	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not stated Causes,	.	4	.	2	2	4	1	2	1	3		2	.	.	.	.	1	1		
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	14	3	7	17	13	6	9	5	12	10	9·6	10	4	4	1	.	.	1	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901-2—Week ending																									
	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered,	152	245	223	176	229	235	141	192	144	162	216	187	164	144	93	279	204	208	215	152	222	177	248	193	220	239
*Average Births in corresponding week of previous 10 years,**	200	210	176	170	188	171	183	179	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207
DEATHS registered,	180	133	149	146	150	146	168	171	180	176	141	153	138	196	200	223	186	177	158	169	181	200	248	218	222	154
Annual Death-rate per 1,000,	25·0	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2
*Average Deaths in corresponding week of previous 10 years,**	165	162	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213	224	225	229	232	224
AGES, Under 5 years,	64	42	49	46	50	49	54	53	59	53	36	37	31	47	38	46	33	54	36	38	46	40	60	60	59	37
5—20 ,,	12	11	14	17	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12	22
20—40 ,,	37	28	24	21	22	24	13	23	31	26	20	23	16	35	31	39	35	19	27	31	36	34	37	30	29	23
40—60 ,,	34	24	24	33	26	34	40	36	31	32	30	38	39	54	53	63	41	42	33	43	39	47	55	43	46	35
60—80 ,,	27	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48	44	37	36	36	49	70	52	67	28
80 years and upwards,	6	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4
,, Scarlet Fever,	1	1	.	.	.	1	1	.	.	.	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	4	1	2	1	.	2	4	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3	2	5	.	.
,, Diphtheria,	2	.	2	.	1	1	1	1	3	4	.	.	.	.	2	3	3	1	1	1	.	.	1	.	3	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	3	3	8	6	3	.	5	2	.	3	2	1	.	4	5	2	3	1	2	.	2	2	.	3	2	1
,, Diarrhœa, Dysentery,	20	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2	4	.	1	2	2	3	1	1
,, Phthisis,	27	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20	19	33	31	27	27	33	38	17
,, Heart Diseases,	11	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17
,, Diseases of Respiratory System,	21	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34	43	35	47	36	48	82	73	65	41
Violent Deaths,	2	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2
Mean Temperature of the Air (Phœnix Park),	54·7	57·0	52·1	48·0	46·5	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	5·7	29·9	40·5	46·0	44·3	44·9
Average Mean Temperature in corresponding week of previous 10 years,	53·6	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3
Rainfall in inches,	1·335	·750	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145
Mean Humidity of the Air, complete Saturation 1·0,	·81	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	·79	·84	·87	·86	·86

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th March, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891,*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	846,128	23·2	154	37	22	23	35	28	9	.	4	3	.	.	.	.	1	1	9	17	5	41	2	80
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	28·7		.	1	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	5
II.	MIDDLE CLASS,	80,653	14·	22	2	6	2	4	6	2	.	.	2	.	.	.	.	1	.	3	2	1	.	.	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	11·1	21	6	3	2	5	3	2	.	1	.	.	.	.	.	.	.	1	1	1	4	.	14
IV.	GENERAL SERVICE CLASS,	146,486	35·8	75	26	11	13	19	6	.	.	3	1	.	.	.	.	.	1	5	11	2	26	2	29
V.	INMATES OF WORKHOUSES,	5,191		29	3	1	6	6	11	2	.	.	.	.	.	.	.	.	.	.	3	1	9	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	13·2	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45	5	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	20·2	10	2	.	.	2	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	9
	6. Clerks and Commercial Assistants,	24,750	16·9	8	.	6	1	.	1	.	.	.	2	.	.	.	.	1	.	3	1	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	6·4	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	14·2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	9. Building and Furnishing Trades,	26,080	10·0	5	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	10. Clothing Trades,	23,686	4·4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	11. Food Supply Trades,	7,869	19·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	17·6	9	3	2	1	1	1	1	.	1	.	.	.	.	.	.	.	1	.	.	1	.	7
	13. Petty Shopkeepers,	6,771	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	23·0	6	1	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	15. Domestic Servants,	39,563	7·9	6	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	14·6	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	37·9	60	22	8	11	15	4	.	.	3	1	.	.	.	.	.	1	5	9	2	24	1	19
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	29	3	1	6	6	11	2	.	.	.	.	.	.	.	.	.	.	3	1	9	.	16

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,838.	Jan. 25,	22·1	1·8	12	.	.	.	.	.	.	.	1	.	3	5	.
		Feb. 1,	36·8	.	20	.	.	.	.	.	.	.	.	.	4	8	.
		„ 8,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	3	3	1
		„ 15,	31·3	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	8	1
		Mar. 1,	36·8	1·8	20	.	.	.	.	.	.	.	.	1	.	5	1
		„ 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	3	6	1
		„ 15,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	2	4	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Jan. 25,	20·0	1·3	15	.	.	.	.	.	.	.	.	1	1	6	.
		Feb. 1,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	4	1
		„ 8,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	2	5	1
		„ 15,	36·0	4·0	27	.	.	1	.	.	.	.	1	1	4	7	.
		„ 22,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	.	8	1
		Mar. 1,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	10	1
		„ 8,	29·3	1·3	22	.	.	.	.	.	.	.	1	.	2	9	.
		„ 15,	16·0	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Jan. 25,	24·2	3·5	14	.	.	.	.	.	.	.	1	1	1	1	.
		Feb. 1,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 8,	22·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 15,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	4	1
		„ 22,	39·8	1·7	23	.	.	.	.	1	.	.	.	.	3	8	1
		Mar. 1,	41·6	3·5	24	.	.	.	.	1	.	.	1	.	5	7	1
		„ 8,	34·6	.	20	.	.	.	.	.	.	.	.	.	3	8	.
		„ 15,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	7	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Jan. 25,	26·3	1·6	16	.	.	.	.	.	.	.	.	1	4	3	.
		Feb. 1,	36·2	.	22	.	.	.	.	.	.	.	.	.	5	7	.
		„ 8,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	3	1
		„ 15,	32·9	3·3	20	.	.	.	.	1	.	.	.	1	5	4	1
		„ 22,	26·3	.	16	.	.	.	.	.	.	.	.	.	1	5	.
		Mar. 1,	23·0	4·9	14	.	.	1	.	1	.	.	.	1	1	4	.
		„ 8,	32·9	1·6	20	.	.	.	.	.	1	.	.	.	4	6	.
		„ 15,	32·9	3·3	20	.	.	2	.	.	.	.	.	.	3	6	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Jan. 25,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	1
		Feb. 1,	21·3	.	16	.	.	.	.	.	.	.	.	.	3	5	.
		„ 8,	32·0	1·3	24	.	.	.	.	.	.	.	.	1	7	3	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		„ 22,	41·3	1·3	31	.	.	.	.	.	1	.	.	.	6	9	.
		Mar. 1,	22·6	1·3	17	.	.	.	.	.	.	.	.	1	2	5	.
		„ 8,	36·0	.	27	.	.	.	.	.	.	.	.	.	5	7	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,118.	Jan. 25,	36·6	.	12	.	.	.	.	.	.	.	.	.	2	5	.
		Feb. 1,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	2	1	.
		„ 8,	27·4	.	9	.	.	.	.	.	.	.	.	.	4	4	.
		„ 15,	48·8	3·0	16	.	.	.	.	1	.	.	.	.	2	5	2
		„ 22,	51·8	.	17	.	.	.	.	.	.	.	.	.	2	5	1
		Mar. 1,	24·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
		„ 8,	51·8	3·0	17	.	.	.	.	.	1	.	.	.	4	4	1
		„ 15,	18·3	.	6	.	.	.	.	.	.	.	.	.	.	5	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Jan. 25,	21·2	1·2	17	.	.	.	.	.	.	.	.	1	.	5	.
		Feb. 1,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	7	1
		„ 8,	31·2	1·2	25	.	.	.	.	1	.	.	.	.	4	3	.
		„ 15,	27·5	.	22	.	.	.	.	.	.	.	.	.	3	7	.
		„ 22,	26·2	1·2	21	.	.	.	.	.	.	.	.	1	1	8	.
		Mar. 1,	46·2	3·7	37	.	1	.	.	2	.	.	.	.	4	20	1
		„ 8,	21·2		17	.	.	.	.	.	.	.	.	.	5	3	1
		„ 15,	28·7		23	.	.	.	.	.	.	.	.	.	2	6	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Jan. 25,	17·9	.	13	.	.	.	.	.	.	.	.	.	1	1	2
		Feb. 1,	22·4	.	15	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	26·9	.	18	.	.	.	.	.	.	.	.	.	2	4	.
		„ 15,	23·9	.	16	.	.	.	.	.	.	.	.	.	3	4	2
		„ 22,	44·8	1·5	30	.	.	.	.	.	.	.	1	.	4	6	.
		Mar. 1,	31·4	.	21	.	.	.	.	.	.	.	.	.	5	6	.
		„ 8,	29·9	3·0	20	.	.	1	.	.	.	.	.	1	6	5	.
		„ 15,	28·4	.	19	.	.	.	.	.	.	.	.	.	2	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1902 (Est.) 83,208.	Jan. 25	28·3	.	18	.	.	.	.	.	.	.	.	.	2	3	.
	Feb. 1,	4·7	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	„ 8,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 15,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	Mar. 1,	26·7	.	17	.	.	.	.	.	.	.	.	.	3	5	.
	„ 8,	12·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	„ 15,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Jan. 25,	22·0	2·0	11	.	1	.	.	.	.	.	.	.	.	1	1
	Feb. 1,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	4	3	.
	„ 8,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	1	1	.
	„ 15,	20·0	8·0	10	.	3	.	.	1	.	.	.	.	.	1	.
	„ 22,	44·0	8·0	22	.	3	.	.	1	.	.	.	.	3	7	.
	Mar. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	48·1	12·0	24	.	6	.	.	.	.	.	.	.	1	5	.
	„ 15,	20·0	10·0	10	.	4	.	.	.	.	.	.	1	.	2	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Jan. 25,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Feb. 1,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 15,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	2	2
	Mar. 1,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	5	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1902 (Est.) 358,693.	Jan. 25,	21·9	1·0	151	.	.	.	1	3	1	.	.	2	14	52	1
	Feb. 1,	18·9	0·9	130	.	.	.	.	1	.	.	3	2	21	27	2
	„ 8,	17·9	2·0	123	.	.	.	.	6	3	1	2	2	18	46	4
	„ 15,	24·6	2·0	169	.	2	.	.	5	2	.	3	2	33	58	1
	„ 22,	29·8	2·2	205	.	2	.	.	4	1	.	4	4	25	55	15
	Mar. 1,	27·3	1·0	188	.	2	.	.	1	1	.	2	1	28	58	16
	„ 8,	19·8	0·3	136	.	1	.	.	.	1	.	.	.	24	33	4
	„ 15,	23·4	1·2	161	.	.	.	.	3	.	.	2	3	18	53	8
Cork. Pop. (in 1901) 75,978.	Jan. 25,	21·3	2·1	31	.	.	1	.	1	.	.	.	1	5	6	.
	Feb. 1,	26·1	1·4	38	.	.	.	.	2	.	.	.	.	9	9	.
	„ 8,	26·8	.	39	.	.	.	.	.	.	.	.	.	17	6	.
	„ 15,	36·4	0·7	53	.	.	1	.	.	.	.	.	.	10	16	2
	„ 22,	30·9	0·7	45	.	.	.	.	1	.	.	.	.	6	10	.
	Mar. 1,	31·6	2·1	46	.	.	.	.	2	.	.	1	.	11	14	.
	„ 8,	32·3	2·7	47	.	.	1	.	1	.	.	2	.	7	14	.
	„ 15,	25·4	2·1	37	.	.	.	.	2	.	.	.	1	5	8	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Jan. 25,	32·0	1·3	25	.	.	.	.	.	.	.	.	1	1	6	1
	Feb. 1,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	25·6	.	20	.	.	.	.	.	.	.	.	.	3	9	.
	„ 15,	20·5	.	16	.	.	.	.	.	.	.	.	.	4	5	.
	„ 22,	29·4	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	Mar. 1,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	24·3	1·3	19	.	.	.	.	.	.	.	.	1	2	.	.
	„ 15,	32·0	.	25	.	.	.	.	.	.	.	.	.	5	5	.
Limerick. Pop. (in 1901) 38,085.	Jan. 25	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	Feb. 1,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	31·5	.	23	.	.	.	.	.	.	.	.	.	3	5	.
	„ 15,	23·3	.	17	.	.	.	.	.	.	.	.	.	2	3	.
	„ 22,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 1,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	.
	„ 8,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	15·1	.	11	.	.	.	.	.	.	.	.	.	1	6	.
Waterford. Pop. (in 1901) 26,743.	Jan. 25,	11·7	1·9	6	.	.	.	.	.	.	.	.	1	2	1	.
	Feb. 1,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	„ 8,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Mar. 1,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	„ 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 15,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 15th March, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	858,693	15	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	.	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 2 "		25			25	6	2	14	3	.	.	.	.	.	.	.	.	.	2	10	4	5	4
" 3 "		31			13	3	1	4	5	.	.	.	.	1	.	.	.	2	.	5	.	1	1
" 4 "		22			20	5	3	7	5	.	.	.	.	.	.	.	.	.	1	3	3	4	8
" 5 "		13			12	1	2	7	2	.	.	.	.	1	.	.	.	.	3	5	.	.	6
" 6 "		20			22	4	.	7	11	.	.	.	.	.	.	.	1	.	1	9	.	2	5
" 7 "		2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		4			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 9 "		14			15	6	1	5	3	.	.	.	.	1	.	.	.	.	2	4	.	.	5
" 10 "		18			11	4	2	3	2	.	.	.	.	.	.	.	.	1	2	4	.	1	1
" 11 "		28			13	1	1	9	2	.	.	.	.	.	.	.	.	.	3	5	.	2	2
" 12 "		23			14	2	1	8	3	.	.	.	.	.	.	.	.	.	2	2	1	2	3
" 13 "		10			7	1	.	4	2	.	.	.	.	.	.	.	1	.	1	3	.	.	1
" 14 "		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	226	23·4	1·2	161	33	13	74	41	.	.	.	.	3	.	.	2	3	18	53	8	17	38
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	9	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	.	2	3	.	.	.	.	.	.	.	.	.	.	3	.	.	6
" 2 "		8			6	.	.	4	2	.	.	.	.	.	.	.	.	.	2	.	.	1	4
" 3 "		10			3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 4 "		4			2	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" 5 "		12			4	1	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.
" 6 "		9			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" 7 "		9			14	1	2	8	3	.	.	.	.	1	.	.	.	.	2	4	.	1	5
Total,	—	61	25·4	2·1	37	3	3	20	11	.	.	.	.	2	.	.	.	1	5	8	.	3	15

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered,	230	189	211	216	205	193	195	195	186	206	195	186	193	199	156	237	195	187	212	188	189	201	246	207	277	226
DEATHS registered.	119	188	100	132	121	103	153	112	131	145	131	129	141	144	150	143	125	126	151	130	123	169	205	188	136	161
Annual Death-rate per 1,000 of estimated Population,*	17·7	20·5	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4
AGES, Under 1 year,	33	28	25	37	24	20	23	23	23	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33
AGES, 1-5 years,	13	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13
AGES, 5-60 years,	60	79	48	55	60	46	82	58	59	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74
AGES, 60 years and upwards,	13	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.
,, Scarlet Fever,	.	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
,, Whooping-cough,	2	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3
,, Diphtheria,	2	.	.	1	3	.	3	1	4	1	1	4	1	3	.		1	1	1	.	3	2	1	1	1	.
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.
,, Enteric Fever,	7	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2
,, Diarrhœa, Dysentery,	13	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3
,, Phthisis	16	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28	21	18
,, Diseases of Respiratory System,	16	27	13	24	17	15	28	36	33	40	28	38	36	42	51	36	34	21	52	27	46	58	55	58	33	53
Violent Deaths,	1	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th March, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken Pox.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 1, West,	.	.	.	1	.	.	1	.	.	4	.	.	1	7
" " 2,	.	1	.	.	.	.	.	.	.	1	.	.	.	2
" " 3,	.	.	.	.	.	.	.	.	2	.	6	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	1	.	.	1	.	.	.	.	.	.	2
South City No. 1,	.	1	.	1	.	.	.	.	.	1	12	.	1	16
" " 2,	.	.	.	.	.	.	.	.	4	.	1	.	.	5
" " 3,	.	11	.	3	.	.	.	.	.	.	1	.	4	19
" " 4,	.	2	.	.	.	.	1	.	.	.	1	.	.	4
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilmianham,	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Totals,	.	15	.	7	.	.	3	.	6	8	22	.	7	68
Total for week ended Mar. 8th, 1902.	.	17	.	12	1	.	4	.	18	13	20	.	8	93
Total for week ended Mar. 1st, 1902,	.	14	.	16	.	.	6	.	.	5	11	.	23	75
Total for week ended Feb. 22, 1902,	.	15	.	9	.	.	4	.	3	17	14	.	46	108

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th March, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th March.			
	Feb. 22.	Mar. 1.	Mar. 8.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	3	3	3	.	1	.	2*
Measles,	15	13	11	14	4	.	21
Scarlet Fever,	88	92	85	10	14	3	78
Typhus "	3	3	4	.	3	.	1
Diphtheria,	35	28	27	2	3	.	26
Enteric Fever,	51	47	47	8	6	.	49
Pneumonia,	24	29	23	6	4	3	22

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Mar. 15,	2,628	1,936	22·0	81	91	10	18	53	9	12
EDINBURGH,	317,885	„ 15,	158	128	20·6	.	.	2	1	1	1	3
GLASGOW,	764,423	„ 15,	488	337	22·6	7	4	4	3	12	2	11
CALCUTTA,	466,460	Jan. 11,	.	323	36·1	3	.	.	.	.	57§	66*
BOMBAY,	776,006	„ 30,	287	1,118	74·9	5	1	?	?	3	156§	78*
MADRAS,	509,346	„ 17,	312	472	48·1	1	10	?	?	?	158	83*
PARIS,	2,660,559	Feb. 22,	1,003	1,313	27·1	5	13	2	22†	13	22	37
BRUSSELS (with 8 Faubourgs).	582,665	„ 22,	266	195	17·4	.	.	.	3†	2	1	9
AMSTERDAM,	531,966	„ 22,	328	154	15·1	.	4	.	2	1	.	7
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	378,235	Feb. 22,	200	127	17·5	.	.	.	.	3	2	4
CHRISTIANIA,	228,929	„ 22,	159	56	12·7	.	.	.	.	2	.	2
ST. PETERSBURG,	1,248,643	Mar. 1,	593	562	23·4	3	5	8	24	4	16	55
BERLIN,	1,905,005	Feb. 8,	1,048	618	16·9	.	8	3	9	8	3	32
HAMBURG,	724,835	„ 22,	.	220	15·8	.	.	2	4†	3	.	8
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,709,211	Feb. 1,	986	587	17·9	.	13	6	15†	3	1	28
BUDA-PESTH,	767,661	„ 15,	505	291	19·7	.	7	3	3	1	1	12
PRAGUE and Faubourgs.	413,756	„ 22,	235	192	24·1	.	11	3	1†	1	3	9
ROME,	472,298	Jan. 18,	267	191	21·0	1	.	.	.	1	2	7
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	..
VENICE,	165,350	Feb. 15,	64	106	33·3	.	4	.	1†	.	.	2
NEW YORK,	3,632,501	„ 8,	1,822	1,453	20·9	10	34	31	55†	6	8	33
PHILADELPHIA,	1,293,697	„ 22,	.	568	22·8	15	5	1	11	1	19	1

* Including 25 deaths from cholera in Calcutta, 7 in Bombay, and 3 in Madras.
† Including deaths from croup.
§ Exclusive of 32 deaths from bubonic fever in Calcutta, and 347 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 15th March, 1902:—

"Favourable though changeable, and April-like in its showers and mildness was the weather of this week. This description, however, applies only to the British Isles and the western half of France. Thus, at the beginning of the week, a depression travelled quickly south-eastwards across Denmark and Germany, drawing cold E. and N. winds in its wake and causing falls of snow in the countries named. On Sunday the thermometer fell to −35° F. at Haparanda on the Gulf of Bothnia—that is, to 67° degrees below freezing-point. On Monday morning the reading was +4° at Stockholm. On the other hand, the thermometer rose on Sunday to 57° at Oxford and to 56° in London; 57° was recorded at Loughborough on Monday and in Dublin on Wednesday. So far as Ireland is concerned, after Sunday's North Sea and Continental depression (referred to above) had passed away, depressions kept moving northwards and finally north-eastwards outside our western coasts. Consequently, S. and S.W. winds prevailed, with rather high temperatures for March, and showers which—as usual—were heaviest and most frequent at our western and northern stations, where also the wind was strongest. There was a good deal of smoke fog over Dublin on Thursday evening and Friday morning, but a brisk W. to N.W. wind on Saturday carried all smoke away. Rain fell heavily in England on Friday. In Dublin the mean height of the barometer was 29·913 inches, pressure varying from 29·684 inches at 9 p.m. of Friday (wind, S.W.) to 30·074 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 47·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·6°. The screened thermometers rose to 56·8° on Wednesday and fell to 36·9° on Friday. S.W. winds predominated. The duration of bright sunshine was estimated at 19½ hours. Rain fell on five days to the amount of ·176 inch, ·069 inch being measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·912 inches. The highest reading (30·068) was on Saturday at 9 p.m., wind W., and the lowest (29·817) on Thursday at 9 a.m., wind S.W.

The mean temperature for the week was 44·9°, being 1·6° above the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Wednesday, on which day the thermometer registered 55·2°, and was lowest on Friday, the mercury having fallen to 30·5°. The mean of the Dry Bulb for the week was 44·8°, and of the Wet Bulb 42·8°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 24·5 hours. The rainfall measured ·145 inch.

At Greenwich the mean temperature for the week was 46·2°, the maximum 56·9°, and the minimum 34·3°; at Glasgow the maximum was 55·8°, the minimum 38·3°, and the mean 46·6°; and at Edinburgh the maximum was 51·6°; the minimum 34·7°, and the mean 43·6°. The rainfall at Greenwich measured 0·57 inch; at Glasgow 0·25 inch; and at Edinburgh 0·10 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, March 9,	29·907	55·1	47·5	51·3	49·5	48·1	·91	1·0	0·2	·045	W.	W.
Monday, „ 10,	29·989	50·8	40·1	45·5	44·9	44·0	·93	·0	0·5	·005	W.	Calm.
Tuesday, „ 11,	29·964	47·1	39·9	43·5	45·9	43·9	·86	·2	0·0	·040	E.	Calm.
Wednesday, „ 12,	29·917	55·2	36·6	45·9	42·5	40·1	·83	·4	5·0	·020	S.	Calm.
Thursday, „ 13,	29·860	53·2	33·1	43·2	40·9	39·0	·86	·6	6·6	—	S.W.	Calm.
Friday, „ 14,	29·757	50·4	30·5	40·5	44·9	42·3	·81	·5	2·2	—	W.S.W.	W.
Saturday, „ 15,	29·988	52·9	36·1	44·5	44·8	42·2	·81	·5	10·0	·035	W.	W.
Mean . .	29·912	52·1	37·7	44·9	44·8	42·8	·86	·5	Total 24·5	·145	Prevailing Wind Westerly.	

Sunday—A dull day, rain 10 to 11 a.m.; night overcast, rain 10 p.m. to 6 a.m. *Monday*—A cloudy day, showery a.m.; night cloudy. *Tuesday*—A dull day, rain 9.5 to 11.30 a.m., and showery 7 p.m. to 1 a.m.; night cloudy. *Wednesday*—A cloudy day, showery 2.30 to 4 p.m.; night cloudy, rain 6.30 to 7.30 a.m. *Thursday*—A fine but cloudy day; night clear p.m.; cloudy a.m. *Friday*—A cloudy day; night cloudy. *Saturday*—A fine but cloudy day; night cloudy, rain 5.30 to 8 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 22ND MARCH, 1902. [No. 12.

General Register Office, Charlemont House, Dublin, 24th March, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c	Week ending Mar. 1.	Mar. 8	Mar 15.	Mar. 22.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Average Rate for 4 weeks
22 Town Dists.	29·3	26·0	21·9	22·3	24·9	Lisburn, . .	36·4	50·1	27·3	41·0	38·7
Armagh, . .	20·7	0·0	13·8	13·8	12·1	Londonderry, .	15·4	24·3	32·0	19·2	22·7
Ballymena, .	52·7	33·5	24·0	4·8	28·7	Lurgan, . .	31·0	39·8	22·1	26·6	29·9
Belfast, . .	27·3	19·8	23·4	22·4	23·2	Newry, . .	16·6	8·3	4·1	24·9	13·5
Clonmel, . .	20·4	15·3	10·2	15·3	15·3	Newtownards, .	40·1	40·1	11·4	51·5	35·8
Cork, . . .	31·6	32·3	25·4	24·0	28·3	Portadown, .	20·8	31·1	10·4	31·1	23·4
Drogheda, . .	53·1	44·9	16·3	12·3	31·6	Queenstown, .	19·8	19·8	19·8	6·6	16·5
Dublin Reg. Area,	28·6	29·7	20·6	22·4	25·3	Sligo, . .	38·4	0·0	9·6	52·8	25·2
Dundalk, . .	47·9	47·9	16·0	8·0	29·9	Tralee, . .	47·8	31·9	21·3	21·3	30·6
Galway, . .	51·4	46·6	46·6	38·9	46·6	Waterford, .	27·3	11·7	15·6	9·7	16·1
Kilkenny, . .	39·8	44·7	29·8	9·9	31·0	Wexford, . .	46·7	46·7	32·7	23·4	37·4
Limerick, . .	19·2	16·4	15·1	20·5	17·8						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in eighteen of the districts to 2·1 in Cork, the 35 deaths from all causes in that place including 3 from whooping cough Amongst the 154 deaths from all causes in Belfast are 5 from whooping cough, 2 from measles, and one each from diphtheria, enteric fever, and diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 198—104 boys and 94 girls; and the deaths to 167—78 males and 89 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·0 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 22·4 per 1,000. During the twelve weeks ending with Saturday last the death-rate averaged 26·4, and was 5·6 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Nine deaths from zymotic diseases were registered; this number is equal to a rate of 1·2 per 1,000 of the estimated population of the Dublin Registration Area, the average rate for the corresponding period of the past 10 years being 4·3 per 1,000. Two of these deaths were caused by influenza, amongst the remainder measles, scarlatina, whooping cough, diphtheria, enteric fever and diarrhœa each caused one death.

Tubercular disease caused 47 deaths, namely—36 deaths from pulmonary tuberculosis, 4 deaths from tubercular meningitis, one death from tubercular peritonitis, and 6 deaths from other forms of the disease. Cancer caused 4 deaths.

Diseases of the respiratory system, which caused 41 deaths in the preceding week, fell in the week ended March 22nd to 30, of these 16 were due to bronchitis and 12 to pneumonia, This total figure is equal to a rate of 4·1 per 1,000 of the estimated population of the area, the average rate for the corresponding period of the past 10 years being 7·7 per 1,000.

Of the 6 deaths ascribed to convulsions, 2 were of infants under one month, one was between the age periods of one month and one year, 2 were between the age periods of one year and 5 years, and one death occurred between the age periods of 5 years and 20 years. There was 1 death from apoplexy and 12 deaths from other diseases of the brain and spinal cord (exclusive of convulsions); diseases of the circulatory system caused 13 deaths.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under one year old.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 10 were under one month old), and 33 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 7 were octogenarians.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 22·4 per 1,000; the rate in the City was 24·3 (24·0 on the North side, and 24·7 on the South), and in the Urban Districts, 15·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·7 (0·7 in the North City Districts, and 0·7 in the South) and for the Urban Districts 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. Pulmonary tuberculosis caused 3 deaths, there was one death from pneumonia, and 2 deaths from accidental violence.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 30·6 per 1,000. Scarlatina caused 1 death, pulmonary tuberculosis caused 3 deaths. There were 5 deaths from diseases of the respiratory system, including 4 from pneumonia. In addition, 2 deaths from accidental violence were registered.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. Influenza caused a death, pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 6 deaths, including 2 from pneumonia. One death was due to accidental violence.

No. 3 North City District (Blackhall-place).—The deaths (15) represent an annual rate of 24·7 per 1,000. Enteric fever caused one death, and pulmonary tuberculosis caused 4 deaths. There was one death from pneumonia, and 1 death from accidental violence.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 0·0. Of the 3 deaths tabulated for Coolock and Drumcondra, No. 1, part of, 2 were from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 22·6 per 1,000. Diphtheria caused 1 death, and pulmonary tuberculosis caused 3 deaths. Two deaths were due to diseases of the respiratory system, and 2 deaths resulted from accidental violence.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 27·4 per 1,000. Two deaths from pulmonary tuberculosis were registered in this district.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 23·7 per 1,000. Five deaths from pulmonary tuberculosis, and 6 deaths from diseases of the respiratory system were registered in this district.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·4 per 1,000. One death from diarrhœa, 3 deaths from pulmonary tuberculosis, and 2 deaths from diseases of the respiratory system, including one from pneumonia, were registered in this district.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 35·7.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 17·3 per 1,000 inhabitants; Pembroke, 18·0; Blackrock, 17·9; and Kingstown, 8·9. The deaths from zymotic diseases tabulated for these districts include one each from measles and whooping cough in Pembroke, and one from influenza in Rathmines. Amongst the 11 deaths from all causes tabulated for Rathmines are 2 from pulmonary tuberculosis, 2 from diseases of the brain and nervous system, 2 from diseases of the circulatory system, and 2 from diseases of the organs of respiration, including one from pneumonia. The 9 deaths from all causes for Pembroke include 2 from pulmonary tuberculosis and 2 from diseases of the respiratory system.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st March,	75 cases.
,, ,,	8th March,	93 cases.
,, ,,	15th March,	68 cases.
,, ,,	22nd March,	54 cases.

Of the 54 cases notified, 15 were erysipelas, 7 enteric fever, 5 scarlatina, 4 diphtheria, 11 measles, 10 chicken-pox, and 2 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st March,	7 cases.
,, ,,	8th March,	No cases notified.
,, ,,	15th March,	3 cases.
,, ,,	22nd March,	4 cases.

Of the 4 cases notified, 3 were scarlet fever and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st March,	63 cases.
,, ,,	8th March,	29 cases.
,, ,,	15th March,	43 cases.
,, ,,	22nd March	9 cases.

Of the 9 cases notified, 3 were measles, and 6 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st March,	51 cases.
,, ,,	8th March,	47 cases.
,, ,,	15th March,	54 cases.
,, ,,	22nd March,	49 cases.

Of the 49 cases notified, 14 were enteric fever, 5 erysipelas, 7 diphtheria, 9 scarlatina, one membranous croup, and 13 continued fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd March, 1902.

From this it appears that:—

One case of small-pox was discharged from hospital,* and one case remained under treatment at the close of the week.

Five cases of measles were admitted to hospital, 6 were discharged, and 20 cases remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital, 11 cases were discharged, there was one death, and 40 cases remained under treatment at the close of the week.

Nine cases of scarlatina were admitted to hospital, 17 cases were discharged, and 70 cases remained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 8 cases were discharged, and 23 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 14 cases of pneumonia were admitted to hospital, 10 patients were discharged, and 26 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 75 large English towns, including London (in which the rate was 18·8), was equal to an average annual death-rate of 17·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·7 per 1,000, the rate for Glasgow being 24·3, and for Edinburgh 22·2.

* See note (*) on page 190.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 22nd March, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 22nd March, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No in Public Institutions.
Total of 22 Town Districts	1,092,822	18·7	29·7	22·3	1·0	622	467	83	115	.	3	1	.	9	2	.	2	3	72	117	18	22	121
Dublin Registration Area:—																							
Total,‡	379,068	27·8	27·2	22·4	0·8	198	163	25	33	.	1	1	.	1	1	.	1	1	34	30	8	5	68
Registrars' Districts. City	298,394	37·8	27·9	24·3	0·7	157	137	23	25	.	.	1	.	.	1	.	1	1	29	25	8	5	62
Rathmines,‖	33,205	19·4	31·4	17·3	.	20	11	1	5	.	.	.	.	.	.	.	.	.	2	2	.	.	4
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	16·0	18·0	4·0	8	9	1	2	.	1	.	.	1	.	.	.	.	2	2	.	.	2
Blackrock,‖	8,759	8·1	29·8	17·9	.	5	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	23·7	8·9	.	8	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Urban Districts																							
Belfast,	358,693	21·8	34·7	22·4	1·5	289	154	30	34	.	2	.	.	5	1	.	1	1	19	50	4	12	28
Cork,	75,978	33·5	21·3	24·0	2·1	31	35	7	14	.	.	.	.	3	.	.	.	.	6	4	1	1	6
Londonderry,	40,729	18·8	20·5	19·2	1·3	16	15	4	5	.	.	.	.	.	.	.	.	1	.	7	1	1	1
Limerick,	38,085	18·4	31·5	20·5	.	23	15	1	3	.	.	.	.	.	.	.	.	.	3	5	1	.	2
Waterford	26,748	18·6	29·2	9·7	.	15	5	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Galway,	18,414	9·5	23·3	38·9	.	6	10	.	5	.	.	.	.	.	.	.	.	.	1	.	2	.	2
Dundalk	18,067	9·4	31·9	8·0	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Drogheda	12,765	8·1	8·2	12·3	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Newry,	12,587	17·9	41·4	24·9	.	10	6	.	1	.	.	.	.	.	.	.	.	.	1	2	1	1	.
Lurgan,	11,777	13·8	17·7	26·6	.	4	6	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Lisburn,	11,469	10·1	22·8	41·0	.	5	9	3	2	.	.	.	.	.	.	.	.	.	.	5	.	.	.
Wexford	11,154	23·2	42·3	23·4	.	9	5	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Ballymena	10,880	10·9	52·7	4·8	.	11	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Sligo,	10,862	8·6	28·8	52·8	.	6	11	1	4	.	.	.	.	.	.	.	.	.	2	1	.	1	8
Kilkenny	10,493	11·4	24·8	9·9	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,209	7·9	35·8	15·3	.	7	8	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Portadown	10,046	18·1	26·0	31·1	.	5	6	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Tralee,	9,812	16·7	31·9	21·3	.	6	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	28·6	51·5	.	5	9	2	4	.	.	.	.	.	.	.	.	.	2	4	.	.	3
Queenstown,	7,887	14·7	33·1	6·6	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,569	22·1	41·3	13·8	.	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 22nd Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean	Rainfall in Inches.	Week ending 15th Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§57·3	30·5	4	0·56	55·2	30·5	44·9	0·15	§52·1	30·4	44·3	0·04
Registrars' Districts. City	a58·7 / b57·8	32·9 / 31·0	45·1 / 44·8	0·52 / 0·61	a56·8 / b56·8	36·9 / 30·0	47·9 / 46·1	0·18 / 0·16	a52·9 / b52·7	37·0 / 31·0	46·6 / 44·3	0·03 / 0·03
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	60	36	46·7	0·13	57·5	35·5	48·3	0·07	54·5	35·5	46·0	0·03
Urban Districts												
Belfast,	55·0	38·0	45·7	0·33	54·0	35·0	45·6	0·15	54·0	38·9	46·2	0·10
Cork,	58	34	44·9	0·16	54	35	46·6	0·21	53	35	44·9	0·00
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	54	30	45	0·57	53	36	47	0·19	53	37	47	0·23
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	59·0	31·0	44·1	0·50	54·0	37·6	45·7	0·21	52·0	40·8	46·3	0·13
Lurgan,	59·0	31·0	44·1	0·50	54·0	37·6	45·7	0·21	52·0	40·8	46·3	0·13
Lisburn,	59·0	31·0	44·1	0·50	54·0	37·6	45·7	0·21	52·0	40·8	46·3	0·13
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	56·8	32·2	43·9	1·04	52·7	36·7	45·7	0·44	52·8	40·3	46·8	0·30
Kilkenny	58	30	45·3	0·36	55	30	46·3	0·24	55	31	45	0·00
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	59·0	31·0	44·1	0·50	54·0	37·6	45·7	0·21	52·0	40·8	46·3	0·13
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	61	31	43·8	0·30	51	36	44·4	0·23	51	40	45·0	0·10
Queenstown,	58	34	44·9	0·16	54	35	46·6	0·21	55	35	44·9	0·00
Armagh,	59·0	31·0	44·1	0·50	54·0	37·6	45·7	0·21	52·0	40·8	46·3	0·13

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been [illegible] those at Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 22nd March, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CROMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1	.	.	1	.
Scarlet Fever (Scarlatina),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.	.	.	.	1	.
Other Zymotic Diseases,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1	.	.	.	3	.
Total,	1	1	1	1	.	.	.	.	1	.	.	1	.	.	.		1	2	.	.	9	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	1	.	.	2	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	3	3	3	4	.	2	.	.	3	2	5	3	.	1	.		2	2	1	.	34	2
Other Constitutional Diseases,	.	4	1	1	.	.	.	.	3	2	1	2	.	1	.		.	1	.	1	17	1
Total,	3	7	4	5	.	2	.	.	6	4	6	5	.	2	.		2	3	1	1	51	3
V. DEVELOPMENTAL DISEASES,	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	3	.
VI. LOCAL DISEASES:																						
Diseases of: Brain & Nervous System,	3	1	.	1	1	.	.	.	.	2	1	6	.	1	.		2	1	.	.	19	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Circulatory System,	1	2	.	1	.	.	.	.	.	1	4	2	.	.	.		2	.	.	.	13	.
Respiratory System,	1	5	6	1	.	.	.	.	2	1	6	2	.	1	.		2	2	.	1	30	.
Digestive System,	.	.	.	.	.	1	.	.	2	1	2	.	.	1	.		.	.	2	1	10	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	.	3	1	1	.	.	.	.	.	.	.	1	.	.	.		1	.	.	.	7	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Diseases of Locomotive System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Total,	5	12	8	4	1	1	.	.	4	5	13	11	.	3	.		7	3	2	2	81	1
VII. VIOLENT DEATHS,	2	2	1	1	.	.	.	.	2	.	.	.	.	.	.		.	.	.	.	8	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	2	.	.	2	.	.	.	.	4	.	.	.	.	.	.		1	.	.	.	9	.
Deaths from all Causes,	13	23	15	15	1	3	.	.	17	9	19	17	.	5	.		11	9	3	3	163	4
Annual Rate of Mortality in every 1,000 of the population.	23·9	30·6	26·0	24·7	10·8	15·6	.	.	22·6	27·4	23·7	25·4	.	35·7	.		17·3	18·0	17·9	8·9	22·4	
	24·0								24·7								15·8					
	24·3																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	7	8	3	3	.	2	.	.	5	1	3	3	.	.	.		2	1	.	.	38	4
Workhouse Hospitals,	1	5	2	2	.	.	.	.	6	3	5	2	.	1	.		2	1	.	.	30	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Mar. 26, 1892	Mar. 25, 1893	Mar. 24, 1894	Mar. 23, 1895	Mar. 21, 1896	Mar. 27, 1897	Mar. 26, 1898	Mar. 25, 1899	Mar. 24, 1900	Mar. 23, 1901	Average in 13th Week of the 10 years 1892-1901	In the week ending Saturday 22nd March, 1902 — Deaths of persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under 6 weeks.	1 to 5.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
Mean Temperature,	° 40·5	° 45·4	° 43·9	° 48·0	° 48·6	° 51·2	° 39·7	° 35·3	° 36·4	° 39·3	° 42·3	° Mean Temp. 44·4								
ALL CAUSES,	269	179	197	302	170	242	198	214	236	253	226·0	167	10	15	20	17	32	40	26	7
I. FEBRILE OR ZYMOTIC DISEASES,	39	17	28	44	17	71	22	22	15	31	30·6	9	1	2	1	3	.	.	2	.
II. PARASITIC DISEASES,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	.	2	1	.	1	2	.	.	7·	2	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL "	51	53	46	37	47	50	60	52	59	51	50·6	54	.	1	6	9	18	14	6	.
V. DEVELOPMENTAL "	29	11	9	16	16	12	16	20	18	23	17·0	8	3	.	.	.	.	.	.	.
VI. LOCAL "	135	80	101	188	83	96	87	102	130	132	112·9	82	4	7	10	5	11	23	15	7
VII. VIOLENT DEATHS,	8	7	4	4	4	5	6	7	9	6	5·5	8	.	1	2	.	2	1	2	.
VIII. ILL-DEFINED CAUSES,	12	10	8	16	2	8	6	9	5	10	8·6	9	2	4	1	.	.	1	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	22	1	3	.	.	37	.	.	.	.	6·3	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	5	.	1	1	2	.	1	.	1·0	1	.	.	.	1	.	.	.	.
Typhus,	.	2	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	6	1	4	35	6	1	9	12	3	12	8·9	2	.	.	.	.	.	.	2	.
Whooping Cough,	5	3	3	.	2	19	3	2	.	7	4·4	1	.	1	.	.	.	.	.	.
Diphtheria,	.	.	1	.	3	1	.	1	1	1	·8	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	5	1	2	1	.	6	4	.	1	2·1	1	.	.	.	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	3	.	3	.	.	7	.	1	4	5	2·3	1	1	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	.	.	1	1	1	1	2	·7	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	1	1	3	.	.	1	1	1	·8	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	1	2	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	3	4	.	1	2	.	.	4	1	1·7	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	1	1	.	1	2	.	.	·6	2	.	.	.	.	1	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	.	1	.	1	1	1	.	·4	1	.	.	.	.	1	.	.	.
Rheumatism	2	.	.	1	.	.	1	2	1	.	·7	2	.	.	.	.	.	.	2	.
Gout,	1	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	6	9	3	5	5	4	6	5	10	8	6·1	4	.	.	.	.	.	.	.	.
Tabes Mesenterica,	1	5	1	5	3	6	9	7	10	4	5·1	1	.	.	.	1	.	.	.	.
Tubercular Meningitis,	6	4	3	7	4	2	6	4	3	5	4·4	4	.	1	2	1	.	.	.	.
Phthisis,	30	30	35	15	27	32	36	26	27	27	28·5	36	.	.	.	6	16	11	3	.
Scrofula, Tuberculosis,	3	3	2	2	5	4	1	4	6	7	3·7	6	.	.	4	1	1	.	.	.
Other Constitutional Diseases,	2	2	2	2	1	2	.	1	1	.	1·3	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	2	3	1	.	1	5	1	2	1	3	1·9	3	3	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	.	.	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
Old Age,	27	8	7	16	15	7	15	18	17	17	14·7	.	.	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are for the

each Disease registered in the TWELFTH WEEK ending Saturday, 22nd March, 1902, with ten years, 1892-1901, and the average for those weeks.*

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years 1892-1901.	In the Week ending Saturday, 22nd March, 1902.								
												ALL AGES.	Deaths of Persons of the Ages of							
	Mar. 26, 1892	Mar. 25, 1893	Mar. 24, 1894	Mar. 23, 1895	Mar. 21 1896	Mar. 27, 1897	Mar. 26, 1898	Mar. 25, 1899	Mar. 24, 1900	Mar. 23, 1901		Mean Temp. °	Under 1 month.	0 to 5 1 month and under 1 year.	0 to 5 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	40·5 °	45·4 °	48·9 °	48·0 °	43·6 °	51·2 °	39·7 °	35·3 °	36·4 °	39·8 °	42·3	44·4								
VI. Local Diseases.																				
Apoplexy,	2	1	.	4	5	3	4	8	2	1	3·0	1	.	.	.	.	.	.	.	1
Epilepsy,	1	.	.	.	.	1	.	.	2	.	·4	.	.	.	.	.	.	.	.	.
Convulsions,	12	9	9	15	9	14	10	9	13	13	11·1	6	2	1	2	1	.	.	.	.
Other Diseases of Brain and Nervous System,	14	2	5	13	9	7	7	4	5	17	8·3	12	.	1	3	1	1	2	3	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	22	16	18	24	16	17	16	18	20	27	19·4	13	1	.	.	1	3	4	3	1
Croup,	1	.	2	.	1	3	.	1	.	.	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	44	16	42	76	17	18	26	30	48	39	35·6	16	.	4	1	.	.	4	4	3
Pneumonia,	11	15	10	21	9	14	12	17	22	15	14·6	12	.	.	4	1	3	3	1	.
Pleurisy,	.	.	.	2	.	.	.	.	.	2	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	7	1	3	12	3	1	.	.	2	2	3·1	2	.	.	.	.	.	2	.	.
Teething,	3	2	.	3	1	.	.	3	1	.	1·3	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	1	.	.	.	1	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Enteritis,	3	1	2	.	.	1	.	.	2	.	1·1	.	.	.	.	.	.	.	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Peritonitis,	.	.	1	1	.	1	1	1	.	.	·5	3	.	.	.	.	1	2	.	.
Disease of Liver,	4	3	.	3	1	3	2	2	1	4	2·3	5	.	.	.	.	1	3	1	.
Other Diseases of Digestive System,	2	3	4	4	3	5	4	2	6	5	3·8	1	.	.	.	1	.	.	.	.
Diseases of Lymphatics, &c.,	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	4	4	4	6	3	4	5	4	6	4·3	7	.	.	.	.	1	2	3	1
Diseases of Generative System,	1	2	.	1	1	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	1	1	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	1	1	2	1	1			1	.	·8	1	1	.	.	.	.	.	.	.
Diseases of Integumentary System,	2	1	.	.	.	1	.	1	.	1	·6	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	1	.	.	.	.	2	1	.	1		1	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	.	1	2	1	2	1	.	.	6	2	4·8	4	.	1	2	.	.	1	.	.
By Drowning,	.	2	.	.	1	3	2	4	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	.	.	.	.	2	.	.	1		.	.	.	.	.	.	.	.	.
Other or Not stated Causes,	.	1	2	2	.	1	.	1	2	1		3	.	.	.	.	1	.	2	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	1	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	1	1	.	1	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	12	10	8	16	2	8	6	9	5	10	8·6		2	4	1	.	.	1	1	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901-2—Week ending																									
	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar 8.	Mar. 15.	Mar. 22.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered,	245	223	176	229	235	141	192	144	162	216	187	164	144	93	279	204	208	215	152	222	177	248	193	220	239	198
*Average Births in corresponding week of previous 10 years,**	210	176	170	188	171	183	179	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207	201
DEATHS registered,	133	149	146	150	146	168	171	180	176	141	153	138	196	200	223	186	177	158	169	181	200	248	218	222	154	167
Annual Death-rate per 1,000,	18·5	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0
*Average Deaths in corresponding week of previous 10 years,**	162	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213	224	225	229	232	224	226
AGES, Under 5 years,	42	49	46	50	49	54	53	59	53	36	37	31	47	33	46	33	54	36	38	46	40	60	60	59	37	45
AGES, 5—20 ,,	11	14	17	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12	22	17
AGES, 20—40 ,,	28	24	21	22	24	13	23	31	26	20	28	16	35	31	39	35	19	27	31	36	34	37	30	29	23	32
AGES, 40—60 ,,	24	24	33	26	34	40	36	31	32	30	38	39	54	53	63	41	42	33	43	39	47	55	43	46	35	40
AGES, 60—80 ,,	22	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48	44	37	36	36	49	70	52	67	28	26
AGES, 80 years and upwards,	6	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1
,, Scarlet Fever,	1	.	.	.	1	1	.	.	.	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	2	1		2	4	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3	2	5	.	.	1
,, Diphtheria,	.	2	.	1	1	1	1	3	4	.		.		2	3	3	1	1	1	.	.	1	.	3	.	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	3	8	6	3	.	5	2	.	3	2	1	.	4	5	2	.	1	2	.	2	2			2	1	1
,, Diarrhœa, Dysentery,	11	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2	4	.	1	2	2	3	1	1	1
,, Phthisis,	17	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20	19	23	31	27	27	33	38	17	36
,, Heart Diseases,	5	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17	13
,, Diseases of Respiratory System,	20	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34	43	35	47	36	48	82	73	65	41	30
Violent Deaths,	3	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8
Mean Temperature of the Air (Phœnix Park),	57·0	52·1	48·0	46·5	44·2	51·0	48·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	5·7	29·9	40·5	46·0	44·3	44·9	41·4
Average Mean Temperature in corresponding week of previous 10 years,	52·1	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3
Rainfall in inches,	·750	·515	·545	·640	·130	1·205	·000	3·785	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560
Mean Humidity of the Air, complete Saturation 1·0,	·85	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	·79	·84	·87	·86	·86	·84

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd March, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	25·2	167	45	17	32	40	26	7	.	1	1	.	1	1	.	1	1	6	36	6	30	8	81
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	54·1	16	.	.	3	3	7	3	.	.	.	.	.	.	.	.	.	.	3	.	3	.	10
II.	MIDDLE CLASS,	80,653	7·1	11	3	1	1	4	2	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	24·4	46	12	10	10	6	5	3	.	.	1	.	.	.	.	.	.	1	11	4	10	1	19
IV.	GENERAL SERVICE CLASS,	146,486	32·3	64	26	6	11	14	6	1	.	1	.	.	1	1	.	1	1	5	10	2	14	6	27
V.	INMATES OF WORKHOUSES,	5,191		30	4	.	7	13	6	.	.	.	.	.	.	.	.	.	.	.	8	.	3	1	18
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	39·6	6	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	82·7	9	.	.	3	1	4	1	.	.	.	.	.	.	.	.	.	.	2	.	2	.	5
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	25,775	8·1	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	6. Clerks and Commercial Assistants,	24,750	10·5	5	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	2·1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	9. Building and Furnishing Trades,	26,030	18·0	9	3	2	1	1	2	.	.	.	1	.	.	.	.	.	.	1	.	1	2	1	4
	10. Clothing Trades,	23,686	11·0	5	1	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	2
	11. Food Supply Trades,	7,869	19·9	3	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	41·1	21	6	6	5	2	.	1	.	.	.	.	.	.	.	.	.	.	6	2	6	.	7
	13. Petty Shopkeepers,	6,771	15·4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	15·3	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.
	15. Domestic Servants,	39,563	14·5	11	2	1	1	6	.	1	.	.	.	.	.	.	.	1	.	1	2	.	1	.	7
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	9·7	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	17. Hawkers, Porters, Labourers, &c.,	82,681	29·7	47	22	5	9	6	5	.	.	1	.	.	1	1	.	.	1	4	6	2	10	5	20
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	30	4	.	7	13	6	.	.	.	.	.	.	.	.	.	.	.	8	.	3	1	18

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,333.	Feb. 1,	36·8	.	20	.	.	.	.	.	.	.	.	.	4	8	.
		„ 8,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	3	3	1
		„ 15,	31·3	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	8	1
		Mar. 1,	36·8	1·8	20	.	.	.	.	.	.	.	.	1	.	5	1
		„ 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	3	6	1
		„ 15,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	2	4	.
		„ 22,	28·9	.	18	.	.	.	.	.	.	.	.	.	3	1	2
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Feb. 1,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	4	1
		„ 8,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	2	5	1
		„ 15,	36·0	4·0	27	.	.	1	.	.	.	.	1	1	4	7	.
		„ 22,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	.	8	1
		Mar. 1,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	10	1
		„ 8,	29·3	1·3	22	.	.	.	.	.	.	.	1	.	3	9	.
		„ 15,	16·0	.	12	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	30·6	1·3	23	.	.	1	.	.	.	.	.	.	3	5	2
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Feb. 1,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 8,	22·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 15,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	4	1
		„ 22,	39·8	1·7	23	.	.	.	.	1	.	.	.	.	3	8	1
		Mar. 1,	41·6	5·5	24	.	.	.	.	1	.	.	1	.	5	7	1
		„ 8,	34·6	.	20	.	.	.	.	.	.	.	.	.	3	8	.
		„ 15,	22·5	.	15	.	.	.	.	.	.	.	.	.	.	7	.
		„ 22,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	6	1
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Feb. 1,	36·2	.	22	.	.	.	.	.	.	.	.	.	5	7	.
		„ 8,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
		„ 15,	32·9	3·3	20	.	.	.	.	1	.	.	.	1	5	4	1
		„ 22,	26·3	.	16	.	.	.	.	.	.	.	.	.	1	5	.
		Mar. 1,	23·0	4·9	14	.	.	1	.	1	.	.	.	1	1	4	.
		„ 8,	32·9	1·6	20	.	.	.	.	.	1	.	.	.	4	6	.
		„ 15,	32·9	3·3	20	.	.	2	.	.	.	.	.	.	3	6	.
		„ 22,	24·7	1·6	15	.	.	.	.	.	.	.	1	.	4	1	1
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Feb. 1,	21·3	.	16	.	.	.	.	.	.	.	.	.	3	5	.
		„ 8,	32·0	1·3	24	.	.	.	.	.	.	.	.	1	7	3	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		„ 22,	41·3	1·3	31	.	.	.	.	.	1	.	.	.	6	9	.
		Mar. 1,	22·6	1·3	17	.	.	.	.	.	.	.	.	1	2	5	.
		„ 8,	36·0	.	27	.	.	.	.	.	.	.	.	.	5	7	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	.
		„ 22,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	3	2	2
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Feb. 1,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	3	1	.
		„ 8,	27·4	.	9	.	.	.	.	.	.	.	.	.	4	4	.
		„ 15,	48·8	3·0	16	.	.	.	.	1	.	.	.	.	2	5	2
		„ 22,	51·8	.	17	.	.	.	.	.	.	.	.	.	2	5	1
		Mar. 1,	24·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
		„ 8,	51·8	3·0	17	.	.	.	.	.	1	.	.	.	4	4	1
		„ 15,	18·3	.	6	.	.	.	.	.	.	.	.	.	.	5	.
		„ 22,	27·4	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Feb. 1,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	7	1
		„ 8,	31·2	1·2	25	.	.	.	.	1	.	.	.	.	4	3	.
		„ 15,	27·5	.	22	.	.	.	.	.	.	.	.	.	3	7	.
		„ 22,	26·2	1·2	21	.	.	.	.	.	.	.	.	1	1	8	.
		Mar. 1,	46·2	5·7	37	.	1	.	.	2	.	.	.	.	4	20	1
		„ 8,	21·2	.	17	.	.	.	.	.	.	.	.	.	5	3	1
		„ 15,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	6	.
		„ 22,	23·7	.	19	.	.	.	.	.	.	.	.	.	5	6	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Feb. 1,	22·4	.	15	.	.	.	.	.	.	.	.	.	4	5	.
		„ 8,	26·9	.	18	.	.	.	.	.	.	.	.	.	2	4	.
		„ 15,	23·9	.	16	.	.	.	.	.	.	.	.	.	3	4	2
		„ 22,	44·8	1·5	30	.	.	.	.	.	.	.	1	.	4	6	.
		Mar. 1,	31·4	.	21	.	.	.	.	.	.	.	.	.	5	6	.
		„ 8,	29·9	3·0	20	.	.	1	.	.	.	.	.	1	6	5	.
		„ 15,	28·4	.	19	.	.	.	.	.	.	.	.	.	2	4	.
		„ 22,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	3	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal.
Rathmines. Pop. in 1902 (Est.) 33,203	Feb. 1,	4·7	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	„ 8,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 15,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 22,	17·8	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	Mar. 1,	26·7	.	17	.	.	.	.	.	.	.	.	.	3	5	.
	„ 8,	12·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	„ 15,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Feb. 1,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	4	3	.
	„ 8,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	1	1	.
	„ 15,	20·0	8·0	10	.	3	.	.	1	.	.	.	.	.	1	.
	„ 22,	44·0	8·0	22	.	3	.	.	1	.	.	.	.	3	7	.
	Mar. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	48·1	12·0	24	.	6	.	.	.	.	.	.	.	1	5	.
	„ 15,	20·0	10·0	10	.	4	.	.	.	.	.	.	1	.	2	.
	„ 22,	18·0	4·0	9	.	1	.	.	1	.	.	.	.	2	2	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Feb. 1,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 15,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	2	2
	Mar. 1,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	5	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1902 (Est.) 358,693.	Feb. 1,	18·9	0·9	130	.	.	.	.	1	.	.	3	2	21	27	2
	„ 8,	17·9	2·0	123	.	.	.	.	6	3	1	2	2	18	46	4
	„ 15,	24·6	3·0	169	.	2	.	.	5	2	.	3	2	33	58	1
	„ 22,	29·8	2·2	205	.	2	.	.	4	1	.	4	4	25	55	15
	Mar. 1,	27·3	1·0	188	.	2	.	.	1	1	.	2	1	28	58	16
	„ 8,	19·8	0·3	136	.	1	.	.	.	1	.	.	.	24	33	4
	„ 15,	23·4	1·2	161	.	.	.	.	3	.	.	2	3	18	53	8
	„ 22,	22·4	1·5	154	.	2	.	.	5	1	.	1	1	19	50	4
Cork. Pop (in 1901) 75,978.	Feb. 1,	26·1	1·4	38	.	.	.	.	2	.	.	.	.	9	9	.
	„ 8,	26·8	.	39	.	.	.	.	.	.	.	.	.	17	6	.
	„ 15,	36·4	0·7	53	.	.	1	.	.	.	.	.	.	10	16	2
	„ 22,	30·9	0·7	45	.	.	.	.	1	.	.	1	.	6	10	.
	Mar. 1,	31·6	2·1	46	.	.	.	.	2	.	.	1	.	11	14	.
	„ 8,	32·3	2·7	47	.	.	1	.	1	.	.	2	.	7	14	.
	„ 15,	25·4	2·1	37	.	.	.	.	2	.	.	.	1	5	8	.
	„ 22,	24·0	2·1	35	.	.	.	.	3	.	.	.	.	6	4	1
Londonderry. Pop. in 1902 (Est.) 40,729.	Feb. 1,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	25·6	.	20	.	.	.	.	.	.	.	.	.	3	9	.
	„ 15,	20·5	.	16	.	.	.	.	.	.	.	.	.	4	5	.
	„ 22,	29·4	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	Mar. 1,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	24·3	1·3	19	.	.	.	.	.	.	.	.	1	2	.	.
	„ 15,	32·0	.	25	.	.	.	.	.	.	.	.	.	5	5	.
	„ 22,	19·2	1·3	15	.	.	.	.	.	.	.	.	1	.	7	1
Limerick. Pop. (in 1901) 38,086.	Feb. 1,	13·7	.	10	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	31·5	.	23	.	.	.	.	.	.	.	.	.	3	5	.
	„ 15,	23·3	.	17	.	.	.	.	.	.	.	.	.	2	3	.
	„ 22,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 1,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	.
	„ 8,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	15·1	.	11	.	.	.	.	.	.	.	.	.	1	6	.
	„ 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	3	5	1
Waterford. Pop. (in 1901 26,748	Feb. 1,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	„ 8,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Mar. 1,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	„ 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 15,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 22,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 22nd March, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population.*	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	.	2	3	.	.	.	.	.	.	.	.	.	.	1	.	3	2
" 2 "		28			20	6	3	5	6	.	.	.	.	.	.	.	.	.	2	9	.	2	3
" 3 "		41			22	4	5	10	3	.	.	.	.	4	1	.	.	.	2	9	.	.	4
" 4 "		36			17	5	3	5	4	.	.	.	.	.	.	.	.	.	2	8	3	4	4
" 5 "		12			15	2	1	9	3	.	.	.	.	.	.	.	.	.	5	3	.	.	3
" 6 "		15			19	1	4	6	8	.	.	.	.	1	.	.	1	.	2	5	.	.	1
" 7 "		2			..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		4			4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "		24			8	2	.	5	1	.	.	.	.	.	.	.	.	.	.	2	.	.	
" 10 "		20			4	.	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	
" 11 "		19			13	2	4	5	2	.	.	.	.	.	.	.	.	1	2	5	.	.	3
" 12 "		20			22	5	2	14	1	.	2	.	.	.	.	.	.	.	2	5	1	2	4
" 13 "		11			3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
" 14 "		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Total,	—	239	22·4	1·5	154	30	22	68	34	.	2	.	.	5	1	.	1	1	19	50	4	12	28
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	75,978	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 2 "		5			5	1	.	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.
" 3 "		5				.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1
" 4 "		3				.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 5 "		4			4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 6 "		3				1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "		6			12	4	2	4	2	.	.	.	.	3	.	.	.	.	2	3	.	.	4
Total,	—	31	24·0	2·1	35	7	2	12	14	.	.	.	.	3	.	.	.	.	6	4	1	1	6

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901–2—Week ending																									
	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar 15.	Mar. 22.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered,	189	211	216	205	193	195	195	186	206	195	186	193	199	156	287	195	187	212	188	189	201	246	207	277	226	239
DEATHS registered.	138	100	132	121	103	153	112	131	145	131	129	141	144	150	143	125	126	151	130	123	169	205	188	136	161	154
Annual Death-rate per 1,000 of estimated Population,*	20·5	14·9	19.6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4
AGES, Under 1 year,	28	25	37	24	20	23	23	23	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30
AGES, 1–5 years,	12	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22
AGES, 5–60 years,	79	48	55	60	46	82	53	59	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68
AGES, 60 years and upwards,	19	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2
,, Scarlet Fever,	.	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	.	1	1	2	3	.	2	2	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5
,, Diphtheria,	.	.	1	3	.	3	1	4	1	1	4	1	3	.		1	1	1	.	3	2	1	1	1	.	1
,, Simple continued and Ill-defined Fever,	1	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.
,, Enteric Fever,	16	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1
,, Diarrhœa, Dysentery,	10	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1
,, Phthisis	19	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28	24	18	19
,, Diseases of Respiratory System,	27	13	24	17	15	23	36	33	40	28	38	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50
Violent Deaths,	2	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd March, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken Pox.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	.	.	1	.	.	1	.	1	1	2	.	.	6
" " 2,	.	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 3,	.	.	.	.	.	.	1	.	.	2	1	.	2	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	2	.	.	.	.	.	.	2
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	2	.	.	.	.	.	.	10	.	4	16
" " 2,	.	3	.	.	.	.	.	.	.	.	.	.	.	3
" " 3,	.	5	.	2	.	.	.	.	.	2	2	.	2	13
" " 4,	.	3	.	.	.	.	.	.	.	.	.	.	2	5
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	11	.	5	.	.	4	.	2	7	15	.	10	54
Total for week ended Mar. 15th, 1902.	.	15	.	7	.	.	3	.	6	8	22	.	7	68
Total for week ended Mar. 8th, 1902,	.	17	.	12	1	.	4	.	18	13	20	.	8	93
Total for week ended Mar. 1st, 1902,	.	14	.	16	.	.	6	.	.	5	11	.	23	75

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd March, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd March			
	Mar. 1.	Mar. 8.	Mar. 15.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	3	3	2	.	1	.	1*
Measles,	13	11	21	5	6	.	20
Scarlet Fever,	92	85	78	9	17	.	70
Typhus "	3	4	1	.	.	.	1
Diphtheria,	28	27	26	5	8	.	23
Enteric Fever,	47	47	49	3	11	1	40
Pneumonia,	29	23	22	14	10	.	26

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Mar. 22,	2,539	1,649	18·8	53	57	11	27	50	5	12
EDINBURGH, .	317,885	„ 22,	152	138	22·2	.	.	.	2	4	.	1
GLASGOW, . .	764,423	„ 22,	492	363	24·3	6	6	1	.	15	2	12
CALCUTTA, .	466,460	Jan. 18,	.	352	39·3	.	.	.	.	.	68§	84*
BOMBAY, . .	776,006	Feb. 4,	292	1,311	87·8	3	2	?	?	2	130§	78*
MADRAS, . .	509,346	Jan 21,	297	531	54·2	1	7	?	?	?	195	91
PARIS, . . .	2,660,559	Mar. 1,	1,259	1,322	27·3	2	20	7	14†	19	13	41
BRUSSELS (with 8 Faubourgs).	582,665	„ 1,	265	197	17·6	.	1	.	1†	2	.	4
AMSTERDAM, .	531,966	„ 1,	343	194	19·0	.	8	1	4	3	3	7
ROTTERDAM, .	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	378,235	Mar. 1,	180	128	17·6	.	2	.	1	7	2	4
CHRISTIANIA, .	228,929	„ 1,	169	71	16·1	.	.	.	1	1	.	1
ST. PETERSBURG,	1,248,643	„ 8,	936	592	24·7	1	7	10	19	7	12	48
BERLIN, . .	1,905,761	Feb. 15,	995	603	16·5	.	4	6	7	12	.	28
HAMBURG, . .	724,835	Mar. 1,	.	236	16·9	.	.	3	5†	5	1	5
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,709,211	Feb. 15,	1,032	647	19·7	.	19	6	14†	2	1	27
BUDA-PESTH, .	767,661	„ 22,	503	249	16·9	.	7	3	3	1	1	11
PRAGUE and Faubourgs.	413,756	Mar. 1,	204	195	24·5	.	4	3	3†	2	1	14
ROME, . . .	472,298	Jan. 25,	251	219	24·1	1	.	.	1	1	4	9
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	165,350	Feb. 22,	65	86	27·0	.	2	.	2†	.	.	7
NEW YORK, .	3,632,500	„ 15,	1,542	1,446‡	20·8	14	30	43	48†	11	9	30
PHILADELPHIA, .	1,293,697	Mar. 1,	.	592	23·8	17	5	2	13	6	7	1

* Including 43 deaths from cholera in Calcutta, and 1 in Bombay.
† Including deaths from croup.
§ Exclusive of 42 deaths from bubonic fever in Calcutta, and 538 n Bombay.
‡ Deaths of infants under 1 week not included.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 22nd March, 1902:—

"Very changeable, unsettled weather prevailed during the greater part of this week. At first temperature ruled high, but it gave way on Tuesday and became distinctly low on Thursday, so remaining to the close of the period. Sunday proved dull and rainy in Dublin owing to the formation of a very small and shallow depression within the limits of an anticyclone central over the S.W. of France and the Bay of Biscay. Monday was a particularly warm day for March, the mean temperature in Dublin being 53·3°, and the range being from a minimum of 48·2° to a maximum of 58·7°—the highest reading for the week. Tuesday was cloudy and mild to very rainy and colder. Wednesday was at first fair, but the wind rose to a moderate gale from W. in the evening, and rain fell at night. This broken weather was caused by the advance to the Shetlands of the centre of a very large and deep depression, in which the barometer fell to 28·34 inches by 8 a.m. of Thursday. The weather now became squally, showery and cold, sleet and hail falling all over the British Isles at frequent intervals. Meanwhile, with the S.W. winds of the cyclonic system temperature rose fast over France and Germany, so that on Friday morning the thermometer read 53° at Franfürt, 52° at Berlin and Rochefort, while it was as low as 35° at Donaghadee, 37° at Parsonstown, and 39° at Holyhead. Frost occurred on Friday night. In Dublin the mean height of the barometer was 29·633 inches, pressure ranging between 30·196 inches at 9 p.m. of Sunday (wind, W.), and 29·040 inches at 3 p.m. of Friday (wind, N.W.). The corrected mean temperature was 45·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. was 44·4.° The screened thermometers rose to 58·7° on Monday and fell to 32·9° on Saturday. Westerly (between S.W. and N.W.) winds prevailed. The duration of bright sunshine was estimated at 26½ hours. The rainfall was ·524 inch on six days, ·194 inch being measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·629 inches. The highest reading (30·199) was on Sunday at 9 p.m., wind W., and the lowest (29·080) on Friday at 9 a.m., wind S.W.

The mean temperature for the week was 44·4°, being 2·1° above the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Monday, on which day the thermometer registered 57·3°, and was lowest on Saturday, the mercury having fallen to 30·5°. The mean of the Dry Bulb for the week was 43·4°, and of the Wet Bulb 41·1°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 26·7 hours. The rainfall measured ·560 inch.

At Greenwich the mean temperature for the week was 45·5°, the maximum 60·0°, and the minimum 34·5°; at Glasgow the maximum was 55·8°, the minimum 33·8°, and the mean 45·5°; and at Edinburgh the maximum was 55·9°; the minimum 32·9°, and the mean 43·8°. The rainfall at Greenwich measured 0·30 inch; at Glasgow 0·52 inch; and at Edinburgh 0·39 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, March 16,	30·169	53·4	43·5	48·5	47·7	46·1	·89	·5	0·0	·075	Calm.	W.
Monday, " 17,	30·130	57·3	46·9	52·1	51·9	47·6	·73	·3	2·2	—	S. W.	S. W.
Tuesday, " 18,	29·875	53·8	40·8	47·3	45·5	43·1	·84	·6	0·7	·195	S. W.	W.
Wednesday, " 19,	29·622	50·0	37·3	43·7	44·5	42·7	·87	·7	6·5	·100	S. W.	S. W.
Thursday, " 20,	29·193	47·3	36·5	41·9	39·8	37·4	·82	·8	8·2	·030	S. W.	W.S.W.
Friday, " 21,	29·147	46·2	33·7	40·0	38·5	36·1	·83	·6	3·3	·130	S.W.	N.W.
Saturday, " 22.	29·264	44·7	30·5	37·6	36·1	34·6	·87	·7	5·8	·030	W.S.W.	W.
Mean . .	29·629	50·4	38·5	44·4	43·4	41·1	·84	·6	Total 26·7	·560	Prevailing Wind S.W.	

Sunday—A dull day, rain 9.30 a.m. to 3 p.m.; fog 10.30 a.m. to 12 noon; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—Cloudy a.m.; dull p.m.; rain 2.15 to 7 p.m.; night overcast p.m.; cloudy a.m. *Wednesday*—A cloudy day, showery 7 p.m. to 12.30 a.m., and 4.30 to 5 30 a.m.; night overcast p.m.; cloudy a.m. *Thursday*—A cloudy and showery day; night cloudy. *Friday*—A cloudy day, rain and snow 9 to 10 a.m., showers 11 to 3 p.m.; Lunar halo and corona p.m.; night cloudy. *Saturday*—A cloudy day, rain 4 to 5 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360.

OFFICIAL

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 29TH MARCH, 1902. [No. 13.

General Register Office, Charlemont House, Dublin, 1st April, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 8.	Week ending Mar. 15.	Week ending Mar. 22.	Week ending Mar. 29.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 8.	Week ending Mar. 15.	Week ending Mar. 22.	Week ending Mar. 29.	Average Rate for 4 weeks
22 Town Dists.	26·0	21·9	22·3	23·7	23·5	Lisburn, . .	50·1	27·3	41·0	18·2	34·1
Armagh, . .	0·0	13·8	13·8	20·7	12·1	Londonderry, .	24·3	32·0	19·2	14·1	22·4
Ballymena, .	33·5	24·0	4·8	24·0	21·6	Lurgan, . .	39·8	22·1	26·6	22·1	27·6
Belfast, . .	19·8	23·4	22·4	22·0	21·9	Newry, . .	8·3	4·1	24·9	8·3	11·4
Clonmel, . .	15·3	10·2	15·3	20·4	15·3	Newtownards, .	40·1	11·4	51·5	17·2	30·0
Cork, ...	32·3	25·4	24·0	27·5	27·3	Portadown, .	31·1	10·4	31·1	10·4	20·8
Drogheda, . .	44·9	16·3	12·3	16·3	22·5	Queenstown, .	19·8	19·8	6·6	19·8	16·5
Dublin Reg. Area,	29·7	20·6	22·4	27·5	25·1	Sligo, . .	0·0	9·6	52·8	28·8	22·8
Dundalk, . .	47·9	16·0	8·0	23·9	24·0	Tralee, . .	31·9	21·3	21·3	26·6	25·3
Galway, . .	46·6	46·6	38·9	27·2	39·8	Waterford, .	11·7	15·6	9·7	25·3	15·6
Kilkenny, . .	44·7	29·8	9·9	44·7	32·3	Wexford, . .	46·7	32·7	23·4	14·0	29·2
Limerick, . .	16·4	15·1	20·5	15·1	16·8						

The deaths from the principal zymotic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in eighteen of the districts to 5·1 in Londonderry. The 151 deaths from all causes in Belfast include 6 from whooping cough, one from measles, one from diphtheria and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 229—120 boys and 109 girls; and the deaths to 211—103 males and 108 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 29·0 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 27·5 per 1,000. During the thirteen weeks ending with Saturday last the death-rate averaged 26·6, and was 5·5 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

As in the week preceding, the so-called zymotic diseases caused 9 deaths which are equal to an annual rate of 1·2 per 1,000 of the estimated population of the area, the average rate for the corresponding period of the past 10 years being 4·6 per 1 000. Two deaths each were caused by scarlet fever, influenza, whooping-cough, and enteric fever, and 1 death was due to measles. Forty-six deaths were attributed to tubercular disease—namely, 37 from pulmonary disease, 3 deaths from tubercular peritonitis, and 2 from tubercular meningitis, and 4 deaths from other forms of the disease. There were 5 deaths from cancer registered.

Deaths from diseases of the respiratory system, which had fallen from 41 on the week ending 15th March to 30 on the week ending the 22nd March, rose again to 53 in the week under consideration, ending the 29th March, 1902. This figure includes 37 deaths from bronchitis, and 14 deaths from pneumonia, and 1 death from croup, and is equal to an annual rate of 7·3 per 1,000 of the population, the average rate for the corresponding period of the past 10 years, being 7·7 per 1,000. The cause of death of 10 children was registered to convulsions, of these 2 were under 1 month, 4 were over 1 month, but under 1 year in age, and 4 were in the age period between 1 and 5 years. There were 4 deaths from apoplexy and 2 from epilepsy, and 13 deaths from other diseases of the brain and nervous system exclusive of convulsions. Diseases of the circulatory system caused 20 deaths.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under five years of age (including 3 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 12 were under one month old), and 51 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 7 were octogenarians, and 1 (a female) was stated to have been aged 98 years.

One hundred of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse, and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 27·5 per 1,000; the rate in the City was 28·6 (24·7 on the North side, and 32·8 on the South), and in the Urban Districts, 23·8.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 1·1 (1·4 in the North City Districts, and 0·7 in the South) and for the Urban Districts 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 33·1 per 1,000. There were two deaths from whooping cough, 1 from scarlet fever, 1 from influenza, and 3 from pulmonary tuberculosis; also 7 from diseases of the respiratory system, including 2 from pneumonia, registered in this district.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. There were 2 deaths from pulmonary tuberculosis, and 3 from diseases of the respiratory system registered.

No. 2 North City District (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·9 per 1,000. There were 5 deaths from pulmonary tuberculosis, and 4 deaths from diseases of the respiratory system, including 2 from pneumonia, registered in this district.

No. 3 North City District (Blackhall-place).—The deaths (17) represent an annual rate of 28·0 per 1,000. A death was caused by scarlet fever, also 3 deaths were due to pulmonary tuberculosis.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 0·0. Of the 3 deaths tabulated for Coolock and Drumcondra, No. 1, part of, one was from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 31·6 per 1,000. Enteric fever caused 1 death, 4 deaths were due to pulmonary tuberculosis, and 5 to diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 39·6 per 1,000. There were 3 deaths from pulmonary tuberculosis, and 4 from diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·7 per 1,000. There were 2 deaths from pulmonary tuberculosis, and 10 deaths from diseases of the respiratory system, including 3 from pneumonia registered in the district.

No. 4 South City District (Grand Canal-street).—The deaths (24) are equivalent to an annual rate of 35·9 per 1,000. Influenza and enteric fever each caused 1 death, 5 deaths were due to pulmonary tuberculosis, and 6 to diseases of the respiratory system, including one from pneumonia.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 21·4.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 18·8 per 1,000 inhabitants; Pembroke, 30·1; Blackrock, 17·9; and Kingstown, 26·6. The only death from zymotic disease tabulated for these districts was from measles for Pembroke. Among the 12 deaths from all causes tabulated for Rathmines are 3 from pulmonary tuberculosis, 3 from diseases of the brain and nervous system, and 2 from diseases of the respiratory system, including one from pneumonia. The 15 deaths from all causes in Pembroke include 2 from pulmonary tuberculosis and 3 from diseases of the respiratory system, including 1 from pneumonia; and of the 9 deaths tabulated for Kingstown 2 were from pulmonary tuberculosis, 2 from bronchitis, and 1 from pneumonia.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th March,	93 cases.
,, ,,	15th March,	68 cases.
,, ,,	22nd March,	54 cases.
,, ,,	29th March,	67 cases.

Of the 67 cases notified, 26 were erysipelas, 6 enteric fever, 3 scarlatina, 2 diphtheria, 13 measles, 13 chicken-pox, and 4 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th March,	No cases notified.
,, ,,	15th March,	3 cases.
,, ,,	22nd March,	4 cases.
,, ,,	29th March,	1 case.

The 1 case notified was scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th March,	29 cases.
,, ,,	15th March,	43 cases.
,, ,,	22nd March	9 cases.
,, ,,	29th March,	29 cases.

Of the 29 cases notified, 17 were measles, 10 whooping-cough, one diphtheria, and one scarlet fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th March,	47 cases.
,, ,,	15th March,	54 cases.
,, ,,	22nd March,	49 cases.
,, ,,	29th March,	42 cases.

Of the 42 cases notified, 7 were enteric fever, 7 erysipelas, 12 diphtheria, 8 scarlatina, and 7 continued fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th March, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Four cases of measles were admitted to hospital, 6 were discharged, and 18 cases remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital, 8 cases were discharged, there were 2 deaths, and 33 cases remained under treatment at the close of the week.

Four cases of scarlatina were admitted to hospital, 14 cases were discharged, there were 2 deaths, and 58 cases remained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 7 cases were discharged, and 19 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 10 cases of pneumonia were admitted to hospital, 7 patients were discharged, there were 2 deaths, and 27 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·4), was equal to an average annual death-rate of 18·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·3 per 1,000, the rate for Glasgow being 22·1, and for Edinburgh 12·1.

* See note (*) on page 206.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 29th March, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 29th March, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Deaths. Caused by Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 9th Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	1,092,322	18·7	26·3	23·7	1·1	551	497	83	119	.	3	2	.	9	1	.	2	5	91	122	6	13	171	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	379,063	27·8	31·5	27·5	1·0	229	200	30	49	.	1	2	.	2	.	.	2	.	35	51	1	2	89	§56·4	27·9	43·5	0·79	§57·3	30·5	44.4	0·56	§55·2	30·5	44·9	0·15
Registrars' Districts. City	293,394	37·8	37·3	28·6	1·1	210	161	24	38	.	.	2	.	2	.	.	2	.	28	42	1	2	81	a57·4 / b57·8	32·8 / 28·6	45·3 / 43·9	0·90 / 0·94	a58·7 / b57·8	32·9 / 31·0	45.1 / 44·8	0·52 / 0·61	a56·8 / b56·8	36·9 / 30·0	47·9 / 46·1	0·18 / 0·16
Rathmines,‖	33,203	19·4	7·9	18·8	.	5	12	2	3	.	.	.	.	.	.	.	.	.	3	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	12·0	30·1	2·0	6	15	3	5	.	1	.	.	.	.	.	.	.	2	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	6·0	17·9	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,‖ & 2,‖	17,622	12·1	20·7	26·6	.	7	9	1	1	.	.	.	.	.	.	.	.	.	2	3	.	.	3	58·0	33·5	43·1	0·96	60	36	46·7	0·13	57·5	35·5	48·3	0·07
Urban Districts.																																				
Belfast,	358,693	21·8	25·4	22·0	1·5	175	151	27	29	.	1	.	.	6	1	.	.	2	30	44	2	6	33	54	35	45	.	55·0	33·0	45·7	0·33	54·0	35·0	45·6	0·15
Cork,	75,978	33·5	24·7	27·5	.	36	40	9	7	.	.	.	.	.	.	.	.	.	7	4	2	4	16	59	35	46·0	0·95	58	34	44·9	0·16	51	35	46·6	0·21
Londonderry,	40,729	18·8	23·0	14·1	5·1	18	11	3	1	.	1	.	.	1	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,085	18·4	9·6	15·1	.	7	11	.	3	.	.	.	.	.	.	.	.	.	2	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	11·7	25·3	1·9	6	13	1	3	.	.	.	.	.	.	.	.	1	3	3	1	1	7	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,414	9·5	27·2	27·2	.	7	7	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	58	33	46	1·04	54	30	45	0·57	58	36	47	0·19
Dundalk	13,067	9·4	20·0	28·9	.	5	6	2	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	36·8	16·3	.	9	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	41·4	8·3	.	10	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·9	28·2	42·6	0·66	59·0	31·0	44·1	0·50	54·0	37·6	45·7	0·21
Lurgan,	11,777	18·8	13·3	22·1	.	3	5	.	1	.	.	.	.	.	.	.	.	.	2	3	.	.	2	57·9	28·2	42·6	0·66	59·0	31·0	44·1	0·50	54·0	37·6	45·7	0·21
Lisburn,	11,459	10·1	22·8	18·2	.	5	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	57·9	28·2	42·6	0·66	59·0	31·0	44·1	0·50	54·0	37·6	45·7	0·21
Wexford,	11,154	23·2	28·0	14·0	.	6	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	19·2	24·0	.	4	5	2	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	11,862	8·6	19·2	28·8	.	4	6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	6	56·4	29·9	42·0	1·00	56·8	32·2	43.9	1·04	52·7	36·7	45.7	0·44
Kilkenny	10,498	11·4	44·7	44·7	.	9	9	.	5	.	.	.	.	.	.	.	.	.	3	2	.	.	7	57	29	41·6	1.37	58	30	45·3	0·36	55	30	46·3	0·24
Clonmel,	10,209	7·9	5·1	20·4	.	1	4	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	18·1	20·8	10·4	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·9	28·2	42·6	0·66	59·0	31·0	44·1	0.50	54·0	37·6	45·7	0·21
Tralee,	9,812	16·7	5·3	26·6	.	1	5	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	34·3	17·2	.	6	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	55	29	40.9	0·75	61	31	48·8	0·30	51	36	44·4	0·23
Queenstown,	7,887	14·7	18·2	19·8	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	59	35	46·0	0·95	58	34	44·9	0·16	54	35	46·6	0·21
Armagh,	7,569	22·1	27·6	20·7	.	4	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·9	28·2	42·6	0·66	59·0	31·0	44·1	0·50	54·0	37·6	45·7	0·21

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche' Point for Cork and Queenstown.

‡ Exclusive of 11 deaths of persons admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park. ‖ The Urban District.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 29th March, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
I. ZYMOTIC DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1	.	.	1	.
Scarlet Fever (Scarlatina),	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.		.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Other Zymotic Diseases,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.	.	.	.	2	.
Total,	4	.	.	1	.	.	.	.	1	.	.	2	.	.	.		.	1	.	.	9	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	2	.
IV. CONSTITUTIONAL DISEASES:																						
Phthisis, or Pulmonary Consumption,	3	2	5	3	.	1	.	.	4	3	2	5	.	.	.		3	2	.	2	35	2
Other Constitutional Diseases,	.	.	2	4	.	.	.	.	1	1	2	5	.	.	.		1	1	.	.	17	2
Total,	3	2	7	7	.	1	.	.	5	4	4	10	.	.	.		4	3	.	2	52	4
V. DEVELOPMENTAL DISEASES,	.	2	2	1	.	.	.	.	1	.	.	.	.	.	.		1	3	2	.	12	.
VI. LOCAL DISEASES:																						
Diseases of: Brain & Nervous System,	3	3	1	2	.	1	.	.	6	3	2	1	.	.	.		3	.	.	2	27	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Circulatory System,	.	2	4	1	1	.	.	.	3	1	3	3	.	.	.		.	2	.	.	20	.
Respiratory System,	7	3	4	1	.	.	.	.	5	4	10	6	.	2	.		2	3	1	3	51	2
Digestive System,	1	.	.	1	.	.	.	.	3	.	.	.	.	.	.		1	2	.	.	8	3
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	.	.	.	.	.	1	.	.	1	.	2	.	.	.	.		.	1	.	2	7	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1	.	.	.	2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.	.	.	.	1	.
,, Integumentary System,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.	.	2	.
Total,	11	9	9	5	1	2	.	.	18	9	18	11	.	2	.		7	8	1	7	118	7
VII. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.		.	.	.	.	1	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	.	2	.	.	.	.	1	.	1	1	.	.	.		.	.	.	.	6	.
Deaths from all Causes,	18	14	19	17	1	3	.	.	26	13	23	24	.	3	.		12	15	3	9	200	11
Annual Rate of Mortality in every 1,000 of the population.	33·1	18·6	32·9	28·0	10·8	15·6	.	.	34·6	39·6	28·7	35·9	.	21·4	.		16·8	30·1	17·9	26·6	27·5	
	24·7								32·8								23·8					
	28·6																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	3	4	7	1	1	.	.	4	6	8	9	.	.	.		1	1	.	3	49	8
Workhouse Hospitals,	5	3	5	6	.	.	.	.	7	3	4	4	.	.	.		1	2	.	.	40	3

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday April 2, 1892	April 1, 1893	Mar. 31, 1894	Mar. 30, 1895	Mar. 28, 1896	April 3, 1897	April 2, 1898	April 1, 1899	Mar. 31, 1900	Mar. 30, 1901	Averages in 13th Week of the 10 years 1892-1901.	In the week ending Saturday 29th March, 1902 — Deaths of persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards
Mean Temperature.	° 38·2	° 46·1	° 45·7	° 42·5	° 44·9	° 38·5	° 40·1	° 54·9	° 37·3	° 44·0	° 41·9	° 43·5	Mean Temp. °							
ALL CAUSES,	250	187	216	326	166	258	285	212	244	234	232·8	211	12	18	19	20	39	52	43	8
I. FEBRILE OR ZYMOTIC DISEASES,	40	27	24	60	14	58	34	29	11	29	32·6	9	.	2	.	4	1	1	.	1
II. PARASITIC DISEASES,	.	.	.	1	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	1	2	1	.	1	.	.	.	·6	2	.	.	.	.	1	1	.	.
IV. CONSTITUTIONAL "	58	47	56	51	48	61	56	56	52	65	55·0	56	.	3	3	10	15	22	2	1
V. DEVELOPMENTAL "	9	16	20	29	6	20	18	19	34	11	18·2	12	4	.		.	.	.	5	3
VI. LOCAL "	124	87	93	170	84	111	106	92	133	120	112·0	125	6	11	15	6	22	28	34	3
VII. VIOLENT DEATHS,	5	2	8	3	3	3	5	6	6	5	4·6	1	.	.	.	.	.	.	1	.
VIII. ILL-DEFINED CAUSES,	14	7	14	10	9	5	15	10	8	3	9·5	6	2	2	1	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	24	.	1	.	.	27	.	.	.	1	5·3	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	1	1	.	2	4	3	2	.	.	1·3	2	.	.	2	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	5	3	45	5	2	8	15	4	8	9·7	2	.	.	.	.	1	.	.	.
Whooping Cough,	3	2	5	3	.	9	5	3	.	11	4·1	2	.	2	.	.	.	.	.	1
Diphtheria,	.	1	1	1	1	1	4	2	1	.	1·2	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	1	.	.	1	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	5	4	4	.	1	3	2	1	1	2·2	2	.	.	.	1	.	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	3	3	3	3	4	4	3	.	1	2·6	.	.	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	1	1	.	2	.	.	.	2	·7	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	2	.	.	1	2	.	.	4	·9	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	.	1	1	1	2	.	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	2	1	.	.	2	.	.	.	1	·6	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	8	5	2	2	2	2	2	1	3	.	2·7	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	1	2	1	.	.	.	.	.	·5	2	.	.	.	.	1	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	2	.	.	2	.	.	.	2	·6	.	.	.	.	.	.	.	.	.
Rheumatism	.	1	1	2	1	.	.	.	1	2	·8	.	.	.	.	.	.	.	.	.
Gout,	1	1	.	.	.	1	.	.	.	.	·3	1	.	.	.	.	.	.	.	1
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	7	8	4	8	4	6	5	12	4	12	7·0	5	.	.	.	.	1	3	1	.
Tabes Mesenterica,	8	2	7	4	5	10	2	2	7	2	4·9	3	.	2	.	1	.	.	.	.
Tubercular Meningitis,	2	4	4	3	3	10	4	6	7	.	4·3	2	.	.	1	1	.	.	.	.
Phthisis,	33	27	33	27	31	24	37	29	30	39	31·0	37	.	1	1	6	14	15	.	.
Scrofula, Tuberculosis,	7	8	5	5	2	8	7	5	2	7	5·1	4	.	.	1	2	.	1	.	.
Other Constitutional Diseases,	.	1	.	2	2	.	1	2	1	1	1·0	4	.	.	.	.	.	3	1	.
V. Developmental Diseases—																				
Premature Birth,	.	2	3	3	2	6	1	1	6	3	2·7	4	4	.	.	.	.	.	.	.
Atelectasis	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	8	13	17	26	4	18	17	18	28	8	15·2	8	.	.	.	.	.	.	5	3

* The figures for the years 1892-1900 are for the

each Disease registered in the THIRTEENTH WEEK ending Saturday, 29th March, 1902, with ten years, 1892–1901, and the average for those weeks.*

CAUSES OF DEATH	Deaths from all Causes *Registered* in the Week ending Saturday April 2, 1892	April 1, 1893	Mar. 31, 1894	Mar. 30, 1895	Mar. 28 1896	April 3, 1897	April 2, 1898	April 1, 1899	Mar. 31, 1900	Mar. 30, 1901	Averages in 13th Week of the 10 years 1892–1901.	In the Week ending Saturday, 29th March, 1902. Deaths of Persons of the Ages of ALL AGES.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 38·2	° 46·1	° 45·7	° 42·5	° 44·0	° 38·5	° 40·1	° 51·9	° 37·3	° 34·0	41·9	° 43·5								
VI. Local Diseases.																				
Apoplexy,	3	4	2	1	2	.	4	4	7	8	3·5	4	.	.	.	.	1	1	2	.
Epilepsy,	2	1	3	1	.	1	.	.	.	1	·9	2	.	.	.	.	1	.	1	.
Convulsions,	12	12	7	16	6	10	13	10	13	10	10·9	10	2	4	4	.	.	.	.	.
Other Diseases of Brain and Nervous System,	9	10	12	12	8	6	5	12	10	10	9·4	13	1	.	.	1	4	2	5	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	12	17	23	18	13	15	14	8	23	16	15·9	20	2	.	1	.	5	4	7	1
Croup,	.	.	.	.	1	1	2	2	1	.	·7	1	.	.	1	.	.	.	.	.
Bronchitis,	45	18	22	77	22	34	29	32	39	37	35·5	37	.	5	5	1	3	7	14	2
Pneumonia,	17	5	9	17	11	19	19	11	13	18	13·9	14	.	2	2	3	3	3	1	.
Pleurisy,	1	2	1	.		.	.	.	.	1	·8	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	7	1	1	11	2	4	2	1	3	1	3·3	1	.	.	1	.	.	.	.	.
Teething,	2	1	3	4	2	2	1	.	3	.	1·8	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	.	1	1	1	1	.	1	2	·8	.	.	.	.	.	.	.	.	.
Gastro-Enteritis,	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Peritonitis,	2	4	1	2	.	1	.	.	3	1	1·4	3	.	.	.	1	.	1	1	.
Disease of Liver,	2	1	3	2	3	1	4	2	2	.	2·0	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	4	3	1	2	3	7	4	7	5	5	4·1	5	.	.	.	.	2	3	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	6	4	6	5	4	8	2	8	7	5·4	7	.	.	.	.	1	5	1	.
Diseases of Generative System,	1	1	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	1	.	.	1	.	.	.	.	·3	2	.	.	.	.	1	1	.	.
Diseases of Locomotive System,	.	.	.	.	2	1	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	1	.	.	2	1	·4	2	.	.	.	.	.	.	2	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,	.	.	.	.	.	.	.	1	.	.	4·0	.	.	.	.	.	.	.	.	.
By Vehicles or Horses,	1	.	.	.	.	.	1	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),	.	.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Building Operations,	.	.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Conflagrations,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	1	1	1	.	2	3	1	2		.	.	.	.	.	.	.	.	.
By Drowning,	.	1	1	.	1	.	1	.	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,	.	.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,	.	.	1	.	.	.	1	.	1	.		.	.	.	.	.	.	.	.	.
Other or Not stated Causes,	3	1	3	2	1	2	.	1	1	.		1	.	.	.	.	.	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	2	.	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
EXECUTION	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	14	7	14	10	9	5	15	10	8	3	9·5	6	2	2	1	.	.	.	1	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901-2—Week ending																								
	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar 8.	Mar. 15.	Mar. 22.	Mar. 29.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered,	223	176	229	235	141	192	144	162	216	187	164	144	231	279	204	208	215	152	222	177	248	193	220	239	198	229
*Average Births in corresponding week of previous 10 years,**	176	170	188	171	183	17	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207	201	225
DEATHS registered,	149	146	150	146	168	171	180	176	141	153	188	196	200	223	186	177	158	169	181	200	248	218	222	154	167	211
Annual Death-rate per 1,000,	20·7	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0
*Average Deaths in corresponding week of previous 10 years,**	156	169	161	170	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213	224	225	229	232	224	226	233
AGES, Under 5 years,	49	46	50	49	54	53	59	53	36	37	31	47	38	46	38	54	36	38	46	40	60	60	59	37	45	49
5—20 ,,	14	17	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12	22	17	20
20—40 ,,	24	21	22	24	13	23	31	26	20	28	16	35	31	39	35	19	27	31	36	34	37	30	29	23	32	39
40—60 ,,	24	33	26	34	40	36	31	32	30	38	39	54	53	63	41	42	33	43	39	47	55	43	46	35	40	52
60—80 ,,	35	27	34	29	36	34	35	38	32	32	31	33	55	57	48	44	37	36	36	49	70	52	67	28	26	43
80 years and upwards,	3	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1
,, Scarlet Fever,	.	.	.	1	1	.	.	.	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	1	.	2	4	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3	2	5	.	.	1	2
,, Diphtheria,	2	.	1	1	1	1	3	4	.		.		2	3	3	1	1	1	.	.	1	.	3	.	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	8	6	8	.	5	2	.	3	2	1	.	4	5	2		1	2	.	2	2		.	2	1	1	2
,, Diarrhœa, Dysentery,	9	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2	4	.	1	2	2	3	1	1	1	.
,, Phthisis,	21	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20	19	33	31	27	27	33	38	17	36	37
,, Heart Diseases,	10	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17	18	20
,, Diseases of Respiratory System,	22	16	21	27	29	34	26	35	22	25	33	32	46	57	34	43	35	47	36	48	32	73	65	41	50	53
Violent Deaths,	3	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1
Mean Temperature of the Air (Phœnix Park),	52·1	48·0	46·5	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	5·7	29·9	40·5	46·0	44·3	44·9	44·4	43·5
Average Mean Temperature in corresponding week of previous 10 years,	50·4	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·3	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9
Rainfall in inches,	·515	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785
Mean Humidity of the Air, complete Saturation 1·0,	·89	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	·79	·84	·87	·86	·86	·84	·84

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th March, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 29th March, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	346,128	31·8	211	49	20	39	52	43	8	.	1	2	.	2	.	.	2	.	7	37	10	53	1	105
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	43·9	13	.	.	1	4	4	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	13
II.	MIDDLE CLASS,	80,653	22·0	34	6	2	10	5	9	2	.	1	1	.	.	.	.	.	.	2	6	.	5	.	21
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	27·6	52	16	6	8	15	7	.	.	.	1	.	.	.	.	.	.	1	18	6	14	1	17
IV.	GENERAL SERVICE CLASS,	146,486	38·5	69	21	10	17	14	5	2	.	.	.	.	2	.	.	2	.	4	10	4	18	.	33
V.	INMATES OF WORKHOUSES,	5,191		43	6	2	8	14	18	.	.	.	.	.	.	.	.	.	.	.	7	.	16	.	20
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,888	56·7	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	3. Persons of Rank and Property, not otherwise described,	5,676	78·5	8	.	.	.	3	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	22·2	11	2	1	2	3	2	1	.	1	.	.	.	.	.	.	.	1	1	.	2	.	7
	6. Clerks and Commercial Assistants,	94,750	25·3	12	3	1	6	1	1	.	.	.	1	.	.	.	.	.	.	1	5	.	.	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	21·4	10	1	.	2	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	7
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	63·8	9	2	2	.	5	.	.	.	.	1	.	.	.	.	.	.	1	3	.	1	.	4
	9. Building and Furnishing Trades,	26,030	30·0	15	7	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	3	2	6	.	4
	10. Clothing Trades,	23,686	11·0	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	2
	11. Food Supply Trades,	7,869	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	43·0	22	6	2	2	6	6	.	.	.	.	.	.	.	.	.	.	.	3	4	7	1	7
	13. Petty Shopkeepers,	6,771	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	15·3	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	15. Domestic Servants,	39,563	5·3	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	14·6	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	36·6	53	20	9	12	12	4	1	.	.	.	.	2	.	.	2	.	4	6	4	17	.	27
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	43	6	2	8	14	18	.	.	.	.	.	.	.	.	.	.	.	7	.	16	.	20

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,338.	Feb. 8,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	3	3	1
		„ 15,	31·3	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	8	1
		Mar. 1,	36·8	1·8	20	.	.	.	.	.	.	.	.	1	.	5	1
		„ 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	5	6	1
		„ 15,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	2	4	.
		„ 22,	28·9	.	18	.	.	.	.	.	.	.	.	.	3	1	2
		„ 29,	33·1	5·4	18	.	.	1	.	2	.	.	.	.	3	7	.
	North City, No. 1 (W.) (Office, Summer-hill. Pop. in 1902 (Est.) 39,146.	Feb. 8,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	2	5	1
		„ 15,	36·0	4·0	27	.	.	1	.	.	.	.	1	1	4	7	.
		„ 22,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	.	8	1
		Mar. 1,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	10	1
		„ 8,	29·3	1·3	22	.	.	.	.	.	.	.	1	.	3	9	.
		„ 15,	16·0	.	12	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	30·6	1·3	23	.	.	1	.	.	.	.	.	.	3	5	2
		„ 29,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Feb. 8,	22·5	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 15,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	4	1
		„ 22,	39·8	1·7	23	.	.	.	.	1	.	.	.	.	3	8	1
		Mar. 1,	41·6	3·5	24	.	.	.	.	1	.	.	1	.	5	7	1
		„ 8,	34·6	.	20	.	.	.	.	.	.	.	.	.	3	8	.
		„ 15,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	7	.
		„ 22,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	6	1
		„ 29,	32·9	.	19	.	.	.	.	.	.	.	.	.	5	4	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Feb. 8,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
		„ 15,	32·9	3·3	20	.	.	.	.	1	.	.	.	1	5	4	1
		„ 22,	26·3	.	16	.	.	.	.	.	.	.	.	.	1	5	.
		Mar. 1,	23·0	4·9	14	.	.	1	.	1	.	.	.	1	1	4	.
		„ 8,	32·9	1·6	20	.	.	.	.	.	1	.	.	.	4	6	.
		„ 15,	32·9	3·3	20	.	.	2	.	.	.	.	.	.	3	6	.
		„ 22,	24·7	1·6	15	.	.	.	.	.	.	.	1	.	4	1	1
		„ 29,	28·0	1·6	17	.	.	1	.	.	.	.	.	.	3	1	.
	South City, No. 1. (Office, South Earl-street. Pop. in 1902 (Est.) 39,152.	Feb. 8,	32·0	1·3	24	.	.	.	.	.	.	.	.	1	7	3	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		„ 22,	41·3	1·3	31	.	.	.	.	.	1	.	.	.	6	9	.
		Mar. 1,	22·6	1·3	17	.	.	.	.	.	.	.	.	1	2	5	.
		„ 8,	36·0	.	27	.	.	.	.	.	.	.	.	.	5	7	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	.
		„ 22,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	3	2	2
		„ 29,	34·6	1·3	26	.	.	.	.	.	.	.	1	.	4	5	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,118.	Feb. 8,	27·4	.	9	.	.	.	.	.	.	.	.	.	4		.
		„ 15,	48·8	3·0	16	.	.	.	.	1	.	.	.	.	2	5	2
		„ 22,	51·8	.	17	.	.	.	.	.	.	.	.	.	2	5	1
		Mar. 1,	24·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
		„ 8,	51·8	3·0	17	.	.	.	.	.	1	.	.	.	4	4	1
		„ 15,	18·3	.	6	.	.	.	.	.	.	.	.	.	.	5	.
		„ 22,	27·4	.	9	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	39·6	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Feb. 8,	31·2	1·2	25	.	.	.	.	1	.	.	.	.	4	3	.
		„ 15,	27·5	.	22	.	.	.	.	.	.	.	.	.	3	7	.
		„ 22,	26·2	1·2	21	.	.	.	.	.	.	.	.	1	1	8	.
		Mar. 1,	46·2	3·7	37	.	1	.	.	2	.	.	.	.	4	20	1
		„ 8,	21·2	.	17	.	.	.	.	.	.	.	.	.	5	3	1
		„ 15,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	6	.
		„ 22,	23·7	.	19	.	.	.	.	.	.	.	.	.	5	6	.
		„ 29,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	10	.
	South City, No. 4. (Office, Grand Canal-street). Pop. in 1902 (Est.) 34,898.	Feb. 8,	26·9	.	18	.	.	.	.	.	.	.	.	.	2	4	.
		„ 15,	23·9	.	16	.	.	.	.	.	.	.	.	.	3	4	2
		„ 22,	44·8	1·5	30	.	.	.	.	.	.	.	1	.	4	6	.
		Mar. 1,	31·4	.	21	.	.	.	.	.	.	.	.	.	5	6	.
		„ 8,	29·9	3·0	20	.	.	1	.	.	.	.	.	1	6	5	.
		„ 15,	28·4	.	19	.	.	.	.	.	.	.	.	.	2	4	.
		„ 22,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	3	2	.
		„ 29,	35·9	1·5	24	.	.	.	.	.	.	.	1	.	5	6	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Zymotic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Rathmines. Pop. in 1902 (Est.) 38,208.	Feb. 8,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 15,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	Mar. 1,	26·7	.	17	.	.	.	.	.	.	.	.	.	3	5	.
	„ 8,	12·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	„ 15,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Feb. 8,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	1	1	.
	„ 15,	20·0	8·0	10	.	3	.	.	1	.	.	.	.	.	1	.
	„ 22,	44·0	8·0	22	.	3	.	.	1	.	.	.	.	3	7	.
	Mar. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	48·1	12·0	24	.	6	.	.	.	.	.	.	.	1	5	.
	„ 15,	20·0	10·0	10	.	4	.	.	.	.	.	.	1	.	2	.
	„ 22,	18·0	4·0	9	.	1	.	.	1	.	.	.	.	2	2	.
	„ 29,	30·1	2·0	15	.	1	.	.	.	.	.	.	.	2	3	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Feb. 8,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 15,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	2	2
	Mar. 1,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	5	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	3	.
Belfast. Pop. in 1902 (Est.) 358,693.	Feb. 8,	17·9	2·0	123	.	.	.	.	6	3	1	2	2	18	46	4
	„ 15,	24·6	2·0	169	.	2	.	.	5	2	.	3	2	33	58	1
	„ 22,	29·8	2·2	205	.	2	.	.	4	1	.	4	4	25	55	15
	Mar. 1,	27·3	1·0	188	.	2	.	.	1	1	.	2	1	28	58	16
	„ 8,	19·8	0·8	136	.	1	.	.	.	1	.	.	.	24	33	4
	„ 15,	23·4	1·2	161	.	.	.	.	3	.	.	2	3	18	53	8
	„ 22,	22·4	1·5	154	.	2	.	.	5	1	.	1	1	19	50	4
	„ 29,	22·0	1·5	151	.	1	.	.	6	1	.	.	2	30	44	2
Cork. Pop (in 1901) 75,978.	Feb. 8,	26·8	.	39	.	.	.	.	.	.	.	.	.	17	6	.
	„ 15,	36·4	0·7	53	.	.	1	.	.	.	.	.	.	10	16	2
	„ 22,	30·9	0·7	45	.	.	.	.	1	.	.	.	.	6	10	.
	Mar. 1,	31·6	2·1	46	.	.	.	.	2	.	.	1	.	11	14	.
	„ 8,	32·3	2·7	47	.	.	1	.	1	.	.	2	.	7	14	.
	„ 15,	25·4	2·1	37	.	.	.	.	2	.	.	.	1	5	8	.
	„ 22,	24·0	2·1	35	.	.	.	.	3	.	.	.	.	6	4	1
	„ 29,	27·5	.	40	.	.	.	.	.	.	.	.	.	7	4	2
Londonderry. Pop. in 1902 (Est.) 40,729.	Feb. 8,	25·6	.	20	.	.	.	.	.	.	.	.	.	3	9	.
	„ 15,	20·5	.	16	.	.	.	.	.	.	.	.	.	4	5	.
	„ 22,	29·4	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	Mar. 1,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	24·3	1·3	19	.	.	.	.	.	.	.	.	1	2	.	.
	„ 15,	32·0	.	25	.	.	.	.	.	.	.	.	.	5	5	.
	„ 22,	19·2	1·3	15	.	.	.	.	.	.	.	.	1	.	7	1
	„ 29,	14·1	5.1	11	.	1	.	.	1	.	.	.	2	2	2	.
Limerick. Pop. (in 1901) 38,085.	Feb. 8,	31·5	.	23	.	.	.	.	.	.	.	.	.	3	5	.
	„ 15,	23·3	.	17	.	.	.	.	.	.	.	.	.	2	3	.
	„ 22,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 1,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	.
	„ 8,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	15·1	.	11	.	.	.	.	.	.	.	.	.	1	6	.
	„ 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	3	5	1
	„ 29,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
Waterford. Pop. (in 1901 26,743.	Feb. 8,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Mar. 1,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	„ 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 15,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 22,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	3	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 29th March, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measle	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,698	11	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1
" 2 "		23			20	1	1	12	6	.	.	.	.	.	.	.	.	.	4	11	1	2	5
" 3 "		29			26	7	5	11	3	.	.	.	.	3	1	.	.	1	8	2	.	1	7
" 4 "		29			24	4	2	15	3	.	.	.	.	.	.	.	.	.	5	6	1	2	8
" 5 "		4			8	2	.	4	2	.	.	.	.	.	.	.	.	.	2	4	.	.	3
" 6 "		11			16	2	4	5	5	.	.	.	.	3	.	.	.	.	1	5	.	.	1
" 7 "		.			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		1			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 9 "		5			9	2	2	4	1	.	.	.	.	.	.	.	.	.	.	4	.	.	.
" 10 "		10			14	2	1	9	2	.	.	.	.	.	.	.	.	.	5	5	.	.	3
" 11 "		17			10	1	.	6	3	.	.	.	.	.	.	.	.	.	2	3	.	.	3
" 12 "		25			12	4	5	2	1	.	1	.	.	.	.	.	.	.	1	1	.	1	1
" 13 "		3			4	1	.	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.
" 14 "		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	175	22·0	1·5	151	27	21	74	29	.	1	.	.	6	1	.	.	2	30	44	2	6	33
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	75,978	8	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	.	2	3	.	.	.	.	.	.	.	.	.	1	.	.	1	4
" 2 "		3			6	.	4	2	.	.	.	.	.	.	.	.	.	.	1	1	1	1	4
" 3 "		3			8	1	2	4	1	.	.	.	.	.	.	.	.	.	4	.	1	1	4
" 4 "		4			8	2	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1
" 5 "		3			3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 6 "		1			2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		14			7	3	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Total,	—	36	27·5	.	40	9	9	15	7	.	.	.	.	.	.	.	.	.	7	4	2	4	16

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901–2—Week ending																									
	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered,	211	216	205	193	195	195	186	206	195	186	193	199	156	287	195	187	212	188	189	201	246	207	277	226	239	175
DEATHS registered.	100	132	121	103	153	112	131	145	131	129	141	144	150	143	1 5	126	151	130	123	169	205	188	136	161	154	151
Annual Death-rate per 1,000 of estimated Population,*	14·9	19·6	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0
AGES, Under 1 year,	25	37	24	20	23	23	23	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27
AGES, 1–5 years,	9	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21
AGES, 5–60 years,	48	55	60	46	82	53	59	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68	74
AGES, 60 years and upwards,	18	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1
,, Scarlet Fever,	.	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	1	1	2	3	.	2	3	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6
Diphtheria,	.	1	3	.	3	1	4	1	1	4	1	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.
,, Enteric Fever,	8	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.
,, Diarrhœa, Dysentery,	8	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2
,, Phthisis	13	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28	21	18	19	30
,, Diseases of Respiratory System,	13	24	17	15	23	36	33	40	28	38	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50	44
Violent Deaths,	2	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th March, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	.	.	.	.	.	2
" " 1, West,	.	.	.	.	.	.	.	.	.	1	2	.	1	4
" " 2,	.	2	.	1	.	.	.	.	.	2	.	.	1	6
" " 3,	.	.	.	1	.	.	.	.	.	1	5	.	5	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	1	.	.	1	10	.	.	13
" " 2,	.	.	.	1	.	.	.	.	4	1	2	.	1	9
" " 3,	.	5	.	.	.	.	.	.	.	.	3	.	1	9
" " 4,	.	3	.	.	.	.	1	.	.	.	2	.	.	6
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	1	.	4	5
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	13	.	3	.	.	2	.	4	6	26	.	13	67
Total for week ended Mar. 22nd, 1902.	.	11	.	5	.	.	4	.	2	7	15	.	10	54
Total for week ended Mar. 15th, 1902,	.	15	.	7	.	.	3	.	6	8	22	.	7	68
Total for week ended Mar. 8th, 1902,	.	17	.	12	1	.	4	.	18	13	20	.	8	93

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th March, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th March.			
	Mar. 8.	Mar. 15.	Mar. 22.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	3	2	1	.	.	.	1*
Measles,	11	21	20	4	6	.	18
Scarlet Fever,	85	78	70	4	14	2	58
Typhus ,,	4	1	1	.	.	.	1
Diphtheria,	27	26	23	3	7	.	19
Enteric Fever,	47	49	40	3	8	2	33
Pneumonia,	23	22	26	10	7	2	27

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Mar. 29,	2,383	1,614	18·4	61	54	12	30	53	6	11
EDINBURGH,	317,885	„ 29,	145	75	12·1	.	.	.	.	.	.	1
GLASGOW,	764,423	„ 29,	487	330	22·1	.	12	2	4	6	.	11
CALCUTTA,	466,460	Jan. 25,	.	365	40·8	2	.	.	.	.	84§	77*
BOMBAY,	776,006	Feb. 13,	294	1,408	94·3	11	2	?	?	4	188§	89*
MADRAS,	509,346	Jan. 31,	295	471	48·0	1	5	?	?	?	166§	76*
PARIS,	2,660,559	Mar. 8,	1,289	1,147	23·7	3	15	2	13†	1	12	36
BRUSSELS (with 8 Faubourgs).	582,665	„ 8,	301	191	17·0	.	.	.	1†	1	1	13
AMSTERDAM,	532,871	„ 8,	303	190	18·5	.	10	.	1	6	2	3
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	Mar. 8,	216	133	17·3	.	.	.	.	3	.	7
CHRISTIANIA,	228,929	„ 8,	131	54	12·3	.	.	.	.	.	.	2
ST. PETERSBURG,	1,248,643	„ 15,	626	629	26·2	1	10	20	25	4	20	51
BERLIN,	1,906,440	Feb. 22,	995	641	17·5	.	6	11	9	12	.	21
HAMBURG,	724,835	Mar. 8,	.	208	14·9	.	1	1	3†	5	1	2
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,709,211	Feb. 23,	1,027	663	20·2	.	21	4	14†	5	2	43
BUDA-PESTH,	767,661	Mar. 1,	480	296	19·8	.	8	3	2	2	1	10
PRAGUE and Faubourgs.	413,756		230	209	26·3	.	3	3	1†	1	.	21
ROME,	472,298	Feb. 1,	253	190	20·9	.	.	.	1	.	2	15
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Mar. 1,	71	80	25·2	.	4	.	2†	.	.	6
NEW YORK,	3,632,501	„ 22,	1,582	1,447‡	20·8	13	37	25	51†	16	6	36
PHILADELPHIA,	1,293,697	Mar. 1,	.	592	23·8	17	5	2	13	6	7	1

* Including 33 deaths from cholera in Calcutta, 4 in Bombay, and 1 in Madras.
† Including deaths from croup.
§ Exclusive of 52 deaths from bubonic fever in Calcutta, 531 in Bombay, and 1 in Madras.
‡ Deaths of infants under 1 week not included.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 29th March, 1902:—

"Until Thursday the weather was generally cold and unsettled. Temperature then rose, and Friday proved very fine, bright and mild. On Saturday conditions became changeable again, but temperature remained tolerably high. Sunday was cold but sunny, with occasional showers of hail and "graupel" in the afternoon. That day saw the last of the depression which had hovered over Scotland during the closing days of the previous week. On Monday morning a new and deep depression was advancing in an easterly direction across the centre of Ireland. The centre, with the barometer down to 28·85 inches passed over Dublin at 3.40 p.m. Two hours later it had reached Holyhead (bar. 28·88 inches), and at 8 a.m. of Tuesday it was off the Helder in Holland (bar. 29·10 inches). The disturbance caused heavy rain, sleet and snow over the northern parts of Ireland and England, fresh S.W. to N.W. gales in the English Channel and less heavy rains in southern England. When this cyclonic system had passed away, a brisk rise of temperature took place, except in Scotland and Scandinavia, and Good Friday proved fine, genial, and springlike. Another depression advancing upon Ireland from W.N.W., threw the weather again into a squally showery condition on Saturday. In Dublin the mean height of the barometer was 29·692 inches, pressure ranging between 28·847 inches at 3.40 p.m. of Monday (wind, S.W.), and 29·945 inches at 9 a.m. of Friday (wind, W.N.W.). The corrected mean temperature was 45·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·3°. The screened thermometers rose to 57·4° on Thursday, having fallen to 32·8° on Monday. The duration of bright sunshine was estimated at 28 hours. The rainfall amounted to ·901 inch on six days, ·366 inch being recorded on Monday and ·268 inch on Wednesday. The prevailing wind was N.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·691 inches. The highest reading (29·938) was on Friday at 9 p.m., air calm, and the lowest (29·211) on Monday at 9 a.m., wind E.S.E.

The mean temperature for the week was 43·5°, being 1·6° above the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Thursday, on which day the thermometer registered 56·4°, and was lowest on Monday, the mercury having fallen to 27·9°. The mean of the Dry Bulb for the week was 42·3°, and of the Wet Bulb 40·2°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·1 hours. The rainfall measured ·785 inch.

At Greenwich the mean temperature for the week was 44·3°, the maximum 59·0°, and the minimum 31·3°; at Glasgow the maximum was 50·7°, the minimum 31·8°, and the mean 44·2°; and at Edinburgh the maximum was 48·7°; the minimum 28·8°, and the mean 38·7°. The rainfall at Greenwich measured 0·41 inch; at Glasgow 0·25 inch; and at Edinburgh 0·28 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, March 23,	29·548	46·9	32·2	39·6	36·7	34·7	·82	·5	9·9	·005	W.	N. W.
Monday, " 24,	29·235	49·3	27·9	38·6	37·2	35·9	·89	1·0	1·0	·315	E.S.E	N. W.
Tuesday, " 25,	29·794	48·4	31·9	40·2	38·0	36·1	·85	·6	8·8	—	W.	W
Wednesday, " 26,	29·773	45·5	33·6	39·6	40·6	39·3	·90	·6	0·2	·300	W.S.W.	E.
Thursday, " 27,	29·775	56·4	40·8	48·6	49·5	46·4	·79	·5	2·5	—	W.	W.
Friday, " 28,	29·935	54·9	42·0	48·5	47·3	44·8	·83	·3	6·1	·010	W.	Calm.
Saturday, " 29,	29·774	55·0	43·1	49·1	47·0	44·4	·82	·4	1·6	·155	S. W.	Calm.
Mean . .	29·691	50·9	35·9	43·5	42·3	40·2	·84	·6	Total 30·1	·785	Prevailing Wind W.	

Sunday—A fine but cloudy day; night clear, p.m.; overcast a.m.; rain 6.0 to 6.30 and 8 to 9 a.m. *Monday*—Dull, a.m. cloudy p.m.; rain 9 to 11 a.m., 1.15 to 4 p.m., and 6 to 8.30 p.m.; night overcast p.m.; cloudy a.m. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—Cloudy a.m.; dull p.m.; rain 12.30 p.m. to 3 a.m.; night overcast and wet. *Thursday*—A cloudy day; night cloudy. *Friday*—A fine but cloudy day; night cloudy; rain 6 to 8 a.m. *Saturday*—A cloudy day; night cloudy, p.m.; overcast a.m.; rain 3.15 to 9 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,*

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] QUARTER ENDING SATURDAY, 29TH MARCH, 1902. [No. 13A.

DUBLIN REGISTRATION AREA.*—**Births.**—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines, Pembroke, Blackrock and Kingstown, the total area thereof being 13,643 statute acres, and the population estimated to the middle of 1902, 379,003, there were registered during the thirteen weeks ended on Saturday, 29th March, 1902, 2,784 births—1,436 boys and 1,348 girls—being equal to an annual ratio of 1 in 34·0, or 29·4 in every 1,000 of the population.

The number of births registered in the city was 2,358, equivalent to an annual rate of 32·1 in every 1,000 of the population; and in the urban districts named above, 426, equal to an annual rate of 19·9 in every 1,000 of the population.

There were registered in London during the same period 34,005 births—being equal to an annual birth-rate of 29·7 in every 1,000 of the estimated population; in Glasgow there were registered 6,036, being equal to 31·1 per 1,000; and in Edinburgh, 1,938—a number affording an annual birth-rate of 24·0 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,514—1,194 males and 1,320 females—affording an annual ratio of 1 in 37·7, or 26·5 in every 1,000 of the estimated population; omitting the deaths (92) of persons admitted into Public Institutions from localities outside the area, the rate was 25·6 per 1,000. The annual mortality represented by the deaths registered during the first quarter of the ten years 1892–1901 in the Dublin Registration Area as then constituted, was 32·1 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants† of that portion of the City of Dublin north of the Liffey registered last quarter was 1,009, representing an annual mortality of 26·5 in every 1,000 of the population; and the number in that portion south of the river was 981, equivalent to a rate of 27·8 per 1,000. In the urban districts the number of deaths registered was 432, being equal to an annual death-rate of 20·2 in every 1,000.

The number of deaths registered in London during the quarter was 24,908—a number equal to an annual mortality of 21·8 in every 1,000 of the inhabitants; in Glasgow the number was 4,576, equal to 23·6 in every 1,000; and in Edinburgh, 1,673, affording an annual death-rate of 20·7 in every 1,000 of the estimated population.

* The Dublin Registration Area now consists of the City of Dublin, as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

† The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

Diseases.—The number of deaths from epidemic diseases registered in the Dublin Registration Area during last quarter was 171, being 14 under the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·8, being 0·2 under the rate for the preceding three months, and 2·4 below the average rate for the first quarter of the ten years 1892–1901.

There was no death from small-pox registered during the quarter. It appears, however, from Table I., that 3 cases were under treatment for this disease in Hospital.

Influenza caused 33 deaths, an increase of 21 over the preceding quarter.

Enteric Fever.—There were 24 deaths registered from this cause, which number is 15 below that of the preceding quarter; fifteen of these deaths took place in the North City districts, and 8 in the South City Districts. Of the 15 in the North City, 2 occurred in Coolock and Drumcondra No. 1, part of, and 2 in Finglas and Glasnevin part of. Of the 8 deaths which occurred in the South City, 1 occurred in Palmerston part of; one death from this disease occurred in the Urban District of Blackrock. During the 13 weeks under review, 103 cases of *enteric fever* were admitted to hospital, 122 were discharged, and 11 deaths took place (in hospital), and there were 33 cases under treatment on the 29th March, 1902.

Measles caused 23 deaths. During the preceding 13 weeks no death was registered in the Dublin Registration Area from this disease. Of the total, 22 deaths appertain to the Pembroke Urban District, and 1 to the District of No. 3 South Dublin.

Deaths from *diarrhœa* which, in the preceding quarter had fallen to 59, from 267 in the September quarter of 1901, further declined to 22, of which total 13 appertained to North Dublin City, and 7 to South Dublin City Districts.

There were 20 deaths from *whooping-cough*. Nine took place in the North City, 7 in the South City, and 4 deaths occurred in the Urban Districts.

Diphtheria caused 14 deaths. Of these 7 appertain to North Dublin City districts, and 4 to South Dublin City Districts. Of the 7 deaths in the North City, one occurred in Finglas and Glasnevin, part of. One death from this disease occurred in each of the Urban Districts of Rathmines and Pembroke. During the period under consideration, 79 cases were admitted to hospital, 96 cases were discharged, and 5 deaths occurred.

Scarlatina caused 11 deaths. In the preceding quarter 6 deaths were registered. Of the 11 deaths, 7 appertain to the North City District, and 2 to the South City District, and 2 deaths of persons admitted to hospital from without the Registration Area.

There were 5 deaths from *pyœmia septicœmia*, and 3 from *erysipelas*.

Phthisis was the cause of 378 deaths, equal to a rate of 4·0 per 1,000 of the estimated population. In the preceding quarter 285 deaths were registered as due to this disease. Of the former figures 146, equal to an annual rate of 3·8 per 1,000 of the estimated population, took place in North Dublin City, and 163, equal to an annual rate of 4·6 per 1,000 of the estimated population, occurred in South Dublin City. Of the remaining 48, equal to an annual rate of 2·2 per 1,000, appertain to the total urban districts. There were 21 deaths in institutions of persons admitted from without the Dublin Registration Area. There were, in addition, 14 deaths from *tabes mesenterica*, 26 from *tubercular meningitis*, and 59 from *scrofula tuberculosis*.

Diseases of the respiratory system caused 644 deaths. This number is equal to an annual death-rate of 6·8 per 1,000 of the estimated population of the Area, the average annual death-rate being 8·1 per 1,000 for the corresponding period of the past 10 years.

Of the total, 425 deaths were due to *bronchitis*, 184 to *pneumonia*, 5 to *pleurisy*, 4 to *croup*, and 26 to other diseases of the respiratory system.

Diseases of the nervous system caused 228 deaths, which number includes 9 deaths from *epilepsy*, 95, equal to a rate of 1·0 per 1,000, from *convulsions*, and 124 from other diseases of the brain and nervous system. Of the deaths from *convulsions*, 93 were children under 5 years of age.

Diseases of the heart and blood vessels caused 272 deaths, including 46 deaths from *apoplexy*.

Cancer, malignant disease, was the cause of 82 deaths.

Of the deaths by violence, 1 was homicidal, 2 were suicidal, and 56 accidental. Of the latter, 22 were caused by burns, scalds, or explosions.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 29th March, 1902.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small Pox, . .	.	3	2	.	1*
Measles, . . .	3	55	39	1	18
Scarlet Fever, . .	57†	158	166	10	58
Typhus „ . .	2	5	6	.	1
Diphtheria, . .	41	79	96	5	19
Enteric Fever, . .	63	103	122	11	33
Pneumonia, . .	19	103	82	13	27

In 136 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 136 cases, 69, or 50·7 per cent., were deaths of children under 5 years of age: these 69 deaths form 11·3 per cent. of the total number of deaths of children of that age. Of the deaths of 127 infants under one month old registered, there were 35 (or 27·6 per cent.) regarding which the cause was uncertified.

From Table II., on page 212, it will be seen that, excluding 92 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,422, equal to an annual rate of 25·6 per 1,000 of the estimated population, and that 110 of these deaths, representing an annual rate of 1·2 per 1,000 persons, were caused by the principal epidemic diseases.‡ The death-rate for the city (from all causes) was 27·1 per 1,000, and for the urban districts 20·2 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city is 1·1, and in the urban districts 1·4, the rates for the several districts varying from 0·0 in five of the districts to 4·3 in Pembroke Urban District, the 154 deaths from all causes tabulated for the last-named district including 22 from measles, 4 from whooping-cough, one from diphtheria, and one from diarrhœa.

Occupations.—Table III., on page 213, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 37·6 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 17·1 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 23·6; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 38·1.

Ages.—Of the 2,514 persons whose deaths were registered in the Dublin Registration Area during the quarter, 608 were under 5 years of age; 193 were between the ages of 5 and 20; 411 were between 20 and 40; 579 between 40 and 60; 593 between 60 and 80; and 130 were aged 80 and upwards, including 15 persons stated to have been nonagenarians.

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

† Exclusive of 19 convalescents in Beneavin who were transferred to hospital during the quarter in order to make room for the small pox patients.

‡ See note (*) on page (214).

Public Institutions.—Of the 2,514 deaths recorded during the quarter, 975, or 38·8 per cent., occurred in public institutions, viz., 508 in the various hospitals, prisons, and lunatic asylums; 226 in the North Dublin Union Workhouse; 231 in the South Dublin Union Workhouse; and 10 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 41·3°. At Greenwich, was 40·8°; at Glasgow, 40·9°; and at Edinburgh, 38·9°.

The rainfall at Dublin during the thirteen weeks measured 4·800 inches; at Greenwich, 3·33 inches; at Glasgow, 4·93 inches; and at Edinburgh, 2·67 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 29th March, 1902**, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

Registrars' Districts.	Population, estimated to middle of 1902.†	Quarter (13 Weeks) ended 29th March, 1902. Annual Rate of Mortality per 1,000 Living represented by Deaths: From all Causes.	From Diseases in Cols. 6-14.	Total Deaths.	Deaths Caused by: Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa-Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
Cols. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
North City: North City, No. 1, E.,	28,333	27·1	1·3	192	.	.	1	.	2	1		3	2	31	66	6
" " W.	39,146	27·6	1·2	270	.	.	2	.	.	2	.	5	3	32	77	7
" 2,	30,107	29·1	0·9	219	.	.	.	.	2	.	.	2	3	29	63	6
" 3,	31,673	29·3	2·0	232	.	.	4	.	3	3	.	1	5	40	51	4
Clontarf & Howth, No. 1, part of,	4,806	13·3	.	16	.	.	.	.	.	.	.	.	.	1	5	.
Coolock & Drumcondra, No. 1, part of,	10,017	18·8	0·8	47	.	.	.	.	.	.	.	2	.	10	5	.
Finglas and Glasnevin, part of,	6,673	16·8	0·3	28	.	.	.	.	2	1	.	2	.	3	5	1
Blanchardstown and Castleknock, part of,	1,303	.	.	5	.	.	.	.	.	.	.	.	.	.	1	.
South City: South City, No. 1,	39,152	26·5	0·6	259	.	.	.	.	.	2	.	1	3	46	56	4
" 2,	17,113	36·2	0·9	155	.	.	1	.	1	1	.	1	.	29	50	5
" 3,	41,736	27·7	0·8	289	.	1	.	.	3	.	.	2	2	39	87	5
" 4,	34,893	27·9	0·9	243	.	.	1	.	1	1	.	3	2	45	59	6
Donnybrook, part of,	245	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Palmerston, part of,	7,298	18·6	1·6	34	.	.	.	.	2	.	.	1	.	4	8	2
Crumlin, part of,	899	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Urban Districts: Rathmines,	33,203	17·0	0·1	141	.	.	.	.	.	1	.	.	.	17	32	3
Pembroke (Donnybrook, part of),	26,025	23·7	4·3	154	.	22	.	.	4	1	.	.	1	14	38	1
Blackrock,	8,759	16·4	0·5	36	.	.	.	.	.	.	.	1	.	5	8	.
Kingstown, Nos. 1 and 2,	17,622	22·9	.	101	.	.	.	.	.	.	.	.	.	12	24	5
Total City, North,	152,058	26·5	1·3	1,009	.	.	7	.	9	7	.	15	13	146	273	24
Total City, South,	141,336	27·8	0·8	981	.	1	2	.	7	4	.	8	7	163	261	22
Total City, N. & S.,	293,394	27·1	1·1	1,990	.	1	9	.	16	11	.	23	20	309	534	46
Total Urban Districts,	85,609	20·2	1·4	432	.	22	.	.	4	2	.	1	1	48	102	9
Total Registration Area,	379,003	25·6	1·2	2,422	.	23	9	.	20	13	.	24	21	357	636	55
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				92	.	.	2	.	.	1	.	.	1	21	8	4

* See note (*) page 214. † See note (*) on page 215.

Registration Area during the **13 weeks ending Saturday, 29th March, 1902**; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class.	Occupation or Social Position	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	19	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	29·1	2,514	608	193	411	579	593	130	.	23	11	.	20	14	.	24	22	114	378	95	644	59	1,224
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	37·6	145	5	1	14	25	67	33	.	.	.	.	.	1	.	1	.	2	9	.	27	3	104
II.	Middle Class,	80,653	17·1	345	64	29	66	71	84	31	.	1	5	.	.	3	.	7	4	20	44	10	58	5	208
III.	Artisan Class and Petty Shopkeepers,	98,374	23·6	581	135	57	99	148	126	16	.	8	2	.	5	2	.	6	5	28	102	29	143	10	269
IV.	General Service Class,	146,486	38·1	976	344	95	159	197	154	27	.	14	4	.	15	8	.	9	9	59	137	51	272	37	420
V.	Inmates of Workhouses,	5,191		467	60	11	73	138	162	23	.	.	.	.	.	.	.	1	4	5	86	5	144	4	223
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,910	32·9	65	4	1	9	11	29	11	.	.	.	.	.	.	.	.	.	.	3	.	11	2	49
	2. Merchants and Manufacturers, Higher Class,	1,838	17·4	8	.	.	.	3	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
	3. Persons of Rank and Property, not otherwise described,	5,676	50·7	72	1	.	5	11	35	20	.	.	.	.	.	1	.	1	.	2	6	.	16	1	47
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,818	19·2	28	4	1	4	8	7	4	.	.	.	.	.	.	.	1	.	1	2	1	6	.	18
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	25,775	17·7	114	21	5	16	28	28	16	.	1	.	.	.	1	.	1	1	4	6	3	25	1	75
	6. Clerks and Commercial Assistants,	24,750	18·9	117	27	13	33	25	17	2	.	.	4	.	.	1	.	4	3	12	27	3	16	3	56
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,310	14·1	86	12	10	13	10	32	9	.	.	1	.	.	1	.	1	.	3	9	3	11	1	59
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,352	26·1	48	12	6	13	15	2	.	.	1	1	.	.	.	.	.	2	4	13	3	6	.	22
	9. Building and Furnishing Trades,	26,030	22·9	149	46	16	14	41	29	3	.	1	1	.	1	1	.	2	1	7	22	4	36	7	73
	10. Clothing Trades,	23,686	12·2	72	16	4	21	8	21	2	.	.	.	.	.	.	.	.	.	.	21	6	19	1	25
	11. Food Supply Trades,	7,869	20·3	40	6	5	3	10	10	6	.	.	.	.	.	.	.	.	.	.	2	1	11	.	26
	12. Other Trades and Callings ranking with Trades,	26,666	35·2	235	50	26	37	64	54	4	.	5	.	.	4	.	.	4	2	15	38	13	61	2	106
	13. Petty Shopkeepers,	6,771	21·9	37	5	.	11	10	10	1	.	1	.	.	.	1	.	.	.	2	6	2	10	.	17
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·5	90	27	12	13	15	22	1	.	2	1	.	1	.	.	1	.	5	12	3	22	2	46
	15. Domestic Servants,	39,563	12·6	125	25	3	27	25	31	14	.	1	1	.	2	.	.	1	1	6	16	4	25	4	70
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	23·2	62	19	5	9	20	9	.	.	.	.	.	.	1	.	.	.	1	10	4	22	2	23
	17. Hawkers, Porters, Labourers, &c.,	82,631	33·8	699	273	75	110	137	92	12	.	11	2	.	12	7	.	7	8	47	99	40	203	29	281
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	5,191	–	467	60	11	73	138	162	23	.	.	.	.	.	.	.	1	4	5	86	5	144	4	223

* Occupation statistics for 1901 not yet available.

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 23·6 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—

Newry, 16·8; Armagh, 16·9; Waterford, 17·2; Kilkenny, 18·7; Queenstown, 19·3; Ballymena, 20·2; Limerick, 20·7; Portadown, 21·1; Londonderry, 21·5; Dundalk, 21·7; Belfast, 21·9; Sligo, 22·8; Lurgan, 23·8; Wexford, 24·0; Lisburn, 24·1; Clonmel, 24·7; Drogheda, 24·8; Dublin Registration Area, 25·6; Tralee, 26·5; Newtownards, 26·8; Cork, 28·0; and Galway, 36·7.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·1 per 1,000 of the population, the rates varying from 0·0 in Drogheda and Newtownards, to 3·0 in Queenstown, the 38 deaths from all causes in the last-named district including 6 from measles. The 1,962 deaths in Belfast include 41 from whooping-cough, 24 from enteric fever, 24 from diarrhœa, 16 from diphtheria, 15 from measles, 2 from simple continued and ill-defined fever, and one each from scarlet fever and typhus.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Small-pox.—No death from this disease occurred.

Measles.—Of the 27 deaths caused by this disease, 15 occurred in Belfast, 6 in Queenstown, 5 in Ballymena, and 1 in Londonderry.

Scarlatina.—Of the 5 deaths, 3 occurred in Cork, 1 in Belfast, and 1 in Portadown.

Typhus fever.—There were 3 deaths in Galway, 1 in Belfast, and 1 in Tralee.

Whooping-cough.—A total of 63 deaths was caused by this disease, 41 occurring in Belfast, 16 in Cork, 2 in Wexford. One death each in Londonderry, Newry, Lisburn, and Sligo.

Diphtheria.—Of 18 deaths, 16 occurred in Belfast, and 1 each in Tralee and Armagh.

Simple Continued and Ill-defined Fever.—Two deaths each occurred in Belfast and Tralee, and one each in Lurgan and Wexford.

Enteric Fever.—Of 32 deaths, 24 occurred in Belfast, and 3 in Cork. One death each in Waterford, Newry, Lisburn, Wexford, and Clonmel was registered.

Diarrhœa, dysentery.—Of the 46 deaths, 24 took place in Belfast, 8 in Londonderry, and 4 in Cork.

Phthisis.—The deaths, in number 584, are equal to an annual rate of 3·3 per 1,000 on the population of the 21 urban districts. In the preceding quarter the death-rate from phthisis was 1·6 per 1,000.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery.

each of the undermentioned Twenty-one Urban Districts (
number of Deaths from some of the principal causes.

TOWNS AND DISTRICTS	Census Statistics of Districts.* Population.	Persons to an Acre.	Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS from All Causes.	DEATHS from Diseases, Cols. 11-19.	REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 29TH MARCH, 1902. NUMBER REGISTERED. BIRTHS.	DEATHS. TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Caused by Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
TOTAL OF 22 TOWN DISTRICTS,	1,092,322	18·7	28·9	23·6	1·1	7,893	6,456	1,080	1,794	.	50	14	5	83	31	6	56	67	941	1,675	155	255	1,790
DUBLIN REGISTRATION AREA,	379,003	27·8	29·4	25·6	1·2	2,784	2,422	368	712	.	23	9	.	20	13	.	24	21	357	636	55	53	883
URBAN DISTRICTS.																							
BELFAST,	358,693	21·8	31·0	21·9	1·4	2,779	1,962	391	401	.	15	1	1	41	16	2	24	24	291	567	64	138	378
CORK,	75,978	33·5	27·0	28·0	1·4	512	531	80	140	.	.	3	.	16	.	.	3	4	97	117	9	22	173
LONDONDERRY,	40,729	18·8	25·8	21·5	1·0	263	219	35	73	.	1	.	.	1	.	.	.	8	28	71	3	6	37
LIMERICK,	38,085	18·4	27·5	20·7	0·1	262	197	28	74	.	.	.	.	.	.	.	.	1	27	46	1	3	79
WATERFORD,	26,743	18·6	18·8	17·2	0·4	126	115	11	40	.	.	.	.	.	.	.	1	2	16	21	2	6	41
GALWAY,	13,414	2·5	31·3	36·7	1·2	105	123	17	46	.	.	.	3	.	.	.	.	1	11	16	7	5	24
DUNDALK,	13,067	9·4	25·4	21·7	0·3	83	71	18	23	.	.	.	.	.	.	.	.	1	12	19	1	.	9
DROGHEDA,	12,765	8·1	25·7	24·8	1·0	82	79	5	15	.	.	.	.	.	.	.	.	.	4	8	.	3	24
NEWRY,	12,587	17·9	26·4	16·8	1·0	83	53	9	20	.	.	.	.	1	.	.	1	1	3	10	2	2	5
LURGAN,	11,777	13·8	31·9	23·8	0·3	94	70	16	18	.	.	.	.	.	.	1	.	.	9	25	2	2	8
LISBURN,	11,459	10·1	27·2	24·1	1·0	78	69	14	26	.	.	.	.	1	.	.	1	1	6	24	.	1	17
WEXFORD,	11,154	23·2	22·2	24·0	1·8	62	67	9	28	.	.	.	.	2	.	1	1	1	7	20	3	1	8
BALLYMENA,	10,880	10·9	23·2	20·2	1·8	63	55	13	22	.	5	.	.	.	.	.	.	.	6	15	2	2	2
SLIGO,	10,862	3·6	25·8	22·8	0·4	70	62	8	23	.	.	.	.	1	.	.	.	.	5	6	2	3	26
KILKENNY,	10,493	11·4	27·8	18·7	0·8	73	49	8	21	.	.	.	.	.	.	.	.	2	6	7	.	.	18
CLONMEL,	10,209	7·9	24·3	24·7	0·4	62	63	5	23	.	.	.	.	.	.	.	1	.	13	16	.	.	31
PORTADOWN,	10,046	13·1	22·7	21·1	0·4	57	53	12	16	.	.	1	.	.	.	.	.	.	5	9	1	5	.
TRALEE,	9,812	16·7	34·2	26·5	1·6	84	65	11	23	.	.	.	1	.	1	2	.	.	15	4	.	3	15
NEWTOWNARDS,	9,110	18·9	27·2	26·8	.	62	61	8	24	.	.	.	.	.	.	.	.	.	14	20	1	.	9
QUEENSTOWN,	7,887	14·7	29·9	19·3	3·0	59	38	9	11	.	6	.	.	.	.	.	.	.	3	9	.	.	1
ARMAGH,	7,569	22·1	26·4	16·9	0·5	50	32	5	12	.	.	.	.	.	1	.	.	.	6	9	.	.	2

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1902; that for each of the other districts is the population according to the Census of 1901 (unrevised figures.)

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 29th MARCH, 1902. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

REGISTRARS' DISTRICTS.	Population.*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 11-19.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Epidemic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	358,698	134	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		104	18	7	63	16	.	1	.	.	.	1	1	1	2	13	24	13	21	17
" 2 "		374			221	38	26	106	51	.	1	1	.	3	3	.	.	1	29	70	6	15	46
" 3 "		384			252	57	32	127	36	.	.	.	.	13	6	1	2	4	42	75	6	12	47
" 4 "		360			282	57	47	122	56	.	.	.	.	8	1	.	5	3	41	83	10	18	74
" 5 "		136			138	26	14	69	29	.	.	.	.	7	.	.	1	1	33	40	12	12	37
" 6 "		266			278	42	26	126	84	.	4	.	1	4	.	.	4	4	36	84	5	17	43
" 7 "		16			6	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		33			44	12	5	18	9	.	.	.	.	2	.	.	1	1	5	17	.	1	8
" 9 "		150			110	25	18	46	21	.	.	.	.	2	1	.	2	.	14	37	3	5	16
" 10 "		215			124	30	13	60	21	.	.	.	.	.	2	.	1	1	27	35	.	10	16
" 11 "		281			152	31	23	70	28	.	2	.	.	2	.	.	4	6	19	42	3	7	29
" 12 "		310			178	38	25	86	29	.	5	.	.	.	2	.	1	.	25	48	4	16	35
" 13 "		114			69	17	6	27	19	.	2	.	.	.	.	.	2	1	7	11	1	3	7
" 14 "		6			4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	3
Total,		2,779	21·9	1·4	1,962	391	245	925	401	.	15	1	1	41	16	2	24	24	291	567	64	138	378
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	65	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		87	8	6	38	35	.	.	2	.	.	.	.	.	.	17	17	.	2	54
" 2 "		82			78	14	8	42	14	.	.	.	.	.	.	.	2	.	19	12	1	2	26
" 3 "		85			83	13	5	42	23	.	.	.	.	.	.	.	.	3	20	16	3	3	34
" 4 "		53			47	4	6	23	14	.	.	.	.	1	.	.	1	.	5	8	1	2	6
" 5 "		55			45	7	4	22	12	.	.	.	.	.	.	.	.	1	5	18	2	4	2
" 6 "		55			47	9	7	20	11	.	.	.	.	3	.	.	.	.	8	6	1	2	1
" 7 "		117			144	25	23	65	31	.	.	1	.	12	.	.	.	.	23	40	1	7	50
Total,		512	28·0	1·4	531	80	59	252	140	.	.	3	.	16	.	.	3	4	97	117	9	22	173

* See note (*) on page 215.

GENERAL REGISTER OFFICE,

Charlemont House, Dublin, 2nd May, 1902.

ROBERT E. MATHESON,

Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & CO. (Limited), 87, 88, and 89, Abbey-street.

P. 425. 4. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 5TH APRIL, 1902. [No. 14.

General Register Office, Charlemont House, Dublin, 7th April, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 26·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 15.	Week ending Mar. 22.	Week ending Mar. 29.	Week ending April 5.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 15.	Week ending Mar. 22.	Week ending Mar. 29.	Week ending April 5.	Average Rate for 4 weeks
22 Town Dists.	21·9	22·3	23·7	26·6	23·6	Lisburn, . .	27·3	41·0	18·2	27·3	28·4
Armagh, . .	13·8	13·8	20·7	13·8	15·5	Londonderry, .	32·0	19·2	14·1	21·8	21·8
Ballymena, .	24·0	4·8	24·0	28·8	20·4	Lurgan, . .	22·1	26·6	22·1	31·0	25·4
Belfast, . .	23·4	22·4	22·0	23·0	22·7	Newry, . .	4·1	24·9	8·3	24·9	15·6
Clonmel, . .	10·2	15·3	20·4	5·1	12·8	Newtownards, .	11·4	51·5	17·2	40·1	30·0
Cork, . . .	25·4	24·0	27·5	28·1	26·2	Portadown, .	10·4	31·1	10·4	41·5	23·4
Drogheda, . .	16·3	12·3	16·3	20·4	16·3	Queenstown, .	19·8	6·6	19·8	46·3	23·1
Dublin Reg. Area,	20·6	22·4	27·5	26·8	24·3	Sligo, . .	9·6	52·8	28·8	24·0	28·8
Dundalk, . .	16·0	8·0	23·9	16·0	16·0	Tralee, . .	21·3	21·3	26·6	85·0	38·5
Galway, . .	46·6	38·9	27·2	46·6	39·8	Waterford, .	15·6	9·7	25·3	25·3	19·0
Kilkenny, . .	29·8	9·9	44·7	19·9	26·1	Wexford, . .	32·7	23·4	14·0	28·0	24·5
Limerick, . .	15·1	20·5	15·1	42·4	23·3						

The deaths from the principal epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fourteen of the districts to 26·4 in Queenstown, the 7 deaths from all causes registered in that district including 2 from measles and 2 from diarrhœa. The 158 deaths in Belfast include 2 from measles, 5 from whooping-cough, 2 from diphtheria, 1 from simple fever, 5 from enteric fever, and 1 from diarrhœa. The 17 deaths in Londonderry include 1 from measles and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 199—102 boys and 97 girls; and the deaths to 203—104 males and 99 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·9 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 26·8 per 1,000. During the fourteen weeks ending with Saturday last the death-rate averaged 26·7, and was 5·2 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Influenza caused 3 deaths, diphtheria and erysipelas each caused 2 deaths. Measles, scarlatina, enteric fever, and diarrhœa each caused one death.

Tuberculous disease was the cause of 41 deaths—namely, from tuberculous phthisis, 7 deaths; from phthisis, 20 deaths; from tuberculous meningitis, 5 deaths; from tuberculous peritonitis, 1 death; from scrofula, 1 death; and from other forms of tuberculous disease 7 deaths.

Diseases of the respiratory system caused 49 deaths, including 29 deaths from bronchitis, 10 deaths from pneumonia, 5 deaths from broncho-pneumonia, 1 death from croupous pneumonia, 1 from pleurisy, and 3 from others from diseases of the respiratory system. The total deaths from this group are equal to a rate of 6·7 per 1,000 of the population of the Registration Area, the average rate for the corresponding period of the past 10 years, being 7·0 per 1,000. Nine deaths were registered as being due to convulsions, of these 2 were infants under 1 month, 5 were over 1 month and under 1 year, and 2 were between the age periods of 1 year and 5 years. There were 5 deaths from other diseases of the nervous system. There were 31 deaths from diseases of the heart and blood vessels, including 7 deaths from apoplexy hemiplegia. Eight deaths were due to cancer. Three deaths were registered as being due to accident, and 1 death to suicide.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under five years of age (including 5 infants under one year old).

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 6 were under one month old), and 53 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 7 were octogenarians, and 1 (a woman) was stated to have been aged 102 years.

Eighty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·8 per 1,000; the rate in the City was 27·2 (25·4 on the North side, and 29·1 on the South), and in the Urban Districts 25·6

The deaths from the principal epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·9 (1·0 in the North City Districts, and 0·7 in the South) and for the Urban Districts 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. There was 1 death from phthisis, 1 from influenza; there were 3 deaths from diseases of the respiratory system, including 2 from broncho-pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. There were 3 deaths from phthisis, 3 from diseases of the nervous system, and 4 from diseases of the respiratory system, and 2 from pneumonia. There was 1 death from influenza.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. There was 1 death each from diphtheria and enteric fever, 3 from phthisis, and 3 from diseases of the heart and blood vessels.

No. 3 North City District (Blackhall-place).—The deaths (19) represent an annual rate of 31·3 per 1,000. Nine deaths were due to diseases of the respiratory system, including 1 death from pleurisy. There were 2 deaths from diseases of the nervous system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·4; and Finglas and Glasnevin, part of, 7·8. Of the 2 deaths tabulated for Coolock and Drumcondra, No. 1, part of, one was from diphtheria and one from bronchitis. There was one death from influenza tabulated for Clontarf and Howth No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 24·0 per 1,000. Phthisis caused 3 deaths, diseases of the heart and blood vessels 3 deaths, and diseases of the respiratory system also caused 3 deaths. There were, moreover, 3 deaths caused by an accident which occurred in this district.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 30·5 per 1,000. Phthisis was the cause of 3 deaths. Two deaths each were caused by diseases of the heart and blood-vessels and 3 by bronchitis.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 33·7 per 1,000. There was 1 death from scarlatina, 3 from phthisis, and 3 deaths from diseases of the heart and blood-vessels. Diseases of the respiratory system caused 10 deaths, including 4 from pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·9 per 1,000. There was 1 death from diarrhœa, 4 deaths from phthisis, and 6 from diseases of the heart and blood-vessels, and 3 from diseases of the respiratory system, including 1 from pneumonia.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 28·6 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 11·0 per 1,000 inhabitants; Pembroke, 32·1; Blackrock, 17·9; and Kingstown, 47·3. The only death from any of the principal epidemic diseases tabulated for any of these districts was one from measles for Pembroke. Among the 16 deaths from all causes tabulated for the last-named district are 1 each from phthisis, tuberculosis, and cancer, and 5 from diseases of the respiratory organs, of which 2 were from pneumonia; and the 16 deaths from all causes for Kingstown include 2 from phthisis, 3 from diseases of the heart and blood-vessels, and 3 from diseases of the respiratory system, including one from pneumonia.

---

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	15th March,	68 cases.
,, ,,	22nd March,	54 cases.
,, ,,	29th March,	67 cases.
,, ,,	5th April,	80 cases.

Of the 80 cases notified, 26 were erysipelas, 7 enteric fever, 11 scarlatina, one diphtheria, 18 measles, 10 chicken-pox, 6 continued fever, and one German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	15th March,	3 cases.
,, ,,	22nd March,	4 cases.
,, ,,	29th March,	1 case.
,, ,,	5th April,	1 case.

The one case notified was diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	15th March,	43 cases.
,, ,,	22nd March	9 cases.
,, ,,	29th March,	29 cases.
,, ,,	5th April,	10 cases.

Of the 10 cases notified, 9 were measles, and one whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	15th March,	54 cases.
,, ,,	22nd March,	49 cases.
,, ,,	29th March,	42 cases.
,, ,,	5th April,	39 cases.

Of the 39 cases notified, 10 were enteric fever, 9 erysipelas, 8 diphtheria, 11 continued fever, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th April, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Nine cases of measles were admitted to hospital, 9 were discharged, and 18 cases remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 10 cases were discharged, and 28 cases remained under treatment at the close of the week.

Ten cases of scarlatina were admitted to hospital, 8 cases were discharged, there was one death, and 59 cases remained under treatment at the close of the week.

One case of typhus was discharged from hospital, none being left under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 4 cases were discharged, there was one death, and 19 cases remained under treatment at the close of the week.

In addition to the above-named zymotic diseases recognised as such, 5 cases of pneumonia were admitted to hospital, 7 patients were discharged, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·9), was equal to an average annual death-rate of 17·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·3 per 1,000, the rate for Glasgow being 21·9, and for Edinburgh 19·6.

* See note (*) on page 230.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th April, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 5th April, 1902. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	Non in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,822	18·7	32·7	26·6	1·6	685	557	84	181	.	6	1	.	6	4	1	7	8	85	125	7	25	165
Dublin Registration Area:—																							
Total,‡	379,068	27·8	27·4	26·8	0·8	199	195	28	51	.	1	1	.	.	2	.	1	1	26	46	4	9	76
City	298,894	27·8	28·1	27·2	0·9	158	153	22	43	.	.	1	.	.	2	.	1	1	22	37	4	8	65
Registrars' Districts. Rathmines,‖	33,208	19·4	22·0	11·0	.	14	7	1	3	.	.	.	.	.	.	.	.	.	1	1	.	1	2
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	24·1	32·1	2·0	17	16	3	4	.	1	.	.	.	.	.	.	.	1	5	.	.	4
Blackrock,‖	8,759	9·1	11·9	17·9	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	23·7	47·3	.	8	16	1	1	.	.	.	.	.	.	.	.	.	2	3	.	.	5
Urban Districts																							
Belfast,	358,693	21·8	38·5	23·0	2·3	265	158	25	36	.	2	.	.	5	2	1	5	1	30	36	.	7	32
Cork,	75,978	33·5	28·1	28·1	.	41	41	4	16	.	.	.	.	.	.	.	.	.	6	9	1	4	15
Londonderry,	40,729	18·8	25·6	21·8	3·8	20	17	2	4	.	1	.	.	.	.	.	.	2	3	1	1	1	.
Limerick,	38,085	18·4	53·4	42·4	.	39	31	2	3	.	.	.	.	.	.	.	.	.	3	10	.	.	16
Waterford	26,748	18·6	23·4	25·3	.	12	13	2	4	.	.	.	.	.	.	.	.	.	3	4	.	.	5
Galway,	18,414	9·5	31·1	46·6	.	8	12	1	4	.	.	.	.	.	.	.	.	.	1	2	.	.	3
Dundalk	18,067	9·4	27·9	16·0	.	7	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Drogheda	12,765	8·1	12·3	20·4	.	3	5	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Newry,	12,587	17·9	24·9	24·9	4·1	6	6	1	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.
Lurgan,	11,777	18·8	35·4	31·0	.	8	7	2	.	.	.	.	.	.	.	.	.	.	3	1	.	.	3
Lisburn,	11,459	19·1	36·4	27·3	.	8	3	1	2	.	.	.	.	.	.	.	.	.	2	1	.	1	.
Wexford,	11,154	28·2	46·7	28·0	.	10	6	2	2	.	.	.	.	.	.	.	.	.	.	5	.	.	1
Ballymena	10,880	10·9	52·7	28·8	.	11	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	9·6	24·0	4·8	2	5	1	2	.	.	.	.	1	.	.	.	.	1	.	.	.	1
Kilkenny,	10,498	11·4	29·8	19·9	5·0	6	4	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1
Clonmel,	10,209	7·9	35·8	5·1	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Portadown	10,046	18·1	36·3	41·5	.	7	8	4	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.
Tralee,	9,812	16·7	42·5	85·0	5·8	8	16	3	.	.	.	.	.	.	.	.	1	.	2	1	.	1	6
Newtownards,	9,110	18·9	28·6	40·1	.	5	7	1	1	.	.	.	.	.	.	.	.	.	2	2	.	.	1
Queenstown,	7,887	14·7	39·7	46·3	26·4	6	7	3	.	.	2	.	.	.	.	.	.	2	.	2	.	.	.
Armagh,	7,569	22·1	48·2	13·8	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 5th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§56·1	32·3	43·5	0·76	§56·4	27·9	43·5	0·79	§57·8	30·5	44·4	0·56
City	a57·0	35·0	45·0	0·88	a57·4	32·8	45·3	0·90	a58·7	32·9	45·1	0·52
Registrars' Districts. Rathmines,‖	b56·4	32·0	43·8	0·85	b57·8	28·6	43·9	0·94	b57·8	31·0	44·8	0·61
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	55	36	44·9	0·88	58·0	33·5	46·1	0·96	60	36	46·7	0·18
Urban Districts												
Belfast,	55·0	33·0	44·3	0·24	52·0	28·8	40·9	0·31	55·0	33·0	45·7	0·38
Cork,	.	.	.	.	59	35	46·0	0·95	58	34	44·9	0·16
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	56	29	46	1·08	58	33	46	1·04	54	30	45	0·57
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	53·1	33·0	43·4	0·52	57·9	28·2	42·6	0·66	59·0	31·0	44·1	0·50
Lurgan,	53·1	33·0	43·4	0·52	57·9	28·2	42·6	0·66	59·0	31·0	44·1	0·50
Lisburn,	53·1	33·0	43·4	0·52	57·9	28·2	42·6	0·66	59·0	31·0	44·1	0·50
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	53·2	38·7	43·6	0·97	56·4	29·9	42·0	1·00	56·8	32·2	43·9	1·04
Kilkenny,	55	30	43·4	0·57	57	29	44·6	1·37	58	30	45·3	0·36
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	53·1	33·0	43·4	0·52	57·9	28·2	42·6	0·66	59·0	31·0	44·1	0·50
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	.	.	.	.	55	29	40·9	0·75	61	31	43·8	0·80
Queenstown,	.	.	.	.	59	35	46·0	0·95	58	34	44·9	0·16
Armagh,	53·1	33·0	43·4	0·52	57·9	28·2	42·6	0·66	59·0	31·0	44·1	0·50

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche' Point for Cork and Queenstown. ‡ Exclusive of 8 deaths of persons, including 2 at 60 years or upwards admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park. ‖ The Urban District. a Observations by Sir J. W. Moore taken at Fitzwilliam Square.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 5th of April, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of).	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Phthisis,	1	3	3	.	.	.	1	.	3	3	3	4	.	.	1	.	1	1	.	2	26	1
Other General Diseases,	2	4	1	4	1	.	.	.	4	1	7	4	.	1	.	2	2	1	2	36	3
Total,	3	7	6	4	1	1	1	.	7	4	11	9	.	2	.	3	4	1	4	68	4
B. LOCAL DISEASES:																						
Diseases of: Nervous System,	1	3	1	2	.	.	.	.	1	.	1	1	.	.	.	1	2	.	1	14	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	2	3	1	.	.	.	.	3	2	3	6	.	1	.	2	1	1	3	30	1
Respiratory System,	3	4	1	9	.	1	.	.	3	3	10	3	.	.	.	1	5	.	3	46	3
Digestive System,	1	4	1	.	1	.	.	.	.	1	1	1	.	.	.	.	1	.	.	11	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	13	6	13	2	1	.	.	7	6	15	11	.	1	.	4	9	1	9	106	4
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	2	1	3	2	.	.	.	.	1	.	1	.	.	.	.	.	3	1	3	17	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.	.	.	4	.
Deaths from all Causes,	13	21	15	19	3	2	1	.	18	10	27	20	.	4	.	7	16	3	16	195	8
Annual Rate of Mortality in every 1,000 of the population.	23·9	28·0	26·0	31·3	32·5	10·4	7·8	.	24·0	30·5	33·7	29·9	.	28·6	.	11·0	32·1	17·9	47·8	26·8		
	25·4								29·1							25·6						
	27·2																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	5	5	4	.	.	.	.	1	1	12	5	.	.	.	1	4	.	.	39	7
Workhouse Hospitals,	2	.	4	7	.	1	.	.	3	5	4	4	.	1	.	1	.	.	5	37	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1892-19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years 1892-1901.	In the Week ending Saturday 5th April, 1902. Deaths of Persons of the Ages o							
	April 9, 1892.	April 8, 1893.	April 7, 1894	April 6, 1895.	April 4, 1896.	April 10, 1897.	April 9, 1898.	April 8, 1899.	April 7, 1900.	April 6, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	° 48·1	° 45·9	° 46·2	° 40·6	° 44·1	° 42·4	° 49·0	° 48·6	° 42·6	° 43·1	45·1	Mean Temp. ° 43·5							
ALL CAUSES.	221	193	155	290	171	241	163	220	194	224	207·2	203	6	22	21	17	33	51	45
Small Pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	3	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	23	.	2	.	.	25	.	2	3	.	5·5	1	.	.	1	.	.	.	.
Scarlet Fever, ...	1	.	3	.	2	3	.	.	.	.	·9	1	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	4	3	46	4	3	9	15	2	10	9·9	3	.	.	.	.	1	.	2
Whooping Cough, ...	3	6	5	4	1	9	2	5	3	5	4·3	.	.	.	.	.	.	.	.
Diphtheria, ...	.	2	.	.	1	2	2	3	.	2	1·2	2	.	.	.	2	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	2	6	1	1	.	3	4	3	3	2·3	1	.	.	.	1	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	1	2	1	3	2	1	2		.	2	1·4	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery, ...												1	.	1	.	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	1	1	.	2	.	.	.	1	·6	1	.	1	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	1	.	.	.	.	.	·2	2	.	1	.	.	.	1	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	2	1	.	1	1	.	.	1	.	·6	.	.	.	.	.		.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ...	27	30	10	23	19	28	23	30	27	33	25·0	7	.	.	2	2	2	1	.
"*Phthisis*"												20	.	.	.	2	9	6	3
Tuberculous Meningitis, (Acute Hydrocephalus).	2	4	.	3	4	4	4	4	6	4	3·5	5	.	.	3	1	1	.	.
Tuberculous Peritonitis ... *Tabes Mesenterica*, ...	3	1	3	4	2	3	10	5	8	7	4·6	1	.	..	.	.	.	1	.
												.	.	.	.	.	.	.	.
Tuberculous Dis. (other) ... Scrofula	5	3	.	1	2	5	5	4	1	5	3·1	7	.	.	1	2	3	.	1
												1	.	.	.	1	.	.	.
Alcoholism	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.
Rheumatic Fever	1	.	.	1	.	1	.	3	.	.	·6	.	.	.	.	.	.	.	.
Gout	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are fo

FOURTEENTH WEEK ending Saturday, 5th April, 1902, with the deaths from each cause in the corresponding
d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: April 9, 1892.	April 8, 1893.	April 7 1894.	April 6, 1895.	April 4, 1896.	April 10, 1897.	April 9, 1898.	April 8, 1899.	April 7, 1900.	April 6, 1901.	Averages in 14th Week of the 10 years 1892–1901.	In the Week ending Saturday, 5th April, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 48·1	° 45·9	° 46·2	° 40·6	° 44·1	° 42·4	° 49·0	° 48·6	° 42·6	° 43·1	45·1	Mean Temp. ° 43·5								
arcinoma												1	.	.	.	.	1	.	.	.
arcoma	3	5	2	6	7	7	6	9	3	5	5·3	.	.	.	.	.	.	.	.	.
alignant Dis. "Cancer,"												7	.	1	.	.	1	1	3	1
iabetes Mellitus	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
remature Birth	.	5	2	2	5	2	.	4	3	2	2·5	1	.	1	.	.	.	.	.	.
eningitis (not tuberc.)												2	.	1	.	.	1	.	.	.
sanity, G. P. of Insane												1	.	.	.	.	1	.	.	.
pilepsy												.	.	.	.	.	.	.	.	.
nvulsions												9	2	5	2	.	.	.	.	.
oomotor Ataxy												.	.	.	.	.	.	.	.	.
araplegia Dis. of Cord												1	.	1	.	.	.	.	.	.
ervous System (other Dis.) ...	47	39	45	42	29	40	33	35	28	44	38·2	1	.	.	.	.	.	1	.	.
alv. Dis., Endocarditis												3	.	.	.	1	.	1	1	.
erebr. Hæm. Thromb.												1	.	.	.	.	.	.	.	.
oplexy, Hemiplegia												7	.	.	.	.	1	3	3	.
eurysm												.	.	.	.	.	.		.	.
nbolism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
eart and Blood Vessel Dis.												20	1	.	.	1	.	12	6	.
oup (not Spasm or Memb.) ...	.	1	1	1	.	3	1	1	.	1	·9	.	.	.	.	.	.	.	.	.
onchitis	32	25	20	73	22	24	23	28	29	36	31·2	29	.	.	3	1	2	8	14	1
oupous Pneumonia												1	.	.	1	.	.	.	.	.
oncho-Pneumonia	13	9	8	19	16	21	10	22	15	13	14·6	5	.	.	1	1	2	.	1	.
Pneumonia"												10	.	.	1	.	3	6	.	.
sthma, Emphysema												.	.	.	.	.	.	.	.	.
eurisy	.	3	6	5	1	7	2	1	2	1	2·8	1	.	.	.	1	.	.	.	.
espiratory Dis. (other)												3	.	1	.	.	.	1	1	.
nsillitis, Quinsy	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
nteritis (not Epid.)	1	.	.	.	1	.	2	1	1	1	·7	.	.	.	.	.	.	.	.	.
astro Enteritis												2	.	1	.	.	.	1	.	.
eritonitis (not Puerp.)	.	2	.	1	1	2	1	1	1	.	·9	.	.	.	.	.	.	.	.	.
rrhosis of Liver	4	6	1	4	1	1	2	4	1	2	2·6	3	.	.	.	.	1	1	1	.
ver Dis. (other)												1	.	.	.	.	.	1	.	.
gestive Dis. (other)	6	3	1	6	4	3	2	4	4	4	3·7	5	.	2	2	.	.	1	.	.
ephritis, Acute												3	.	.	.	1	1	.	1	.
ight's Dis., Albuminuria ...	2	6	.	5	6	6	5	3	5	6	4·4	1	.	.	.	.	.	1	.	.
rinary Sys. (Other Dis.) ...												1	.	.	.	.	.	.	.	1
enerative Organs Dis.	2	1	1	.	2	.	.	1	1	.	·8	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of)	2	.	1	.	1	1	.	.	2	.	·7	.	.	.	.	.	.	.	.	.
d Age	11	8	15	18	12	9	6	13	27	12	13·1	9	.	.	.	.	.	.	6	3
her Diseases	22	19	13	15	18	20	9	7	15	18	15·6	17	3	6	3	.	.	2	2	1
ACCIDENT.																				
y Railways	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.		.
y Vehicles and Horses	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2	1	.	.
Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Burns, Scalds, Explosions ...	1	.	1	2	2	1	.	.	1	4	1·2	.	.	.	.	.	.	.	.	.
y Drowning	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
y Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Poison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
her Deaths by Accidents ...	3	2	2	1	1	5	.	6	1	1	2·2	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
uicide	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	.	1
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

he Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901–2—Week ending																									
	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered,	176	229	235	141	192	144	162	216	187	164	144	331	279	204	208	215	152	222	177	248	193	220	239	198	229	199
*Average Births in corresponding week of previous 10 years,**	170	188	171	183	17	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207	201	225	179
DEATHS registered,	146	150	146	168	171	180	176	141	153	138	196	200	223	186	177	158	169	181	200	248	218	222	154	167	211	203
Annual Death-rate per 1,000,	20·3	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·8	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9
*Average Deaths in corresponding week of previous 10 years,**	169	161	17	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213	224	225	229	232	224	226	233	207
AGES, Under 5 years,	46	50	49	54	53	59	53	36	37	31	47	38	46	38	54	36	38	46	40	60	60	59	37	45	49	49
5—20 ,,	17	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12	22	17	20	17
20—40 ,,	21	22	24	18	28	31	26	20	28	16	35	31	39	35	19	27	31	36	34	37	30	29	28	32	39	33
40—60 ,,	33	26	34	40	36	31	32	30	38	39	54	53	63	41	2		43	39	47	55	48	46	35	40	52	51
60—80 ,,	27	34	29	36	34	35	38	32	32	31	38	55	57	48	44	37	36	36	49	70	52	67	28	26	43	45
80 years and upwards,	2	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1
,, Scarlet Fever,	.	.	1	1	.	.	.	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	.	2	4	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3	2	5	.	.	1	2	.
,, Diphtheria,	.	1	1	1	1	3	4	.	.	.	.	2	3	3	1		1	.	.	1	.	3	.	1	.	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	6	3	.	5	2	.	3	2	1	.	4	5	2		1	2	.	2	2			2	1	1	2	1
,, Diarrhœa, Dysentery,	14	5	4	9	2	2	2	4	3	.	2	3	4	1	2		.	1	2	2	3	1	1	1	.	1
,, Phthisis,	21	20	19	11	19	36	23	23	32	15	24	21	30	30	20	9	33	31	7	27	33	38	17	36	37	27
,, Heart Diseases,	15	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17	13	20	31
,, Diseases of Respiratory System,	16	21	27	29	34	26	35	22	25	33	32	46	57	34	3	35		36	43	32	73	65	41	30	53	49
Violent Deaths,	5	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4
Mean Temperature of the Air (Phœnix Park),	48·0	46·5	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	5·7	29·9	40·5	6·0	44·3	44·9	44·4	43·5	43·5
Average Mean Temperature in corresponding week of previous 10 years,	48·3	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	0·2	40·6	43·3	42·3	41·9	45·1
Rainfall in inches,	·545	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·600	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760
Mean Humidity of the Air, complete Saturation 1·0,	·89	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	·79	·84	·87	·86	·86	·84	·84	·84

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th April, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 5th April, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Colds, 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	COLS.	(1)	(2)	(3)	4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	30·6	203	49	17	33	51	45	8	.	1	1	.	.	2	.	1	1	6	27	9	49	4	108
	CLASSES.	(Estimated.)																							
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	33·3	10	.	.	.	6	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	8
II.	MIDDLE CLASS,	80,653	25·2	39	8	7	5	10	8	1	.	.	.	.	.	1	.	1	.	2	6	3	7	.	21
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	19·1	36	10	1	9	11	5	.	.	.	.	.	.	.	.	.	1	1	5	2	10	.	18
IV.	GENERAL SERVICE CLASS,	146,486	40·6	80	28	8	12	16	13	3	.	1	1	.	.	1	.	.	.	3	11	4	18	4	40
V.	INMATES OF WORKHOUSES,	5,191		38	3	1	7	8	16	3	.	.	.	.	.	.	.	.	.	.	4	.	13	.	21
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	35·8	4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	26·3	13	3	.	1	2	6	1	.	.	.	.	.	.	.	.	.	.	1	.	4	.	3
	6. Clerks and Commercial Assistants,	24,750	33·7	16	2	5	3	6	.	.	.	.	.	.	.	.	.	1	.	1	4	2	2	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	1	2	1	.	2	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	7·1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	9. Building and Furnishing Trades,	26,030	12·0	6	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	1
	10. Clothing Trades,	28,686	19·8	9	1	.	2	2	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	7
	11. Food Supply Trades,	7,869	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	35·2	18	4	1	5	8	.	.	.	.	.	.	.	.	.	.	1	1	1	1	5	.	10
	13. Petty Shopkeepers,	6,771	7.7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	34·5	9	2	1	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	3	1	5
	15. Domestic Servants,	89,568	13·2	10	1	2	2	5	.	.	.	.	.	.	.	1	.	.	.	1	2	.	5	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	4·9	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	17. Hawkers, Porters, Labourers, &c.,	82,631	37·9	60	25	5	8	11	10	1	.	1	1	.	.	.	.	.	.	2	8	4	10	3	33
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	38	3	1	7	8	16	3	.	.	.	.	.	.	.	.	.	.	4	.	13	.	21

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,383.	Feb. 15,	31·8	.	17	.	.	.	.	.	.	.	.	.	3	5	.
		„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	8	1
		Mar. 1,	36·8	1·8	20	.	.	.	.	.	.	.	.	1	.	5	1
		„ 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	3	6	1
		„ 15,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	2	4	.
		„ 22,	28·9	.	18	.	.	.	.	.	.	.	.	.	3	1	2
		„ 29,	33·1	5·4	18	.	.	1	.	2	.	.	.	.	3	7	.
		Apl. 5,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 32,146.	Feb. 15,	36·0	4·0	27	.	.	1	.	.	.	.	1	1	4	7	.
		„ 22,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	.	8	1
		Mar. 1,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	10	1
		„ 8,	29·3	1·3	22	.	.	.	.	.	.	.	1	.	3	9	.
		„ 15,	16·0	.	12	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	30·6	1·3	23	.	.	1	.	.	.	.	.	.	3	5	2
		„ 29,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		Apl. 5,	28·0	.	21	.	.	.	.	.	.	.	.	.	3	4	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Feb. 15,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	4	1
		„ 22,	39·8	1·7	23	.	.	.	.	1	.	.	.	.	3	8	1
		Mar. 1,	41·6	3·5	24	.	.	.	.	1	.	.	1	.	5	7	1
		„ 8,	34·6	.	20	.	.	.	.	.	.	.	.	.	3	8	.
		„ 15,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	7	.
		„ 22,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	6	1
		„ 29,	32·9	.	19	.	.	.	.	.	.	.	.	.	5	4	.
		Apl. 5,	26·0	3·5	15	.	.	.	.	.	1	.	1	.	3	1	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Feb. 15,	32·9	3·3	20	.	.	.	.	1	.	.	.	1	5	4	1
		„ 22,	26·3	.	16	.	.	.	.	.	.	.	.	.	1	5	.
		Mar. 1,	23·0	4·9	14	.	.	1	.	1	.	.	.	1	1	4	.
		„ 8,	32·9	1·6	20	.	.	.	.	.	1	.	.	.	4	6	.
		„ 15,	32·9	3·3	20	.	.	2	.	.	.	.	.	.	3	6	.
		„ 22,	24·7	1·6	15	.	.	.	.	.	.	.	1	.	4	1	1
		„ 29,	28·0	1·6	17	.	.	1	.	.	.	.	.	.	3	1	.
		Apl. 5,	31·3	.	19	.	.	.	.	.	.	.	.	.	.	9	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Feb. 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		„ 22,	41·3	1·3	31	.	.	.	.	.	1	.	.	.	6	9	.
		Mar. 1,	22·6	1·3	17	.	.	.	.	.	.	.	.	1	2	5	.
		„ 8,	36·0	.	27	.	.	.	.	.	.	.	.	.	5	7	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	.
		„ 22,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	3	2	2
		„ 29,	34·6	1·3	26	.	.	.	.	.	.	.	1	.	4	5	.
		Apl. 5,	24·0	.	18	.	.	.	.	.	.	.	.	.	3	3	3
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Feb. 15,	48·8	3·0	16	.	.	.	.	1	.	.	.	.	2	5	2
		„ 22,	51·8	.	17	.	.	.	.	.	.	.	.	.	2	5	1
		Mar. 1,	24·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
		„ 8,	51·8	3·0	17	.	.	.	.	.	1	.	.	.	4	4	1
		„ 15,	18·3	.	6	.	.	.	.	.	.	.	.	.	.	5	.
		„ 22,	27·4	.	9	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	39·6	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		Apl. 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	3	3	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Feb. 15,	27·5	.	22	.	.	.	.	.	.	.	.	.	3	7	.
		„ 22,	26·2	1·2	21	.	.	.	.	.	.	.	.	1	1	8	.
		Mar. 1,	46·2	5·7	37	.	1	.	.	2	.	.	.	.	4	20	1
		„ 8,	21·2	.	17	.	.	.	.	.	.	.	.	.	5	3	1
		„ 15,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	6	.
		„ 22,	23·7	.	19	.	.	.	.	.	.	.	.	.	5	6	.
		„ 29,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	10	.
		Apl. 5,	33·7	.	27	.	.	1	.	.	.	.	.	.	3	10	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,898.	Feb. 15,	23·9	.	16	.	.	.	.	.	.	.	.	.	3	4	2
		„ 22,	44·8	1·5	30	.	.	.	.	.	.	.	1	.	4	6	.
		Mar. 1,	31·4	.	21	.	.	.	.	.	.	.	.	.	5	6	.
		„ 8,	29·9	3·0	20	.	.	1	.	.	.	.	.	1	6	5	.
		„ 15,	28·4	.	19	.	.	.	.	.	.	.	.	.	2	4	.
		„ 22,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	3	2	.
		„ 29,	35·9	1·5	24	.	.	.	.	.	.	.	1	.	5	6	.
		Apl. 5,	29·9	1·5	20	.	.	.	.	.	.	.	.	1	4	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from the principal Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 38,903.	Feb. 15,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	,, 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	Mar. 1,	26·7	.	17	.	.	.	.	.	.	.	.	.	3	5	.
	,, 8,	12·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	,, 15,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	,, 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	,, 29,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	Apl. 5,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Feb. 15,	20·0	8·0	10	.	3	.	.	1	.	.	.	.	.	1	.
	,, 22,	44·0	8·0	22	.	3	.	.	1	.	.	.	.	3	7	.
	Mar. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	4	.
	,, 8,	48·1	12·0	24	.	6	.	.	.	.	.	.	.	1	5	.
	,, 15,	20·0	10·0	10	.	4	.	.	.	.	.	.	1	.	2	.
	,, 22,	18·0	4·0	9	.	1	.	.	1	.	.	.	.	2	2	.
	,, 29,	30·1	2·0	15	.	1	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	32·1	2·0	16	.	1	.	.	.	.	.	.	.	1	5	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Feb. 15,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	,, 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	2	2
	Mar. 1,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	,, 8,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	5	.
	,, 15,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	,, 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	,, 29,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	47·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.
Belfast. Pop. in 1902 (Est.) 358,693.	Feb. 15,	24·6	2·0	169	.	2	.	.	5	2	.	3	2	33	58	1
	,, 22,	29·8	2·2	205	.	2	.	.	4	1	.	4	4	25	55	15
	Mar. 1,	27·3	1·0	188	.	2	.	.	1	1	.	2	1	28	58	16
	,, 8,	19·8	0·3	136	.	1	.	.	.	1	.	.	.	24	38	4
	,, 15,	23·4	1·2	161	.	.	.	.	3	.	.	2	3	18	53	8
	,, 22,	22·4	1·5	154	.	2	.	.	5	1	.	1	1	19	50	4
	,, 29,	22·0	1·5	151	.	1	.	.	6	1	.	.	2	30	44	2
	Apl. 5,	23·0	2·3	158	.	2	.	.	5	2	1	5	1	30	36	.
Cork. Pop (in 1901) 75,978.	Feb. 15,	36·4	0·7	53	.	.	1	.	.	.	.	.	.	10	16	2
	,, 22,	30·9	0·7	45	.	.	.	.	1	.	.	.	.	6	10	.
	Mar. 1,	31·6	2·1	46	.	.	.	.	2	.	.	1	.	11	14	.
	,, 8,	32·3	2·7	47	.	.	1	.	1	.	.	2	.	7	14	.
	,, 15,	25·4	2·1	37	.	.	.	.	2	.	.	.	1	5	8	.
	,, 22,	24·0	2·1	35	.	.	.	.	3	.	.	.	.	6	4	1
	,, 29,	27·5	.	40	.	.	.	.	.	.	.	.	.	7	4	2
	Apl. 5,	28·1	.	41	.	.	.	.	.	.	.	.	.	6	9	1
Londonderry. Pop. in 1902 (Est.) 40,729.	Feb. 15,	20·5	.	16	.	.	.	.	.	.	.	.	.	4	5	.
	,, 22,	29·4	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	Mar. 1,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	,, 8,	24·3	1·3	19	.	.	.	.	.	.	.	.	1	2	.	.
	,, 15,	32·0	.	25	.	.	.	.	.	.	.	.	.	5	5	.
	,, 22,	19·2	1·3	15	.	.	.	.	.	.	.	.	1	.	7	1
	,, 29,	14·1	5.1	11	.	1	.	.	1	.	.	.	2	2	2	.
	Apl. 5,	21·8	3·8	17	.	1	.	.	.	.	.	.	2	3	1	1
Limerick. Pop. in 1901) 38,085.	Feb. 15,	23·3	.	17	.	.	.	.	.	.	.	.	.	2	3	.
	,, 22,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 1,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	.
	,, 8,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	,, 15,	15·1	.	11	.	.	.	.	.	.	.	.	.	1	6	.
	,, 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	3	5	1
	,, 29,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Apl. 5,	42·4	.	31	.	.	.	.	.	.	.	.	.	3	10	.
Waterford. Pop. (in 1901) 26,743.	Feb. 15,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	,, 22,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Mar. 1,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	,, 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	,, 15,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	,, 22,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	,, 29,	25·3	1.1	13	.	.	.	.	.	.	.	.	1	3	3	1
	Apl. 5,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK re istered during the week ended 5th April, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT		5	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		10	.	.	6	4	.	.	.	.	.	.	.	2	.	3	3	.	1	3
" 2 "		27			13	.	1	7	5	.	.	.	.	.	.	.	.	.	1	3	.	1	3
" 3 "		47			20	5	5	7	3	.	.	.	.	.	1	.	.	1	.	8	.	.	3
" 4 "		35			19	2	4	10	3	.	.	.	.	3	.	.	.	.	2	3	.	2	5
" 5 "		12			4	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
" 6 "		27			29	6	2	14	7	.	.	.	.	2	.	1	.	.	9	7	.	2	3
" 7 "	358,693	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		4			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "		18			10	1	.	9	.	.	.	.	.	.	.	.	.	.	4	2	.	.	2
" 10 "		15			12	3	.	5	4	.	.	.	.	.	1	.	.	.	3	3	.	.	.
" 11 "		29			14	1	3	4	6	.	1	.	.	.	.	.	1	.	2	2	.	.	9
" 12 "		29			15	3	3	7	2	.	1	.	.	.	.	.	.	.	3	3	.	.	3
" 13 "		16			11	4	2	3	2	.	.	.	.	.	.	.	2	.	1	2	.	1	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	265	23·0	2·3	158	25	22	75	36	.	2	.	.	5	2	1	5	1	30	36	.	7	32
City of Cork.																							
CORK URBAN, No. 1 DISTRICT		7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		12	1	.	6	5	.	.	.	.	.	.	.	.	.	2	2	1	1	7
" 2 "		4			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 3 "		5			6	1	2	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	3
" 4 "	75,978	4			4	.	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.
" 5 "		1			2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
		12			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		8			14	2	1	5	6	.	.	.	.	.	.	.	.	.	2	3	.	3	5
Total,	—	41	28·1	.	41	4	4	17	16	.	.	.	.	.	.	.	.	.	6	9	1	4	15

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901–2—Week ending																									
	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered,	216	205	193	195	195	186	206	195	186	193	199	156	237	195	187	212	188	189	201	246	207	277	226	239	175	265
DEATHS registered.	132	121	103	153	112	131	145	181	129	141	144	150	143	125	126	151	130	123	169	205	188	186	161	154	151	158
Annual Death-rate per 1,000 of estimated Population,*	.	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·2	23·4	22·4	22·0	23·0
AGES, Under 1 year,	37	24	20	23	23	23	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25
AGES, 1–5 years,	7	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22
AGES, 5–60 years,	55	60	46	82	53	59	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68	74	75
AGES, 60 years and upwards,	33	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2
,, Scarlet Fever,	.	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	1	2	3	.	2	2	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5
Diphtheria,	1	3	.	3	1	4	1	1	4	1	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1
,, Enteric Fever,	11	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5
,, Diarrhœa, Dysentery,	3	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1
,, Phthisis	9	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28	21	18	19	30	30
,, Diseases of Respiratory System,	24	17	15	23	36	33	40	28	38	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50	44	36
Violent Deaths,	2	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th April, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken Pox.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 1, West,	.	.	.	.	.	.	.	.	.	3	2	.	1	6
" " 2,	.	3	.	.	.	.	.	.	1	1	1	.	.	6
" " 3,	.	.	.	1	.	.	.	.	1	1	3	.	5	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1,	.	1	.	1	.	.	1	.	.	.	12	.	2	17
" " 2,	.	.	.	.	.	.	.	.	4	1	7	.	.	12
" " 3,	.	9	1	5	.	.	.	.	.	.	1	.	1	17
" " 4,	.	5	.	3	.	.	.	.	.	.	.	.	.	8
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	18	1	11	.	.	1	.	6	7	26	.	10	80
Total for week ended Mar. 29th, 1902,	.	13	.	3	.	.	2	.	4	6	26	.	13	67
Total for week ended Mar. 22nd, 1902,	.	11	.	5	.	.	4	.	2	7	15	.	10	54
Total for week ended Mar. 15th, 1902,	.	15	.	7	.	.	3	.	6	8	22	.	7	68

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th April, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of Week ended			Week ended 5th April.			
	Mar. 15.	Mar. 22.	Mar. 29.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	2	1	1	.	.	.	1*
Measles,	21	20	18	9	9	.	18
Scarlet Fever,	78	70	58	10	8	1	59
Typhus "	1	1	1	.	1	.	.
Diphtheria,	26	23	19	5	4	1	19
Enteric Fever,	49	40	33	5	10	.	28
Pneumonia,	22	26	27	5	7	.	25

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XL.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	April 5,	2,611	1,571	17·9	54	73	10	22	35	2	16
EDINBURGH, .	317,885	„ 5,	183	122	19·6	.	.	.	1	2	1	1
GLASGOW, . .	764,423	„ 5,	552	326	21·9	2	5	3	3	7	2	9
CALCUTTA, .	847,796	Feb. 1,	.	554	33·9	1	.	.	.	.	117§	112*
BOMBAY, . .	776,006	„ 18,	267	1,516	101·6	8	1	?	?	2	186§	77*
MADRAS, .	509,346	„ 7,	253	507	51·7	2	9	?	?	?	176§	88*
PARIS, . . .	2,660,559	Mar. 15,	1,112	1,134	23·4	7	12	2	20†	2	9	39
BRUSSELS (with 8 Faubourgs).	582,665	„ 15,	264	185	16·5	.	1	.	1†	1	1	6
AMSTERDAM, .	532,871	„ 15,	330	165	16·2	.	11	.	3	2	.	4
ROTTERDAM, .	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	400,570	Mar. 22,	181	116	17·2	.	.	.	1	9	.	6
CHRISTIANIA, .	228,929	„ 15,	146	68	15·1	.	.	.	.	1	1	2
ST. PETERSBURG,	1,248,643	„ 22,	677	636	26·5	.	7	11	24	6	16	60
BERLIN, . .	1,906,995	Mar. 1,	971	621	17	.	8	5	9	13	.	32
HAMBURG, . .	724,835	Mar. 15,	.	225	16·1	.	1	4	5†	6	1	5
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	500,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,709,211	Mar. 8,	1,125	720	21·9	.	27	6	9†	4	2	42
BUDA-PESTH, .	767,661	„ 8,	502	283	19·2	.	2	2	3	3	2	9
PRAGUE and Faubourgs.	413,756	„ 15,	216	193	24·9	.	6	4	5†	1	.	14
ROME, . . .	472,298	Feb. 8,	248	204	22·5	.	6	.	1	.	2	10
TURIN, .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	165,350	Mar. 8,	81	80	25·1	.	2	.	1†	.	1	5
NEW YORK, .	3,632,501	„ 22,	1,582	1,447‡	20·8	13	37	25	51†	16	6	36
PHILADELPHIA, .	1,293,697	Mar. 8,	.	508	20·4	11	4	1	11	.	12	3

* Including 47 deaths from cholera in Calcutta, 6 in Bombay, and 4 in Madras.
† Including deaths from croup.
§ Exclusive of 82 deaths from bubonic fever in Calcutta, and 663 in Bombay
‡ Deaths of infants under 1 week not included.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 5th April, 1902:—

"Another week of changeable, unsettled weather has to be recorded. Except on Monday also temperature was low for the time of year, a peculiar 'dip' occurring on Thursday, when there were frequent showers of hail, sleet, and snow. Early on Sunday (Easter Day) a very shallow depression formed over Ireland, causing S.E. winds, low temperature and steady light rain at first, but later on a warm S.W. breeze. Monday was at first fine and genial, the thermometer running up to 57° in the screen, but the weather became dull and damp in the afternoon. On Tuesday, April 1, a spell of cold weather set in, which lasted to the end of the week. The day named was, however, fine and bracing, and so also was Wednesday, when much bright sunshine prevailed. On Thursday the weather became very inclement as a barometrical depression moved south-eastwards down the North Sea, and became deeper as it travelled. Strong squalls from W. and N.W. prevailed over the British Isles and hail and sleet fell in most districts. The showers were especially heavy in and around Dublin, snow falling in large flakes at 6 p.m. Friday was fine, but the sky became overcast with a sheet of cirriform cloud in the afternoon. This proved to be the prelude to a severe rainstorm on Friday night and Saturday morning. The week closed with clear, cold weather. In Dublin the mean height of the barometer was 29·813 inches, pressure ranging between 29·615 inches at 9 a.m. of Tuesday (wind, W.N.W.), and 29·615 inches at 4 p.m. of Thursday (wind, N.W.), and 29·995 inches at 9 p.m. of Saturday (wind, N.W.). The corrected mean temperature was 45·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·8.° The screened thermometer rose to 57·0° on Monday, and fell to 35·0° on Wednesday. Bright sunshine was estimated at 32 hours. Rain fell on six days to the amount of ·884 inch, ·597 inch being registered on Friday. The prevailing wind was W.N.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·811 inches. The highest reading (29·994) was on Saturday at 9 a.m., air calm, and the lowest (29·611) on Tuesday at 9 a.m., wind W.

The mean temperature for the week was 43·5°, being 1·6° below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Monday, on which day the thermometer registered 56·1°, and was lowest on Wednesday, the mercury having fallen to 32·3°. The mean of the Dry Bulb for the week was 42·2°, and of the Wet Bulb 40·3°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·5 hours. The rainfall measured ·760 inch.

At Greenwich the mean temperature for the week was 45·3°, the maximum 60·5°, and the minimum 34·5°; at Glasgow the maximum was 53·8°, the minimum 32·8°, and the mean 43·0°; and at Edinburgh the maximum was 51·6°; the minimum 29·9°, and the mean 40·4°. The rainfall at Greenwich measured 0·15 inch; at Glasgow 0·19 inch; and at Edinburgh 0·37 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, March 30,	29·892	51·8	35·7	43·8	45·2	44·2	·93	·6	0·0	·015	E.	W
Monday, „ 31,	29·731	56·1	46·2	51·2	50·1	47·1	·80	·6	2·9	·110	W.	W.S.W
Tuesday, April 1,	29·686	50·8	38·6	44·7	41·3	33·9	·81	·5	6·1	—	W.	N.W.
Wednesday, „ 2,	29·851	50·8	32.3	41·6	40·1	39·1	·78	·3	5·7	·005	W.	S.W.
Thursday, „ 3,	29·708	49·6	33·3	41·5	33·5	36·4	·82	·4	6·5	·105	S.W.	W.
Friday, „ 4,	29·904	49·8	33·2	41·5	42·4	39·4	·82	·8	5·7	·510	W.	S.W.
Saturday, „ 5,	29·907	46·3	33·8	40·1	33·1	37·3	·90	·4	3·6	·015	N.E.	Calm.
Mean . .	29·811	50·7	36·2	43·5	42·2	40·3	·84	·5	Total 30·5	·760	Prevailing Wind W.	

Sunday—A dull day; rain 9 to 10 am., and 1 to 3 p.m.; night overcast p.m, cloudy a.m. *Monday*—Cloudy a.m., dull, p.m.; rain 1 to 5 p.m.; night overcast and light showers. *Tuesday*—A cloudy day from 10 a.m.; night clear to 6 a.m. *Wednesday*—A fine but cloudy day; night cloudy, showers 6.15 to 7 30 a.m. *Thursday*—A cloudy day; rain, snow and hail showers 1 to 7 p.m.; night cloudy. *Friday*—A cloudy day; rain 7.30 p.m. to 9 a.m.; night overcast and wet. *Saturday*—Dull a.m., cloudy, p.m.; rain 9 to 10 a.m., and showery to 2 p.m.; night clear p.m., cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL XXXIX.] WEEK ENDING SATURDAY, 12TH APRIL, 1902. [No. 15.

General Register Office, Charlemont House, Dublin, 14*th April,* 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 22.	Week ending Mar. 29.	Week ending April 5.	Week ending April 12.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 22.	Week ending Mar. 29.	Week ending April 5.	Week ending April 12.	Average Rate for 4 weeks
22 Town Dists.	22·3	23·7	26·6	24·2	24·2	Lisburn, . .	41·0	18·2	27·3	27·3	28·4
Armagh, . .	13·8	20·7	13·8	6·9	13·8	Londonderry, .	19·2	14·1	21·8	17·9	18·3
Ballymena, .	4·8	24·0	28·8	43·1	25·2	Lurgan, . .	26·6	22·1	31·0	13·3	23·3
Belfast, . .	22·4	22·0	23·0	24·4	23·0	Newry, . .	24·9	8·3	24·9	33·1	22·8
Clonmel, . .	15·3	20·4	5·1	15·3	14·0	Newtownards, .	51·5	17·2	40·1	28·6	34·3
Cork, . . .	24·0	27·5	28·1	19·2	24·7	Portadown, .	31·1	10·4	41·5	46·7	32·4
Drogheda, . .	12·3	16·3	20·4	40·8	22·5	Queenstown, .	6·6	19·8	46·3	0·0	18·2
Dublin Reg. Area,	22·4	27·5	26·8	26·7	25·8	Sligo, .	52·8	28·8	24·0	14·4	30·0
Dundalk, . .	8·0	23·9	16·0	23·9	18·0	Tralee, . .	21·3	26·6	85·0	42·5	43·8
Galway, . .	38·9	27·2	46·6	7·8	30·1	Waterford, .	9·7	25·3	25·3	19·5	20·0
Kilkenny, . .	9·9	44·7	19·9	14·9	22·4	Wexford, . .	23·4	14·0	28·0	18·7	21·0
Limerick, . .	20·5	15·1	42·4	19·2	24·3						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in seventeen of the districts to 5·3 in Tralee. Amongst the 168 deaths from all causes registered in Belfast are, 4 from measles, 6 from whooping-cough, one from enteric fever, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 237—124 boys and 113 girls; and the deaths to 206—102 males and 104 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 28·3 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, the rate was 26·7 per 1,000. During the fifteen weeks ending with Saturday last the death-rate averaged 26·8, and was 4·8 under the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

The 206 deaths include 3 from measles, 1 from diphtheria, 2 from whooping-cough, 2 from enteric fever, 1 from cerebro-spinal fever, 1 from influenza, and 4 deaths from diarrhœal diseases; also 41 deaths from tuberculous diseases, which were certified as follows:—From tuberculous phthisis, 1 death; from phthisis*, 26 deaths; from tuberculous meningitis, 5 deaths; from tuberculous peritonitis, 1 death; from tabes mesenterica*, 1 death; and from other forms of tuberculous disease, 7 deaths. There were 4 deaths from cancer*, malignant disease*, 1 from carcinoma, and 1 from sarcoma.

Among the local diseases, those of the nervous system caused 17 deaths, of these 11 were due to convulsions (5 of this number were infants under 1 month, 3 between the age of 1 month and 1 year, and 3 between the ages of 1 year and 5 years). Diseases of the heart and blood vessels caused 8 deaths, including 4 tabulated under the heading apoplexy, hemiplegia.

Diseases of the respiratory system caused 44 deaths, of these 27 were attributed to bronchitis, 3 to broncho-pneumonia, and 11 to pneumonia*, and 3 to pleurisy. The rate for this group was 6·1 per 1,000, the average rate for the corresponding period of the past 10 years being 6·0 per 1,000. There were 8 deaths due to accident including 3 which were caused by a leakage of gas.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under five years of age (including 5 infants under one year old), and the deaths of 6 persons aged 60 years and upwards.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 11 were under one month old), and 51 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 11 were octogenarians.

Ninety-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 28 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·7 per 1,000; the rate in the City was 27·9 (29·5 on the North side, and 26·2 on the South), and in the Urban Districts 22·5

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·4 (0·7 in the North City Districts, and 2·2 in the South) and for the Urban Districts 1·3 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. Phthisis caused 4 deaths, and diseases of the respiratory system 4 deaths, including 1 from pneumonia. There was one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. Enteric fever caused 1 death, phthisis caused 4 deaths, and diseases of the respiratory system 7 deaths, including 2 from pneumonia.

No. 2 North City District (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·9 per 1,000. Phthisis caused 1 death, and diseases of the respiratory system caused 6 deaths, including 4 from pneumonia.

No. 3 North City District (Blackhall-place).—The deaths (27) represent an annual rate of 44·4 per 1,000. Whooping-cough caused 1 death, phthisis caused 1 death, and diseases of the respiratory system caused 6 deaths, including 1 from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 0·0 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 32·0 per 1,000. Whooping cough caused 1 death, enteric fever and diarrhœa each caused 1 death, phthisis caused 3 deaths, and diseases of the respiratory system 4 deaths. There were 3 deaths caused by an accidental leakage of gas.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 21·3 per 1,000. Phthisis caused 1 death. There was 1 death from pneumonia, and 1 from accident.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·7 per 1,000. There was 1 death from diarrhœa, 4 from phthisis, and 7 from diseases of the respiratory system, including 2 from pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·9 per 1,000. Measles and diarrhœa each caused 1 death. Two deaths were due to phthisis, and 2 to diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 21·4 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 17·3 per 1,000 inhabitants; Pembroke, 24·0; Blackrock, 17·9; and Kingstown, 32·5. The deaths from certain epidemic diseases tabulated for these districts include 2 from measles for Pembroke, and 1 from diarrhœa for Kingstown. Among the 11 deaths from all causes tabulated for Rathmines are 3 from phthisis, 3 from diseases of the heart and blood-vessels, and 2 from diseases of the respiratory system. Of the 12 deaths tabulated for Pembroke one was from phthisis, 2 from diseases of the heart and blood vessels, and 1 from pneumonia; and the 11 deaths from all causes for Kingstown include 1 from phthisis, 2 from diseases of the heart and blood-vessels, and 1 from pneumonia.

---

* See Table III.
† See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	22nd March,	54 cases.
,, ,,	29th March,	67 cases.
,, ,,	5th April,	80 cases.
,, ,,	12th April,	70 cases.

Of the 70 cases notified, 19 were erysipelas, 16 enteric fever, 8 scarlatina, 14 measles, 9 chicken-pox, and 4 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	22nd March,	4 cases.
,, ,,	29th March,	1 case.
,, ,,	5th April,	1 case.
,, ,,	12th April,	3 cases.

Of the 3 cases notified, 2 were scarlet fever, and one was diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	22nd March,	9 cases.
,, ,,	29th March,	29 cases.
,, ,,	5th April,	10 cases.
,, ,,	12th April,	33 cases.

Of the 33 cases notified, 17 were measles, 13 whooping-cough, one diphtheria, and 2 scarlet fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	22nd March,	49 cases.
,, ,,	29th March,	42 cases.
,, ,,	5th April,	39 cases.
,, ,,	12th April,	38 cases.

Of the 38 cases notified, 9 were enteric fever, 7 erysipelas, 5 diphtheria, 12 continued fever, 2 membranous croup, and 2 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th April, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Four cases of measles were admitted to hospital, 3 were discharged, there was one death, and 18 cases remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, 5 cases were discharged, and 30 cases remained under treatment at the close of the week.

Twelve cases of scarlatina were admitted to hospital, 7 cases were discharged, and 64 cases remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 6 cases were discharged, there was one death, and 20 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 4 patients were discharged, there were 2 deaths, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·3), was equal to an average annual death-rate of 17·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·1 per 1,000, the rate for Glasgow being 22·7, and for Edinburgh 20·1.

* See note (*) on page. 246

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th April, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 12th April, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,322	18·7	31·6	24·2	1·2	662	508	82	137	.	7	.	.	8	1	1	4	6	74	115	9	19	159
Dublin Registration Area:—																							
Total,‡	379,068	27·8	32·6	26·7	1·5	287	194	34	47	.	3	.	.		.	.	2	4	26	44	6	6	83
Registrars' Districts. City	298,394	37·8	35·5	27·9	1·4	200	157	31	36	.	1	.	.	2	.	.	2	3	21	39	5	5	75
Rathmines,‖	33,208	19·4	18·8	17·3	.	12	11	1	4	.	.	.	.	.	.	.	.	.	3	2	.	.	2
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	20·0	24·0	4·0	10	12	1	3	.	2	.	.	.	.	.	.	.	1	1	.	..	2
Blackrock,‖	8,759	8·1	6·0	17·9	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Kingstown, 1 & 2,‖	17,622	12·1	41·4	32·5	3·0	14	11	1	3	.	.	.	.	.	.	.	.	1	1	1	1	1	3
Urban Districts																							
Belfast,	358,693	21·8	31·4	24·4	1·9	216	168	25	42	.	4	.	.	6	.	.	1	2	26	40	3	9	39
Cork,	75,978	33·5	28·1	19·2	.	41	28	3	6	.	.	.	.	.	.	.	.	.	7	3	.	1	11
Londonderry,	40,729	18·8	47·4	17·9	1·3	37	14	1	6	.	.	.	.	.	1	.	.	.	2	5	.	.	4
Limerick,	38,085	18·4	21·9	19·2	.	16	14	2	5	.	.	.	.	.	.	.	.	.	1	3	.	1	3
Waterford	26,748	18·6	11·7	19·5	.	6	10	3	4	.	.	.	.	.	.	.	.	.	.	1	.	1	5
Galway,	18,414	9·5	42·8	7·8	.	11	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Dundalk	18,067	9·4	27·9	23·9	.	7	6	3	2	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Drogheda	12,765	8·1	32·7	40·8	.	8	10	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	3
Newry,	12,587	17·9	33·1	33·1	.	8	8	1	4	.	.	.	.	.	.	.	.	.	.	3	.	.	.
Lurgan,	11,777	18·8	62·0	18·3	.	14	3	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Lisburn,	11,459	19·1	31·9	27·3	.	7	6	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Wexford,	11,154	23·2	51·4	18·7	.	11	4	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Ballymena	10,880	10·9	33·5	43·1	4·8	7	9	.	5	.	.	.	.	.	.	.	1	.	1	1	.	.	.
Sligo,	10,862	8·6	33·6	24·4	.	7	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny,	10,493	11·4	14·9	14·9	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,209	7·9	.	15·3	.	.	3	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	2
Portadown	10,046	18·1	36·3	46·7		7	9	4	.	.	.	.	.	.	.	.	.	.	1	5	.	1	.
Tralee,	9,812	16·7	37·2	42·5	5·3	7	8	1	3	.	.	.	.	.	.	1	.	.	3	.	.	.	3
Newtownards,	9,110	18·9	34·3	28·6	.	6	5	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Queenstown,	7,887	14·7	13·2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,569	22·1	27·6	6·9	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 12th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th Mar., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§50·7	25·7	38·4	0·05	§56·1	32·3	43·5	0·76	§56·4	27·9	43·5	0·79
City	a51·8 b52·8	33·0 29·0	41·8 39·5	0·12 0·12	a57·0 b56·4	35·0 32·0	45·0 43·8	0·88 0·85	a57·4 b57·8	32·8 28·6	45·3 43·9	0·90 0·94
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	52·0	33·5	42·9	0·00	55	36	44·9	0·88	56·0	33·5	46·1	0·96
Urban Districts												
Belfast,	52·5	27·5	42·1	0·07	55·0	33·0	44·3	0·24	52·0	28·8	40·9	0·31
Cork,	52	35	43·1	0·23	59·0	35·0	46·7	0·87	59	35	46·0	0·95
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	55	29	43	0·16	56	29	46	1·08	58	33	46	1·04
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	53·0	29·0	41·0	0·37	53·1	33·0	43·4	0·52	57·9	28·2	42·6	0·66
Lurgan,	53·0	29·0	41·0	0·37	53·1	33·0	43·4	0·52	57·9	28·2	42·6	0·66
Lisburn,	53·0	29·0	41·0	0·37	53·1	33·0	43·4	0·52	57·9	28·2	42·6	0·66
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	56·3	27·9	42·1	0·14	53·2	38·7	43·6	0·97	56·4	29·9	42·0	1·00
Kilkenny,	51	32	42	0·16	55	30	43·4	0·57	57	29	44·6	1·37
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	53·0	29·0	41·0	0·37	53·1	33·0	43·4	0·52	57·9	28·2	42·6	0·66
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	49	32	41·5	0·30	55	34	43·3	0·39	55	29	40·9	0·75
Queenstown,	52	35	43·1	0·23	59	35	46·7	0·37	59	35	46·0	0·95
Armagh,	53·0	29·0	41·0	0·37	53·1	33·0	43·4	0·52	57·9	28·2	42·6	0·66

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry the Population given is tha estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 13 deaths of persons, including 4 at 60 years or upwards admitted to hospital from localities outside the area.

§ Observations by Sir J. W. Moore, Superintendent, Meteorological Office, Phœnix Park.

‖ The Urban District

a Observations by Sir J. W. Moore taken at Fitzwilliam Square.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 12th of April, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumgonera, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Pallmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
A. GENERAL DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	3	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	1	4	.
Phthisis,	4	4	1	1	.	1	.	.	3	1	4	2	.	.	.	3	1	.	1	26	1
Other General Diseases,	2	1	4	4	.	1	.	.	2	.	3	4	.	1	.	1	2	1	2	28	5
Total,	6	6	5	6	.	2	.	.	8	1	8	8	.	1	.	4	5	1	4	65	7
B. LOCAL DISEASES:																					
Diseases of Nervous System,	.	2	1	4	.	.	.	.	2	.	2	3	.	.	.	1	.	.	1	16	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Diseases of Heart and Blood Vessels,	.	3	1	1	.	.	.	.	2	.	2	1	.	.	.	3	2	.	2	17	1
Diseases of Respiratory System,	4	7	6	6	.	1	.	.	4	1	7	2	.	1	.	2	1	1	1	44	.
Diseases of Digestive System,	2	1	2	3	.	.	.	.	1	.	2	.	.	.	.	1	3	.	.	15	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Accidents of Childbirth,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3	.
Total,	7	14	11	18	.	1	.	.	9	2	13	6	.	2	.	7	7	2	5	104	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	2	1	3	3	.	.	.	.	4	3	2	.	.	.	.	.	.	.	1	19	.
E. VIOLENT DEATHS,	1	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	1	6	2
Deaths from all Causes,	16	21	19	27	.	3	.	.	24	7	23	14	.	3	.	11	12	3	11	194	12
Annual Rate of Mortality in every 1,000 of the population.	29·4	28·0	32·9	44·4	.	15·6	.	.	32·0	21·3	23·7	20·9	.	21·4	.	17·3	24·0	17·9	32·5	26·7	
	29·5								26·2							22·5					
	27·9																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	5	6	4	5	.	.	.	.	5	1	5	4	.	.	.	2	2	1	1	41	10
Workhouse Hospitals,	4	5	7	12	.	.	.	.	4	2	6	.	.	.	.	.	.	.	2	42	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1892-19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday April 16, 1892.	April 15, 1893.	April 14, 1894	April 13, 1895.	April 11, 1896.	April 17, 1897.	April 16, 1898.	April 15, 1899.	April 14, 1900	April 13, 1901.	Averages in 15th Week of the 10 years 1892-1901.	In the Week ending Saturday 12th April, 1902. Deaths of Persons of the Ages ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	° 39·5	° 43·4	° 51·2	° 46·6	° 49·8	° 45·1	° 46·9	° 42·8	° 46·9	° 44·3	45·7	Mean Temp ° 38·4							
ALL CAUSES.	205	144	175	196	170	189	182	224	230	242	195·7	206	11	23	22	16	42	41	40
Small Pox, Vaccinated, ...	.	.	.	2	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	14	2	1	.	.	15	.	.	2	.	3·4	3	.	.	2	1	.	.	.
Scarlet Fever, ...	.	1	.	.	2	2	2	.	.	2	·9	.	.	.	.	.	.	.	.
Typhus, ...	2	1	.	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	3	26	3	1	9	15	6	14	8·0	1	.	.	.	.	.	1	.
Whooping. Cough, ...	5	3	2	1	1	14	3	4	1	8	4·2	2	.	1	1	.	.	.	.
Diphtheria, ...	2	.	.	.	1	2	2	2	2	.	1·1	1	.	.	.	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	4	2	3	2	1	1	3	4	2	2	2·4	2		.	.	1	1	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	2	2	3	1	4	2	.		1	3	1·8	.	.	.	.	.	.	.	.
												4	.	1	1	.	.	2	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	.	1	1	2	.	.	2	·6	1	.	.	1	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.		.	1	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
Tuberculous Phthisis, ... "*Phthisis*"	28	23	30	26	23	20	32	27	28	36	27·3	1	.	.	.	1	.	.	.
												26	.	.	1	3	17	5	.
Tuberculous Meningitis, (Acute Hydrocephalus).	.	.	4	2	3	6	8	7	4	1	3·5	5	.	1	1	2	1	.	.
Tuberculous Peritonitis ... *Tabes Mesenterica*, ...	5	3	6	6	3	5	3	7	9	7	5·4	1	.	.	.	1	.	.	.
												1	.	.	1	.	.	.	.
Tuberculous Dis. (other) ... Scrofula	5	5	1	4	1	6	5	4	5	4	4·0	7	.	.	3	.	3	1	.
												.	.	.	.	.	.	.	.
Alcoholism	1	.	2	1	1	2	.	1	.	1	·9	1	.	.	.	.	1	.	.
Rheumatic Fever	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.
Gout	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.

* The figures for the years 1892–1900 are

FIFTEENTH WEEK ending Saturday, 12th April, 1902, with the deaths from each cause in the corresponding
l the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: April 16, 1892.	April 15, 1893.	April 14, 1894.	April 13, 1895.	April 11, 1896.	April 17, 1897.	April 16, 1898.	April 15, 1899.	April 14, 1900.	April 13, 1901.	Averages in 15th Week of the 10 years 1892–1901.	In the Week ending Saturday, 12th April, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 39·5	° 43·4	° 51·2	° 46·6	° 49·8	° 45·1	° 46·9	° 42·8	° 46·9	° 44·3	45·7	° 38·4								
rcinoma												1	.	.	.	.	.	1	.	.
rcoma	3	2	5	2	7	3	6	5	4	11	4·8	1	.	.	.	.	1	.	.	.
alignant Dis. "Cancer,"												4	.	.	.	.	1	2	1	.
abetes Mellitus	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	1	.		.
emature Birth	.	2	1	2	2	1	1	4	5	5	2·3	1	1	.	.	.	.	.	.	.
eningitis (not tuberc.)												4	.	.	1	2	.	1	.	.
sanity, G. P. of Insane												1	.	.	.	.	.	.	1	.
pilepsy												.	.	.	.	.		.	.	.
nvulsions												11	5	3	3	.	.		.	.
coomotor Ataxy												1	.	.	.	.	.	1		
raplegia Dis. of Cord												.	.	.	.	.	.	.	.	.
rvous System (other Dis.) ...	44	33	38	29	34	38	33	54	43	46	39·2	.	.	.	.	.	.	.	.	.
lv. Dis., Endocarditis												5	.	.	.	.	.	2	2	1
rebr. Hæm. Thromb.												.	.	.	.	.	.	.	.	.
oplexy, Hemiplegia												4	.	.	.	.	1	1	1	1
eurysm												1	.	.	.	.	.	.	1	.
mbolism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.												8	.	1	.	1	.	1	3	2
oup (not Spasm or Memb.) ...	1	.	.	1	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
onchitis	26	19	25	31	18	25	19	29	35	39	26·6	27	1	4	2	.	2	6	11	1
oupous Pneumonia												.	.	.	.	.	.	.	.	.
oncho-Pneumonia	14	13	6	14	14	12	11	13	17	21	13·5	3	.	1	.	.	.	1	1	.
neumonia"												11	.	1	2	1	.	5	2	.
thma, Emphysema												.	.	.	.	.	.	.	.	.
urisy	4	3	2	1	2	.	2	1	.	1	1·6	3	.	.	.	.	1	2	.	.
spiratory Dis. (other)												.	.	.	.	.		.	.	.
nsillitis, Quinsy	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
teritis (not Epid.)	1	1	2	.	.	.	.	2	.	.	·6	.	.	.	.	.	.	.	.	.
stro Enteritis												1	.	1	.	.	.	.	.	.
ritonitis (not Puerp.)	1	.	.	1	1	.	2	1	1	2	·9	.	.	.	.	.	.	.	.	.
rhosis of Liver	1	2	2	3	10	2	3	4	.	2	2·9	.	.	.	.	.	.	.	.	.
er Dis. (other)												6	.	.	.	.	2	2	1	1
gestive Dis. (other)	2	3	2	3	1	1	2	5	2	4	2·5	9	.	1	1	.	1	2	3	1
phritis, Acute												2	.	.	.	.	.	.	2	.
ght's Dis., Albuminuria ...	2	2	5	3	3	2	4	5	4	2	3·2	2	.	.	.	.	.	.	.	.
inary Sys. (Other Dis.) ...												1	.	.	.	.	.	.	1	.
nerative Organs Dis.	.	1	.	1	.	2	.	1	.	.	·5	1	.	.	.	1	.	.	.	.
ildbirth (Accid. of)	.	.	.	1	1	.	.	1	2	1	·6	2	.	.	.	.	2	.	.	.
l Age	14	6	7	20	12	7	13	9	22	11	12·1	7	.	.	.	.	.	4	3	
ner Diseases	15	11	21	10	14	13	12	15	24	13	14·8	20	4	7	2	.	2	1	3	1
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Vehicles and Horses	2	.	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive f Drowning)	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Building Operations	.	.	.	.	.	1	1	.	.	.	·2	.		.	.	.	.	.	.	.
Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Burns, Scalds, Explosions ...	.	2	.	1	.	1	1	2	2	1	1·0	1	.	.	.	.	.	1	.	.
Drowning	.	.	.	1	1	1	1	.	1	1	·6	.	.	.	.	.	.	.	.	.
Suffocation in Bed	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	2	.	.	.
ner Deaths by Accidents ...	4	.	2	.	3	.	.	1	5	1	1·6	2	.	.	.	.	1	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
micide	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
icide	.	.	.	1	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901-2—Week ending																									
	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered,	229	235	141	192	144	162	216	187	164	144	83	279	204	208	215	152	222	177	248	193	220	239	198	229	199	237
*Average Births in corresponding week of previous 10 years,**	188	171	183	17	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207	207	225	179	190
DEATHS registered,	150	146	168	171	180	176	141	153	136	196	200	223	186	177	158	169	181	200	248	218	222	154	167	211	203	206
Annual Death-rate per 1,000,	20·9	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3
*Average Deaths in corresponding week of previous 10 years,**	161	17	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213	224	225	229	232	224	226	233	207	196
AGES, Under 5 years,	50	49	54	53	59	53	36	37	31	47	38	46	38	54	36	38	46	40	60	60	59	37	45	49	49	56
5—20 ,,	8	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12	22	17	20	17	16
20—40 ,,	22	24	13	23	31	26	20	28	16	35	31	39	35	19	27	31	36	34	37	30	29	23	32	39	33	42
40—60 ,,	26	34	40	36	31	32	30	38	39	54	53	63	41	2		43	39	47	55	43	46	35	40	52	51	41
60—80 ,,	34	29	36	34	35	38	32	32	31	33	55	57	48	44	37	36	36	49	70	52	67	28	26	43	45	40
80 years and upwards,	10	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3
,, Measles,	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.
,, Scarlet Fever,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3	2	5	.	.	1	2	.	2
,, Whooping-cough,	.	2	4	.	.	.	.	.	.	.	2	3	3	1		1	.	.	1	.	3	.	1	.	2	1
,, Diphtheria,	1	1	1	1	3	4	.		.																	
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	.	5	2	.	3	2	1	.	4	5	2		1	2	.	2	2			2	1	1	2	1	2
Diarrhœa, Dysentery,	5	4	9	2	2	2	4	3	.	2	3	4	1	2		.	1	2	2	3	1	1	1	.	1	4
Phthisis,	20	19	11	19	36	23	23	32	15	24	21	30	30	20	9	33	31	7	27	33	38	17	36	37	27	27
,, Heart Diseases,	15	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17	13	20	31	18
,, Diseases of Respiratory System,	21	27	29	34	26	35	22	25	33	32	46	57	34	3	35		36	48	82	73	65	41	30	53	49	44
Violent Deaths,	4	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8
Mean Temperature of the Air (Phœnix Park),	46·5	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·8	45·0	34·9	·7	29·9	40·5	6·0	44·3	44·9	44·4	43·5	43·5	38·4
Average Mean Temperature in corresponding week of previous 10 years,	47·3	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	9·4	39·6	0·2	40·6	43·3	42·3	41·9	45·1	45·6
Rainfall in inches,	·640	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050
Mean Humidity of the Air, complete Saturation 1·0,	·86	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·81	·81	·84	79	·84	·87	·86	·86	·84	·84	·81	·82

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th April, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 12th April, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15	(16)	(17)	(18)	(19)	(20)	(21)	(22	(23)	(24)
	ALL PERSONS,	346,128	31·0	206	56	16	42	41	40	11	.	3	.	.	2	1	.	2	4	12	27	11	44	8	104
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	30·3	9	.	.	3	2	3	1	.	.	.	.	.	.	.	.	.	.	2	.	2	.	5
II.	MIDDLE CLASS,	80,653	16·2	25	5	2	5	5	6	2	.	.	.	.	.	1	.	1	.	2	4	2	5	.	12
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	28·1	53	11	7	11	10	12	2	.	1	.	.	.	.	.	.	1	2	9	3	8	5	26
IV.	GENERAL SERVICE CLASS,	146,486	40·9	75	31	7	11	10	12	4	.	2	.	.	1	.	.	1	2	6	5	6	17	2	39
V.	INMATES OF WORKHOUSES,	5,191		44	9	.	12	14	7	2	.	.	.	.	1	.	.	.	1	2	7	.	12	1	22
I.	PROFESSIONAL AND INDEPENDENT CLASS. 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,888	28·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
II.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	16·2	8	3	1	.	2	2	.	.	.	.	.	.	1	.	.	.	1	1	1	2	.	3
	6. Clerks and Commercial Assistants,	24,750	16·9	8	2	.	3	1	2	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	.	1	2	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	1	1	2	.	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	4	1
	9. Building and Furnishing Trades,	26,030	24·0	12	2	2	2	4	2	.	.	.	.	.	.	.	.	.	.	.	3	1	3	1	4
	10. Clothing Trades,	23,686	17·6	8	2	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	1	2	2	.	3
	11. Food Supply Trades,	7,869	39·8	6	2	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	12. Other Trades and Callings ranking with Trades,	26,666	35·2	18		2	3	3	6	.	.	.	.	.	.	.	.	.	1	1	2	.	3	.	12
	13. Petty Shopkeepers,	6,771	23·1	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
IV.	GENERAL SERVICE CLASS. 14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	15·3	4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	2
	15. Domestic Servants,	39,563	13·2	10	1	.	3	2	3	1	.	.	.	.	.	.	.	1	.	1	.	.	4	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	3	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	34·1	54	26	6	6	7	7	2	.	2	.	.	1	.	.	.	1	4	5	4	11	2	28
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates,	5,191	.	44	9	.	12	14	7	2	.	.	.	.	1	.	.	.	1	.	7	.	12	1	22

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,333.	Feb. 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	8	1
		Mar. 1,	36·8	1·8	20	.	.	.	.	.	.	.	.	1	.	5	1
		„ 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	3	6	1
		„ 15,	30·2	1·8	11	.	.	.	.	.	.	.	1	.	2	4	.
		„ 22,	28·9	.	18	.	.	.	.	.	.	.	.	.	3	1	2
		„ 29,	33·1	5·4	18	.	.	1	.	2	.	.	.	.	3	7	.
		Apl. 5,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	3	.
		„ 12,	29·4	.	16	.	.	.	.	.	.	.	.	.	4	4	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	Feb. 22,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	.	8	1
		Mar. 1,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	10	1
		„ 8,	29·3	1·3	22	.	.	.	.	.	.	.	1	.	3	9	.
		„ 15,	16·0	.	12	.	.	.	.	.	.	.	.	.	3	3	.
		„ 22,	30·6	1·3	23	.	.	1	.	.	.	.	.	.	3	5	2
		„ 29,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		Apl. 5,	28·0	.	21	.	.	.	.	.	.	.	.	.	3	4	.
		„ 12,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	4	7	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Feb. 22,	39·8	1·7	23	.	.	.	.	1	.	.	.	.	3	8	1
		Mar. 1,	41·6	8·5	24	.	.	.	.	1	.	.	1	.	5	7	1
		„ 8,	34·6	.	20	.	.	.	.	.	.	.	.	.	3	8	.
		„ 15,	22·5	.	18	.	.	.	.	.	.	.	.	.	.	7	.
		„ 22,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	6	1
		„ 29,	32·9	.	19	.	.	.	.	.	.	.	.	.	5	4	.
		Apl. 5,	26·0	3·5	15	.	.	.	.	.	1	.	1	.	3	1	.
		„ 12,	32·9	.	19	.	.	.	.	.	.	.	.	.	1	6	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,678.	Feb. 22,	26·3	.	16	.	.	.	.	.	.	.	.	.	1	5	.
		Mar. 1,	23·0	4·9	14	.	.	1	.	1	.	.	.	1	1	4	.
		„ 8,	32·9	1·6	20	.	.	.	.	.	1	.	.	.	4	6	.
		„ 15,	32·9	3·3	20	.	.	2	.	.	.	.	.	.	3	6	.
		„ 22,	24·7	1·6	15	.	.	.	.	.	.	.	1	.	4	1	1
		„ 29,	28·0	1·6	17	.	.	1	.	.	.	.	.	.	3	1	.
		Apl. 5,	31·8	.	19	.	.	.	.	.	.	.	.	.	.	9	.
		„ 12,	44·4	1·6	27	.	.	.	.	1	.	.	.	.	1	6	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 39,152.	Feb. 22,	41·3	1·3	31	.	.	.	.	.	1	.	.	.	6	9	.
		Mar. 1,	22·6	1·3	17	.	.	.	.	.	.	.	.	1	2	5	.
		„ 8,	36·0	.	27	.	.	.	.	.	.	.	.	.	5	7	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	.
		„ 22,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	3	2	2
		„ 29,	34·6	1·3	26	.	.	.	.	.	.	.	1	.	4	5	.
		Apl. 5,	24·0	.	18	.	.	.	.	.	.	.	.	.	3	3	3
		„ 12,	32·0	4·0	24	.	.	.	.	1	.	.	1	1	3	4	3
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	Feb. 22,	51·8	.	17	.	.	.	.	.	.	.	.	.	2	5	1
		Mar. 1,	24·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
		„ 8,	51·8	3·0	17	.	.	.	.	.	1	.	.	.	4	4	1
		„ 15,	18·3	.	6	.	.	.	.	.	.	.	.	.	.	5	.
		„ 22,	27·4	.	9	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	39·6	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		Apl. 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	21·3	.	7	.	.	.	.	.	.	.	.	.	1	1	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 41,786.	Feb. 22,	26·2	1·2	21	.	.	.	.	.	.	.	.	1	1	8	.
		Mar. 1,	46·2	3·7	37	.	1	.	.	2	.	.	.	.	4	20	1
		„ 8,	21·2	.	17	.	.	.	.	.	.	.	.	.	5	8	1
		„ 15,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	6	.
		„ 22,	23·7	.	19	.	.	.	.	.	.	.	.	.	5	6	.
		„ 29,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	10	.
		Apl. 5,	33·7	1·2	27	.	.	1	.	.	.	.	.	.	3	10	.
		„ 12,	28·7	1·2	23	.	.	.	.	.	.	.	.	1	4	7	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	Feb. 22,	44·8	1·5	30	.	.	.	.	.	.	.	1	.	4	6	.
		Mar. 1,	31·4	.	21	.	.	.	.	.	.	.	.	.	5	6	.
		„ 8,	29·9	3·0	20	.	.	1	.	.	.	.	.	1	6	5	.
		„ 15,	28·4	.	19	.	.	.	.	.	.	.	.	.	2	4	.
		„ 22,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	3	2	.
		„ 29,	35·9	1·5	24	.	.	.	.	.	.	.	1	.	5	6	.
		Apl. 5,	29·9	1·5	20	.	.	.	.	.	.	.	.	1	4	3	.
		„ 12,	20·9	3·0	14	.	1	.	.	.	.	.	.	1	2	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted*; also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 88,208.	Feb. 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	Mar. 1,	26·7	.	17	.	.	.	.	.	.	.	.	.	3	5	.
	" 8,	12·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	" 15,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	" 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	" 29,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	Apl. 5,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	" 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	3	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Feb. 22,	44·0	8·0	22	.	3	.	.	1	.	.	.	.	3	7	.
	Mar. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	4	.
	" 8,	48·1	12·0	24	.	6	.	.	.	.	.	.	.	1	5	.
	" 15,	20·0	10·0	10	.	4	.	.	.	.	.	.	1	.	2	.
	" 22,	18·0	4·0	9	.	1	.	.	1	.	.	.	.	2	2	.
	" 29,	30·1	2·0	15	.	1	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	32·1	2·0	16	.	1	.	.	.	.	.	.	.	1	5	.
	" 12,	24·0	.	12	.	2	.	.	.	.	.	.	.	1	1	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Feb. 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	2	2
	Mar. 1,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	" 8,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	5	.
	" 15,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	" 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	" 29,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	47·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.
	" 12,	32·5	3·0	11	.	.	.	.	.	.	.	.	1	1	1	1
Belfast. Pop. in 1902 (Est.) 358,693.	Feb. 22,	29·8	2·2	205	.	2	.	.	4	1	.	4	4	25	55	15
	Mar. 1,	27·3	1·0	188	.	2	.	.	1	1	.	2	1	28	58	16
	" 8,	19·8	0·3	136	.	1	.	.	.	1	.	.	.	24	33	4
	" 15,	23·4	1·2	161	.	.	.	.	3	.	.	2	3	18	53	8
	" 22,	22·4	1·5	154	.	2	.	.	5	1	.	1	1	19	50	4
	" 29,	22·0	1·5	151	.	1	.	.	6	1	.	.	2	30	44	2
	Apl. 5,	23·0	2·3	158	.	2	.	.	5	2	1	5	1	30	36	.
	" 12,	24·4	1·9	168	.	4	.	.	6	.	.	1	2	26	40	3
Cork. Pop (in 1901) 75,978.	Feb. 22,	30·9	0·7	45	.	.	.	.	1	.	.	.	.	6	10	.
	Mar. 1,	31·6	2·1	46	.	.	.	.	2	.	.	1	.	11	14	.
	" 8,	32·3	2·7	47	.	.	1	.	1	.	.	2	.	7	14	.
	" 15,	25·4	2·1	37	.	.	.	.	2	.	.	.	1	5	8	.
	" 22,	24·0	2·1	35	.	.	.	.	3	.	.	.	.	6	4	1
	" 29,	27·5	.	40	.	.	.	.	.	.	.	.	.	7	4	2
	Apl. 5,	28·1	.	41	.	.	.	.	.	.	.	.	.	6	9	1
	" 12,	19·2	.	28	.	.	.	.	.	.	.	.	.	7	3	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Feb. 22,	22·4	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	Mar. 1,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	" 8,	24·3	1·3	19	.	.	.	.	.	.	.	.	1	2	.	.
	" 15,	32·0	.	25	.	.	.	.	.	.	.	.	.	5	5	.
	" 22,	19·2	1·3	15	.	.	.	.	.	.	.	.	1	.	7	1
	" 29,	14·1	5.1	11	.	1	.	.	1	.	.	.	2	2	2	.
	Apl. 5,	21·8	2·8	17	.	1	.	.	.	.	.	.	2	3	1	1
	" 12,	17·9	1·3	14	.	.	.	.	.	1	.	.	.	2	5	.
Limerick. Pop. in 1901) 38,085.	Feb. 22,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 1,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	.
	" 8,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	" 15,	15·1	.	11	.	.	.	.	.	.	.	.	.	1	6	.
	" 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	3	5	1
	" 29,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Apl. 5,	42·4	.	31	.	.	.	.	.	.	.	.	.	3	10	.
	" 12,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
Waterford. Pop. (in 1901) 26,748.	Feb. 22,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	Mar. 1,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	" 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	" 15,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	" 22,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	" 29,	25·3	1.1	13	.	.	.	.	.	.	.	.	1	3	3	1
	Apl. 5,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	" 12,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 12th April, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	7	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	.	4	1	.	.	.	.	1	.	.	.	.	.	.	1	3	3
" 2 "		25			25	4	3	9	9	.	.	.	.	.	.	.	.	.	2	9	.	.	6
" 3 "		17			23	3	3	13	4	.	.	.	.	2	.	.	1	1	5	5	.	.	1
" 4 "		37			23	2	2	13	6	.	.	.	.	.	.	.	.	.	2	5	.	.	9
" 5 "		12			11	1	1	6	3	.	.	.	.	.	.	.	.	1	3	2	.	1	4
" 6 "		27			23	3	4	12	4	.	2	.	.	1	.	.	.	.	5	7	.	.	6
" 7 "		2			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" 9 "		12			6	1	.	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2
" 10 "		20			8	1	.	5	2	.	.	.	.	1	.	.	.	.	1	2	.	1	1
" 11 "		23			16	1	3	6	6	.	.	.	.	1	.	.	.	.	5	3	1	1	4
" 12 "		18			19	7	5	6	1	.	2	.	.	.	.	.	.	.	1	4	1	2	2
" 13 "		14			6	.	.	3	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	216	24·4	1·9	168	25	21	80	42	.	4	.	.	6	.	.	1	2	26	40	3	9	39
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	1	3	1	.	.	.	.	.	.	.	.	.	3	.	.	.	4
" 2 "		9			4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
" 3 "		8			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 4 "		3			3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 5 "		1			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 6 "		2			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 7 "		11			9	2	1	5	1	.	.	.	.	.	.	.	.	.	3	1	.	1	2
Total,	—	41	19·2	.	28	3	3	16	6	.	.	.	.	.	.	.	.	.	7	3	.	1	11

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901–2—Week ending																										
	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered,	205	193	195	195	186	206	195	186	193	199	156	237	195	187	212	188	189	201	246	207	277	226	239	175	265	216
DEATHS registered.	121	103	153	112	131	145	131	129	141	144	150	143	125	126	151	130	123	169	205	188	136	161	154	151	158	168
Annual Death-rate per 1,000 of estimated Population,*	18·0	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4
AGES, Under 1 year,	24	20	23	23	23	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25
AGES, 1–5 years,	16	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21
AGES, 5–60 years,	60	46	82	53	59	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68	74	75	80
AGES, 60 years and upwards,	21	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4
,, Scarlet Fever,	1	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	2	3	.	2	2	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6
Diphtheria,	3	.	3	1	4	1	1	4	1	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.
,, Enteric Fever,	8	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1
,, Diarrhœa, Dysentery,	5	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2
,, Phthisis	15	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28	24	18	19	30	30	26
,, Diseases of Respiratory System,	17	15	23	36	33	40	23	38	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50	44	36	40
Violent Deaths,	2	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th April, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken Pox.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	3	.	.	.	.	.	2	.	.	.	5
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	.	.	.	.	.	.	3	2	.	2	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of),	.	.	.	1	.	.	.	.	.	.	1	.	.	2
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	5	10	.	4	19
" " 2,	.	.	.	1	.	.	.	.	4	.	2	.	.	7
" " 3,	.	10	.	2	.	.	.	.	.	2	2	.	3	19
" " 4,	.	4	.	1	.	.	.	.	.	2	.	.	.	7
Palmerston (part of),	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	14	.	8	.	.	.	.	4	16	19	.	9	70
Total for week ended Apr. 5th, 1902,	.	13	1	11	.	.	1	.	6	7	26	.	10	80
Total for week ended Mar. 29th, 1902,	.	13	.	3	.	.	2	.	4	6	26	.	13	67
Total for week ended Mar. 22nd, 1902.	.	11	.	5	.	.	4	.	2	7	15	.	10	54

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th April, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended th April.			
	Mar. 22.	Mar. 29.	April 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	1	1	1	.	.	.	1*
Measles,	20	18	18	4	3	1	18
Scarlet Fever,	70	58	59	12	7	.	64
Typhus "	1	1	.	.	.	.	.
Diphtheria,	23	19	19	8	6	1	20
Enteric Fever,	40	33	28	7	5	.	30
Pneumonia,	26	27	25	4	4	2	23

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	April 12,	2,619	1,523	17·3	73	64	10	23	41	1	12
EDINBURGH,	317,885	„ 12,	155	125	20·1	.	3	1	.	2	1	2
GLASGOW,	764,423	„ 12,	513	338	22·7	2	4	4	2	7	3	2
CALCUTTA,	847,796	Feb. 8,	.	585	35·8	.	.	.	.	.	104§	120*
BOMBAY,	776,006	„ 25,	269	1,635	109·5	8	7	?	?	2	204§	75*
MADRAS,	509,346	„ 14,	269	479	48·9	5	8	?	?	?	172§	85*
PARIS,	2,660,559	Mar. 22,	1,110	1,135	23·4	2	30	5	30†	20	8	38
BRUSSELS (with 8 Faubourgs).	582,665	„ 22,	262	199	17·8	.	1	.	1†	2	2	8
AMSTERDAM,	532,871	„ 29,	297	191	18·7	.	5	.	1	3	2	10
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	Mar. 29,	131	136	19·7	.	1	.	.	1	.	4
CHRISTIANIA,	228,929	„ 22,	140	50	11·4	.	.	1	2	1	.	3
ST. PETERSBURG,	1,248,643	„ 22,	677	636	26·5	.	7	11	24	6	16	60
BERLIN,	1,906,995	Mar. 1,	971	621	17·0	.	8	5	9	13	.	32
HAMBURG,	724,835	Mar. 22,	.	240	17·2	.	.	5	1†	5	1	8
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	Mar. 22,	.	217	22·3	.	6	1	1*	2	1	17
VIENNA (with suburbs).	1,709,211	„ 22,	1,077	759	23·1	.	23	5	11†	4	.	43
BUDA-PESTH,	767,661	„ 22,	495	317	21·5	.	6	7	2	.	1	10
PRAGUE and Faubourgs.	413,756	„ 22,	243	238	29·9	.	7	1	2†	2	7	16
ROME,	472,298	Feb. 15,	287	216	23·8	.	6	.	1	1	3	10
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Mar. 15,	75	67	21·1	.	4	.	.	.	1	1
NEW YORK,	3,632,501	„ 22,	1,582	1,447‡	20·8	13	37	25	54†	16	6	36
PHILADELPHIA,	1,293,697	Mar. 15,	.	528	21·2	6	1	2	17	1	20	5

* Including 50 deaths from cholera in Calcutta, 5 in Bombay, and 10 in Madras.
† Including deaths from croup.
§ Exclusive of 124 deaths from bubonic fever in Calcutta, and 701 in Bombay
‡ Deaths of infants under 1 week not included.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 12th April, 1902:—

"Coldness and dryness characterised this week. At the beginning a depression which had passed directly eastwards across Ireland and England during the previous day and a half, was central over Holland. In its wake fair, cold weather held throughout the British Isles, over which an anticyclone quickly formed. On Monday and Tuesday mornings the long axis of this high pressure system corresponded with the long axis of Great Britain. On Wednesday morning, however, the anticyclone appeared much modified in shape, and its long axis stretched east and west across the North of Ireland, the larger portion of England and Scotland, the North Sea, and the North of Germany. All this time, light variable airs and calms prevailed, and as cloud was not prevalent, low night temperatures were recorded. In the course of Tuesday night the thermometer fell in the screen to 25° at Nairn. On Wednesday a depression moved slowly northwards across the Bay of Biscay and France from the Peninsula. This steepened gradients for easterly winds over the English Channel and England, in which districts strong and squally N.E. and E. winds blew until Friday. A general reduction of atmospheric pressure took place on Saturday and the weather was falling into a changeable, showery state generally at the close of the week. In Dublin the mean atmospheric pressure was 30·122 inches, the barometer rising to 30·317 inches at 9 a.m. of Monday (wind, S.E.) and falling to 29·747 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 41·8°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 41·6.° The screened thermometers rose to 51·8° on Monday, and fell to 33·0° on Thursday. The prevalent wind was N.E. Rain fell on two days to the amount of ·122 inch, ·082 inch being measured on Saturday. The duration of bright sunshine was estimated at 48 hours. Hail fell late on Saturday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·116 inches. The highest reading (30·312) was on Monday at 9 a.m., wind, S.E., and the lowest (29·742) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 38·4°, being 7·3° below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Saturday, on which day the thermometer registered 50·7°, and was lowest on Thursday, the mercury having fallen to 25·7°. The mean of the Dry Bulb for the week was 39·6°, and of the Wet Bulb 37·2°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 42·9 hours. The rainfall measured ·050 inch.

At Greenwich the mean temperature for the week was 41·0°, the maximum 52·3°, and the minimum 30·9°; at Glasgow (*a.*) the maximum was 55·4°, the minimum 30·0°, and the mean 44·0°; and at Edinburgh the maximum was 50·2°; the minimum 32·1°, and the mean 36·3°. The rainfall at Greenwich measured 0·09 inch; at Glasgow 0·02 inch; at Edinburgh 0·11 inch.*

(*a.*) The temperatures given for Glasgow are the result of observations made on the first four days of the week only.

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 6,	30·222	47·8	27·9	37·9	38·5	36·7	·85	·2	9·2	—	N.	Calm.
Monday, „ 7,	30·287	50·3	28·4	39·4	42·7	39·3	·76	·1	5·2	—	S.E.	Calm.
Tuesday, „ 8,	30·180	46·8	35·9	41·4	41·1	38·4	·81	·2	0·2	·015	E.S.E.	Calm.
Wednesday, „ 9,	30·210	46.3	28·9	37·6	39·7	38·6	·91	·2	1·1	—	E.	Calm.
Thursday, „ 10,	30·186	47·1	25·7	36·4	38·4	35·8	·80	·3	11·0	—	E.	Calm.
Friday, „ 11,	29·961	44·9	27·5	36·2	38·1	35·3	·78	·6	8·7	—	E.	Calm.
Saturday, „ 12,	29 768	50·7	29·7	40·2	38·6	36·6	·84	·5	7·5	·035	W.	S.W.
Mean . .	30·116	47·7	29·1	38·4	39·6	37·2	·82	·3	Total 42·9	·050	Prevailing Wind —	

Sunday—A fine but cloudy day; night clear to 7 a.m. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; rain 11.30 a.m. to 3 p.m.; night clear to 5 a.m. *Wednesday*—A cloudy day; night clear. *Thursday*—A beautiful day; night clear. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A cloudy day, showers 4 p.m. to 3 a.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL XXXIX.] WEEK ENDING SATURDAY, 19TH APRIL, 1902. [No. 16.

General Register Office, Charlemont House, Dublin, 21*st April,* 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 29.	April 5.	April 12.	April 19.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 29.	April 5.	April 12.	April 19.	Average Rate for 4 weeks
22 Town Dists.	**23·7**	**26·6**	**24·2**	**21·3**	**23·9**	Lisburn, . .	18·2	27·3	27·3	13·7	21·6
Armagh, . .	20·7	13·8	6·9	41·3	20·7	Londonderry, .	14·1	21·8	17·9	10·2	16·0
Ballymena, .	24·0	28·8	43·1	9·6	26·4	Lurgan, . .	22·1	31·0	13·3	17·7	21·0
Belfast, . .	22·0	23·0	24·4	21·7	22·8	Newry, . .	8·3	24·9	33·1	20·7	21·7
Clonmel, . .	20·4	5·1	15·3	25·5	16·6	Newtownards, .	17·2	40·1	28·6	17·2	25·8
Cork, . . .	27·5	28·1	19·2	15·1	22·5	Portadown, .	10·4	41·5	46·7	20·8	29·8
Drogheda, . .	16·3	20·4	40·8	16·3	23·4	Queenstown, .	19·8	46·3	0·0	33·1	24·8
Dublin Reg. Area,	27·5	26·8	26·7	23·0	21·0	Sligo, .	28·8	24·0	14·4	9·6	19·2
Dundalk, . .	23·9	16·0	23·9	20·0	21·0	Tralee, . .	26·6	85·0	42·5	42·5	49·1
Galway, . .	27·2	46·6	7·8	31·1	28·2	Waterford, .	25·3	25·3	19·5	11·7	20·5
Kilkenny, . .	44·7	19·9	14·9	5·0	21·1	Wexford, . .	14·0	28·0	18·7	42·1	25·7
Limerick, . .	15·1	42·4	19·2	27·4	26·0						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·9 in Armagh. Among the 149 deaths from all causes registered in Belfast are, 2 from measles, 4 from whooping-cough, one from diphtheria, one from enteric fever, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 226—131 boys and 95 girls; and the deaths to 167—90 males and 77 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·9 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 23·0 per 1,000. During the sixteen weeks ending with Saturday last the death-rate averaged 26·6, and was 4·8 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

The total deaths registered include 4 from diarrhœa, 2 each from measles, scarlatina, and influenza, and one each from whooping-cough and diphtheria, 4 deaths from tuberculous phthisis, 21 from *phthisis*,* 4 from tuberculous meningitis, 1 from tuberculous peritonitis, 2 from *tabes mesenterica*, and 8 from other forms of tuberculous disease. There were 6 deaths from cancer, malignant disease, including 2 from carcinoma. There were 27 deaths from diseases of the heart and blood vessels, including 4 from apoplexy, hemiplegia

Diseases of the respiratory system caused 33 deaths, including 18 from bronchitis, 6 from broncho-pneumonia, and 4 from *pneumonia*. The total is equal to a rate of 4·5 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 6·2 per 1,000. Diseases of the nervous system caused 18 deaths, including 7 from *convulsions*, of the latter 2 were under 1 month in age, and 5 between the ages of 1 month and 1 year. There was one violent death due to accidental drowning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 infants under one year of age.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 13 were under one month old), and 40 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 5 were octogenarians, and 2 (men) were stated to have been aged 90 and 97 years respectively.

Seventy-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·0 per 1,000; the rate in the City was 24·3 (25·0 on the North side, and 23·6 on the South), and in the Urban Districts 18·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·6 (1·7 in the North City Districts, and 1·5 in the South) and for the Urban Districts 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. There was 1 death from tuberculous phthisis, 1 death from *phthisis*, and 7 from diseases of the respiratory system, including 2 from broncho-pneumonia.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. There was 1 death from diarrhœa, 4 deaths from diseases of the nervous system, and 3 from diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·6 per 1,000. There was 1 death from phthisis, and 4 deaths from diseases of the heart and blood-vessels.

No. 3 *North City District* (Blackhall-place).—The deaths (23) represent an annual rate of 37·9 per 1,000. The deaths include 1 each from scarlet fever and diphtheria, 2 from diarrhœa, 3 from *phthisis*, and 4 from diseases of the respiratory system, including 1 from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 20·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 23·4. Two of the 4 deaths tabulated for Coolock and Drumcondra, No. 1, part of, were from cancer, and of the 3 deaths for Finglas and Glasnevin, part of, 2 were from pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (23) represent an annual rate of 30·6 per 1,000. There was 1 death from tuberculous phthisis, and 5 deaths from diseases of the respiratory system, including 2 from broncho-pneumonia.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 18·3 per 1,000. There were 2 deaths from phthisis, and 2 from diseases of the respiratory system, including 1 from pneumonia.

No. 3 *South City District* (Peter-street).—The deaths (17) are equal to an annual rate of 21·2 per 1,000. Measles, scarlet fever, and diarrhœa each caused 1 death; *phthisis* caused 3 deaths, and disease of the heart and blood-vessels caused 3 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·4 per 1,000. Two deaths were due to tuberculosis phthisis and 2 deaths to *phthisis*. Disease of the heart and blood-vessels caused 3 deaths, and diseases of the respiratory system caused 2 deaths.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 35·7 per 1,000 inhabitants. Two of the 5 deaths tabulated for this district were from diseases of the organs of respiration, and 1 was from phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 20·4 per 1,000 inhabitants; Pembroke, 14·0; Blackrock, 17·9; and Kingstown, 20·7. The only death from any epidemic disease tabulated for any of these districts was from measles for Pembroke. Among the 13 deaths from all causes tabulated for Rathmines are 3 from diseases of the heart and blood-vessels, and 3 from diseases of the respiratory organs, including 1 from pneumonia. The seven deaths for Pembroke include 1 from *phthisis*, 2 from diseases of the heart and blood-vessels, and 1 from *pneumonia*; and the 7 deaths tabulated for Kingstown include 1 from *phthisis*, and 2 from diseases of the heart and blood-vessels.

---

* Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible, in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th March,	67 cases.
,, ,,	5th April,	80 cases.
,, ,,	12th April,	70 cases.
,, ,,	19th April,	68 cases.

Of the 68 cases notified, 11 were erysipelas, 4 enteric fever, 12 scarlatina, 27 measles, 8 chicken-pox, and 6 diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th March,	1 case.
,, ,,	5th April,	1 case.
,, ,,	12th April,	3 cases.
,, ,,	19th April,	2 cases.

The 2 cases notified were scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th March,	29 cases.
,, ,,	5th April,	10 cases.
,, ,,	12th April,	33 cases.
,, ,,	19th April,	22 cases.

Of the 22 cases notified, 16 were measles, 3 whooping-cough, and 3 scarlet fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th March,	42 cases.
,, ,,	5th April,	39 cases.
,, ,,	12th April,	38 cases.
,, ,,	19th April,	37 cases.

Of the 37 cases notified, 15 were enteric fever, 5 erysipelas, 7 diphtheria, 4 continued fever, 2 membranous croup, and 3 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th April, 1902.

From this it appears that:—

One case of small-pox was admitted to hospital, one discharged, and one remained under treatment at the close of the week.*

Seventeen cases of measles were admitted to hospital, 2 were discharged, and 33 cases remained under treatment at the close of the week.

Nine cases of enteric fever were admitted to hospital, 11 cases were discharged, there was one death, and 27 cases remained under treatment at the close of the week.

Fifteen cases of scarlatina were admitted to hospital, 4 cases were discharged, there were 2 deaths, and 73 cases remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 3 cases were discharged, there was one death, and 24 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 9 patients were discharged, there was one death, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·1), was equal to an average annual death-rate of 18·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 24·6 per 1,000, the rate for Glasgow being 25·7, and for Edinburgh 22·5.

* See note (*) on page 262.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th April, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 19th April, 1902. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Numbers.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,822	18·7	29·5	21·3	1·2	617	446	75	119	.	5	2	.	6	2	.	4	6	77	94	5	12	124
Dublin Registration Area:— Total,‡	379,063	27·8	31·1	23·0	1·4	226	167	39	39	.	2	2	.	1	1	.	.	4	21	33	1	5	64
Registrars' Districts. City	293,394	37·8	32·2	24·3	1·6	181	137	32	25	.	1	2	.	1	1	.	.	4	18	29	.	4	60 ½
Rathmines,‖	33,203	19·4	28·3	20·4	.	18	13	3	6	.	.	.	.	.	.	.	.	.	.	3	1	1	3
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	24·0	14·0	2·0	12	7	2	3	.	1	.	.	.	.	.	.	.	1	1	.	.	1
Blackrock,‖	8,759	8·1	23·8	17·9	.	4	3	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	32·5	20·7	.	11	7	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Urban Districts. Belfast,	358,693	21·8	31·3	21·7	1·5	215	149	23	37	.	2	.	.	4	1	.	1	2	31	34	4	6	32
Cork,	75,978	33·5	19·9	15·1	0·7	29	22	.	7	.	.	.	.	.	.	.	1	.	3	3	.	.	12
Londonderry,	40,729	18·8	28·0	10·2	.	18	8	.	3	.	.	.	.	.	.	.	.	.	3	4	.	.	.
Limerick,	38,085	18·4	31·5	27·4	.	23	20	3	7	.	.	.	.	.	.	.	.	.	5	2	.	.	4
Waterford	26,743	18·6	27·3	11·7	.	14	6	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	4
Galway,	13,414	9·5	35·0	31·1	.	9	8	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Dundalk	13,067	9·4	27·9	20·0	4·0	7	5	.	2	.	.	.	.	.	.	.	1	.	1	1	.	.	1
Drogheda	12,765	8·1	32·7	16·3	.	8	4	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Newry,	12,587	17·9	29·0	20·7	.	7	5	.	2	.	.	.	.	.	.	.	.	.	1	1	.	1	1
Lurgan,	11,777	13·8	39·8	17·7	.	9	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	11,459	19·1	41·0	13·7	.	9	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Wexford,	11,154	28·2	23·4	42·1	.	5	9	1	3	.	.	.	.	.	.	.	.	.	1	4	.	.	.
Ballymena	10,880	10·9	24·0	9·6	4·8	5	2	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	4·8	9·6	.	1	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Kilkenny,	10,493	11·4	.	5·0	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Clonmel,	10,209	7·9	.	25·5	.	.	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Portadown	10,046	18·1	36·3	20·8	.	7	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Tralee,	9,812	16·7	42·5	42·5	.	8	8	1	3	.	.	.	.	.	.	.	.	.	1	3	.	.	.
Newtownards,	9,110	18·9	22·9	17·2	.	4	3	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Queenstown,	7,887	14·7	39·7	33·1	.	6	5	3	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Armagh,	7,569	22·1	48·2	41·8	6·9	7	6	1	2	.	.	.	.	.	.	.	1	.	.	2	.	.	1

Towns and Districts.	Meteorology.† Week ending 19th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	§58·7	32·4	45·9	0·22	§50·7	25·7	38·4	0·05	§56·1	32·3	43·5	0·76
City	a57·8	37·0	47·7	0·39	a51·8	33·0	41·8	0·12	a57·0	35·0	45·0	0·88
	b57·6	32·0	45·8	0·30	b52·3	29·0	39·5	0·12	b56·4	32·0	43·8	0·85
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	56	35·5	46·8	0·54	52·0	33·5	42·9	0·00	55	36	44·9	0·88
Belfast,	55·8	32·5	44·1	0·25	52·5	27·5	42·1	0·07	55·0	33·0	44·3	0·24
Cork,	56	36	45·9	1·42	52	35	43·1	0·23	59·0	35·0	46·7	0·87
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	58	33	46	0·32	55	29	43	0·16	56	29	46	1·08
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	57·8	34·4	46·3	0·42	53·0	29·0	41·0	0·37	53·1	33·0	43·4	0·52
Lurgan,	57·8	34·4	46·3	0·42	53·0	29·0	41·0	0·37	53·1	33·0	43·4	0·52
Lisburn,	57·8	34·4	46·3	0·42	53·0	29·0	41·0	0·37	53·1	33·0	43·4	0·52
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	56·9	29·4	44·4	0·86	56·3	27·9	42·1	0·14	53·2	38·7	43·6	0·97
Kilkenny,	57	30	46·0	0·80	51	32	42	0·16	55	30	43·4	0·57
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	57·8	34·4	46·3	0·42	53·0	29·0	41·0	0·37	53·1	33·0	43·4	0·52
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	56	33	43·8	0·42	49	32	41·5	0·30	55	34	43·3	0·39
Queenstown,	56	36	45·9	1·42	52	35	43·1	0·23	59	35	46·7	0·37
Armagh,	57·8	34·4	46·3	0·42	53·0	29·0	41·0	0·37	53·1	33·0	43·4	0·52

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 7 deaths of persons, including 1 at 65 years, admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 19th of April, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts. North Side.								South Side.							Urban District of				Total for Dublin Registration Area.	
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of).	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	1	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Phthisis,	2	.	1	8	.	.	1	.	1	2	3	4	.	.	.	.	1	1	1	21	4
Other General Diseases,	3	6	2	2	.	2	.	.	4	1	2	2	.	.	.	3	.	.	.	27	2
Total,	5	7	3	9	.	2	1	.	5	3	8	7	.	1	.	3	2	1	1	58	6
B. Local Diseases:																					
Diseases of: Nervous System,	1	4	1	3	.	.	.	.	3	.	3	.	.	.	.	.	1	.	2	18	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	2	4	3	.	.	.	.	2	.	3	3	.	1	.	3	2	1	2	27	.
Respiratory System,	7	3	1	4	.	1	2	.	5	2	.	2	.	2	.	3	1	.	.	33	.
Digestive System,	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	6	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	1	.	1	.	.	2	.	2	.	.	.	.	.	.	.	.	6	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
Accidents of Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	9	10	6	14	.	2	2	.	12	2	8	5	.	4	.	7	5	1	5	92	1
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	2	1	.	.	.	.	.	.	6	1	1	1	.	.	.	2	.	1	1	16	.
E. Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Deaths from all Causes,	16	18	9	23	.	4	3	.	23	6	17	13	.	5	.	13	7	3	7	167	7
Annual Rate of Mortality in every 1,000 of the population.	29·4	24·0	15·6	37·9	.	20·8	23·4	.	30·6	18·3	21·2	19·4	.	35·7	.	20·4	14·0	17·9	20·7	23·0	
	25·0								23·6							18·3					
	24·3																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	5	9	.	1	1	.	1	1	5	5	.	1	.	3	1	.	.	38	7
Workhouse Hospitals,	2	3	1	7	.	.	1	.	6	1	4	1	.	.	.	.	.	.	.	26	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registere week of the ten years, 1892–

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 10th Week of the 10 years 1892–1901	In the Week ending Saturda 19th April, 1902. Deaths of Persons of the Age					
	April 23, 1892.	April 22, 1893.	April 21, 1894	April 20, 1895.	April 18, 1896.	April 24, 1897.	April 23, 1898.	April 22, 1899.	April 21, 1900.	April 20, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 45·7	° 53·9	° 47·1	° 45·3	° 47·7	° 45·6	° 48·6	° 42·7	° 50·2	° 46·8	47·4	Mean Temp. ° 45·9						
ALL CAUSES.	240	194	156	199	138	232	156	202	204	241	196·2	174	13	26	18	12	28	37
Small Pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	33	2	.	.	.	19	.	.	2	.	5·6	2	.	.	2	.	.	.
Scarlet Fever, ...	.	.	.	1	4	1	5	1	.	2	1·4	2	.	.	1	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	2	4	18	2	1	8	7	4	7	5·7	2	.	.	1	.	.	1
Whooping Cough, ...	10	3	2	.	1	14	2	3	2	9	4·6	1	.	1	.	.	.	.
Diphtheria, ...	.	1	1	.	.	1	1	2	2	.	·8	1	.	.	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	4	.	1	1	2	2	2	3	4	2·0	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	2	2	1	.	.	4	3	2	3	4	2·1	. / 4	.	.	.	.	. / 1	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	1	.	.	.	.	2	1	.	3	·8	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	.	.	1	2	.	.	1	.	·5	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	.	.	.	1	.	.	2	1	·6	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	2	1	.	.	.	.	1	1	.	1	·6	.	.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Tuberculous Phthisis, ... "*Phthisis*," ...	21	29	26	23	25	25	23	24	27	34	25·7	4 / 21	.	.	1	1	1	.
Tuberculous Meningitis, (Acute Hydrocephalus).	1	.	.	10	3	3	7	5	7	3	3·9	4	.	2	2	.	.	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	7	7	2	4	2	7	2	6	7	6	5·0	1 / 2	.	.	.	.	.	.
Tuberculous Dis. (other), ... Scrofula, ...	7	3	3	6	4	8	.	5	3	5	4·4	8 / .	.	2	2	1	3	.
Alcoholism, ...	1	.	.	.	.	.	.	2	.	1	·4	.	.	.	.	.	.	.
Rheumatic Fever, ...	2	.	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.
Gout! ...	.	.	.	1	1	.	.	1	1	.	·4	.	.	.	.	.	.	.

* The figures for the years 1892–1900 ar

e SIXTEENTH WEEK ending Saturday, 19th April, 1902, with the deaths from each cause in the corresponding
d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years 1892-1901.	In the Week ending Saturday, 19th April, 1902. Deaths of Persons of the Ages of							
	April 23, 1892.	April 22, 1893.	April 21, 1894.	April 20, 1895.	April 18, 1896.	April 24, 1897.	April 23, 1898.	April 22, 1899.	April 21, 1900.	April 20, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 45·7	° 53·9	° 47·1	° 45·3	° 47·7	° 45·6	° 48·6	° 42·7	° 50·2	° 46·8	47·4	Mean Temp. ° 45·9							
Carcinoma	5	7	5	2	1	10	5	7	4	3	4·9	2	.	.	.	.	.	2	.
Sarcoma												.	.	.	.	.	.	.	.
Malignant Dis. "Cancer,"												4	.	.	.	.	2	1	1
Diabetes Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth	3	.	1	7	1	4	4	4	6	5	3·5	3	3	.	.	.	.	.	.
Meningitis (not tuberc.)												4	.	.	2	1	1	.	.
Insanity, G. P. of Insane												2	.	.	.	.	2	.	.
Epilepsy												.	.	.	.	.	.	.	.
Convulsions												7	2	5	.	.	.	.	.
Locomotor Ataxy												.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord												.	.	.	.	.	.	.	.
Nervous System (other Dis.) ...	56	38	37	41	26	35	35	36	40	44	38·8	5	.	.	.	.	1	3	1
Valv. Dis., Endocarditis												5	.	.	.	2	1	1	1
Cerebr. Hæm. Thromb.												1	.	.	.	.	.	1	.
Apoplexy, Hemiplegia												4	.	.	.	.	.	3	1
Aneurysm												2	.	.	.	.	1	1	.
Embolism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.
Heart and Blood Vessel Dis.												15	1	.	.	.	1	6	6	1
Croup (not Spasm or Memb.) ...	.	.	.	1	.	2	1	2	.	1	·7	.	.	.	.	.	.	.	.
Bronchitis	29	26	18	30	13	32	19	33	26	31	25·7	18	.	2	4	1	.	6	4	1
Croupous Pneumonia												.	.	.	.	.	.	.	.	.
Broncho-Pneumonia	16	13	10	12	6	19	12	21	21	15	14·5	6	.	1	1	1	.	1	2	.
Pneumonia"												4	.	.	.	.	3	1	.	.
Asthma, Emphysema												1	.	.	.	.	1	.	.	.
Pleurisy	1	6	3	5	5	4	.	1	.	2	2·7	.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)												4	.	1	1	.	.	1	1	.
Tonsillitis, Quinsy	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	.	1	1	.	.	.	.	1	2	1	·6	.	.	.	.	.	.	.	.	.
Gastro Enteritis												1	.	1	.	.	.	.	.	.
Peritonitis (not Puerp.)	1	1	1	.	.	.	.	1	.	2	·6	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	5	1	4	2	.	4	.	1	1	2	2·0	1	.	.	.	.	.	.	1	.
Liver Dis. (other)												.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	2	8	2	5	3	5	2	7	2	7	4·3	4	.	2	.	.	.	1	1	.
Nephritis, Acute												2	.	.	.	.	.	.	2	.
Bright's Dis., Albuminuria ...	2	5	1	2	4	8	5	1	3	14	4·5	2	.	.	.	.	.	2	.	.
Urinary Sys. (Other Dis.) ...												2	.	.	.	.	.	1	1	.
Generative Organs Dis.	.	.	.	.	.	.	.	.	.	2	·2	2	.	.	.	.	1	1	.	.
Childbirth (Accid. of)	2	2	.	.	1	.	.	2	.	.	·7	1	.	.	.	1	.	.	.	.
Old Age	9	13	10	6	14	8	11	12	13	11	10·7	2	.	.	.	.	.	1	1
Other Diseases	14	12	19	17	12	9	5	7	19	15	12·9	16	7	7	.	1	.	1	.
ACCIDENT.																			
By Railways	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	2	.	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.
By Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions ...	.	.	1	1	1	2	.	1	.	2	·8	.	.	.	.	.	.	.	.
By Drowning	1	.	.	.	1	1	.	.	.	1	·4	1	.	.	.	.	1	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Other Deaths by Accidents ...	2	1	2	2	3	1	1	1	2	3	1·8	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																			
Homicide	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1901–2—Week ending																									
	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered,	235	141	192	144	162	216	187	164	144	93	279	264	208	215	152	222	177	248	193	220	289	198	229	199	237	226
*Average Births in corresponding week of previous 10 years,**	171	183	17	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207	201	225	179	190	197
DEATHS registered,	146	168	171	189	176	141	153	188	196	200	223	186	177	158	169	181	200	248	218	222	154	167	211	208	206	174
Annual Death-rate per 1,000,	20·3	23·4	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9
*Average Deaths in corresponding week of previous 10 years,**	17	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196
AGES, Under 5 years,	49	54	53	59	53	36	37	31	47	33	46	33	54	36	38	46	40	60	60	59	37	45	49	49	56	57
5—20 ,,	6	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12	22	17	20	17	16	12
20—40 ,,	24	13	23	31	26	20	28	16	35	31	39	35	19	27	31	36	34	37	30	29	28	32	39	33	42	28
40—60 ,,	34	40	36	31	32	30	38	39	54	53	63	41	2		43	39	47	55	43	46	35	40	52	51	41	37
60—80 ,,	29	36	34	35	38	32	32	31	33	55	57	48	44	37	36	36	49	70	52	67	28	26	43	45	40	33
80 years and upwards,	4	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2
,, Scarlet Fever,	1	1	.	.	.	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	4	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3	2	5	.	.	1	2	.	2	1
,, Diphtheria,	1	1	1	3	4	.		.		2	3	3	1		1	.	.	1	.	3	.	1	.	2	1	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	.	5	2	.	3	2	1	.	4	5	2	.	1	2	.	2	2	.	.	2	1	1	2	1	2	.
,, Diarrhœa, Dysentery,	4	9	2	2	2	4	3	.	2	3	4	1	2		.	1	2	2	3	1	1	1	.	1	4	4
,, Phthisis,	19	1	19	36	23	23	32	15	24	21	30	30	20	9	33	31	7	27	33	38	17	36	37	27	27	25
,, Heart Diseases,	12	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17	13	20	31	18	27
,, Diseases of Respiratory System,	27	29	34	26	35	22	25	33	32	46	57	34	3	35		36	48	82	73	65	41	30	53	49	44	33
Violent Deaths,	3	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1
Mean Temperature of the Air (Phœnix Park),	44·2	51·0	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	·7	29·9	40·5	6·0	44·3	44·9	44·4	43·5	43·5	38·4	45·9
Average Mean Temperature in corresponding week of previous 10 years,	46·0	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	9·4	39·6	0·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4
Rainfall in inches,	·130	1·205	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220
Mean Humidity of the Air, complete Saturation 1·0,	·90	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th April, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 19th April, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	26·2	174	57	12	28	37	33	7	.	2	2	.	1	1	.	.	4	10	25	7	33	1	98
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	20·3	6	.	.	.	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
II.	MIDDLE CLASS,	80,658	15·5	24	5	3	5	3	6	2	.	1	1	.	.	.	.	.	.	2	4	.	6	.	12
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	19·1	36	11	2	7	11	5	.	.	.	.	.	.	.	.	.	.	.	6	1	2	.	27
IV.	GENERAL SERVICE CLASS,	146,486	37·1	81	34	5	13	15	12	2	.	1	1	.	1	1	.	.	2	6	12	6	20	1	36
V.	INMATES OF WORKHOUSES,	5,191		27	7	2	3	8	6	1	.	.	.	.	.	.	.	.	2	2	3	.	4	.	18
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	12·1	6	1	.	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	6. Clerks and Commercial Assistants,	24,750	16·9	8	2	2	2	2	.	.	.	1	1	.	.	.	.	.	.	2	2	.	2	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	.	1	2	1	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	5
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,852	28·4	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	9. Building and Furnishing Trades,	26,030	16·0	8	2	1	1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	6
	10. Clothing Trades,	28,686	6·6	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	11. Food Supply Trades,	7,869	26·5	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	12. Other Trades and Callings ranking with Trades,	26,666	31·3	16	4	1	3	7	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	12
	13. Petty Shopkeepers,	6,771	7·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	57·6	15	4	.	2	1	7	1	.	.	.	.	.	.	.	.	.	.	.	.	6	.	9
	15. Domestic Servants,	39,563	7·9	6	1	.	.	3	1	1	.	.	1	.	.	.	.	.	.	1	2	.	.	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	19·5	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	35·7	51	27	5	11	10	3	.	.	1	.	.	1	1	.	.	2	5	9	6	13	1	23
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	26	7	2	3	8	6	.	.	.	.	.	.	.	.	.	2	2	3	.	4	.	17

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,333.	Mar. 1,	36·8	1·8	20	.	.	.	.	.	.	.	.	1	.	5	1
		„ 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	3	6	1
		„ 15,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	2	4	.
		„ 22,	23·9	.	13	.	.	.	.	.	.	.	.	.	3	1	2
		„ 29,	33·1	5·4	18	.	.	1	.	2	.	.	.	.	3	7	.
		Apl. 5,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	3	.
		„ 12,	29·4	.	16	.	.	.	.	.	.	.	.	.	4	4	1
		„ 19,	29·4	.	16	.	.	.	.	.	.	.	.	.	2	7	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Mar. 1,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	10	1
		„ 8,	29·3	1·3	22	.	.	.	.	.	.	.	1	.	3	9	.
		„ 15,	16·0	.	12	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	30·6	1·3	23	.	.	1	.	.	.	.	.	.	3	5	2
		„ 29,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		Apl. 5,	28·0	.	21	.	.	.	.	.	.	.	.	.	3	4	.
		„ 12,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	4	7	.
		„ 19,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	.	3	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Mar. 1,	41·6	3·5	24	.	.	.	.	1	.	.	1	.	5	7	1
		„ 8,	34·6	.	20	.	.	.	.	.	.	.	.	.	3	8	.
		„ 15,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	7	.
		„ 22,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	6	1
		„ 29,	32·9	.	19	.	.	.	.	.	.	.	.	.	5	4	.
		Apl. 5,	26·0	3·5	15	.	.	.	.	.	1	.	1	.	3	1	.
		„ 12,	32·9	.	19	.	.	.	.	.	.	.	.	.	1	6	.
		„ 19,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Mar. 1,	23·0	4·9	14	.	.	1	.	1	.	.	.	1	1	4	.
		„ 8,	32·9	1·6	20	.	.	.	.	.	1	.	.	.	4	6	.
		„ 15,	32·9	3·3	20	.	.	2	.	.	.	.	.	.	3	6	.
		„ 22,	24·7	1·6	15	.	.	.	.	.	.	.	1	.	4	1	1
		„ 29,	28·0	1·6	17	.	.	1	.	.	.	.	.	.	3	1	.
		Apl. 5,	31·3	.	19	.	.	.	.	.	.	.	.	.	.	9	.
		„ 12,	44·4	1·6	27	.	.	.	.	1	.	.	.	.	1	6	.
		„ 19,	37·9	6·6	23	.	.	1	.	.	1	.	.	2	3	4	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Mar. 1,	22·6	1·3	17	.	.	.	.	.	.	.	.	1	2	5	.
		„ 8,	36·0	.	27	.	.	.	.	.	.	.	.	.	5	7	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	.
		„ 22,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	3	2	2
		„ 29,	34·6	1·3	26	.	.	.	.	.	.	.	1	.	4	5	.
		Apl. 5,	24·0	.	18	.	.	.	.	.	.	.	.	.	3	3	3
		„ 12,	32·0	4·0	24	.	.	.	.	1	.	.	1	1	3	4	3
		„ 19,	30·6	.	23	.	.	.	.	.	.	.	.	.	1	5	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,118.	Mar. 1,	24·4	.	8	.	.	.	.	.	.	.	.	.	2	1	1
		„ 8,	51·8	3·0	17	.	.	.	.	.	1	.	.	.	4	4	1
		„ 15,	18·3	.	6	.	.	.	.	.	.	.	.	.	.	5	.
		„ 22,	27·4	.	9	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	39·6	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		Apl. 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	21·3	.	7	.	.	.	.	.	.	.	.	.	1	1	1
		„ 19,	18·3	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Mar. 1,	46·2	8·7	37	.	1	.	.	2	.	.	.	.	4	20	1
		„ 8,	21·2	.	17	.	.	.	.	.	.	.	.	.	5	3	1
		„ 15,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	6	.
		„ 22,	23·7	.	19	.	.	.	.	.	.	.	.	.	5	6	.
		„ 29,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	10	.
		Apl. 5,	33·7	1·2	27	.	.	1	.	.	.	.	.	.	3	10	.
		„ 12,	28·7	1·2	23	.	.	.	.	.	.	.	.	1	4	7	.
		„ 19,	21·2	3·7	17	.	1	1	.	.	.	.	.	1	3	.	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Mar. 1,	31·4	.	21	.	.	.	.	.	.	.	.	.	5	6	.
		„ 8,	29·9	3·0	20	.	.	1	.	.	.	.	.	1	6	5	.
		„ 15,	28·4	.	19	.	.	.	.	.	.	.	.	.	2	4	.
		„ 22,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	3	2	.
		„ 29,	35·9	1·5	24	.	.	.	.	.	.	.	1	.	5	6	.
		Apl. 5,	29·9	1·5	20	.	.	.	.	.	.	.	.	1	4	3	.
		„ 12,	20·9	3·0	14	.	1	.	.	.	.	.	.	1	2	2	.
		„ 19,	19·4	1·5	13	.	.	.	.	1	.	.	.	.	4	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	Mar. 1,	26·7	.	17	.	.	.	.	.	.	.	.	.	3	5	.
	„ 8,	12·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	„ 15,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	Apl. 5,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 19,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	3	1
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Mar. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	48·1	12·0	24	.	6	.	.	.	.	.	.	.	1	5	.
	„ 15,	20·0	10·0	10	.	4	.	.	.	.	.	.	1	.	2	.
	„ 22,	18·0	4·0	9	.	1	.	.	1	.	.	.	.	2	2	.
	„ 29,	30·1	2·0	15	.	1	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	32·1	2·0	16	.	1	.	.	.	.	.	.	.	1	5	.
	„ 12,	24·0	.	12	.	2	.	.	.	.	.	.	.	1	1	.
	„ 19,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	1	1	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Mar. 1,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	28·7	.	8	.	.	.	.	.	.	.	.	.	.	5	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	47·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.
	„ 12,	32·5	3·0	11	.	.	.	.	.	.	.	.	1	1	1	1
	„ 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	Mar. 1,	27·3	1·0	188	.	2	.	.	1	1	.	2	1	28	58	16
	„ 8,	19·8	0·3	136	.	1	.	.	.	1	.	.	.	24	33	4
	„ 15,	23·4	1·2	161	.	.	.	.	3	.	.	2	3	18	53	8
	„ 22,	22·4	1·5	154	.	2	.	.	5	1	.	1	1	19	50	4
	„ 29,	22·0	1·5	151	.	1	.	.	6	1	.	.	2	30	44	2
	Apl. 5,	23·0	2·3	158	.	2	.	.	5	2	1	5	1	30	36	.
	„ 12,	24·4	1·9	168	.	4	.	.	6	.	.	1	2	26	40	3
	„ 19,	21·7	1·5	149	.	2	.	.	4	1	.	1	2	31	34	4
Cork. Pop. (in 1901) 75,978.	Mar. 1,	31·6	2·1	46	.	.	.	.	2	.	.	1	.	11	14	.
	„ 8,	32·3	2·7	47	.	.	1	.	1	.	.	2	.	7	14	.
	„ 15,	25·4	2·1	37	.	.	.	.	2	.	.	.	1	5	8	.
	„ 22,	24·0	2·1	35	.	.	.	.	3	.	.	.	.	6	4	1
	„ 29,	27·5	.	40	.	.	.	.	.	.	.	.	.	7	4	2
	Apl. 5,	28·1	.	41	.	.	.	.	.	.	.	.	.	6	9	1
	„ 12,	19·2	.	28	.	.	.	.	.	.	.	.	.	7	3	.
	„ 19,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	3	3	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Mar. 1,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	24·3	1·3	19	.	.	.	.	.	.	.	.	1	2	.	.
	„ 15,	32·0	.	25	.	.	.	.	.	.	.	.	.	5	5	.
	„ 22,	19·2	1·3	15	.	.	.	.	.	.	.	.	1	.	7	1
	„ 29,	14·1	5.1	11	.	1	.	.	1	.	.	.	2	2	2	.
	Apl. 5,	21·8	3·8	17	.	1	.	.	.	.	.	.	2	3	1	1
	„ 12,	17·9	1·3	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 19,	10·2	.	8	.	.	.	.	.	.	.	.	.	3	4	.
Limerick. Pop. in 1901) 38,085.	Mar. 1,	19·2	.	14	.	.	.	.	.	.	.	.	.	4	3	.
	„ 8,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	15·1	.	11	.	.	.	.	.	.	.	.	.	1	6	.
	„ 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	3	5	1
	„ 29,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Apl. 5,	42·4	.	31	.	.	.	.	.	.	.	.	.	3	10	.
	„ 12,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	27·4	.	20	.	.	.	.	.	.	.	.	.	5	2	.
Waterford. Pop. (in 1901) 26,743.	Mar. 1,	27·3	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	„ 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 15,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 22,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	25·3	1.1	13	.	.	.	.	.	.	.	.	1	3	3	1
	Apl. 5,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 12,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 19th April, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	7	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		10	1	.	6	3	.	.	.	.	.	.	.	1	.	1	2	2	2	2
" 2 "		32			20	3	2	12	3	.	.	.	.	.	.	.	.	.	4	4	1	1	3
" 3 "		32			19	5	3	7	4	.	.	.	.	2	.	.	.	1	3	5	.	.	6
" 4 "		26			18	4	2	7	5	.	.	.	.	1	.	.	.	.	3	4	.	.	5
" 5 "		14			10	.	2	3	5	.	.	.	.	.	.	.	.	.	2	3	.	.	3
" 6 "		19			19	3	2	7	7	.	.	.	.	.	.	.	.	.	2	3	1	2	2
" 7 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		4			2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "		11			10	.	2	5	3	.	.	.	.	1	.	.	.	.	1	3	.	.	.
" 10 "		22			8	1	1	5	1	.	.	.	.	.	.	.	.	1	1	2	.	.	2
" 11 "		20			12	2	1	7	2	.	.	.	.	.	.	.	.	.	5	2	.	.	6
" 12 "		21			16	3	7	5	1	.	2	.	.	.	1	.	.	.	6	.	.	.	3
" 13 "		7			4	.	.	1	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.
" 14 "		.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Total,	—	215	21·7	1·5	149	23	22	67	37	.	2	.	.	4	1	.	1	2	31	34	4	6	32
City of Cork.																							
CORK URBAN, No 1 DISTRICT,	75,978	4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	.	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	5
" 2 "		8			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 3 "		5			4	.	1	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1
" 4 "		3			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "		1			2	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" 6 "		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		7			6	.	1	4	1	.	.	.	.	.	.	.	.	.	1	1	.	.	4
Total,	—	29	15·1	0·7	22	.	2	13	7	.	.	.	.	.	.	.	1	.	3	2	.	.	12

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered,	198	195	195	186	206	195	186	193	199	156	287	195	187	212	188	189	201	246	207	277	226	289	175	265	216	215
DEATHS registered,	108	153	112	131	145	131	129	141	144	150	143	125	126	151	130	123	169	205	188	186	161	154	151	158	168	149
Annual Death-rate per 1,000 of estimated Population,*	15·3	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·3	23·4	22·4	22·0	23·0	24·4	21·7
AGES, Under 1 year,	20	23	23	23	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23
AGES, 1–5 years,	12	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22
AGES, 5–60 years,	46	82	53	59	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68	74	75	80	67
AGES, 60 years and upwards,	25	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2
,, Scarlet Fever,	.	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	3	.	2	2	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4
Diphtheria,	.	3	1	4	1	1	4	1	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
,, Enteric Fever,	6	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1
,, Diarrhœa, Dysentery,	.	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2
,, Phthisis	15	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28	21	18	19	30	30	26	31
,, Diseases of Respiratory System,	15	23	36	33	40	28	33	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50	41	36	40	34
Violent Deaths,	2	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th April, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 1, West,	.	1	.	3	.	.	.	.	.	.	3	.	.	7
" " 2,	.	4	.	.	.	.	.	.	.	1	.	.	.	5
" " 3,	.	3	.	2	.	.	2	.	.	.	.	.	3	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	2	.	.	.	.	.	.	.	3	5	.	2	12
" " 2,	.	.	.	3	.	.	.	.	.	.	.	.	2	5
" " 3,	.	13	.	1	.	.	1	.	.	.	.	.	1	16
" " 4,	.	3	.	2	.	.	2	.	.	.	1	.	.	8
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	27	.	12	.	.	6	.	.	4	11	.	8	68
Total for week ended Apr. 12th, 1902,	.	14	.	8	.	.	.	.	4	16	19	.	9	70
Total for week ended Apr. 5th, 1902,	.	18	1	11	.	.	1	.	6	7	26	.	10	80
Total for week ended Mar. 29th, 1902,	.	13	.	3	.	.	2	.	4	6	26	.	13	67

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th April, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th April.			
	Mar. 29.	April 5.	April 12.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	1	1	1	1	1	.	1*
Measles,	18	18	18	17	2	.	33
Scarlet Fever,	58	59	64	15	4	2	73
Typhus "	1	.	.	.	.	.	.
Diphtheria,	19	19	20	8	3	1	24
Enteric Fever,	33	28	30	9	11	1	27
Pneumonia,	27	25	23	7	9	1	20

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	April 19,	2,557	1,587	18·1	42	63	9	21	48	1	14
EDINBURGH,	317,885	„ 19,	201	140	22·5	.	5	1	1	2	.	1
GLASGOW,	764,423	„ 19,	582	381	25·7	1	6	.	3	7	4	6
CALCUTTA,	847,793	Feb. 8,	.	585	35·8	.	.	.	.		104§	120*
BOMBAY,	776,006	April 1,	239	1,902	127·5	10	12	?	?	2	200§	85*
MADRAS,	509,346	Feb. 21,	230	473	48·2	2	5	?	?	?	163	86
PARIS,	2,660,559	Mar. 29,	1,125	1,079	22·3	1	17	3	17†	13	7	31
BRUSSELS (with 8 Faubourgs).	582,665	„ 29,	291	160	14·2	.	.	.	.	3	4	13
AMSTERDAM,	533,563	April 5,	316	186	18·2	.	17	.	2	5	1	6
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	April 5,	290	138	17·9	.	1	.	1	5	1	.
CHRISTIANIA,	228,929	Mar. 29,	142	45	10·3	.	.	.	1	.	.	4
ST. PETERSBURG	1,248,643	April 5,	600	624	26·0	2	7	11	18	7	10	65
BERLIN,	1,906,995	Mar. 1,	971	621	17·0	.	8	5	9	13	.	32
HAMBURG,	724,835	Mar. 29,	.	189	13·6	.	1	3	.	3	2	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	Mar. 22,	.	217	22·3	.	6	1	1*	2	1	17
VIENNA (with suburbs).	1,709,211	„ 29,	1,008	776	23·6	.	31	11	8†	6	.	36
BUDA-PESTH,	767,661	„ 29,	411	295	20·0	.	17	3	1	1	1	18
PRAGUE and Faubourgs.	413,756	„ 29,	244	195	24·5	.	2	2	.	1	1	13
ROME,	472,298	Feb. 15,	287	216	23·8	.	6	.	1	1	3	10
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Mar. 29,	84	86	27·0	.	6	.	1	.	2	.
NEW YORK,	3,632,501	„ 29,	1,529	1,279‡	18·4	4	30	22	46†	13	11	35
PHILADELPHIA.	1,293,697	Mar. 22,	.	476	18·8	3	3	4	12	2	12	1

* Including 50 deaths from cholera in Calcutta, and 3 in Bombay.
† Including deaths from croup.
§ Exclusive of 124 deaths from bubonic fever in Calcutta, and 909 in Bombay
‡ Deaths of infants under 1 week not included.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrars General with the following remarks on the weather during the week ended Saturday, 19th April, 1902:—

"Although the nights were still cold, spring made considerable advances during this week, and a genial rainfall towards the close forced vegetation in a wonderful way. At the beginning a shallow depression lay off the N.W. of Ireland, causing a moderate rainfall in both Ireland and Scotland, while fair weather held in England and Wales. Monday was very fine and the atmosphere was unusually dry, so that at 9 a.m. the percentage of relative humidity was only 59 in Dublin. Streaks of cirrus cloud, spanning the whole visible heaven, travelled across the sky from S.S.W. all day. On Tuesday morning a depression was central near Jersey, moving northward. This system had the effect of equalising atmospheric pressure in Ireland, where the weather was consequently very fine; but it brought clouds, fog, and heavy rain to many parts of Great Britain—on Wednesday morning more than eight-tenths of an inch of rain was measured at Loughborough, Bath, Birmingham, and Aberdeen. In London only ·03 inch was measured on Tuesday morning and nothing at all on Wednesday morning. Thursday and Friday were very fine days, but in Ireland the wind freshened from S. and S.E. on the latter day and at night rain set in as a new depression approached from S.W. Saturday broke dull, cold and wet, but the afternoon was mild and fine. In Dublin the barometer was comparatively steady throughout, the mean being 29·832 inches, and the extremes, highest, 29·975 inches at 9 p.m. of Thursday (wind, W.S.W.); lowest, 29·555 inches at 2 p.m. of Saturday (wind, S.S.W.). The corrected mean temperature was 47·7°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 47·6°. The screened thermometers fell to 37·0° on Sunday, but rose to 57·8° on Thursday. Variable westerly winds prevailed. The duration of bright sunshine was estimated at 44 hours. The rainfall was ·386 inch on four days; ·176 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·827 inches. The highest reading (29·976) was on Thursday at 9 p.m., air calm, and the lowest (29·591) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 45·9°, being 1·4 below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Saturday, on which day the thermometer registered 58·7°, and was lowest on Tuesday, the mercury having fallen to 32·4°. The mean of the Dry Bulb for the week was 46·0°, and of the Wet Bulb 42·8°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 53·8 hours. The rainfall measured ·220 inch.

At Greenwich the mean temperature for the week was 49·4°, the maximum 68·2°, and the minimum 32·1°; at Glasgow (*a.*) the maximum was 59·5°, the minimum 35·0°, and the mean 48·8°; and at Edinburgh the maximum was 58·3°; the minimum 34·6°, and the mean 46·0°. The rainfall at Greenwich measured 0·12 inch; at Glasgow 0·10 inch; and at Edinburgh 0·36 inch.*

(*a.*) The temperatures given for Glasgow are from observations made on the last four days of the week only.

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, April 13,	29·836	51·9	34·9	43·4	44·1	40·7	·76	·6	8·5	·100	S.W.	S.W.
Monday, „ 14,	29·853	56·8	37·1	47·0	44·0	40·0	·73	·5	4·9	—	S.S.W.	Calm.
Tuesday, „ 15,	29·783	55·4	32·4	43·9	45·8	42·7	·79	·4	9·4	—	W.	W.
Wednesday, „ 16,	29·898	52·7	33·2	43·0	46·8	44·5	·84	·3	6·0	·060	W.	Calm.
Thursday, „ 17,	29·958	55·8	37·7	46·8	44·8	42·1	·82	·3	10·5	—	W.S.W.	Calm.
Friday, „ 18,	29·862	55·5	34·9	45·2	49·9	44·4	·66	·4	11·7	·020	S.	S.E.
Saturday, „ 19,	29·596	58·7	45·1	51·9	46·5	45·0	·90	·5	2·8	·040	S.E.	S.W.
Mean . .	29·827	55·3	36·5	45·9	46·0	42·8	·79	·4	Total 53·8	·220	Prevailing Wind Westerly.	

Sunday—A cloudy day; rain 12.0 to 2 p.m.; night cloudy. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A cloudy day; showers 4 p.m. to 3 a.m.; night overcast to 3 a.m. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A fine but cloudy day; night cloudy to 4 a.m.; rain 5 to 9 a.m. *Saturday*—Dull a.m., cloudy p.m.; rain 9 to 10.30, a.m., and showery 5.30 to 7.30 p.m., and 5 to 8 a.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL XXXIX.] WEEK ENDING SATURDAY, 26TH APRIL, 1902. [No. 17.

General Register Office, Charlemont House, Dublin, 28th April, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 5.	Week ending April 12.	Week ending April 19.	Week ending April 26.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 5.	Week ending April 12.	Week ending April 19.	Week ending April 26.	Average Rate for 4 weeks
22 Town Dists.	26·6	24·2	21·3	24·5	24·2	Lisburn, . .	27·3	27·3	13·7	27·3	23·9
Armagh, . .	13·8	6·9	41·3	34·4	24·1	Londonderry, .	21·8	17·9	10·2	23·0	18·2
Ballymena, .	28·8	43·1	9·6	24·0	26·4	Lurgan, . .	31·0	13·3	17·7	35·4	24·3
Belfast, . .	23·0	24·4	21·7	22·2	22·8	Newry, . .	24·9	33·1	20·7	20·7	24·8
Clonmel, . .	5·1	15·3	25·5	46·0	23·0	Newtownards, .	40·1	28·6	17·2	11·4	24·3
Cork, . . .	28·1	19·2	15·1	17·8	20·1	Portadown, .	41·5	46·7	20·8	31·1	35·0
Drogheda, . .	20·4	40·8	16·3	28·6	26·5	Queenstown, .	46·3	0·0	33·1	19·8	24·8
Dublin Reg. Area,	26·8	26·7	23·0	26·8	25·8	Sligo, .	24·0	14·4	9·6	19·2	16·8
Dundalk, . .	16·0	23·9	20·0	35·9	23·9	Tralee, . .	85·0	42·5	42·5	58·5	57·1
Galway, . .	46·6	7·8	31·1	42·8	32·1	Waterford, .	25·3	19·5	11·7	25·3	20·5
Kilkenny, . .	19·9	14·9	5·0	19·9	14·9	Wexford, . .	28·0	18·7	42·1	4·7	23·4
Limerick, . .	42·4	19·2	27·4	16·4	26·3						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in nine of the districts to 7·8 in Galway; the 11 deaths registered in that district including one from typhus fever and one from simple fever. The 153 deaths in Belfast include 3 from measles, one from scarlet fever, 2 from whooping-cough, 2 from diphtheria, 3 from enteric fever, and one from diarrhœa; and the 26 deaths in Cork include one from whooping-cough and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 195—105 boys and 90 girls; and the deaths to 199—109 males and 90 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·4 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 26·8 per 1,000. During the seventeen weeks ending with Saturday last the death-rate averaged 26·7, and was 4·5 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines Pembroke, Blackrock, and Kingstown.

The deaths registered include 2 from measles, 6 from influenza, 3 from whooping-cough, 4 from enteric fever, 1 from *diarrhœa*, 3 from erysipelas, and 1 death from septicæmia. Tuberculous diseases caused 28 deaths, namely—1 from tuberculous phthisis, 19 from *phthisis*, 4 from tuberculous meningitis, 1 from tuberculous peritonitis, and 3 deaths from other forms of the disease. There were 9 deaths from cancer, malignant disease, and 2 deaths from carcinoma.

Diseases of the heart and blood vessels caused 22 deaths, which number includes 2 deaths from apoplexy, hemiplegia. Diseases of the respiratory system caused 41 deaths. Twenty-four from bronchitis, 7 from broncho-pneumonia, 6 from *pneumonia*, 1 from asthma, and 1 from pleurisy are included in this figure, which represents an annual rate of 5·6 per 1,000 of the estimated population of the Dublin Registration Area; the rate for the corresponding period of the past 10 years was 5·7 per 1,000. There were 25 deaths from diseases of the nervous system, including 12 from *convulsions*; of the latter 3 were under 1 month in age, 6 were over 1 month but under 1 year, and 3 were between the age periods of 1 year and 5 years. Three deaths due to accident and 1 to suicide were registered.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 8 children under 5 years of age (including 7 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Sixty of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 15 were under one month old), and 50 were aged 60 years and upwards, including 25 persons aged 70 and upwards, of whom 4 were octogenarians, and 2 (men) were stated to have been aged 90 and 91 years respectively.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 22 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·8 per 1,000; the rate in the City was 28·8 (29·8 on the North side, and 27·7 on the South), and in the Urban Districts 20·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·4 (1·0 in the North City Districts, and 1·8 in the South) and for the Urban Districts 1·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (19) are equal to an annual rate of 33·1 per 1,000. There were 2 deaths from influenza. There were 7 deaths from diseases of the respiratory system, including 1 from broncho-pneumonia, and 2 from *pneumonia*.

No. 1 *North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. Enteric fever and *influenza* each caused 1 death, *phthisis* caused 2 deaths, and diseases of the respiratory system 2 deaths, including 1 from *pneumonia*. There were 2 deaths from violence.

No. 2 *North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. There was 1 death from tuberculous phthisis, 2 from tuberculous meningitis, and 4 from *phthisis*. Diseases of the respiratory system caused 2 deaths, including 1 from broncho-pneumonia.

No. 3 *North City District* (Blackhall-place).—The deaths (21) represent an annual rate of 34·6 per 1,000. Influenza and *diarrhœa* each caused 1 death, and *phthisis* 3 deaths, tuberculous meningitis caused 1 death. There were 6 deaths from diseases of the respiratory system, including 3 from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 23·4. One of the 4 deaths tabulated for Coolock and Drumcondra, No. 1, part of, was from enteric fever and one from *phthisis*; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, 2 were from *phthisis*.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 29·3 per 1,000. Whooping-cough and enteric fever each caused 1 death, *phthisis* caused 1 death; there were 5 deaths from diseases of the respiratory system, including 1 from broncho-pneumonia.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 33·5 per 1,000. There was 1 death from enteric fever; tuberculous meningitis caused 1 death; there was 1 death from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (17) are equal to an annual rate of 21·2 per 1,000. Whooping-cough and influenza each caused 1 death; there was 1 death from *phthisis*. There were 4 deaths from diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·9 per 1,000. There was 1 death from measles and 2 from *phthisis*. There were 5 deaths from diseases of the respiratory system, including 1 from pneumonia and 1 from pleurisy.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 14·3 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 20·4 per 1,000 inhabitants; Pembroke, 22·0; Blackrock, 11·9; and Kingstown, 20·7. The deaths from certain epidemic diseases tabulated for these districts include 1 from influenza for Rathmines, and 1 from measles and 1 from whooping-cough for Pembroke. Among the 13 deaths from all causes tabulated for Rathmines are 3 from diseases of the nervous system and 2 from diseases of the respiratory system. The 11 deaths from all causes for Pembroke include 3 from diseases of the respiratory system; and the 7 deaths tabulated for Kingstown include one from *pneumonia*, and one from broncho-pneumonia. There was one death from suicide in Blackrock.

---

* Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th April,	80 cases.
" "	12th April,	70 cases.
" "	19th April,	68 cases.
" "	26th April,	103 cases.

Of the 103 cases notified, 16 were erysipelas, 23 enteric fever, 14 scarlatina, 27 measles, 8 chicken-pox, 8 diphtheria, 5 continued fever, one membranous croup, and one German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th April,	1 case.
" "	12th April,	3 cases.
" "	19th April,	2 cases.
" "	26th April,	2 cases.

Of the 2 cases notified, one was continued fever, and the other erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th April,	10 cases.
" "	12th April,	33 cases.
" "	19th April,	22 cases.
" "	26th April,	7 cases.

Of the 7 cases notified, 3 were measles, 2 whooping-cough, one scarlet fever, and one enteric fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th April,	39 cases.
" "	12th April,	38 cases.
" "	19th April,	37 cases.
" "	26th April,	43 cases.

Of the 43 cases notified, 16 were enteric fever, 7 erysipelas, 6 diphtheria, 9 continued fever, 2 membranous croup, and 3 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th April, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Nine cases of measles were admitted to hospital, 13 were discharged, there was one death, and 28 cases remained under treatment at the close of the week.

Eighteen cases of enteric fever were admitted to hospital, 6 cases were discharged, there was one death, and 38 cases remained under treatment at the close of the week.

Fifteen cases of scarlatina were admitted to hospital, 15 cases were discharged, there was one death, and 72 cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, one case was discharged, and 28 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 3 patients were discharged, there where 2 deaths, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·4), was equal to an average annual death-rate of 17·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·1 per 1,000, the rate for Glasgow being 22·7, and for Edinburgh 18·5.

* See note (*) on page 262.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 25th April, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 26th April, 1902. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Numbers.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 26th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
																								°	°	°		°	°	°		°	°	°	
Total of 22 Town Districts	1,092,329	18·7	29·6	24·5	1·7	621	513	91	123	.	6	1	2	7	4	1	8	7	72	125	3	12	141	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—																																				
Total,‡	379,003	27·8	26·8	26·8	1·4	195	195	37	48	.	2	.	.	3	.	.	4	1	19	41	3	5	72	§58·8	35·6	49·8	0·24	§58·7	32·4	45·9	0·22	§50·7	25·7	38·4	0·05
Registrars' Districts. City	293,394	37·8	30·2	28·8	1·4	170	162	31	35	.	1	.	.	2	.	.	4	1	17	34	2	4	66	a61·7 b60·8	48·9 38·0	52·0 51·2	0·68 0·59	a57·8 b57·6	37·0 32·0	47·7 45·8	0·39 0·30	a51·8 b52·8	33·0 29·0	41·8 39·5	0·12 0·12
Rathmines,‖	33,203	19·4	14·1	20·4	.	9	13	1	7	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	20·0	22·0	4·0	10	11	4	3	.	1	.	.	1	.	.	.	.	.	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	.	11·9	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	17·8	20·7	.	6	7	1	3	.	.	.	.	.	.	.	.	.	1	2	.	.	1	58·5	43·5	51·1	0·89	56	35·5	46·8	0·54	52·0	33·5	42·9	0·00
Urban Districts.																																				
Belfast,	358,693	21·8	35·6	22·2	1·7	245	153	32	22	.	3	1	.	2	2	.	3	1	25	44	.	5	27	58·1	40·6	49·9	0·29	55·8	32·5	44·1	0·25	52·5	27·5	42·1	0·07
Cork,	75,978	33·5	26·8	17·8	2·1	39	26	2	10	.	.	.	.	1	.	.	.	2	4	4	.	.	6	58	45	49·5	1·44	56	36	45·9	1·42	52	35	48·1	0·28
Londonderry,	40,729	18·8	24·3	23·0	1·3	19	18	2	7	.	.	.	.	.	.	.	.	1	4	8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,085	18·4	16·4	16·4	.	12	12	.	6	.	.	.	.	.	.	.	.	.	1	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	27·8	25·3	1·9	14	13	.	4	.	.	.	.	.	.	.	.	.	3	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,414	9·5	15·5	42·8	7·8	4	11	3	4	.	.	.	1	.	.	1	.	.	1	2	.	.	3	61	41	50	1·10	58	33	46	0·32	55	29	43	0·16
Dundalk	13,067	9·4	35·9	35·9	4·0	9	9	1	1	.	.	.	.	.	1	.	.	.	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	12·3	28·6	.	3	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	37·3	20·7	4·1	9	5	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	58·8	42·0	50·6	0·95	57·8	34·4	46·3	0·42	53·0	29·0	41·0	0·37
Lurgan,	11,777	18·8	22·1	35·4	.	5	8	1	1	.	.	.	.	.	.	.	.	.	2	4	.	.	5	58·8	42·0	50·6	0·95	57·8	34·4	46·3	0·42	53·0	29·0	41·0	0·37
Lisburn,	11,459	10·1	27·3	27·3	4·6	6	6	2	2	.	1	.	.	.	.	.	.	.	1	4	.	.	2	58·8	42·0	50·6	0·95	57·5	34·4	46·3	0·42	53·0	29·0	41·0	0·37
Wexford,	11,154	23·2	14·0	4·7	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	28·8	24·0	4·8	6	5	1	4	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	28·8	19·2	4·8	6	4	1	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	60·1	41·8	51·0	1·03	56·9	29·4	44·4	0·36	56·3	27·9	42·1	0·14
Kilkenny	10,493	11·4	44·7	19·9	.	9	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58	40	49·6	1·34	57	30	46·0	0·80	51	32	42	0·16
Clonmel,	10,209	7·9	10·2	46·0	5·1	2	9	1	3	.	.	.	.	.	1	.	.	.	1	4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	18·1	36·3	31·1	.	7	6	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	58·8	42·0	50·6	0·95	57·8	34·4	46·3	0·42	53·0	29·0	41·0	0·37
Tralee,	9,812	16·7	37·2	38·5	5·3	7	11	1	3	.	.	.	1	.	.	.	.	.	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	34·3	21·4	.	6	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	57	43	48·6	1·27	56	33	43·8	0·42	49	32	41·5	0·30
Queenstown,	7,887	14·7	46·3	19·8	.	7	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	58	45	49·5	1·44	56	36	45·9	1.42	52	35	48·1	0·28
Armagh,	7,569	22·1	55·1	34·4	.	8	5	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2	58·3	42·0	50·6	0·95	57·8	34·4	46·3	0·42	53·0	29·0	41·0	0·37

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

‡ [illegible] (including 8 at 60 years or upwards), admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 26th of April, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	4	.
Diarrhœa, Dysentery,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Phthisis,	.	2	5	3	.	1	2	.	1	.	1	2	.	.	.	1	.	.	1	19	1
Other General Diseases,	3	5	3	6	.	.	.	.	7	2	2	3	.	.	.	4	.	1	1	37	.
Total,	3	8	8	10	.	2	2	.	10	3	4	6	.	.	.	5	2	1	2	66	1
B. LOCAL DISEASES:																					
Diseases of Nervous System,	4	3	5	1	.	.	.	.	1	2	2	3	.	.	.	3	1	.	.	25	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	3	1	1	3	2	2	.	.	.	1	2	2	.	1	1	2	.	.	.	21	1
Diseases of Respiratory System,	7	2	2	6	.	.	1	.	5	1	4	5	.	1	.	2	3	.	2	41	.
Diseases of Digestive System,	.	2	1	.	.	.	.	.	3	1	2	1	.	.	.	.	1	.	.	11	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	.	.	.	.	.	.	.	1	2	.	1	.	.	.	1	2	.	1	9	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	15	9	9	10	2	2	1	.	10	7	11	12	.	2	1	8	7	.	3	109	1
C. OTHER SPECIFIED DISEASES.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	2	1	.	.	.	.	.	2	1	2	4	.	.	.	.	2	.	2	16	1
E. VIOLENT DEATHS,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	1
Deaths from all Causes,	18	21	18	21	2	4	3	.	22	11	17	22	.	2	1	13	11	2	7	195	4
Annual Rate of Mortality in every 1,000 of the population.	33·1	28·0	31·2	34·6	21·7	20·8	23·4	.	29·3	33·5	21·2	32·9	.	14·3	.	20·4	22·0	11·9	20·7	26·8	
	29·8								27·7							20·1					
	28·8																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	5	2	5	.	2	.	.	5	3	4	5	.	.	.	2	1	.	.	36	2
Workhouse Hospitals,	3	5	5	8	.	.	.	.	5	2	3	2	.	.	.	1	1	.	1	36	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1892-19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years 1892-1901	In the Week ending Saturday, 26th April, 1902. Deaths of Persons of the Ages o							
	April 30, 1892.	April 29, 1893.	April 28, 1894.	April 27, 1895.	April 25, 1896.	May 1, 1897.	April 30, 1898.	April 29, 1899.	April 28, 1900.	April 27, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	° 43·7	° 51·1	° 47·7	° 48·8	° 50·3	° 48·0	° 47·1	° 50·1	° 47·6	° 49·1	48·3	Mean Temp. ° 49·8							
ALL CAUSES.	294	174	159	181	156	198	170	199	178	202	191·1	199	15	22	23	19	20	50	44
Small Pox, Vaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	20	1	4	.	.	16	.	.	.	.	4·1	2	.	.	1	1	.	.	.
Scarlet Fever, ...	.	.	2	.	1	.	1	.	.	2	·6	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	1	13	4	.	5	10	3	10	4·8	6	.	.	.	.	2	2	2
Whooping Cough, ...	11	1	6	1	3	13	3	8	2	8	5·6	3	.	1	2	.	.	.	.
Diphtheria, ...	1	.	.	1	.	2	2	1	.	.	·7	.	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	2	1	1	.	3	2	3	5	1	1·9	4		1	.	2	1	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	.	3	1	.	3	1	.	3	.	1·2	.	.	.	.	.	.	.	.
												1	.	.	.	.	.	1	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	1	.	2	.	4	.	1	1	1·0	1	1	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	3	.	1	.	.	.	.	.	.	·4	3	.	.	.	.	1	1	1
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	.	.	.	.	.	.	1	1	·3	1	.	.	.	.	1	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*," ...	31	33	31	25	23	23	30	24	32	32	28·4	1	.	1	.	.	.	.	.
												19	.	.	1	4	6	7	1
Tuberculous Meningitis, (Acute Hydrocephalus).	9	4	1	2	5	2	4	3	1	3	3·4	4	.	.	1	3	.	.	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	8	3	1	3	1	2	3	11	4	3	3·9	1	.	.	.	.	1	.	.
												.	.	.	.	.	.	.	.
Tuberculous Dis. (other), ... Scrofula, ...	2	3	1	3	3	4	1	.	5	5	2·7	3	.	1	.	1	1	.	.
												.	.	.	.	.	.	.	.
Alcoholism, ...	1	.	.	.	.	2	.	3	2	2	1·0	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.		.	.	1	2	.	.	1	.	·4	.	.	.	.	.	.	.	.
Gout ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are fo

SEVENTEENTH WEEK ending Saturday, 26th April, 1902, with the deaths from each cause in the corresponding
d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: April 30, 1892.	April 29, 1893.	April 28, 1894.	April 27, 1895.	April 25, 1896.	May 1, 1897.	April 30, 1898.	April 29, 1899.	April 28, 1900.	April 27, 1901.	Averages in 17th Week of the 10 years 1892-1901.	In the Week ending Saturday, 26th April, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 43·7	° 51·1	° 47·7	° 48·8	° 50·3	° 48·0	° 47·1	° 50·1	° 47·6	° 49·1	48·3	Mean Temp. ° 49·8								
arcinoma												2	.	.	.	.	.	1	1	.
arcoma	7	5	5	3	2	4	2	11	10	2	5·1	.	.	.	.	.	.	.	.	.
alignant Dis. "*Cancer*,"												7	.	.	.	.	1	3	3	.
iabetes Mellitus	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
remature Birth	.	1	4	1	2	7	2	4	2	3	2·6	4	4	.	.	.	.	.	.	.
eningitis (not tuberc.)												5	.	2	2	1	.	.	.	.
sanity, G. P. of Insane												3	.	.	.	.	.	3	.	.
pilepsy												.	.	.	.	.	.	.	.	.
onvulsions												12	3	6	3	.	.	.	.	.
oomotor Ataxy												.	.	.	.	.	.	.	.	.
araplegia Dis. of Cord												1	.	.	.	.	.	.	1	.
ervous System (other Dis.) ...	44	39	31	43	35	35	43	33	29	42	37·4	4	.	.	.	1	.	1	2	.
alv. Dis., Endocarditis												3	.	.	.	1	.	1	1	.
rebr. Hæm. Thromb.												2	.	.	.	.	.	.	2	.
oplexy, Hemiplegia												2	.	.	.	.	.	1	1	.
neurysm												.	.	.	.	.	.	.	.	.
mbolism, Thromb. (not cerebral)												1	.	.	.	1	.	.	.	.
eart and Blood Vessel Dis.												14	.	.	.	1	.	3	8	2
oup (not Spasm or Memb.) ...	2	1	.	.	.	.	.	.	.	.	·3	1	.	.	1	.	.	.	.	.
onchitis	27	17	15	28	20	20	20	25	26	18	21·6	24	2	4	1	1	1	5	7	3
oupous Pneumonia												.	.	.	.	.	.	.	.	.
oncho-Pneumonia	37	12	9	7	13	15	4	13	9	21	14·0	7	.	4	1	.	1	1	.	.
Pneumonia"												6	.	.	2	.	.	2	2	.
thma, Emphysema												1	.	.	.	.	.	.	1	.
eurisy	20	1	4	4	.	2	.	2	5	1	3·9	1	.	.	.	.	.	1	.	.
espiratory Dis. (other)												1	.	.	.	.	.	.	1	.
nsillitis, Quinsy	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
nteritis (not Epid.)	1	.	.	.	.	1	.	.	2	.	·4	.	.	.	.	.	.	.	.	.
astro Enteritis												1	.	.	.	.	.	1	.	.
ritonitis (not Puerp.)	1	1	3	.	1	1	.	1	.	1	·9	.	.	.	.	.	.	.	.	.
rrhosis of Liver	3	4	3	4	1	1	2	1	1	3	2·3	1	.	.	.	.	.	1	.	.
ver Dis. (other)												1	.	.	.	.	.	1	.	.
gestive Dis. (other)	3	4	3	4	1	3	3	3	4	3	3·1	8	1	1	.	.	.	3	3	.
phritis, Acute												1	.	.	.	.	.	1	.	.
ight's Dis., Albuminuria ...	1	2	3	6	5	4	2	8	7	7	4·5	4	.	.	.	.	1	3	.	.
inary Sys. (Other Dis.) ...												4	.	.	.	.	.	3	1	.
nerative Organs Dis.	.	1	2	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of)	2	2	.	.	.	.	.	2	1	1	·8	1	.	.	.	.	1	.	.	.
d Age	26	15	8	15	8	10	22	11	7	11	13·3	8	.	.	1	.	.	.	6	1
her Diseases	25	13	15	8	19	14	10	15	11	16	14·6	15	4	1	7	1	.	2	.	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses	2	2	.	1	.	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Building Operations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Conflagrations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions ...	2	.	.	1	.	1	1	3	.	1	·9	.	.	.	.	.	.	.	.	.
Drowning	.	.	.	2	2	1	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
Suffocation in Bed	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
her Deaths by Accidents ...	2	1	2	1	4	6	1	2	4	2	2·5	3	.	.	.	1	1	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icide	.	.	.	1	.	.	1	1	.	.	·3	1	.	.	.	.	1	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901–2—Week ending																									
	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	April 26.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Births registered,	141	192	144	162	216	187	164	144	98	279	204	208	215	152	222	177	248	193	220	239	198	229	199	237	226	195
*Average Births in corresponding week of previous 10 years,**	183	17	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207	201	225	179	190	197	211
Deaths registered,	168	171	180	176	141	153	138	196	200	223	186	177	158	169	181	200	248	218	222	154	167	211	203	206	174	199
Annual Death-rate per 1,000,	28·4	28·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·2	28·3	23·9	27·4
*Average Deaths in corresponding week of previous 10 years,**	179	176	184	185	190	183	189	188	212	217	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191
Ages, Under 5 years,	54	53	59	53	36	37	31	47	38	46	38	54	36	38	46	40	60	60	59	37	45	49	49	56	57	60
5—20 ,,	18	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12	22	17	20	17	16	12	19
20—40 ,,	13	23	31	26	20	28	16	35	31	39	35	19	27	31	36	34	37	30	29	23	32	39	33	42	28	20
40—60 ,,	40	36	31	32	30	38	39	54	53	63	41	2		43	39	47	55	43	46	35	40	52	51	41	37	50
60—80 ,,	36	34	35	38	32	32	31	33	55	57	43	44	37	36	36	49	70	52	67	28	26	43	45	40	33	44
80 years and upwards,	7	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2
,, Scarlet Fever,	1	.	.	.	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	4	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3	2	5	.	.	1	2	.	2	1	3
,, Diphtheria,	1	1	3	4	.		.		2	3	3	1		1	,	.	1	1	3	:	1	.	2	1	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	5	2	.	3	2	1	.	4	5	2		1	2	.	2	2			2	1	1	2	1	2	.	4
,, Diarrhœa, Dysentery,	9	2	2	2	4	3	.	2	3	4	1	2		.	1	2	2	3	1	1	1	.	1	4	4	1
,, Phthisis,	11	19	36	23	23	32	15	24	21	30	30	20	9	33	31	7	27	33	38	17	36	37	27	27	25	20
,, Heart Diseases,	17	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17	13	20	31	18	27	22
,, Diseases of Respiratory System,	29	34	26	35	22	25	33	32	46	57	34	3	35		36	48	82	73	65	41	30	53	49	44	33	41
Violent Deaths,	8	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4
Mean Temperature of the Air (Phœnix Park),	51·0	48·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	·7	29·9	40·5	6·0	44·3	44·9	41·4	48·5	43·5	38·4	45·9	49·8
Average Mean Temperature in corresponding week of previous 10 years,	46·2	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·3	40·6	39·3	41·1	9·4	39·6	0·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3
Rainfall in inches,	1·205	·000	3·785	·315	·005	1·025	·425	·295	·290	·370	·300	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240
Mean Humidity of the Air, complete Saturation 1·0,	·84	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th April, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 26th April, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	2)	(3)	4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	30·0	199	60	19	20	50	44	6	.	2	.	.	3	.	.	4	1	10	20	12	41	4	112
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	50·7	15	1	1	1	3	8	1	.	.	.	.	.	.	.	.	.	.	2	.	2	.	11
II.	MIDDLE CLASS,	80,653	14·9	23	5	1	3	4	3	2	.	.	.	.	1	.	.	.	.	1	2	2	6	.	12
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	20·7	39	15	8	5	9	2	.	.	1	.	.	1	.	.	3	.	5	3	7	3	.	21
IV.	GENERAL SERVICE CLASS,	146,486	41·9	64	33	8	10	14	18	1	.	1	.	.	1	.	.	1	.	3	9	3	21	4	44
V.	INMATES OF WORKHOUSES,	5,191		38	1	1	1	20	13	2	.	.	.	.	.	.	.	.	1	1	4	.	9	.	24
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	46·1	7	1	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	5
	2. Merchants and Manufacturers, Higher Class,	1,838	56·7	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	35·8	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	8·1	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	6. Clerks and Commercial Assistants,	24,750	16·9	8	5	.	2	.	1	.	.	.	.	.	1	.	.	.	.	1	1	2	2	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	.	1	.	1	3	2	.	.	.	.	.	.	.	.	.	.	1	.	3	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	7·1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	9. Building and Furnishing Trades,	26,030	24·0	12	5	3	3	.	1	.	.	1	.	.	.	.	.	1	.	2	2	1	.	.	7
	10. Clothing Trades,	23,686	11·0	5	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	2
	11. Food Supply Trades,	7,869	19·9	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	29·3	15	6	4	.	5	.	.	.	.	.	.	1	.	.	2	.	3	.	3	1	.	3
	13. Petty Shopkeepers,	6,771	23·1	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	4	.	2	.	1	.	.	1	.	.	.	.	.	.	.	1	2	.	1	.	3
	15. Domestic Servants,	39,563	10·5	8	1	1	1	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	2	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	17. Hawkers, Porters, Labourers, &c.,	82,631	39·8	63	31	7	6	11	7	1	.	.	.	.	1	.	.	1	.	2	5	3	20	4	29
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	38	1	1	1	20	13	2	.	.	.	.	.	.	.	.	1	1	4	.	9	.	24

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	( )	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,838.	Mar. 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	3	6	1
		„ 15,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	2	4	.
		„ 22,	23·9	.	18	.	.	.	.	.	.	.	.	.	3	1	2
		„ 29,	33·1	5·4	18	.	.	1	.	2	.	.	.	.	3	7	.
		Apl. 5,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	3	.
		„ 12,	29·4	.	16	.	.	.	.	.	.	.	.	.	4	4	1
		„ 19,	29·4	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		„ 26,	33·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Mar. 8,	29·3	1·3	22	.	.	.	.	.	.	.	1	.	3	9	.
		„ 15,	16·0	.	12	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	30·6	1·3	23	.	.	1	.	.	.	.	.	.	3	5	2
		„ 29,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		Apl. 5,	28·0	.	21	.	.	.	.	.	.	.	.	.	3	4	.
		„ 12,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	4	7	.
		„ 19,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	.	3	.
		„ 26,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	2	2	2
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est. 30,107.	Mar. 8,	34·6	.	20	.	.	.	.	.	.	.	.	.	3	8	.
		„ 15,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	7	.
		„ 22,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	6	1
		„ 29,	32·9	.	19	.	.	.	.	.	.	.	.	.	5	4	.
		Apl. 5,	26·0	3·5	15	.	.	.	.	.	1	.	1	.	3	1	.
		„ 12,	32·9	.	19	.	.	.	.	.	.	.	.	.	1	6	.
		„ 19,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
		„ 26,	31·2	.	18	.	.	.	.	.	.	.	.	.	5	2	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Mar. 8,	32·9	1·6	20	.	.	.	.	.	1	.	.	.	4	6	.
		„ 15,	32·9	3·3	20	.	.	2	.	.	.	.	.	.	3	6	.
		„ 22,	24·7	1·6	15	.	.	.	.	.	.	.	1	.	4	1	1
		„ 29,	28·0	1·6	17	.	.	1	.	.	.	.	.	.	3	1	.
		Apl. 5,	31·3	.	19	.	.	.	.	.	.	.	.	.	.	9	.
		„ 12,	44·4	1·6	27	.	.	.	.	1	.	.	.	.	1	6	.
		„ 19,	37·9	6·6	23	.	.	1	.	.	1	.	.	2	3	4	.
		„ 26,	34·6	1·6	21	.	.	.	.	.	.	.	.	1	3	6	.
	South City, No. 1. (Office, South Earl-street. Pop. in 1902 (Est.) 39,152.	Mar. 8,	36·0	.	27	.	.	.	.	.	.	.	.	.	5	7	.
		„ 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	.
		„ 22,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	3	2	2
		„ 29,	34·6	1·3	26	.	.	.	.	.	.	.	1	.	4	5	.
		Apl. 5,	24·0	.	18	.	.	.	.	.	.	.	.	.	3	3	3
		„ 12,	32·0	4·0	24	.	.	.	.	1	.	.	1	1	3	4	3
		„ 19,	30·6	.	23	.	.	.	.	.	.	.	.	.	1	5	.
		„ 26,	29·3	.	22	.	.	.	.	1	.	.	1	.	1	5	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Mar. 8,	51·8	3·0	17	.	.	.	.	.	1	.	.	.	4	4	1
		„ 15,	18·3	.	6	.	.	.	.	.	.	.	.	.	.	5	.
		„ 22,	27·4	.	9	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	39·6	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		Apl. 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	21·3	.	7	.	.	.	.	.	.	.	.	.	1	1	1
		„ 19,	18·3	.	6	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	33·6	3·0	11	.	.	.	.	.	.	.	1	.	.	.	1
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Mar. 8,	21·2	.	17	.	.	.	.	.	.	.	.	.	5	3	1
		„ 15,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	6	.
		„ 22,	23·7	.	19	.	.	.	.	.	.	.	.	.	5	6	.
		„ 29,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	10	.
		Apl. 5,	33·7	1·2	27	.	.	1	.	.	.	.	.	.	3	10	.
		„ 12,	28·7	1·2	23	.	.	.	.	.	.	.	.	1	4	7	.
		„ 19,	21·2	3·7	17	.	1	1	.	.	.	.	.	1	3	.	.
		„ 26,	21·2	1·2	17	.	.	.	.	1	.	.	.	.	1	4	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,898.	Mar. 8,	29·9	3·0	20	.	.	1	.	.	.	.	.	1	6	5	.
		„ 15,	28·4	.	19	.	.	.	.	.	.	.	.	.	2	4	.
		„ 22,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	3	2	.
		„ 29,	35·9	1·5	24	.	.	.	.	.	.	.	1	.	5	6	.
		Apl. 5,	29·9	1·5	20	.	.	.	.	.	.	.	.	1	4	3	.
		„ 12,	20·9	3·0	14	.	1	.	.	.	.	.	.	1	2	2	.
		„ 19,	19·4	1·5	13	.	.	.	.	1	.	.	.	.	4	2	.
		„ 26,	33·9	1·5	22	.	1	.	.	.	.	.	.	.	2	5	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 35,208.	Mar. 8,	12·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	„ 15,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	Apl 5,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 19,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	3	1
	„ 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Mar. 8,	48·1	12·0	24	.	6	.	.	.	.	.	.	.	1	5	.
	„ 15,	20·0	10·0	10	.	4	.	.	.	.	.	.	1	.	2	.
	„ 22,	18·0	4·0	9	.	1	.	.	1	.	.	.	.	2	2	.
	„ 29,	30·1	2·0	15	.	1	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	32·1	2·0	16	.	1	.	.	.	.	.	.	.	1	5	.
	„ 12,	24·0	.	12	.	2	.	.	.	.	.	.	.	1	1	.
	„ 19,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	1	1	.
	„ 26,	22·0	4·0	11	.	1	.	.	1	.	.	.	.	.	3	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Mar. 8,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	5	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	47·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.
	„ 12,	32·5	3·0	11	.	.	.	.	.	.	.	.	1	1	1	1
	„ 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 26,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
Belfast. Pop. in 1902 (Est.) 358,693.	Mar. 8,	19·8	0·3	136	.	1	.	.	.	1	.	.	.	24	33	4
	„ 15,	23·4	1·2	161	.	.	.	.	3	.	.	2	3	18	53	8
	„ 22,	22·4	1·5	154	.	2	.	.	5	1	.	1	1	19	50	4
	„ 29,	22·0	1·5	151	.	1	.	.	6	1	.	.	2	30	44	2
	Apl. 5,	23·0	2·3	153	.	2	.	.	5	2	1	5	1	30	36	.
	„ 12,	24·4	1·9	168	.	4	.	.	6	.	.	1	2	26	40	3
	„ 19,	21·7	1·5	149	.	2	.	.	4	1	.	1	2	31	34	4
	„ 26,	22·2	1·7	153	.	3	1	.	2	2	.	3	1	25	44	.
Cork. Pop (in 1901) 75,978.	Mar. 8,	32·3	2·7	47	.	.	1	.	1	.	.	2	.	7	14	.
	„ 15,	25·4	2·1	37	.	.	.	.	2	.	.	.	1	5	8	.
	„ 22,	24·0	2·1	35	.	.	.	.	3	.	.	.	.	6	4	1
	„ 29,	27·5	.	40	.	.	.	.	.	.	.	.	.	7	4	2
	Apl. 5,	28·1	.	41	.	.	.	.	.	.	.	.	.	6	9	1
	„ 12,	19·2	.	28	.	.	.	.	.	.	.	.	.	7	3	.
	„ 19,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	3	3	.
	„ 26,	17·8	2·1	26	.	.	.	.	1	.	.	.	2	4	4	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Mar. 8,	24·3	1·3	19	.	.	.	.	.	.	.	.	1	2	.	.
	„ 15,	32·0	.	25	.	.	.	.	.	.	.	.	.	5	5	.
	„ 22,	19·2	1·3	15	.	.	.	.	.	.	.	.	1	.	7	1
	„ 29,	14·1	5.1	11	.	1	.	.	1	.	.	.	2	2	2	.
	Apl. 5,	21·8	3·8	17	.	1	.	.	.	.	.	.	2	3	1	1
	„ 12,	17·9	1·3	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 19,	10·2	.	8	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	23·0	1·3	18	.	.	.	.	.	.	.	.	1	4	4	.
Limerick. Pop. in 1901) 38,085.	Mar. 8,	16·4	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	15·1	.	11	.	.	.	.	.	.	.	.	.	1	6	.
	„ 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	3	5	1
	„ 29,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Apl. 5,	42·4	.	31	.	.	.	.	.	.	.	.	.	3	10	.
	„ 12,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	27·4	.	20	.	.	.	.	.	.	.	.	.	5	2	.
	„ 26,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
Waterford. Pop. (in 1901) 26,748.	Mar. 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 15,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 22,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	3	1
	Apl. 5,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 12,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 26,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 26th April, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	858,693	5	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 2 "		29			17	4	1	11	1	.	.	.	.	1	.	.	.	.	5	3	.	2	1
" 3 "		28			18	4	4	7	3	.	.	1	.	1	1	.	1	.	2	6	.	2	3
" 4 "		41			22	7	2	9	4	.	.	.	.	.	.	.	1	.	3	6	.	.	7
" 5 "		13			12	1	.	7	4	.	.	.	.	.	.	.	.	.	2	2	.	.	7
" 6 "		20			22	3	1	15	3	.	.	.	.	.	.	.	.	1	3	9	.	.	3
" 7 "		2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 8 "		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "		22			8	4	1	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.
" 10 "		19			10	3	3	1	3	.	.	.	.	.	.	.	.	.	1	5	.	.	.
" 11 "		15			11	.	3	6	2	.	1	.	.	.	1	.	.	.	3	1	.	.	2
" 12 "		40			19	3	3	8	.	.	2	.	.	.	.	.	.	.	2	7	.	1	3
" 13 "		9			8	2	.	6	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.
" 14 "		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	245	22·2	1·7	153	32	23	76	22	.	3	1	.	2	2	.	3	1	25	44	.	5	27
City of Cork.																							
CORK URBAN, No 1 DISTRICT,	75,978	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	.	.	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" 2 "		6			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 3 "		4			7	2	.	3	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1
" 4 "		5			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "		5			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		4			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "		9			10	.	2	5	3	.	.	.	.	1	.	.	.	2	2	.	.	.	3
Total,	—	39	17·8	2·1	26	2	3	11	10	.	.	.	.	1	.	.	.	2	4	4	.	.	6

* See note (*), Table I.

TABLE VIII.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901–2—Week ending																									
	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb 8	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered,	195	195	186	206	195	186	198	199	156	237	195	187	212	188	189	201	246	207	277	226	239	175	265	216	215	245
DEATHS registered.	153	112	131	145	131	129	141	144	150	143	125	126	151	130	123	169	205	188	136	161	154	151	158	168	149	153
Annual Death-rate per 1,000 of estimated Population,*	22·7	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2
AGES, Under 1 year,	28	23	23	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32
AGES, 1–5 years,	22	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23
AGES, 5–60 years,	82	53	59	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68	74	75	80	67	76
AGES, 60 years and upwards,	26	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3
,, Scarlet Fever,	2	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	.	2	2	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2
,, Diphtheria,	3	1	4	1	1	4	1	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2
,, Simple continued and Ill-defined Fever,	.	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.
,, Enteric Fever,	6	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3
,, Diarrhœa, Dysentery,	10	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1
,, Phthisis	21	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28	21	18	19	30	30	26	31	25
,, Diseases of Respiratory System,	23	36	33	40	28	38	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50	44	36	40	34	44
Violent Deaths,	3	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th April, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	1	.	1	.	.	.	.	.	1	1	.	1	5
" " 1, West,	.	2	.	1	.	.	.	.	1	1	2	.	1	8
" " 2,	.	1	.	.	.	.	1	.	.	5	1	.	.	8
" " 3,	.	.	.	4	.	.	1	1	3	6	4	.	1	20
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	2	.	.	1	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	1	.	.	.	.	.	.	1	.	.	2
South City No. 1,	.	1	1	1	.	.	.	.	1	4	6	.	2	16
" " 2,	.	.	.	1	.	.	1	.	.	3	.	.	.	5
" " 3,	.	12	.	5	.	.	3	.	.	2	.	.	3	25
" " 4,	.	10	.	.	.	.	.	.	.	.	1	.	.	11
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	27	1	14	.	.	8	1	5	23	16	.	8	103
Total for week ended Apr. 19th, 1902,	.	27	.	12	.	.	6	.	.	4	11	.	8	68
Total for week ended Apr. 12th, 1902,	.	14	.	8	.	.	.	.	4	16	19	.	9	70
Total for week ended Apr. 5th, 1902,	.	18	1	11	.	.	1	.	6	7	26	.	10	80

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th April, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of Week ended			Week ended 26th April.			
	April 5.	April 12.	April 19.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	1	1	1	.	.	.	1*
Measles,	18	18	33	9	13	1	28
Scarlet Fever,	59	64	73	15	15	1	72
Typhus "	.	.	.	.	.	.	.
Diphtheria,	19	20	24	5	1	.	28
Enteric Fever,	28	30	27	18	6	1	38
Pneumonia,	25	23	20	10	3	2	25

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	April 26,	2,443	1,529	17·4	42	56	10	23	50	5	12
EDINBURGH,	317,885	„ 26,	151	115	18·5	.	.	1	.	1	.	.
GLASGOW,	764,423	„ 26,	509	338	22·7	1	2	3	4	12	1	9
CALCUTTA,	847,795	Feb. 15,	.	609	37·3	2	4	.	1	.	224§	124*
BOMBAY,	776,006	April 8,	281	1,676	112·3	6	8	?	?	.	170§	87*
MADRAS,	509,346	Feb. 28,	290	436	44·5	2	6	?	?	?	144	84
PARIS,	2,660,559	April 5,	1,115	1,068	22·0	3	22	3	13†	22	10	27
BRUSSELS (with 8 Faubourgs).	582,665	„ 5,	256	188	16·8	.	.	.	.	.	.	8
AMSTERDAM,	533,563	„ 12,	318	200	19·5	.	17	.	2	3	3	5
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	April 12,	179	128	16·6	.	2	.	.	1	.	4
CHRISTIANIA,	228,929	„ 5,	106	54	12·3	.	.	.	.	.	.	6
ST. PETERSBURG,	1,248,643	„ 12,	805	588	24·5	1	7	6	20	5	17	56
BERLIN,	1,906,995	Mar. 1,	971	621	17·0	.	8	5	9	13	.	32
HAMBURG,	724,835	April 5,	.	212	15·2	.	.	3	2	2		4
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	Mar. 22,	.	217	22·3	.	6	1	1*	2	1	17
VIENNA (with suburbs).	1,709,211	April 5	1,053	778	23·4	.	31	6	6†	6	.	40
BUDA-PESTH,	767,661	„ 5,	525	349	23·6	.	5	6	2	2	1	13
PRAGUE and Faubourgs.	413,756	„ 5,	249	210	26·2	.	3	3	1	.	3	13
ROME,	472,298	Feb. 22,	268	182	20·0	.	3	.	3	1	2	4
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	April 5,	70	76	23·9	.	1	.	.	.	.	8
NEW YORK,	3,632,501	„ 5,	1,752	1,312‡	18·9	20	22	28	52†	13	6	30
PHILADELPHIA,	1,293,697	Mar. 29,	.	500	20·1	3	.	1	14	1	20	3

* Including 61 deaths from cholera in Calcutta.
† Including deaths from croup.
§ Exclusive of 120 deaths from bubonic fever in Calcutta, and 830 in Bombay
‡ Deaths of infants under 1 week not included.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 26th April, 1902:—

Until Friday the weather was of the southerly type—mild, showery, and often squally. The last two days were very dry and cool with moderate to strong and squally easterly winds. Taken as a whole the period was favourable to health and vegetation. There were no night frosts, and the abundant rainfall of the first half of the week clothed the country in its spring-garb. On Sunday a cylonic disturbance passed northwards outside the western coasts of Ireland and Scotland, causing a moderate rainfall in nearly all parts of the British Isles. Temperature rose to 65° in London and to 59° in Dublin. Monday was at first fair, but towards evening the weather became unsettled and very rainy, as a new and large depression skirted the West Coasts of Ireland, moving northwards. In this system the barometer fell to 28·95 inches at Blacksod Point on Tuesday evening. Rain again fell generally—heavily in the S. and E. of Ireland and in South Wales. On Tuesday morning, the measurements were 1·11 inches at Valentia, 1·10 inches at Roche's Point, ·78 inch at Pembroke, ·74 inch at Donaghadee, and ·47 inch in Dublin. An eclipse of the moon on Tuesday evening was not well seen owing to clouds. Thunder-showers were prevalent on Wednesday. On Friday a depression appeared over the Pennisula, the Bay of Biscay and France. This caused fresh to squally easterly winds and cold dry weather in the British Isles to the close of the week. In Dublin the mean height of the barometer was 29·728 inches, pressure varying from 29·112 inches at 9 a.m. of Tuesday (wind, S.E.) to 30·072 inches at 9 p.m. of Saturday (wind, N.E.). The corrected mean temperature was 52·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 50·1°. The mean daily maximum was as high as 58·1°. The screened thermometers rose from 43·9° to 61·7° on Thursday—these readings constituting the extremes for the week. Bright sunshine was estimated at 47 hours. The prevailing winds were first S.S.W., afterwards E.N.E. Rain fell on four days to the amount of ·676 inch, ·471 inch being measured on Monday. The thermometric maximum on Thursday was the highest in Dublin since October 28, 1901.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·721 inches. The highest reading (30·068) was on Saturday at 9 p.m., wind N.E., and the lowest (29·109) on Tuesday at 9 a.m., wind S.E.

The mean temperature for the week was 49·8°, being 1·5 above the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Thursday, on which day the thermometer registered 58·8°, and was lowest on Friday, the mercury having fallen to 35·6°. The mean of the Dry Bulb for the week was 49·1°, and of the Wet Bulb 45·9°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 52·6 hours. The rainfall measured ·240 inch.

At Greenwich the mean temperature for the week was 51·8°, the maximum 65·7°, and the minimum 38·2°; at Glasgow the maximum was 62·0°, the minimum 40·0°, and the mean 51·8°; and at Edinburgh the maximum was 58·4°; the minimum 38·6°, and the mean 49·4°. The rainfall at Greenwich measured 0·06 inch; at Glasgow 0·10 inch; and at Edinburgh 0·20 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, April 20,	29·625	57·6	46·4	52·0	50·4	46·8	·77	·7	3·9	·005	S.S.W.	S.S.W.
Monday, „ 21,	29·640	56·8	47·3	52·1	51·5	48·3	·80	·6	4·0	·145	S.W.	S.E.
Tuesday, „ 22,	29·200	58·2	46·9	52·6	48·8	45·6	·89	·6	6·3	·060	S.E.	S.S.W.
Wednesday, „ 23,	29·587	55·1	42·9	49·0	47·4	43·8	·76	·3	8·0	·025	S.	S.
Thursday, „ 24,	29·980	58·8	41·5	50·2	50·4	46·3	·74	·2	9·4	·005	S.	Calm.
Friday, „ 25,	29·993	56·1	35·6	45·9	47·4	45·7	·88	·4	8·6	—	E.	Calm.
Saturday, „ 26,	30·024	52·5	40·9	46·7	47·8	44·6	·78	·4	12·4	—	E.N.E.	N.E.
Mean . .	29·721	56·4	43·1	49·8	49·1	45·9	·80	·5	Total 52·6	·240	Prevailing Wind Southerly.	

Sunday—A cloudy day; night cloudy; showers a.m. *Monday*—Cloudy a.m.; dull p.m.; rain 7 to 12 p.m. and 6 to 9 a.m.; night overcast. *Tuesday*—A cloudy day from 11 a.m.; rain 9 to 10 a.m. and 7 to 8.30 p.m.; night cloudy. *Wednesday*—A cloudy day; showery a.m.; rain 6.30 to 7.30 p.m.; night cloudy. *Thursday*—A cloudy day; showers 12 to 2.30 p.m.; night clear to 8 a.m.; fog 8.30 to 9 a.m. *Friday*—A fine but cloudy day; fog 9 to 10 a.m.; night cloudy. *Saturday*—A beautiful day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 300

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 3RD MAY, 1902. [No. 18.

General Register Office, Charlemont House, Dublin, 5th May, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 12.	Week ending April 19.	Week ending April 26.	Week ending May 3.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 12.	Week ending April 19.	Week ending April 26.	Week ending May 3.	Average Rate for 4 weeks.
22 Town Dists.	**24·2**	**21·3**	**24·5**	**20·5**	**22·6**	Lisburn, . .	27·3	13·7	27·3	13·7	20·5
Armagh, . .	6·9	41·3	34·4	27·6	27·5	Londonderry, .	17·9	10·2	23·0	10·2	15·3
Ballymena, .	43·1	9·6	24·0	19·2	24·0	Lurgan, . .	13·3	17·7	35·4	17·7	21·0
Belfast, . .	24·4	21·7	22·2	17·3	21·4	Newry, . .	33·1	20·7	20·7	20·7	23·8
Clonmel, . .	15·3	25·5	46·0	25·5	28·1	Newtownards, .	28·6	17·2	11·4	11·4	17·2
Cork, . . .	19·2	15·1	17·8	21·3	18·4	Portadown, .	46·7	20·8	31·1	0·0	24·6
Drogheda, . .	40·8	16·3	28·6	16·3	25·5	Queenstown, .	0·0	33·1	19·8	0·0	13·2
Dublin Reg. Area,	26·7	23·0	26·8	24·9	25·4	Sligo, . . .	14·4	9·6	19·2	19·2	15·6
Dundalk, . .	23·9	20·0	35·9	23·9	25·9	Tralee, . .	42·5	42·5	58·5	26·6	42·5
Galway, . .	7·8	31·1	42·8	3·9	21·4	Waterford, .	19·5	11·7	25·3	19·5	19·0
Kilkenny, . .	14·9	5·0	19·9	39·8	19·9	Wexford, . .	18·7	42·1	4·7	32·7	24·5
Limerick, . .	19·2	27·4	16·4	26·0	22·3						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in thirteen of the districts to 14·9 in Kilkenny; the 8 deaths from all causes registered in that district including 3 from whooping-cough. Among the 119 deaths from all causes registered in Belfast are 4 from measles, 2 from whooping-cough, 2 from diphtheria, 2 from enteric fever, and 3 from diarrhœa; and the 5 deaths from all causes in Newry include 2 from enteric fever.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 255—127 boys and 128 girls; and the deaths to 191—100 males and 91 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 26·3 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 24·9 per 1,000. During the eighteen weeks ending with Saturday last the death-rate averaged 26·7, and was 4·2 under the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note(*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

The deaths include 3 from measles, 2 from influenza, 3 from whooping-cough, 2 from diphtheria, and 1 death from each of the following diseases—enteric fever, *diarrhœa*, and erysipelas.

Tuberculous phthisis caused 4 deaths, and *phthisis* was the registered cause of 21 deaths. There were 3 deaths from tuberculous meningitis, 1 tabulated to tuberculous peritonitis, 3 deaths were registered as being due to *tabes mesenterica*, and 3 deaths were caused by other forms of the disease.

There were 6 deaths registered as malignant disease, "cancer," and 1 death was caused by sarcoma.

There were 22 deaths from diseases of the nervous system, including 6 caused by *convulsions* (of which 3 were under 1 month old and 3 were between the age periods of 1 year and 5 years).

There were 27 deaths from diseases of the heart and blood vessels, including 6 from *apoplexy*, *hemiplegia*.

Diseases of the respiratory system caused 32 deaths, including 14 from bronchitis, 2 from broncho-pneumonia, and 10 from pneumonia.

There were 5 deaths due to accident and 1 from suicide.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under one year old (including 4 infants under one month old) and the deaths of 2 persons aged 60 years and upwards.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 12 were under one month old), and 55 were aged 60 years and upwards, including 30 persons aged 70 and upwards, of whom 11 were octogenarians, and two (a man and a woman) were stated to have been aged 90 years.

Eighty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·9 per 1,000; the rate in the City was 25·1 (23·7 on the North side, and 26·6 on the South), and in the Urban Districts 24·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·6 (0·7 in the North City Districts, and 2·6 in the South) and for the Urban Districts 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·4 per 1,000. There were 2 deaths from *phthisis* and 1 from tuberculous enteritis; there were 2 deaths from diseases of the respiratory system, including 1 from broncho-pneumonia, and 1 death from violence, namely, drowning.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. There was 1 death from tuberculous phthisis and 3 from *phthisis*; there were 2 deaths from diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. Diphtheria caused 1 death, *phthisis* also caused 1 death, and 3 deaths were due to *pneumonia*.

No. 3 North City District (Blackhall-place).—The deaths (16) represent an annual rate of 26·3 per 1,000. Enteric fever caused 1 death, phthisis caused 4 deaths, and diseases of the respiratory system 2 deaths, including 1 from *pneumonia*.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·2; and Finglas and Glasnevin, part of, 7·8.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·3 per 1,000. Whooping-cough and *diarrhœa* each caused 1 death, *phthisis* caused 2 deaths, and diseases of the respiratory system 2 deaths, including 1 from *pneumonia*.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 39·6 per 1,000. Diseases of the respiratory system caused 6 deaths, including 2 from pneumonia.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 23·7 per 1,000. One death was registered to tuberculous phthisis, and 2 to *phthisis*. Diseases of the respiratory system caused 3 deaths, including 1 from *pneumonia*. There was 1 death from "burns."

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·9 per 1,000. Of the 14 deaths, 2 were from measles, and 1 each from whooping-cough and diarrhœa.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 42·9 per 1,000 inhabitants. One of the 6 deaths from all causes was from whooping-cough and 1 from *phthisis*.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 17·3 per 1,000 inhabitants; Pembroke, 26·0; Blackrock, 47·6; and Kingstown, 23·7. The deaths from epidemic diseases tabulated for Pembroke were 1 from influenza and 1 from diphtheria. Among the 11 deaths from all causes tabulated for Rathmines 3 were from *phthisis* and 1 from pulmonary tuberculosis, 3 from diseases of the heart and blood vessels, one from bronchitis and one from broncho-pneumonia; the 13 deaths tabulated for Pembroke include 3 from diseases of the nervous system and 5 from diseases of the respiratory system; and the 8 deaths from all causes for Kingstown include one from pulmonary tuberculosis, 2 from diseases of the heart and blood vessels, and one accidental death.

---

* Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th April,	70 cases.
,, ,,	19th April,	68 cases.
,, ,,	26th April,	103 cases.
,, ,,	3rd May,	108 cases.

Of the 108 cases notified, 26 were erysipelas, 13 enteric fever, 19 scarlatina, 29 measles, 14 chicken-pox, 3 diphtheria, and 4 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th April,	3 cases.
,, ,,	19th April,	2 cases.
,, ,,	26th April,	2 cases.
,, ,,	3rd May,	5 cases.

Of the 5 cases notified, 2 were scarlet fever, 2 enteric fever, and one diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th April,	33 cases.
,, ,,	19th April,	22 cases.
,, ,,	26th April,	7 cases.
,, ,,	3rd May,	15 cases.

Of the 15 cases notified, 3 were measles, 11 whooping-cough, and one diphtheria.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th April,	38 cases.
,, ,,	19th April,	37 cases.
,, ,,	26th April,	43 cases.
,, ,,	3rd May,	65 cases.

Of the 65 cases notified, 24 were enteric fever, 11 erysipelas, 16 diphtheria, 9 continued fever, 2 scarlet fever, one typhus fever, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd May, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Nineteen cases of measles were admitted to hospital, 5 were discharged, there were 2 deaths, and 40 cases remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, 8 cases were discharged, there were 2 deaths, and 35 cases remained under treatment at the close of the week.

Twenty-two cases of scarlatina were admitted to hospital, 12 cases were discharged, and 82 cases remained under treatment at the close of the week.

Fourteen cases of diphtheria were admitted to hospital, 3 cases were discharged, there were 3 deaths, and 36 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 6 patients were discharged, there was one death and 27 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·7), was equal to an average annual death-rate of 16·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·9 per 1,000, the rate for Glasgow being 20·6, and for Edinburgh 15·8.

* See note (*) on page 294.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd May, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 3rd May, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,322	18·7	30·3	20·5	1·6	635	430	56	127	.	7	.	.	11	4	.	5	6	65	84	4	14	137
Dublin Registration Area:—																							
Total,‡	379,003	27·8	35·1	24·9	1·4	255	181	1	52	.	3	.	.	3	2	.	1	1	24	32	3	7	70
Registrars' Districts. City	293,394	37·8	39·5	25·1	1·6	222	141	19	34	.	3	.	.	3	1	.	1	1	19	23	2	6	63
Rathmines,‖	33,208	19·4	14·1	17·3	.	9	11	.	5	.	.	.	.	.	.	.	.	.	4	2	.	.	2
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	22·0	26·0	2·0	11	13	1	7	.	.	.	.	.	1	.	.	.	.	5	.	.	2
Blackrock,‖	8,759	6·1	17·9	47·6	.	3	8	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Kingstown, 1 & 2,‖	17,622	12·1	29·6	23·7	.	10	8	1	4	.	.	.	.	.	.	.	.	.	1	1	1	1	1
Urban Districts.																							
Belfast,	358,693	21·8	27·9	17·3	1·9	192	119	20	30	.	4	.	.	2	2	.	2	3	29	26	.	6	29
Cork,	75,978	33·5	26·1	21·3	0·7	38	31	2	8	.	.	.	.	1	.	.	.	.	6	2	1	1	18
Londonderry,	40,729	18·8	24·8	10·2	1·3	19	8	2	2	.	.	.	.	1	.	.	.	.	1	3	.	.	1
Limerick,	38,085	18·4	27·4	26·0	1·4	20	19	2	4	.	.	.	.	.	.	.	.	1	1	9	.	.	4
Waterford	26,748	18·6	28·4	19·5	1·9	12	10	2	3	.	.	.	.	.	.	.	.	1	1	1	.	.	3
Galway,	13,414	9·5	27·2	3·9	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Dundalk	13,067	9·4	10·0	23·9	.	5	6	.	1	.	.	.	.	.	.	.	.	.	.	4	.	.	1
Drogheda	12,765	8·1	12·3	16·3	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Newry,	12,587	17·9	41·4	20·7	3·3	10	5	.	1	.	.	.	.	.	.	.	2	.	.	1	.	.	.
Lurgan,	11,777	13·8	17·7	17·7	.	4	4	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Lisburn,	11,459	10·1	27·3	13·7	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Wexford,	11,154	23·2	56·1	32·7	4·7	12	7	2	3	.	.	.	.	1	.	.	.	.	.	3	.	.	2
Ballymena	10,880	10·9	14·4	19·2	.	3	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Sligo,	10,862	3·6	9·6	19·2	.	2	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Kilkenny	10,498	11·4	39·6	39·8	14·9	8	8	2	3	.	.	.	.	3	.	.	.	.	1	.	.	.	1
Clonmel,	10,209	7·9	61·3	25·5	.	12	5	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Portadown	10,046	13·1	31·1	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,812	16·7	47·8	26·6	.	9	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	11·4	11·4	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown,	7,887	14·7	19·8	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,569	22·1	48·2	27·6	.	7	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2

Towns and Districts.	Meteorology.† Week ending 3rd May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean	Rainfall in Inches.	Week ending 19th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§57·7	30·0	46·9	0·33	§58·8	35·6	49·8	0·24	§58·7	32·4	45·9	0·22
Registrars' Districts. City	a59·5 b58·8	36·8 31·0	49·0 47·9	0·29 0·26	a61·7 b60·8	48·9 38·0	52·0 51·2	0·68 0·59	a57·8 b57·6	37·0 32·0	47·7 45·8	0·39 0·20
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	59·	39·5	49·5	0·26	58·5	43·5	51·1	0·89	56	35·5	46·8	0·54
Urban Districts.												
Belfast,	57·0	34·0	48·3	0·27	58·1	40·6	49·9	0·29	55·8	32·5	44·1	0·25
Cork,	57	39	49·2	0·06	58	45	49·5	1·44	56	36	45·9	1·42
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	60	35	50	0·30	61	41	50	1·10	58	33	46	0·32
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	59·5	34·6	47·1	0·47	58·3	42·0	50·6	0·95	57·8	34·4	46·3	0·42
Lurgan,	59·5	34·6	47·1	0·47	58·3	42·0	50·6	0·95	57·8	34·4	46·3	0·42
Lisburn,	59·5	34·6	47·1	0·47	58·3	42·0	50·6	0·95	57·8	34·4	46·3	0·42
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	57·2	31·2	47·1	0·57	60·1	41·8	51·0	1·08	56·9	29·4	44·4	0·86
Kilkenny	59	35	49·1	0·21	58	40	49·6	1·34	57	30	46·0	0·80
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	59·5	34·6	47·1	0·47	58·3	42·0	50·6	0·95	57·8	34·4	46·3	0·42
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	58	39	46·1	0·40	57	43	48·6	1·27	56	33	43·8	0·42
Queenstown,	57	39	49·2	0·06	58	45	49·5	1·44	56	36	45·9	1·42
Armagh,	59·5	34·6	47·1	0·47	58·3	42·0	50·6	0·95	57·8	34·4	46·3	0·42

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 3rd of May, 1902. (*The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of				Total for Dublin Registration Area.	
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	3	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	3	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Phthisis,	2	4	1	4	.	.	1	.	2	.	3	1	.	1	.	4	.	.	1	24	1
Other General Diseases,	3	1	3	2	.	2	.	.	3	2	3	4	.	2	1	1	3	1	.	31	2
Total,	5	5	5	7	.	2	1	.	7	2	7	8	.	4	1	5	4	1	1	65	3
B. Local Diseases:																					
Diseases of Nervous System,	.	3	2	1	2	2	.	.	3	.	2	2	.	1	.	.	3	1	.	22	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	2	6	.	4	.	1	.	.	1	2	2	1	.	.	.	3	.	1	2	25	2
Diseases of Respiratory System,	2	2	3	2	.	1	.	1	2	6	3	1	.	.	.	2	5	1	1	32	.
Diseases of Digestive System,	.	1	1	1	1	.	.	.	2	1	1	1	.	.	.	1	.	2	1	18	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	4	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	13	7	9	3	4	.	1	8	10	8	5	.	1	.	6	8	5	4	96	3
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	.	2	.	.	.	.	.	.	4	1	3	1	.	1	.	.	1	2	2	17	1
E. Violent Deaths,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	3	3
Deaths from all Causes,	10	20	12	16	3	6	1	1	19	13	19	14	.	6	1	11	13	8	8	181	10
Annual Rate of Mortality in every 1,000 of the population.	18·4	26·6	20·8	26·3	32·5	31·2	7·8	.	25·3	39·6	23·7	20·9	.	42·9	.	17·3	26·0	47·6	23·7	24·9	
	23·7								26·6							24·4					
	25·1																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	1	1	2	.	4	1	.	1	6	8	5	.	.	.	2	2	1	1	36	8
Workhouse Hospitals,	3	5	4	7	.	.	.	.	7	4	2	1	.	.	.	.	.	1	.	34	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years, 1892

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1892-1901	In the Week ending Saturd 3rd May, 1902. Deaths of Persons of the Age					
	May 7, 1892.	May 6, 1893.	May 5, 1894	May 4, 1895.	May 2, 1896.	May 8 1897.	May 7, 1898.	May 6, 1899.	May 5, 1900.	May 4, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 44·2	° 53·1	° 48·7	° 47·0	° 47·3	° 46·8	° 47·9	° 45·3	° 48·6	° 46·3	47·5	Mean Temp ° 46·9						
ALL CAUSES.	221	149	165	183	159	226	164	166	204	183	182·0	191	12	9	25	20	31	39
Small Pox, Vaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	40	3	3	.	.	8	.	.	.	.	5·4	3	.	.	2	1	.	.
Scarlet Fever, ...	.	.	.	.	6	4	1	.	.	.	1·1	.	.	.	.	.	.	.
Typhus, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	2	8	1	5	4	8	3	5	3·9	2	.	.	.	.	1	.
Whooping Cough, ...	4	6	3	4	2	16	3	4	4	9	5·5	3	.	.	3	.	.	.
Diphtheria, ...	1	.	.	1	.	2	1	1	.	1	·7	2	.	.	.	2	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	4	3	.	1	2	3	2	6	2	2·3	1		.	.	1	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	2	2	.	.	3	3	1	1	1	2	1·5	. / 1	. / .	. / 1	. / .	. / .	. / .	. / .
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	1	.	1	3	1	.	.	.	·7	2	1	1	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	2	.	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	.	1	.	.	1	.	.	1	·5	1	.	.	.		.	1
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	1	.	.	.	.	1	2	.	·4	.	.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*," ...	21	27	19	26	28	31	21	18	29	29	24·9	4 / 21	. / .	. / .	1 / .	. / 3	2 / 11	. / 4
Tuberculous Meningitis, (Acute Hydrocephalus).	6	2	2	4	2	7	5	4	2	3	3·7	3	.	.	1	2	.	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	5	2	2	5	3	5	1	6	6	4	3·9	1 / 3	. / .	. / 1	. / 1	. / 1	. / .	1 / .
Tuberculous Dis. (other), ... Scrofula, ...	4	3	4	5	6	5	2	7	4	6	4·6	3 / .	. / .	. / .	2 / .	. / .	. / .	1 / .
Alcoholism, ...	.	1	2	3	1	.	.	1	1	.	·9	1	.	.	.	.	.	1
Rheumatic Fever, ...	.	1	1	.	2	2	2	.	1	1	1·0	1	.	.	.	1	.	.
Gout ...	.	1	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	.

* The figures for the years 1892-1900 are

GHTEENTH WEEK ending Saturday, 3rd May, 1902, with the deaths from each cause in the corresponding
e average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: May 7, 1892.	May 6, 1893.	May 5, 1894.	May 4, 1895.	May 2, 1896.	May 8, 1897.	May 7, 1898.	May 6, 1899.	May 5, 1900.	May 4, 1901.	Averages in 18th Week of the 10 years 1892–1901.	In the Week ending Saturday, 3rd May, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 44·2	° 53·1	° 48·7	° 47·0	° 47·3	° 46·8	° 47·9	° 45·3	° 48·6	° 46·3	47·5	° 46·9								
noma												.	.	.	.	.	.	.	.	.
oma	3	3	5	3	4	7	6	7	4	8	5·0	1	.	.	.	.	.	1	.	.
nant Dis. "*Cancer*,"												6	.	.	.	.	4	1	1	.
etes Mellitus	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	1	.	.
ature Birth	5	6	2	2	1	2	8	1	2	3	3·2	3	3	.	.	.	.	.	.	.
ngitis (not tuberc.)												9	1	1	3	3	1	.	.	.
ity, G. P. of Insane												.	.	.	.	.	.	.	.	.
psy												1	.	.	.	.	1	.	.	.
ulsions												6	3	.	3	.	.	.	.	.
notor Ataxy												.	.	.	.	.	.	.	.	.
plegia Dis. of Cord												.	.	.	.	.	.	.	.	.
ous System (other Dis.) ...	34	17	35	33	38	34	26	25	57	36	33·5	6	.	.	.	.	4	.	2	.
Dis., Endocarditis												2	.	.	.	.	.	1	.	1
r. Hæm. Thromb.												4	.	.	.	.	1	1	2	.
exy, Hemiplegia												6	.	.	.	.	1	1	3	1
rysm												1	.	.	.	.	.	1	.	.
olism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
and Blood Vessel Dis.												14	1	.	.	.	1	3	9	.
(not Spasm or Memb.) ...	1	.	1	.	.	1	.	.	.	2	·5	1	.	.	1	.	.	.	.	.
hitis	23	9	18	28	11	22	27	24	19	25	20·6	14	.	.	1	.	.	3	8	2
ous Pneumonia												1	.	.	.	.	.	.	1	.
ho-Pneumonia	18	13	7	13	6	18	14	16	10	11	12·6	2	.	.	.	.	1	1	.	.
monia"												10	.	.	.	2	1	5	2	.
ia, Emphysema												2	.	.	.	.	.	2	.	.
sy	4	2	4	2	2	3	.	.	.	2	1·9	.	.	.	.	.	.	.	.	.
ratory Dis. (other)												2	.	.	1	.	1	.	.	.
litis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
itis (not Epid.)	1	2	1	.	.	3	.	.	1	.	·8	.	.	.	.	.	.	.	.	.
Enteritis												2	.	.	1	.	.	1	.	.
nitis (not Puerp.)	.	2	.	1	.	3	.	1	1	.	·8	.	.	.	.	.	.	.	.	.
sis of Liver	4	2	1	4	3	3	2	3	1	5	2·8	.	.	.	.	.	.	.	.	.
Dis. (other)												3	.	.	.	.	.	2	.	1
ive Dis. (other)	4	1	3	3	6	2	4	1	5	6	3·5	9	.	2	.	.	2	2	3	.
itis, Acute												3	.	.	1	.	.	1	1	.
's Dis., Albuminuria ...	1	5	4	8	6	2	3	6	6	6	4·7	1	.	.	.	.	.	1	.	.
ry Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
ative Organs Dis.	2	.	1	.	.	.	2	.	.	.	·5	.	.	.	.	.	.	.	.	.
birth (Accid. of)	1	1	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
ge	15	9	16	8	6	10	9	11	16	5	10·5	8	.	.	.	.	.	.	2	6
Diseases	13	14	19	16	13	20	16	12	16	9	14·8	13	3	3	4	1	.	2	.	.
ACCIDENT.																				
ilways	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
hicles and Horses	.	.	.	1	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
ps, Boats, Docks (exclusive rowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
lding Operations	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.
nflagrations	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions ...	1	2	1	.	.	1	1	.	3	.	·9	2	.	.	.	2	.	.	.	.
owning	1	1	.	2	2	1	.	1	.	.	·8	1	.	.	.	.	1	.	.	.
ffocation in Bed	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	2	2	1	.	4	.	.	3	2	1	1·5	2	.	.	.	.	1	.	1	.
IOLENCE OTHER THAN ACCIDENTAL.																				
ide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
e	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
tion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901-2—Week ending																									
	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.
No. of weeks in Annual Series,	45	46	7	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Births registered,	192	144	162	216	187	164	144	83	279	204	208	215	152	222	177	218	193	220	239	198	229	199	237	226	195	255
*Average Births in corresponding week of previous 10 years,**	176	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207	201	225	179	190	197	211	232
Deaths registered,	171	180	176	141	153	186	196	200	223	186	177	158	169	181	200	248	218	222	154	167	211	203	206	174	199	191
Annual Death-rate per 1,000,	23·8	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3
*Average Deaths in corresponding week of previous 10 years,**	176	184	185	190	183	189	188	212	17	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182
Ages, Under 5 years,	53	59	53	36	37	31	47	38	46	38	54	36	38	46	40	60	60	59	37	45	49	49	56	57	60	46
5—20 ,,	15	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12	23	17	20	17	16	12	19	20
20—40 ,,	23	31	26	20	28	16	35	31	39	35	19	27	31	36	34	37	30	29	23	32	39	33	42	28	20	31
40—60 ,,	36	31	32	30	38	39	54	53	63	41	2		43	39	47	55	43	46	35	40	52	51	41	37	50	39
60—80 ,,	34	35	38	32	32	31	33	55	57	48	44	37	36	36	49	70	52	67	28	26	43	45	40	33	44	42
80 years and upwards,	10	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3
,, Scarlet Fever,	.	.	.	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	1	1	1	.	1	4	.	1	.	.	1	1	2	3	2	5	.	.	1	2	.	2	1	3	3
,, Diphtheria,	1	3	4	.		.		2	3	3	1	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	2	.	3	2	1	.	4	5	2		1	2	.	2	2			2	1	1	2	1	2	.	4	1
,, Diarrhœa, Dysentery,	2	2	2	4	3	.	2	3	4	1	2		.	1	2	2	3	1	1	1	.	1	4	4	1	1
,, Phthisis,	19	36	23	23	32	15	24	21	30	30	20	9	33	31	7	27	33	38	17	36	37	27	27	25	20	25
,, Heart Diseases,	19	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17	13	20	31	18	27	22	27
,, Diseases of Respiratory System,	34	26	35	22	25	33	32	46	57	34	8	35		36	48	32	73	65	41	30	53	49	44	33	41	32
Violent Deaths,	6	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6
Mean Temperature of the Air (Phœnix Park),	43·2	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	·7	29·9	40·5	6·0	44·3	44·9	44·4	43·5	43·5	38·4	45·9	49·8	46·9
Average Mean Temperature in corresponding week of previous 10 years,	45·4	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	9·4	39·6	0·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5
Rainfall in inches,	·000	3·735	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·890	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·830
Mean Humidity of the Air, complete Saturation 1·0,	·91	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd May, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Registration of Deaths, Week ending Saturday, 3rd May, 1902. Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	28·8	191	46	20	31	39	42	13	.	3	.	.	3	2	.	1	1	10	25	6	32	6	112
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	60·9	18	1	1	2	1	8	5	.	.	.	.	.	.	.	.	.	.	2	.	2	.	14
II.	MIDDLE CLASS,	80,653	18·1	28	5	2	5	6	6	4	.	.	.	.	.	1	.	.	.	1	3	2	5	1	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	22·3	42	8	4	9	14	7	.	.	1	.	.	.	.	.	.	.	1	8	3	3	1	26
IV.	GENERAL SERVICE CLASS,	146,486	35·4	67	25	10	9	10	11	2	.	2	.	.	3	1	.	1	1	8	4	1	13	4	37
V.	INMATES OF WORKHOUSES,	5,191		36	7	3	6	8	10	2	.	.	.	.	.	.	.	.	.	.	8	.	9	.	19
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	38·0	5	1	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	2. Merchants and Manufacturers, Higher Class,	1,833	28·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	110·2	12	.	.	2	1	5	4	.	.	.	.	.	.	.	.	.	.	2	.	2	.	8
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	22·3	11	2	1	.	3	4	1	.	.	.	.	.	1	.	.	.	1	.	1	2	.	7
	6. Clerks and Commercial Assistants,	24,750	19·0	9	3	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	.	1	.	1	2	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,852	35·5	5	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1	.	.
	9. Building and Furnishing Trades,	26,030	18·0	9	5	.	2	1	1	.	.	1	.	.	.	.	.	.	.	1	1	2	.	.	5
	10. Clothing Trades,	28,686	6·6	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	11. Food Supply Trades,	7,869	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	35·2	18	3	3	1	7	4	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	13
	13. Petty Shopkeepers,	6,771	46·2	6	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	7·7	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	15. Domestic Servants,	39,563	9·2	7	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	14·6	3	1	1	.	.	1	.	.	1	.	.	1	.	.	.	.	2	.	.	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	34·7	55	22	7	6	8	10	2	.	1	.	.	2	1	.	1	1	6	3	1	12	1	32
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	36	7	3	6	8	10	2	.	.	.	.	.	.	.	.	.	.	8	.	9	.	19

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,333.	Mar. 15,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	2	4	.
		„ 22,	28·9	.	13	.	.	.	.	.	.	.	.	.	3	1	2
		„ 29,	33·1	5·4	18	.	.	1	.	2	.	.	.	.	3	7	.
		Apl. 5,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	3	.
		„ 12,	29·4	.	16	.	.	.	.	.	.	.	.	.	4	4	1
		„ 19,	29·4	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		„ 26,	33·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
		May 3,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	2	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Mar. 15,	16·0	.	12	.	.	.	.	.	.	.	.	.	3	2	.
		„ 22,	30·6	1·3	23	.	.	1	.	.	.	.	.	.	3	5	2
		„ 29,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		Apl. 5,	28·0	.	21	.	.	.	.	.	.	.	.	.	3	4	.
		„ 12,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	4	7	.
		„ 19,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	.	3	.
		„ 26,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	2	2	2
		May 3,	26·6	.	20	.	.	.	.	.	.	.	.	.	4	2	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Mar. 15,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	7	.
		„ 22,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	6	1
		„ 29,	32·9	.	19	.	.	.	.	.	.	.	.	.	5	4	.
		Apl. 5,	26·0	3·5	15	.	.	.	.	.	1	.	1	.	3	1	.
		„ 12,	32·9	.	19	.	.	.	.	.	.	.	.	.	1	6	.
		„ 19,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
		„ 26,	31·2	.	18	.	.	.	.	.	.	.	.	.	5	2	.
		May 3,	20·8	1·7	12	.	.	.	.	.	1	.	.	.	1	3	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Mar. 15,	32·9	3·3	20	.	.	2	.	.	.	.	.	.	3	6	.
		„ 22,	24·7	1·6	15	.	.	.	.	.	.	.	1	.	4	1	1
		„ 29,	28·0	1·6	17	.	.	1	.	.	.	.	.	.	3	1	.
		Apl. 5,	31·3	.	19	.	.	.	.	.	.	.	.	.	.	9	.
		„ 12,	44·4	1·6	27	.	.	.	.	1	.	.	.	.	1	6	.
		„ 19,	37·9	6·6	23	.	.	1	.	.	1	.	.	2	3	4	.
		„ 26,	34·6	1·6	21	.	.	.	.	.	.	.	.	1	3	6	.
		May 3,	26·3	1·6	16	.	.	.	.	.	.	.	1	.	4	2	.
	South City, No. 1. (Office, South Earl-street. Pop. in 1902 (Est.) 39,152.	Mar. 15,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	.
		„ 22,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	3	2	2
		„ 29,	34·6	1·3	26	.	.	.	.	.	.	.	1	.	4	5	.
		Apl. 5,	24·0	.	18	.	.	.	.	.	.	.	.	.	3	3	2
		„ 12,	32·0	4·0	24	.	.	.	.	1	.	.	1	1	3	4	3
		„ 19,	30·6	.	23	.	.	.	.	.	.	.	.	.	1	5	.
		„ 26,	29·3	.	22	.	.	.	.	1	.	.	1	.	1	5	.
		May 3,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	2	2	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Mar. 15,	18·3	.	6	.	.	.	.	.	.	.	.	.	.	5	.
		„ 22,	27·4	.	9	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	39·6	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		Apl. 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	21·3	.	7	.	.	.	.	.	.	.	.	.	1	1	1
		„ 19,	18·3	.	6	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	33·6	3·0	11	.	.	.	.	.	.	.	1	.	.	.	1
		May 3,	39·6	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	South City, No. 3. (Office, Peter-street. Pop. in 1902 (Est.) 41,786.	Mar. 15,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	6	.
		„ 22,	23·7	.	19	.	.	.	.	.	.	.	.	.	5	6	.
		„ 29,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	10	.
		Apl. 5,	33·7	1·2	27	.	.	1	.	.	.	.	.	.	3	10	.
		„ 12,	28·7	1·2	23	.	.	.	.	.	.	.	.	1	4	7	.
		„ 19,	21·2	3·7	17	.	1	1	.	.	.	.	.	1	3	.	.
		„ 26,	21·2	1·2	17	.	.	.	.	1	.	.	.	.	1	4	.
		May 3,	23·7	1·2	19	.	1	.	.	.	.	.	.	.	3	3	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Mar. 15,	28·4	.	19	.	.	.	.	.	.	.	.	.	2	4	.
		„ 22,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	3	2	.
		„ 29,	35·9	1·5	24	.	.	.	.	.	.	.	1	.	5	6	.
		Apl. 5,	29·9	1·5	20	.	.	.	.	.	.	.	.	1	4	3	.
		„ 12,	20·9	3·0	14	.	1	.	.	.	.	.	.	1	2	2	.
		„ 19,	19·4	1·5	13	.	.	.	.	1	.	.	.	.	4	2	.
		„ 26,	35·2	1·5	22	.	1	.	.	.	.	.	.	.	2	5	.
		May 3,	20·9	4·5	14	.	2	.	.	1	.	.	.	.	1	1	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 83,208.	Mar. 15,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29.	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	Apl. 5,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 19,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	3	1
	„ 26,	20·4	.	18	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Mar. 15,	20·0	10·0	10	.	4	.	.	.	.	.	.	1	.	2	.
	„ 22,	18·0	4·0	9	.	1	.	.	1	.	.	.	.	2	2	.
	„ 29,	30·1	2·0	15	.	1	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	32·1	2·0	16	.	1	.	.	.	.	.	.	.	1	5	.
	„ 12,	24·0	.	12	.	2	.	.	.	.	.	.	.	1	1	.
	„ 19,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	1	1	.
	„ 26,	22·0	4·0	11	.	1	.	.	1	.	.	.	.	.	3	.
	May 3,	26·0	2·0	13	.	.	.	.	.	1	.	.	.	.	5	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Mar. 15,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 22,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	47·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.
	„ 12,	33·5	3·0	11	.	.	.	.	.	.	.	.	1	1	1	1
	„ 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 26,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1
Belfast. Pop. in 1902 (Est.) 358,693.	Mar. 15,	23·4	1·2	161	.	.	.	.	3	.	.	2	3	18	53	3
	„ 22,	22·4	1·5	154	.	2	.	.	5	1	.	1	1	19	50	4
	„ 29,	22·0	1·5	151	.	1	.	.	6	1	.	.	2	30	44	2
	Apl. 5,	23·0	2·3	153	.	2	.	.	5	2	1	5	1	30	36	.
	„ 12,	24·4	1·9	168	.	4	.	.	6	.	.	1	2	26	40	3
	„ 19,	21·7	1·5	149	.	2	.	.	4	1	.	1	2	31	34	4
	„ 26,	22·2	1·7	153	.	3	1	.	2	2	.	3	1	25	44	.
	May 3,	17·3	1·9	119	.	4	.	.	2	2	.	2	3	29	26	.
Cork. Pop (in 1901) 75,978.	Mar. 15,	25·4	2·1	37	.	.	.	.	2	.	.	.	1	5	3	.
	„ 22,	24·0	2·1	35	.	.	.	.	3	.	.	.	.	6	4	1
	„ 29,	27·5	.	40	.	.	.	.	.	.	.	.	.	7	4	2
	Apl. 5,	28·1	.	41	.	.	.	.	.	.	.	.	.	6	9	1
	„ 12,	19·2	.	28	.	.	.	.	.	.	.	.	.	7	3	.
	„ 19,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	3	3	.
	„ 26,	17·3	2·1	26	.	.	.	.	1	.	.	.	2	4	4	.
	May 3,	21·3	0·7	31	.	.	.	.	1	.	.	.	.	6	2	1
Londonderry. Pop. in 1902 (Est.) 40,729.	Mar. 15,	32·0	.	25	.	.	.	.	.	.	.	.	.	5	5	.
	„ 22,	19·2	1·3	15	.	.	.	.	.	.	.	.	1	.	7	1
	„ 29,	14·1	5·1	11	.	1	.	.	1	.	.	.	2	2	2	.
	Apl. 5,	21·8	3·8	17	.	1	.	.	.	.	.	.	2	3	1	1
	„ 12,	17·9	1·3	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 19,	10·2	.	8	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	23·0	1·3	18	.	.	.	.	.	.	.	.	1	4	4	.
	May 3,	10·2	1·3	8	.	.	.	.	1	.	.	.	.	1	3	.
Limerick. Pop. in 1901) 38,085.	Mar. 15,	15·1	.	11	.	.	.	.	.	.	.	.	.	1	6	.
	„ 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	3	5	1
	„ 29,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Apl. 5,	42·4	.	31	.	.	.	.	.	.	.	.	.	3	10	.
	„ 12,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	27·4	.	20	.	.	.	.	.	.	.	.	.	5	2	.
	„ 26,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	May 3,	26·0	1·4	19	.	.	.	.	.	.	.	.	1	1	2	.
Waterford. Pop. (in 1901) 26,743.	Mar. 15,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	„ 22,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	3	1
	Apl. 5,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 12,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 26,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	2	.
	May 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 3rd May, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	8	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	.	.	6	2	.	.	.	.	.	.	.	.	.	4	2	.	2	3
" 2 "		22			15	3	1	7	4	.	1	.	.	.	1	.	.	.	5	3	.	.	3
" 3 "		32			11	5	2	3	1	.	.	.	.	.	.	.	1	1	2	3	.	1	.
" 4 "		22			15	1	2	6	6	.	1	.	.	1	.	.	.	.	3	2	.	.	7
" 5 "		8			9	.	1	6	2	.	.	.	.	.	.	.	.	.	4	1	.	.	3
" 6 "		16			13	3	.	6	4	.	.	.	.	1	.	.	1	.	3	1	.	2	3
" 7 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		5			6	2	1	3	.	.	.	.	.	.	.	.	.	1	2	2	.	1	1
" 9 "		13			6	.	.	4	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2
" 10 "		19			8	1	.	3	4	.	.	.	.	.	.	.	.	.	1	3	.	.	3
" 11 "		19			15	4	1	7	3	.	1	.	.	.	.	.	.	1	2	5	.	.	2
" 12 "		16			11	1	3	5	2	.	1	.	.	.	1	.	.	.	.	3	.	.	2
" 13 "		12			2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	192	17·3	1·9	119	20	12	57	30	.	4	.	.	2	2	.	2	3	29	26	.	6	29
City of Cork.																							
CORK URBAN, No 1 DISTRICT,	75,978	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	.	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	4
" 2 "		9			3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 3 "		4			4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 4 "		6			6	.	1	4	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1
" 5 "		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		5			2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "		5			10	.	2	5	3	.	.	.	.	1	.	.	.	.	.	1	1	1	6
Total,	—	38	21·3	0·7	31	2	3	18	8	.	.	.	.	1	.	.	.	.	6	2	1	1	13

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901–2—Week ending																									
	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May. 3.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered,	195	186	206	195	186	193	199	156	237	195	187	212	188	189	201	246	207	277	226	239	175	265	216	215	245	192
DEATHS registered.	112	131	145	131	129	141	144	150	143	125	126	151	130	123	169	205	188	136	161	154	151	158	168	149	153	119
Annual Death-rate per 1,000 of estimated Population,*	16·6	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3
AGES, Under 1 year,	23	23	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20
AGES, 1–5 years,	14	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23	12
AGES, 5–60 years,	53	59	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68	74	75	80	67	76	57
AGES, 60 years and upwards,	22	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4
,, Scarlet Fever,	1	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	2	2	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2
,, Diphtheria,	1	4	1	1	4	1	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2
,, Simple continued and Ill-defined Fever,	1	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
,, Enteric Fever,	4	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2
,, Diarrhœa, Dysentery,	2	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3
,, Phthisis	15	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28	24	18	19	30	30	26	31	25	29
,, Diseases of Respiratory System,	36	33	40	28	38	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50	44	36	40	34	44	26
Violent Deaths,	2	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd May, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	2	.	2	.	.	.	.	1	4	2	.	1	12
" " 2,	.	.	.	.	.	.	.	.	.	1	2	.	.	3
" " 3,	.	1	.	1	.	.	1	.	.	1	3	.	3	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	3	.	.	.	.	.	.	.	.	.	.	.	3
South City No. 1,	.	1	.	2	.	.	1	.	.	4	11	.	1	20
" " 2,	.	2	.	.	.	.	.	.	3	2	6	.	.	13
" " 3,	.	10	.	6	.	.	1	.	.	.	1	.	5	23
" " 4,	.	8	.	2	.	.	.	.	.	1	1	.	1	13
Palmerston (part of),	.	.	.	6	.	.	.	.	.	.	.	.	3	9
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	29	.	19	.	.	3	.	4	13	26	.	14	108
Total for week ended Apr. 26th, 1902,	.	27	1	14	.	.	8	1	5	23	16	.	8	103
Total for week ended Apr. 19th, 1902,	.	27	.	12	.	.	6	.	.	4	11	.	8	68
Total for week ended Apr. 12th, 1902,	.	14	.	8	.	.	.	.	4	16	19	.	9	70

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd May, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of Week ended			Week ended 3rd May.			
	April 12.	April 19.	April 26.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	1	1	1	.	.	.	1*
Measles,	18	33	28	19	5	2	40
Scarlet Fever,	64	73	72	22	12	.	82
Typhus "	.	.	.	.	.	.	.
Diphtheria,	20	24	28	14	3	3	36
Enteric Fever,	30	27	38	7	8	2	35
Pneumonia,	23	20	25	9	6	1	27

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	May 3,	3,242	1,381	15·7	43	38	12	24	52	8	7
EDINBURGH,	317,885	„ 3,	174	98	15·8	.	5	1	.	3	.	1
GLASGOW,	764,423	„ 3,	530	307	20·6	1	4	.	2	16	3	14
CALCUTTA,	847,796	Feb. 22,	.	689	42·2	8	4	.	.	.	285§	153*
BOMBAY,	776,006	April 8,	281	1,676	112·3	6	8	?	?	.	170§	87*
MADRAS,	509,346	Mar. 7,	266	447	46·4	3	12	?	?	?	136	103*
PARIS,	2,660,559	April 12,	1,176	1,107	22·9	2	29	4	23†	19	4	43
BRUSSELS (with 8 Faubourgs).	582,665	„ 12,	239	196	17·5	.	1	1	2	1	3	13
AMSTERDAM,	533,563	„ 19,	268	187	18·3	.	20	.	.	4	3	9
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	April 19,	217	145	18·8	.	4	1	2	3	.	6
CHRISTIANIA,	228,929	„ 12,	150	65	14·3	.	.	.	2	1	.	1
ST. PETERSBURG,	1,248,643	„ 12,	805	588	24·5	1	7	6	20	5	17	56
BERLIN,	1,906,995	Mar. 1,	971	621	17·0	.	8	5	9	13	.	32
HAMBURG,	724,835	April 12,	.	211	15·1	.	2	3	3	7	.	1
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	April 12,	.	206	21·2	.	7	.	4*	2	.	12
VIENNA (with suburbs).	1,709,211	„ 19,	1,059	769	23·2	.	21	13	10†	4	1	45
BUDA-PESTH,	767,661	„ 12,	490	359	24·3	.	11	5	3†	1	.	16
PRAGUE and Faubourgs.	416,817	„ 12,	222	195	24·3	.	3	3	1	1	1	16
ROME,	472,298	Mar. 8,	283	190	20·9	.	13	.	2	.	.	9
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	April 12,	75	51	16·1	.	1	.	1	.	1	8
NEW YORK,	3,632,501	„ 12,	1,484	1,325‡	19·0	12	20	29	35†	15	10	36
PHILADELPHIA,	1,293,697	„ 5,	.	506	20·3	6	1	2	17	2	15	.

* Including 84 deaths from cholera in Calcutta, and 3 in Madras.
† Including deaths from croup.
§ Exclusive of 176 deaths from bubonic fever in Calcutta, and 830 in Bombay.
‡ Deaths of infants under 1 week not included.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 3rd May, 1902:—

"At first dry and cold, the weather afterwards became very broken and showery with a continued low temperature. The week opened with a depression central over the Bay of Biscay, and a 'tongue' of high atmospheric pressure stretching from Norway to Scotland. Gradients for E. and N.E. winds were steep over England and Ireland, where strong searching winds from these quarters prevailed. Rain fell abundantly in France and in the Channel Islands. On Monday afternoon a thin veil of lofty cirriform cloud spread over the sky in Dublin from N. In it, at 6 p.m., a fine display of solar halos developed, including an ordinary circle of 22½ degs. radius round the sun, parhelia, a beautiful rainbow-coloured great circle of 45 degs. radius, and fragments of two other halos with aphelion centres. Again at 1 p.m. of Tuesday a solar halo appeared. These phenomena were connected with the formation of an atmospheric depression in the far North, which (with its secondaries) governed the weather for the rest of the week. Fresh W. to N. winds, low temperatures, and frequent showers of cold rain and hail, with thunder and lightning in the London district on Saturday, ushered in the month of May. In Dublin the mean height of the barometer was 29·988 inches, the mercury rising to 30·380 inches at 9 a.m. of Tuesday (wind, W.N.W.), and falling to 29·498 inches at 7 a.m. of Saturday (wind, W.). The corrected mean temperature was 49·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 47·9°. The screened thermometers fell to 36·8° and rose quickly to 59·5° on Tuesday. These were the extremes during the week. The prevailing wind was N.W. Bright sunshine was estimated at 44 hours. Rain fell on five days to the amount of ·287 inch, ·088 inch being measured on Friday. Hail fell on Friday and Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·983 inches. The highest reading (30·337) was on Tuesday at 9 a.m., wind W., and the lowest (29·572) on Saturday at 9 a.m., wind N.N.W.

The mean temperature for the week was 46·9°, being 0·6 under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Tuesday, on which day the thermometer registered 57·7°, and was lowest on Tuesday, the mercury having fallen to 30·0°. The mean of the Dry Bulb for the week was 46·6°, and of the Wet Bulb 43·6°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 48·9 hours. The rainfall measured ·330 inch.

At Greenwich the mean temperature for the week was 46·5°, the maximum 57·3°, and the minimum 33·9°; at Glasgow the maximum was 56·2°, the minimum 34·2°, and the mean 45·5°; and at Edinburgh the maximum was 56·0°; the minimum 36·6°, and the mean 44·5°. The rainfall at Greenwich measured 0·51 inch; at Glasgow 0·23 inch; and at Edinburgh 0·16 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)	9 A.M.	9 P.M.
Sunday, April 27,	30·164	50·8	41·4	46·1	46·6	42·0	·70	·4	12·6	·000	N.E.	N.E.
Monday, " 28,	30·283	48·3	39·4	43·8	42·7	39·1	·74	·3	9·8	·000	E.N.E.	N.N.E.
Tuesday, " 29,	30·276	57·7	30·0	43·9	47·8	44·2	·76	·4	8·4	·000	W.	W.
Wednesday, " 30,	29·994	54·8	45·3	50·0	50·0	47·0	·80	·7	3·1	·055	W.N.W.	W.
Thursday, May 1,	29·831	52·9	45·9	49·4	48·2	46·9	·91	·8	0·2	·080	W.	Calm.
Friday, " 2,	29·629	52·6	43·5	48·1	46·5	43·7	·81	·9	7·7	·100	W.	W.S.W.
Saturday, " 3,	29·707	53·0	41·9	47·5	44·9	42·2	·81	1·0	7·1	·095	N.N.W.	N.W.
Mean . .	29·983	52·8	41·0	46·9	46·6	43·6	·79	·6	Total 48·9	·330	Prevailing Wind W.	

Sunday—Beautiful day; night clear p.m.; cloudy a.m. *Monday*—Fine but cloudy day; night clear. *Tuesday*—Bright a.m.; cloudy p.m.; night cloudy; O. 1.0 to 5.30 a.m. *Wednesday*—A cloudy day; O., 5 to 7 p.m.; night cloudy; O. 3 to 5 and 8 to 9 a.m. *Thursday*—A cloudy day; O. 9 to 11 a.m. and 6.30 to 9.30 p.m.; night overcast; O. 7 to 8 a.m. *Friday*—A cloudy day; O.; showers 11 a.m. to 3 p.m., and 6 p.m. to 5 a.m.; night cloudy. *Saturday*—A cloudy day; O. and Δ; showers 12.30 to 4 p.m.; night clear p.m.; cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 425. 11. 1901. 360.

OFFICIAL

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 10TH MAY, 1902. [No. 19.

General Register Office, Charlemont House, Dublin, 12*th May,* 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 19.	Week ending April 26.	Week ending May 3.	Week ending May 10.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 19.	Week ending April 26.	Week ending May 3.	Week ending May 10.	Average Rate for 4 weeks
22 Town Dists.	21·3	24·5	20·5	22·9	22·3	Lisburn, . .	13·7	27·3	13·7	27·3	20·5
Armagh, . .	41·3	34·4	27·6	27·6	32·7	Londonderry, .	10·2	23·0	10·2	19·2	15·7
Ballymena, .	9·6	24·0	19·2	14·4	16·8	Lurgan, . .	17·7	35·4	17·7	22·1	23·2
Belfast, . .	21·7	22·2	17·3	21·7	20·7	Newry, . .	20·7	20·7	20·7	8·3	17·6
Clonmel, . .	25·5	46·0	25·5	15·3	28·1	Newtownards, .	17·2	11·4	11·4	22·9	15·7
Cork, . . .	15·1	17·8	21·3	25·4	19·9	Portadown, .	20·8	31·1	0·0	26·0	19·5
Drogheda, . .	16·3	28·6	16·3	44·9	26·5	Queenstown, .	33·1	19·8	0·0	46·3	24·8
Dublin Reg. Area,	23·0	26·8	24·9	23·4	24·3	Sligo, . . .	9·6	19·2	19·2	19·2	16·8
Dundalk, . .	20·0	35·9	23·9	23·9	20·9	Tralee, . .	42·5	58·5	26·6	58·5	46·5
Galway, . .	31·1	42·8	3·9	31·1	27·2	Waterford, .	11·7	25·3	19·5	11·7	17·1
Kilkenny, . .	5·0	19·9	39·8	24·8	22·4	Wexford, . .	42·1	4·7	32·7	23·4	25·7
Limerick, . .	27·4	16·4	26·0	17·8	21·9						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in fourteen of the districts to 9·6 in Sligo, the four deaths from all causes registered in that district including 2 from typhus. The 149 deaths in Belfast include 3 from measles, 4 from whooping-cough, 2 from diphtheria, 4 from enteric fever, and 4 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 232—127 boys and 105 girls; and the deaths to 173—79 males and 94 females.

DEATHS.

The deaths, which are one below the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 23·8 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 23·4 per 1,000. During the nineteen weeks ending with Saturday last the death-rate averaged 26·5, and was 4·0 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

The total deaths include 6 from measles, 2 from influenza, 2 from diphtheria, 1 from cerebro-spinal fever, 2 from enteric fever, and 2 from *diarrhœa.*

There were 3 deaths due to tuberculous phthisis and 26 deaths were registered as being due to *phthisis;* tuberculous meningitis caused 3 deaths and tuberculous peritonitis 2 deaths, while other forms of tuberculous disease caused 4 deaths.

Malignant disease, "cancer." Eight deaths were registered under this heading.

Diseases of the nervous system caused 18 deaths, which include 7 deaths from *convulsions* (of the latter 1 was under 1 month in age, 5 were over one month but under 1 year old, and 1 was between the age periods of 1 year and 5 years).

Diseases of the heart and blood vessels caused 19 deaths, including 3 from *apoplexy, hemiplegia.*

Diseases of the respiratory system caused 29 deaths; of this number 18 were due to bronchitis and 9 to *pneumonia.* The total equals an annual rate of 4·0 per 1,000 of the estimated population of the area, the rate for the corresponding period of the past 10 years being 4·7 per 1,000.

There were 2 deaths by drowning, one of these was an infant "found drowned." There was one death from accidental violence, and another the "result of rupture of liver."

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 8 children under one year of age and the death of one person aged 89 years.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 13 were under one month old), and 42 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a female) was stated to have been aged 97 years.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, 11 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·4 per 1,000; the rate in the City was 23·8 (21·9 on the North side, and 25·8 on the South), and in the Urban Districts 21·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 2·0 (0·7 in the North City Districts, and 3·3 in the South) and for the Urban Districts 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·6 per 1,000. Influenza, cerebro-spinal meningitis, and *phthisis* each caused 1 death, diseases of the respiratory system caused 3 deaths, including 1 from *pneumonia.*

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000. There were 3 deaths from *phthisis* and 1 from tuberculous peritonitis; there were 2 deaths from diseases of the respiratory system. There was one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. There were 4 deaths from phthisis and 1 death from tuberculous meningitis; there were 3 deaths from diseases of the respiratory system.

No. 3 North City District (Blackhall-place).—The deaths (12) represent an annual rate of 19·8 per 1,000. Enteric fever caused 1 death, tuberculous meningitis caused 1 death, and diseases of the respiratory system caused 3 deaths, including 2 from pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 26·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 7·8. Of the 5 deaths tabulated for the first-named district one was from diphtheria and one from *phthisis.*

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 26·6 per 1,000. Enteric fever and *diarrhœa* each caused 1 death, *phthisis* caused 2 deaths, and diseases of the respiratory system caused 2 deaths.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 21·3 per 1,000. *Diarrhœa* and *phthisis* each caused 1 death, and 2 deaths were caused by diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 22·5 per 1,000. Measles and diphtheria each caused 1 death, *phthisis* caused 2 deaths, and other forms of tuberculous disease caused 3 deaths. Diseases of the respiratory system caused 3 deaths, including 1 from pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·9 per 1,000. There were 4 deaths from measles and 2 deaths from *phthisis.* and 1 from tuberculous phthisis; there were 2 deaths from diseases of the respiratory system, including 1 from pneumonia. There was 1 case of "drowning" registered.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 14·3 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 15·7 per 1,000 inhabitants; Pembroke, 24·0; Blackrock, 11·9; and Kingstown, 35·5. The only death from any epidemic disease tabulated for any of these districts was from measles for Rathmines. Of the 10 deaths from all causes tabulated for Rathmines 1 death occurred from each of the following diseases:—Pulmonary tuberculosis, phthisis, cancer, and bronchitis; the 12 deaths from all causes for Pembroke include 1 from pulmonary tuberculosis, 2 from diseases of the heart and blood vessels, and 2 from diseases of the respiratory system, including 1 from *pneumonia*; and the 12 deaths from all causes for Kingstown consist of 3 from diseases of the heart and blood vessels, and 5 from diseases of the respiratory system, which include 2 from *pneumonia.*

* Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 19th April,	68 cases.
" " 26th April,	103 cases.
" " 3rd May,	108 cases.
" " 10th May,	80 cases.

Of the 80 cases notified, 16 were erysipelas, 25 enteric fever, 5 scarlatina, 23 measles, 4 chicken-pox, 6 diphtheria, and 1 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 19th April,	2 cases.
" " 26th April,	2 cases.
" " 3rd May,	5 cases.
" " 10th May,	10 cases.

Of the 10 cases notified, 4 were scarlet fever, one erysipelas, one chicken pox, and 4 diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 19th April,	22 cases.
" " 26th April,	7 cases.
" " 3rd May,	15 cases.
" " 10th May,	3 cases.

Of the 3 cases notified, 2 were diphtheria, and one German measles.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 19th April,	37 cases.
" " 26th April,	43 cases.
" " 3rd May,	65 cases.
" " 10th May,	51 cases.

Of the 51 cases notified, 16 were enteric fever, 7 erysipelas, 3 diphtheria, 22 continued fever, 2 scarlet fever, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th May, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Twelve cases of measles were admitted to hospital, 12 were discharged, there were 3 deaths, and 37 cases remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 7 cases were discharged, there was one death, and 31 cases remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 10 cases were discharged, and 83 cases remained under treatment at the close of the week.

Ten cases of diphtheria were admitted to hospital, 7 cases were discharged, there was one death, and 38 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 4 patients were discharged, there were 2 deaths, and 30 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·6), was equal to an average annual death rate of 17·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·1 per 1,000, the rate for Glasgow being 19·4, and for Edinburgh 16·9.

* See note (*) on page 310.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 10th May, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 10th May, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,522	18·7	30·4	22·9	1·7	637	479	82	114	.	10	.	2	6	4	.	7	7	85	95	10	17	130
Dublin Registration Area:— Total,‡	879,003	27·8	31·9	23·4	1·7	232	170	35	41	.	6	.	.	.	2	.	2	2	22	29	4	7	64
Registrars' Districts. City	293,394	37·8	36·8	23·8	2·0	207	184	27	26	.	5	.	.	.	2	.	2	2	18	21	3	5	58
Rathmines,‖	33,208	19·4	22·0	15·7	1·6	14	10	4	3	.	1	.	.	.	.	.	.	.	2	1	.	.	1
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	16·0	24·0	.	8	12	2	5	.	.	.	.	.	.	.	.	.	1	2	1	1	2
Blackrock,‖	8,759	8·1	6·0	11·9	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Kingstown, 1 & 2,‖	17,622	12·1	5·9	35·5	.	2	12	2	5	.	.	.	.	.	.	.	.	.	1	5	.	1	2
Urban Districts. Belfast	358,693	21·8	33·3	21·7	2·5	229	149	27	31	.	3	.	.	4	2	.	4	4	32	32	4	6	31
Cork	75,978	33·5	22·6	25·4	0·7	33	37	6	9	.	.	.	.	1	.	.	.	.	9	8	1	1	15
Londonderry	40,729	18·8	25·6	19·2	.	20	15	1	4	.	.	.	.	.	.	.	.	.	3	5	.	.	1
Limerick	38,085	18·4	11·0	17·8	1·4	8	13	1	4	.	.	.	.	.	.	.	.	1	2	5	.	.	2
Waterford	26,748	18·6	25·3	11·7	.	13	6	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	2
Galway	18,414	9·5	27·2	31·1	.	7	8	1	.	.	.	.	.	.	.	.	.	.	2	1	.	1	2
Dundalk	18,067	9·4	27·9	23·9	.	7	6	1	2	.	.	.	.	.	.	.	.	.	.	2	1	1	1
Drogheda	12,765	8·1	44·9	44·9	.	11	11	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Newry	12,587	17·9	41·4	8·3	4·1	10	2	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
Lurgan	11,777	13·8	31·0	22·1	.	7	5	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Lisburn	11,459	10·1	27·3	27·3	4·6	6	6	.	4	.	.	.	.	1	.	.	.	.	.	1	.	1	1
Wexford	11,154	28·2	18·7	28·4	.	4	5	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Ballymena	10,880	10·9	24·0	14·4	.	5	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Sligo	10,862	8·6	38·4	19·2	9·6	8	4	1	.	.	.	.	2	.	.	.	.	.	1	.	.	.	2
Kilkenny	10,493	11·4	5·0	24·8	.	1	5	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Clonmel	10,209	7·9	20·4	15·3	.	4	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Portadown	10,046	18·1	26·0	26·0	.	5	5	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Tralee	9,812	16·7	69·1	58·5	.	13	11	.	3	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Newtownards	9,110	18·9	26·6	22·9	.	5	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Queenstown	7,987	14·7	33·1	46·3	6·6	5	7	1	1	.	1	.	.	.	.	.	.	.	1	2	.	.	.
Armagh	7,569	22·1	27·6	27·6	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 10th May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th April, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	§53·1	30·1	43·3	0·09	§57·7	30·0	46·9	0·33	§58·8	35·6	49·8	0·24
City	a54·7 b54·1	36·0 32·0	45·6 43·8	0·12 0·11	a59·5 b58·8	36·8 31·0	49·0 47·9	0·29 0·26	a61·7 b60·8	43·9 38·0	52·0 51·2	0·68 0·59
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	55·5	36·5	46·5	0·02	59	39·5	49·5	0·26	58·5	43·5	51·1	0·89
Belfast	54·5	34·6	45·5	0·08	57·0	34·0	48·8	0·27	58·1	40·6	49·9	0·29
Cork	58	39	47·6	0·39	57	39	49·2	0·06	58	45	49·5	1·44
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	58	35	47	0·05	60	35	50	0·30	61	41	50	1·10
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	58·8	31·8	45·1	0·21	59·5	34·6	47·1	0·47	58·8	42·0	50·6	0·95
Lurgan	58·8	31·8	45·1	0·21	59·5	34·6	47·1	0·47	58·8	42·0	50·6	0·95
Lisburn	58·8	31·8	45·1	0·21	59·5	34·6	47·1	0·47	58·8	42·0	50·6	0·95
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	54·5	31·5	45·3	0·40	57·2	31·2	47·1	0·57	60·1	41·8	51·0	1·03
Kilkenny	56	33	46·1	0·16	59	35	49·1	0·21	58	40	49·6	1·34
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	58·8	31·8	45·1	0·21	59·5	34·6	47·1	0·47	58·8	42·0	50·6	0·95
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	51	39	44·9	0·13	53	39	46·1	0·40	57	43	48·6	1·27
Queenstown	58	39	47·6	0·39	57	39	49·2	0·06	58	45	49·5	1·44
Armagh	58·8	31·8	45·1	0·21	59·5	34·6	47·1	0·47	58·8	42·0	50·6	0·95

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 8 deaths of persons (including 2 under 1 year old) admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 10th of May, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	1	.	.	.	.	6	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.
Phthisis,	1	3	4	.	.	1	1	.	2	1	2	3	.	.	.	2	1	.	1	.	22	1
Other General Diseases,	3	3	6	3	.	2	.	.	3	1	5	2	.	.	.	4	2	.	1	.	35	2
Total,	4	6	10	4	.	4	1	.	7	3	9	9	.	.	.	7	3	.	2	.	69	3
B. LOCAL DISEASES:																						
Diseases of Nervous System,	2	3	.	2	.	.	.	.	3	.	3	1	.	.	1	.	2	.	1	.	18	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	2	1	1	.	.	.	.	3	.	1	4	.	.	.	1	2	1	3	.	19	.
Respiratory System,	3	2	3	3	.	.	.	.	2	2	3	2	.	1	.	1	2	.	5	.	29	.
Digestive System,	.	1	.	.	.	1	.	.	1	.	.	1	.	.	.	.	2	1	.	.	7	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	1	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	5	11	4	6	.	1	.	.	11	2	8	9	.	1	1	2	8	2	10	.	81	.
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	4	1	2	.	.	.	.	2	1	1	3	.	1	.	1	.	.	.	.	16	.
E. VIOLENT DEATHS,	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	4	.
Deaths from all Causes,	9	22	15	12	.	5	1	.	20	7	18	22	.	2	1	10	12	2	12	.	170	3
Annual Rate of Mortality in every 1,000 of the population.	16·6	22·3	26·0	19·8	.	26·0	7·8	.	26·6	21·3	22·5	32·9	.	14·3	.	15·7	24·0	11·9	35·5		23.4	
	21·9								25·8							21·9						
	23·8																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	6	1	.	2	1	.	5	1	5	6	.	.	.	1	2	1	.		37	3
Workhouse Hospitals,	3	1	4	5	.	.	.	.	6	2	4	.	.	.	.	.	.	.	2		27	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe
week of the ten years, 189

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 19th Week of the 10 years 1892-1901	In the Week ending Saturd 10th May, 1902. Deaths of Persons of the Ag						
	May 14, 1892.	May 13, 1893.	May 12, 1894.	May 11, 1895.	May 9, 1896.	May 15, 1897.	May 14, 1898.	May 13, 1899.	May 12, 1900.	May 11, 1901.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 5 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	50·9	52·8	48·5	50·8	49·0	46·6	48·8	45·8	48·7	46·3	48·8	43·3						
ALL CAUSES.	208	175	136	184	147	190	151	179	179	189	173·8	173	13	24	15	13	33	3
Small Pox, Vaccinated,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	24	4	.	.	.	6	.	.	.	1	3·5	6	.	.	4	2	.	.
Scarlet Fever,	.	2	1	.	3	3	1	2	.	2	1·4	.	.	.	.	.	.	.
Typhus,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	.	2	6	3	2	3	9	5	5	3·7	2	.	.	.	.	1	1
Whooping Cough,	3	8	8	3	.	6	3	2	1	7	4·1	.	.	.	.	.	.	.
Diphtheria,	.	1	.	.	1	1	1	1	.	1	·6	2	.	.	2	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Simple Continued Fever,	.	2	.	.	1	.	.	.	.	1	·4	.	.	.	.	.	.	.
Enteric Fever,	1	4	1	1	5	2	2	2	1	1	2·0	2	.	.	.	1	1	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	1	1	2	2	2	1	.	.	3	3	1·5	.	.	.	.	.	.	.
												2	.	1	1	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	.	1	.	.	.	6	.	1	2	1·1	2	1	1	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	.	4	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.
												.	.	.	.	.	.	.
												.	.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	1	.
												.	.	.	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	19	23	28	22	19	20	19	21	32	25	22·8	3	.	.	.	.	2	1
												20	.	.	.	2	12	6
Tuberculous Meningitis, (Acute Hydrocephalus).	6	2	3	4	3	9	6	4	11	7	5·5	3	.	.	2	.	.	1
Tuberculous Peritonitis, *Tabes Mesenterica*,	6	2	4	4	2	6	2	2	8	8	4·4	2	.	.	.	1	1	.
												.	.	.	.	.	.	.
Tuberculous Dis. (other), Scrofula,	5	5	6	5	7	7	2	6	7	3	5·3	4	.	.	1	2	1	.
												.	.	.	.	.	.	.
Alcoholism,	1	.	1	1	1	1	.	.	1	.	·6	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	1	.	.	1	.	1	.	·3	.	.	.	.	.	.	.
Gout	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are

NINETEENTH WEEK ending Saturday, 10th May, 1902, with the deaths from each cause in the corresponding
l the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: May 14, 1892.	May 13, 1893.	May 12, 1894.	May 11, 1895.	May 9, 1896.	May 15, 1897.	May 14, 1898.	May 13, 1899.	May 12, 1900.	May 11, 1901	Averages in 19th Week of the 10 years 1891-1901.	In the Week ending Saturday, 10th May, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
Mean Temperature.	° 50·9	° 52·8	° 48·5	° 50·8	° 49·0	° 46·6	° 48·8	° 45·8	° 48·7	° 46·3	48·8	° 43·3								
rcinoma												.	.	.	.	.	.	.	.	.
rcoma	3	3	5	5	5	3	4	9	6	4	4·7	.	.	.	.	.	.	.	.	.
alignant Dis. "Cancer,"												8	.	.	.	.	1	3	4	.
abetes Mellitus ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
emature Birth	2	2	3	.	3	3	6	5	1	4	2·9	9	9	.	.	.	.	.	.	.
eningitis (not tuberc.)												4	1	1	1	.	1	.	.	.
sanity, G. P. of Insane												1	.	.	.	.	.	1	.	.
pilepsy												1	.	.	.	.	1	.	.	.
nvulsions												7	1	5	1	.	.	.	.	.
coomotor Ataxy												.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord												.	.	.	.	.	.	.	.	.
rvous System (other Dis.) ...	36	38	28	38	35	42	37	35	31	36	35·6	5	.	.	.	.	.	2	2	1
lv. Dis., Endocarditis												5	.	.	.	.	1	2	1	1
rebr. Hæm. Thromb.												3	.	.	.	.	.	.	3	.
oplexy, Hemiplegia												3	.	.	.	.	.	2	1	.
eurysm												.	.	.	.	.	.	.	.	.
bolism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.												8	.	.	.	1	.	3	3	1
oup (not Spasm or Memb.) ...	1	.	.	.	.	1	1	.	3	.	·6	.	.	.	.	.	.	.	.	.
onchitis	25	17	5	31	9	15	16	27	13	21	17·9	18	.	6	1	1	.	2	8	.
oupous Pneumonia												.	.	.	.	.	.	.	.	.
oncho-Pneumonia	20	11	9	9	11	10	9	7	14	13	11·3	.	.	.	.	.	.	.	.	.
neumonia"												9	.	.	1	1	1	4	2	.
thma, Emphysema												.	.	.	.	.	.	.	.	.
urisy	2	3	3	4	4	4	.	2	4	5	3·1	.	.	.	.	.	.	.	.	.
spiratory Dis. (other)												2	.	1	.	.	.	.	1	.
nsillitis, Quinsy	.	.	.	1	1	1	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
teritis (not Epid.)												1	.	.	.	.	1	.	.	.
stro Enteritis	.	1	1	1	1	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.
itonitis (not Puerp.)	1	1	1	1	.	1	1	2	1	1	1·0	.	.	.	.	.	.	.	.	.
rhosis of Liver												1	.	.	.	.	.	1	.	.
er Dis. (other)	1	5	.	2	5	2	3	4	.	3	2·5	2	.	.	.	.	.	1	1	.
estive Dis. (other)	9	3	3	4	2	2	2	8	5	1	3·9	3	.	.	.	.	1	1	.	1
phritis, Acute												4	.	.	.	1	2	.	1	.
ght's Dis., Albuminuria ...	6	2	5	8	5	7	5	5	5	6	5·4	1	.	.	.	.	1	.	.	.
inary Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
nerative Organs Dis.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of)	1	1	.	.	.	.	1	.	.	.	·3	2	.	.	.	.	2	.	.	.
Age	7	11	2	11	5	9	9	7	13	15	8·9	6	.	.	.	.	.	.	4	2
ner Diseases	19	13	11	14	11	16	5	12	5	10	11·6	16	.	9	1	.	1	1	3	1
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses	1	2	1	1	.	4	.	1	1	.	1·1	1	.	.	.	.	1	.	.	.
Ships, Boats, Docks (exclusive f Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions ...	1	.	.	.	.	1	.	3	1	1	·7	.	.	.	.	.	.	.	.	.
Drowning	2	1	1	.	.	3	2	.	1	1	1·1	2	1	.	.	.	.	1	.	.
Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ner Deaths by Accidents ...	1	.	1	3	.	2	1	1	1	.	1·0	1	.	.	.	.	.	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
micide	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
cide	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

he Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901-2—Week ending																										
	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.
No. of weeks in Annual Series,	46	7	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Births registered,	144	162	216	187	164	144	93	279	204	208	215	152	222	177	248	193	220	239	198	229	199	237	226	195	255	232
*Average Births in corresponding week of previous 10 years,**	193	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207	201	225	179	190	197	211	232	214
Deaths registered,	180	176	141	153	188	196	200	223	186	177	158	169	181	200	248	218	222	154	167	211	203	206	174	199	191	173
Annual Death-rate per 1,000,	25·0	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8
*Average Deaths in corresponding week of previous 10 years,**	184	185	190	183	189	188	212	17	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174
Ages, Under 5 years,	59	53	36	37	31	47	33	46	33	54	36	38	46	40	60	60	59	37	45	49	49	56	57	60	46	52
5—20 ,,	11	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12	22	17	20	17	16	12	19	20	13
20—40 ,,	31	26	20	23	16	35	31	39	35	19	27	31	36	34	37	30	29	23	32	39	33	42	28	20	31	33
40—60 ,,	31	32	30	38	39	54	53	63	41	2		43	39	47	55	43	46	35	40	52	51	41	37	50	39	33
60—80 ,,	35	38	32	32	31	33	55	57	43	44	37	36	36	49	70	52	67	28	26	43	45	40	33	44	42	35
80 years and upwards,	13	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6
,, Scarlet Fever,	.	.	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	1	1	.	1	4	.	1		.	1	1	2	3	2	5	.	.	1	2	.	2	1	3	3	.
,, Diphtheria,	3	4	.		.		2	3	3	1	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	.	3	2	1	.	4	5	2		1	2	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2
,, Diarrhœa, Dysentery,	2	2	4	3	.	2	3	4	1	2		.	1	2	2	3	1	1	1	.	1	4	4	1	1	2
,, Phthisis,	36	23	23	32	15	24	21	30	30	20	9	33	31	7	27	33	38	17	36	37	27	27	25	20	25	23
,, Heart Diseases,	16	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17	18	20	31	18	27	22	27	19
,, Diseases of Respiratory System,	26	35	22	25	33	32	46	57	34	3	35	47	36	48	32	73	65	41	30	53	49	44	33	41	32	29
Violent Deaths,	6	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4
Mean Temperature of the Air (Phœnix Park),	40·2	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	·7	29·9	40·5	6·0	44·3	44·9	44·4	48·5	43·5	38·4	45·9	49·8	46·9	48·3
Average Mean Temperature in corresponding week of previous 10 years,	44·3	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	9·4	39·6	0·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8
Rainfall in inches,	·735	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090
Mean Humidity of the Air, complete Saturation 1·0,	·86	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th May, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Registration of Deaths, Week ending Saturday, 10th May, 1902. Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	26·1	173	52	18	33	33	35	7	.	6	.	.	.	2	.	2	2	12	23	7	29	4	98
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	23·7	7	.	1	2	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5
II.	MIDDLE CLASS,	80,653	13·6	21	5	2	6	4	4	.	.	.	.	.	.	2	.	1	.	3	5	1	4	1	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	23·3	44	14	7	8	11	4	.	.	3	.	.	.	.	.	.	.	3	8	1	5	.	27
IV.	GENERAL SERVICE CLASS,	146,486	34·7	74	29	3	14	10	14	4	.	3	.	.	.	.	.	1	1	5	7	5	12	3	42
V.	INMATES OF WORKHOUSES,	5,191		27	4	.	3	8	11	1	.	.	.	.	.	.	.	.	1	1	2	.	7	.	17
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,888	28·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	..	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	6·1	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	6. Clerks and Commercial Assistants,	24,750	21·1	10	4	1	2	2	1	.	.	.	.	.	.	1	.	1	.	2	2	1	1	1	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	17·2	8	1	1	2	1	3	.	.	.	.	.	.	1	.	.	.	1	1	.	3	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	1
	9. Building and Furnishing Trades,	26,030	24·0	12	5	3	.	4	.	.	.	1	.	.	.	.	.	.	.	1	1	.	2	.	8
	10. Clothing Trades,	23,686	11·0	5	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	11. Food Supply Trades,	7,869	19·9	3	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	39·1	20	4	2	6	5	3	.	.	.	.	.	.	.	.	.	.	.	6	.	3	.	11
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·4	10	4	.	2	.	3	1	.	.	.	.	.	.	.	.	.	.	1	1	2	.	6
	15. Domestic Servants,	39,563	10·5	8	2	.	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	6
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	19·5	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	32·8	52	22	3	11	5	8	3	.	3	.	.	.	.	.	1	1	5	5	4	8	3	27
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	27	4	.	3	8	11	1	.	.	.	.	.	.	.	.	1	1	2	.	7	.	

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate of Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,333.	Mar. 22,	28·9	.	13	.	.	.	.	.	.	.	.	.	3	1	2
		„ 29,	33·1	5·4	18	.	.	1	.	2	.	.	.	.	3	7	.
		Apl. 5,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	3	.
		„ 12,	29·4	.	16	.	.	.	.	.	.	.	.	.	4	4	1
		„ 19,	29·4	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		„ 26,	33·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
		May 3,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	2	1
		„ 10,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Mar. 22,	30·6	1·3	28	.	.	1	.	.	.	.	.	.	3	5	2
		„ 29,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		Apl. 5,	28·0	.	21	.	.	.	.	.	.	.	.	.	3	4	.
		„ 12,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	4	7	.
		„ 19,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	.	3	.
		„ 26,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	2	2	2
		May 3,	26·6	.	20	.	.	.	.	.	.	.	.	.	4	2	.
		„ 10,	29·3	.	22	.	.	.	.	.	.	.	.	.	3	2	1
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Mar. 22,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	6	1
		„ 29,	32·9	.	19	.	.	.	.	.	.	.	.	.	5	4	.
		Apl. 5,	26·0	3·5	15	.	.	.	.	.	1	.	1	.	3	1	.
		„ 12,	32·9	.	19	.	.	.	.	.	.	.	.	.	1	6	.
		„ 19,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
		„ 26,	31·2	.	18	.	.	.	.	.	.	.	.	.	5	2	.
		May 3,	20·8	1·7	12	.	.	.	.	.	1	.	.	.	1	3	.
		„ 10,	26·0	.	15	.	.	.	.	.	.	.	.	.	4	3	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Mar. 22,	24·7	1·6	15	.	.	.	.	.	.	.	1	.	4	1	1
		„ 29,	28·0	1·6	17	.	.	1	.	.	.	.	.	.	3	1	.
		Apl. 5,	31·3	.	19	.	.	.	.	.	.	.	.	.	.	9	.
		„ 12,	44·4	1·6	27	.	.	.	.	1	.	.	.	.	1	6	.
		„ 19,	37·9	6·6	23	.	.	1	.	.	1	.	.	2	3	4	.
		„ 26,	34·6	1·6	21	.	.	.	.	.	.	.	.	1	3	6	.
		May 3,	26·3	1·6	16	.	.	.	.	.	.	.	1	.	4	2	.
		„ 10,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Mar. 22,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	3	2	2
		„ 29,	34·6	1·3	26	.	.	.	.	.	.	.	1	.	4	5	.
		Apl. 5,	24·0	.	18	.	.	.	.	.	.	.	.	.	3	3	3
		„ 12,	32·0	4·6	24	.	.	.	.	1	.	.	1	1	3	4	3
		„ 19,	30·6	.	23	.	.	.	.	.	.	.	.	.	1	5	.
		„ 26,	29·3	.	22	.	.	.	.	1	.	.	1	.	1	5	.
		May 3,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	2	2	.
		„ 10,	26·6	2·7	20	.	.	.	.	.	.	.	1	1	2	2	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Mar. 22,	27·4	.	9	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	39·6	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		Apl. 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	21·3	.	7	.	.	.	.	.	.	.	.	.	1	1	1
		„ 19,	18·3	.	6	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	33·6	3·0	11	.	.	.	.	.	.	.	1	.	.	.	1
		May 3,	39·6	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		„ 10,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Mar. 22,	23·7	.	19	.	.	.	.	.	.	.	.	.	5	6	.
		„ 29,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	10	.
		Apl. 5,	33·7	1·2	27	.	.	1	.	.	.	.	.	.	3	10	.
		„ 12,	28·7	1·2	23	.	.	.	.	.	.	.	.	1	4	7	.
		„ 19,	21·2	3·7	17	.	1	1	.	.	.	.	.	1	3	.	.
		„ 26,	21·2	1·2	17	.	.	.	.	1	.	.	.	.	1	4	.
		May 3,	23·7	1·2	19	.	1	.	.	.	.	.	.	.	3	3	1
		„ 10,	22·5	2·4	18	.	1	.	.	.	1	.	.	.	2	3	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Mar. 22,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	3	2	.
		„ 29,	35·9	1·5	24	.	.	.	.	.	.	.	1	.	5	6	.
		Apl. 5,	29·9	1·5	20	.	.	.	.	.	.	.	.	1	4	3	.
		„ 12,	20·9	3·0	14	.	1	.	.	.	.	.	.	1	2	2	.
		„ 19,	19·4	1·5	13	.	.	.	.	1	.	.	.	.	4	2	.
		„ 26,	35·2	1·5	23	.	1	.	.	.	.	.	.	.	2	5	.
		May 3,	20·9	4·5	14	.	2	.	.	1	.	.	.	.	1	1	.
		„ 10,	32·9	6·0	22	.	4	.	.	.	.	.	.	.	3	2	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203	Mar. 22,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	Apl. 5,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 19,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	3	1
	„ 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	2	.
	„ 10,	15·7	1·6	10	.	1	.	.	.	.	.	.	.	2	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Mar. 22,	18·0	4·0	9	.	1	.	.	1	.	.	.	.	2	2	.
	„ 29,	30·1	2·0	15	.	1	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	32·1	2·0	16	.	1	.	.	.	.	.	.	.	1	5	.
	„ 12,	24·0	.	12	.	2	.	.	.	.	.	.	.	1	1	.
	„ 19,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	1	1	.
	„ 26,	22·0	4·0	11	.	1	.	.	1	.	.	.	.	.	3	.
	May 3,	26·0	2·0	13	.	.	.	.	.	1	.	.	.	.	5	.
	„ 10,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	1
Kingstown. Pop. in 1902 (Est.) 17,622.	Mar. 22,	8·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 29,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	47·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.
	„ 12,	32·5	3·0	11	.	.	.	.	.	.	.	.	1	1	1	1
	„ 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 26,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 10,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	5	.
Belfast. Pop. in 1902 (Est.) 358,693.	Mar. 22,	22·4	1·5	154	.	2	.	.	5	1	.	1	1	19	50	4
	„ 29,	22·0	1·5	151	.	1	.	.	6	1	.	.	2	30	44	2
	Apl. 5,	23·0	2·3	154	.	2	.	.	5	2	1	5	1	30	36	.
	„ 12,	24·4	1·9	168	.	4	.	.	6	.	.	1	2	26	40	3
	„ 19,	21·7	1·5	149	.	2	.	.	4	1	.	1	2	31	34	4
	„ 26,	22·2	1·7	153	.	3	1	.	2	2	.	3	1	25	44	.
	May 3,	17·3	1·9	119	.	4	.	.	2	2	.	2	3	29	26	.
	„ 10,	21·7	2·5	149	.	3	.	.	4	2	.	4	4	32	32	.
Cork. Pop (in 1901) 75,978.	Mar. 22,	24·0	2·1	35	.	.	.	.	3	.	.	.	.	6	4	1
	„ 29,	27·5	.	40	.	.	.	.	.	.	.	.	.	7	4	2
	Apl. 5,	28·1	.	41	.	.	.	.	.	.	.	.	.	6	9	1
	„ 12,	19·2	.	28	.	.	.	.	.	.	.	.	.	7	3	.
	„ 19,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	3	3	.
	„ 26,	17·8	2·1	26	.	.	.	.	1	.	.	.	2	4	4	.
	May 3,	21·8	0·7	31	.	.	.	.	1	.	.	.	.	6	2	1
	„ 10,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	9	8	1
Londonderry. Pop. in 1902 (Est.) 40,729.	Mar. 22,	19·2	1·3	15	.	.	.	.	.	.	.	.	1	.	7	1
	„ 29,	14·1	5·1	11	.	1	.	.	1	.	.	.	2	2	2	.
	Apl. 5,	21·8	3·8	17	.	1	.	.	.	.	.	.	2	3	1	1
	„ 12,	17·9	1·3	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 19,	10·2	.	8	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	23·0	1·3	18	.	.	.	.	.	.	.	.	1	4	4	.
	May 3,	10·2	1·3	8	.	.	.	.	1	.	.	.	.	1	3	.
	„ 10,	19·2	.	15	.	.	.	.	.	.	.	.	.	3	5	.
Limerick. Pop. in 1901) 38,085.	Mar. 22,	20·5	.	15	.	.	.	.	.	.	.	.	.	3	5	1
	„ 29,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Apl. 5,	42·4	.	31	.	.	.	.	.	.	.	.	.	3	10	.
	„ 12,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	27·4	.	20	.	.	.	.	.	.	.	.	.	5	2	.
	„ 26,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	May 3,	26·0	1·4	19	.	.	.	.	.	.	.	.	1	1	9	.
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	2	5	.
Waterford. Pop. (in 1901) 26,743.	Mar. 22,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	3	1
	Apl. 5,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 12,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 26,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	2	.
	May 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
	„ 10,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 10th May, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	10	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		12	4	.	5	3	.	.	.	.	.	.	.	.	1	3	1	.	2	4
" 2 "		29			14	1	3	7	3	.	.	.	.	.	.	.	1	.	2	3	1	1	4
" 3 "		38			22	6	4	8	4	.	.	.	.	1	1	.	.	1	5	3	.	.	3
" 4 "		18			18	3	2	8	5	.	.	.	.	1	.	.	1	1	5	7	.	.	9
" 5 "		14			8	1	.	4	3	.	.	.	.	.	.	.	1	.	3	2	.	.	1
" 6 "		26			17	4	1	10	2	.	.	.	.	.	.	.	.	.	3	5	.	.	1
" 7 "		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 8 "		5			2	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" 9 "		7			10	3	1	5	1	.	.	.	.	.	.	.	.	.	3	.	2	2	.
" 10 "		18			12	1	2	7	2	.	.	.	.	.	1	.	.	.	3	4	.	.	1
" 11 "		27			14	.	3	7	4	.	1	.	.	.	.	.	.	1	4	2	1	1	4
" 12 "		25			16	4	6	2	4	.	2	.	.	2	.	.	.	.	.	5	.	.	3
" 13 "		11			3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	229	21·7	2·5	149	27	24	67	31	.	3	.	.	4	2	.	4	4	32	32	4	6	31
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	9	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		10	.	.	6	4	.	.	.	.	.	.	.	.	.	4	3	.	.	8
" 2 "		4			7	.	.	4	3	.	.	.	.	.	.	.	.	.	2	1	1	1	3
" 3 "		5			6	1	.	5	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2
" 4 "		4			4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 5 "		2			4	1	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" 6 "		2			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		7			5	3	.	2	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2
Total,	—	33	25·4	0·7	37	6	1	21	9	.	.	.	.	1	.	.	.	.	9	8	1	1	15

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered,	186	206	195	186	193	199	156	237	195	187	212	188	189	201	246	207	277	226	239	175	265	216	215	245	192	229
DEATHS registered.	131	145	131	129	141	144	150	143	125	126	151	130	123	169	205	188	136	161	154	151	158	168	149	153	119	149
Annual Death-rate per 1,000 of estimated Population,*	19·5	21·5	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7
AGES, Under 1 year,	23	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27
AGES, 1-5 years,	21	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23	12	24
AGES, 5-60 years,	59	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68	71	75	80	67	76	57	67
AGES, 60 years and upwards,	28	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3
" Scarlet Fever,	.	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	2	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4
" Diphtheria,	4	1	1	4	1	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2
" Simple continued and Ill-defined Fever,	.	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
" Enteric Fever,	9	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4
" Diarrhœa, Dysentery,	3	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4
" Phthisis	21	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28	24	18	19	30	30	26	31	25	29	32
" Diseases of Respiratory System,	33	40	28	38	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50	44	36	40	34	44	26	32
Violent Deaths,	6	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th May, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	2	1	.	.	3
" " 1, West,	.	5	.	1	.	.	.	.	.	8	1	.	.	15
" " 2,	.	3	.	1	.	.	.	.	.	3	.	.	.	7
" " 3,	.	.	.	.	.	.	1	.	.	.	4	.	2	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	1	.	.	2	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	2	.	.	1	7	.	2	12
" " 2,	.	.	.	.	.	.	.	.	1	1	1	.	.	3
" " 3,	.	7	.	2	.	.	.	.	.	1	1	.	.	11
" " 4,	.	8	.	1	.	.	2	.	.	5	1	.	.	17
Palmerston (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	23	.	5	.	.	6	.	1	25	16	.	4	80
Total for week ended May 3rd, 1902,	.	29	.	19	.	.	3	.	4	13	26	.	14	108
Total for week ended Apr. 26th, 1902,	.	27	1	14	.	.	8	1	5	23	16	.	8	103
Total for week ended Apr. 19th, 1902,	.	27	.	12	.	.	6	.	.	4	11	.	8	68

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th May, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th May.			
	April 19.	April 26.	May 3.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	1	1	1	.	.	.	1*
Measles,	33	28	40	12	12	3	37
Scarlet Fever,	73	72	82	11	10	.	83
Typhus "	.	.	.	.	.	.	.
Diphtheria,	24	28	36	10	7	1	38
Enteric Fever,	27	38	35	4	7	1	31
Pneumonia,	20	25	27	9	4	2	30

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	May 10,	2,560	1,456	16·6	41	45	13	30	45	5	18
EDINBURGH,	317,885	„ 10,	160	105	16·9	.	1	1	.	2	.	4
GLASGOW,	764,423	„ 10,	517	290	19·4	.	3	2	3	8	.	6
CALCUTTA,	847,793	Mar. 1,	.	966	59·2	7	5	.	.	.	477§	223*
BOMBAY,	776,006	April 15,	310	1,363	91·3	16	8	?	?	1	93§	63*
MADRAS,	509,346	Mar. 14,	270	439	44·8	4	7	?	?	?	117	85*
PARIS,	2,660,559	April 19,	1,097	1,085	21·6	5	31	4	17†	9	5	32
BRUSSELS (with 8 Faubourgs).	582,665	„ 19,	244	219	19·5	.	.	.	.		.	11
AMSTERDAM,	533,563	„ 26,	262	187	18·3	.	17	.	2	.	.	20
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	April 26,	206	114	14·8	.	2	.	.	4	.	4
CHRISTIANIA,	228,929	„ 19,	111	51	11·6	.	.	.	.	1	.	3
ST. PETERSBURG,	1,248,643	„ 26,	519	552	22·9	1	8	8	18	5	8	60
BERLIN,	1,905,133	Mar. 22,	932	629	17·2	.	4	4	3	9	2	31
HAMBURG,	724,835	April 19,	.	231	16·6	.	.	2	5	8	1	8
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	April 12,	.	206	21·2	.	7	.	4*	2	.	12
VIENNA (with suburbs).	1,726,604	„ 26,	988	705	21·2	.	17	12	12†	5	1	36
BUDA-PESTH,	767,661	„ 19,	480	321	21·7	.	7	4	.	1	.	15
PRAGUE and Faubourgs	416,817	„ 19,	230	194	24·2	.	4	2	3	1	2	12
ROME,	472,298	Mar. 15,	276	182	20·0	.	27	.	1	2	2	9
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	April 19,	84	66	20·8	.	1	1	.	.	.	3
NEW YORK,	3,632,501	„ 19,	1,372	1,345‡	19·3	8	24	30	42†	10	8	52
PHILADELPHIA,	1,293,697	„ 12,	.	503	20·3	4	1	2	14	2	15	1

* Including 158 deaths from cholera in Calcutta, and 1 in Bombay.
† Including deaths from croup.
§ Exclusive of 349 deaths from bubonic fever in Calcutta, 664 in Bombay, and 1 in Madras.
‡ Deaths of infants under 1 week not included.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 10th May, 1902:—

"A period of polar winds, low temperatures, cold showers by day and clear skies by night. Throughout the week the barometer was highest—on Wednesday very high—off the West Coast of Ireland, on the other hand, atmospheric pressure was relatively low and of a cyclonic type of distribution to the eastward of the British Isles. Several shallow secondary depressions passed southwards across the United Kingdom and North Sea, keeping the weather in a changeable, showery state, particularly over the eastern half of Great Britain. In the last-named district thunder and hail showers were of frequent occurrence, while sleet or snow fell in Scotland on Monday and the two following days. Except for some light showers of cold rain and (on Wednesday) hail, the weather in Dublin was dry until Friday, up to noon of which day rain fell to the amount of one-tenth of an inch. This was the only considerable precipitation of the week. It is a long time since such continuous cold weather has ushered in the month of May, the clear sharp nights being a special feature of the present "cold snap." In Dublin the mean height of the barometer during the week was 30·277 inches, pressure ranging from 30·059 inches at 9 a.m. of Sunday (wind, N.) to 30·432 inches at 9 p.m. of Wednesday (wind also N.). The corrected mean temperature was 45·6°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 45·4°. The screened thermometers rose to 54·7° on Wednesday, on which day also they had already fallen to 36·0°. The duration of bright sunshine was estimated at 52 hours. Northerly winds prevailed throughout. The rainfall was ·115 inch on 4 days, ·061 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·278 inches. The highest reading (30·431) was on Wednesday at 9 p.m., wind N., and the lowest (30·056) on Sunday at 9 a.m., wind N.

The mean temperature for the week was 43·3°, being 5·5 under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Wednesday, on which day the thermometer registered 53·1°, and was lowest on Saturday, the mercury having fallen to 30·1°. The mean of the Dry Bulb for the week was 43·9°, and of the Wet Bulb 40·3°. The mean humidity of the air was ·75, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 56·8 hours. The rainfall measured ·090 inch.

At Greenwich the mean temperature for the week was 42·3°, the maximum 53·9°, and the minimum 34·3°; at Glasgow the maximum was 57·5°, the minimum 29·0°, and the mean 44·7°; and at Edinburgh the maximum was 50·7°; the minimum 33·3°, and the mean 41·5°. The rainfall at Greenwich measured 0·85 inch; at Glasgow 0·04 inch; and at Edinburgh 0·37 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, May 4,	30·078	52·7	35·2	44·0	45·6	41·0	·69	·7	9·4	·000	N.	W.
Monday, " 5,	30·259	52·0	39·5	45·8	42·8	37·6	·64	·6	8·5	·000	N.N.W.	N.W.
Tuesday, " 6,	30·363	49·7	34·2	42·0	42·0	38·6	·75	·6	6·9	·040	N.W.	N.W.
Wednesday, " 7,	30·427	53·1	33·2	43·2	44·8	40·5	·71	·6	11·2	·005	N.	N.
Thursday, " 8,	30·389	51·8	33·9	42·9	44·7	41·2	·75	·4	6·4	·020	N.	Calm.
Friday, " 9,	30·244	50·7	38·3	44·5	41·9	41·1	·94	·3	3·3	·015	Calm.	Calm.
Saturday, " 10,	30·184	51·7	30·1	40·9	45·8	42·3	·77	·3	11·1	·010	N.	Calm.
Mean . .	30·278	51·7	34·9	43·3	43·9	40·3	·75	·5	Total 56·8	·090	Prevailing Wind N.	

Sunday—A fine but cloudy day; night cloudy to 5 a.m. *Monday*—Bright a.m.; cloudy p.m.; night clear p.m.; cloudy a.m. *Tuesday*—A cloudy day; hail 6 to 6 30 p.m.; night clear to 8 a.m. *Wednesday*—A cloudy day; showers 1 30 to 3 p.m.; night cloudy. *Thursday*—A cloudy day; night cloudy p.m.; overcast a.m.; rain 3 to 9 a.m. *Friday*—Dull a.m.; cloudy p.m.; rain 9 to 12 a.m.; night clear p.m.; cloudy a.m. *Saturday*—A cloudy day; rain 12 15 to 12 30 p.m.; night cloudy; rain 3 45 to 4 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 65. 5. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 17TH MAY, 1902. [No. 20

General Register Office, Charlemont House, Dublin, 20th May, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 26.	May 3.	May 10.	May 17.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 26.	May 3.	May 10.	May 17.	Average Rate for 4 weeks
22 Town Dists.	24·5	20·5	22·9	22·2	22·5	Lisburn, . .	27·3	13·7	27·3	4·6	18·2
Armagh, . .	34·4	27·6	27·6	27·6	29·3	Londonderry, .	23·0	10·2	19·2	15·4	17·0
Ballymena, .	24·0	19·2	14·4	19·2	19·2	Lurgan, . .	35·4	17·7	22·1	26·6	25·4
Belfast, . .	22·2	17·3	21·7	20·6	20·5	Newry, . .	20·7	20·7	8·3	37·3	21·8
Clonmel, . .	46·0	25·5	15·3	61·3	37·0	Newtownards, .	11·4	11·4	22·9	22·9	17·2
Cork, . . .	17·8	21·3	25·4	23·3	22·0	Portadown, .	31·1	0·0	26·0	15·6	18·2
Drogheda, . .	28·6	16·3	44·9	0·0	22·5	Queenstown, .	19·8	0·0	46·3	33·1	24·8
Dublin Reg. Area,	26·8	24·9	23·4	24·8	25·0	Sligo, . . .	19·2	19·2	19·2	24·0	20·4
Dundalk, . .	35·9	23·9	23·9	8·0	22·9	Tralee, . .	58·5	26·6	58·5	15·9	39·9
Galway, . .	42·8	3·9	31·1	50·5	32·1	Waterford, .	25·3	19·5	11·7	17·5	18·5
Kilkenny, . .	19·9	39·8	24·8	39·8	31·1	Wexford, . .	4·7	32·7	23·4	14·0	18·7
Limerick, . .	16·4	26·0	17·8	8·2	17·1						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·9 in Armagh. Among the 142 deaths from all causes registered in Belfast are 4 from measles, 3 from whooping-cough, one from diphtheria, one from enteric fever, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 202—104 boys and 98 girls; and the deaths to 186—89 males and 97 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·6 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 24·8 per 1,000. During the twenty weeks ending with Saturday last the death-rate averaged 26·5, and was 3·8 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note(*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

The 186 deaths include 3 each from measles, influenza, whooping-cough, and diphtheria, 2 from enteric fever, and 1 each from scarlet fever, *diarrhœa*, and anthrax (splenic fever).

There were 3 deaths due to tuberculous phthisis and 27 were registered as being due to *phthisis;* tuberculous meningitis caused 3 deaths, tuberculous peritonitis and *tabes mesenterica* each caused one death, and 9 deaths were caused by other forms of tuberculous disease.

Malignant disease, "*cancer.*" Four deaths were registered under this heading.

Diseases of the nervous system caused 16 deaths, which include 5 from *convulsions* (of the latter one was under one month old, 2 were over one month but under one year old, and 2 were between the age periods of one year and 5 years).

Diseases of the heart and blood vessels caused 26 deaths, including 4 from *apoplexy, hemiplegia.*

Diseases of the respiratory system caused 30 deaths; of this number 16 were due to bronchitis, one to croupous pneumonia, 6 to broncho-pneumonia, and 5 to *pneumonia.* The total equals an annual rate of 4·1 per 1,000 of the estimated population of the area, the rate for the corresponding period of the past 10 years being 4·3 per 1,000.

Two accidental deaths were registered and one case of suicide.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under one year of age and the deaths of 2 persons aged 60 years and upwards.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (19 being infants under one year, of whom 8 were under one month old), and 41 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 7 were octogenarians, and 2 (females) were stated to have been aged 91 and 99 years respectively.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·8 per 1,000; the rate in the City was 27·9 (23·7 on the North side, and 32·5 on the South), and in the Urban Districts 14·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·0 (1·4 in the North City Districts, and 2·6 in the South) and for the Urban Districts 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. Influenza, anthrax (splenic fever), and *phthisis* each caused 1 death, and diseases of the respiratory system caused 7 deaths, including 2 from broncho-pneumonia, and 3 from *pneumonia.*

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·6 per 1,000. They include 2 from enteric fever, 2 from tuberculous phthisis, 2 from *phthisis*, and 2 from diseases of the respiratory system, including 1 from broncho-pneumonia.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. They include 1 from *phthisis* and 3 from diseases of the respiratory system, including 2 from bronchitis and 1 from *pneumonia.* Diseases of the heart and blood vessels caused 3 deaths. There was 1 accidental death registered.

No. 3 North City District (Blackhall-place).—The deaths (14) represent an annual rate of 23·0 per 1,000. Scarlet fever caused 1 death, diphtheria 1, *phthisis* 1, and broncho-pneumonia 1. There was 1 accidental death registered.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 15·6 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 21·7; and Finglas and Glasnevin, part of, 23·4. Of the 3 deaths tabulated for the last-named district 2 were from *phthisis.*

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 33·3 per 1,000. One death was caused by diphtheria, 5 by *phthisis*, and 2 by bronchitis. Diseases of the heart and blood vessels caused 6 deaths.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 36·6 per 1,000. Tuberculous phthisis caused 1 death, *phthisis* 2, and bronchitis 1.

No. 3 South City District (Peter-street).—The deaths (28) are equal to an annual rate of 35·0 per 1,000. Among them are 2 from measles, 1 from whooping-cough, 1 from diphtheria, 4 from phthisis, 1 from influenza, and 8 from diseases of the respiratory system, including 2 from broncho-pneumonia, 1 from *pneumonia*, and 5 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·9 per 1,000. One death was caused by measles, 1 by whooping-cough, 2 by *phthisis*, and 2 by bronchitis. Diseases of the heart and blood vessels caused 4 deaths.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 28·6 per 1,000 inhabitants. Of the 4 deaths registered 2 were from *phthisis.*

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 23·6 per 1,000 inhabitants; Pembroke, 8·0; Blackrock, 6·0; and Kingstown, 8·9. The deaths from the principal epidemic diseases tabulated for these districts consist of 1 from whooping-cough and 1 from *diarrhœa* for Rathmines: the 15 deaths from all causes tabulated for that district including 5 from diseases of the heart and blood vessels, and 2 from *phthisis.* One death from phthisis was registered for Pembroke and one for Blackrock.

* Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 26th April,	103 cases.
" " 3rd May,	108 cases.
" " 10th May,	80 cases.
" " 17th May,	107 cases.

Of the 107 cases notified, 28 were erysipelas, 9 enteric fever, 11 scarlatina, 38 measles, one German measles, 9 chicken-pox, 6 diphtheria, and 4 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 26th April,	2 cases.
" " 3rd May,	5 cases.
" " 10th May,	10 cases.
" " 17th May,	4 cases.

The 4 cases notified were scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 26th April,	7 cases.
" " 3rd May,	15 cases.
" " 10th May,	3 cases.
" " 17th May,	4 cases.

Of the 4 cases notified, 2 were measles, one diphtheria, and one whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 26th April,	43 cases.
" " 3rd May,	65 cases.
" " 10th May,	51 cases.
" " 17th May,	63 cases.

Of the 63 cases notified, 22 were enteric fever, 11 erysipelas, 9 diphtheria, 15 continued fever, and 5 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th May, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Twenty-seven cases of measles were admitted to hospital, 11 were discharged, there were 2 deaths, and 51 cases remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital, 9 cases were discharged, there was one death, and 29 cases remained under treatment at the close of the week.

Thirteen cases of scarlatina were admitted to hospital, 11 cases were discharged, there was one death, and 84 cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 5 cases were discharged, there were 3 deaths, and 35 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 6 patients were discharged, and 28 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·2), was equal to an average annual death-rate of 17·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·4 per 1,000, the rate for Glasgow being 21·6, and for Edinburgh 15·3.

* See note (*) on page 326.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 17th May, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 17th May, 1902. Numbers Registered. Births.	Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 17th May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	35)
Total of 22 Town Districts	1,092,322	18·7	28·8	22·2	1·4	603	465	64	120	.	8	1	.	6	5	1	2	6	88	87	9	22	118	°	°	°		°	°	°		°	°	°	
																								.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	379,068	27·8	27·8	24·8	1·8	202	180	19	41	.	3	1	.	3	3	.	2	1	29	29	3	4	64	§58·1	36·3	47·2	0·85	§58·1	30·1	48·3	0·09	§57·7	30·0	46·9	0·33
Registrars' Districts. City	293,394	37·8	29·3	27·9	2·0	165	157	18	34	.	3	1	.	2	3	.	2	.	25	29	2	3	60	a59·6	39·8	49·1	0·96	a54·7	36·0	45·6	0·12	a59·5	36·8	49·0	0·29
																								b59·8	36·0	47·8	0·76	b54·1	32·0	43·8	0·11	b58·8	31·0	47·9	0·26
Rathmines,‖	33,208	19·4	20·4	23·6	3·1	13	15	1	4	.	.	.	.	1	.	.	.	1	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	34·1	8·0	.	17	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	6·0	6·0	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	17·8	8·9	.	6	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	60·5	39·5	50·1	0·77	55·5	36·5	46·5	0·02	59	39·5	49·5	0·26
Urban Districts.																																			
Belfast,	358,693	21·8	33·6	20·6	1·6	231	142	29	26	.	4	.	.	3	1	1	.	2	29	27	5	15	14	55·0	33·0	43·4	0·32	54·5	34·6	45·5	0·08	57·0	34·0	48·3	0·27
Cork,	75,978	33·5	24·0	23·8	.	35	34	3	12	.	.	.	.	.	.	.	.	.	6	6	.	1	14	59	40	49·8	0·52	58	39	47·6	0·39	57	39	49·2	0·06
Londonderry,	40,729	18·8	34·6	15·4	.	27	12	4	4	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,085	18·4	17·8	8·2	1·4	13	6	.	1	.	.	.	.	.	.	.	.	1	2	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	27·3	17·5	.	14	9	.	5	.	.	.	.	.	.	.	.	.	2	2	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,414	9·5	11·7	50·5	.	3	13	2	7	.	.	.	.	.	.	.	.	.	3	1	.	.	.	58	45	51	0·75	58	35	47	0·05	60	35	50	0·30
Dundalk	18,067	9·4	39·9	8·0	.	10	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	32·7	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	24·9	37·3	.	6	9	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	.	53·9	34·1	45·8	1·59	58·8	31·8	45·1	0·21	59·5	34·6	47·1	0·47
Lurgan,	11,777	18·8	31·0	26·6	.	7	6	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	53·9	34·1	45·8	1·59	58·8	31·8	45·1	0·21	59·5	34·6	47·1	0·47
Lisburn,	11,459	10·1	27·3	4·6	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	53·9	34·1	45·8	1·59	58·8	31·8	45·1	0·21	59·5	34·6	47·1	0·47
Wexford,	11,154	28·2	9·3	14·0	.	2	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	33·5	19·2	4·8	7	4	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	33·6	24·0	.	7	5	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	55·3	35·0	47·7	1·02	54·5	31·5	45·8	0·40	57·2	31·2	47·1	0·57
Kilkenny,	10,493	11·4	24·8	39·8	5·0	5	8	2	3	.	.	.	.	.	.	.	.	1	.	4	.	.	7	59	36	49·6	0·54	56	33	46·1	0·16	59	35	49·1	0·21
Clonmel,	10,209	7·9	.	61·3	5·1	.	12	.	6	.	.	.	.	.	.	.	.	1	3	6	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	13·1	46·7	15·6	.	9	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53·9	34·1	45·8	1·59	58·8	31·8	45·1	0·21	59·5	34·6	47·1	0·47
Tralee,	9,812	16·7	10·6	15·9	.	2	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	5·7	22·9	.	1	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	53	39	45·5	0·55	51	39	44·9	0·13	53	39	46·1	0·40
Queenstown,	7,887	14·7	26·4	33·1	.	4	5	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2	59	40	49·8	0·52	58	39	47·6	0·39	57	39	49·2	0·06
Armagh,	7,569	22·1	27·3	27·6	6·9	4	4	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	3	53·9	34·1	45·8	1·59	58·8	31·8	45·1	0·21	59·5	34·6	47·1	0·47

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock and Kingstown, registered during the week ending Saturday, the 17th of May, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.		.	.	.	.	3	.
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.		1	.	.	.	3	.
Diphtheria,	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.		.	.	.	.	3	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.	.	.	1	.
Phthisis,	1	4	1	1	.	.	2	.	5	3	4	2	.	2	.		2	1	1	.	29	1
Other General Diseases,	4	2	3	5	.	.	.	.	3	3	2	3	.	.	1		1	.	.	1	28	2
Total,	5	8	4	8	.	.	2	.	9	6	10	7	.	2	1		5	1	1	1	70	3
B. LOCAL DISEASES:																						
Diseases of: Nervous System,	1	.	1	2	.	.	1	.	2	2	4	1	.	2	.		.	.	.	.	16	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	1
Heart and Blood Vessels,	2	1	3	2	.	.	.	.	6	1	1	4	.	.	.		5	1	.	.	26	.
Respiratory System,	7	2	3	1	2	1	.	.	2	1	8	2	.	.	.		.	.	.	.	29	1
Digestive System,	.	2	1	.	.	.	.	.	2	2	.	.	.	.	.		3	.	.	.	10	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	1
Urinary System,	.	1	.	.	.	1	.	.	1	.	1	1	.	.	.		.	2	.	1	8	.
Generative System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.	.	1	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.	.	1	.
Total,	10	7	8	5	2	2	1	.	13	6	16	8	.	2	.		8	3		1	92	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	2	1	.	.	1	.	.	3	.	2	3	.	.	.		2	.	.	.	15	.
E. VIOLENT DEATHS,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	1	3	.
Deaths from all Causes,	16	17	14	14	2	3	3	.	25	12	28	18	.	4	1		15	4	1	3	180	6
Annual Rate of Mortality in every 1,000 of the population.	29·4	22·6	24·2	23·0	21·7	15·6	23·4	.	33·3	36·6	35·0	26·9	.	28·6	.		23·6	8·0	6·0	8·9	24·8	
	23·7								32·5								14·0					
	27·9																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	5	3	6	5	.	.	.	.	5	1	7	3	.	.	.		2	.	1	.	33	6
Workhouse Hospitals,	3	1	1	2	.	1	.	.	6	4	3	4	.	.	.		1	.	.	.	26	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years, 1892

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years 1892-1901	In the Week ending Saturd 17th May, 1902.						
												Deaths of Persons of the Age						
												ALL AGES.	0 to 5.					
	May 21, 1892.	May 20, 1893.	May 19, 1894.	May 18, 1895.	May 16, 1896.	May 22, 1897.	May 21, 1898.	May 20, 1899.	May 19, 1900.	May 18, 1901.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	51·2	54·6	47·9	53·0	55·2	50·3	48·0	49·9	47·0	48·2	50·5	47·2						
ALL CAUSES.	232	179	173	186	153	183	161	180	168	187	180·2	186	8	11	30	20	39	37
Small Pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	28	2	.	.	.	5	.	2	2	.	3·9	3	.	.	2	1	.	.
Scarlet Fever, ...	.	1	1	2	1	.	.	1	.	.	·6	1	.	.	1	.	.	.
Typhus, ...	1	1	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	2	2	4	2	1	3	11	3	1	3·3	3	.	.	.	.	.	3
Whooping Cough, ...	3	3	5	1	1	6	1	3	1	8	3·2	3	.	1	2	.	.	.
Diphtheria, ...	.	1	2	.	1	2	2	1	1	.	1·0	3	.	1	1	1	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.
Enteric Fever, ...	.	6	4	2	.	1	4	.	2	1	2·0	2	.	.	.	1	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	5	.	3	.	2	.	3	.	2	1	1·6	1	.	.	1	.	.	.
												.	.	.	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Venereal Disease, ...	.	.	1	.	.	1	.	.	1	2	·5	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	1	.	.	.	.	.	2	1	·4	.	.	.	.	.	.	.
												.	.	.	.	.	.	.
												.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	3	1	.	.	1	.	.	1	·7	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	.	2	1	2	1	1	1	.	1	1·0	.	.	.	.	.	.	.
												.	.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*," ...	31	19	20	34	14	25	25	31	30	30	25·9	3	.	.	.	1	.	2
												27	.	.	1	3	15	7
Tuberculous Meningitis, (Acute Hydrocephalus).	3	3	5	.	6	5	7	5	6	4	4·4	3	.	.	2	1	.	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	6	5	3	4	4	7	2	2	4	5	4·2	1	.	.	.	1	.	.
												1	.	.	1	.	.	.
Tuberculous Dis. (other), ... Scrofula, ...	3	2	4	6	2	8	4	2	4	5	4·0	9	.	2	2	3	2	.
												.	.	.	.	.	.	.
Alcoholism, ...	1	1	.	.	1	.	.	1	.	.	·4	1	.	.	.	.	1	.
Rheumatic Fever, ...	1	.	1	1	1	.	1	2	1	.	·8	.	.	.	.	.	.	.
Gout ...	.	2	.	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are

'WENTIETH WEEK ending Saturday, 17th May, 1902, with the deaths from each cause in the corresponding
he average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: May 21, 1892.	May 20, 1893.	May 19, 1894.	May 18, 1895.	May 16, 1896.	May 22, 1897.	May 21, 1898.	May 20, 1899.	May 19, 1900.	May 18, 1901.	Averages in 20th Week of the 10 years 1892–1901.	In the Week ending Saturday, 17th May, 1902. Deaths of Persons of the Ages of: All Ages.	Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 51·2	° 54·6	° 47·9	° 53·0	° 55·2	° 50·3	° 48·0	° 49·9	° 47·0	° 48·2	50·5		° 47·2								
inoma												.		.	.	.	.	.	.	.	.
oma	8	3	7	5	7	5	5	8	7	5	6·0	.		.	.	.	.	.	.	.	.
gnant Dis. "Cancer,"												4		.	.	.	.	1	3	.	.
betes Mellitus	.	.	.	.	.	.	.	.	.	.	.	2		.	.	.	1	1	.	.	.
nature Birth	7	7	3	.	2	4	4	3	1	4	3·5	2		2	.	.	.	.	.	.	.
ingitis (not tuberc.)												6		.	2	.	2	1	1	.	.
nity, G. P. of Insane												.		.	.	.	.	.	.	.	.
epsy												.		.	.	.	.	.	.	.	.
ulsions												5		1	2	2	.	.	.	.	.
motor Ataxy												.		.	.	.	.	.	.	.	.
plegia Dis. of Cord												1		.	.	.	.	1	.	.	.
vous System (other Dis.) ...	43	44	49	47	34	31	35	27	33	39	38·2	4		.	.	.	1	1	1	1	.
. Dis., Endocarditis												4		.	.	1	1	1	.	1	.
br. Hæm. Thromb.												2		.	.	.	.	.	1	1	.
lexy, Hemiplegia												4		.	.	.	.	1	2	1	.
rysm												.		.	.	.	.	.	.	.	.
olism, Thromb. (not cerebral)												.		.	.	.	.	.	.	.	.
t and Blood Vessel Dis.												16		2	.	.	.	2	5	5	2
p (not Spasm or Memb.) ...	.	.	.	.	.	1	.	.	1	.	·2	.		.	.	.	.	.	.	.	.
chitis	25	12	6	14	15	22	13	21	11	22	16·1	16		.	1	4	1	1	4	4	1
pous Pneumonia												1		.	.	.	.	.	1	.	.
cho-Pneumonia	15	11	6	9	9	13	8	14	13	15	11·3	6		.	1	5	.	.	.	.	.
umonia"												5		.	.	.	.	2	3	.	.
ma, Emphysema												.		.	.	.	.	.	.	.	.
risy	5	5	5	2	4	1	1	1	.	.	2·4	.		.	.	.	.	.	.	.	.
iratory Dis. (other)												2		.	.	.	.	1	.	1	.
illitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
ritis (not Epid.)	.	2	.	.	.	2	1	.	.	.	·5	2		.	.	.	.	2	.	.	.
o Enteritis												.		.	.	.	.	.	.	.	.
onitis (not Puerp.)	1	1	.	.	.	1	2	.	.	.	·5	.		.	.	.	.	.	.	.	.
osis of Liver	2	4	2	.	3	1	4	3	4	3	2·6	.		.	.	.	.	.	.	.	.
Dis. (other)												2		.	.	.	.	.	.	2	.
tive Dis. (other)	3	4	2	7	3	5	1	8	2	8	4·3	6		.	.	3	.	1	1	1	.
ritis, Acute												3		.	.	.	1	.	1	1	.
t's Dis., Albuminuria ...	4	2	6	7	4	3	5	3	2	5	4·1	4		.	.	.	.	2	.	2	.
ary Sys. (Other Dis.) ...												1		.	.	.	.	.	.	.	1
rative Organs Dis.	2	3	.	2	.	1	.	.	1	.	·9	1		.	.	.	.	1	.	.	.
birth (Accid. of)	.	1	.	3	.	.	.	.	.	1	·5	1		.	.	.	.	1	.	.	.
age	6	12	7	9	12	11	13	11	14	9	10·4	7		.	.	.	.	.	.	4	3
r Diseases	20	14	21	19	15	16	9	14	14	7	14·9	13		2	1	2	2	1	2	2	1
ACCIDENT.																					
ailways	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
ehicles and Horses	.	.	.	.	.	.	.	.	1	1	·2	.		.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	1	.	.	.	.	.	·1	.		.	.	.	.	.	.	.	.
ilding Operations	.	.	.	.	.	.	.	.	1	.	·1	.		.	.	.	.	.	.	.	.
nflagrations	.	.	.	.	.	.	.	.	.	3	·3	.		.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	.	.	.	1	1	.	1	2	.	1	·6	.		.	.	.	.	.	.	.	.
rowning	1	.	.	.	.	1	1	2	1	2	·8	.		.	.	.	.	.	.	.	.
uffocation in Bed	.	.	.	1	.	.	1	.	.	.	·2	.		.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
r Deaths by Accidents ...	1	4	1	3	6	2	2	1	2	1	2·3	2		.	.	.	.	1	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																					
icide	2	.	.	.	.	1	.	.	.	1	·4	.		.	.	.	.	.	.	.	.
de	.	.	.	1	.	.	.	.	.	.	·1	1		.	.	.	.	.	.	1	.
ution	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in eachof the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901–2—Week ending																									
	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.
No. of weeks in Annual Series,	7	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Births registered,	162	216	187	164	144	93	279	204	208	215	152	222	177	248	193	220	239	198	229	199	237	226	195	255	232	202
*Average Births in corresponding week of previous 10 years,**	183	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207	201	225	179	190	197	211	232	214	195
Deaths registered,	176	141	153	136	196	200	223	186	177	158	169	181	200	248	218	222	154	167	211	203	206	174	199	191	178	186
Annual Death-rate per 1,000,	24·5	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6
*Average Deaths in corresponding week of previous 10 years,**	185	190	183	189	188	212	217	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180
Ages, Under 5 years,	53	36	37	31	47	33	46	33	54	36	38	46	40	60	60	59	37	45	49	49	56	57	60	46	52	49
Ages, 5—20 "	18	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12	22	17	20	17	16	12	19	20	13	20
Ages, 20—40 "	26	20	28	16	35	31	39	35	19	27	31	36	34	37	30	29	23	32	39	33	42	28	20	31	33	39
Ages, 40—60 "	32	30	38	39	54	58	63	41	2	33	43	39	47	55	43	46	35	40	52	51	41	37	50	39	33	37
Ages, 60—80 "	38	32	32	31	33	55	57	48	44	37	36	36	49	70	52	67	28	26	43	45	40	33	44	42	35	32
Ages, 80 years and upwards,	9	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6	3
" Scarlet Fever,	.	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	1	.	1	4	.	1	.	.	1	1	2	3	2	5	.	.	1	2	.	2	1	3	3	.	3
" Diphtheria,	4	.	2	.	3	2	3	3	1	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3
" Simple continued and Ill-defined Fever,	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	3	2	1	.	4	5	2	.	1	2	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2
" Diarrhœa, Dysentery,	2	4	3	.	2	3	4	1	2	4	.	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1
" Phthisis,	23	23	32	15	24	21	30	30	20	9	33	31	7	27	33	33	17	36	37	27	27	25	20	25	23	30
" Heart Diseases,	21	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17	13	20	31	18	27	22	27	19	26
" Diseases of Respiratory System,	35	22	25	33	32	46	57	34	3	35	47	36	48	82	73	65	41	30	53	49	44	33	41	32	29	30
Violent Deaths,	3	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4	3
Mean Temperature of the Air (Phœnix Park),	44·9	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	35·7	29·9	40·5	46·0	44·3	44·9	41·4	43·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2
Average Mean Temperature in corresponding week of previous 10 years,	43·7	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5
Rainfall in inches,	·315	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·380	·090	·845
Mean Humidity of the Air, complete Saturation 1·0,	·88	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th May, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols. 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	28·0	186	49	20	39	37	32	9	.	3	1	.	3	3	.	2	.	12	30	5	30	3	106
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	43·9	13	.	1	3	3	3	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	11
II.	MIDDLE CLASS,	80,653	14·2	22	3	4	2	7	4	2	.	.	.	.	.	.	.	1	.	1	4	1	3	.	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	29·7	56	17	5	12	11	10	1	.	1	1	.	.	1	.	1	.	4	6	2	9	1	34
IV.	GENERAL SERVICE CLASS,	146,486	32·7	69	27	10	14	11	7	.	.	2	.	.	3	2	.	.	.	7	11	2	12	2	35
V.	INMATES OF WORKHOUSES,	5,191		26	2	.	8	5	8	3	.	.	.	.	.	.	.	.	.	.	7	.	6	.	13
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	39·6	6	.	1	.	2	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	.	.	3	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	16·2	8	1	.	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	1	3	.	4
	6. Clerks and Commercial Assistants,	24,750	12·6	6	1	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	17·2	8	1	2	1	2	1	1	.	.	.	.	.	.	.	1	.	1	1	.	.	.	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	49·6	7	2	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
	9. Building and Furnishing Trades,	26,030	28·0	14	7	2	2	3	.	.	.	1	.	.	.	.	.	1	.	2	3	1	3	.	5
	10. Clothing Trades,	23,686	11·0	5	2	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	11. Food Supply Trades,	7,869	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	54·7	28	6	1	7	6	7	1	.	.	1	.	.	1	.	.	.	2	2	1	6	1	16
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	46·0	12	7	1	1	2	1	.	.	.	.	.	1	1	.	.	.	2	2	1	1	.	6
	15. Domestic Servants,	39,563	9·2	7	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	9·7	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	30·3	48	20	7	9	8	4	.	.	2	.	.	2	1	.	.	.	5	7	1	9	1	25
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	26	2	.	8	5	8	3	.	.	.	.	.	.	.	.	.	.	7	.	6	.	13

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,338.	Mar. 29,	33·1	5·4	18	.	.	1	.	2	.	.	.	.	3	7	.
		Apl. 5,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	3	.
		„ 12,	29·4	.	16	.	.	.	.	.	.	.	.	.	4	4	1
		„ 19,	29·4	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		„ 26,	33·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
		May 3,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	2	1
		„ 10,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	8	.
		„ 17,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	7	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Mar. 29,	18·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
		Apl. 5,	28·0	.	21	.	.	.	.	.	.	.	.	.	3	4	.
		„ 12,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	4	7	.
		„ 19,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	.	3	.
		„ 26,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	2	2	2
		May 3,	26·6	.	20	.	.	.	.	.	.	.	.	.	4	2	.
		„ 10,	29·3	.	22	.	.	.	.	.	.	.	.	.	3	2	1
		„ 17,	22·6	2·6	17	.	.	.	.	.	.	.	2	.	4	2	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Mar. 29,	32·9	.	19	.	.	.	.	.	.	.	.	.	5	4	.
		Apl. 5,	26·0	3·5	15	.	.	.	.	.	1	.	1	.	3	1	.
		„ 12,	32·9	.	19	.	.	.	.	.	.	.	.	.	1	6	.
		„ 19,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
		„ 26,	31·2	.	18	.	.	.	.	.	.	.	.	.	5	2	.
		May 3,	20·8	1·7	12	.	.	.	.	.	1	.	.	.	1	3	.
		„ 10,	26·0	.	15	.	.	.	.	.	.	.	.	.	4	3	.
		„ 17,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	1
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Mar. 29,	28·0	1·6	17	.	.	1	.	.	.	.	.	.	3	1	.
		Apl. 5,	31·3	.	19	.	.	.	.	.	.	.	.	.	.	9	.
		„ 12,	44·4	1·6	27	.	.	.	.	1	.	.	.	.	1	6	.
		„ 19,	37·9	6·6	23	.	.	1	.	.	1	.	.	2	3	4	.
		„ 26,	34·6	1·6	21	.	.	.	.	.	.	.	.	1	3	6	.
		May 3,	26·3	1·6	16	.	.	.	.	.	.	.	1	.	4	2	.
		„ 10,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.
		„ 17,	23·0	3·3	14	.	.	1	.	.	1	.	.	.	1	1	1
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Mar. 29,	34·6	1·3	26	.	.	.	.	.	.	.	1	.	4	5	.
		Apl. 5,	24·0	.	18	.	.	.	.	.	.	.	.	.	3	3	3
		„ 12,	32·0	4·0	24	.	.	.	.	1	.	.	1	1	3	4	3
		„ 19,	30·6	.	23	.	.	.	.	.	.	.	.	.	1	5	.
		„ 26,	29·3	.	22	.	.	.	.	1	.	.	1	.	1	5	.
		May 3,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	2	2	.
		„ 10,	26·6	2·7	20	.	.	.	.	.	.	.	1	1	2	2	.
		„ 17,	33·3	1·3	25	.	.	.	.	.	1	.	.	.	5	2	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Mar. 29,	39·6	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		Apl. 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	21·3	.	7	.	.	.	.	.	.	.	.	.	1	1	1
		„ 19,	18·3	.	6	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	33·6	3·0	11	.	.	.	.	.	.	.	1	.	.	.	1
		May 3,	39·6	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		„ 10,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1
		„ 17,	36·6	.	12	.	.	.	.	.	.	.	.	.	3	1	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Mar. 29,	28·7	.	23	.	.	.	.	.	.	.	.	.	2	10	.
		Apl. 5,	33·7	1·2	27	.	.	1	.	.	.	.	.	.	3	10	.
		„ 12,	28·7	1·2	23	.	.	.	.	.	.	.	.	1	4	7	.
		„ 19,	21·2	3·7	17	.	1	1	.	.	.	.	.	1	3	.	.
		„ 26,	21·2	1·2	17	.	.	.	.	1	.	.	.	.	1	4	.
		May 3,	23·7	1·2	19	.	1	.	.	.	.	.	.	.	3	3	1
		„ 10,	22·5	2·4	18	.	1	.	.	.	1	.	.	.	2	3	.
		„ 17,	35·0	4·8	23	.	2	.	.	1	1	.	.	.	4	8	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Mar. 29,	35·9	1·5	24	.	.	.	.	.	.	.	1	.	5	6	.
		Apl. 5,	29·9	1·5	20	.	.	.	.	.	.	.	.	1	4	3	.
		„ 12,	20·9	3·0	14	.	1	.	.	.	.	.	.	1	2	2	.
		„ 19,	19·4	1·5	13	.	.	.	.	1	.	.	.	.	4	2	.
		„ 26,	35·2	1·5	23	.	1	.	.	.	.	.	.	.	2	5	.
		May 3,	20·9	4·5	14	.	2	.	.	1	.	.	.	.	1	1	.
		„ 10,	32·9	6·0	22	.	4	.	.	.	.	.	.	.	3	2	1
		„ 17,	26·9	3·0	18	.	1	.	.	1	.	.	.	.	2	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension, per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	Mar. 29,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	Apl. 5,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 19,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	3	1
	„ 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	2	.
	„ 10,	15·7	1·6	10	.	1	.	.	.	.	.	.	.	2	1	.
	„ 17,	23·6	3·1	15	.	.	.	.	1	.	.	.	1	2	.	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Mar. 29,	30·1	2·0	15	.	1	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	32·1	2·0	16	.	1	.	.	.	.	.	.	.	1	5	.
	„ 12,	24·0	.	12	.	2	.	.	.	.	.	.	.	1	1	.
	„ 19,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	1	1	.
	„ 26,	22·0	4·0	11	.	1	.	.	1	.	.	.	.	.	3	.
	May 3,	26·0	2·0	13	.	.	.	.	.	1	.	.	.	.	5	.
	„ 10,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	1
	„ 17,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Mar. 29,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	Apl. 5,	47·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.
	„ 12,	32·5	3·0	11	.	.	.	.	.	.	.	.	1	1	1	1
	„ 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 26,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 10,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	5	.
	„ 17,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1902 (Est.) 358,693.	Mar. 29,	22·0	1·5	151	.	1	.	.	6	1	.	.	2	30	44	2
	Apl. 5,	23·0	2·3	153	.	2	.	.	5	2	1	5	1	30	36	.
	„ 12,	24·4	1·9	168	.	4	.	.	6	.	.	1	2	26	40	3
	„ 19,	21·7	1·5	149	.	2	.	.	4	1	.	1	2	31	34	4
	„ 26,	22·2	1·7	153	.	3	1	.	2	2	.	3	1	25	44	.
	May 3,	17·3	1·9	119	.	4	.	.	2	2	.	2	3	29	26	.
	„ 10,	21·7	2·5	149	.	3	.	.	4	2	.	4	4	32	32	.
	„ 17,	20·6	1·6	142	.	4	.	.	3	1	1	.	2	29	27	5
Cork. Pop (in 1901) 75,978.	Mar. 29,	27·5	.	40	.	.	.	.	.	.	.	.	.	7	4	2
	Apl. 5,	28·1	.	41	.	.	.	.	.	.	.	.	.	6	2	1
	„ 12,	19·2	.	28	.	.	.	.	.	.	.	.	.	7	3	.
	„ 19,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	3	3	.
	„ 26,	17·8	2·1	26	.	.	.	.	1	.	.	.	2	4	4	.
	May 3,	21·3	0·7	31	.	.	.	.	1	.	.	.	.	6	2	1
	„ 10,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	9	3	1
	„ 17,	23·3	.	34	.	.	.	.	.	.	.	.	.	6	6	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Mar. 29,	14·1	5·1	11	.	1	.	.	1	.	.	.	2	2	2	.
	Apl. 5,	21·8	3·8	17	.	1	.	.	.	.	.	.	2	3	1	1
	„ 12,	17·9	1·3	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 19,	10·2	.	8	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	23·0	1·3	18	.	.	.	.	.	.	.	.	1	4	4	.
	May 3,	10·2	1·3	8	.	.	.	.	1	.	.	.	.	1	3	.
	„ 10,	19·2	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 17,	15·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
Limerick. Pop. in 1901) 38,085.	Mar. 29,	15·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Apl. 5,	42·4	.	31	.	.	.	.	.	.	.	.	.	3	10	.
	„ 12,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	27·4	.	20	.	.	.	.	.	.	.	.	.	5	2	.
	„ 26,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	May 3,	26·0	1·4	19	.	.	.	.	.	.	.	.	1	1	9	.
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	8·2	1·4	6	.	.	.	.	.	.	.	.	1	2	2	.
Waterford. Pop. (in 1901) 26,743.	Mar. 29,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	3	1
	Apl. 5,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 12,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 26,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	2	.
	May 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
	„ 10,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 17,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	2	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 17th May, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,698	10	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
" 2 "		36			22	6	7	6	3	.	1	.	.	.	1	.	.	.	2	3	2	3	3
" 3 "		25			15	2	.	10	3	.	.	.	.	.	.	.	.	1	6	3	.	.	3
" 4 "		39			13	3	1	2	7	.	.	.	.	1	.	.	.	.	2	1	.	.	1
" 5 "		9			11	.	.	11	.	.	.	.	.	1	.	.	.	.	3	3	1	2	.
" 6 "		16			12	2	1	5	4	.	.	.	.	.	.	.	.	.	4	1	.	.	1
" 7 "		2			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		4			3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
" 9 "		17			9	1	1	7	.	.	.	.	.	.	.	1	.	.	1	1	1	1	2
" 10 "		13			9	3	.	4	2	.	.	.	.	.	.	.	.	.	1	2	.	2	.
" 11 "		29			12	3	1	6	2	.	1	.	.	.	.	.	.	1	1	2	1	2	2
" 12 "		13			27	7	4	14	2	.	2	.	.	1	.	.	.	.	8	9	.	1	2
" 13 "		16			5	1	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" 14 "		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	231	20·6	1·6	142	29	16	71	26	.	4	.	.	3	1	1	.	2	29	27	5	15	14
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	.	1	4	3	.	.	.	.	.	.	.	.	.	1	.	.	1	6
" 2 "		5			7	1	1	3	2	.	.	.	.	.	.	.	.	.	.	4	.	.	.
" 3 "		6			6	.	.	3	3	.	.	.	.	.	.	.	.	.	1	1	.	.	4
" 4 "		5			3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "		2			2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 6 "		6			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "		6			7	.	1	3	3	.	.	.	.	.	.	.	.	.	3	.	.	.	4
Total,	—	35	23·3	.	34	3	4	15	12	.	.	.	.	.	.	.	.	.	6	6	.	1	14

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901–2—Week ending																									
	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered,	206	195	186	193	199	156	237	195	187	212	188	189	201	246	207	277	226	239	175	265	216	215	245	192	229	231
DEATHS registered.	145	131	129	141	144	150	143	125	126	151	130	123	169	205	188	136	161	154	151	158	168	149	153	119	149	142
Annual Death-rate per 1,000 of estimated Population,*	21·5	19·5	19·2	21·0	21·4	22·8	20·8	18·2	18·8	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6
AGES, Under 1 year,	32	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29
AGES, 1–5 years,	16	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23	12	24	16
AGES, 5–60 years,	70	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68	74	75	80	67	76	57	67	71
AGES, 60 years and upwards,	27	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4
,, Scarlet Fever,	1	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4	3
,, Diphtheria,	1	1	4	1	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1
,, Simple continued and ill-defined Fever,	.	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1
,, Enteric Fever,	7	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.
,, Diarrhœa, Dysentery,	2	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2
,, Phthisis	14	12	13	20	22	20	19	18	24	14	21	18	33	25	28	24	18	19	30	30	26	31	25	29	32	29
,, Diseases of Respiratory System,	40	28	38	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50	44	36	40	34	44	26	32	27
Violent Deaths,	4	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th May, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken-Pox.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	2	1	.	.	4
" " 1, West,	.	1	.	2	.	.	.	.	.	.	6	.	.	9
" " 2,	.	1	.	1	.	.	.	.	.	1	2	.	.	5
" " 3,	.	.	1	.	.	.	1	.	.	.	3	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	1	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	1
South City No. 1,	.	.	.	4	.	.	1	.	1	2	9	1	2	20
" " 2,	.	.	.	1	.	.	.	.	2	1	2	.	.	6
" " 3,	.	17	.	1	.	.	2	.	1	3	3	.	3	30
" " 4,	.	18	.	1	.	.	1	.	.	.	1	.	.	21
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.		.	4	4
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	38	1	11	.	.	6	.	4	9	28	1	9	107
Total for week ended May 10th, 1902,	.	23	.	5	.	.	6	.	1	25	16	.	4	80
Total for week ended May 3rd, 1902,	.	29	.	19	.	.	3	.	4	13	26	.	14	103
Total for week ended Apr. 26th, 1902,	.	27	1	14	.	.	8	1	5	23	16	.	8	103

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th May, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of Week ended			Week ended 17th May.			
	April 26.	May 3.	May 10.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	1	1	1	.	.	.	1*
Measles,	28	40	37	27	11	2	51
Scarlet Fever,	72	82	83	13	11	1	84
Typhus "	.	.	.	.	.	.	.
Diphtheria,	28	36	38	5	5	3	35
Enteric Fever,	38	35	31	8	9	1	29
Pneumonia,	25	27	30	4	6	.	28

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births	Deaths	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
			Exclusive of Stillborn.									
LONDON,	4,579,107	May 17,	2,495	1,423	16·2	37	52	8	25	36	5	17
EDINBURGH,	317,885	„ 17,	176	95	15·3	.	6	.	.	5	.	3
GLASGOW,	764,423	„ 17,	472	322	21·6	.	4	1	4	10	2	11
CALCUTTA,	847,793	Mar. 8,	.	1,089	66·7	10	.	.	.	.	113§	216*
		„ 15,	.	1,021	62·6	4	.	.	.	.	89	181
BOMBAY,	776,006	April 22,	310	1,274	85·4	5	9	?	?	.	83§	81*
MADRAS,	509,346	Mar. 21,	231	415	42·3	.	14	?	?	?	143	59*
PARIS,	2,660,559	April 26,	1,050	1,014	20·9	1	25	7	15†	25	6	36
BRUSSELS (with 8 Faubourgs).	582,665	„ 26,	214	176	15·7	.	.	.	1	1	.	6
AMSTERDAM,	533,563	May 3,	269	180	17·6	.	16	.	2	3	.	14
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	May 3,	191	161	20·9	.	1	.	.	3	.	5
CHRISTIANIA,	228,929	April 26,	152	69	15·7	.	.	.	.	3	.	3
ST. PETERSBURG,	1,248,643	May 3,	631	613	25·5	1	3	8	14	6	18	72
BERLIN,	1,905,133	Mar. 29,	890	602	16·5	.	14	9	1	7	.	30
HAMBURG,	724,835	April 26,	.	222	15·9	.	.	4	3	2	2	4
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	April 12,	.	206	21·2	.	7	.	4*	2	.	12
VIENNA (with suburbs).	1,726,604	May 3,	990	792	23·9	.	27	8	11†	7	1	26
BUDA-PESTH,	767,661	April 26,	465	354	24·0	.	9	3	1	1	1	17
PRAGUE and Faubourgs	416,817	„ 26,	189	233	29·1	.	.	1	.	.	2	12
ROME,	472,298	Mar. 22,	240	234	25·8	.	19	.	4	1	3	7
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	April 26,	77	53	16·6	.	3	.	1	.	.	4
NEW YORK,	3,632,501	„ 26,	1,307	1,362‡	20·4	13	22	17	51†	13	10	35
PHILADELPHIA,	1,293,697	„ 19,	.	463	18·7	1	3	5	8	5	10	.

* Including 140 and 118 deaths from cholera in Calcutta, and 3 in Bombay.
† Including deaths from croup.
§ Exclusive of 426 and 501 deaths from bubonic fever in Calcutta, and 608 in Bombay.
‡ Deaths of infants under 1 week not included.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 17th May, 1902:—

"Another period of changeable showery weather has to be recorded, but the cold which had so long prevailed gave way suddenly to a more genial temperature on Thursday, when the northerly winds gave place to westerly. Atmospheric pressure was very uniform on Sunday morning, but in the course of the day a shallow depression formed over St. George's Channel, whereas the barometer rose in the North. These changes brought a light E. to N. breeze and rain. Tuesday found the trend of atmospheric depressions to be still from N. to S., so that cold N. winds continued, and at night frost occurred at many British stations, the screened thermometers falling to 29° at Bath, 30° at Dungeness, 31° at Wick, Clacton-on-Sea, Oxford, and even in London, where (at Brixton) the grass minimum was 26°. On Wednesday morning a new shallow depression was found over the Bristol Channel. On the afternoon of this day a great change began—depressions, larger and deeper, than those which had previously been arriving from the northward, came in from the Atlantic, travelling eastwards. These brought a sudden rise of temperature on Thursday, together with strong and squally S.W. to W. winds and abundant rain. On Friday the wind rose to a moderate or fresh gale from S.W. and W.; and on Saturday deluging showers of cold rain and hail fell at frequent intervals from midday, when thunder and lightning also occurred. The week closed with a very low temperature. In Dublin the mean height of the barometer was 29·781 inches, pressure ranging from 30·076 inches at 9 a.m. of Tuesday (wind, N.) and 29·224 inches at 2 p.m. of Saturday (wind, W.). The corrected mean temperature was 49·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 48·0°. The screened thermometers fell to 39·8° on Tuesday and rose to 59·6° on Thursday. Bright sunshine was estimated at 31¾ hours. The dominant wind was N.W. Rain fell on six days to the amount of ·959 inch, ·410 inch being registered on Saturday. A solar halo appeared on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·780 inches. The highest reading (30·076) was on Tuesday at 9 a.m., wind N., and the lowest (29·353) on Saturday at 9 a.m., wind W.

The mean temperature for the week was 47·2°, being 3·3 under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Friday, on which day the thermometer registered 58·1°, and was lowest on Tuesday, the mercury having fallen to 36·3°. The mean of the Dry Bulb for the week was 47·6°, and of the Wet Bulb 44·8°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 27·4 hours. The rainfall measured ·845 inch.

At Greenwich the mean temperature for the week was 45·0°, the maximum 58·3°, and the minimum 29·8°; at Glasgow the maximum was 57·0°, the minimum 34·8°, and the mean 45·0°; and at Edinburgh the maximum was 51·0°; the minimum 32·9°, and the mean 42·7°. The rainfall at Greenwich measured 0·84 inch; at Glasgow 0·43 inch; and at Edinburgh 0·41 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, May 11,	29·947	53·0	39·7	46·4	48·8	46·4	·84	·5	0·1	·115	Calm.	Calm.
Monday, „ 12,	30·028	52·8	40·3	46·6	45·4	42·2	·78	·5	6·3	—	N.N.E.	N.N.E.
Tuesday, „ 13,	30·029	50·7	36·3	43·5	44·3	41·3	·80	·4	3·8	·040	N.	Calm.
Wednesday, „ 14,	29·915	51·1	38·3	44·7	47·0	43·9	·79	·5	7·7	·125	N.W.	S.
Thursday, „ 15,	29·640	57·8	42·4	50·1	50·9	49·0	·87	·7	3·3	·210	W.S.W.	W.N.W.
Friday, „ 16,	29·535	58·1	45·1	51·6	49·1	46·8	·85	·7	1·1	·105	S.W.	W.
Saturday, „ 17,	29·365	55·2	39·8	47·5	47·4	43·8	·76	·8	5·1	·250	W.	N.W.
Mean . .	29·780	54·1	40·3	47·2	47·6	44·8	·81	·6	Total 27·4	·845	Prevailing Wind Westerly.	

Sunday—A dull day; rain 5.0 to 11.45 p.m.; night overcast. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; rain 6.0 p.m. to 3.30 a.m.; night overcast. *Wednesday*—A cloudy day; rain 5.0 p.m. to 6.0 a.m. and 8.30 a.m. to 9.0 a.m.; night overcast. *Thursday*—Dull a.m.; cloudy p.m.; rain 9.0 to 10.30 a.m.; showery 12.0 noon to 3.0 p.m. and 9.30 p.m. to 4.0 a.m., and 8.30 to 9.0 a.m.; night overcast. *Friday*—Dull a.m.; cloudy p.m.; rain 9.0 a.m. to 1.0 p.m.; night cloudy. *Saturday*—A cloudy day; heavy showers; rain and hail 11.30 a.m. to 7.30 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 65. 5. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 24TH MAY, 1902. [No. 21.

General Register Office, Charlemont House, Dublin, 26th May, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 3.	May 10.	May 17.	May 24.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 3.	May 10.	May 17.	May 24.	Average Rate for 4 weeks
22 Town Dists.	20·5	22·9	22·2	20·7	21·6	Lisburn, . .	13·7	27·3	4·6	18·2	16·0
Armagh, . .	27·6	27·6	27·6	6·9	22·4	Londonderry, .	10·2	19·2	15·4	26·9	17·9
Ballymena, .	19·2	14·4	19·2	9·6	15·6	Lurgan, . .	17·7	22·1	26·6	17·7	21·0
Belfast, . .	17·3	21·7	20·6	22·1	20·4	Newry, . .	20·7	8·3	37·3	20·7	21·8
Clonmel, . .	25·5	15·3	61·3	15·3	29·3	Newtownards, .	11·4	22·9	22·9	40·1	24·3
Cork, . . .	21·3	25·4	23·3	21·3	22·8	Portadown, .	0·0	26·0	15·6	20·8	15·6
Drogheda, . .	16·3	44·9	0·0	16·3	19·4	Queenstown, .	0·0	46·3	33·1	39·7	29·8
Dublin Reg. Area,	24·9	23·4	24·8	19·1	23·0	Sligo, . . .	19·2	19·2	24·0	14·4	19·2
Dundalk, . .	23·9	23·9	8·0	16·0	18·0	Tralee, . .	26·6	58·5	15·9	53·1	38·5
Galway, . .	3·9	31·1	50·5	23·3	27·2	Waterford, .	19·5	11·7	17·5	9·7	14·6
Kilkenny, . .	39·8	24·8	39·8	19·9	31·1	Wexford, . .	32·7	23·4	14·0	18·7	22·2
Limerick, . .	26·0	17·8	8·2	19·2	17·8						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in seventeen of the districts to 5·0 in Kilkenny. Among the 152 deaths from all causes registered in Belfast are 3 from measles, 4 from whooping-cough, one from diphtheria, 3 from enteric fever, and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 209—101 boys and 108 girls; and the deaths to 149—83 males and 66 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·5 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 19·1 per 1,000. During the twenty-one weeks ending with Saturday last the death-rate averaged 26·2, and was 3·8 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

The 149 deaths include 2 each for measles, scarlatina, and *diarrhœa;* cerebro-spinal fever and enteric fever each caused 1 death.

Tuberculous phthisis was the registered cause of 2 and *phthisis* of 23 deaths; tuberculous meningitis caused 2 deaths, and other forms of the disease caused 2 deaths.

One death was registered as carcinoma, and 6 deaths as *malignant disease*, "*cancer.*"

Diseases of the nervous system caused 26 deaths, including 9 registered as *convulsions* (of the latter 1 was under 1 month, 7 above 1 month and under one year, and 1 between the age periods of one year and 5 years).

Diseases of the heart and blood vessels caused 15 deaths, including 2 from *apoplexy, hemiplegia.*

Diseases of the respiratory system caused 23 deaths; of this number 3 were registered as broncho-pneumonia, 1 as croupous pneumonia, 4 as *pneumonia;* 14 were due to bronchitis and 1 to bronchietasis. The total equals an annual rate of 3·2 per 1,000, the average annual rate for the corresponding period of the past 10 years being 4·4 per 1,000.

Four deaths were caused by accidental violence.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 children under one year of age and the death of one person aged 74 years.

Thirty-nine of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 8 were under one month old), and 39 were aged 60 years and upwards, including 11 persons aged 70 and upwards, of whom 3 were octogenarians.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·1 per 1,000; the rate in the City was 21·7 (23·0 on the North side, and 20·3 on the South), and in the Urban Districts 10·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·5 (0·3 in the North City Districts, and 0·7 in the South) and for the Urban Districts 1·8 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. Three deaths were due to *phthisis* and 4 to diseases of the respiratory system, including 2 from broncho-pneumonia.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000. *Diarrhœa, phthisis,* and tuberculous phthisis each caused one death, diseases of the respiratory system caused 8 deaths, including 1 from broncho-pneumonia. There was one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. There were 4 deaths from *phthisis* and 6 from diseases of the nervous system. There was also a death from accidental violence.

No. 3 *North City District* (Blackhall-place).—The deaths (13) represent an annual rate of 21·4 per 1,000. There were 5 deaths from *phthisis* and 2 from diseases of the respiratory system, including 1 from *pneumonia.*

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 10·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 10·4; and Finglas and Glasnevin, part of, 0·0.

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 26·6 per 1,000. Scarlet fever caused 1 death, phthisis caused 3 deaths, and diseases of the respiratory system caused 2 deaths.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 18·3 per 1,000. *Phthisis* caused 1 death.

No. 3 *South City District* (Peter-street).—The deaths (11) are equal to an annual rate of 13·7 per 1,000. *Phthisis* caused 1 death; there was also a death caused by accidental violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·4 per 1,000. Measles and cerebro-spinal meningitis each caused 1 death, 1 death was registered as tuberculous phthisis, and 2 as *phthisis*; there was 1 death from pneumonia.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, is 21·4 per 1,000 inhabitants. Of the 3 deaths registered 1 was from *phthisis.*

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 11·0 per 1,000 inhabitants; Donnybrook, 10·0; Blackrock, 17·9; and Kingstown, 5·9. The deaths from the principal epidemic diseases tabulated for these districts consist of 1 from scarlet fever in Rathmines, one from enteric fever in Pembroke, and one from measles in Kingstown. Of the 7 deaths from all causes tabulated for Rathmines one was caused by *pneumonia*; the 5 deaths from all causes in Pembroke include one from *phthisis* and one from *pneumonia.*

* Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	3rd May,	108 cases.
" "	10th May,	89 cases.
" "	17th May,	107 cases.
" "	24th May,	81 cases.

Of the 81 cases notified, 11 were erysipelas, 10 enteric fever, 8 scarlatina, 33 measles, one German measles, 10 varicella, 2 diphtheria, and 5 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	3rd May,	5 cases.
" "	10th May,	10 cases.
" "	17th May,	4 cases.
" "	24th May,	5 cases.

Of the 5 cases notified, 2 were scarlet fever, one diphtheria, and 2 continued fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	3rd May,	15 cases.
" "	10th May,	3 cases.
" "	17th May,	4 cases.
" "	24th May,	10 cases.

Of the 10 cases notified, 7 were measles, one scarlet fever, and 2 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	3rd May,	65 cases.
" "	10th May,	51 cases.
" "	17th May,	63 cases.
" "	24th May,	55 cases.

Of the 55 cases notified, 21 were enteric fever, 8 erysipelas, 8 diphtheria, 12 continued fever, 4 scarlet fever, and one typhus fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th May, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Twenty-two cases of measles were admitted to hospital, 9 were discharged, there were 2 deaths, and 62 cases remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 5 cases were discharged, there was one death, and 28 cases remained under treatment at the close of the week.

Nine cases of scarlatina were admitted to hospital, 3 cases were discharged, there was one death, and 89 cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 13 cases were discharged, and 25 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 7 patients were discharged, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·4), was equal to an average annual death rate of 16·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·3 per 1,000, the rate for Glasgow being 22·5, and for Edinburgh 20·6.

* See note (*) on page 342.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th May, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 24th May, 1902. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,822	18·7	28·2	20·7	1·0	521	433	66	125	.	5	2	.	4	1	.	5	4	67	80	6	22	117
Dublin Registration Area:— Total,‡	379,003	27·8	28·8	19·1	0·8	209	139	25	38	.	2	2	.	.	.	.	1	1	24	22	4	4	63
Registrars' Districts. City	293,394	37·8	31·6	21·7	0·5	178	122	22	34	.	1	1	.	.	.	.	.	1	25	19	3	4	59
Rathmines,‖	33,203	19·4	22·0	11·0	1·6	14	7	2	2	.	.	1	.	.	.	.	.	.	.	1	.	.	1
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	14·0	10·0	2·0	7	5	1	1	.	.	.	.	.	.	.	1	.	1	2	.	.	1
Blackrock,‖	8,759	8·1	23·3	17·5	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Kingstown, 1 & 2,‖	17,622	12·1	17·8	5·9	3·0	6	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Urban Districts. Belfast,	358,693	21·8	29·2	22·1	1·7	201	152	26	34	.	3	.	.	4	1	.	3	1	26	32	1	13	28
Cork,	75,978	33·5	28·3	21·3	.	34	31	.	10	.	.	.	.	.	.	.	.	.	3	6	.	2	12
Londonderry,	40,729	18·8	46·1	26·9	1·8	36	21	5	7	.	.	.	.	.	.	.	1	.	2	3	1	1	4
Limerick,	38,085	18·4	26·0	19·2	.	19	14	4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	3
Waterford	26,748	18·6	21·4	9·7	.	11	5	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Galway,	18,414	9·5	11·7	23·3	.	3	6	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1
Dundalk	18,067	9·4	12·0	16·0	.	3	4	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Drogheda	12,765	8·1	24·5	16·3	.	6	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Newry,	12,587	17·9	29·0	20·7	.	7	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lurgan,	11,777	18·8	35·4	17·7	.	8	4	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Lisburn,	11,459	10·1	18·2	18·2	.	4	4	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Wexford,	11,154	23·2	28·0	18·7	.	6	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Ballymena	10,880	10·9	4·8	9·6	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Sligo,	10,862	8·6	9·6	14·4	4·8	2	3	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Kilkenny,	10,498	11·4	34·8	19·9	5·0	7	4	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Clonmel,	10,209	7·9	25·5	15·3	.	5	3	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Portadown	10,046	13·1	31·1	20·8	.	6	3	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Tralee,	9,812	16·7	69·1	53·1	.	13	10	1	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Newtownards,	9,110	18·9	45·8	46·1	.	8	7	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Queenstown,	7,887	14·7	6·6	39·7	.	1	6	.	3	.	.	.	.	.	.	.	.	.	2	3	.	.	.
Armagh,	7,569	22·1	6·9	6·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 24th May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area: Total,‡	§67·0	38·9	49·7	0·20	§58·1	36·3	47·2	0·85	§58·1	30·1	43·3	0·09
City	a67·9 b67·9	37·9 38·0	50·8 50·2	0·20 0·25	a59·6 b59·8	39·8 36·0	49·1 47·8	0·96 0·76	a54·7 b54·1	36·0 32·0	45·6 43·8	0·12 0·11
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	68	38·5	51·5	0·25	60·5	39·5	50·1	0·77	55·5	36·5	46·5	0·02
Belfast,	61·9	34·0	48·6	0·44	55·0	33·0	45·4	0·33	54·5	34·6	45·5	0·08
Cork,	65	40	51·3	0·07	59	40	49·8	0·52	58	39	47·6	0·89
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	58	40	49	0·09	58	45	51	0·75	58	35	47	0·05
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	65·3	32·5	49·4	0·27	53·9	34·1	45·8	1·59	58·8	31·8	45·1	0·21
Lurgan,	65·3	32·5	49·4	0·27	53·9	34·1	45·8	1·59	58·8	31·8	45·1	0·21
Lisburn,	65·3	32·5	49·4	0·27	53·9	34·1	45·8	1·59	58·8	31·8	45·1	0·21
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	63·9	37·5	49·6	0·28	55·3	35·0	47·7	1·02	54·5	31·5	45·3	0·40
Kilkenny,	65	34	50·3	0·16	59	36	49·6	0·54	56	33	46·1	0·16
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	65·3	32·5	49·4	0·27	53·9	34·1	45·8	1·59	58·8	31·8	45·1	0·21
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	66	39	48·3	0·71	53	33	45·5	0·55	51	39	44·9	0·13
Queenstown,	65	40	51·3	0·07	59	40	49·8	0·52	58	39	47·6	0·39
Armagh,	65·3	32·5	49·4	0·27	53·9	34·1	45·8	1·59	58·8	31·8	45·1	0·21

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 24th of May, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.	
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	
Diarrhœa, Dysentery,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Phthisis,	3	2	4	5	.	.	.	.	3	1	1	3	.	1	.	.	1	.	.	24	1	
Other General Diseases,	1	3	1	3	.	.	.	.	4	1	2	1	.	.	.	1	.	1	.	18	2	
Total,	4	6	5	8	.	.	.	.	8	2	3	5	.	1	.	2	2	1	1	48	4	
B. LOCAL DISEASES:																						
Diseases of: Nervous System,	1	4	6	.	1	.	.	.	2	1	4	3	.	.	.	2	1	.	1	26	.	
Organs of Special Sense,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
Heart and Blood Vessels,	.	2	.	3	.	.	.	.	1	1	1	3	.	.	.	1	.	1	.	13	2	
Respiratory System,	4	8	.	2	.	.	.	.	2	.	1	1	.	1	.	1	2	.	.	22	1	
Digestive System,	2	1	1	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	7	1	
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary System,	1	.	2	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	6	1	
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Accidents of Childbirth,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Total,	8	15	9	5	1	2	.	.	9	2	7	9	.	1	.	4	3	1	1	77	5	
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	.	1	.	.	.	.	.	3	2	.	1	.	1	.	1	.	.	.	10	1	
E. VIOLENT DEATHS,	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	4	.	
Deaths from all Causes,	13	22	16	13	1	2	.	.	20	6	11	15	.	3	.	7	5	3	2	139	10	
Annual Rate of Mortality in every 1,000 of the population.	23·9	29·3	27·7	21·4	10·8	10·4	.	.	26·6	18·3	13·7	22·4	.	21·4	.	11·0	10·0	17·9	5·9	19·1		
	23·0								20·3							10·4						
	21·7																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	6	3	.	.	.	.	4	1	3	6	.	.	.	1	1	1	1	30	7	
Workhouse Hospitals,	4	6	2	6	.	.	.	.	5	4	3	2	.	1	.	.	.	.	.	33	8	

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years, 189

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 21st Week of the 10 years 1892-1901	In the Week ending Saturd 24th May, 1902.						
												Deaths of Persons of the Ag						
	May 28, 1892.	May 27, 1893.	May 26, 1894	May 25, 1895.	May 23, 1896.	May 29, 1897.	May 28, 1898.	May 27, 1899.	May 26, 1900.	May 25, 1901.		ALL AGES.	0 to 5.					
												Mean Temp	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 55·1	° 55·8	° 44·2	° 48·4	° 53·2	° 49·0	° 51·7	° 48·5	° 51·2	° 51·2	50·8	° 49·7						
ALL CAUSES.	195	168	149	191	159	190	155	178	176	178	173·9	119	8	18	13	16	34	21
Small Pox, Vaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	23	5	.	.	.	5	1	1	.	.	3·5	2	.	1	1	.	.	.
Scarlet Fever, ...	.	2	.	.	1	3	1	.	.	.	·7	2	.	1	1	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	3	6	1	2	1	3	2	3	2·4	.	.	.	.	.	.	.
Whooping Cough, ...	6	5	8	3	3	2	3	1	3	5	3·9	.	.	.	.	.	.	.
Diphtheria, ...	.	.	.	.	.	.	4	.	.	.	·4	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Enteric Fever, ...	4	3	4	1	2	1	3	4	2	.	2·4	1		.	.	.	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	.	.	3	1	1	4	2	1	.	3	1·5	.	.	.	.	.	.	.
												2	.	.	.	.	1	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	.	.	.	.	2	1	1	·4	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	3	.	.	.		.	.	.	·4	1	.	.	.	.	1	.
												.	.	.	.	.	.	.
												1	.	.	.	.	1	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	3	.	.	.	1	.	1	.	2	·7	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	.	.	.	.	.	.	1	1	·3	.	.	.	.	.	.	.
												.	.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	26	30	25	43	26	32	25	27	32	25	29·1	2	.	.	.	1	1	.
												23	.	.	2	3	15	2
Tuberculous Meningitis, (Acute Hydrocephalus).	3	2	4	5	8	9	10	10	8	2	6·1	2	.	.	2	.	.	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	4	3	2	6	2	8	4	3	4	4	4·0	.	.	.	.	.	.	.
												.	.	.	.	.	.	.
Tuberculous Dis. (other), ... Scrofula, ...	7	7	6	5	4	4	4	4	11	5	5·7	2	.	.	.	1	1	.
												.	.	.	.	.	.	.
Alcoholism, ...	.	.	1	1	.	1	1	2	1	.	·7	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.
Gout	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are

ENTY-FIRST WEEK ending Saturday, 24th May, 1902, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: May 28, 1892.	May 27, 1893.	May 26, 1894.	May 25, 1895.	May 23, 1896.	May 29, 1897.	May 28, 1898.	May 27, 1899.	May 26, 1900.	May 25, 1901.	Averages in 21st Week of the 10 years 1892–1901.	In the Week ending Saturday, 24th May, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 55·1	° 55·8	° 44·2	° 48·4	° 53·2	° 49·0	° 51·7	° 48·5	° 51·2	° 51·2	50·8	° 49·7								
oma	7	6	2	2	8	5	7	6	6	8	5·7	1	.	.	.	.	1	.	.	.
na												.	.	.	.	.	.	.	.	.
ant Dis. "Cancer,"												6	.	.	.	.	3	3	.	.
es Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ture Birth	2	.	1	1	1	3	3	2	1	5	1·9	2	2	.	.	.	.	.	.	.
gitis (not tuberc.)												8	.	1	3	3	.	.	1	.
y, G. P. of Insane												4	.	.	.	.	.	2	2	.
sy												1	.	.	.	.	1	.	.	.
sions												9	1	7	1	.	.	.	.	.
otor Ataxy												.	.	.	.	.	.	.	.	.
egia Dis. of Cord												.	.	.	.	.	.	.	.	.
is System (other Dis.) ...	31	30	31	34	30	30	27	31	31	36	31·1	4	.	.	.	.	.	1	3	.
Dis., Endocarditis												4	.	.	.	.	1	2	1	.
. Hæm. Thromb.												.	.	.	.	.	.	.	.	.
y, Hemiplegia												2	.	.	.	.	.	1	1	.
sm												.	.	.	.	.	.	.	.	.
sm, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
and Blood Vessel Dis.												9	.	.	.	1	1	1	6	.
(not Spasm or Memb.) ...	1	.	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
itis	13	16	9	20	16	18	16	23	15	19	16·5	14	.	1	.	.	3	2	7	1
us Pneumonia												1	.	.	.	1	.	.	.	.
o-Pneumonia	21	9	4	14	11	12	10	16	14	15	12·6	3	.	1	.	1	.	.	1	.
nonia"												4	.	.	.	2	1	.	1	.
a, Emphysema												.	.	.	.	.	.	.	.	.
y	.	.	2	4	3	2	1	1	.	1	1·4	.	.	.	.	.	.	.	.	.
atory Dis. (other)												1	.	.	.	.	.	1	.	.
tis, Quinsy	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
is (not Epid.)	1	.	1	.	.	1	1	1	.	1	·6	.	.	.	.	.	.	.	.	.
Enteritis												.	.	.	.	.	.	.	.	.
itis (not Puerp.)	2	6	2	.	.	.	.	2	1	1	1·4	.	.	.	.	.	.	.	.	.
is of Liver	2	1	3	3	1	2	1	2	5	2	2·2	2	.	.	.	.	.	1	1	.
is. (other)												3	2	.	.	.	.	.	1	.
ve Dis. (other)	2	7	4	3	6	6	1	6	5	7	4·7	3	.	2	1	.	.	.	.	.
tis, Acute												4	.	.	.	.	1	2	1	.
s Dis., Albuminuria ...	3	5	5	3	5	6	2	4	3	4	4·0	3	.	.	.	1	.	1	1	.
y Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
tive Organs Dis.	1	.	1	.	1	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
rth (Accid. of)	2	.	.	.	1	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
... ...	11	7	9	11	6	12	13	11	11	12	10·3	4	.	.	.	.	.	.	2	2
Diseases	15	15	11	20	10	12	8	9	17	11	12·8	13	3	4	2	1	1	1	1	.
ACCIDENT.																				
ways	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
icles and Horses	1	.	.	1	1	.	.	1	.	.	·4	1	.	.	.	.	1	.	.	.
s, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ding Operations	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.
lagrations	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	.	.	3	.	2	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
wning	.	.	.	1	2	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	4	2	2	.	1	2	2	3	.	2	1·8	3	.	.	.	.	1	1	1	.
OLENCE OTHER THAN ACCIDENTAL.																				
de	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	1	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901–2—Week ending																									
	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Births registered,	216	187	164	144	93	279	204	208	215	152	222	177	248	193	220	239	198	229	199	237	226	195	255	232	202	209
*Average Births in corresponding week of previous 10 years,**	186	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207	201	225	179	190½	197	211	232	214	195	195
Deaths registered,	141	153	188	196	200	223	186	177	158	169	181	200	248	218	222	154	167	211	203	206	174	199	191	178	186	149
Annual Death-rate per 1,000,	19·6	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5
*Average Deaths in corresponding week of previous 10 years,**	190	183	189	188	212	217	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174
Ages, Under 5 years,	36	37	31	47	33	46	38	54	36	38	46	40	60	60	59	37	45	49	49	56	57	60	46	52	49	39
5—20 "	13	12	15	18	15	9	15	10	14	11	12	18	16	17	12	22	17	20	17	16	12	19	20	13	20	16
20—40 "	20	28	16	35	31	39	35	19	27	31	36	34	37	30	29	28	32	39	33	42	28	20	31	33	39	34
40—60 "	30	38	39	54	53	63	41	2	33	43	39	47	55	48	46	35	40	52	51	41	37	50	39	33	37	21
60—80 "	32	32	31	33	55	57	48	44	37	36	36	49	70	52	67	28	26	43	45	40	33	44	42	35	32	36
80 years and upwards,	10	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6	3	2
" Scarlet Fever,	1	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	.	1	4	.	1	.	.	1	1	2	3	2	5	.	.	1	2	.	2	1	3	3	.	3	.
" Diphtheria,	.	2	.	3	2	3	3	1	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.
" Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	2	1	.	4	5	2	.	1	2	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1
" Diarrhœa, Dysentery,	4	3	.	2	3	4	1	2	4	.	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2
" Phthisis,	23	32	15	24	21	30	30	20	9	33	31	7	27	33	38	17	36	37	27	27	25	20	25	23	30	25
" Heart Diseases,	8	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17	18	20	31	18	27	22	27	19	26	15
" Diseases of Respiratory System,	22	25	33	32	46	57	34	3	35	47	36	48	82	73	65	41	30	53	49	44	33	41	32	29	30	23
Violent Deaths,	3	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4	3	4
Mean Temperature of the Air (Phœnix Park),	42·1	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	35·7	29·9	40·5	46·0	44·3	44·9	44·4	48·5	43·5	38·4	45·9	49·8	46·9	48·3	47·2	49·7
Average Mean Temperature in corresponding week of previous 10 years,	42·9	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8
Rainfall in inches,	·005	1·025	·425	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·845	·195
Mean Humidity of the Air, complete Saturation 1·0,	·87	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th May, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH MAY, 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	22·4	149	39	16	34	21	36	3	.	2	2	.	.	.	.	1	2	7	25	9	23	4	81
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	10·1	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
II.	MIDDLE CLASS,	80,653	14·2	22	4	1	7	4	6	.	.	.	.	.	.	.	.	.	.	.	3	2	2	1	14
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	13·8	26	8	3	7	3	4	1	.	.	1	.	.	.	.	.	.	1	7	2	4	.	12
IV.	GENERAL SERVICE CLASS,	146,486	33·7	62	23	11	12	7	9	.	.	2	1	.	.	.	.	1	2	6	9	5	7	3	32
V.	INMATES OF WORKHOUSES,	5,191		36	4	1	8	6	15	2		.	.	.	.	.	.	.	.	.	6	.	10	.	20
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	16·2	8	1	.	3	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	5
	6. Clerks and Commercial Assistants,	24,750	16·9	8	3	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	14·2	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	9. Building and Furnishing Trades,	26,030	10·0	5	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2
	10. Clothing Trades,	23,686	17·6	8	3	.	3	.	1	1	.	.	.	.	.	.	.	.	.	.	3	1	1	.	3
	11. Food Supply Trades,	7,869	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	15·6	8	2	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	5
	13. Petty Shopkeepers,	6,771	23·1	3	1	.	.	1	1	.	.	.	1	.	.	.	.	.	.	1	.	.	1	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	33·4	10	1	1	1	5	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	8
	15. Domestic Servants,	39,568	9·2	7	3	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	3	1	3	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.	1	2	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	24·0	38	16	7	8	1	6	.	.	1	.	.	.	.	.	1	2	4	8	4	3	.	19
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	36	4	1	8	6	15	2	.	.	.	.	.	.	.	.	.	.	6	.	10	.	20

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

City of Dublin (prior to extension) — DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,338.	Apl. 5,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	„ 12,	29·4	.	16	.	.	.	.	.	.	.	.	.	4	4	1
	„ 19,	29·4	.	16	.	.	.	.	.	.	.	.	.	2	7	.
	„ 26,	33·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
	May 3,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	2	1
	„ 10,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	„ 17,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	7	.
	„ 24,	23·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	Apl. 5,	28·0	.	21	.	.	.	.	.	.	.	.	.	3	4	.
	„ 12,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	4	7	.
	„ 19,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	.	3	.
	„ 26,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	2	2	2
	May 3,	26·6	.	20	.	.	.	.	.	.	.	.	.	4	2	.
	„ 10,	29·3	.	22	.	.	.	.	.	.	.	.	.	3	2	1
	„ 17,	22·6	2·6	17	.	.	.	.	.	.	.	2	.	4	2	.
	„ 24,	29·3	1·3	22	.	.	.	.	.	.	.	.	1	2	3	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Apl. 5,	26·0	3·5	15	.	.	.	.	.	1	.	1	.	3	1	.
	„ 12,	32·9	.	19	.	.	.	.	.	.	.	.	.	1	6	.
	„ 19,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	31·2	.	18	.	.	.	.	.	.	.	.	.	5	2	.
	May 3,	20·8	1·7	12	.	.	.	.	.	1	.	.	.	1	3	.
	„ 10,	26·0	.	15	.	.	.	.	.	.	.	.	.	4	3	.
	„ 17,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	1
	„ 24,	27·7	.	16	.	.	.	.	.	.	.	.	.	4	.	1
North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,673.	Apl. 5,	31·3	.	19	.	.	.	.	.	.	.	.	.	.	9	.
	„ 12,	44·4	1·6	27	.	.	.	.	1	.	.	.	.	1	6	.
	„ 19,	37·9	6·6	23	.	.	1	.	.	1	.	.	2	3	4	.
	„ 26,	34·6	1·6	21	.	.	.	.	.	.	.	.	1	3	6	.
	May 3,	26·3	1·6	16	.	.	.	.	.	.	.	1	.	4	2	.
	„ 10,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.
	„ 17,	23·0	3·3	14	.	.	1	.	.	1	.	.	.	1	1	1
	„ 24,	21·4	.	13	.	.	.	.	.	.	.	.	.	5	2	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 39,152.	Apl. 5,	24·0	.	18	.	.	.	.	.	.	.	.	.	3	3	3
	„ 12,	32·0	4·0	24	.	.	.	.	1	.	.	1	1	3	4	3
	„ 19,	30·6	.	23	.	.	.	.	.	.	.	.	.	1	5	.
	„ 26,	29·3	.	22	.	.	.	.	1	.	.	1	.	1	5	.
	May 3,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	2	2	.
	„ 10,	26·6	2·7	20	.	.	.	.	.	.	.	1	1	2	2	.
	„ 17,	33·3	1·3	25	.	.	.	.	.	1	.	.	.	5	2	.
	„ 24,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	3	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	Apl. 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	3	3	.
	„ 12,	21·3	.	7	.	.	.	.	.	.	.	.	.	1	1	1
	„ 19,	18·3	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 26,	33·6	3·0	11	.	.	.	.	.	.	.	1	.	.	.	1
	May 3,	39·6	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	„ 10,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1
	„ 17,	36·6	.	12	.	.	.	.	.	.	.	.	.	3	1	.
	„ 24,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 41,786.	Apl. 5,	33·7	1·2	27	.	.	1	.	.	.	.	.	.	3	10	.
	„ 12,	28·7	1·2	23	.	.	.	.	.	.	.	.	1	4	7	.
	„ 19,	21·2	3·7	17	.	1	1	.	.	.	.	.	1	3	.	.
	„ 26,	21·2	1·2	17	.	.	.	.	1	.	.	.	.	1	4	.
	May 3,	23·7	1·2	19	.	1	.	.	.	.	.	.	.	3	3	1
	„ 10,	22·5	2·4	18	.	1	.	.	.	1	.	.	.	2	3	.
	„ 17,	35·0	4·8	28	.	2	.	.	1	1	.	.	.	4	8	.
	„ 24,	13·7	.	11	.	.	.	.	.	.	.	.	.	1	1	1
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	Apl. 5,	29·9	1·5	20	.	.	.	.	.	.	.	.	1	4	3	.
	„ 12,	20·9	3·0	14	.	1	.	.	.	.	.	.	1	2	2	.
	„ 19,	19·4	1·5	13	.	.	.	.	1	.	.	.	.	4	2	.
	„ 26,	35·2	1·5	23	.	1	.	.	.	.	.	.	.	2	5	.
	May 3,	20·9	4·5	14	.	2	.	.	1	.	.	.	.	1	1	.
	„ 10,	32·9	6·0	23	.	4	.	.	.	.	.	.	.	3	2	1
	„ 17,	26·9	3·0	18	.	1	.	.	1	.	.	.	.	2	2	.
	„ 24,	22·4	.	15	.	.	.	.	.	.	.	.	.	3	1	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 83,208.	Apl. 5,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 19,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	3	1
	„ 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	2	.
	„ 10,	15·7	1·6	10	.	1	.	.	.	.	.	.	.	2	1	.
	„ 17,	28·6	3·1	15	.	.	.	.	1	.	.	.	1	2	.	.
	„ 24,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Apl. 5,	32·1	2·0	16	.	1	.	.	.	.	.	.	.	1	5	.
	„ 12,	24·0	.	12	.	2	.	.	.	.	.	.	.	1	1	.
	„ 19,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	1	1	.
	„ 26,	22·0	4·0	11	.	1	.	.	1	.	.	.	.	.	3	.
	May 3,	26·0	2·0	13	.	.	.	.	.	1	.	.	.	.	5	.
	„ 10,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	1
	„ 17,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	1	2	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Apl. 5,	47·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.
	„ 12,	32·5	3·0	11	.	.	.	.	.	.	.	.	1	1	1	1
	„ 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 26,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 10,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	5	.
	„ 17,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	5·9	3·0	2	.	1	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	Apl. 5,	23·0	2·3	153	.	2	.	.	5	2	1	5	1	30	36	.
	„ 12,	24·4	1·9	168	.	4	.	.	6	.	.	1	2	26	40	3
	„ 19,	21·7	1·5	149	.	2	.	.	4	1	.	1	2	31	34	4
	„ 26,	22·2	1·7	153	.	3	1	.	2	2	.	3	1	25	44	.
	May 3,	17·3	1·9	119	.	4	.	.	2	2	.	2	3	29	26	.
	„ 10,	21·7	2·5	149	.	3	.	.	4	2	.	4	4	32	32	.
	„ 17,	20·6	1·6	142	.	4	.	.	3	1	1	.	2	29	27	5
	„ 24,	22·1	1·7	152	.	3	.	.	4	1	.	3	1	26	32	1
Cork. Pop (in 1901) 75,978.	Apl. 5,	28·1	.	41	.	.	.	.	.	.	.	.	.	6	9	1
	„ 12,	19·2	.	28	.	.	.	.	.	.	.	.	.	7	3	.
	„ 19,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	3	3	.
	„ 26,	17·8	2·1	26	.	.	.	.	1	.	.	.	2	4	4	.
	May 3,	21·3	0·7	31	.	.	.	.	1	.	.	.	.	6	2	1
	„ 10,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	9	8	1
	„ 17,	23·3	.	34	.	.	.	.	.	.	.	.	.	6	6	.
	„ 24,	21·3	.	31	.	.	.	.	.	.	.	.	.	3	6	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Apl. 5,	21·8	3·8	17	.	1	.	.	.	.	.	.	2	3	1	1
	„ 12,	17·9	1·3	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 19,	10·2	.	8	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	23·0	1·3	18	.	.	.	.	.	.	.	.	1	4	4	.
	May 3,	10·2	1·3	8	.	.	.	.	1	.	.	.	.	1	3	.
	„ 10,	19·2	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 17,	15·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	26·9	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1
Limerick. Pop. in 1901) 38,085.	Apl. 5,	42·4	.	31	.	.	.	.	.	.	.	.	.	3	10	.
	„ 12,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	27·4	.	20	.	.	.	.	.	.	.	.	.	5	2	.
	„ 26,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	May 3,	26·0	1·4	19	.	.	.	.	.	.	.	.	1	1	9	.
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	8·2	1·4	6	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
Waterford. Pop. (in 1901) 26,748.	Apl. 5,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 12,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 26,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	2	.
	May 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
	„ 10,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 17,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	2	1
	„ 24,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 24th May, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	2	.	3	1	.	.	.	.	.	.	.	.	.	1	2	1	1	1
" 2 "		16			27	5	3	4	15	.	2	.	.	.	.	.	.	.	3	5	.	2	2
" 3 "		32			20	1	5	12	2	.	.	.	.	.	.	.	1	.	5	3	.	2	5
" 4 "		43			14	1	5	6	2	.	.	.	.	1	.	.	1	.	1	4	.	2	7
" 5 "		7			14	4	4	4	2	.	.	.	.	3	1	.	.	.	3	1	.	2	2
" 6 "		25			22	2	1	14	5	.	.	.	.	.	.	.	.	.	5	7	.	1	7
" 7 "		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		2			4	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 9 "		7			12	1	1	9	1	.	.	.	.	.	.	.	.	.	3	4	.	1	2
" 10 "		10			8	2	2	3	1	.	.	.	.	.	.	.	1	.	1	2	.	.	.
" 11 "		11			9	2	1	4	2	.	.	.	.	.	.	.	.	1	2	.	.	.	.
" 12 "		26			12	5	1	5	1	.	1	.	.	.	.	.	.	.	.	4	.	1	1
" 13 "		11			4	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	201	22·1	1·7	152	26	25	67	34	.	3	.	.	4	1	.	3	1	26	32	1	13	28
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	2	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 2 "		8			3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 3 "		5			4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 4 "		6			5	.	1	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	4
" 5 "		2			4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		4			4	.	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
" 7 "		7			10	.	.	7	3	.	.	.	.	.	.	.	.	.	.	3	.	1	4
Total,	—	34	21·3	.	31	.	2	19	10	.	.	.	.	.	.	.	.	.	3	6	.	2	12

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901–2—Week ending																									
	Nov. 30.	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered,	195	186	193	199	156	237	195	187	212	188	189	201	246	207	277	226	239	175	165	216	215	245	192	229	231	201
DEATHS registered.	131	129	141	144	150	143	125	126	151	130	123	169	205	188	186	161	154	151	158	168	149	153	119	149	142	152
Annual Death-rate per 1,000 of estimated Population,*	19·5	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1
AGES, Under 1 year,	28	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26
AGES, 1–5 years,	24	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23	12	24	16	25
AGES, 5–60 years,	51	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68	74	75	80	67	76	57	67	71	67
AGES, 60 years and upwards,	28	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	3	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3
,, Scarlet Fever,	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	4	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4	3	4
,, Diphtheria,	1	4	1	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1
,, Simple continued and Ill-defined Fever,	2	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
,, Enteric Fever,	3	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3
,, Diarrhœa, Dysentery,	4	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1
,, Phthisis	12	13	20	22	20	19	18	24	14	21	18	33	25	28	21	18	19	30	30	26	31	25	29	32	29	26
,, Diseases of Respiratory System,	28	38	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50	44	36	40	34	44	26	32	27	32
Violent Deaths,	2	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th May, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	3	1	1	.	.	.	.	.	2	.	.	.	7
" " 2,	.	1	.	.	.	.	1	.	2	1	1	.	3	9
" " 3,	.	.	.	.	.	.	.	.	1	.	.	.	2	3
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1	2
Coolock and Drumcondra No. 1 (part of),	.	1	.	.	.	.	.	.	.	2	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	4	.	.	1	.	.	3	6	1	2	18
" " 2,	.	1	.	.	.	.	.	.	2	1	1	.	.	5
" " 3,	.	10	.	1	.	.	.	.	.	1	1	.	.	13
" " 4,	.	16	.	.	.	.	.	.	.	.	2	.	.	18
Palmerston (part of),	.	.	.	1	.	.	.	.	.	.	.	.	1	2
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	33	1	8	.	.	2	.	5	10	11	1	10	81
Total for week ended May 17th, 1902,	.	38	1	11	.	.	6	.	4	9	28	1	9	107
Total for week ended May 10th, 1902,	.	23	.	5	.	.	6	.	1	25	16	.	4	80
Total for week ended May 3rd, 1902,	.	29	.	19	.	.	3	.	4	13	26	.	14	108

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th May, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th May.			
	May 3.	May 10.	May 17.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	1	1	1	.	.	.	1*
Measles,	40	37	51	22	9	2	62
Scarlet Fever,	82	83	84	9	3	1	89
Typhus "	.	.	.	.	.	.	.
Diphtheria,	36	38	35	3	13	.	25
Enteric Fever,	35	31	29	5	5	1	28
Pneumonia,	27	30	28	4	7	.	25

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (exclusive of Stillborn).	Deaths (exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	May 24,	2,174	1,439	16·4	24	59	8	21	33	7	11
EDINBURGH,	317,885	„ 24,	165	128	20·6	.	5	.	.	.	1	1
GLASGOW,	764,423	„ 24,	455	336	22·5	1	2	3	.	5	1	7
CALCUTTA,	847,796	Mar. 22,	.	864	52·9	11	.	.	.	.	70	161
BOMBAY,	776,006	April 29,	264	1,177	78·9	7	13	?	?	.	77§	72*
MADRAS,	509,346	Mar. 28,	303	382	38·9	.	15	?	?	?	134	59*
PARIS,	2,660,559	May 3,	1,028	989	20·4	4	10	4	18†	18	7	27
BRUSSELS (with 8 Faubourgs).	582,665	„ 3,	245	178	15·9	.	1	.	.	1	1	9
AMSTERDAM,	533,563	„ 10,	266	179	17·5	.	20	.	1	5	.	14
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	May 10,	174	136	17·7	.	.	.	1	7	.	8
CHRISTIANIA,	228,929	„ 3,	136	71	16·1	.	.	.	1	.	.	.
ST. PETERSBURG,	1,248,643	„ 10,	836	645	26·9	2	8	5	23	6	10	59
BERLIN,	1,900,330	April 5,	856	575	15·8	.	12	6	2	10	.	26
HAMBURG,	724,835	May 3,	.	246	17·6	.	.	6	4	6	1	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	May 3,	.	220	22·6	.	1	.	.	5	.	28
VIENNA (with suburbs).	1,726,604	„ 10,	1,058	747	22·5	.	27	11	11†	8	.	27
BUDA-PESTH,	767,661	„ 3,	477	332	22·5	.	8	6	3	2	.	15
PRAGUE and Faubourgs	413,756	„ 10,	213	197	24·6	.	3	1	1	1	2	19
ROME,	472,298	Mar. 29,	291	247	27·2	1	32	.	3	.	2	10
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	May 3,	96	52	16·4	.	1		.	1	.	5
NEW YORK,	3,632,501	„ 3,	1,418	1,202‡	17·3	14	22	25	47†	18	12	47
PHILADELPHIA,	1,293,697	April 26,	.	473	19·1	6	3	4	8	4	22	3

* Including 86 deaths from cholera in Calcutta, and 2 in Bombay.
† Including deaths from croup.
§ Exclusive of 420 deaths from bubonic fever in Calcutta, and 520 in Bombay
‡ Deaths of infants under 1 week not included.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 24th May, 1902:—

"Summer at long last followed hard upon winter's footsteps in the course of this week, which began with N. winds, hailstones, and low temperature, and closed with balmy W. winds, sunshine and high temperature by night as well as by day. On Friday the thermometer rose to 75° at Aberdeen, 72° at Harrogate, and 71° at North Shields. On Sunday an atmospheric depression of some intensity (29·26 inches) was central over Holland, while small secondary disturbances travelled southwards across the British Isles. Strong cold N.W. and N. winds blew all over the country, and at intervals there were squalls with icy rain and large hail. Thunder occurred in places. In the evening the summits of Kippure and Slievenabawnoge in the Dublin Mountains were snow-capped. Except for one shower of rain and hail at 11.30 a.m., Monday proved fine and dry, though remaining cold, in the Dublin district. England fared less well, as the Dutch depression still influenced the weather in that part of the United Kingdom. Early on Wednesday the screened thermometer sank to freezing point (32° F.) at Birr, King's County. Thursday was ushered in with clouds, rain, and a much higher temperature. The last two days were summer-like in their mildness, but the percentage of cloud remained high. On Saturday afternoon bright sunshine and a warm wind sent the thermometer up to 67·9° in Dublin. In this city the mean atmospheric pressure was 30·225 inches, the barometer rising from 29·670 inches at 9 a.m. of Sunday (wind, N.W.) to 30·466 inches at 9 a.m. of Saturday (wind, W.). The corrected mean temperature was 50·8°, the mean dry bulb reading at 9 a.m and 9 p.m. being 50·7°. The screened thermometers fell to 37·9° on Wednesday, but rose to 67·9°—30° higher on Saturday. Bright sunshine was estimated at 39 hours. At first N., afterwards W., winds prevailed. The rainfall was ·195 inch on four days, ·089 inch being registered on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·229 inches. The highest reading (30·460) was on Saturday at 9 a.m., wind W.S.W., and the lowest (29·668) on Sunday at 9 a.m., wind N.W.

The mean temperature for the week was 49·7°, being 1·1 under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Saturday, on which day the thermometer registered 67·0°, and was lowest on Wednesday, the mercury having fallen to 33·9°. The mean of the Dry Bulb for the week was 49·4°, and of the Wet Bulb 47·7°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 46·7 hours. The rainfall measured ·195 inch.

At Greenwich the mean temperature for the week was 49·7°, the maximum 67·9°, and the minimum 40·2°; at Glasgow the maximum was 61·8°, the minimum 33·2°, and the mean 49·3°; and at Edinburgh the maximum was 63·1°; the minimum 34·9°, and the mean 47·9°. The rainfall at Greenwich measured 0·57 inch; at Glasgow 0·23 inch; and at Edinburgh 0·53 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, May 18,	29·768	50·6	39·0	44·8	45·3	41·5	·74	·7	11·0	·115	N.W.	N.N.W.
Monday, „ 19,	30·084	54·0	38·1	46·1	45·9	40·8	·67	·3	12·1	·010	N.N.W.	N.W.
Tuesday, „ 20,	30·235	51·3	36·4	43·9	43·4	38·9	·68	·3	5·5	—	N.	N.
Wednesday, „ 21,	30·376	56·3	33·9	45·1	46·9	43·5	·78	·2	12·2	·010	N.W.	Calm.
Thursday, „ 22,	30·258	58·1	45·2	51·7	54·3	53·6	·95	·6	0·0	·030	W.S.W.	W.
Friday, „ 23,	30·424	62·7	53·4	58·1	56·6	54·4	·86	·5	0·5	—	W.	W.
Saturday, „ 24,	30·456	67·0	49·1	58·1	53·3	51·1	·85	·5	5·4	—	W.S.W.	W.
Mean	30·229	57·1	42·2	49·7	49·4	47·7	·79	·4	Total 46·7	·195	Prevailing Wind Westerly.	

Sunday—A cloudy day; heavy hail and rain showers a.m. and p.m.; night cloudy. *Monday*—A cloudy day; showers 10.30 a.m. to 3.0 p.m.; night cloudy. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy p.m.; overcast a.m.; rain 7.0 to 9.0 a.m. *Thursday*—A dull day; rain 9.0 a.m. to 1.0 p.m.; showers p.m.; night overcast. *Friday*—Dull a.m.; cloudy p.m.; night cloudy. *Saturday*—A cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 65. 4. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 31ST MAY, 1902. [No. 22.

General Register Office, Charlemont House, Dublin, 2nd June, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 10.	Week ending May 17.	Week ending May 24.	Week ending May 31.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 10.	Week ending May 17.	Week ending May 24.	Week ending May 31.	Average Rate for 4 weeks
22 Town Dists.	22·9	22·2	20·7	19·4	21·3	Lisburn, . .	27·3	4·6	18·2	27·3	19·4
Armagh, . .	27·6	27·6	6·9	13·8	19·0	Londonderry, .	19·2	15·4	26·9	21·8	20·8
Ballymena, .	14·4	19·2	9·6	24·0	16·8	Lurgan, . .	22·1	26·6	17·7	17·7	21·0
Belfast, . .	21·7	20·6	22·1	20·2	21·2	Newry, . .	8·3	37·3	20·7	12·4	19·7
Clonmel, . .	15·3	61·3	15·3	15·3	26·8	Newtownards, .	22·9	22·9	40·1	17·2	25·8
Cork, . . .	25·4	23·3	21·3	16·5	21·6	Portadown, .	26·0	15·6	20·8	5·2	16·9
Drogheda, . .	44·9	0·0	16·3	4·1	16·3	Queenstown, .	46·3	33·1	30·7	13·2	33·1
Dublin Reg. Area,	23·4	24·8	19·1	22·3	22·4	Sligo, . . .	19·2	24·0	14·4	14·4	18·0
Dundalk, . .	23·9	8·0	16·0	8·0	14·0	Tralee, . .	58·5	15·9	53·1	15·9	35·8
Galway, . .	31·1	50·5	23·3	7·8	28·2	Waterford, .	11·7	17·5	9·7	23·4	15·6
Kilkenny, . .	21·8	39·8	19·9	5·0	22·4	Wexford, . .	23·4	11·0	18·7	28·0	21·0
Limerick, . .	17·8	8·2	19·2	8·2	13·4						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in seventeen of the districts to 3·9 in Galway. Among the 139 deaths from all causes registered in Belfast are 4 from measles, one from typhus, 2 from whooping-cough, 3 from enteric fever, and 5 from diarrhœa. The 24 deaths in Cork include one from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 234—114 boys and 120 girls; and the deaths to 165—96 males and 69 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·7 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 22·3 per 1,000. During the twenty-two weeks ending with Saturday last the death-rate averaged 26·0, and was 3·7 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

The total deaths include 2 each for measles and diphtheria, and one each from scarlet fever, influenza, whooping-cough, enteric fever, *diarrhœa* and erysipelas.

Two deaths were registered as tuberculous phthisis and 25 as *phthisis;* there were 3 deaths from tuberculous meningitis and 4 from other forms of the disease.

Under the heading *malignant disease*, "*cancer*," 6 deaths were registered.

Diseases of the nervous system caused 18 deaths, including 11 from *convulsions* (of the latter 3 were under 1 month in age, 6 were between the ages of 1 month and 1 year, and 2 within the age period—1 year and under 5 years).

Diseases of the heart and blood-vessels caused 21 deaths, including 2 from *apoplexy, hemiplegia.*

Thirty-two deaths were caused by diseases of the respiratory system, equal to an annual rate of 4·4 per 1,000 of the population, the average rate being 4·0 for the corresponding period of the past 10 years. These include 1 death from croupous pneumonia, 2 deaths from broncho-pneumonia, and 8 deaths registered as *pneumonia;* there were in addition 1 death from asthma, 1 death from pleurisy, and 5 from other diseases of the respiratory system.

There were 4 deaths from accidental causes.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age (including 4 infants under one year old).

Forty-eight of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 13 were under one month old), and 35 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a man) was stated to have been aged 92 years.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 22·3 per 1,000 ; the rate in the City was 23·3 (21·3 on the North side, and 25·5 on the South), and in the Urban Districts 18·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 1·4 (0·7 in the North City Districts, and 2·2 in the South) and for the Urban Districts 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. Enteric fever caused 1 death, *phthisis* caused 3 deaths, and diseases of the respiratory system (including 1 death from *pneumonia*) caused 6 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 21·3 per 1,000. There were 4 deaths from *phthisis*, and 3 from diseases of the respiratory system, including 2 from *pneumonia.* There were also 2 accidental deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. There was 1 death from *diarrhœa*, and 5 deaths from *phthisis.* There were 8 deaths from diseases of the respiratory system, including 2 from *pneumonia.*

No. 3 *North City District* (Blackhall-place).—The deaths (11) represent an annual rate of 18·1 per 1,000. There were 2 deaths from *phthisis* and 1 from *pneumonia.*

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 15·6 per 1,000 inhabitants.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 18·6 per 1,000. Two deaths were caused by diphtheria and 2 by *phthisis*, and 4 deaths were caused by diseases of the respiratory system, including 1 from *pneumonia.*

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 33·5 per 1,000. There was one death from scarlatina, and 2 deaths from *phthisis.*

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 30·0 per 1,000. There were 5 deaths due to *phthisis* and 1 registered as tuberculous phthisis. There were 2 deaths from diseases of the respiratory system, including 1 from croupous pneumonia. There was 1 death from accidental violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·9 per 1,000. There were 2 deaths from measles, 1 from whooping-cough, and 3 from *phthisis.* There were 6 deaths from diseases of the respiratory system, including 1 death from broncho-pneumonia.

South City Extension.—There were no deaths recorded last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 18·8 per 1,000 inhabitants ; Pembroke, 16·0 ; Blackrock, 6·0 ; and Kingstown, 29·6. There were no deaths from epidemic diseases tabulated for these districts during the past week. Of the 12 deaths from all causes tabulated for Rathmines, one was from "*phthisis,*" one from tuberculous phthisis, and three from diseases of the respiratory organs. The eight deaths in Pembroke include one from "*phthisis*" and one from laryngitis. The ten deaths from all causes tabulated for Kingstown include one from influenza and one from *pneumonia.*

* Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 10th May,	80 cases.
" " 17th May,	107 cases.
" " 24th May,	81 cases.
" " 31st May,	154 cases.

Of the 154 cases notified, 25 were erysipelas, 12 enteric fever, 10 scarlatina, 73 measles, 2 German measles, 22 varicella, 3 diphtheria, 3 continued fever, 3 "fever," and one membranous croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 10th May,	10 cases.
" " 17th May,	4 cases.
" " 24th May,	5 cases.
" " 31st May,	4 cases.

Of the 4 cases notified, 3 were erysipelas, and one scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 10th May,	3 cases.
" " 17th May,	4 cases.
" " 24th May,	10 cases
" " 31st May,	18 cases.

Of the 18 cases notified, 11 were measles, one diphtheria, 5 whooping-cough, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 10th May,	51 cases.
" " 17th May,	63 cases.
" " 24th May,	55 cases.
" " 31st May,	70 cases.

Of the 70 cases notified, 33 were enteric fever, 7 erysipelas, 5 diphtheria, 14 continued fever, 7 scarlet fever, 2 membranous croup, and 2 small-pox.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st May, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Forty-seven cases of measles were admitted to hospital, 16 were discharged, there were 2 deaths, and 91 cases remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 7 cases were discharged, and 27 cases remained under treatment at the close of the week.

Thirteen cases of scarlatina were admitted to hospital, 18 cases were discharged, there were 2 deaths, and 82 cases remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 4 cases were discharged, there were 2 deaths, and 23 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 10 patients were discharged, there was one death, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·6), was equal to an average annual death-rate of 16·5 per 1,000 person living; the average rate for 8 principal towns of Scotland was 19·3 per 1,000, the rate for Glasgow being 20·6, and for Edinburgh 17·1.

* See note (*) on page 358.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 31st May, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 31st May, 1902. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 31st May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
																								°	°	°		°	°	°		°	°	°	
Total of 22 Town Districts	1,092,522	18·7	33·8	19·4	1·4	708	407	77	91	.	9	1	1	4	2	1	4	7	70	77	8	17	119	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	379,068	27·8	32·2	22·3	1·1	254	162	33	35	.	2	1	.	1	2	.	1	1	27	32	4	7	63	§62·8	36·7	50·0	1·53	§67·0	33·9	49·7	0·20	§58·1	36·3	47·2	0·85
Registrars' Districts. City	293,394	37·8	36·8	23·3	1·4	207	131	27	24	.	2	1	.	1	2	.	1	1	21	26	3	7	58	a63·9 / b63·6	41·8 / 36·0	52·4 / 50·7	1·35 / 1·61	a67·9 / b67·9	37·9 / 33·0	50·8 / 50·2	0·20 / 0·25	a59·6 / b59·8	39·8 / 36·0	49·1 / 47·8	0·96 / 0·76
Rathmines,‖	33,203	19·4	17·3	18·8	.	11	12	4	3	.	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	12·0	16·0	.	6	8	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	29·8	6·0	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	14·8	29·6	.	5	10	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	3	64	46	58·0	1·56	68	38·5	51·5	0·25	60·5	39·5	50·1	0·77
Urban Districts.																								°	°	°		°	°	°		°	°	°	
Belfast,	358,693	21·8	35·5	20·2	2·2	244	139	31	21	.	4	.	1	2	.	.	3	5	26	23	3	9	24	64·1	38·1	52·4	0·92	61·9	34·0	48·6	0·44	55·0	33·0	45·4	0·32
Cork,	75,978	33·5	32·9	16·5	1·4	48	24	4	4	.	.	.	.	1	.	.	.	1	5	7	.	.	11	66	41	51·8	0·32	65	40	51·3	0·07	59	40	49·8	0·52
Londonderry,	30,729	18·8	35·8	21·8	3·8	28	17	1	6	.	3	.	.	.	.	.	.	.	.	5	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,085	18·4	33·5	8·2	.	61	6	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	15·6	23·4	.	8	12	.	4	.	.	.	.	.	.	.	.	.	6	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,414	9·5	23·3	7·8	3·9	6	2	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	60	35	50	0·43	58	40	49	0·09	58	45	51	0·75
Dundalk	18,067	9·4	59·9	8·0	.	15	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	28·6	4·1	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	20·7	12·4	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	62·0	37·0	49·7	1·78	65·8	32·5	49·4	0·27	53·9	34·1	45·8	1·59
Lurgan,	11,777	13·8	35·4	17·7	.	8	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	62·0	37·0	49·7	1·78	65·8	32·5	49·4	0·27	53·9	34·1	45·8	1·59
Lisburn,	11,459	10·1	27·3	27·3	.	6	6	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	62·0	37·0	49·7	1·78	65·8	32·5	49·4	0·27	53·9	34·1	45·8	1·59
Wexford,	11,154	28·2	23·4	28·0	.	5	6	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	9·6	24·0	.	2	5	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	4·8	14·4	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62·5	37·0	49·1	1·12	63·9	37·5	49·6	0·28	55·3	35·0	47·7	1·02
Kilkenny,	10,498	11·4	.	5·0	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	64	38	51·1	0·40	65	34	50·3	0·16	59	36	49·6	0·54
Clonmel,	10,209	7·9	5·1	15·3	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	18·1	31·1	5·2	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62·0	37·0	49·7	1·78	65·8	32·5	49·4	0·27	53·9	34·1	45·8	1·59
Tralee,	9,812	16·7	42·5	15·9	.	8	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	45·8	17·2	.	8	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	65	40	50·1	1·59	66	39	48·3	0·71	53	39	45·3	0·55
Queenstown,	7,887	14·7	19·8	18·2	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	66	41	51·8	0·32	65	40	51·3	0·07	59	40	49·8	0·52
Armagh,	7,569	22·1	27·3	13·8	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62·0	37·0	49·7	1·78	65·8	32·5	49·4	0·27	53·9	34·1	45·8	1·59

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 31st of May, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.																Urban District of					
	Registration Districts.																					
	North Side.									South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
A. General Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Phthisis,	5	4	5	2	.	.	.	.	2	2	6	.	.	.	.	2	1	.	.	.	27	.
Other General Diseases,	1	.	3	5	.	.	.	.	3	2	3	3	.	.	.	3	3	.	1	.	27	1
Total,	5	4	9	7	.	.	.	.	7	5	9	6	.	.	.	5	4	.	1	.	62	1
B. Local Diseases:																						
Diseases of: Nervous System,	2	2	1	2	.	1	.	.	1	2	2	3	.	.	.	.	1	1	.	.	18	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	2	.	.	.	2	.	.	.	2	6	2	.	.	.	1	1	.	3	.	21	.
Respiratory System,	6	3	3	1	.	.	.	.	4	1	2	6	.	.	.	3	1	.	2	.	32	.
Digestive System,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	5	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	10	9	4	3	.	3	.	.	6	6	11	11	.	.	.	5	3	1	8	.	80	2
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	1	1	3	1	.	.	.	.	1	.	3	3	.	.	.	1	1	.	1	.	16	.
E. Violent Deaths,	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	4	.
Deaths from all Causes,	16	16	16	11	.	3	.	.	14	11	24	20	.	.	.	12	8	1	10	.	162	3
Annual Rate of Mortality in every 1,000 of the population.	29·4	21·3	27·7	18·1	.	15·6	.	.	18·6	33·5	30·0	29·9	.	.	.	18·8	16·0	6·0	29·6	.	22·3	
	21·3								25·5							18·9						
	23·3																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	5	1	4	2	.	1	.	.	4	6	7	5	.	.	.	.	1	.	1	.	37	3
Workhouse Hospitals,	2	2	4	2	.	.	.	.	4	1	6	2	.	.	.	.	1	.	2	.	26	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years, 189

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 22nd Week of the 10 years 1892-1901	In the Week ending Saturd 31st May, 1902. Deaths of Persons of the Age						
	June 4, 1892.	June 3, 1893.	June 2, 1894	June 1, 1895.	May 30, 1896.	June 5, 1897.	June 4, 1898.	June 3, 1899.	June 2, 1900.	June 1, 1901.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	54·6	52·9	48·8	56·1	53·2	54·8	50·7	53·4	52·3	54·8	53·1	50·0						
ALL CAUSES.	192	183	169	179	160	169	132	148	157	164	165·3	165	13	20	15	24	23	38
Small Pox, Vaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	21	4	.	.	.	3	.	1	.	.	2·9	2	.	1	1	.	.	.
Scarlet Fever, ...	.	.	.	1	1	2	1	1	1	.	·7	1	.	.	1	.	.	.
Typhus, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	4	1	6	5	2	1	5	.	2	2·8	1	.	.	.	.	.	.
Whooping Cough, ...	3	2	5	1	.	3	5	2	.	2	2·3	1	.	1	.	.	.	.
Diphtheria, ...	.	.	.	1	.	.	.	.	.	1	·2	2	.	2	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	1	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.
Enteric Fever, ...	2	2	3	.	5	.	2	.	1	1	1·6	1		.	.	1	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	1	4	4	3	3	2	2	1	1	.	2·1	.	.	.	.	.	.	.
Diarrhœa, Dysentery, ...												1	.	1	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	1	1	1	.	3	2	1	2	1	·3	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia,												.	.	.	.	.	.	.
Puerperal Pyæmia, ...	.	1	1	1	.	.	.	.	.	*2	·5	1	.	.	.	.	1	.
Puerperal Fever, ...												1	.	.	.	.	1	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	1	1	.	.	1	.	1	.	·5	1	.	.	.	.	.	1
Septicæmia (not Puerperal),	.	2	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.
Pyæmia (not Puerperal), ...												.	.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ...	19	18	33	21	22	25	21	19	13	33	22·4	2	.	.	.	2	.	.
"*Phthisis*," ...												25	.	.	.	8	8	8
Tuberculous Meningitis, (Acute Hydrocephalus).	.	3	4	3	2	7	5	3	5	.	3·2	3	.	.	2	1	.	.
Tuberculous Peritonitis, ...	6	6	4	2	3	2	2	6	7	6	4·4	.	.	.	.	.	.	.
Tabes Mesenterica, ...												.	.	.	.	.	.	.
Tuberculous Dis. (other), ...	2	5	4	2	5	4	1	9	3	3	3·8	4	.	2	.	2	.	.
Scrofula, ...												.	.	.	.	.	.	.
Alcoholism, ...	.	2	.	2	.	.	1	1	2	2	1·0	1	.	.	.	.	.	1
Rheumatic Fever, ...	.	.	.	2	.	.	.	.	1	.	·3	.	.	.	.	.	.	.
Gout ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are

WENTY-SECOND WEEK ending Saturday, 31st May, 1902, with the deaths from each cause in the corresponding ne average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: June 4, 1892.	June 3, 1893.	June 2, 1894.	June 1, 1895.	May 30, 1896.	June 5, 1897.	June 4, 1898.	June 3, 1899.	June 2, 1900.	June 1, 1901.	Averages in 22nd Week of the 10 years 1892–1901.	In the Week ending Saturday, 31st May, 1902. Deaths of Persons of the Ages of: All Ages. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 54·6	° 52·9	° 48·8	° 56·1	° 53·2	° 54·8	° 50·7	° 53·4	° 52·3	° 51·8	53·1	° 50·0								
inoma												.	.	.	.	.	.	.	.	.
oma	8	9	9	7	6	8	13	4	6	5	7·5	.	.	.	.	.	.	.	.	.
gnant Dis. "Cancer,"												6	.	.	.	.	.	3	3	.
etes Mellitus	.	.	.	.	.	.	4	.	.	.		1	.	.	.	.	.	1	.	.
nature Birth	1	2	1	.	2	3	4	2	1	5	2·1	6	6	.	.	.	.	.	.	.
ingitis (not tuberc.)												2	.	.	.	1	1	.	.	.
nity, G. P. of Insane												1	.	.	.	.	.	.	1	.
epsy												.	.	.	.	.	.	.	.	.
ulsions												11	3	6	2	.	.	.	.	.
motor Ataxy												.	.	.	.	.	.	.	.	.
plegia Dis. of Cord												.	.	.	.	.	.	.	.	.
vous System (other Dis.) ...	38	43	32	44	43	37	15	25	36	28	34·1	5	.	.	.	1	.	1	2	1
. Dis., Endocarditis												3	.	.	.	1	1	1	.	.
br. Hæm. Thromb.												.	.	.	.	.	.	.	.	.
lexy, Hemiplegia												2	.	.	.	.	.	1	.	1
irysm												.	.	.	.	.	.	.	.	.
olism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
t and Blood Vessel Dis.												16	1	1	.	2	2	4	5	1
p (not Spasm or Memb.) ...	.	1	.	.	1	4	1	1	.	.	·8	.	.	.	.	.	.	.	.	.
chitis	13	9	19	17	12	19	8	11	14	15	13·7	14	.	2	1	.	1	2	7	1
pous Pneumonia												1	.	.	.	1	.	.	.	.
cho-Pneumonia	18	14	11	11	13	10	6	11	6	12	11·2	2	.	.	1	.	.	1	.	.
umonia"												8	.	.	.	.	1	5	2	.
ma, Emphysema												1	.	.	.	.	.	.	1	.
risy	5	1	3	4	4	.	1	.	3	1	2·2	1	.	.	.	.	.	1	.	.
iratory Dis. (other)												5	.	.	1	1	.	2	1	.
illitis, Quinsy	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.
ritis (not Epid.)												1	.	.	.	.	.	.	1	.
o Enteritis	2	.	.	.	2	1	1	.	.	2	·8	.	.	.	.	.	.	.	.	.
onitis (not Puerp.)	3	.	.	.	.	1	.	.	.	2	·6	1	1	.	.	.	.	.	.	.
iosis of Liver												.	.	.	.	.	.	.	.	.
r Dis. (other)	6	2	2	2	1	.	3	3	1	.	2·0	2	.	.	.	1	1	.	.	.
stive Dis. (other)	2	5	2	8	6	4	.	4	9	5	4·5	2	.	1	.	.	1	.	.	.
iritis, Acute												1	.	.	.	.	.	1	.	.
at's Dis., Albuminuria ...	4	6	3	3	2	3	5	4	7	9	4·6	2	.	.	.	.	2	.	.	.
ary Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
rative Organs Dis.	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	1	.	.	.
lbirth (Accid. of)	1	3	1	.	.	.	.	1	1	2	·9	.	.	.	.	.	.	.	.	.
Age	7	11	9	10	5	8	11	10	9	7	8·7	6	.	.	.	.	.	1	2	3
r Diseases	21	16	8	16	12	13	12	14	20	13	14·5	13	2	3	4	3	.	.	.	1
ACCIDENT.																				
ailways	1	.	.	1	.	.	.	.	.	2	·4	.	.	.	.	.	.	.	.	.
ehicles and Horses	1	.	.	1	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
uilding Operations	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
onflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	.	.	1	.	.	1	1	2	.	1	·6	2	.	.	1	1	.	.	.	.
rowning	.	2	2	2	.	1	2	2	.	.	1·1	1	.	.	1	.	.	.	.	.
uffocation in Bed	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
r Deaths by Accidents ...	2	1	3	2	2	2	1	3	4	1	2·1	1	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
icide	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
de	.	2	.	.	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901-2—Week ending																									
	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	18	14	15	16	17	18	19	20	21	22
Births registered,	187	164	144	93	279	204	208	215	152	222	177	248	193	220	239	198	229	199	237	226	195	255	232	202	209	234
*Average Births in corresponding week of previous 10 years,**	191	180	153	186	192	203	193	197	207	208	195	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206
Deaths registered,	153	136	196	200	228	186	177	158	169	181	200	248	218	222	154	167	211	203	206	174	199	191	178	186	149	165
Annual Death-rate per 1,000,	21·3	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7
*Average Deaths in corresponding week of previous 10 years,**	183	189	188	212	217	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165
Ages, Under 5 years,	37	31	47	33	46	38	54	36	38	46	40	60	60	59	37	45	40	49	56	57	60	46	52	49	39	48
Ages, 5—20 "	12	15	18	15	9	15	10	14	11	12	18	16	17	12	22	17	20	17	16	12	19	20	13	20	16	24
Ages, 20—40 "	28	16	35	31	39	35	19	27	31	36	34	37	30	29	23	32	39	33	42	28	20	31	33	39	34	28
Ages, 40—60 "	38	39	54	53	63	41	42	33	43	39	47	55	43	46	35	40	52	51	41	37	50	39	33	37	21	35
Ages, 60—80 "	32	31	38	55	57	48	44	37	36	36	49	70	52	67	28	26	43	45	40	33	44	42	35	32	36	27
Ages, 80 years and upwards,	6	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9	8	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6	3	2	2
" Scarlet Fever,	1	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	.	1	4	.	1	.	.	1	1	2	3	2	5	.	.	1	2	.	2	1	3	3	.	3	.	1
" Diphtheria,	2	.	3	2	3	3	1	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.	2
" Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	.	4	5	2	.	1	2	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1
" Diarrhœa, Dysentery,	3	.	2	3	4	1	2	4	.	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1
" Phthisis,	32	15	24	21	30	30	20	9	33	31	7	27	33	38	17	26	37	27	27	25	20	25	23	30	25	27
" Heart Diseases,	9	16	19	26	24	18	18	12	12	23	18	22	14	15	17	13	20	31	18	27	22	27	19	26	15	21
" Diseases of Respiratory System,	25	33	32	46	57	34	3	35	47	36	48	82	73	65	41	30	53	49	44	33	41	32	29	30	23	32
Violent Deaths,	3	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4	3	4	4
Mean Temperature of the Air (Phœnix Park),	45·4	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	35·7	29·9	40·5	46·0	44·3	44·9	41·4	43·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0
Average Mean Temperature in corresponding week of previous 10 years,	42·0	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1
Rainfall in inches,	1·025	·425	·295	·290	·370	·600	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·345	·195	·158
Mean Humidity of the Air, complete Saturation 1·0,	·89	·86	·87	·88	·84	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83

* See note at foot of Table III.

in the Dublin Registration Area during the Week ending Saturday, 31st May, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	24·9	165	48	24	23	35	27	8	.	2	1	.	1	2	.	1	1	8	27	11	32	4	83
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	33·8	10	.	.	1	3	2	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	8
II.	Middle Class,	80,653	16·8	26	5	3	6	6	4	2	.	.	.	.	.	.	.	.	.	.	4	2	6	.	14
III.	Artisan Class and Petty Shopkeepers	98,374	19·1	36	10	5	3	12	5	1	.	1	.	.	.	.	.	1	.	2	7	2	12	.	13
IV.	General Service Class,	146,486	32·0	67	28	14	12	5	7	1	.	1	1	.	1	2	.	.	1	6	9	7	12	3	30
V.	Inmates of Workhouses,	5,191		26	5	2	1	9	9	.		.	.	.	.	.	.	.	.	.	7	.	1	.	18
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	61·3	7	.	.	1	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	1	1	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	1	2	.	3
	6. Clerks and Commercial Assistants,	24,750	27·4	13	3	1	4	2	3	.	.	.	.	.	.	.	.	.	.	.	3	1	2	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	1	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	9. Building and Furnishing Trades,	26,030	12·0	6	3	2	.	.	1	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	3
	10. Clothing Trades,	23,686	19·8	9	2	2	.	3	1	1	.	.	.	.	.	.	.	.	.	.	2	.	3	.	4
	11. Food Supply Trades,	7,869	13·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	23·5	12	2	1	2	5	2	.	.	1	.	.	.	.	.	.	.	1	2	.	6	.	3
	13. Petty Shopkeepers,	6,771	30·8	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	19·2	5	4	.	.	1	.	.	.	.	.	.	.	2	.	.	.	2	.	1	1	.	1
	15. Domestic Servants,	39,563	17·1	13	5	1	4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	12
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	4	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	26·5	42	15	13	7	4	3	.	.	1	1	.	1	.	.	.	1	4	8	5	9	3	13
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	26	5	2	1	9	9	.	.	.	.	.	.	.	.	.	.	.	7	.	1	.	18

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 31st May, 1902.

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,333.	Apl. 12,	29·4	.	16	.	.	.	.	.	.	.	.	.	4	4	1
		„ 19,	29·4	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		„ 26,	31·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
		May 3,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	2	1
		„ 10,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	8	.
		„ 17,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	7	.
		„ 24,	23·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 31,	29·4	1·8	16	.	.	.	.	.	.	.	1	.	3	6	.
	North City, No. 1 (W.) (Office, Summer-hill. Pop. in 1902 (Est.) 39,146.	Apl. 12,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	4	7	.
		„ 19,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	.	3	.
		„ 26,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	2	2	2
		May 3,	26·6	.	20	.	.	.	.	.	.	.	.	.	4	2	.
		„ 10,	29·3	.	22	.	.	.	.	.	.	.	.	.	3	2	1
		„ 17,	22·6	2·6	17	.	.	.	.	.	.	.	2	.	4	2	.
		„ 24,	29·3	1·3	22	.	.	.	.	.	.	.	.	1	2	8	1
		„ 31,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	3	2
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Apl. 12,	32·9	.	19	.	.	.	.	.	.	.	.	.	1	6	.
		„ 19,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
		„ 26,	31·2	.	18	.	.	.	.	.	.	.	.	.	5	3	.
		May 3,	20·8	1·7	12	.	.	.	.	.	1	.	.	.	1	3	.
		„ 10,	26·0	.	15	.	.	.	.	.	.	.	.	.	4	3	.
		„ 17,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	1
		„ 24,	27·7	.	16	.	.	.	.	.	.	.	.	.	4	.	1
		„ 31,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	5	3	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Apl. 12,	44·4	1·6	27	.	.	.	.	1	.	.	.	.	1	6	.
		„ 19,	37·9	6·6	23	.	.	1	.	.	1	.	.	2	3	4	.
		„ 26,	34·6	1·6	21	.	.	.	.	.	.	.	.	1	3	6	.
		May 3,	26·3	1·6	16	.	.	.	.	.	.	.	1	.	4	2	.
		„ 10,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.
		„ 17,	23·0	3·3	14	.	.	1	.	.	1	.	.	.	1	1	1
		„ 24,	21·4	.	13	.	.	.	.	.	.	.	.	.	5	2	.
		„ 31,	18·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Apl. 12,	32·0	4·0	24	.	.	.	.	1	.	.	1	1	3	4	3
		„ 19,	30·6	.	23	.	.	.	.	.	.	.	.	.	1	5	.
		„ 26,	29·3	.	22	.	.	.	.	1	.	.	1	.	1	5	.
		May 3,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	2	2	.
		„ 10,	26·6	2·7	20	.	.	.	.	.	.	.	1	1	2	2	.
		„ 17,	33·3	1·3	25	.	.	.	.	.	1	.	.	.	5	2	.
		„ 24,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	3	2	.
		„ 31,	18·6	2·7	14	.	.	.	.	.	2	.	.	.	2	4	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Apl. 12,	21·3	.	7	.	.	.	.	.	.	.	.	.	1	1	1
		„ 19,	18·3	.	6	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	33·5	3·0	11	.	.	.	.	.	.	.	1	.	.	.	1
		May 3,	39·6	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		„ 10,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1
		„ 17,	36·6	.	12	.	.	.	.	.	.	.	.	.	3	1	.
		„ 24,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
		„ 31,	33·5	3·0	11	.	.	1	.	.	.	.	.	.	2	1	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Apl. 12,	28·7	1·2	23	.	.	.	.	.	.	.	.	1	4	7	.
		„ 19,	21·2	3·7	17	.	1	1	.	.	.	.	.	1	3	.	.
		„ 26,	21·2	1·2	17	.	.	.	.	1	.	.	.	.	1	4	.
		May 3,	23·7	1·2	19	.	1	.	.	.	.	.	.	.	3	3	1
		„ 10,	22·5	2·4	18	.	1	.	.	.	1	.	.	.	2	3	.
		„ 17,	35·0	4·8	28	.	2	.	.	1	1	.	.	.	4	8	.
		„ 24,	18·7	.	11	.	.	.	.	.	.	.	.	.	1	1	1
		„ 31,	30·0	.	24	.	.	.	.	.	.	.	.	.	6	2	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Apl. 12,	20·9	3·0	14	.	1	.	.	.	.	.	.	1	2	2	.
		„ 19,	19·4	1·5	13	.	.	.	.	1	.	.	.	.	4	2	.
		„ 26,	35·2	1·5	23	.	1	.	.	.	.	.	.	.	2	5	.
		May 3,	20·9	4·5	14	.	2	.	.	1	.	.	.	.	1	1	.
		„ 10,	32·9	6·0	22	.	4	.	.	.	.	.	.	.	3	2	1
		„ 17,	26·9	3·0	18	.	1	.	.	1	.	.	.	.	2	2	.
		„ 24,	22·4	.	15	.	.	.	.	.	.	.	.	.	3	1	.
		„ 31,	29·9	4·5	20	.	2	.	.	1	.	.	.	.	.	6	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,908	Apl. 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 19,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	3	1
	„ 26,	20·4	.	18	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	2	.
	„ 10,	15·7	1·6	10	.	1	.	.	.	.	.	.	.	2	1	.
	„ 17,	23·6	3·1	15	.	.	.	.	1	.	.	.	1	2	.	.
	„ 24,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 31,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	3	1
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Apl. 12,	24·0	.	12	.	2	.	.	.	.	.	.	.	1	1	.
	„ 19,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	1	1	.
	„ 26,	22·0	4·0	11	.	1	.	.	1	.	.	.	.	.	3	.
	May 3,	26·0	2·0	13	.	.	.	.	.	1	.	.	.	.	5	.
	„ 10,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	1
	„ 17,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	1	2	.
	„ 31,	16·0	.	8	.	1	.	.	.	.	.	.	.	1	1	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Apl. 12,	32·5	3·0	11	.	.	.	.	.	.	.	.	1	1	1	1
	„ 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 26,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	28·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 10,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	5	.
	„ 17,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	5·9	3·0	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 31,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	2	.
Belfast. Pop. in 1902 (Est.) 358,693.	Apl. 12,	24·4	1·9	168	.	4	.	.	6	.	.	1	2	26	40	3
	„ 19,	21·7	1·5	149	.	2	.	.	4	1	.	1	2	31	34	4
	„ 26,	22·2	1·7	153	.	3	1	.	2	2	.	3	1	25	44	.
	May 3,	17·3	1·9	119	.	4	.	.	2	2	.	2	3	29	26	.
	„ 10,	21·7	2·5	149	.	3	.	.	4	2	.	4	4	32	32	.
	„ 17,	20·6	1·6	142	.	4	.	.	3	1	1	.	2	29	27	5
	„ 24,	22·1	1·7	152	.	3	.	.	4	1	.	3	1	26	32	1
	„ 31,	20·2	2·2	139	.	4	.	1	2	.	.	3	5	26	23	3
Cork. Pop (in 1901) 75,978.	Apl. 12,	19·2	.	28	.	.	.	.	.	.	.	.	.	7	3	.
	„ 19,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	3	3	.
	„ 26,	17·8	2·1	26	.	.	.	.	1	.	.	.	2	4	4	.
	May 3,	21·3	0·7	31	.	.	.	.	1	.	.	.	.	6	2	1
	„ 10,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	9	8	1
	„ 17,	23·3	.	34	.	.	.	.	.	.	.	.	.	6	6	.
	„ 24,	21·3	.	31	.	.	.	.	.	.	.	.	.	3	6	.
	„ 31,	16·5	1·6	24	.	.	.	.	1	.	.	.	1	5	7	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Apl. 12,	17·9	1·3	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 19,	10·2	.	8	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	23·0	1·3	18	.	.	.	.	.	.	.	.	1	4	4	.
	May 3,	10·2	1·3	8	.	.	.	.	1	.	.	.	.	1	3	.
	„ 10,	19·2	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 17,	15·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	26·9	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1
	„ 31,	21·8	3·8	17	.	3	.	.	.	.	.	.	.	.	5	.
Limerick. Pop. in 1901) 38,085.	Apl. 12,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	27·4	.	20	.	.	.	.	.	.	.	.	.	5	2	.
	„ 26,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	May 3,	26·0	1·4	19	.	.	.	.	.	.	.	.	1	1	9	.
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	8·2	1·4	6	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 31,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
Waterford. Pop. (in 1901) 26,743.	Apl. 12,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 26,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	2	.
	May 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
	„ 10,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 17,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	2	1
	„ 24,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	6	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 31st May, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	15	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	2	4	.	.	.	.	.	.	.	.	.	.	2	2	1	1	3
" 2 "		39			17	8	7	1	1	.	1	.	.	.	.	.	1	.	2	2	2	3	3
" 3 "		37			16	2	3	8	3	.	1	.	.	.	.	.	1	3	3	3	.	1	2
" 4 "		26			14	2	.	9	3	.	.	.	.	.	.	.	.	.	3	3	.	.	2
" 5 "		16			8	1	3	3	1	.	.	.	.	.	.	.	.	.	.	1	.	2	1
" 6 "		25			14	2	1	8	3	.	.	.	.	.	.	.	.	.	1	1	.	.	3
" 7 "		.			5	2	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
" 8 "		5			2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "		12			7	3	1	2	1	.	.	.	.	1	.	.	.	.	2	2	.	.	1
" 10 "		19			7	2	.	4	1	.	.	.	1	.	.	.	.	.	1	2	.	1	1
" 11 "		28			17	4	2	6	5	.	.	.	.	.	.	.	1	1	2	3	.	.	6
" 12 "		11			13	1	4	7	1	.	2	.	.	1	.	.	.	.	2	3	.	1	1
" 13 "		11			13	4	.	8	1	.	.	.	.	.	.	.	.	.	7	.	.	.	1
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	244	20·2	2·2	139	31	24	63	21	.	4	.	1	2	.	.	3	5	26	23	3	9	24
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	8	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	2	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	5
" 2 "		12			8	3	2	3	.	.	.	.	.	1	.	.	.	1	1	3	.	.	3
" 3 "		7			6	.	.	4	2	.	.	.	.	.	.	.	.	.	4	1	.	.	3
" 4 "		4			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "		4			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		5			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		8			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Total,	—	48	16·5	1·4	24	4	4	12	4	.	.	.	.	1	.	.	.	1	5	7	.	.	11

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Dec. 7.	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered,	186	193	199	156	287	195	187	212	188	189	201	246	207	277	226	239	175	265	216	215	245	192	229	231	201	244
DEATHS registered.	129	141	144	150	143	125	126	151	130	123	169	205	188	186	161	154	151	158	168	149	153	119	149	142	152	139
Annual Death-rate per 1,000 of estimated Population,*	19·2	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·3	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2
AGES, Under 1 year,	20	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31
AGES, 1–5 years,	17	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23	12	24	16	25	24
AGES, 5–60 years,	56	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68	74	75	80	67	76	57	67	71	67	63
AGES, 60 years and upwards,	36	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4
,, Scarlet Fever,	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, Whooping-cough,	1	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4	3	4	2
,, Diphtheria,	4	1	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.
,, Simple continued and Ill-defined Fever,	.	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
,, Enteric Fever,	4	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3
,, Diarrhœa, Dysentery,	.	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5
,, Phthisis	13	20	22	20	19	18	24	14	21	18	33	25	28	24	18	19	30	30	26	31	25	29	32	29	26	26
,, Diseases of Respiratory System,	38	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50	44	36	40	34	44	26	32	27	22	23
Violent Deaths,	1	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st May, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Fever.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
" " 1, West,	.	12	.	1	.	.	.	.	1	3	2	.	2	.	21
" " 2,	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3
" " 3,	.	1	.	1	.	.	1	1	1	3	5	.	5	3	21
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	1	.	.	.	.	.	.	.	2	.	.	2	.	5
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	1	3	.	.	1	.	.	.	9	.	4	.	21
" " 2,	.	2	.	.	.	.	.	.	1	.	3	.	3	.	9
" " 3,	.	25	.	1	.	.	.	.	.	2	1	.	3	.	32
" " 4,	.	28	1	4	.	.	1	.	.	1	4	.	.	.	39
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	73	2	10	.	.	3	1	3	12	25	.	22	3	154
Total for week ended May 24th, 1902,	.	33	1	8	.	.	2	.	5	10	11	1	10	.	81
Total for week ended May 17th, 1902,	.	38	1	11	.	.	6	.	4	9	23	1	9	.	107
Total for week ended May 10th, 1902,	.	23	.	5	.	.	6	.	1	25	16	.	4	.	80

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st May, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 31st May.			
	May 10.	May 17.	May 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	1	1	1	.	.	.	1*
Measles,	37	51	62	47	16	2	91
Scarlet Fever,	83	84	89	13	18	2	82
Typhus "	.	.	.	.	.	.	.
Diphtheria,	38	35	25	4	4	2	23
Enteric Fever,	31	29	28	6	7	.	27
Pneumonia,	30	28	25	9	10	1	23

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn.)	Deaths (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	May 31,	2,501	1,454	16·6	48	65	13	14	41	6	10
EDINBURGH,	317,885	„ 31,	173	106	17·1	.	2	.	3	2	.	2
GLASGOW,	764,423	„ 31,	473	307	20·6	.	8	1	.	14	2	6
CALCUTTA,	847,793	Mar. 29,	.	1,109	68·0	6	1	.	.	.	109§	204*
BOMBAY,	776,006	May 6,	303	1,022	68·5	9	7	?	?	.	80§	67*
MADRAS,	509,346	April 4,	285	416	42·4	8	8	?	?	?	145	74*
PARIS,	2,660,559	May 10,	990	1,029	21·3	4	26	2	25†	8	7	40
BRUSSELS (with 8 Faubourgs).	582,665	„ 10,	227	171	15·3	.	2	.	.	.	.	9
AMSTERDAM,	533,563	„ 17,	306	186	18·2	.	22	.	.	3	.	6
ROTTERDAM	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	400,570	May 10,	174	136	17·7	.	.	.	1	7	.	8
CHRISTIANIA	228,929	„ 10,	124	60	13·6	.	.	.	.	2	.	2
ST. PETERSBURG,	1,248,643	„ 17,	554	619	25·8	.	10	9	10	2	12	61
BERLIN,	1,895,181	April 12,	803	616	16·9	.	9	1	3	9	1	29
HAMBURG,	724,835	May 10,	.	233	16·7	.	1	5	6†	5	1	4
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH	506,000	May 3,	.	220	22·6	.	1	.	.	5	.	28
VIENNA (with suburbs).	1,726,604	„ 10,	1,058	747	22·5	.	27	11	11†	8	.	27
BUDA PESTH	767,661	„ 10,	461	315	23·4	.	9	8	2	3	.	5
PRAGUE and Faubourgs	413,756	„ 10,	213	197	24·6	.	3	1	1	1	2	19
ROME,	480,361	April 5,	234	234	25·3	.	21	.	1	.	2	10
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	May 10,	87	67	21·1	.	9	.	.	.	1	8
NEW YORK,	3,632,501	„ 17,	1,321	1,213‡	17·4	7	19	29	48†	15	14	42
PHILADELPHIA,	1,293,697	April 26,	.	473	19·1	6	3	4	8	4	22	3

* Including 127 deaths from cholera in Calcutta, and 2 in Bombay.
† Including deaths from croup.
‡ Deaths of infants under 1 week not included.
§ Exclusive of 550 deaths from bubonic fever in Calcutta, and 450 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 31st May, 1902:—

"Opening with fine and fairly warm weather, this week afterwards turned out cold and at last very gloomy and wet—Friday being an exceptionally inclement and unseasonable day. At the beginning a large anticyclone, in which the barometer stood as high as 30·60 inches (at Valentia, Co. Kerry), lay over Ireland, England, and France. The weather was very fine and bright. On Monday the barometer was falling steadily and atmospheric pressure was already low in the far North, so that freshening westerly winds prevailed. By Wednesday morning a deep depression, with barometric readings below 29 inches (28·95 inches at Stornoway, Hebrides), was causing strong or squally S.W. winds all over the British Isles. Rain also was beginning to fall rather freely, chiefly as showers. The disturbance travelled towards N.E., reaching the N.W. coast of Norway on Thursday morning. On this day cirrus cloud was observed hurrying across the sky in an upper S.W. current. The barometer fell over the Bay of Biscay and France as a new depression formed in these regions. This system advanced north-eastwards, becoming central over the S.E. of England on Friday morning. It led to a rainstorm of some intensity, with great gloom and low temperatures—the thermometer in Dublin not rising above 48·7° in the daytime on Friday. It was not until Saturday afternoon that the rainstorm ceased and the clouds broke, though even then only for a while, for the week closed with cold and gloom. In Dublin the mean atmospheric pressure was 29·939 inches, the barometer ranging from 30·503 inches at 9 a.m. of Sunday (wind, W.N.W.) to 29·617 inches at 9 a.m. of Wednesday (wind, W.S.W.). The corrected mean temperature was 52·4°. The mean dry bulb reading at 9 a.m and 9 p.m. was 51·7°. The screened thermometers rose to 63·9° on Monday, and fell to 41·8° on Thursday. The rainfall was 1·352 inches on five days, ·619 inch being measured on Friday, and ·400 inch on Thursday. Westerly, and afterwards northeasterly, winds prevailed. Bright sunshine was estimated at 42½ hours' duration. On Friday the thermometer rose to 90° in the shade at Berlin."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·934 inches. The highest reading (30·492) was on Sunday at 9 a.m., wind W., and the lowest (29·615) on Wednesday at 9 a.m., wind W.S.W.

The mean temperature for the week was 50·0°, being 3·1 under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Tuesday, on which day the thermometer registered 62·8°, and was lowest on Thursday, the mercury having fallen to 36·7°. The mean of the Dry Bulb for the week was 50·3°, and of the Wet Bulb 47·4°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 40·0 hours. The rainfall measured 1·530 inch.

At Greenwich the mean temperature for the week was 57·6°, the maximum 71·0°, and the minimum 44·0°; at Glasgow the maximum was 61·2°, the minimum 39·4°, and the mean 50·6°; and at Edinburgh the maximum was 60·2°; the minimum 38·5°, and the mean 48·9°. The rainfall at Greenwich measured 0·56 inch; at Glasgow 0·32 inch; and at Edinburgh 0·67 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, May 25,	30·474	60·6	40·8	50·7	50·6	47·0	·79	·4	14·1	—	W.	Calm.
Monday, „ 26,	30·257	61·8	42·1	52·0	52·3	49·4	·81	·3	0·5	—	S.W.	W.S.W.
Tuesday, „ 27,	29·819	62·8	51·4	57·1	53·8	52·5	·75	·4	5·9	·030	W.S.W.	S.W.
Wednesday, „ 28,	29·645	57·9	41·7	51·3	48·9	45·7	·80	·8	9·7	·110	W.S.W.	W.
Thursday, „ 29,	29·837	56·6	35·7	46·7	48·1	44·0	·74	·1	9·8	·625	Calm.	Calm.
Friday, „ 30,	29·750	48·3	39·4	43·9	46·1	45·2	·94	·7	0·0	·560	W.	N.E.
Saturday, „ 31,	29·758	52·9	44·3	48·6	49·1	48·3	·95	·6	0·0	·175	N.E.	N.E.
Mean . .	29·934	57·3	4[illegible]·8	50·0	50·3	47·4	·83	3·3	Total 40·0	1·530	Prevailing Wind Westerly.	

Sunday—A fine but cloudy day; night cloudy to 7 a.m. *Monday*—A dull day; night cloudy from 10 p.m. *Tuesday*—A cloudy day; night overcast p.m.; cloudy a.m.; showery 9 p.m. to 1 a.m. *Wednesday*—A cloudy day; rain and hail 9 15 a.m. to 10 p.m.; night cloudy. *Thursday*—A cloudy day; night cloudy p.m.; overcast a.m.; rain 3 45 to 9 a.m. *Friday*—A dull day; rain 9 to 12 a.m., 2 p.m. to 3 a.m., and 5 to 9 a.m.; night overcast. *Saturday*—A dull day; rain 9 to 10 30 a.m., 3 to 3 30 a.m., and 6 to 9 a.m.; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 65. 4. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 7TH JUNE, 1902. [NO. 23.

General Register Office, Charlemont House, Dublin, 9th June, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 17.	Week ending May 24.	Week ending May 31.	Week ending June 7.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 17.	Week ending May 24.	Week ending May 31.	Week ending June 7.	Average Rate for 4 weeks
22 Town Dists.	22·2	20·7	19·4	19·8	20·5	Lisburn, . .	4·6	18·2	27·3	41·0	22·8
Armagh, . .	27·6	6·9	13·8	13·8	15·5	Londonderry, .	15·4	26·9	21·8	20·5	21·1
Ballymena, .	19·2	9·6	24·0	14·4	16·8	Lurgan, . .	26·6	17·7	17·7	4·4	16·6
Belfast, . .	20·6	22·1	20·2	19·0	20·5	Newry, . .	37·3	20·7	12·4	29·0	24·8
Clonmel, . .	61·3	15·3	15·3	10·2	25·5	Newtownards, .	22·9	40·1	17·2	11·4	22·9
Cork, . . .	23·3	21·3	16·5	17·8	19·7	Portadown, .	15·6	20·8	5·2	15·6	14·3
Drogheda, . .	0·0	16·3	4·1	8·2	7·2	Queenstown, .	33·1	39·7	13·2	0·0	21·5
Dublin Reg. Area,	24·8	19·1	22·3	19·8	21·5	Sligo, . . .	24·0	14·4	14·4	43·2	24·0
Dundalk, . .	8·0	16·0	8·0	23·9	14·0	Tralee, . .	15·9	53·1	15·9	42·5	31·8
Galway, . .	50·5	23·3	7·8	7·8	22·3	Waterford, .	17·5	9·7	23·4	27·3	19·5
Kilkenny, . .	39·8	19·9	5·0	9·9	18·7	Wexford, . .	14·0	18·7	28·0	28·0	22·2
Limerick, . .	8·2	19·2	8·2	26·0	15·4						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 9·6 in Sligo; the 9 deaths from all causes registered in that district including one from whooping-cough and one from diarrhœa. The 131 deaths in Belfast include 3 from measles, 6 from whooping-cough, one from diphtheria, 2 from enteric fever, and one from diarrhœa. The 16 deaths in Londonderry include 3 from measles, and the 14 deaths in Waterford include one from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 249—126 boys and 123 girls; and the deaths to 156—79 males and 77 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·5 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, the rate was 19·8 per 1,000. During the twenty-three weeks ending with Saturday last the death-rate averaged 25·8, and was 3·6 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table 1.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Measles and influenza each caused 3 deaths, whooping-cough caused 2 deaths, and 1 death each from diphtheria and *diarrhœa* occurred.

Three deaths were registered from tuberculous phthisis and 37 as *phthisis*. Tuberculous meningitis and tuberculous peritonitis each caused 1 death; 3 deaths were due to other forms of the disease.

Two deaths were registered as carcinoma and 5 as *malignant disease*, "*cancer*."

The 17 deaths from diseases of the nervous system include 9 from *convulsions* (of the latter deaths 4 were under 1 month in age, and 5 occurred in infants above 1 month but under 1 year in age.

Diseases of the heart and blood-vessels caused 12 deaths, including 1 death from *apoplexy*, *hemiplegia*, and 3 from cerebral hæmorrhage, thrombosis.

Amongst the deaths (25) due to diseases of the respiratory system, 17 were due to bronchitis, 4 to broncho-pneumonia, and 3 to *pneumonia*. The annual rate per 1,000 for these diseases equals 3·4, the annual average for the corresponding period of the past 10 years being 3·6 per 1,000.

Six deaths by accidental violence took place.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under 5 years of age (including 5 infants under one year old).

Forty-eight of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 13 were under one month old), and 24 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a woman) was stated to have been aged 94 years.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·8 per 1,000; the rate in the City was 20·6 (17·8 on the North side, and 23·6 on the South), and in the Urban Districts 17·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·7 (0·3 in the North City Districts, and 1·1 in the South) and for the Urban Districts 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. They include 4 deaths from *phthisis*, 1 from tuberculous phthisis, 2 from bronchitis, and 1 from broncho-pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. Four were caused by *phthisis*, 2 by bronchitis, and 3 by diseases of the brain and nervous system. There was 1 accidental death.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Among them are 5 from *phthisis* and 2 from convulsions. One accidental death was registered.

No. 3 North City District (Blackhall-place).—The deaths (6) represent an annual rate of 9·9 per 1,000. They include 1 from bronchitis, and 1 accidental death.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No 1, part of, 10·8 per 1,000 inhabitants; and Coolock and Drumcondra, No. 1, part of, 10·4. There was 1 death from whooping-cough registered for Blanchardstown and Castleknock, part of.

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 17·3 per 1,000. Seven were caused by *phthisis* and 1 by bronchitis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 30·5 per 1,000. They include 5 from *phthisis* and 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 16·2 per 1,000. Among them are 4 from phthisis and 4 from diseases of the respiratory system, including 3 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (23) are equivalent to an annual rate of 34·4 per 1,000. Two were caused by measles, 1 by diphtheria, 3 by *phthisis*, 1 by tuberculous phthisis, 1 by influenza, and 7 by diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, was 35·7 per 1,000 inhabitants. One of the 5 deaths from all causes was from influenza, 2 were from diseases of the nervous system, and 2 were due to accidents on the railway.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 20·4 per 1,000 inhabitants; Pembroke, 12·0; Blackrock, 17·9; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts consist of 1 from measles for Pembroke and 1 from scarlatina for Kingstown. Among the 13 deaths from all causes tabulated for Rathmines are 1 from tuberculous phthisis, 2 from *phthisis*, 4 from diseases of the heart and blood vessels, and 2 from bronchitis; and the 6 deaths from all causes for Kingstown include 2 from diseases of the nervous system and 1 from *pneumonia*.

* Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 17th May,	107 cases.
" " 24th May,	81 cases.
" " 31st May,	154 cases.
" " 7th June,	148 cases.

Of the 148 cases notified, 25 were erysipelas, 12 enteric fever, 6 scarlatina, 88 measles, 2 German measles, 6 chicken-pox, 4 diphtheria, 3 continued fever, one "fever," and one croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 17th May,	4 cases.
" " 24th May,	5 cases.
" " 31st May,	4 cases.
" " 7th June,	2 cases.

Of the 2 cases notified, one was erysipelas, and one scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 17th May,	4 cases.
" " 24th May,	10 cases.
" " 31st May,	18 cases.
" " 7th June,	22 cases.

Of the 22 cases notified, 9 were measles, one diphtheria, 4 whooping-cough, 3 erysipelas, one scarlet fever 2 enteric fever, and 2 German measles.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 17th May,	63 cases.
" " 24th May,	55 cases.
" " 31st May,	70 cases.
" " 7th June,	55 cases.

Of the 55 cases notified, 23 were enteric fever, 4 erysipelas, 4 diphtheria, 13 continued fever, 9 scarlet fever, one typhus fever, and one small-pox.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th June, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Forty-eight cases of measles were admitted to hospital, 21 were discharged, there was one death, and 117 cases remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 4 cases were discharged, and 27 cases remained under treatment at the close of the week.

Eight cases of scarlatina were admitted to hospital, 5 cases were discharged, and 85 cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 10 cases were discharged, and 16 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 7 patients were discharged, and 28 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·9), was equal to an average annual death-rate of 16·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·3 per 1,000, the rate for Glasgow being 20·7, and for Edinburgh 18·0.

* See note (*) on page 374.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 7th June, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 7th June, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 7th June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 31st May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,822	18·7	30·2	19·8	1·3	682	414	70	96	.	9	1	.	9	2	1	2	3	92	67	10	17	114	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	379,063	27·8	34·3	15·8	0·8	249	144	30	24	.	3	1	.	1	1	.	.	.	38	25	6	8	52	§65·3	43·6	58·5	1·03	§62·8	36·7	50·0	1·58	§67·0	33·9	49·7	0·20
City	298,394	37·8	38·7	20·6	0·7	218	116	27	15	.	2	.	.	1	1	.	.	.	34	21	6	8	47	a67·7 / b64·8	46·9 / 44·8	55·0 / 53·8	0·90 / 0·86	a63·9 / b63·6	41·8 / 36·0	52·4 / 50·7	1·35 / 1·61	a67·9 / b67·9	37·9 / 33·0	50·8 / 50·2	0·20 / 0·25
Registrars' Districts. Rathmines,‖	33,208	19·4	22·0	20·4	.	14	13	.	5	.	.	.	.	.	.	.	.	.	3	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook (part of Pembroke Urban District.)	26,025	16·0	12·0	12·0	2·0	6	6	1	1	.	1	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	17·9	17·9	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	28·7	17·8	3·0	8	6	1	3	.	.	1	.	.	.	.	.	.	.	1	.	.	1	64	49·5	55·0	0·81	64	46	53·0	1·56	68	38·5	51·5	0·25
Urban Districts.																																			
Belfast	358,693	21·8	31·5	19·0	1·9	217	131	16	34	.	3	.	.	6	1	.	2	1	26	22	3	6	35	65·7	41·9	53·3	1·36	64·1	38·1	52·4	0·92	61·9	34·0	48·6	0·44
Cork	75,978	33·5	26·8	17·8	0·7	39	26	5	6	.	.	.	.	.	.	1	.	.	6	5	.	.	9	61	47	53·6	0·65	66	41	51·8	0·32	65	40	51·3	0·07
Londonderry	40,729	18·8	24·3	20·5	3·8	19	16	3	2	.	3	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,085	18·4	27·4	26·0	.	20	19	6	6	.	.	.	.	.	.	.	.	.	4	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	18·6	27·3	3·9	7	14	1	4	.	.	.	.	1	.	.	.	1	4	2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,414	9·5	15·5	7·8	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	42	54	0·69	60	35	50	0·43	58	40	49	0·09
Dundalk	18,067	9·4	48·9	23·9	.	11	6	1	3	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	16·3	8·2	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,587	17·9	16·6	29·0	.	4	7	1	3	.	.	.	.	.	.	.	.	.	1	1	1	3	.	63·0	43·8	52·5	1·15	62·0	37·0	49·7	1·78	65·3	32·5	49·4	0·27
Lurgan	11,777	13·8	17·7	4·4	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	63·0	43·8	52·5	1·15	62·0	37·0	49·7	1·78	65·3	32·5	49·4	0·27
Lisburn	11,459	10·1	18·7	41·0	.	3	9	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2	63·0	43·8	52·5	1·15	62·0	37·0	49·7	1·78	65·3	32·5	49·4	0·27
Wexford	11,154	23·2	42·1	28·0	.	9	6	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	9·6	14·4	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,862	8·6	9·6	43·2	9·6	2	9	2	3	.	.	.	.	1	.	.	.	1	1	.	.	.	3	64·7	45·0	53·7	0·78	62·5	37·0	49·1	1·12	63·9	37·5	49·6	0·28
Kilkenny	10,498	11·4	14·9	9·9	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	63	44	53·5	1·17	64	38	51·1	0·40	65	34	50·3	0·16
Clonmel	10,209	7·9	51·1	10·2	.	10	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	13·1	31·1	15·6	.	6	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	63·0	43·8	52·5	1·15	62·0	37·0	49·7	1·78	65·3	32·5	49·4	0·27
Tralee	9,812	16·7	26·6	42·5	.	5	8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	34·3	11·4	.	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	62	45	52·2	0·98	65	40	50·1	1·59	66	39	48·3	0·71
Queenstown	7,987	14·7	39·7	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61	47	53·6	0·65	66	41	51·8	0·32	65	40	51·3	0·07
Armagh	7,569	22·1	13·8	13·8	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	63·0	43·8	52·5	1·15	62·0	37·0	49·7	1·78	65·3	32·5	49·4	0·27

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

ABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 7th of June, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

AMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts.																Urban District of					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
A. General Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	3	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Phthisis,	5	4	5	.	.	.	.	.	7	5	4	4	.	.	.	3	1	.	.	.	38	2
Other General Diseases,	3	2	2	2	.	.	.	.	3	.	4	4	.	1	.	2	1	1	1	.	26	4
Total,	8	6	7	2	.	.	.	1	10	5	8	11	.	1	.	5	3	1	2	.	70	8
B. Local Diseases:																						
Diseases of: Nervous System,	1	3	2	.	.	.	.	.	.	1	1	2	.	2	.	1	1	1	2	.	17	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	.	1	1	.	.	.	1	.	.	.	.	.	.	4	1	.	1	.	11	1
Respiratory System,	3	2	1	1	.	.	.	.	1	2	4	7	.	.	.	2	1	.	1	.	25	.
Digestive System,	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	4	3
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	6	6	2	1	.	.	.	2	4	5	10	.	2	.	8	3	2	4	.	60	4
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	1	1	.	1	.	1	.	.	1	1	.	2	.	.	.	.	.	.	.	.	8	.
E. Violent Deaths,	.	1	1	1	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	6	.
Deaths from all Causes,	14	14	14	6	1	2	.	1	13	10	13	23	.	5	.	13	6	3	6	.	144	12
Annual Rate of Mortality in every 1,000 of the population.	25·8	18·6	24·2	9·9	10·8	10·4	.	.	17·3	30·5	16·2	34·4	.	35·7	.	20·4	12·0	17·9	17·8	.	19·8	
	17·8								23·6							17·1						
	20·6																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	3	3	1	.	.	.	.	2	4	3	6	.	1	.	2	1	.	1	.	31	11
Workhouse Hospitals,	2	3	3	2	.	1	.	.	2	2	2	3	.	.	.	.	1	.	.	.	21	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 23rd Week of the 10 years 1892-1901	In the Week ending Sat 7th June, 1902. Deaths of Persons of the A					
	June 11, 1892.	June 10, 1893.	June 9, 1894	June 8, 1895.	June 6, 1896.	June 12, 1897.	June 11, 1898.	June 10, 1899.	June 9, 1900	June 8, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 59·0	° 56·4	° 52·4	° 56·4	° 55·3	° 58·0	° 55·0	° 58·8	° 56·6	° 53·1	56·1	Mean Temp ° 53·5					
ALL CAUSES.	161	159	144	148	133	150	168	169	161	152	154·5	156	13	20	15	14	32
Small Pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	25	5	.	.	.	2	.	.	.	1	3·3	3	.	1	2	.	.
Scarlet Fever, ...	.	.	.	.	2	4	.	2	.	1	·9	1	.	.	1	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	4	3	1	.	4	6	3	2	2·6	3	.	.	.	.	1
Whooping Cough, ...	1	2	1	2	1	4	2	3	5	5	2·6	2	.	1	1	.	.
Diphtheria, ...	.	.	.	.	.	1	.	1	2	.	·4	1	.	.	1	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	1	.	.	2	.	.	.	.	.	·3	.	.	.	.	.	.
Enteric Fever, ...	.	1	1	2	.	2	1	4	2	.	1·3	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	.	4	4	2	1	1	1	2	2	1·8	.	.	.	.	.	.
												1	.	1	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	1	.	.	.	.	.	.	.	.	·2	2	.	2	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.
												.	.	.	.	.	.
												1	.	.	.	.	1
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	.	1	1	.	1	1	.	.	·4	.	.	.	.	.	.
												.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	18	28	25	22	16	18	24	36	28	30	24·5	3	.	.	.	1	2
												37	.	.	.	8	17
Tuberculous Meningitis, (Acute Hydrocephalus).	.	5	1	3	3	3	7	1	3	1	2·7	1	.	.	.	1	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	11	2	4	6	6	2	3	3	3	4	4·4	1	.	.	.	1	.
												.	.	.	.	.	.
Tuberculous Dis. (other), ... Scrofula, ...	1	9	3	5	.	3	4	3	7	5	4·0	3	.	.	1	1	.
												.	.	.	.	.	.
Alcoholism, ...	1	.	.	.	1	.	.	1	1	1	·5	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	.	2	.	·3	1	.	.	.	.	1
Gout	.	.	.	.	1	.	1	.	.	1	·3	1	.	.	.	.	.

* The figures for the years 1892-1900 ar

ENTY-THIRD WEEK ending Saturday, 7th June, 1902, with the deaths from each cause in the corresponding
e average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: June 11, 1892.	June 10, 1893.	June 9, 1894.	June 8, 1895.	June 6, 1896.	June 12, 1897.	June 11, 1898.	June 10, 1899.	June 9, 1900.	June 8, 1901.	Averages in 23rd Week of the 10 years 189.-1901.	In the Week ending Saturday, 7th June, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
Mean Temperature.	59·0	56·4	52·4	56·4	55·3	58·0	55·0	58·8	56·6	53·1	56·1	Mean Temp. 53·5								
noma	2	5	6	6	5	4	5	5	6	4	4·8	2	.	.	.	.	.	2	.	.
oma												.	.	.	.	.	.	.	.	.
nant Dis. "*Cancer*,"												5	.	.	.	.	4	1	.	.
etes Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ature Birth	1	.	1	1	1	8	2	3	5	.	2·2	5	5	.	.	.	.	.	.	.
ngitis (not tuberc.)												3	.	.	2	.	1	.	.	.
ity, G. P. of Insane												1	.	.	.	.	.	1	.	.
epsy												.	.	.	.	.	.	.	.	.
ilsions												9	4	5	.	.	.	.	.	.
motor Ataxy												.	.	.	.	.	.	.	.	.
plegia Dis. of Cord												.	.	.	.	.	.	.	.	.
ous System (other Dis.) ...	33	34	24	34	27	32	37	33	27	28	30·9	4	.	.	.	.	.	2	.	2
Dis., Endocarditis												3	.	.	.	.	.	.	3	.
br. Hæm. Thromb.												3	.	.	1	.	.	1	.	1
lexy, Hemiplegia												1	.	.	.	.	.	.	1	.
rysm												.	.	.	.	.	.	.	.	.
olism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
t and Blood Vessel Dis.												5	.	.	.	.	1	1	3	.
p (not Spasm or Memb.) ...	.	1	1	.	.	.	3	.	.	1	·6	.	.	.	.	.	.	.	.	.
chitis	13	10	12	13	11	10	18	10	9	20	12·6	17	.	5	3	.	.	3	4	2
pous Pneumonia												4	.	.	.	.	.	.	.	.
cho-Pneumonia	11	4	6	14	10	8	9	12	10	10	9·4	3	.	1	1	.	.	1	1	.
umonia"												.	.	.	.	1	.	2	.	.
ma, Emphysema												.	.	.	.	.	.	.	.	.
risy	.	8	7	5	2	.	.	1	4	1	2·8	.	.	.	.	.	.	.	.	.
iratory Dis. (other)												1	.	1	.	.	.	.	.	.
illitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ritis (not Epid.)	1	.	.	.	.	1	.	.	2	1	·5	.	.	.	.	.	.	.	.	.
o Enteritis												.	.	.	.	.	.	.	.	.
onitis (not Puerp.)	1	2	3	.	1	2	.	1	.	2	1·2	1	.	.	.	.	.	1	.	.
osis of Liver	1	3	2	.	2	6	1	.	4	1	2·0	.	.	.	.	.	.	.	.	.
r Dis. (other)												2	.	.	.	1	1	.	.	.
stive Dis. (other)	9	7	5	1	7	4	2	3	4	5	4·7	4	.	.	1	.	2	1	.	.
ritis, Acute												1	.	.	.	.	1	.	.	.
nt's Dis., Albuminuria ...	2	1	2	2	3	6	2	5	4	5	3·2	1	.	.	.	.	.	1	.	.
ary Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
rative Organs Dis.	1	1	.	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
lbirth (Accid. of)	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Age	6	12	10	6	9	5	14	17	6	7	9·2	4	.	.	.	.	.	.	3	1
r Diseases	14	12	15	11	11	15	23	11	18	11	14·1	10	3	3	1	.	1	1	.	1
ACCIDENT.																				
ailways	.	1	.	.	1	.	.	.	.	.	·2	2	.	.	.	.	1	1	.	.
ehicles and Horses	1	.	.	.	1	2	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
uilding Operations	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
onflagrations	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	.	.	1	1	1	1	.	.	2	.	·6	1	.	.	.	.	1	.	.	.
rowning	.	.	.	.	.	3	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
uffocation in Bed	2	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
r Deaths by Accidents ...	1	.	1	3	4	3	.	2	1	.	1·5	3	1	.	.	.	1	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
nicide	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
ide	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
cution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901-2—Week ending																									
	Dec. 14.	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10	May 17.	May 24.	May 31.	June 7.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Births registered,	164	144	93	279	204	208	215	152	222	177	248	193	220	239	198	229	199	237	226	195	255	232	202	209	234	249
*Average Births in corresponding week of previous 10 years,**	180	153	186	192	203	193	197	207	208	195	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209
Deaths registered,	138	196	200	223	186	177	158	169	181	200	248	218	222	154	167	211	203	206	174	199	191	173	186	149	165	156
Annual Death-rate per 1,000,	19·2	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5
*Average Deaths in corresponding week of previous 10 years,**	189	188	212	217	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155
Ages, Under 5 years,	31	47	33	46	38	54	36	38	46	40	60	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48
5—20 "	15	18	15	9	15	10	14	11	12	18	16	17	12	22	17	20	17	16	12	19	20	13	20	16	24	14
20—40 "	16	35	31	39	35	19	27	31	36	34	37	30	29	23	32	39	33	42	28	20	31	33	39	34	23	32
40—60 "	39	54	53	63	41	42	33	43	39	47	55	43	46	35	40	52	51	41	37	50	39	33	37	21	35	38
60—80 "	31	33	55	57	48	44	37	36	36	49	70	52	67	28	26	43	45	40	33	44	42	35	32	36	27	17
80 years and upwards,	6	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9	8	8	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6	3	2	2	3
" Scarlet Fever,	.	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2	1	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	4	.	1	.	.	1	1	2	3	2	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2
" Diphtheria,	.	3	2	3	3	1	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.	2	1
" Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	.	4	5	2	.	1	2	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.
" Diarrhœa, Dysentery,	.	2	3	4	1	2	4	.	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1
" Phthisis,	15	24	21	30	30	20	9	33	31	7	27	33	33	17	36	37	27	27	25	20	25	23	30	25	27	40
" Heart Diseases,	16	19	26	24	18	18	12	12	23	18	22	14	15	17	13	20	31	18	27	22	27	19	26	15	21	12
" Diseases of Respiratory System,	33	32	46	57	34	3	35	47	36	48	82	73	65	41	30	53	49	44	33	41	32	29	30	23	32	25
Violent Deaths,	2	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4	3	4	4	6
Mean Temperature of the Air (Phœnix Park),	37·6	33·5	35·2	45·4	44·7	37·3	45·0	34·9	35·7	29·9	40·5	46·0	44·3	44·9	44·4	43·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5
Average Mean Temperature in corresponding week of previous 10 years,	42·9	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1
Rainfall in inches,	·425	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·845	·195	·153	1·025
Mean Humidity of the Air, complete Saturation 1·0,	·86	·87	·88	·84	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83

* See note at foot of Table III.

In the Dublin Registration Area during the Week ending Saturday, 7th June, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH JUNE, 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple (continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Colds, 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	23·5	156	48	14	32	38	17	7	.	3	1	.	2	1	.	.	1	8	40	9	25	6	68
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	40·6	12	.	.	2	2	5	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	10
II.	Middle Class,	60,653	12·3	19	3	2	2	4	7	1	.	.	.	.	.	.	.	.	.	.	4	2	4	1	8
III.	Artisan Class and Petty Shopkeepers	98,374	18·0	34	6	6	12	9	1	.	.	3	.	.	.	.	.	.	.	3	12	.	8	1	15
IV.	General Service Class,	146,486	31·3	69	34	5	13	14	1	2	.	.	1	.	2	1	.	.	.	4	17	7	11	4	26
V.	Inmates of Workhouses,	5,191		22	5	1	3	9	3	1	.	.	.	.	.	.	.	.	1	1	6	.	6	.	9
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	35·1	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	.	.	2	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	2	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	2	.	3
	6. Clerks and Commercial Assistants,	24,750	8·4	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	2
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,852	28·4	4	2	.	1	1	.	.	.	1	.	.	.	.	.	.	.	1	1	.	1	.	1
	9. Building and Furnishing Trades,	26,030	14·0	7	3	1	3	.	.	.	.	1	.	.	.	.	.	.	.	1	3	.	1	.	2
	10. Clothing Trades,	23,686	11·0	5	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	11. Food Supply Trades,	7,869	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	23·5	12	1	2	4	4	1	.	.	1	.	.	.	.	.	.	.	1	4	.	1	1	5
	13. Petty Shopkeepers,	6,771	38·5	5	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	23·0	6	3	.	1	1	.	1	.	.	1	.	.	.	.	.	.	1	.	1	1	.	3
	15. Domestic Servants,	39,563	7·9	6	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	9·7	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	17. Hawkers, Porters, Labourers, &c.,	82,631	34·7	55	29	4	10	10	1	1	.	.	.	.	2	1	.	.	.	3	17	5	9	3	18
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	22	5	1	3	9	3	1	.	.	.	.	.	.	.	.	1	1	6	.	6	.	9

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,338.	Apl. 19,	29·4	.	16	.	.	.	.	.	.	.	.	.	2	7	.
		„ 26,	33·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
		May 3,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	2	1
		„ 10,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	3	.
		„ 17,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	7	.
		„ 24,	23·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 31,	29·4	1·8	16	.	.	.	.	.	.	.	1	.	3	6	.
		June 7,	25·4	.	14	.	.	.	.	.	.	.	.	.	5	3	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	Apl. 19,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	.	3	.
		„ 26,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	2	2	2
		May 3,	26·6	.	20	.	.	.	.	.	.	.	.	.	4	2	.
		„ 10,	29·3	.	22	.	.	.	.	.	.	.	.	.	3	2	1
		„ 17,	22·6	2·6	17	.	.	.	.	.	.	.	2	.	4	2	.
		„ 24,	29·3	1·3	22	.	.	.	.	.	.	.	.	1	2	3	1
		„ 31,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	3	2
		June 7,	18·6	.	14	.	.	.	.	.	.	.	.	.	4	2	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Apl. 19,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
		„ 26,	31·2	.	18	.	.	.	.	.	.	.	.	.	5	2	.
		May 3,	20·8	1·7	12	.	.	.	.	.	1	.	.	.	1	3	.
		„ 10,	26·0	.	15	.	.	.	.	.	.	.	.	.	4	3	.
		„ 17,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	1
		„ 24,	27·7	.	16	.	.	.	.	.	.	.	.	.	4	.	1
		„ 31,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	5	3	.
		June 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	5	1	1
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,678.	Apl. 19,	37·9	6·6	23	.	.	1	.	.	1	.	.	2	3	4	.
		„ 26,	34·6	1·6	21	.	.	.	.	.	.	.	.	1	3	6	.
		May 3,	26·3	1·6	16	.	.	.	.	.	.	.	1	.	4	2	.
		„ 10,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.
		„ 17,	23·0	3·3	14	.	.	1	.	.	1	.	.	.	1	1	1
		„ 24,	21·4	.	13	.	.	.	.	.	.	.	.	.	5	2	.
		„ 31,	18·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		June 7,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 39,152.	Apl. 19,	30·6	.	23	.	.	.	.	.	.	.	.	.	1	5	.
		„ 26,	29·3	.	22	.	.	.	.	1	.	.	1	.	1	5	.
		May 3,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	2	2	.
		„ 10,	26·6	2·7	20	.	.	.	.	.	.	.	1	1	2	2	.
		„ 17,	33·3	1·3	25	.	.	.	.	.	1	.	.	.	5	2	.
		„ 24,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	3	2	.
		„ 31,	18·6	2·7	14	.	.	.	.	.	2	.	.	.	2	4	.
		June 7,	17·3	.	13	.	.	.	.	.	.	.	.	.	7	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	Apl. 19,	18·3	.	6	.	.	.	.	.	.	.	.	.	2	2	.
		„ 26,	33·5	3·0	11	.	.	.	.	.	.	.	1	.	.	.	1
		May 3,	39·6	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		„ 10,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1
		„ 17,	36·6	.	12	.	.	.	.	.	.	.	.	.	3	1	.
		„ 24,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
		„ 31,	33·5	3·0	11	.	.	1	.	.	.	.	.	.	2	1	.
		June 7,	30·5	.	10	.	.	.	.	.	.	.	.	.	5	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 41,786.	Apl. 19,	21·2	3·7	17	.	1	1	.	.	.	.	.	1	3	.	.
		„ 26,	21·2	1·2	17	.	.	.	.	1	.	.	.	.	1	4	.
		May 3,	23·7	1·2	19	.	1	.	.	.	.	.	.	.	3	3	1
		„ 10,	22·5	2·4	18	.	1	.	.	.	1	.	.	.	2	3	.
		„ 17,	35·0	4·8	28	.	2	.	.	1	1	.	.	.	4	8	.
		„ 24,	13·7	.	11	.	.	.	.	.	.	.	.	.	1	1	1
		„ 31,	30·0	.	24	.	.	.	.	.	.	.	.	.	6	2	1
		June 7,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	4	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	Apl. 19,	19·4	1·5	13	.	.	.	.	1	.	.	.	.	4	2	.
		„ 26,	35·2	1·5	22	.	1	.	.	.	.	.	.	.	2	5	.
		May 3,	20·9	4·5	14	.	2	.	.	1	.	.	.	.	1	1	.
		„ 10,	32·9	6·0	22	.	4	.	.	.	.	.	.	.	3	2	1
		„ 17,	26·9	3·0	18	.	1	.	.	1	.	.	.	.	2	2	.
		„ 24,	22·4	.	15	.	.	.	.	.	.	.	.	.	3	1	.
		„ 31,	29·9	4·5	20	.	2	.	.	1	.	.	.	.	.	6	.
		June 7,	34·4	4·5	23	.	2	.	.	.	1	.	.	.	4	7	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203	Apl. 19,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	3	1
	„ 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	2	.
	„ 10,	15·7	1·6	10	.	1	.	.	.	.	.	.	.	2	1	.
	„ 17,	23·6	3·1	15	.	.	.	.	1	.	.	.	1	2	.	.
	„ 24	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 31,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	3	1
	June 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Apl. 19,	14·0	2·0	7	.	1	.	.	.	.	.	.	.	1	1	.
	„ 26,	22·0	4·0	11	.	1	.	.	1	.	.	.	.	.	3	.
	May 3,	26·0	2·0	13	.	.	.	.	.	1	.	.	.	.	5	.
	„ 10,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	1
	„ 17,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	1	2	.
	„ 31,	16·0	.	8	.	1	.	.	.	.	.	.	.	1	1	.
	June 7,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	1	1	.
Kingstown. Pop. in 1902 (Est.) 17,622.	Apl. 19,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 26,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 10,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	5	.
	„ 17,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	5·9	3·0	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 31,	29·6	.	10	.	1	.	.	.	.	.	.	.	.	2	.
	June 7,	17·8	.	6	.	.	1	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1902 (Est.) 358,693.	Apl. 19,	21·7	1·5	149	.	2	.	.	4	1	.	1	2	31	34	4
	„ 26,	22·2	1·7	153	.	3	1	.	2	2	.	3	1	25	44	.
	May 3,	17·3	1·9	119	.	4	.	.	2	2	.	2	3	29	26	.
	„ 10,	21·7	2·5	149	.	3	.	.	4	2	.	4	4	32	32	.
	„ 17,	20·6	1·6	142	.	4	.	.	3	1	1	.	2	29	27	5
	„ 24,	22·1	1·7	152	.	3	.	.	4	1	.	3	1	26	32	1
	„ 31,	20·2	2·2	139	.	4	.	1	2	.	.	3	5	26	28	3
	June 7,	19·0	1·9	131	.	3	.	.	6	1	.	2	1	26	22	3
Cork. Pop (in 1901) 75,978.	Apl. 19,	15·1	0·7	22	.	.	.	.	.	.	.	1	.	3	3	.
	„ 26,	17·8	2·1	26	.	.	.	.	1	.	.	.	2	4	4	.
	May 3,	21·3	0·7	31	.	.	.	.	1	.	.	.	.	6	2	1
	„ 10,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	9	8	1
	„ 17,	23·3	.	34	.	.	.	.	.	.	.	.	.	6	6	.
	„ 24,	21·3	.	31	.	.	.	.	.	.	.	.	.	3	6	.
	„ 31,	16·5	1·6	24	.	.	.	.	1	.	.	.	1	5	7	.
	June 7,	17·8	0·7	26	.	.	.	.	.	.	1	.	.	6	5	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Apl. 19,	10·2	.	8	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	23·0	1·3	18	.	.	.	.	.	.	.	.	1	4	4	.
	May 3,	10·2	1·3	8	.	.	.	.	1	.	.	.	.	1	3	.
	„ 10,	19·2	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 17,	15·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	26·9	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1
	„ 31,	21·8	3·8	17	.	3	.	.	.	.	.	.	.	.	5	.
	June 7,	20·5	3·8	16	.	3	.	.	.	.	.	.	.	2	2	.
Limerick. Pop. in 1901) 38,085.	Apl. 19,	27·4	.	20	.	.	.	.	.	.	.	.	.	5	2	.
	„ 26,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	May 3,	26·0	1·4	19	.	.	.	.	.	.	.	.	1	1	9	.
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	8·2	1·4	6	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 31,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	June 7,	20·6	.	19	.	.	.	.	.	.	.	.	.	4	3	.
Waterford. Pop. (in 1901) 26,743.	Apl. 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 26,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	2	.
	May 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
	„ 10,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 17,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	2	1
	„ 24,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	6	.	.
	June 7,	27·3	3·9	14	.	.	.	.	1	.	.	.	1	4	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 7th June, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	8	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	.	.	5	2	.	.	.	.	.	.	.	.	.	3	1	.	.	5
" 2 "		29			21	5	5	6	5	.	2	.	.	.	.	.	.	.	1	4	.	.	7
" 3 "		24			16	3	2	3	8	.	.	.	.	.	.	.	.	1	3	5	.	.	2
" 4 "		28			20	.	1	13	6	.	.	.	.	1	.	.	2	.	6	1	.	.	8
" 5 "		8			7	2	1	4	.	.	.	.	.	1	.	.	.	.	1	.	.	3	1
" 6 "		23			18	1	4	10	3	.	.	.	.	2	.	.	.	.	5	3	.	.	4
" 7 "		1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		1			5	.	2	1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	1
" 9 "		15			8	3	1	3	1	.	.	.	.	1	.	.	.	.	.	.	1	1	3
" 10 "		19			4	.	.	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 11 "		23			10	.	2	6	2	.	.	.	.	.	.	.	.	.	2	2	1	1	2
" 12 "		22			9	1	2	3	3	.	1	.	.	1	.	.	.	.	2	3	1	1	2
" 13 "		16			5	.	.	5	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	217	19·0	1·9	131	16	20	61	34	.	3	.	.	6	1	.	2	1	26	22	3	6	35
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	75,978	8	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2
" 2 "		5			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 3 "		10			4	1	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
" 4 "		6			4	1	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
" 5 "		5			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "		4			10	1	.	5	4	.	.	.	.	.	.	.	.	.	3	3	.	.	4
Total,	—	39	17·8	0·7	26	5	.	15	6	.	.	.	.	.	.	1	.	.	6	5	.	.	9

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Dec. 14.	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered,	193	199	156	237	195	187	212	188	189	201	246	207	277	226	239	175	265	216	215	245	192	229	231	201	244	217
DEATHS registered.	141	144	150	143	125	126	151	130	123	169	205	188	186	161	154	151	158	168	149	153	119	149	142	152	139	131
Annual Death-rate per 1,000 of estimated Population,*	21·0	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·3	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0
AGES, Under 1 year,	32	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16
AGES, 1-5 years,	17	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23	12	24	16	25	24	20
AGES, 5-60 years,	67	66	76	69	62	61	68	66	58	86	91	91	57	74	68	74	75	80	67	76	57	67	71	67	63	61
AGES, 60 years and upwards,	25	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21	34
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3
,, Scarlet Fever,	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Whooping-cough,	6	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4	3	4	2	6
,, Diphtheria,	1	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1
,, Simple continued and Ill-defined Fever,	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.
,, Enteric Fever,	9	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2
,, Diarrhœa, Dysentery,	2	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1
,, Phthisis	20	22	20	19	18	24	14	21	18	33	25	28	24	18	19	30	30	26	31	25	29	32	29	26	26	26
,, Diseases of Respiratory System,	36	42	51	36	34	21	52	27	46	58	55	58	33	53	50	44	36	40	34	44	26	32	27	32	23	22
Violent Deaths,	5	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3

* The Death-rates in this Table are those based on the estimates of the Population given in several Weekly Returns.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th June, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken-Pox.	Fever.	Croup.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 1, West,	.	21	1	1	.	.	1	.	2	4	2	.	1	.	1	34
" " 2,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2
" " 3,	.	2	.	1	.	.	.	.	.	2	4	.	2	1	.	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	7
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	2
South City No. 1,	.	8	.	3	.	.	.	.	.	2	9	.	1	.	.	23
" " 2,	.	2	.	.	.	.	.	.	1	2	3	.	1	.	.	9
" " 3,	.	14	.	.	.	.	2	.	.	.	1	.	.	.	.	17
" " 4,	.	32	1	.	.	.	1	.	.	.	2	.	1	.	.	37
Palmerston (part of),	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	3
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	88	2	6	.	.	4	.	3	12	25	.	6	1	1	148
Total for week ended May 31st, 1902,	.	73	2	10	.	.	3	1	3	12	25	.	22	3	.	154
Total for week ended May 24th, 1902,	.	33	1	8	.	.	2	.	5	10	11	1	10	.	.	81
Total for week ended May 17th, 1902,	.	38	1	11	.	.	6	.	4	9	28	1	9	.	.	107

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th June, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th June.			
	May 17.	May 24.	May 31.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	1	1	1	.	.	.	1*
Measles,	51	62	91	48	21	1	117
Scarlet Fever,	84	89	82	8	5	.	85
Typhus "	.	.	.	.	.	.	.
Diphtheria,	35	25	23	3	10	.	16
Enteric Fever,	29	28	27	4	4	.	27
Pneumonia,	28	25	23	12	7	.	28

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn.)	Deaths (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	June 7,	2,318	1,305	14·9	29	54	14	13	49	11	11
EDINBURGH,	317,885	„ 7,	151	112	18·0	.	4	1	1	1	.	2
GLASGOW,	764,423	„ 7,	485	308	20·7	.	7	1	.	13	1	4
CALCUTTA,	847,796	April 5,	.	1,194	73·2	7	4	.	.	1	93	220*
BOMBAY,	776,006	May 13,	358	917	61·5	7	9	?	?	2	50§	73*
MADRAS,	509,346	April 11,	281	378	38·5	3	10	?	?	?	119	62
PARIS,	2,660,559	May 17,	1,095	1,020	21·1	2	27	5	19†	23	4	29
BRUSSELS (with 8 Faubourgs).	582,665	„ 17,	236	180	16·1	1	1	.	.	2	.	13
AMSTERDAM,	533,657	„ 24,	320	182	17·8	.	28	.	1	7	1	8
ROTTERDAM	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	400,570	May 17,	201	129	16·8	.	1	1	.	3	.	4
CHRISTIANIA,	228,929	„ 17,	170	63	14·3	.	.	.	.	2	.	2
ST. PETERSBURG,	1,248,643	„ 24,	553	616	25·7	.	19	14	14	4	13	77
BERLIN,	1,898,006	April 19,	861	596	16·3	.	8	6	1	10	.	34
HAMBURG	724,835	May 17,	.	211	15·1	.	3	1	1†	6	2	12
DRESDEN	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH	506,000	May 3,	.	220	22·6	.	1	.	.	5	.	28
VIENNA with suburbs	1,726,604	„ 17,	957	758	22·8	.	25	14	10†	4	.	37
BUDA PESTH	767,661	„ 24,	473	305	20·7	.	7	7	1	3	.	14
PRAGUE and Faubourgs	416,817	„ 24,	225	212	26·4	.	.	2	2	1	.	13
ROME,	480,361	April 12,	212	233	25·2	.	28	.	6	2	1	13
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	May 17,	80	68	21·4	.	1	.	.	.	.	9
NEW YORK,	3,632,501	„ 24,	1,235	1,269‡	18·2	11	12	37	45†	10	8	56
PHILADELPHIA,	1,293,697	„ 17,	.	396	15·9	1	2	3	13	4	12	2

* Including 128 deaths from cholera in Calcutta, and 1 in Bombay.
† Including deaths from croup.
‡ Deaths of infants under 1 week not included.
§ Exclusive of 689 deaths from bubonic fever in Calcutta, and 34 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 7th June, 1902 :—

"Cool, changeable and showery is the most suitable description of the weather of this week. The period began with a day of gloom and wet, as well as very low temperature—the maximum in the screen in Dublin being only 52·6°. This bad weather was caused by the approach of an atmospheric depression to the South of Ireland from the Peninsula and the Bay of Biscay. The strange thing is that, while temperature was low in Scotland and Ireland, great heat prevailed in Germany, Belgium, Holland, and the East of France, while even in London a maximum of 75° in the shade was recorded on Sunday, the 8 a.m. temperature having been 67°. Between Monday and Wednesday the barometer was lowest off the S.W. or W. of Ireland and gradients for S.E. to S.W. winds were rather steep in this country. Independent shallow depressions brought copious rains to many parts of Great Britain, the London district getting its full share of the precipitation. On Thursday the area of lowest barometer lay to the westward of Scotland and northward of Ireland. The wind accordingly veered to S.W. and W., blowing freshly round the coasts. On Friday and Saturday broken weather was caused by another and deeper depression which passed directly across Scotland to the North Sea. With the veering of the wind to N. on Friday night, temperature gave way again. In Dublin the mean height of the barometer was 29·873 inches, the observed range being from 30·079 inches at 9 p.m. of Monday (wind, E.), to 29·536 inches at 7.15 a.m. of Saturday (wind, N.N.W.). The corrected mean temperature was 55·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. being 53·5°. The screened thermometers rose to 67·7° on Tuesday, and fell to 46·9° on Saturday. The duration of bright sunshine was estimated at 40½ hours. The prevailing winds were first S.E., then S.W., and finally N.W. Rain fell on 6 days to the amount of ·898 inch, ·648 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·868 inches. The highest reading (30·074) was on Monday at 9 p.m., air calm., and the lowest (29·579) on Saturday at 9 a.m., wind N.W.

The mean temperature for the week was 53·5°, being 2·6 under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Tuesday, on which day the thermometer registered 65·3°, and was lowest on Tuesday, the mercury having fallen to 43·6°. The mean of the Dry Bulb for the week was 52·5°, and of the Wet Bulb 50·1°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 41·7 hours. The rainfall measured 1·025 inch.

At Greenwich the mean temperature for the week was 57·6°, the maximum 77·1°, and the minimum 46·6°; at Glasgow the maximum was 74·0°, the minimum 42·2°, and the mean 53·6°; and at Edinburgh the maximum was 60·6°; the minimum 41·5°, and the mean 49·5°. The rainfall at Greenwich measured 0·93 inch; at Glasgow 0·60 inch; and at Edinburgh 1·08 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer: Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer: Maximum.	Thermometer: Minimum.	Thermometer: Mean.	Hygrometer: Dry Bulb.	Hygrometer: Wet Bulb.	Hygrometer: Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, June 1,	29·773	51·8	46·9	49·4	50·4	49·6	·95	·6	0·0	·745	N.E.	E.
Monday, " 2,	30·036	60·8	47·1	54·0	52·3	50·1	·85	·2	13·1	—	E.	Calm.
Tuesday, " 3,	29·971	65·3	43·6	54·5	55·2	53·1	·81	·2	7·3	Trace	E.	S.E.
Wednesday, " 4,	29·950	61·7	53·1	58·9	55·4	52·6	·82	·2	11·1	—	S.E.	S.S.W.
Thursday, " 5,	29·967	59·8	47·7	53·8	54·0	50·6	·79	·3	2·7	·050	S.W.	W.
Friday, " 6,	29·717	61·1	46·9	54·0	51·0	48·5	·82	·4	6·1	·195	S.W.	W.
Saturday, " 7,	29·660	55·1	44·8	50·0	48·0	45·9	·79	·4	1·4	·035	N.W.	N.W.
Mean . .	29·868	59·8	47·2	53·5	52·5	50·1	·83	·3	Total 41·7	1·025	Prevailing Wind E.	

Sunday—A dull day; rain 9.0 a.m. to 12.30 p.m. and 6.0 p.m. to 12.0 midnight; night overcast p.m. cloudy a.m. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A cloudy day; light showe 11.30 a.m.; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A cloudy day showers 11.0 a.m. to 3.30 p.m.; night cloudy; rain 3.0 to 4.15 and 5.30 to 7.0 a.m. *Friday*—A cloudy an showery day; night cloudy; showery a.m. *Saturday*—A cloudy and showery day; night cloudy an showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 65. 4. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 14TH JUNE, 1902. [No. 24.

General Register Office, Charlemont House,
Dublin, 16th June, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 24.	Week ending May 31.	Week ending June 7.	Week ending June 14.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 24.	Week ending May 31.	Week ending June 7.	Week ending June 14.	Average Rate for 4 weeks
22 Town Dists.	20·7	19·4	19·8	19·2	19·8	Lisburn, . .	18·2	27·3	41·0	31·9	29·6
Armagh, . .	6·9	13·8	13·8	13·8	12·1	Londonderry, .	26·9	21·8	20·5	33·3	25·6
Ballymena, .	9·6	24·0	14·4	24·0	18·0	Lurgan, . .	17·7	17·7	4·4	26·6	16·6
Belfast, . .	22·1	20·2	19·0	16·4	19·4	Newry, . .	20·7	12·4	29·0	8·3	17·6
Clonmel, . .	15·3	15·3	10·2	0·0	10·2	Newtownards, .	40·1	17·2	11·4	22·9	22·9
Cork, . . .	21·3	16·5	17·8	16·5	18·0	Portadown, .	20·8	5·2	15·6	20·8	15·6
Drogheda, . .	16·3	4·1	8·2	0·0	7·2	Queenstown, .	39·7	13·2	0·0	26·4	19·8
Dublin Reg. Area,	19·1	22·3	19·8	19·7	20·2	Sligo, . . .	14·4	14·4	43·2	57·6	32·4
Dundalk, . .	16·0	8·0	23·9	39·9	21·9	Tralee, . .	53·1	15·9	42·5	31·9	35·8
Galway, . .	23·3	7·8	7·8	50·5	22·3	Waterford, .	9·7	23·4	27·3	7·8	17·1
Kilkenny, . .	19·9	5·0	9·9	14·9	12·4	Wexford, . .	18·7	28·0	28·0	23·4	24·5
Limerick, . .	19·2	8·2	26·0	12·3	16·4						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in twelve of the districts to 9·6 in Sligo; the 12 deaths from all causes registered in that district including 2 from whooping-cough. Among the 113 deaths from all causes registered in Belfast are one from small-pox, 2 from measles, one from whooping-cough, 3 from diphtheria, 6 from enteric fever, and 4 from diarrhœa. The 24 deaths in Cork include one from measles, one from whooping-cough, and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 192—102 boys and 90 girls; and the deaths to 155—87 males and 68 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·3 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, the rate was 19·7 per 1,000. During the twenty-four weeks ending with Saturday last the death-rate averaged 25·6, and was 3·5 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.
‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Included in above total there were 4 deaths from measles, 1 death from influenza, 3 deaths from whooping-cough, and one death each from enteric fever, *diarrhœa*, diphtheria, and tetanus.

Two deaths were registered as tuberculous phthisis and 24 as "*phthisis.*" Two deaths were caused by tuberculous meningitis, and 4 by other forms of tuberculous diseases.

Carcinoma was the registered cause of 1 death, and *malignant disease*, "*cancer*," of 7 deaths.

In the total of 17 deaths from diseases of the nervous system are included 8 deaths from *convulsions* (of the latter 1 was under 1 month, 6 were over 1 month but under 1 year, and 1 death occurred in a person over 5 years of age but under 20 years).

Eighteen deaths were caused by diseases of the heart and blood-vessels; these include 2 deaths from *apoplexy*, *hemiplegia.*

There were 10 deaths from diseases of the respiratory system, including 8 from bronchitis, 1 from broncho-pneumonia, and 5 from *pneumonia.* The annual rate for the week is 1·2 below the rate per 1,000 for the corresponding period of the past 10 years.

There were 10 deaths from accidental violence.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under one year of age and the deaths of 2 persons aged 60 years and upwards.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 6 were under one month old), and 33 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 6 were octogenarians.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·7 per 1,000; the rate in the City was 20·8 (17·8 on the North side, and 24·0 on the South), and in the Urban Districts 15·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·1 (0·7 in the North City Districts, and 1·5 in the South) and for the Urban Districts 2·4 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. Enteric fever caused 1 death, there were 3 deaths from diseases of the respiratory system and 2 deaths from accidental violence occurred.

No. 1 *North City District, West* (Summer-hill).—The deaths (10) are equal to an annual rate of 13·3 per 1,000. There was 1 death from measles and 2 deaths from *phthisis*, there were 2 deaths from diseases of the respiratory system, and 1 accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. One death was registered as tuberculous phthisis and 1 as *phthisis.*

No. 3 *North City District* (Blackhall-place).—The deaths (9) represent an annual rate of 14·8 per 1,000. There were 2 deaths from *phthisis* and 2 deaths from accidental violence.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 26·0, and Finglas and Glasnevin, part of, 7·8.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 22·6 per 1,000. Four deaths were due to *phthisis*; there was 1 death from accidental violence.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 30·5 per 1,000. There were 2 deaths from *phthisis.*

No. 3 *South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 17·5 per 1,000. Three deaths were registered as being due to *phthisis*, and 1 as being due to tuberculous phthisis. There were 2 deaths from diseases of the respiratory system, and 1 death from accidental violence.

No. 4 *South City District* (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·4 per 1,000. Measles caused 2 deaths, whooping-cough caused 1 death, and 5 deaths were due to *phthisis.* There were 2 deaths from *pneumonia* and 1 from broncho-pneumonia.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, was 28·6 per 1,000 inhabitants. One of the 4 deaths from all causes was from whooping-cough and 1 from convulsions.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 18·8 per 1,000 inhabitants; Pembroke, 16·0; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts are 1 from measles, 1 from diphtheria, and 1 from *diarrhœa* for Rathmines, and 1 from whooping-cough for Pembroke. The 12 deaths tabulated for Rathmines include 3 from *phthisis* and 2 from diseases of the respiratory system. Amongst the 8 deaths from all causes in Pembroke are 1 from pneumonia and 1 from accidental violence, and the 6 deaths from all causes in Kingstown include 1 from accidental drowning.

* Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 24th May,	81 cases.
" " 31st May,	154 cases.
" " 7th June,	148 cases.
" " 14th June,	169 cases.

Of the 169 cases notified, 15 were erysipelas, 9 enteric fever, 5 scarlatina, 123 measles, 1 German measles, 11 chicken-pox, 3 diphtheria, one "fever," and one "undefined fever."

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 24th May,	5 cases.
" " 31st May,	4 cases.
" " 7th June,	2 cases.
" " 14th June,	No cases.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 24th May,	10 cases.
" " 31st May,	18 cases.
" " 7th June,	22 cases.
" " 14th June,	23 cases.

Of the 23 cases notified, 17 were measles, 5 whooping-cough, and one scarlet fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 24th May,	55 cases.
" " 31st May,	70 cases.
" " 7th June,	55 cases.
" " 14th June,	61 cases.

Of the 61 cases notified, 19 were enteric fever, 11 erysipelas, 9 diphtheria, 11 continued fever, 5 scarlet fever, 3 membranous croup, and 2 small-pox.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th June, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Fifty-three cases of measles were admitted to hospital, 20 were discharged, there was one death, and 149 cases remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 7 cases were discharged, and 25 cases remained under treatment at the close of the week.

Nine cases of scarlatina were admitted to hospital, 18 cases were discharged, and 76 cases remained under treatment at the close of the week.

Two cases of diphtheria were admitted to hospital, and 18 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 11 patients were discharged, there was one death, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·1), was equal to an average annual death-rate of 15·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·0 per 1,000, the rate for Glasgow being 20·3, and for Edinburgh 19·8.

* See note (*) on page 390.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 14th June, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 14th June, 1902. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,822	18·7	26·9	19·2	1·9	564	402	76	106	1	11	.	1	9	4	.	7	6	60	59	16	18	123
Dublin Registration Area:—																							
Total,‡	379,003	27·8	26·4	19·7	1·4	192	148	28	32	.	4	.	.	3	1	.	1	1	25	16	9	6	53
Registrars' Districts. City	293,394	37·8	28·1	20·8	1·1	158	117	22	23	.	3	.	.	2	.	.	1	.	22	12	7	5	48
Rathmines,‖	33,208	19·4	17·3	18·8	4·7	11	12	1	5	.	1	.	.	.	1	.	.	1	3	2	.	.	2
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	24·0	16·0	2·0	12	8	5	1	.	.	.	.	1	.	.	.	.	.	2	1	.	2
Blackrock,‖	8,759	8·1	11·9	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	26·6	17·8	.	9	6	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Urban Districts.																							
Belfast,	358,693	21·8	30·7	16·4	2·5	211	118	20	27	1	2	.	.	1	3	.	6	4	21	20	2	4	32
Cork,	75,978	33·5	21·8	16·5	2·1	31	24	6	7	.	1	.	.	1	.	.	.	1	2	5	.	.	6
Londonderry,	40,729	18·8	30·7	33·3	2·6	24	26	5	6	.	2	.	.	.	.	.	.	.	3	5	.	.	4
Limerick,	38,085	18·4	27·4	12·3	.	20	9	1	4	.	.	.	.	.	.	.	.	.	.	3	.	.	5
Waterford	26,748	18·6	23·4	7·8	.	12	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Galway,	13,414	9·5	8·9	50·5	5·9	1	13	6	2	.	.	.	1	.	.	.	.	.	.	4	.	.	4
Dundalk	13,067	9·4	20·0	39·9	.	5	10	.	6	.	.	.	.	.	.	.	.	.	.	2	1	2	5
Drogheda	12,765	8·1	16·8	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	24·9	8·3	4·1	6	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Lurgan,	11,777	18·8	62·0	26·6	4·4	14	6	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	2
Lisburn,	11,459	10·1	9·1	31·9	.	2	7	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	5
Wexford,	11,154	28·2	18·7	23·4	.	4	5	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Ballymena	10,880	10·9	24·0	24·0	4·8	5	5	2	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.
Sligo,	10,862	8·6	38·4	57·6	9·6	8	12	2	4	.	.	.	.	2	.	.	.	.	4	.	1	1	2
Kilkenny	10,498	11·4	5·0	14·9	5·0	1	3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Clonmel,	10,209	7·9	25·5	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	13·1	15·6	20·8	.	3	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Tralee,	9,812	16·7	10·6	31·9	.	2	6	.	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Newtownards,	9,110	18·9	28·6	22·9	.	5	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Queenstown,	7,887	14·7	33·1	26·4	.	5	4	.	2	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Armagh,	7,569	22·1	27·6	13·8	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 14th June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 31st May, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§58·0	34·6	48·5	0·73	§65·3	43·6	53·5	1·03	§62·8	36·7	50·0	1·53
City	a59·1 b59·8	42·1 36·2	50·5 49·2	0·36 0·40	a67·7 b64·8	46·9 44·8	55·0 53·8	0·90 0·86	a63·9 b63·6	41·8 36·0	52·4 50·7	1·35 1·61
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	61	44	51·0	0·40	64	49·5	55·0	0·81	64	46	53·0	1·56
Urban Districts.												
Belfast,	58·1	40·6	50·1	0·59	65·7	41·9	53·3	1·36	64·1	38·1	52·4	0·92
Cork,	60	44	50·5	0·11	61	47	53·6	0·65	66	41	51·8	0·32
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	60	43	50	0·72	68	42	54	0·69	60	35	50	0·43
Galway,	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	56·3	36·3	47·7	0·55	63·0	43·3	52·5	1·15	62·0	37·0	49·7	1·78
Newry,	56·3	36·3	47·7	0·55	63·0	43·3	52·5	1·15	62·0	37·0	49·7	1·78
Lurgan,	56·3	36·3	47·7	0·55	63·0	43·3	52·5	1·15	62·0	37·0	49·7	1·78
Lisburn,	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	56·4	35·3	47·6	0·30	64·7	45·0	53·7	0·78	62·3	37·0	49·1	1·12
Sligo,	60	45	49·3	0·22	63	44	53·5	1·17	64	38	51·1	0·40
Kilkenny	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	56·3	36·3	47·7	0·55	63·0	43·3	52·5	1·15	62·0	37·0	49·7	1·78
Portadown	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	55	43	49·1	0·30	62	45	52·2	0·98	65	40	50·1	1·59
Newtownards,	60	44	50·5	0·11	61	47	53·6	0·65	66	41	51·8	0·32
Queenstown,	56·3	36·3	47·7	0·55	63·0	43·3	53·5	1·15	62·0	37·0	49·7	1·78
Armagh,	.	.	.	.	.	.	.	.	.	.	.	.

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1901.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been [illegible] Point for Cork and Queenstown. [illegible] Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

‡ Observations at Ordnance Survey Office, Phœnix Park. ‖ The Urban District [illegible] a Observations by Sir J. W. Moore taken at [illegible]

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 14th of June, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.									South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROOK.	KINGSTOWN.			
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.		4	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.		3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1	.
Phthisis,	.	2	2	2	1	.	.	.	4	2	4	5	.	.	.	3	.	.	.		25	1
Other General Diseases,	3	1	2	2	.	1	1	.	2	.	3	5	.	.	.	1	1	.	1		23	2
Total,	4	4	4	4	1	1	1	.	6	2	7	13	.	1	.	7	2	.	1		58	3
B. LOCAL DISEASES:																						
Diseases of: Nervous System,	1	2	2	2	.	1	.	.	2	2	.	1	.	1	.	.	1	.	.		15	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Heart and Blood Vessels,	1	.	2	.	.	3	.	.	3	3	1	.	.	1	.	2	.	.	1		17	1
Respiratory System,	3	2	.	.	.	.	.	.	1	.	2	3	1	.	.	2	2	.	.		16	.
Digestive System,	1	.	.	1	1	.	.	.	.	.	.	1	.	1	.	1	.	.	.		6	4
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1		3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1	.
Total,	6	5	4	3	1	4	.	.	7	5	4	6	1	3	.	5	4	.	2		60	7
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	.	4	.	.	.	.	.	3	3	2	.	.	.	.	.	1	.	2		16	1
E. VIOLENT DEATHS,	2	1	.	2	.	.	.	.	1	.	1	.	.	.	.	.	1	.	1		9	1
Deaths from all Causes,	13	10	12	9	2	5	1	.	17	10	14	19	1	4	.	12	8	.	6		143	12
Annual Rate of Mortality in every 1,000 of the population.	23·9	13·3	20·8	14·8	21·7	26·0	7·8	.	22·6	30·5	17·5	28·4	.	28·6	.	8·8	16·0	.	17·8		19·7	
	17·8								24·0							15·8						
	20·8																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	1	3	.	.	1	.	4	1	3	7	.	.	.	1	2	.	1		30	11
Workhouse Hospitals,	3	3	1	3	.	1	.	.	5	2	3	1	.	.	.	1	.	.	.		23	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years, 189

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 24th Week of the 10 years 1892-1901	In the Week ending Saturd 14th June, 1902. Deaths of Persons of the Age					
	June 18, 1892.	June 17, 1893.	June 16, 1894	June 15, 1895.	June 13, 1896.	June 19, 1897.	June 18, 1898.	June 17, 1899.	June 16, 1900.	June 15, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 49·0	° 59·4	° 53·8	° 51·9	° 59·2	° 53·1	° 55·3	° 58·4	° 57·8	° 50·7	54·9	Mean Temp. ° 48·5					
ALL CAUSES.	212	189	165	155	159	13	147	144	167	148	161·8	155	6	24	20	19	29
Small Pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	27	4	1	.	.	1	.	1	.	.	3·4	4	.	.	4	.	.
Scarlet Fever, ...	.	2	1	.	3	2	.	1	1	.	1·0	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	2	5	1	4	.	5	1	1	2·1	1	.	.	.	1	.
Whooping Cough, ...	5	9	7	3	4	6	1	4	.	3	4·2	3	.	2	1	.	.
Diphtheria, ...	.	.	.	1	.	3	.	.	2	.	·6	1	.	.	1	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.
Enteric Fever, ...	.	3	1	3	2	1	4	1	2	1	1·8	1	.	.	.	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	1	3	2	.	1	1	1	4	1	4	1·8	.	.	.	.	.	.
Diarrhœa, Dysentery, ...												1	.	1	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Venereal Disease, ...	.	1	1	.	1	2	.	.	.	.	·5	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia,												.	.	.	.	.	.
Puerperal Pyæmia, ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.
Puerperal Fever, ...												.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	1	1	1	.	.	.	.	.	·4	1	.	.	.	.	1
Septicæmia (not Puerperal),	.	.	2	1	.	.	.	1	1	.	·5	.	.	.	.	.	.
Pyæmia (not Puerperal), ...												.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculous Phthisis, ...	34	29	22	25	25	17	22	21	28	28	25·1	2	.	.	.	2	.
"*Phthisis*," ...												21	.	.	.	4	13
Tuberculous Meningitis, (Acute Hydrocephalus).	9	3	6	6	2	5	5	5	6	2	4·9	2	.	1	1	.	.
Tuberculous Peritonitis, ...	5	5	6	4	8	5	5	5	4	2	4·9	.	.	.	.	.	.
Tabes Mesenterica, ...												.	.	.	.	.	.
Tuberculous Dis. (other), ...	8	4	8	6	2	2	5	2	7	4	4·8	4	.	1	2	1	.
Scrofula, ...												.	.	.	.	.	.
Alcoholism, ...	.	.	.	.	1	1	1	1	2	.	·6	1	.	.	.	.	1
Rheumatic Fever, ...	1	2	.	1	.	.	.	.	1	1	·6	.	.	.	.	.	.
Gout ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are

ENTY-FOURTH WEEK ending Saturday, 14th June, 1902, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: June 18, 1892.	June 17, 1893.	June 16, 1894.	June 15, 1895.	June 13, 1896.	June 19, 1897.	June 18, 1898.	June 17, 1899.	June 16, 1900.	June 15, 1901.	Averages in 24th Week of the 10 years 1892-1901.	In the Week ending Saturday, 14th June, 1902. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 49·0	° 59·4	° 53·8	° 51·9	° 59·2	° 53·1	° 55·3	° 58·4	° 57·8	° 50·7	54·9	Mean Temp. ° 48·5								
ioma												1	.	.	.	.	.	.	1	.
ma	6	7	9	6	3	5	5	5	8	4	5·8	.	.	.	.	.	.	.	.	.
iant Dis. "Cancer,"												7	.	.	.	.	1	3	3	.
tes Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
iture Birth	2	.	.	.	2	3	6	2	1	3	1·9	2	1	1	.	.	.	.	.	.
gitis (not tuberc.)												6	.	2	2	1	1	.	.	.
ty, G. P. of Insane												.	.	.	.	.	.	.	.	.
osy												.	.	.	.	.	.	.	.	.
lsions												8	1	6	.	1	.	.	.	.
iotor Ataxy												1	.	.	.	.	.	.	1	.
legia Dis. of Cord												1	.	.	.	.	.	.	1	.
us System (other Dis.) ...	48	39	34	26	34	29	32	33	29	33	33·7	1	.	.	.	.	.	.	1	.
Dis., Endocarditis												3	.	.	.	1	1	.	1	.
r. Hæm. Thromb.												1	.	.	.	.	.	.	1	.
xy, Hemiplegia												2	.	.	.	.	1	1	.	.
ysm												1	.	.	.	.	1	.	.	.
lism, Thromb. (not cerebral) and Blood Vessel Dis.												.	.	.	.	.	.	.	.	.
												11	.	1	.	.	1	4	4	1
(not Spasm or Memb.) ...	.	.	1	.	2	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
hitis	9	12	8	14	11	9	10	10	17	10	11·0	8	.	3	.	.	.	.	4	1
ous Pneumonia												.	.	.	.	.	.	.	.	.
no-Pneumonia	12	9	4	7	13	3	5	13	11	12	8·9	1	.	.	1	.	.	.	.	.
monia"												5	.	.	2	1	1	.	1	.
a, Emphysema												.	.	.	.	.	.	.	.	.
sy	1	6	6	3	4	2	.	2	5	3	3·2	.	.	.	.	.	.	.	.	.
atory Dis. (other)												2	.	.	.	1	.	.	1	.
litis, Quinsy	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
tis (not Epid.)	1	2	2	2	1	.	.	.	.	.	·8	2	.	1	1	.	.	.	.	.
Enteritis												1	.	.	1	.	.	.	.	.
nitis (not Puerp.)	2	2	5	.	1	.	.	.	1	.	1·1	.	.	.	.	.	.	.	.	.
sis of Liver	.	1	3	3	6	2	1	1	3	6	2·6	2	.	.	.	.	.	1	1	.
Dis. (other)												.	.	.	.	.	.	.	.	.
ive Dis. (other)	3	9	2	7	6	1	2	5	4	4	4·3	5	.	1	.	1	1	2	.	.
itis, Acute												2	.	.	.	.	1	1	.	.
's Dis., Albuminuria ...	5	4	5	5	2	3	2	3	.	3	3·2	1	.	.	.	.	.	1	.	.
y Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
ative Organs Dis.	1	1	.	.	.	1	.	1	.	.	·4	1	.	.	.	.	.	1	.	.
birth (Accid. of)	1	.	.	.	.	.	.	.	.	1	·2	1	.	.	.	.	1	.	.	.
ie	7	14	9	8	8	3	17	5	11	6	8·8	8	.	.	.	.	.	.	5	3
Diseases	19	13	13	12	13	16	17	12	19	10	14·4	14	4	4	3	2	.	1	.	.
ACCIDENT.																				
lways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
nicles and Horses	.	.	1	.	.	.	1	.	.	.	·2	1	.	.	.	.	.	1	.	.
s, Boats, Docks (exclusive rowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
flagrations	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions ...	.	.	.	1	.	.	.	1	.	.	·2	4	.	.	1	1	1	.	1	.
owning	1	1	1	2	.	1	2	.	1	.	·9	2	.	.	.	.	1	.	.	1
focation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
son or Poisonous Vapours...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	3	2	.	.	2	2	2	.	.	3	1·4	3	.	.	.	1	1	1	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
ide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
e	.	.	.	.	.	1	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
ion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901–2—Week ending																									
	Dec. 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Births registered,	144	83	279	204	208	215	152	222	177	248	193	220	239	198	229	199	237	226	195	255	232	202	209	234	249	192
*Average Births in corresponding week of previous 10 years,**	153	186	192	203	193	197	207	208	195	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204
Deaths registered,	196	200	223	186	177	158	169	181	200	248	218	222	154	167	211	208	206	174	199	191	178	186	149	165	156	155
Annual Death-rate per 1,000,	27·2	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3
*Average Deaths in corresponding week of previous 10 years,**	188	212	217	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162
Ages, Under 5 years,	47	38	46	38	54	36	38	46	40	60	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50
5—20 "	18	15	9	15	10	14	11	12	18	16	17	12	22	17	20	17	16	12	19	20	13	20	16	24	14	19
20—40 "	85	81	89	35	19	27	31	36	34	37	30	29	23	32	39	33	42	28	20	31	33	39	34	23	32	29
40—60 "	54	53	63	41	42	33	43	39	47	55	43	46	35	40	52	51	41	37	50	39	33	37	21	35	33	24
60—80 "	33	55	57	48	44	37	36	36	49	70	52	67	28	26	43	45	40	33	44	42	35	32	36	27	17	27
80 years and upwards,	9	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9	8	8	7	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6	3	2	2	3	4
" Scarlet Fever,	2	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2	1	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	.	1	.	.	1	1	2	3	2	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3
" Diphtheria,	3	2	3	3	1	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.	2	1	1
" Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	4	5	2	.	1	2	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1
" Diarrhœa, Dysentery,	2	3	4	1	2	4	.	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1
" Phthisis,	24	21	30	30	20	9	33	31	7	27	38	38	17	36	37	27	27	25	20	25	23	30	25	27	40	26
" Heart Diseases,	19	26	24	18	18	12	12	23	18	22	14	15	17	13	20	1	18	27	22	27	19	26	15	21	12	18
" Diseases of Respiratory System,	32	46	57	34	3	35	47	36	48	82	73	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16
Violent Deaths,	11	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4	3	4	4	6	10
Mean Temperature of the Air (Phœnix Park),	33·5	35·2	45·4	44·7	37·3	45·0	34·9	35·7	29·9	40·5	46·0	44·3	44·9	44·4	43·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5
Average Mean Temperature in corresponding week of previous 10 years,	40·2	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8
Rainfall in inches,	·295	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·845	·195	·153	1·025	·725
Mean Humidity of the Air, complete Saturation 1·0,	·87	·88	·84	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th June, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 14th June, 1902.																							
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.															
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols. 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	23·4	155	50	19	29	24	27	6	.	4	.	.	3	1	.	1	1	10	26	8	16	10	85
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	16·9	5	.	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
II.	MIDDLE CLASS,	80,653	18·6	21	3	2	7	3	5	1	.	.	.	.	.	.	.	.	1	1	2	.	2	1	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	17·5	38	8	5	7	6	6	1	.	.	.	.	.	1	.	.	.	1	7	2	5	1	17
IV.	GENERAL SERVICE CLASS,	146,486	33·0	72	35	11	10	9	6	1	.	4	.	.	3	.	.	1	.	8	10	6	6	8	34
V.	INMATES OF WORKHOUSES,	5,191		24	4	.	5	4	9	2	.	.	.	.	.	.	.	.	.	.	6	.	2	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Bank and Property, not otherwise described,	5,676	9·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	2	.	2	1	3	1	.	.	.	.	.	.	.	.	1	1	1	.	2	.	5
	6. Clerks and Commercial Assistants,	24,750	8·4	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	1	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	.	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	1
	9. Building and Furnishing Trades,	26,030	20·0	10	4	.	3	1	2	.	.	.	.	.	.	1	.	.	.	1	1	1	1	.	6
	10. Clothing Trades,	23,686	11·0	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	1
	11. Food Supply Trades,	7,869	18·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	17·6	9	1	2	1	2	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	6
	13. Petty Shopkeepers,	6,771	7·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·4	10	2	.	3	3	2	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	6
	15. Domestic Servants,	39,563	2·6	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	4	1	.	1	.	.	.	1	.	.	.	.	.	.	.	1	1	.	3	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	34·1	54	28	10	7	5	3	1	.	3	.	.	3	.	.	1	.	7	6	4	3	8	26
	INMATES OF WORKHOUSES.																								
V	18. Workhouse Inmates,	5,191	.	24	4	.	5	4	9	2	.	.	.	.	.	.	.	.	.	.	6	.	2	.	16

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,383.	Apl. 26,	33·1	.	18	.	.	.	.	.	.	.	.	.	.	7	.
		May 3,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	2	1
		„ 10,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	3	.
		„ 17,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	7	.
		„ 24,	23·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 31,	29·4	1·8	16	.	.	.	.	.	.	.	1	.	3	6	.
		June 7,	25·4	.	14	.	.	.	.	.	.	.	.	.	5	3	.
		„ 14,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	.	3	2
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Apl. 26,	28·0	1·3	21	.	.	.	.	.	.	.	1	.	3	2	2
		May 3,	26·6	.	20	.	.	.	.	.	.	.	.	.	4	2	.
		„ 10,	29·3	.	22	.	.	.	.	.	.	.	.	.	3	2	1
		„ 17,	22·6	2·6	17	.	.	.	.	.	.	.	2	.	4	2	.
		„ 24,	29·3	1·3	22	.	.	.	.	.	.	.	.	1	2	3	1
		„ 31,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	5	2
		June 7,	18·6	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 14,	13·3	1·3	10	.	1	.	.	.	.	.	.	.	2	2	1
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Apl. 26,	31·2	.	18	.	.	.	.	.	.	.	.	.	5	2	.
		May 3,	20·8	1·7	12	.	.	.	.	.	1	.	.	.	1	3	.
		„ 10,	26·0	.	15	.	.	.	.	.	.	.	.	.	4	3	.
		„ 17,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	1
		„ 24,	27·7	.	16	.	.	.	.	.	.	.	.	.	4	.	1
		„ 31,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	5	3	.
		June 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 14	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Apl. 26,	34·6	1·6	21	.	.	.	.	.	.	.	.	1	3	6	.
		May 3,	26·3	1·6	16	.	.	.	.	.	.	.	1	.	4	2	.
		„ 10,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.
		„ 17,	23·0	3·3	14	.	.	1	.	.	1	.	.	.	1	1	1
		„ 24,	21·4	.	13	.	.	.	.	.	.	.	.	.	5	2	.
		„ 31,	18·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		June 7,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	1	1
		„ 14,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	.	2
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	Apl. 26,	29·3	.	22	.	.	.	.	1	.	.	1	.	1	5	.
		May 3,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	2	2	.
		„ 10,	26·6	2·7	20	.	.	.	.	.	.	.	1	1	2	2	.
		„ 17,	33·3	1·3	25	.	.	.	.	.	1	.	.	.	5	2	.
		„ 24,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	3	2	.
		„ 31,	18·6	2·7	14	.	.	.	.	.	2	.	.	.	2	4	.
		June 7,	17·3	.	13	.	.	.	.	.	.	.	.	.	7	1	.
		„ 14	22·6	.	17	.	.	.	.	.	.	.	.	.	4	1	1
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Apl. 26,	33·5	3·0	11	.	.	.	.	.	.	.	1	.	.	.	1
		May 3,	39·6	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		„ 10,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1
		„ 17,	36·6	.	12	.	.	.	.	.	.	.	.	.	3	1	.
		„ 24,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
		„ 31,	33·5	3·0	11	.	.	1	.	.	.	.	.	.	2	1	.
		June 7,	30·5	.	10	.	.	.	.	.	.	.	.	.	5	2	.
		„ 14,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	.	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	Apl. 26,	21·2	1·2	17	.	.	.	.	1	.	.	.	.	1	4	.
		May 3,	23·7	1·2	19	.	1	.	.	.	.	.	.	.	3	3	1
		„ 10,	22·5	2·4	18	.	1	.	.	.	1	.	.	.	2	3	.
		„ 17,	35·0	4·3	28	.	2	.	.	1	1	.	.	.	4	8	.
		„ 24,	13·7	.	11	.	.	.	.	.	.	.	.	.	1	1	1
		„ 31,	30·0	.	24	.	.	.	.	.	.	.	.	.	6	2	1
		June 7,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	4	.
		„ 14,	17·5	.	14	.	.	.	.	.	.	.	.	.	4	2	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Apl. 26,	35·2	1·5	23	.	1	.	.	.	.	.	.	.	2	5	.
		May 3,	20·9	4·5	14	.	2	.	.	1	.	.	.	.	1	1	.
		„ 10,	32·9	6·0	22	.	4	.	.	.	.	.	.	.	3	2	1
		„ 17,	26·9	3·0	18	.	1	.	.	1	.	.	.	.	2	2	.
		„ 24,	22·4	.	15	.	.	.	.	.	.	.	.	.	3	1	.
		„ 31,	29·9	4·5	20	.	2	.	.	1	.	.	.	.	.	6	.
		June 7,	34·4	4·5	23	.	2	.	.	.	1	.	.	.	4	7	.
		„ 14,	28·4	4·5	19	.	2	.	.	1	.	.	.	.	5	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	5)	)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203	Apl. 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	2	.
	„ 10,	15·7	1·6	10	.	1	.	.	.	.	.	.	.	2	1	.
	„ 17,	23·6	3·1	15	.	.	.	.	1	.	.	.	1	2	.	.
	„ 24,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 31,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	3	1
	June 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	18·8	4·7	12	.	1	.	.	.	1	.	.	1	3	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Apl. 26,	22·0	4·0	11	.	1	.	.	1	.	.	.	.	.	3	.
	May 3,	26·0	2·0	13	.	.	.	.	.	1	.	.	.	.	5	.
	„ 10.	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	1
	„ 17,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	1	2	.
	„ 31,	16·0	.	8	.	1	.	.	.	.	.	.	.	1	1	.
	June 7,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	1	1	.
	„ 14,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	.	2	1
Kingstown. Pop. in 1902 (Est.) 17,622.	Apl. 26,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	May 3,	28·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 10,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	5	.
	„ 17,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	5·9	3·0	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 31,	29·6	.	10	.	1	.	.	.	.	.	.	.	.	2	.
	June 7,	17·8	.	6	.	.	1	.	.	.	.	.	.	.	1	.
	„ 14,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1902 (Est.) 358,693.	Apl. 26,	22·2	1·7	153	.	3	1	.	2	2	.	3	1	25	44	.
	May 3,	17·3	1·9	119	.	4	.	.	2	2	.	2	3	29	26	.
	„ 10,	21·7	2·5	149	.	3	.	.	4	2	.	4	4	32	32	.
	„ 17,	20·6	1·6	142	.	4	.	.	3	1	1	.	2	29	27	5
	„ 24,	22·1	1·7	152	.	3	.	.	4	1	.	3	1	26	32	1
	„ 31,	20·2	2·2	139	.	4	.	1	2	.	.	3	5	26	28	3
	June 7,	19·0	1·9	131	.	3	.	.	6	1	.	2	1	26	22	5
	„ 14,	16·4	2·5	113	1	2	.	.	1	3	.	6	4	21	20	2
Cork. Pop (in 1901) 75,978.	Apl 26,	17·8	2·1	26	.	.	.	.	1	.	.	.	2	4	4	.
	May 3,	21·3	0·7	31	.	.	.	.	1	.	.	.	.	6	2	1
	„ 10,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	9	8	1
	„ 17,	23·3	.	34	.	.	.	.	.	.	.	.	.	6	6	.
	„ 24,	21·3	.	31	.	.	.	.	.	.	.	.	.	3	6	.
	„ 31,	16·5	1·6	24	.	.	.	.	1	.	.	.	1	5	7	.
	June 7,	17·8	0·7	26	.	.	.	.	.	.	1	.	.	6	5	.
	„ 14,	16·5	2·1	24	.	1	.	.	1	.	.	.	1	2	5	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Apl. 26,	23·0	1·3	18	.	.	.	.	.	.	.	.	1	4	4	.
	May 3,	10·2	1·3	8	.	.	.	.	1	.	.	.	.	1	3	.
	„ 10,	19·2	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 17,	15·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	26·9	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1
	„ 31,	21·8	3·8	17	.	3	.	.	.	.	.	.	.	.	5	.
	June 7,	20·5	3·8	16	.	3	.	.	.	.	.	.	.	2	2	.
	„ 14,	33·3	2·6	26	.	2	.	.	.	.	.	.	.	3	5	.
Limerick. Pop. in 1901) 38,085.	Apl. 26,	16·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	May 3,	26·0	1·4	19	.	.	.	.	.	.	.	.	1	1	9	.
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	8·2	1·4	6	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 31,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	June 7,	20·6	.	19	.	.	.	.	.	.	.	.	.	4	3	.
	„ 14,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	3	.
Waterford. Pop. (in 1901) 26,748.	Apl. 26,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	3	2	.
	May 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
	„ 10,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 17,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	2	1
	„ 24,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	6	.	.
	June 7,	27·3	3·9	14	.	.	.	.	1	.	.	.	1	4	2	.
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 14th June, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	5	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		10	1	.	7	2	.	.	.	.	.	.	.	1	.	2	1	.	.	4
" 2 "		24			16	4	4	5	3	.	2	.	.	.	.	.	1	1	1	5	1	1	2
" 3 "		28			8	2	.	5	1	.	.	.	.	.	1	.	.	2	3	.	.	.	1
" 4 "		26			13	3	2	5	3	.	.	.	.	.	1	.	.	.	4	5	.	.	3
" 5 "		10			7	.	.	5	2	.	.	.	.	.	.	.	1	.	2	1	.	1	4
" 6 "		26			15	1	1	9	4	.	.	.	.	.	.	.	1	.	3	3	.	1	7
" 7 "		2			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 8 "		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "		14			5	.	.	3	2	1	.	.	.	.	.	.	.	.	1	.	.	.	2
" 10 "		18			10	4	1	4	1	.	.	.	.	1	.	.	1	.	1	1	.	.	2
" 11 "		16			12	1	3	2	6	.	.	.	.	.	1	.	1	1	1	.	.	.	5
" 12 "		33			12	3	2	4	3	.	.	.	.	.	.	.	.	.	2	2	1	1	2
" 13 "		6			4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	211	16·4	2·5	113	20	14	52	27	1	2	.	.	1	3	.	6	4	21	20	2	4	32
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
" 2 "		7			6	2	1	2	1	.	1	.	.	1	.	.	.	.	1	.	.	.	.
" 3 "		9			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 4 "		3			5	2	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 5 "		1			2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 6 "		4			1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 7 "		4			6	1	.	3	2	.	.	.	.	.	.	.	.	.	1	2	.	.	3
Total,	—	31	16·5	2·1	24	6	1	10	7	.	1	.	.	1	.	.	.	1	2	5	.	.	6

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901-2—Week ending																									
	Dec 21.	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered,	199	156	237	195	187	212	188	189	201	246	207	277	226	239	175	265	216	215	245	192	229	281	201	244	217	211
DEATHS registered.	144	150	143	125	126	151	130	123	169	205	188	136	161	154	151	158	168	149	153	119	149	142	152	139	131	113
Annual Death-rate per 1,000 of estimated Population,*	21·4	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4
AGES, Under 1 year,	37	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16	20
1–5 years,	16	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23	12	24	16	25	24	20	14
5–60 years,	66	76	69	62	61	68	66	58	86	91	91	57	74	68	74	75	80	67	76	57	67	71	67	63	61	52
60 years and upwards,	25	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21	34	27
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, Measles,	.	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3	2
,, Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Whooping-cough,	1	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4	3	4	2	6	1
,, Diphtheria,	3	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
,, Enteric Fever,	2	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6
,, Diarrhœa, Dysentery,	.	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4
,, Phthisis	22	20	19	18	24	14	21	18	33	25	28	24	18	19	30	30	26	31	25	29	32	29	26	26	26	21
,, Diseases of Respiratory System,	42	51	36	34	21	52	27	46	58	55	58	33	53	50	41	36	40	34	44	26	32	27	32	23	22	20
Violent Deaths,	5	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3	2

* The Death-rates in this Table are those based on the estimates of the Population given in several Weekly Returns.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th June, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken-Pox.	Fever.	Undefined Fever.	Total.
North City No. 1, East,	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
" " 1, West,	.	13	.	.	.	.	.	.	.	2	1	.	.	1	.	17
" " 2,	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	8
" " 3,	.	5	.	.	.	.	.	.	.	1	2	.	4	.	.	12
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	2	.	1	.	.	4
Coolock and Drumcondra No. 1 (part of),	.	14	.	.	.	.	.	.	.	2	1	.	.	.	.	17
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	12	.	2	.	.	2	.	.	4	3	.	4	.	.	27
" " 2,	.	4	.	1	.	.	.	.	.	.	1	.	.	.	.	6
" " 3,	.	37	.	2	.	.	1	.	.	.	2	.	1	.	.	43
" " 4,	.	29	1	.	.	.	.	.	.	.	1	.	.	.	.	31
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	123	1	5	.	.	3	.	.	9	15	.	11	1	1	169
Total for week ended June 7th, 1902,	.	88	2	6	.	.	4	.	3	12	25	.	6	1	1	148
Total for week ended May 31st, 1902,	.	73	2	10	.	.	3	1	3	12	25	.	22	3	.	154
Total for week ended May 24th, 1902,	.	33	1	8	.	.	2	.	5	10	11	1	10	.	.	81

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th June, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th June.			
	May 24.	May 31.	June 7.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	1	1	1	.	.	.	1*
Measles,	62	91	117	53	20	1	149
Scarlet Fever,	89	82	85	9	18	.	76
Typhus "	.	.	.	.	.	.	.
Diphtheria,	25	23	16	2	.	.	18
Enteric Fever,	28	27	27	5	7	.	25
Pneumonia,	25	23	28	3	11	1	19

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	June 14,	2,521	1,242	14·1	29	44	8	10	37	8	16
EDINBURGH,	317,885	„ 14,	191	123	19·8	.	3	.	.	4	1	1
GLASGOW,	764,423	„ 14,	495	303	20·3	.	10	2	2	13	2	9
CALCUTTA,	847,793	April 12,	.	1,138	69·7	7	.	.	.	.	78§	253*
BOMBAY,	776,006	May 22,	313	763	51·1	7	8	?	?	2	68§	63*
MADRAS,	509,346	April 18,	290	421	42·9	5	7	?	?	?	155	77
PARIS,	2,660,559	May 24,	1,010	969	20·1	2	23	1	23†	9	1	45
BRUSSELS (with 8 Faubourgs).	582,665	„ 24,	248	180	16·1	.	.	.	2	2	3	10
AMSTERDAM,	533,657	„ 31,	314	195	19·1	.	30	.	1	5	.	9
ROTTERDAM	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	May 24,	200	133	17·3	.	.	1	.	2	1	4
CHRISTIANIA,	228,929	„ 24,	104	71	16·1	.	.	.	.	3	.	4
ST. PETERSBURG,	1,248,643	„ 24,	553	616	25·7	.	19	14	14	4	13	77
BERLIN,	1,898,006	April 26,	935	584	16·0	1	9	3	6	8	3	31
HAMBURG,	724,835	May 24,	.	270	19·4	.	3	8	8†	8	3	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	May 3,	.	220	22·6	.	1	.	.	5	.	28
VIENNA (with suburbs).	1,726,604	„ 24,	1,071	722	21·7	.	25	4	6†	5	.	44
BUDA PESTH	767,661	„ 24,	473	306	20·7	.	7	7	1	3	.	14
PRAGUE and Faubourgs	416,817	„ 31,	228	222	27·7	.	2	3	2	2	.	14
ROME,	480,361	April 19,	239	217	23·5	.	26	.	6	2	4	6
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	May 24,	78	63	19·8	.	1	.	.	.	2	7
NEW YORK,	3,632,501	„ 31,	1,221	1,237‡	17·8	2	12	26	36†	17	7	52
PHILADELPHIA,	1,293,697	„ 24,	.	468	19·8	3	4	3	13	8	21	2

* Including 172 deaths from cholera in Calcutta, and 1 in Bombay.
† Including deaths from croup.
‡ Deaths of infants under 1 week not included.
§ Exclusive of 603 deaths from bubonic fever in Calcutta, and 224 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 14th June, 1902:—

"Unseasonably cold, dull and showery weather held throughout this week. Not once did the barometer rise to 30 inches, or the thermometer to 60 degrees in the shade, and the wind again blew from 'polar' quarters. Until Tuesday evening the weather was governed by an atmospheric depression lying over the North Sea, Denmark, and the southern portion of the Baltic. Accordingly northerly winds prevailed in the British Isles, accompanied by clouds, showers, and low temperatures—early on Tuesday morning the thermometer sank in the screen to 33° at Penrith, and 35° at Loughborough. By Wednesday morning a decided change in the distribution of pressure had taken place. for an area of low pressure was found over Ireland and to the westward of this country, and the wind had shifted to S. During the day the low pressure system became more intense, and travelled southeastwards, reaching the Land's End on Thursday morning. Thence it moved eastwards to the Channel Islands, but afterwards changed its course and passed first in a northeasterly direction over the South and East of England, and then northwards across the North Sea. Except in the N.W. of Ireland, where the weather at this time was chiefly fine and bright, though cold, clouds, gloom and rain attended the passage of the disturbance. The worst weather was felt in the S.E. of England, for even in Dublin Friday proved chiefly fine—in London ·45 inch of rain fell on Thursday, and 1·16 inches on Friday. In Dublin the mean height of the barometer was 29·750 inches, pressure ranging between 29·914 inches at 9 p.m. of Monday (wind, N.N.W.), and 29·527 inches at 2 p.m. of Thursday (wind, N.). The corrected mean temperature was 50·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·4°. The screened thermometers fell to 42·1° on Tuesday, and rose to 59·1° on Friday. The rainfall was ·362 inch on five days, ·109 inch being measured on Wednesday. The prevailing wind was N.N.W. Bright sunshine was estimated at only 17 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·749 inches. The highest reading (29·916) was on Monday at 9 p.m., air calm., and the lowest (29·544) on Thursday at 9 a.m., air calm.

The mean temperature for the week was 48·5°, being 6·4 under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Friday, on which day the thermometer registered 58·0°, and was lowest on Tuesday, the mercury having fallen to 34·6°. The mean of the Dry Bulb for the week was 48·9°, and of the Wet Bulb 46·2°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 15·5 hours. The rainfall measured ·725 inch.

At Greenwich the mean temperature for the week was 50·2°, the maximum 61·6°, and the minimum 41·1°; at Glasgow the maximum was 61·9°, the minimum 38·2°, and the mean 50·3°; and at Edinburgh the maximum was 57·7°; the minimum 37·5°, and the mean 47·4°. The rainfall at Greenwich measured 1·53 inch; at Glasgow 0·40 inch; and at Edinburgh 0·54 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, June 8,	29·810	56·1	43·8	50·0	49·4	47·4	·86	·5	1·8	·075	N.W.	Calm.
Monday, „ 9,	29·892	52·0	43·9	48·0	47·4	44·0	·77	·2	0·8	—	N.W.	Calm.
Tuesday, „ 10,	29·831	54·0	34·6	44·3	49·7	46·3	·79	·4	3·4	—	W.	Calm.
Wednesday, „ 11,	29·647	52·4	45·5	49·0	48·6	46·9	·89	·1	0·2	·185	Calm.	Calm.
Thursday, „ 12,	29·547	54·1	42·9	48·5	48·7	47·2	·90	·4	0·0	·435	Calm.	Calm.
Friday, „ 13,	29·699	58·0	41·1	49·6	50·5	46·2	·73	·3	6·2	·015	N.W.	W.
Saturday, „ 14,	29·820	55·7	44·0	49·9	48·3	45·3	·80	·5	3·1	·115	W.N.W.	W.N.W.
Mean . .	29·749	54·6	42·3	48·5	48·9	46·2	·82	·3	Total 15·5	·725	Prevailing Wind —	

Sunday—A cloudy day; showers a.m.; night cloudy; showery 7.0 to 11.0 p.m. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A dull day; rain 11.15 a.m to 12.15 p.m. and showery 3.0 p.m. to 7.0 a.m.; night cloudy. *Thursday*—A dull day; rain 2.0 to 4.0 p.m., and showery 4.0 to 9.0 p.m.; night cloudy. *Friday*—A cloudy day; rain 12.15 to 12.45 p.m.; night cloudy. *Saturday*—A cloudy day; showery 9.15 a.m. to 2.0 p.m.; night cloudy; rain 10.15 p.m. to 9.0 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 65. 4. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 21ST JUNE, 1902. [No. 25.

General Register Office, Charlemont House, Dublin, 23rd June, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 31.	June 7.	June 14.	June 21.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 31.	June 7.	June 14.	June 21.	Average Rate for 4 weeks.
22 Town Dists.	19·4	19·8	19·2	18·9	19·3	Lisburn, . .	27·3	41·0	31·9	9·1	27·3
Armagh, . .	13·8	13·8	13·8	34·4	19·0	Londonderry, .	21·8	20·5	33·3	12·8	22·1
Ballymena, .	24·0	14·4	24·0	4·8	16·8	Lurgan, . .	17·7	4·4	26·6	8·9	14·4
Belfast, . .	20·2	19·0	16·4	20·9	19·1	Newry, . .	12·4	29·0	8·3	16·6	16·6
Clonmel, . .	15·3	10·2	0·0	20·4	11·5	Newtownards, .	17·2	11·4	22·9	40·1	22·9
Cork, . . .	16·5	17·8	16·5	16·5	16·8	Portadown, .	5·2	15·6	20·8	31·1	18·2
Drogheda, . .	4·1	8·2	0·0	32·7	11·3	Queenstown, .	13·2	0·0	26·4	6·6	11·6
Dublin Reg. Area,	22·3	19·8	19·7	17·9	19·9	Sligo, . . .	14·4	43·2	57·6	28·8	36·0
Dundalk, . .	8·0	23·9	39·9	16·0	21·9	Tralee, . .	15·9	42·5	31·9	5·3	23·9
Galway, . .	7·8	7·8	50·5	15·5	20·4	Waterford, .	23·4	27·3	7·8	21·4	20·0
Kilkenny, . .	5·0	9·9	14·9	24·8	13·7	Wexford, . .	28·0	28·0	23·4	28·0	26·8
Limerick, . .	8·2	26·0	12·3	13·7	15·1						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in eighteen of the districts to 5·0 in Kilkenny. The 144 deaths from all causes in Belfast include 7 from measles, 4 from whooping-cough, 1 from diphtheria, 5 from enteric fever, and 1 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 242—130 boys and 112 girls; and the deaths to 139—66 males and 73 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 19·1 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 17·9 per 1,000. During the twenty-five weeks ending with Saturday last the death-rate averaged 25·4, and was 3·4 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

In the above-mentioned total there are included 5 deaths from measles, 1 death from scarlet fever, 1 death from diphtheria, and 1 from enteric fever.

Seven deaths were registered as being due to tuberculous phthisis and 19 as *phthisis pulmonalis.* There were 3 deaths from tuberculous meningitis, 1 registered from tuberculous peritonitis, and 2 deaths registered as *tabes mesenterica*, and 4 from other forms of tuberculous disease.

Two deaths were registered as carcinoma, 1 as sarcoma, and 2 as *malignant disease*, "*cancer.*"

The 9 deaths classified under diseases of the nervous system include 4 deaths from *convulsions.* Of these 2 were infants under 1 month in age, and2were between the age periods of 1 month and 1 year.

Of the 22 deaths tabulated to diseases of the heart and blood-vessels, 5 were due to *apoplexy*, *hemiplegia*, and 1 to cerebral hæmorrhage.

There were 4 deaths from bronchitis and 4 deaths from *pneumonia.* The annual rate for all diseases of the respiratory system was 1·4 per 1,000 of the estimated population of the Registration Area, the average rate for the corresponding period of the past 10 years being 3·4 per 1,000.

There were 2 accidental deaths.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 children under one year of age and the death of one person aged 60 years.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 11 were under one month old), and 37 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 3 were octogenarians, and 2 (women) were stated to have been aged 91 and 92 years respectively.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 17·9 per 1,000 ; the rate in the City was 19·0 (17·8 on the North side, and 20·3 on the South), and in the Urban Districts 14·0.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 1·4 (0·7 in the North City Districts, and 2·2 in the South) and for the Urban Districts 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (17) are equal to an annual rate of 31·3 per 1,000. There was 1 death from enteric fever and 4 from tuberculous phthisis; there was 1 death from *pneumonia* and 1 accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 22·6 per 1,000. There was 1 death from measles, 1 from tuberculous phthisis, and 2 from *phthisis*, and 3 deaths from diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·6 per 1,000. There was 1 death from *phthisis*, and 2 deaths from diseases of the heart and blood-vessels.

No. 3 *North City District* (Blackhall-place).—The deaths (6) represent an annual rate of 9·9 per 1,000. There were 3 deaths from *phthisis.*

North City Extension.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants ; Coolock and Drumcondra, No. 1, part of; 5·2, and Finglas and Glasnevin, part of, 7·8.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 17·3 per 1,000. There was 1 death from *phthisis*, and 2 deaths from diseases of the heart and blood-vessels.

No. 2 *South City District* (Castle-street).—The deaths (15) are equal to an annual rate of 45·7 per 1,000. There were 2 deaths from *phthisis*, and 1 death from pneumonia.

No. 3 *South City District* (Peter-street).—The deaths (13) are equal to an annual rate of 16·2 per 1,000. There was 1 death from measles and 3 deaths from phthisis, and 4 deaths from diseases of the heart and blood-vessels.

No. 4 *South City District* (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·4 per 1,000. There were 2 deaths from measles, 1 death from scarlatina, 1 death from diphtheria, and 1 death from tuberculous phthisis ; there was also a death from accidental violence.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, was 21·4 per 1,000 inhabitants. One of the 3 deaths from all causes was from measles and 1 from *pneumonia.*

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 18·8 per 1,000 inhabitants ; Pembroke, 8·0 ; Blackrock, 29·8 ; and Kingstown, 5·9. There were no deaths from the principal epidemic diseases tabulated for these districts. Of the 12 deaths for Rathmines, 1 was from *phthisis* and 1 from pulmonary tuberculosis, 1 from convulsions, and 1 from *pneumonia.* The 5 deaths in Blackrock include 2 from *phthisis.*

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 31st May,	154 cases.
" " 7th June,	148 cases.
" " 14th June,	169 cases.
" " 21st June,	198 cases.

Of the 198 cases notified, 20 were erysipelas, 11 enteric fever, 14 scarlatina, 125 measles, 19 chicken-pox, 5 diphtheria, and 3 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 31st May,	4 cases.
" " 7th June,	2 cases.
" " 14th June,	No case.
" " 21st June,	7 cases.

Of the 7 cases notified, 5 were scarlet fever, and 2 enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 31st May,	18 cases.
" " 7th June,	22 cases.
" " 14th June,	23 cases.
" " 21st June,	29 cases.

Of the 29 cases notified, 20 were measles, 6 whooping-cough, one rötheln, one erysipelas, and one scarlet fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 31st May,	70 cases.
" " 7th June,	55 cases.
" " 14th June,	61 cases.
" " 21st June,	45 cases.

Of the 45 cases notified, 13 were enteric fever, 8 erysipelas, 7 diphtheria, 11 continued fever, 5 scarlet fever, and one small-pox.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st June, 1902.

From this it appears that:—

One case of small-pox remained under treatment at the close of the week.*

Fifty cases of measles were admitted to hospital, 56 were discharged, there were two deaths, and 141 cases remained under treatment at the close of the week.

Nine cases of enteric fever were admitted to hospital, 9 cases were discharged, and 25 cases remained under treatment at the close of the week.

Fourteen cases of scarlatina were admitted to hospital, 13 cases were discharged, there was one death, and 76 cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, and 7 were discharged, there was one death, and 15 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 10 patients were discharged, there was one death, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·4), was equal to an average annual death-rate of 14·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·4 per 1,000, the rate for Glasgow being 18·1, and for Edinburgh 15·0.

* See note (*) on page 406.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 21st June, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 21st June, 1902. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 21st June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,322	18·7	30·7	18·9	1·3	643	395	64	96	.	12	1	.	5	2	.	6	2	76	51	5	9	107	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	379,063	27·8	33·3	17·9	1·1	242	180	25	33	.	5	1	.	.	1	.	1	.	23	9	2	4	51	§68·5	43·7	58·5	0·92	§58·0	34·6	48·5	0·73	§65·3	43·6	53·5	1·03
Registrars' Districts. City	293,394	37·8	38·0	19·0	1·4	214	107	22	20	.	5	1	.	.	1	.	1	.	19	7	2	4	45	a65·6 / b66·9	45·2 / 44·0	54·1 / 53·6	1·01 / 0·98	a59·1 / b59·8	42·1 / 36·2	50·5 / 49·2	0·36 / 0·40	a67·7 / b64·8	46·2 / 44·8	55·0 / 53·8	0·90 / 0·86
Rathmines,‖	33,203	19·4	20·4	18·8	.	13	12	1	6	.	.	.	.	.	.	.	.	.	2	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	16·0	8·0	.	8	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	6·0	29·8	.	1	5	1	2	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	17·8	5·9	.	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61·5	45	53·8	0·62	61	44	51·0	0·40	64	49·5	55·0	0·81
Urban Districts.																																			
Belfast,	358,693	21·8	30·4	20·9	2·6	209	144	26	27	.	7	.	.	4	1	.	5	1	30	25	2	4	28	62·7	45·1	52·6	1·15	58·1	40·6	50·1	0·59	65·7	41·9	53·8	1·36
Cork,	75,978	33·5	26·1	16·5	0·7	38	24	2	9	.	.	.	.	.	.	.	.	1	6	3	.	.	6	68	46	58·3	1·49	60	44	50·5	0·11	61	47	53·6	0·65
Londonderry,	40,729	18·8	34·6	12·8	.	27	10	2	1	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,085	18·4	37·0	18·7	.	27	10	2	2	.	.	.	.	.	.	.	.	.	1	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	21·4	21·4	.	11	11	.	2	.	.	.	.	.	.	.	.	.	6	2	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,414	9·5	31·1	15·5	.	8	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	70	45	51	0·24	60	48	50	0·72	68	42	54	0·69
Dundalk	18,067	9·4	12·0	16·0	.	3	4	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	12·3	32·7	.	3	8	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	37·3	16·6	.	9	4	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	64·2	44·2	53·5	0·47	56·3	36·3	47·7	0·55	63·0	43·3	52·5	1·15
Lurgan,	11,777	13·8	22·1	8·9	.	5	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	64·2	44·2	53·5	0·47	56·3	36·3	47·7	0·55	63·0	43·3	52·5	1·15
Lisburn,	11,459	10·1	31·9	9·1	.	7	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	64·2	44·2	53·5	0·47	56·3	36·3	47·7	0·55	63·0	43·3	52·5	1·15
Wexford,	11,154	28·2	37·4	28·0	.	8	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	14·4	4·8	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	24·0	28·8	.	5	6	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	65·8	41·5	54·5	0·68	56·4	35·3	47·6	0·80	64·7	45·0	53·7	0·78
Kilkenny,	10,498	11·4	59·6	24·8	5·0	12	5	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	67	45	54·2	0·74	60	45	49·3	0·22	63	44	53·5	1·17
Clonmel,	10,209	7·9	5·1	20·4	.	1	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	13·1	15·6	31·1	.	3	6	.	4	.	.	.	.	.	.	.	.	.	1	1	.	.	.	64·2	44·2	53·5	0·47	56·3	36·3	47·7	0·55	63·0	43·3	52·5	1·15
Tralee,	9,812	16·7	15·9	5·3	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	57·2	40·1	.	10	7	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	57	44	51·3	0·64	55	43	49·1	0·30	62	45	52·2	0·93
Queenstown,	7,887	14·7	19·8	6·6	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	46	53·3	1·49	60	44	50·5	0·11	61	47	53·6	0·65
Armagh,	7,569	22·1	41·3	34·4	.	6	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	64·2	44·2	53·5	0·47	56·3	36·3	47·7	0·55	63·0	43·3	52·5	1·15

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 21st of June, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts.																Urban District of					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
A. General Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	1	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.		5	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Phthisis,	5	3	1	3	.	.	.	.	1	2	3	1	.	.	.	2	.	2	.		23	3
Other General Diseases,	3	6	4	1	.	.	.	.	3	5	2	1	.	1	.	2	.	1	.		29	.
Total,	9	10	5	4	.	.	.	.	4	7	6	6	.	2	.	4	.	3	.		60	3
B. Local Diseases:																						
Diseases of: Nervous System,	.	2	2	.	.	.	.	.	1	.	1	2	.	.	.	1	.	.	.		9	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of: Heart and Blood Vessels,	1	1	2	1	.	.	1	.	2	3	4	1	.	.	.	2	.	1	2		21	1
Diseases of: Respiratory System,	1	3	.	.	1	.	.	.	.	1	.	.	.	1	.	1	.	1	.		9	1
Diseases of: Digestive System,	4	1	.	1	.	1	.	.	.	1	1	.	.	.	.	1	2	.	.		12	2
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of: Urinary System,	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.		3	1
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	6	7	4	2	1	1	1	.	4	6	6	4	.	1	.	5	2	2	2		54	5
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
D. Ill-defined and Not Specified Diseases,	1	.	.	.	.	.	.	.	5	2	1	.	.	.	.	3	2	.	.		14	.
E. Violent Deaths,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		2	1
Deaths from all Causes,	17	17	9	6	1	1	1	.	13	15	13	11	.	3	.	12	4	5	2		130	9
Annual Rate of Mortality in every 1,000 of the population.	31·3	22·6	15·6	9·9	10·8	5·2	7·8	.	17·3	45·7	16·2	16·4	.	21·4	.	18·3	8·0	29·8	5·9		17·9	
	17·8								20·3							14·0						
	19·0																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	5	1	3	.	1	.	.	1	2	5	6	.	.	.	3	.	1	.		28	8
Workhouse Hospitals,	3	1	3	2	.	.	.	.	6	4	2	.	.	.	.	2	.	.	.		23	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 25th Week of the 10 years 1892–1901	In the Week ending Satu 21st June, 1902.					
												Deaths of Persons of the A					
	June 25, 1892.	June 24, 1893.	June 23, 1894	June 22, 1895.	June 20, 1896.	June 26, 1897.	June 25, 1898.	June 24, 1899.	June 23, 1900.	June 22, 1901.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 53·2	° 57·4	° 54·6	° 54·3	° 60·5	° 59·9	° 57·1	° 54·6	° 55·8	° 55·6	56·3	° 53·5					
ALL CAUSES.	184	170	155	135	151	146	153	143	122	153	151·2	139	11	14	13	15	2
Small Pox, Vaccinated, ...	.	.	.	4	.	.	.	.	.	.	·4	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	24	6	.	1	.	2	.	1	.	.	3·4	5	.	1	3	1	.
Scarlet Fever, ...	.	1	1	3	4	1	.	1	.	1	1·2	1	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	3	2	.	2	.	2	5	2	3	2·0	.	.	.	.	.	.
Whooping Cough, ...	5	1	3	1	5	1	5	1	1	3	2·6	.	.	.	.	.	.
Diphtheria, ...	.	.	.	1	.	5	2	.	1	1	1·0	1	.	.	1	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.
Enteric Fever, ...	.	3	4	1	3	.	.	2	2	2	1·7	1	.	.	1	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	.	9	1	3	6	2	2	.	1	3	2·7	.	.	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	1	1	.	.	.	1	1	·4	1	.	1	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	1	.	.	2	1	.	.	.	1	·5	1	.	.	.	.	1
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	.	.	2	1	.	.	.	1	·5	.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	24	25	24	17	26	21	19	24	22	22	22·4	7	.	.	.	1	5
												19	.	.	1	4	7
Tuberculous Meningitis, (Acute Hydrocephalus).	.	4	10	5	2	5	8	5	2	2	4·3	3	.	1	.	2	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	5	2	5	2	2	.	1	4	3	4	2·8	1	.	.	.	1	.
												2	.	1	1	.	.
Tuberculous Dis. (other), Scrofula, ...	5	4	3	2	3	1	2	3	3	4	3·0	4	.	.	2	2	.
												.	.	.	.	.	.
Alcoholism, ...	.	.	1	.	.	1	.	1	1	.	·4	1	.	.	.	.	1
Rheumatic Fever, ...	.	2	.	1	.	.	1	.	.	.	·4	1	.	.	.	1	.
Gout ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.

* The figures for the years 1892–1900 a

ENTY-FIFTH WEEK ending Saturday, 21st June, 1902, with the deaths from each cause in the corresponding
e average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday June 25, 1892.	June 24, 1893.	June 23, 1894.	June 22, 1895.	June 20, 1896.	June 26, 1897.	June 25, 1898.	June 24, 1899.	June 23, 1900.	June 22, 1901.	Averages in 25th Week of the 10 years 1892–1901.	In the Week ending Saturday, 21st June, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 53·2	° 57·4	° 54·6	° 54·3	° 60·5	° 59·9	° 57·1	° 54·6	° 55·8	° 55·6	56·3	Mean Temp. ° 53·5								
noma												2	.	.	.	.	.	2	.	.
ma	6	4	3	3	6	6	7	5	4	8	5·2	1	.	.	.	.	.	.	1	.
nant Dis. "Cancer,"												2	.	.	.	.	.	1	1	.
tes Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ature Birth	1	2	5	1	1	3	1	2	2	2	2·0	8	7	1	.	.	.	.	.	.
gitis (not tuberc.)												2	.	.	2	.	.	.	.	.
ity, G. P. of Insane												.	.	.	.	.	.	.	.	.
osy												.	.	.	.	.	.	.	.	.
lsions												4	2	2	.	.	.	.	.	.
notor Ataxy												.	.	.	.	.	.	.	.	.
legia Dis. of Cord												.	.	.	.	.	.	.	.	.
ous System (other Dis.) ...	40	33	32	23	27	27	30	34	25	38	30·9	3	.	.	.	.	.	2	1	
Dis., Endocarditis												1	.	.	.	.	1	.	.	
r. Hæm. Thromb.												1	.	.	.	.	.	1	.	
xy, Hemiplegia												5	.	.	.	.	1	4	.	
ysm												1	.	.	.	1	.	.	.	
lism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	
and Blood Vessel Dis. ..												14	.	.	.	1	1	3	9	.
(not Spasm or Memb.) ...	.	1	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
hitis	15	12	13	16	13	12	16	7	16	12	13·2	4	.	.	.	.	.	1	3	.
ous Pneumonia												.	.	.	.	.	.	.	.	.
no-Pneumonia	11	8	6	9	6	10	10	4	11	11	8·6	.	.	.	.	.	.	.	.	.
monia"												4	.	.	.	1	2	1	.	.
a, Emphysema												.	.	.	.	.	.	.	.	.
sy	6	1	2	2	2	6	.	3	.	.	2·2	.	.	.	.	.	.	.	.	.
atory Dis. (other)												2	.	1	1	.	.	.	.	.
itis, Quinsy	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
tis (not Epid.)	1	1	.	4	.	1	.	.	1	2	1·0	1	.	.	.	.	.	1	.	.
Enteritis												.	.	.	.	.	.	.	.	.
nitis (not Puerp.)	.	4	.	1	2	.	.	.	.	.	·7	1	.	.	.	.	1	.	.	.
sis of Liver	4	1	2	5	1	1	2	1	1	2	2·0	.	.	.	.	.	.	.	.	.
Dis. (other)												3	.	.	.	1	1	1	.	.
ve Dis. (other)	3	3	3	5	4	7	8	7	2	4	4·6	9	.	2	.	.	2	.	5	.
tis, Acute												3	.	.	.	.	1	2	.	.
's Dis., Albuminuria ...	3	4	4	.	4	2	6	3	5	3	3·4	.	.	.	.	.	.	.	.	.
y Sys. (Other Dis.) ...												1	.	.	.	.	.	1	.	
tive Organs Dis.	.	2	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
irth (Accid. of)	1	.	1	.	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
e	11	15	12	4	8	11	11	11	7	7	9·7	8	.	.	.	.	.	1	3	4
Diseases	16	10	13	12	13	8	13	11	8	8	11·2	8	2	4	.	.	.	1	1	.
ACCIDENT.																				
ways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icles and Horses	.	1	.	.	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
a, Boats, Docks (exclusive owning)	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
ling Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
lagrations	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	1	.	.	.	.	2	1	2	.	.	·6	.	.	.	.	.	.	.	.	.
wning	.	.	2	1	.	3	2	.	1	2	1·1	1	.	.	.	.	.	1	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	1	2	2	4	4	2	1	3	.	2	2·1	2	.	.	.	.	.	1	1	.
OLENCE OTHER THAN ACCIDENTAL.																				
de	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	.	1	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1901–2—Week ending																										
	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Births registered,	23	279	204	208	215	152	222	177	248	193	220	239	198	229	199	237	226	195	255	232	202	209	234	249	192	242
*Average Births in corresponding week of previous 10 years,**	186	192	203	193	197	207	208	195	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202
Deaths registered,	200	223	186	177	158	169	181	200	248	218	222	154	167	211	208	206	174	199	191	178	186	149	165	156	155	139
Annual Death-rate per 1,000,	27·8	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1
*Average Deaths in corresponding week of previous 10 years,**	212	217	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151
Ages, Under 5 years,	38	46	38	54	36	38	46	40	60	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38
5—20 ,,	15	9	15	10	14	11	12	18	16	17	12	22	17	20	17	16	12	19	20	18	20	16	24	14	19	15
20—40 ,,	31	39	35	19	27	31	36	34	37	30	29	23	32	39	33	42	28	20	31	33	39	34	23	32	29	28
40—60 ,,	53	63	41	42	33	43	39	47	55	48	46	35	40	52	51	41	37	50	39	33	37	21	35	38	24	26
60—80 ,,	55	57	48	44	37	36	36	49	70	53	67	28	26	43	45	40	33	44	42	35	32	36	27	17	27	32
80 years and upwards,	8	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9	8	8	7	6	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6	3	2	2	3	4	5
,, Scarlet Fever,	.	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2	1	1	.	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	1	.	.	1	1	2	3	2	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.
,, Diphtheria,	2	3	3	1	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.	2	1	1	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	5	2	.	1	2	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1
,, Diarrhœa, Dysentery,	3	4	1	2	4	.	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1	
,, Phthisis,	21	30	30	20	9	33	31	7	27	33	38	17	36	37	27	27	25	20	25	23	30	25	27	40	26	26
,, Heart Diseases,	26	24	18	13	12	12	23	18	22	14	15	17	13	20	1	18	27	22	27	19	26	15	21	12	18	22
,, Diseases of Respiratory System,	46	57	34	3	35	47	36	48	82	73	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10
Violent Deaths,	8	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4	3	4	4	6	10	
Mean Temperature of the Air (Phœnix Park),	35·2	45·4	44·7	37·3	45·0	34·9	35·7	29·9	40·5	46·0	44·3	44·9	44·4	43·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5
Average Mean Temperature in corresponding week of previous 10 years,	40·8	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3
Rainfall in inches,	·290	·370	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·845	·195	·153	1·025	·725	·915
Mean Humidity of the Air, complete Saturation 1·0,	·88	·84	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st June, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21st JUNE, 1902.																						
	Cols.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	20·9	189	38	15	23	26	32	5	.	5	1	.	.	1	.	1	.	8	26	4	10	3	88
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	40·6	12	.	1	1	1	5	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	11
II.	MIDDLE CLASS,	80,658	14·9	23	3	3	2	7	7	1	.	.	.	.	.	.	.	.	.	.	5	.	.	1	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	18·6	35	12	4	8	4	7	.	.	1	.	.	.	1	.	.	.	2	6	1	1	.	25
IV.	GENERAL SERVICE CLASS,	146,486	23·7	45	15	6	10	9	5	.	.	4	1	.	.	.	.	1	.	6	9	2	8	2	18
V.	INMATES OF WORKHOUSES,	5,191		24	8	1	2	5	8	.	.	.	.	.	.	.	.	.	.	.	5	1	1	.	17
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	82·7	9	.	.	1	1	3	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	8
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	12·1	6	1	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	6. Clerks and Commercial Assistants,	24,750	16·9	8	2	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,810	17·2	8	.	3	.	3	1	1	.	.	.	.	.	.	.	.	.	.	3	.	.	1	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	9. Building and Furnishing Trades,	26,030	18·0	9	6	1	.	1	1	.	.	.	.	.	.	1	.	.	.	1	1	1	1	.	5
	10. Clothing Trades,	23,686	15·4	7	.	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	5
	11. Food Supply Trades,	7,869	26·5	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	12. Other Trades and Callings ranking with Trades,	26,666	21·5	11	3	2	3	1	2	.	.	1	.	.	.	.	.	.	.	1	2	.	.	.	8
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	3·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	15. Domestic Servants,	39,563	13·2	10	2	1	3	1	3	.	.	1	.	.	.	.	.	.	.	1	2	.	2	1	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	3	.	2	.	1	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,681	17·7	28	10	5	4	8	1	.	.	3	1	.	.	.	.	.	.	4	4	1	5	1	13
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	24	8	1	2	5	8	.	.	.	.	.	.	.	.	.	.	.	5	1	1	.	17

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,333.	May 3,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	2	1
		„ 10,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	3	.
		„ 17,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	7	.
		„ 24,	28·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 31,	29·4	1·8	16	.	.	.	.	.	.	.	1	.	3	6	.
		June 7,	25·4	.	14	.	.	.	.	.	.	.	.	.	5	3	.
		„ 14,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	.	3	2
		„ 21,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	5	1	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	May 3,	26·6	.	20	.	.	.	.	.	.	.	.	.	4	2	.
		„ 10,	29·3	.	22	.	.	.	.	.	.	.	.	.	3	2	1
		„ 17,	22·6	2·6	17	.	.	.	.	.	.	.	2	.	4	2	.
		„ 24,	29·3	1·3	22	.	.	.	.	.	.	.	.	1	2	3	1
		„ 31,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	3	2
		June 7,	18·6	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 14,	18·3	1·3	10	.	1	.	.	.	.	.	.	.	2	2	1
		„ 21,	22·6	1·3	17	.	1	.	.	.	.	.	.	.	3	3	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	May 3,	20·8	1·7	12	.	.	.	.	.	1	.	.	.	1	3	.
		„ 10,	26·0	.	15	.	.	.	.	.	.	.	.	.	4	3	.
		„ 17,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	1
		„ 24,	27·7	.	16	.	.	.	.	.	.	.	.	.	4	.	1
		„ 31,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	5	3	.
		June 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 14	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	.	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,673.	May 3,	26·3	1·6	16	.	.	.	.	.	.	.	1	.	4	2	.
		„ 10,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.
		„ 17,	23·0	3·3	14	.	.	1	.	.	1	.	.	.	1	1	1
		„ 24,	21·4	.	13	.	.	.	.	.	.	.	.	.	5	2	.
		„ 31,	18·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		June 7,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	1	1
		„ 14,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	.	2
		„ 21,	9·9	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 39,152.	May 3,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	2	2	.
		„ 10,	26·6	2·7	20	.	.	.	.	.	.	.	1	1	2	2	.
		„ 17,	33·3	1·3	25	.	.	.	.	.	1	.	.	.	5	2	.
		„ 24,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	3	2	.
		„ 31,	18·6	2·7	14	.	.	.	.	.	2	.	.	.	2	4	.
		June 7,	17·3	.	13	.	.	.	.	.	.	.	.	.	7	1	.
		„ 14	22·6	.	17	.	.	.	.	.	.	.	.	.	4	1	1
		„ 21,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	May 3,	39·6	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		„ 10,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1
		„ 17,	36·6	.	13	.	.	.	.	.	.	.	.	.	3	1	.
		„ 24,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
		„ 31,	33·5	3·0	11	.	.	1	.	.	.	.	.	.	2	1	.
		June 7,	30·5	.	10	.	.	.	.	.	.	.	.	.	5	2	.
		„ 14,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	45·7	.	15	.	.	.	.	.	.	.	.	.	2	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 41,786.	May 3,	23·7	1·2	19	.	1	.	.	.	.	.	.	.	3	3	1
		„ 10,	22·5	2·4	18	.	1	.	.	.	1	.	.	.	2	3	.
		„ 17,	35·0	4·8	23	.	2	.	.	1	1	.	.	.	4	8	.
		„ 24,	13·7	.	11	.	.	.	.	.	.	.	.	.	1	1	1
		„ 31,	30·0	.	24	.	.	.	.	.	.	.	.	.	6	2	1
		June 7,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	4	.
		„ 14,	17·5	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 21,	16·2	1·2	13	.	1	.	.	.	.	.	.	.	3	.	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	May 3,	20·9	4·5	14	.	2	.	.	1	.	.	.	.	1	1	.
		„ 10,	32·9	6·0	22	.	4	.	.	.	.	.	.	.	3	2	1
		„ 17,	26·9	3·0	18	.	1	.	.	1	.	.	.	.	2	2	.
		„ 24,	22·4	.	15	.	.	.	.	.	.	.	.	.	3	1	.
		„ 31,	29·9	4·5	20	.	2	.	.	1	.	.	.	.	.	6	.
		June 7,	34·4	4·5	23	.	2	.	.	.	1	.	.	.	4	7	.
		„ 14,	28·4	4·5	19	.	2	.	.	1	.	.	.	.	5	3	.
		„ 21,	16·4	6·0	11	.	2	1	.	.	1	.	.	.	1	.	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	5)	)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 38,208.	May 3,	17·6	.	11	.	.	.	.	.	.	.	.	.	4	2	.
	„ 10,	15·7	1·6	10	.	1	.	.	.	.	.	.	.	2	1	.
	„ 17,	23·6	3·1	15	.	.	.	.	1	.	.	.	1	2	.	.
	„ 24,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 31,	13·8	.	12	.	.	.	.	.	.	.	.	.	2	3	1
	June 7,	20·4	..	13	.	.	..	.	..	.	.	.	.	3	2	.
	„ 14,	18·8	4·7	12	.	1	.	.	.	1	.	.	1	3	2	.
	„ 21,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	May 3,	26·0	2·0	13	.	.	.	.	.	1	.	.	.	.	5	.
	„ 10,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	1
	„ 17,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	1	2	.
	„ 31,	16·0	.	8	.	1	.	.	.	.	.	.	.	1	1	.
	June 7,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	1	1	.
	„ 14,	16·0	2·0	8	.	.	..	.	1	.	.	.	.	.	2	1
	„ 21,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown. Pop. in 1902 (Est.) 17,622.	May 3,	28·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 10,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	5	.
	„ 17,	8·9	.	3	.	.	.	.	.	.	.	.	.	.		1
	„ 24,	5·9	3·0	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 31,	29·6	.	10	.	1	.	.	.	.	.	.	.	.	2	.
	June 7,	17·8	.	6	.	.	1	.	.	.	.	.	.	.	1	.
	„ 14,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 21,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	May 3,	17·3	1·9	119	.	4	.	.	2	2	.	2	3	29	26	.
	„ 10,	21·7	2·5	149	.	3	.	.	4	2	.	4	4	32	32	.
	„ 17,	20·6	1·6	142	.	4	.	.	3	1	1	.	2	29	27	5
	„ 24,	22·1	1·7	152	.	3	.	.	4	1	.	3	1	26	32	1
	„ 31,	20·2	2·2	139	.	4	.	1	2	.	.	3	5	26	28	3
	June 7,	19·0	1·9	131	.	3	.	.	6	1	.	2	1	26	22	3
	„ 14,	16·4	2·5	113	1	2	.	.	1	3	.	6	4	21	20	2
	„ 21,	20·9	2·6	144	.	7	.	.	4	1	.	5	1	30	25	2
Cork. Pop (in 1901) 75,978.	May 3,	21·3	0·7	31	.	.	.	.	1	.	.	.	.	6	2	1
	„ 10,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	9	8	1
	„ 17,	23·3	.	34	.	.	.	.	.	.	.	.		6	6	.
	„ 24,	21·3	.	31	.	.	.	.	.	.	.	.	.	3	6	.
	„ 31,	16·5	1·6	24	.	.	.	.	1	.	.	.	1	5	7	.
	June 7,	17·8	0·7	26	.	.	.	.	.	.	1	.	.	6	5	.
	„ 14,	16·5	2·1	24	.	1	.	.	1	.	.	.	1	2	5	.
	„ 21,	16·5	0·7	24	.	.	.	.	.	.	.	.	1	6	3	.
Londonderry. Pop. in 1902 (Est.) 40,729.	May 3,	10·2	1·3	8	.	.	.	.	1	.	.	.	.	1	3	.
	„ 10,	19·2	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 17,	15·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	26·9	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1
	„ 31,	21·8	3·8	17	.	3	.	.	.	.	.	.	.	.	5	.
	June 7,	20·5	3·8	16	.	3	.	.	.	.	.	.	.	2	2	.
	„ 14,	33·3	2·6	26	.	2	.	.	.	.	.	.	.	4	5	.
	„ 21,	12·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
Limerick. Pop. in 1901) 38,085.	May 3,	26·0	1·4	19	.	.	.	.	.	.	.	.	1	1	9	.
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	8·2	1·4	6	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 31,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	June 7,	20·6	.	19	.	.	.	.	.	.	.	.	.	4	3	.
	„ 14,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 21,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.
Waterford. Pop. (in 1901) 26,748.	May 3,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
	„ 10,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 17,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	2	1
	„ 24,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	6	.	.
	June 7,	27·3	3·9	14	.	.	.	.	1	.	.	.	1	4	2	.
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	21·4		11	.	.	.	.	.	.	.	.	.	6	2	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 21st June, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	12	The Population of Belfast by Districts not having been yet ascertained, the death rate for each District cannot be inserted in this Table.		7	.	2	5	.	.	1	.	.	.	.	.	.	.	2	2	.	.	2
" 2 "		31			22	3	6	11	2	.	4	.	.	.	.	.	.	.	4	3	.	.	1
" 3 "		26			13	2	2	9	.	.	.	.	.	.	1	.	.	.	4	3	.	.	2
" 4 "		22			15	3	.	10	2	.	.	.	.	.	.	.	.	.	4	2	1	1	7
" 5 "		7			12	2	4	4	2	.	.	.	.	1	.	.	2	.	.	2	.	1	4
" 6 "		30			19	3	.	5	11	.	.	.	.	.	.	.	1	.	3	3	.	.	2
" 7 "		.			2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 8 "		7			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 9 "		12			11	1	1	5	4	.	.	.	.	1	.	.	.	.	2	1	.	.	2
" 10 "		16			10	1	1	7	1	.	.	.	.	.	.	.	2	.	4	.	1	1	2
" 11 "		22			12	3	2	6	1	.	1	.	.	1	.	.	.	1	3	1	.	1	3
" 12 "		22			16	8	2	3	3	.	1	.	.	1	.	.	.	.	2	5	.	.	2
" 13 "		2			3	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	209	20·9	2·6	144	26	22	69	27	.	7	.	.	4	1	.	5	1	30	25	2	4	28
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	8	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.
" 2 "		6			3	1	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 3 "		1			6	.	.	4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 4 "		5			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "		11			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		5			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		7			8	.	2	2	4	.	.	.	.	.	.	.	.	1	2	1	.	.	4
Total,	—	38	16·5	0·7	24	2	3	10	9	.	.	.	.	.	.	.	.	1	6	3	.	.	6

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1901–2—Week ending																									
	Dec. 28.	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered,	156	237	195	187	212	188	189	201	246	207	277	226	239	175	165	216	215	245	192	229	231	201	244	217	211	209
DEATHS registered.	150	143	125	126	151	130	123	169	205	188	186	161	154	151	158	168	149	158	119	149	142	152	139	131	113	144
Annual Death-rate per 1,000 of estimated Population,*	22·3	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9
AGES, Under 1 year,	29	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16	20	26
AGES, 1–5 years,	20	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23	12	24	16	25	24	20	14	22
AGES, 5–60 years,	76	69	62	61	68	66	58	86	91	91	57	74	68	74	75	80	67	76	57	67	71	67	63	61	52	69
AGES, 60 years and upwards,	25	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21	34	27	27
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Measles,	.	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3	2	7
,, Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Whooping-cough,	3	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4	3	4	2	6	.	4
,, Diphtheria,	.	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
,, Enteric Fever,	3	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5
,, Diarrhœa, Dysentery,	1	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1
,, Phthisis	20	19	18	24	14	21	18	33	25	28	24	18	19	30	30	26	31	25	29	32	29	26	26	26	21	30
,, Diseases of Respiratory System,	51	36	34	21	52	27	46	58	55	58	33	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25
Violent Deaths,	4	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3	2	2

* The Death-rates in this Table are those based on the estimates of the Population given in several Weekly Returns.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st June, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Chicken-Pox.	Fever.	Undefined Fever.	Total.
North City No. 1, East,	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2
" " 1, West,	.	19	.	3	.	.	.	.	.	1	2	1	8	.	.	34
" " 2,	.	7	.	.	.	.	1	.	.	.	2	.	4	.	.	14
" " 3,	.	6	.	4	.	.	.	.	3	2	1	.	2	.	.	18
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	4	.	1	.	.	.	.	.	.	.	.	.	.	.	5
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	5	.	.	.	.	2	.	.	3	13	.	2	.	.	25
" " 2,	.	6	.	.	.	.	.	.	.	4	.	.	.	.	.	10
" " 3,	.	32	.	1	.	.	1	.	.	1	.	.	2	.	.	37
" " 4,	.	39	.	1	.	.	.	.	.	.	2	.	1	.	.	43
Palmerston (part of),	.	6	.	3	.	.	.	.	.	.	.	.	.	.	.	9
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	125	.	14	.	.	5	.	3	11	20	1	19	.	.	198
Total for week ended June 14th, 1902,	.	123	1	5	.	.	3	.	.	9	15	.	11	1	1	169
Total for week ended June 7th, 1902,	.	88	2	6	.	.	4	.	3	12	25	.	6	1	1	148
Total for week ended May 31st, 1902,	.	73	2	10	.	.	3	1	3	12	25	.	22	3	.	151

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st June, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st June.			
	May 31.	June 7.	June 14.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	1	1	1	.	.	.	1*
Measles,	91	117	149	50	56	2	141
Scarlet Fever,	82	85	76	14	13	1	76
Typhus "	.	.	.	.	.	.	.
Diphtheria,	23	16	18	5	7	1	15
Enteric Fever,	27	27	25	9	9	.	25
Pneumonia,	23	28	19	10	10	1	18

* In "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
London,	4,579,107	June 21,	2,422	1,266	14·4	24	55	12	16	34	2	14
Edinburgh,	317,885	„ 21,	168	93	15·0	.	4	1	.	3	.	1
Glasgow,	764,423	„ 21,	519	270	18·1	.	7	1	1	4	.	13
Calcutta,	847,796	April 19,	.	1,133	69·4	10	.	.	.	.	92§	228*
Bombay,	776,006	May 29,	315	660	44·2	9	4	?	?	2	56§	57*
Madras,	509,346	April 25,	287	374	38·1	1	10	?	?	?	124	61
Paris,	2,660,559	May 31,	1,034	1,041	21·5	3	32	8	15†	13	5	23
Brussels (with 8 Faubourgs).	582,665	„ 31,	264	184	16·4	1	.	.	1†	1	4	13
Amsterdam,	534,013	June 7,	296	172	16·8	.	33	.	.	5	.	9
Rotterdam	530,778	—	.	.	.	.	.	.	.	.	.	.
The Hague,	205,328	—	.	.	.	.	.	.	.	.	.	.
Copenhagen	400,570	May 31,	217	147	19·1	.	.	.	1	5	.	6
Christiania,	228,929	„ 31,	128	61	13·9	.	.	.	1	1	.	2
St. Petersburg,	1,248,643	„ 31,	479	606	25·2	1	15	7	20	2	10	56
Berlin,	1,900,949	„ 3,	936	599	16·4	.	6	2	4	16	3	26
Hamburg,	724,835	„ 31,	.	294	21·1	.	1	8	5	6	.	14
Dresden	407,500	—	.	.	.	.	.	.	.	.	.	.
Breslau,	427,505	—	.	.	.	.	.	.	.	.	.	.
Munich,	506,000	May 3,	.	220	22·6	.	1	.	.	5	.	28
Vienna (with suburbs).	1,726,604	„ 31,	1,037	794	23·9	.	27	9	11†	4	1	48
Buda Pesth	767,661	„ 31,	474	332	22·5	.	6	3	.	1	1	18
Prague and Faubourgs	416,817	June 7,	198	203	25·3	.	.	5	1†	.	3	15
Rome,	472,298	April 26,	.	.	.	.	.	.	.	.	.	.
Turin,	344,203	—	.	.	.	.	.	.	.	.	.	.
Venice,	165,350	May 31,	83	56	17·9	.	1	.	1	.	2	7
New York,	3,632,501	„ 31,	1,221	1,237‡	17·8	2	12	26	36†	17	7	52
Philadelphia,	1,293,697	„ 31,	.	445	17·8	5	5	6	5	5	5	.

* Including 153 deaths from cholera in Calcutta, and 3 in Bombay.
† Including deaths from croup.
‡ Deaths of infants under 1 week not included.
§ Exclusive of 588 deaths from bubonic fever in Calcutta, and 174 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 21st June, 1902:—

"While the weather remained broken and at times rainy, a promise of warmth came with the summer solstice towards the close of this week. Sunday, June 15, was most inclement—cold almost as November and quite as gloomy and wet as any day might be in that month. In Dublin City the thermometer ranged on that day from 45·2° to 52·7° only, the mean temperature (corrected) being only 48·7°. The bad weather was caused by the same atmospheric depression which had travelled along such an irregular and circuitous track during the closing days of the previous week. This system was central off the coast of Aberdeenshire on Saturday morning, June 14. It then travelled southwards in a retrograde manner, reaching Lincolnshire on Sunday. After this it gradually filled up, traces of it however being still found over East Anglia on Tuesday morning. From Sunday night until Wednesday the weather, though cool, was fine and dry in Dublin. On Wednesday showers fell and lightning was seen, thunder occurring at Holyhead. This renewed bad weather was connected with the advance from the Atlantic to the S.W. of Ireland of a rather deep depression. This system caused a squally S.E. wind and a downpour of rain—in Dublin ·738 inch fell on Thursday. Friday was very wet in England; fine, bright, and warmer in Ireland. On Saturday the wind drew into S.W. with a rising temperature, but showery weather in places. In Dublin the mean height of the barometer was 29·817 inches, pressure ranging from 30·108 inches at 9 p.m. of Tuesday (wind, E.S.E.), to 29·490 inches at 9 a.m. of Friday (wind, S.E.). The corrected mean temperature was 54·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·4°. The screened thermometers fell to 45·2° on Sunday, and rose to 65·6° on Saturday. The duration of bright sunshine was estimated at 24 hours. N.E. and S.E. winds were the most prevalent. Rainfall amounted to 1·008 inches on four days, ·738 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·814 inches. The highest reading (30·104) was on Tuesday at 9 p.m., wind E., and the lowest (29·489) on Friday at 9 a.m., wind E.

The mean temperature for the week was 53·5°, being 2·8 under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Saturday, on which day the thermometer registered 68·5°, and was lowest on Sunday, the mercury having fallen to 43·7°. The mean of the Dry Bulb for the week was 52·7°, and of the Wet Bulb 50·5°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 19·1 hours. The rainfall measured ·915 inch.

At Greenwich the mean temperature for the week was 55·1°, the maximum 72·8°, and the minimum 60·2°; at Glasgow the maximum was 69·8°, the minimum 39·8°, and the mean 52·3°; and at Edinburgh the maximum was 65·7°; the minimum 43·5°, and the mean 49·0°. The rainfall at Greenwich measured 0·38 inch; at Glasgow 0·16 inch; and at Edinburgh 0·27 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, June 15,	29·757	51·7	43·7	47·7	47·6	46·7	·94	·5	0·0	·260	W.	N.E.
Monday, " 16,	29·910	53·4	43·8	51·6	51·0	48·8	·85	·3	3·8	—	N.	N.E.
Tuesday, " 17,	30·078	55·1	47·9	51·5	49·8	46·9	·81	·0	0·8	—	E.	E.
Wednesday, " 18,	29·965	61·3	45·3	53·3	52·9	51·0	·88	·5	0·8	·155	E.	S.E.
Thursday, " 19,	29·589	57·0	50·7	53·9	53·4	52·1	·92	·3	0·0	·500	S.E.	E.
Friday, " 20,	29·553	60·9	50·5	55·7	54·6	52·5	·86	·1	6·8	—	E.	S.E.
Saturday, " 21,	29·847	68·5	52·9	60·7	59·5	55·4	·76	·3	6·9	—	S.W.	S.W.
Mean . .	29·814	59·1	47·8	53·5	52·7	50·5	·86	·3	Total 19·1	·915	Prevailing Wind E.	

Sunday—A dull day; rain 9.0 to 9.15 a.m. and 1.0 to 8.0 p.m.; night cloudy p.m., overcast a.m. *Monday*—Dull a.m.; cloudy p.m.; night cloudy. *Tuesday*—Dull a.m.; cloudy p.m.; night cloudy; Lunar Corona p.m. *Wednesday*—Cloudy a.m.; dull p.m.; showery 2.30 p.m. to 12.0 noon; night overcast; rain 5.0 to 6.0 a.m. *Thursday*—A dull day; rain 2.45 to 10.30 p.m.; night overcast p.m.; cloudy a.m. *Friday*—A cloudy day; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 65. 4. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 28TH JUNE, 1902. [No. 26.

General Register Office, Charlemont House, Dublin, 30th June, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 7.	Week ending June 14.	Week ending June 21.	Week ending June 28.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 7.	Week ending June 14.	Week ending June 21.	Week ending June 28.	Average Rate for 4 weeks
22 Town Dists.	19·8	19·2	18·9	19·0	19·2	Lisburn,	41·0	31·9	9·1	18·2	25·0
Armagh,	13·8	13·8	34·4	6·9	17·2	Londonderry,	20·5	33·3	12·8	16·6	20·8
Ballymena,	14·4	24·0	4·8	14·4	14·4	Lurgan,	4·4	26·6	8·9	4·4	11·1
Belfast,	19·0	16·4	20·9	16·6	18·2	Newry,	29·0	8·3	16·6	20·7	18·7
Clonmel,	10·2	0·0	20·4	51·1	20·4	Newtownards,	11·4	22·9	40·1	22·9	24·3
Cork,	17·8	16·5	16·5	18·5	17·3	Portadown,	15·6	20·8	31·1	10·4	19·5
Drogheda,	8·2	0·0	32·7	12·3	13·3	Queenstown,	0·0	26·4	6·6	39·7	18·2
Dublin Reg. Area,	19·8	19·7	17·9	19·9	19·3	Sligo,	43·2	57·6	28·8	14·4	36·0
Dundalk,	23·9	39·9	16·0	16·0	23·9	Tralee,	42·5	31·9	5·3	10·6	22·6
Galway,	7·8	50·5	15·5	35·0	27·2	Waterford,	27·3	7·8	21·4	9·7	16·6
Kilkenny,	9·9	14·9	24·8	64·6	28·5	Wexford,	28·0	23·4	28·0	9·3	22·2
Limerick,	26·0	12·3	13·7	28·8	20·2						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·0 in Kilkenny. Among the 114 deaths from all causes registered in Belfast are 6 from measles, 3 from whooping-cough, 2 from diphtheria, one from simple fever, 5 from enteric fever, and 3 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 213—92 boys and 121 girls; and the deaths to 149—77 males and 72 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·5 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 19·9 per 1,000. During the twenty-six weeks ending with Saturday last the death-rate averaged 25·2, and was 3·4 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Three deaths from measles, 2 deaths from scarlatina, 1 death from influenza, and 4 deaths from enteric fever are included in the total number of deaths.

Two deaths were registered from tuberculous phthisis and 13 as *phthisis.* There were also 5 deaths from tuberculous meningitis, and 6 deaths from other forms of the disease.

One death was registered from carcinoma, one from sarcoma, and one as *malignant disease*, "*cancer.*"

There were 13 deaths from diseases of the nervous system, including 5 deaths from *convulsions.* Of the latter 1 was under 1 month in age, 2 were over 1 month but under 1 year, and 2 were between the age periods of 1 year and 5 years.

There were 21 deaths from diseases of the heart and blood-vessels, including 3 deaths from cerebral hæmorrhage, "thrombosis," and 2 deaths from *apoplexy*, *hemiplegia.*

There were 25 deaths from diseases of the respiratory system This figure is equal to an annual rate of 3·4 per 1,000 of the population, which rate is the same as that for the corresponding period of the past 10 years. Twelve deaths were due to bronchitis, 2 to croupous pneumonia, 3 to broncho-pneumonia, and 6 to *pneumonia.*

There were 4 deaths from accidental violence.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; all these were of children under 5 years of age, nine of them being infants under one year old.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 16 were under one month old), and 31 were aged 60 years and upwards, including 11 persons aged 70 and upwards, of whom 5 were octogenarians.

Fifty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, 10 in the South Dublin Union Workhouse and 2 in Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·9 per 1,000 ; the rate in the City was 21·3 (17·8 on the North side, and 25·1 on the South), and in the Urban Districts 15·2.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·1 (1·4 in the North City Districts, and 0·7 in the South) and for the Urban Districts 1·8 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·9 per 1,000. There was 1 death from *phthisis.*

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. There was 1 death from tuberculous phthisis, and 2 from phthisis ; there were 6 deaths from diseasess of the respiratory system, including 1 from broncho-pneumonia and 2 from *pneumonia.*

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·6 per 1,000. There were 2 deaths from diseases of the respiratory system, including 1 from *pneumonia.*

No. 3 *North City District* (Blackhall-place).—The deaths (14) represent an annual rate of 23·0 per 1,000. There were 2 deaths from enteric fever, and 1 from *phthisis* ; there were 3 deaths from diseases of the respiratory system, including 1 from broncho-pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants ; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 23·4.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 25·3 per 1,000. There was 1 death from scarlatina, 1 death from tuberculous phthisis, and 3 from *phthisis*, also 4 deaths from diseases of the respiratory organs, including 1 from *pneumonia.*

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 15·2 per 1,000. There was 1 death from tuberculous meningitis and 1 from other tuberculous disease.

No. 3 *South City District* (Peter-street).—The deaths (27) are equal to an annual rate of 33·7 per 1,000. Measles caused 1 death and *phthisis* caused 3 deaths, diseases of the respiratory system caused 3 deaths, including 1 from *pneumonia.* There was 1 accidental death.

No. 4 *South City District* (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·9 per 1,000. There was 1 death from *phthisis* and 2 deaths from accidental violence registered.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, was 21·4 per 1,000 inhabitants. One of the 3 deaths from all causes was from bronchitis and 1 from *pneumonia.*

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 15·7 per 1,000 inhabitants ; Pembroke, 8·0 ; Blackrock, 23·8 ; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts consist of one from scarlatina for Rathmines and 2 from enteric fever for Kingstown. Among the 10 deaths from all causes tabulated for Rathmines 4 were from diseases of the heart and blood-vessels.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	7th June,	148 cases.
" "	14th June,	169 cases.
" "	21st June,	198 cases.
" "	28th June,	254 cases.

Of the 254 cases notified, 20 were erysipelas, 15 enteric fever, 14 scarlatina, 191 measles, 7 chicken-pox, 5 diphtheria, 1 continued fever, and one "fever."

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	7th June,	2 cases.
" "	14th June,	No case.
" "	21st June,	7 cases.
" "	28th June,	3 cases.

Of the 3 cases notified, one was scarlet fever, one erysipelas, and one diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	7th June,	22 cases.
" "	14th June,	23 cases.
" "	21st June,	29 cases.
" "	28th June,	38 cases.

Of the 38 cases notified, 26 were measles, 8 whooping-cough, one rötheln, one erysipelas, and 2 diphtheria.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	7th June,	55 cases.
" "	14th June,	61 cases.
" "	21st June,	45 cases.
" "	28th June,	47 cases.

Of the 47 cases notified, 15 were enteric fever, 7 erysipelas, 4 diphtheria, 14 continued fever, 4 scarlet fever, 2 small-pox, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th June, 1902.

From this it appears that:—

Eighty-one cases of measles were admitted to hospital, 62 were discharged, there was one death, and 159 cases remained under treatment at the close of the week.

Ten cases of enteric fever were admitted to hospital, 7 cases were discharged, there were 2 deaths, and 26 cases remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 17 cases were discharged, there was one death, and 69 cases remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 5 were discharged, and 17 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 9 patients were discharged, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·2), was equal to an average annual death-rate of 15·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·2 per 1,000, the rate for Glasgow being 18·5, and for Edinburgh 18·0.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 28th June, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 28th June, 1902. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,322	18·7	27·0	19·0	1·6	555	397	74	91	.	11	2	.	3	2	1	9	5	56	71	7	11	122
Dublin Registration Area:— Total,‡	379,003	27·8	29·3	18·9	1·2	213	145	29	30	.	3	2	.	.	.	.	4	.	15	24	4	3	53
Registrars' Districts. City	298,394	37·8	33·8	21·3	1·1	190	120	24	20	.	3	1	.	.	.	.	2	.	13	24	3	2	48
Rathmines,‖	33,208	19·4	9·4	15·7	1·6	6	10	1	4	.	.	1	.	.	.	.	.	.	2	.	.	.	2
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	16·0	8·0	.	8	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	35·7	23·8	.	6	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Kingstown, 1 & 2,‖	17,622	12·1	8·9	20·7	5·9	3	7	.	5	.	.	.	.	.	.	.	2	.	.	.	.	.	3
Urban Districts. Belfast,	358,693	21·8	25·4	16·6	2·9	175	114	22	22	.	6	.	.	5	2	1	5	3	22	18	1	5	22
Cork,	75,978	33·5	24·7	18·5	0·7	36	27	2	6	.	1	.	.	.	.	.	.	.	7	4	.	.	9
Londonderry,	40,729	18·8	28·0	16·6	.	18	13	3	2	.	.	.	.	.	.	.	.	.	1	6	.	2	.
Limerick,	38,085	18·4	30·1	28·8	.	22	21	1	5	.	.	.	.	.	.	.	.	.	2	7	.	.	10
Waterford	26,748	18·6	33·1	9·7	.	17	5	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Galway,	18,414	9·5	11·7	35·0	.	3	9	7	1	.	.	.	.	.	.	.	.	.	.	3	.	.	5
Dundalk	18,067	9·4	20·0	16·0	4·0	5	4	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.
Drogheda	12,765	8·1	28·6	12·8	.	7	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Newry,	12,587	17·9	29·0	20·7	.	7	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,777	18·8	44·3	4·4	.	10	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	11,459	19·1	31·9	18·2	4·6	7	4	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.	1
Wexford,	11,154	28·2	42·1	9·3	.	9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Ballymena	10,880	10·9	24·0	14·4	.	5	3	.	3	.	.	.	.	.	.	.	.	.	.	2	1	1	1
Sligo,	10,862	8·6	.	14·4	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Kilkenny,	10,493	11·4	9·9	64·6	5·0	2	13	3	6	.	.	.	.	.	.	.	.	1	.	1	.	.	10
Clonmel,	10,209	7·9	10·2	51·1	.	2	10	.	6	.	.	.	.	.	.	.	.	.	2	3	.	.	6
Portadown	10,046	18·1	36·8	10·4	.	7	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,812	16·7	42·5	10·6	.	8	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Newtownards,	9,110	18·9	34·3	22·9	.	6	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Queenstown,	7,887	14·7	26·4	39·7	.	4	6	.	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.
Armagh,	7,569	22·1	13·8	6·9	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 28th June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area: Total,‡	§76·0	47·1	60·6	0·07	§68·5	43·7	53·5	0·92	§58·0	34·6	48·5	0·73
City	a74·7 b74·9	53·1 49·0	68·0 61·2	0·07 0·05	a65·6 b66·9	45·2 44·0	54·1 53·6	1·01 0·98	a59·1 b59·8	42·1 36·2	50·5 49·2	0·36 0·40
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	72·5	52	61·1	0·05	61·5	45	53·8	0·62	61	44	51·0	0·40
Urban Districts. Belfast,	77·7	49·1	60·7	0·20	62·7	45·1	52·6	1·15	58·1	40·6	50·1	0·59
Cork,	74	52	59·4	0·16	63	46	53·3	1·49	60	44	50·5	0·11
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	85	51	65	0·14	70	45	51	0·24	60	43	50	0·72
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	75·9	49·3	61·7	0·13	64·2	44·2	53·5	0·47	56·3	36·3	47·7	0·55
Lurgan,	75·9	49·3	61·7	0·13	64·2	44·2	53·5	0·47	56·3	36·3	47·7	0·55
Lisburn,	75·9	49·3	61·7	0·13	64·2	44·2	53·5	0·47	56·3	36·3	47·7	0·55
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	77·7	49·0	63·6	0·09	65·8	41·5	54·5	0·68	56·4	35·3	47·6	0·30
Kilkenny,	.	.	.	.	67	45	54·2	0·74	60	45	49·3	0·22
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	75·9	49·3	61·7	0·13	64·2	44·2	53·5	0·47	56·3	36·3	47·7	0·55
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	71	47	57·2	0·08	57	44	51·3	0·64	55	43	49·1	0·30
Queenstown,	74	52	59·4	0·16	63	46	53·3	1·49	60	44	50·5	0·11
Armagh,	75·9	49·3	61·7	0·13	64·2	44·2	53·5	0·47	56·3	36·3	47·7	0·55

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of one death of a person at years, admitted to hospital from a locality outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 28th of June, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
A. GENERAL DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	4	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Phthisis,	1	3	.	1	.	.	.	.	4	.	3	1	.	.	.	2	.	.	.	15	.
Other General Diseases,	3	2	2	4	.	1	.	.	3	4	5	2	.	1	.	1	1	1	1	31	.
Total,	4	7	2	7	.	1	.	.	8	4	9	3	.	1	.	4	1	1	3	55	.
B. LOCAL DISEASES:																					
Diseases of Nervous System,	.	1	3	.	.	.	1	.	.	.	3	2	.	.	.	1	2	.	.	13	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	.	1	3	1	1	.	.	3	1	4	1	.	.	.	4	.	.	1	20	1
Diseases of Respiratory System,	1	6	2	3	.	1	1	.	4	.	3	1	.	2	.	.	.	.	.	24	1
Diseases of Digestive System,	2	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	.	6	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	3	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	8	6	7	1	2	2	.	8	1	11	6	.	2	.	6	2	1	2	68	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	.	1	.	.	.	1	.	3	.	6	3	.	.	.	.	1	1	2	18	1
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1	.	4	.
Deaths from all Causes,	7	15	9	14	1	3	3	.	19	5	27	14	.	3	.	10	4	4	7	145	4
Annual Rate of Mortality in every 1,000 of the population.	12·9	20·0	15·6	23·0	10·8	15·6	23·4	.	25·3	15·2	33·7	20·9	.	21·4	.	15·7	8·0	23·8	20·7	19·9	
	17·8								25·1							15·2					
	21·3																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	3	3	6	.	.	.	.	3	3	8	3	.	.	.	2	.	.	1	34	2
Workhouse Hospitals,	.	1	2	5	.	.	.	.	2	.	7	.	.	.	.	.	.	.	2	19	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years, 189

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years 1892-1901	In the Week ending Saturd 28th June, 1902. Deaths of Persons of the Age					
	July 2, 1892.	July 1, 1893.	June 30, 1894	June 29, 1895.	June 27, 1896.	July 3, 1897.	July 2, 1898.	July 1, 1899.	June 30, 1900.	June 29, 1901.		All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 58·3	° 58·4	° 58·6	° 62·8	° 61·2	° 60·6	° 56·5	° 59·2	° 55·7	° 56·1	58·7	Mean Temp. ° 60·6						
ALL CAUSES.	165	200	136	150	171	136	146	154	144	135	154·3	149	16	13	28	11	23	27
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Measles,	20	.	1	.	.	2	.	.	.	.	2·3	3	.	1	2	.	.	.
Scarlet Fever,	.	.	2	.	1	2	2	1	.	1	·9	2	.	.	2	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	2	3	1	2	1	2	3	2	1	1·9	1	.	.	.	.	.	1
Whooping Cough,	1	7	2	3	2	1	1	5	2	3	2·7	.	.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	4	1	1	.	1	·8	.	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.
Enteric Fever,	1	4	4	1	.	.	4	1	.	1	1·6	4	.	.	.	1	2	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	1	23	1	5	11	3	3	3	1	.	5·1	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	.	2	.	.	1	.	1	·4	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia,												1	.	.	.	.	1	.
Puerperal Pyæmia,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.
Puerperal Fever,												.	.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	.	.	.	1	.	2	.	2	·6	2	.	.	.	.	2	.
Septicæmia (not Puerperal),												2	.	.	1	1	.	.
Pyæmia (not Puerperal),	1	2	1	.	.	.	.	.	1	1	·6	.	.	.	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
Tuberculous Phthisis,												2	.	.	.	.	2	.
"*Phthisis*,"	25	21	21	21	26	15	34	23	21	17	22·4	13	.	.	1	1	6	5
Tuberculous Meningitis, (Acute Hydrocephalus).	3	5	2	6	1	6	7	4	7	4	4·5	5	.	3	1	.	1	.
Tuberculous Peritonitis,												.	.	.	.	.	.	.
Tabes Mesenterica,	8	3	1	6	6	4	4	4	1	6	4·3	.	.	.	.	.	.	.
Tuberculous Dis. (other),												6	.	.	2	1	2	1
Scrofula,	4	6	6	2	7	1	7	.	4	1	3·8	1	.	.	1	.	.	.
Alcoholism,	.	1	1	2	.	.	1	.	.	.	·5	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.
Gout	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are

ENTY-SIXTH WEEK ending Saturday, 28th June, 1902, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: July 2, 1892.	July 1, 1893.	June 30, 1894.	June 29, 1895.	June 27, 1896.	July 3, 1897.	July 2, 1898.	July 1, 1899.	June 30, 1900.	June 29, 1901.	Averages in 26th Week of the 10 years 1892-1901	In the Week ending Saturday, 28th June, 1902. Deaths of Persons of the Ages of: All Ages.	Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 58·3	° 58·4	° 58·6	° 62·8	° 61·2	° 60·6	° 56·5	° 59·2	° 55·7	° 56·1	58·7		° 60·6								
oma												1		.	.	.	.	1	.	.
na	4	7	7	6	4	5	7	5	8	6	5·9	1		.	.	.	.	1	.	.
nant Dis. "Cancer,"												1		.	.	.	.	.	1	.
tes Mellitus	.	.	.	.	.	.	.	.	.	.		.		.	.	.	.	.	.	.
ature Birth	2	.	3	.	5	4	6	.	2	2	2·4	8		8	.	.	.	.	.	.
gitis (not tuberc.)												5		.	.	2	3	.	.	.
ty, G. P. of Insane												1		.	.	.	.	.	1	.
osy												1		.	.	.	.	.	.	1
sions												5		1	2	2	.	.	.	.
motor Ataxy												.		.	.	.	.	.	.	.
tegia Dis. of Cord												.		.	.	.	.	.	.	.
us System (other Dis.) ...	32	33	24	43	37	29	19	37	34	30	31·8	1		.	.	.	.	1	.	.
Dis., Endocarditis												1		.	.	.	1	.	.	.
r. Hæm. Thromb.												3		.	.	.	.	1	2	.
xy, Hemiplegia												2		.	.	.	.	.	.	1
ysm												.		.	.	.	.	.	.	1
ism, Thromb. (not cerebral)												.		.	.	.	.	.	.	.
and Blood Vessel Dis.												15		.	.	.	1	1	5	8
(not Spasm or Memb.) ...	1	.	.	.	.	.	.	.	.	1	·2	.		.	.	.	.	.	.	.
hitis	14	12	13	9	13	12	10	10	13	15	12·1	12		.	2	2	.	.	5	3
ous Pneumonia												2		.	.	.	1	.	1	.
ıo-Pneumonia	3	9	10	6	12	6	11	13	13	6	8·9	3		.	.	2	.	.	.	1
monia"												6		.	.	3	.	1	1	1
a, Emphysema												.		.	.	.	.	.	.	.
sy	2	10	.	1	1	5	.	2	3	1	2·5	.		.	.	.	.	.	.	.
atory Dis. (other)												2		.	.	1	.	1	.	.
litis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.
tis (not Epid.)	1	.	.	1	1	.	1	.	2	.	·6	.		.	.	.	.	.	.	.
Enteritis												.		.	.	.	.	.	.	.
nitis (not Puerp.)	2	1	1	.	2	2	.	1	.	.	·9	.		.	.	.	.	.	.	.
sis of Liver	1	6	.	5	2	3	.	4	2	3	2·6	2		.	.	.	.	.	1	1
Dis. (other)												.		.	.	.	.	.	.	.
ive Dis. (other)	5	8	4	4	4	5	1	2	4	4	4·1	5		1	.	1	.	.	2	1
itis, Acute												2		.	.	.	.	1	1	.
's Dis., Albuminuria ...	2	4	2	3	3	2	2	5	5	4	3·2	1		.	.	.	.	.	.	1
ry Sys. (Other Dis.) ...												.		.	.	.	.	.	.	.
ıtive Organs Dis.	.	1	.	1	.	.	.	.	1	.	·3	.		.	.	.	.	.	.	.
irth (Accid. of)	1	.	.	1	.	.	.	.	.	.	·2	.		.	.	.	.	.	.	.
ve	11	21	9	12	9	4	6	11	3	8	9·4	7		.	.	.	.	.	4	3
Diseases	13	14	15	11	11	14	13	13	10	14	12·8	15		5	5	3	1	.	1	.
ACCIDENT.																					
lways	.	.	.	.	.	.	.	1	.	.	·1	.		.	.	.	.	.	.	.
icles and Horses	.	.	.	.	1	.	.	.	1	.	·2	.		.	.	.	.	.	.	.
s, Boats, Docks (exclusive rowning)	.	.	.	.	.	1	.	.	.	.	·1	.		.	.	.	.	.	.	.
lding Operations	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.
flagrations	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.
rns, Scalds, Explosions ...	1	1	.	.	.	.	.	.	1	.	·3	1		.	.	1	.	.	.	.
owning	1	.	.	.	.	.	.	.	2	.	·3	1		.	.	.	.	1	.	.
focation in Bed	.	.	.	.	.	.	.	.	.	.	.	1		1	.	.	.	.	.	.
son or Poisonous Vapours...	.	.	.	.	1	.	.	.	.	.	·1	.		.	.	.	.	.	.	.
Deaths by Accidents ...	2	1	3	.	4	4	2	2	1	2	2·1	1		.	.	.	.	.	1	.
IOLENCE OTHER THAN ACCIDENTAL.																					
ide	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.
e	.	.	.	.	.	.	1	.	.	.	·1	.		.	.	.	.	.	.	.
tion	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																									
	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
Births registered,	279	204	208	215	152	222	177	248	198	220	239	198	229	199	237	226	195	255	232	202	209	234	249	192	242	213
*Average Births in corresponding week of previous 10 years,**	192	203	193	197	207	208	195	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224
Deaths registered,	228	186	177	158	169	181	200	248	218	222	154	167	211	203	206	174	199	191	178	186	149	165	156	155	139	149
Annual Death-rate per 1,000,	30·7	25·6	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5
*Average Deaths in corresponding week of previous 10 years,**	217	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154
Ages, Under 5 years,	46	38	54	36	38	46	40	60	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57
5—20 "	9	15	10	14	11	12	18	16	17	12	22	17	20	17	16	12	19	20	18	20	16	24	14	19	15	11
20—40 "	39	35	19	27	31	36	34	37	30	29	23	32	39	33	42	28	20	31	33	39	34	23	32	29	23	23
40—60 "	63	41	42	33	43	39	47	55	48	46	35	40	52	51	41	37	50	39	33	37	21	35	38	24	26	27
60—80 "	57	48	44	37	36	36	49	70	52	67	28	26	43	45	40	32	44	42	35	32	36	27	17	27	32	26
80 years and upwards,	9	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9	8	8	7	6	5	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6	3	2	2	3	4	5	3
" Scarlet Fever,	.	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2	1	1	.	1	2
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1		.	1	1	2	3	2	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.
" Diphtheria,	3	3	1	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.	2	1	1	1	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	2		1	2	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4
" Diarrhœa, Dysentery,	4	1	2	4	.	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1		.
" Phthisis,	30	30	20	9	33	31	7	27	33	38	17	36	37	27	27	25	20	25	23	30	25	27	40	26	26	15
" Heart Diseases,	24	18	18	12	12	23	18	22	14	15	17	13	20	1	18	27	22	27	19	26	15	21	12	18	22	21
" Diseases of Respiratory System,	57	34	3	35	47	36	48	82	73	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25
Violent Deaths,	6	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4	3	4	4	6	10		4
Mean Temperature of the Air (Phœnix Park),	45·4	44·7	37·3	45·0	34·9	35·7	29·9	40·5	46·0	44·3	44·9	44·4	43·5	43·5	38·4	45·9	49·8	46·9	48·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6
Average Mean Temperature in corresponding week of previous 10 years,	38·2	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7
Rainfall in inches,	·870	·800	·025	·205	·390	·175	·030	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·380	·090	·845	·195	·158	1·025	·725	·915	·065
Mean Humidity of the Air, complete Saturation 1·0,	·84	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th June, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 28th June, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	22·4	149	57	11	23	27	26	5	.	3	2	.	.	.	.	4	.	9	15	5	25	4	91
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	30·4	9	.	.	1	1	5	2	.	.	.	.	.	.	.	1	.	1	.	.	.	1	7
II.	MIDDLE CLASS,	80,653	18·7	29	10	2	4	5	8	.	.	.	.	.	.	.	.	2	.	2	2	.	6	.	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	15·9	30	11	4	4	4	5	2	.	2	1	.	.	.	.	.	.	3	3	.	5	.	19
IV.	GENERAL SERVICE CLASS,	146,486	27·8	60	34	4	10	10	2	.	.	1	1	.	.	.	.	1	.	3	6	5	11	3	32
V.	INMATES OF WORKHOUSES,	5,191		21	2	1	4	7	6	1	.	.	.	.	.	.	.	.	.	.	4	.	3	.	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	.	.	1	1	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	3
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	36·7	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	28·3	14	6	1	1	2	4	.	.	.	.	.	.	.	.	1	.	1	1	.	2	.	10
	6. Clerks and Commercial Assistants,	24,750	10·3	5	2	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	1	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	2	.	2	1	1	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	4
	9. Building and Furnishing Trades,	26,080	14·0	7	4	3	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	2	.	4
	10. Clothing Trades,	23,686	11·0	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	11. Food Supply Trades,	7,869	19·9	3	1	1	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	15·6	8	3	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	5
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	11·5	3	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	15. Domestic Servants,	39,563	9·2	7	2	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	19·5	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,681	29·1	46	29	1	8	8	.	.	.	1	1	.	.	.	.	1	.	3	4	3	8	3	25
	INMATES OF WORKHOUSES.																								
	Workhouse Inmates,	5,191	.	21	2	1	4	7	6	1	.	.	.	.	.	.	.	.	.	.	4	.	3	.	14

Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(1
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,333.	May 10,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	3	.
		„ 17,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	7	.
		„ 24,	28·9	.	18	.	.	.	.	.	.	.	.	.	3	4	.
		„ 31,	29·4	1·8	16	.	.	.	.	.	.	.	1	.	3	6	.
		June 7,	25·4	.	14	.	.	.	.	.	.	.	.	.	5	3	.
		„ 14,	28·9	1·8	13	.	.	.	.	.	.	.	1	.	.	3	2
		„ 21,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	5	1	1
		„ 28,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	May 10,	29·3	.	22	.	.	.	.	.	.	.	.	.	3	2	1
		„ 17,	22·6	2·6	17	.	.	.	.	.	.	.	2	.	4	2	.
		„ 24,	29·3	1·3	22	.	.	.	.	.	.	.	.	1	2	3	1
		„ 31,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	3	2
		June 7,	18·6	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 14,	18·3	1·3	10	.	1	.	.	.	.	.	.	.	2	2	1
		„ 21,	22·6	1·3	17	.	1	.	.	.	.	.	.	.	3	3	.
		„ 28,	20·0	2·6	15	.	2	.	.	.	.	.	.	.	3	6	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	May 10,	26·0	.	15	.	.	.	.	.	.	.	.	.	4	3	.
		„ 17,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	1
		„ 24,	27·7	.	16	.	.	.	.	.	.	.	.	.	4	.	1
		„ 31,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	5	3	.
		June 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 14	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	2	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,678.	May 10,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.
		„ 17,	23·0	3·3	14	.	.	1	.	.	1	.	.	.	1	1	1
		„ 24,	21·4	.	13	.	.	.	.	.	.	.	.	.	5	2	.
		„ 31,	18·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		June 7,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	1	1
		„ 14,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	.	2
		„ 21,	9·9	.	6	.	.	.	.	.	.	.	.	.	3	.	.
		„ 28,	23·0	3·3	14	.	.	.	.	.	.	.	2	.	1	3	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 39,152.	May 10,	26·6	2·7	20	.	.	.	.	.	.	.	1	1	2	2	.
		„ 17,	33·3	1·3	25	.	.	.	.	.	1	.	.	.	5	2	.
		„ 24,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	3	2	.
		„ 31,	18·6	2·7	14	.	.	.	.	.	2	.	.	.	2	4	.
		June 7,	17·3	.	13	.	.	.	.	.	.	.	.	.	7	1	.
		„ 14	22·6	.	17	.	.	.	.	.	.	.	.	.	4	1	1
		„ 21,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	4	4	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	May 10,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1
		„ 17,	36·6	.	12	.	.	.	.	.	.	.	.	.	3	1	.
		„ 24,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
		„ 31,	33·5	3·0	11	.	.	1	.	.	.	.	.	.	2	1	.
		June 7,	30·5	.	10	.	.	.	.	.	.	.	.	.	5	2	.
		„ 14,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	45·7	.	15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 28,	15·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 41,786.	May 10,	22·5	2·4	18	.	1	.	.	.	1	.	.	.	2	3	.
		„ 17,	35·0	4·8	28	.	2	.	.	1	1	.	.	.	4	8	.
		„ 24,	13·7	.	11	.	.	.	.	.	.	.	.	.	1	1	1
		„ 31,	30·0	.	24	.	.	.	.	.	.	.	.	.	6	2	1
		June 7,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	4	.
		„ 14,	17·5	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 21,	16·2	1·2	13	.	1	.	.	.	.	.	.	.	3	.	.
		„ 28,	33·7	1·2	27	.	1	.	.	.	.	.	.	.	3	3	1
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,898.	May 10,	32·9	6·0	22	.	4	.	.	.	.	.	.	.	3	2	1
		„ 17,	26·9	3·0	18	.	1	.	.	1	.	.	.	.	2	2	.
		„ 24,	22·4	.	15	.	.	.	.	.	.	.	.	.	3	1	.
		„ 31,	29·9	4·5	20	.	2	.	.	1	.	.	.	.	.	6	.
		June 7,	34·4	4·5	23	.	2	.	.	.	1	.	.	.	4	7	.
		„ 14,	28·4	4·5	19	.	2	.	.	1	.	.	.	.	5	3	.
		„ 21,	16·4	6·0	11	.	2	1	.	.	1	.	.	.	1	.	1
		„ 28,	20·9	.	14	.	.	.	.	.	.	.	.	.	1	1	2

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203	May 10,	15·7	1·6	10	.	1	.	.	.	.	.	.	.	2	1	.
	„ 17,	23·6	3·1	15	.	.	.	.	1	.	.	.	1	2	.	.
	„ 24	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 31,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	3	1
	June 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	18·8	4·7	12	.	1	.	.	.	1	.	.	1	3	2	.
	„ 21,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	2	.	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	May 10,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	1
	„ 17,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	1	2	.
	„ 31,	16·0	.	8	.	1	.	.	.	.	.	.	.	1	1	.
	June 7,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	1	1	.
	„ 14,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	.	2	1
	„ 21,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 28,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown. Pop. in 1902 (Est.) 17,622.	May 10,	35·5	.	12	.	.	.	.	.	.	.	.	.	1	5	.
	„ 17,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	5·9	3·0	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 31,	29·6	.	10	.	1	.	.	.	.	.	.	.	.	2	.
	June 7,	17·8	.	6	.	.	1	.	.	.	.	.	.	.	1	.
	„ 14,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 21,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 28,	20·7	3·0	7	.	.	.	.	.	.	.	2	.	.	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	May 10,	21·7	2·5	149	.	3	.	.	4	2	.	4	4	32	32	.
	„ 17,	20·6	1·6	142	.	4	.	.	3	1	1	.	2	29	27	5
	„ 24,	22·1	1·7	152	.	3	.	.	4	1	.	3	1	26	32	1
	„ 31,	20·2	2·2	139	.	4	.	1	2	.	.	3	5	26	23	3
	June 7,	19·0	1·9	131	.	3	.	.	6	1	.	2	1	26	22	3
	„ 14,	16·4	2·5	113	1	2	.	.	1	3	.	6	4	21	20	2
	„ 21,	20·9	2·6	144	.	7	.	.	4	1	.	5	1	30	25	2
	„ 28,	16·6	2·9	114	.	6	.	.	3	2	1	5	3	22	18	1
Cork. Pop (in 1901) 75,978.	May 10,	25·4	0·7	37	.	.	.	.	1	.	.	.	.	9	8	1
	„ 17,	23·3	.	34	.	.	.	.	.	.	.	.	.	6	6	.
	„ 24,	21·3	.	31	.	.	.	.	.	.	.	.	.	3	6	.
	„ 31,	16·5	1·6	24	.	.	.	.	1	.	.	.	1	5	7	.
	June 7,	17·8	0·7	26	.	.	.	.	.	.	1	.	.	6	5	.
	„ 14,	16·5	2·1	24	.	1	.	.	1	.	.	.	1	2	5	.
	„ 21,	16·5	0·7	24	.	.	.	.	.	.	.	.	1	6	3	.
	„ 28,	18·5	0·7	27	.	1	.	.	.	.	.	.	.	7	4	.
Londonderry. Pop. in 1902 (Est.) 40,729.	May 10,	19·2	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 17,	15·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	26·9	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1
	„ 31,	21·8	3·8	17	.	3	.	.	.	.	.	.	.	.	5	.
	June 7,	20·5	3·8	16	.	3	.	.	.	.	.	.	.	2	2	.
	„ 14,	33·3	2·6	26	.	2	.	.	.	.	.	.	.	4	5	.
	„ 21,	12·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 28,	16·6	.	13	.	.	.	.	.	.	.	.	.	1	6	.
Limerick. Pop. in 1901) 38,085.	May 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	8·2	1·4	6	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 31,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	June 7,	20·6	.	19	.	.	.	.	.	.	.	.	.	4	3	.
	„ 14,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 21,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 28,	18·8	.	21	.	.	.	.	.	.	.	.	.	2	7	.
Waterford. Pop. (in 1901) 26,743.	May 10,	11·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 17,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	2	1
	„ 24,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	6	.	.
	June 7,	27·3	3·9	14	.	.	.	.	1	.	.	.	1	4	2	.
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	21·4	.	11	.	.	.	.	.	.	.	.	.	6	2	1
	„ 28,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 28th June, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	4	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		10	2	2	4	2	.	.	.	.	1	.	.	.	.	2	1	1	1	2
" 2 "		18			18	3	4	8	3	.	1	.	.	2	.	.	2	.	1	3	.	1	4
" 3 "		32			17	2	7	6	2	.	3	.	.	.	.	1	1	1	4	.	.	.	2
" 4 "		28			18	2	1	7	3	.	1	.	.	.	1	.	.	.	4	2	.	.	4
" 5 "		3			7	1	1	1	4	.	.	.	.	.	1	.	.	.	1	2	.	1	2
" 6 "		14			10	2	.	4	4	.	1	.	.	.	.	.	.	.	2	2	.	.	4
" 7 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		.			2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 9 "		11			3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 10 "		11			11	4	1	4	2	.	.	.	.	.	.	.	.	1	1	3	.	3	1
" 11 "		12			8	1	.	7	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
" 12 "		26			12	3	3	5	1	.	.	.	.	.	.	.	1	.	2	3	.	.	1
" 13 "		15			3	1	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
" 14 "		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	175	16·6	2·9	114	22	20	50	22	.	6	.	.	3	2	1	5	3	22	18	1	5	22
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	.	4	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1
" 2 "		10			6	.	2	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	4
" 3 "		4			6	.	1	4	1	.	1	.	.	.	.	.	.	.	1	1	.	.	3
" 4 "		6			5	1	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 5 "		1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 6 "		5			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		5			4	1	.	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Total,	—	36	18·5	0·7	27	2	5	14	6	.	1	.	.	.	.	.	.	.	7	4	.	.	9

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Jan. 4.	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered,	237	195	187	212	188	189	201	246	207	277	226	239	175	265	216	215	245	192	229	231	201	244	217	211	209	175
DEATHS registered.	143	125	126	151	130	123	169	205	188	186	161	154	151	158	168	149	153	119	149	142	152	139	131	113	144	114
Annual Death-rate per 1,000 of estimated Population,*	20·8	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6
AGES, Under 1 year,	24	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16	20	26	22
AGES, 1–5 years,	29	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23	12	24	16	25	24	20	14	22	20
AGES, 5–60 years,	69	62	61	68	66	58	86	91	91	57	74	68	74	75	80	67	76	57	67	71	67	63	61	52	69	50
AGES, 60 years and upwards,	21	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21	34	27	27	22
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Measles,	1	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3	2	7	6
,, Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	1	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, Whooping-cough,	1	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4	3	4	2	6		4	3
,, Diphtheria,	.	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2
,, Simple continued and Ill-defined Fever,	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1
,, Enteric Fever,	4	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5
,, Diarrhœa, Dysentery,	2	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3
,, Phthisis	19	18	24	14	21	18	33	25	28	24	18	19	30	30	26	31	25	29	33	29	26	26	26	21	30	22
,, Diseases of Respiratory System,	36	34	21	52	27	46	58	55	58	33	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18
Violent Deaths,	3	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3	2	2	1

* The Death-rates in this Table are those based on the estimates of the Population given in several Weekly Returns.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th June, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Fever.	Undefined Fever.	Total.
North City No. 1, East,	.	12	.	.	.	.	1	.	.	2	1	.	.	.	.	16
" " 1, West,	.	35	.	4	.	.	.	.	.	4	3	.	1	.	.	47
" " 2,	.	31	.	2	.	.	.	.	.	2	.	.	2	.	.	37
" " 3,	.	6	.	3	.	.	.	.	.	1	5	.	2	1	.	18
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	10	.	1	.	.	1	.	.	2	7	.	.	.	.	21
" " 2,	.	11	.	.	.	.	.	.	1	.	.	.	2	.	.	14
" " 3,	.	49	.	.	.	.	2	.	.	.	1	.	.	.	.	52
" " 4,	.	32	.	3	.	.	.	.	.	4	3	.	.	.	.	42
Palmerston (part of),	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2
Crumlin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	.	191	.	14	.	.	5	.	1	15	20	.	7	1	.	254
Total for week ended June 21st, 1902,	.	125	.	14	.	.	5	.	3	11	20	1	19	.	.	198
Total for week ended June 14th, 1902,	.	123	1	5	.	.	3	.	.	9	15	.	11	1	1	169
Total for week ended June 7th, 1902,	.	88	2	6	.	.	4	.	3	12	25	.	6	1	1	148

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th June, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th June.			
	June 7.	June 14.	June 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	1	1	.	.	.	.	.
Measles,	117	149	141	81	62	1	159
Scarlet Fever,	85	76	76	11	17	1	69
Typhus "	.	.	.	.	.	.	.
Diphtheria,	16	18	15	7	5	.	17
Enteric Fever,	27	25	25	10	7	2	26
Pneumonia,	28	19	18	9	9	.	18

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	June 28,	1,980	1,251	14·2	17	44	9	14	31	8	16
EDINBURGH,	317,885	„ 28,	124	112	18·0	.	6	.	2	4	2	4
GLASGOW,	764,423	„ 28,	469	276	18·5	.	3	4	.	3	1	7
CALCUTTA,	847,796	April 26,	.	1,102	67·5	6	.	.	.	.	74§	211*
BOMBAY,	776,006	June 5,	288	682	45·7	7	8	?	?	.	61§	79*
MADRAS,	509,346	May 2,	312	412	42·0	2	6	?	?	?	128	73
PARIS,	2,660,559	June 7,	1,077	913	18·8	.	33	2	15†	7	4	46
BRUSSELS (with 8 Faubourgs).	582,665	„ 7,	238	163	14·5	.	2	.	1†	1	4	18
AMSTERDAM,	534,013	„ 14,	286	158	15·4		19	.	2	1	2	6
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	400,570	June 7,	187	173	21·2	.	2	.	3	2	1	7
CHRISTIANIA	224,909	„ 7,	131	66	15·3	.	.	.	.	.	2	1
ST. PETERSBURG,	1,248,643	„ 7,	661	571	23·8	3	8	10	16	5	7	63
BERLIN	1,900,949	May 10,	876	580	15·9	.	8	4	4	4	.	32
HAMBURG	724,835	June 7,	.	310	22·2	.	3	10	1	4	2	24
DRESDEN	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH	506,000	May 3,	.	220	22·6	.	1	.	.	5	.	28
VIENNA (with suburbs).	1,726,604	June 7,	1,014	756	22·8	.	31	2	10†	7	1	82
BUDA PESTH,	767,661	„ 7,	438	315	21·3	.	15	7	3	1	.	26
PRAGUE and Faubourgs	416,817	„ 7,	198	203	25·3	.	.	5	1†	.	3	15
ROME,	472,298	May 3,	.	.	.	.	.	.	.	.	.	.
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	June 7,	69	49	15·4	.	.	.	.	.	1	2
NEW YORK,	3,632,501	„ 7,	1,581	1,199‡	17·2	19	21	22	43†	19	12	59
PHILADELPHIA,	1,293,697	„ 7,	.	398	16·0	2	12	4	9	2	7	1

* Including 146 deaths from cholera in Calcutta, and 1 in Bombay.
† Including deaths from croup.
‡ Deaths of infants under 1 week not included.
§ Exclusive of 577 deaths from bubonic fever in Calcutta, and 133 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 28th June, 1902:—

"With startling suddenness summer began with the solstice on June 21, and happily continued throughout the week now under review. Only on Sunday was the weather broken for a while, rain falling to the amount of ·074 inch about midday after a cloudy and threatening morning. By 3 p.m. the clouds had broken and the first of a series of bright summer days was enjoyed. The disturbed weather on Sunday was connected with a depression of no great depth which passed northwards outside the western shores of Ireland. It caused pretty general but not heavy rains. A broad band of tolerably high atmospheric pressure spread over the British Isles on Monday, cloud lessened in amount and with light S. to S.E. winds temperature rose fast on Tuesday to 80° or upwards in England, 83° being recorded in London and 85° in Manchester. On that same day the range of the thermometer at Donaghadee was only from 47° to 56°. Depressions now began to show themselves over the Bay of Biscay and off the S.W. of Ireland. Some thunder, lightning, and rain occurred in the S.W. and W. of Ireland on Wednesday morning. Delightful weather prevailed in most districts, the heat of an unclouded sun being tempered by light easterly breezes. As usual in anticylonic weather a good deal of fog hung about the British and Irish coasts from time to time, but on shore it remained bright and very warm to the end of the week. In Dublin the mean height of the barometer was 30·110 inches, the range being from 29·926 inches at 9 a.m. of Sunday (wind, S.), to 30·213 inches at 9 a.m. of Tuesday (wind, N.E.). The corrected mean temperature was 63·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 62·5°. The screened thermometers rose to 74·7° on Wednesday, having fallen to 53·1° on Tuesday. The prevalent wind was N.E., but its force was light. No less than 84½ hours of sunshine apparently prevailed. Rain fell on Sunday only to the amount of ·074 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·108 inches. The highest reading (30·203) was on Tuesday at 9 a.m., wind E., and the lowest (29·920) on Sunday at 9 a.m., wind S.

The mean temperature for the week was 60·6°, being 1·9 over the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Wednesday, on which day the thermometer registered 76·0°, and was lowest on Tuesday, the mercury having fallen to 47·1°. The mean of the Dry Bulb for the week was 60·7°, and of the Wet Bulb 57·1°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 77·0 hours. The rainfall measured ·065 inch.

At Greenwich the mean temperature for the week was 64·8°, the maximum 80·0°, and the minimum 50·0°; at Glasgow the maximum was 86·2°, the minimum 48·0°, and the mean 63·3°; and at Edinburgh the maximum was 78.3°; the minimum 41·7°, and the mean 58·4°. The rainfall at Greenwich measured 0·00 inch; at Glasgow 0·20 inch; and at Edinburgh 0·22 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, June 22,	29·948	65·0	52·0	58·5	58·6	55·5	·81	·4	4·2	·065	S.	S.W.
Monday, „ 23,	30·138	68·1	52·3	60·2	59·5	55·7	·78	·3	4·7	—	S.W.	S.W.
Tuesday, „ 24,	30·199	69·1	47·1	58·1	53·7	56·1	·85	·1	11·9	—	E.	Calm.
Wednesday, „ 25,	30·090	76·0	50·9	63·5	64·1	59·8	·77	·4	10·9	—	E.	E.
Thursday, „ 26,	30·101	70·5	55·9	63·2	61·0	56·6	·76	·2	15·3	—	S.E.	Calm.
Friday, „ 27,	30·198	71·6	49·4	60·5	60·8	57·2	·81	·1	15·1	—	N.E.	Calm.
Saturday, „ 28,	30·084	72·0	47·9	60·0	62·4	58·7	·79	·2	14·9	—	N.E.	Calm.
Mean . .	30·108	70·3	50·8	60·6	60·7	57·1	·80	·2	Total 77·0	·065	Prevailing Wind —	

Sunday—Dull a.m.; cloudy p.m.; rain 11.30 a.m. to 12.30 p.m.; night cloudy. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A beautiful day; light clouds; night clear. *Thursday*—A beautiful day; night clear. *Friday*—A beautiful day; night clear. *Saturday*—A beautiful day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 65. 4. 1902. 360.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS OF BIRTHS AND DEATHS IN THE DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & Co. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] QUARTER ENDING SATURDAY, 28TH JUNE, 1902. [No. 26A

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines, Pembroke, Blackrock and Kingstown, the total area thereof being 13,757 statute acres, and the population estimated to the middle of 1902, 379,003, there were registered during the thirteen weeks ended on Saturday, 28th June, 1902, 2,885 births—1,485 boys and 1,400 girls—being equal to an annual ratio of 1 in 32·8, or 30·4 in every 1,000 of the population.

The number of births registered in the city was 2,468, equivalent to an annual rate of 33·6 in every 1,000 of the population; and in the urban districts named above, 417, equal to an annual rate of 19·5 in every 1,000 of the population.

There were registered in London during the same period 31,670 births—being equal to an annual birth-rate of 27·7 in every 1,000 of the estimated population; in Glasgow there were registered 6,571, being equal to 33·9 per 1,000; and in Edinburgh, 2,172—a number affording an annual birth-rate of 26·9 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,245—1,165 males and 1,080 females—affording an annual ratio of 1 in 42·2, or 23·7 in every 1,000 of the estimated population; omitting the deaths (100) of persons admitted into Public Institutions from localities outside the Area, the rate was 22·6 per 1,000. The annual mortality represented by the deaths registered during the second quarter of the ten years 1892–1901 in the Dublin Registration Area as then constituted, was 25·0 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of that portion of the City of Dublin north of the Liffey registered last quarter was 859, representing an annual mortality of 22·6 in every 1,000 of the population; and the number in that portion south of the river was 895, equivalent to a rate of 25·3 per 1,000. In the urban districts the number of deaths registered was 391, being equal to an annual death-rate of 18·3 in every 1,000.

The number of deaths registered in London during the quarter was 18,427—a number equal to an annual mortality of 16·1 in every 1,000 of the inhabitants; in Glasgow the number was 4,105, equal to 21·2 in every 1,000; and in Edinburgh, 1,474, affording an annual death-rate of 18·3 in every 1,000 of the estimated population.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

Diseases.—The number of deaths from the principal epidemic diseases registered in the Dublin Registration Area during last quarter was 123, being 48 below the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·3, being 0·5 under the rate for the preceding three months.

There was no death from small-pox registered during the quarter. It appears, however, from Table I., that 2 cases were under treatment for this disease in Hospital.

Measles.—Thirty-nine deaths were caused by measles, an increase of 16 over the preceding 13 weeks, and equal to an annual rate of ·4 per 1,000 of the population; 17 of these deaths occurred in the Registrar's District of No. 4 South Dublin.

Scarlet Fever caused 11 deaths, the same number as in the preceding thirteen weeks. Of this number, 2 appertain to North Dublin (City), 6 to South Dublin (City), and 3 to the other Urban Districts of the Dublin Registration Area. The same number of deaths (11) from this disease occurred in the corresponding quarter of 1901.

Influenza caused 25 deaths; this number is 8 below that of the preceding quarter, and 39 below the number in the June quarter of the year 1901.

Whooping-cough.—The number of deaths from whooping-cough was 18, as against 20 in the March quarter of the year. Of these 12 occurred in South Dublin (City), 2 in North Dublin (City), and 3 in the other districts of the Registration Area; one death occurred of a person who was admitted to an Institution from without the Area.

Diphtheria, which caused 14 deaths in the first quarter of the year, rose to 16 deaths in the period under review. Of these, 2 each appertain to North City No. 2 and North City No. 3; 2 to the city portion of Coolock and Drumcondra No. 1, 3 to No. 1 South City District, 2 to No. 3 South City District, and 2 to No. 4 South City District; 1 death, moreover, occurred in Rathmines Urban District, and 1 in Pembroke Urban District. One death occurred of a person who was admitted to an Institution from without the Area.

Cerebro-Spinal Fever.—There were 3 deaths from this disease registered during the period now under review.

Enteric Fever.—The number of deaths from this disease (20) was 1 above the number registered in the corresponding period of the year 1901, but 4 below the number registered in the preceding quarter of the present year. Of the deaths 13 occurred in North Dublin (City), and 4 in South Dublin (City); 3 deaths occurred in the Urban Districts, viz.:—1 in Pembroke, and 2 in Kingstown.

Diarrhœal Group.—One death occurred from epidemic diarrhœa, 18 being tabulated under the heading **diarrhœa,* dysentery. Of the total, 14 deaths appertain to the City, 3 to the Urban Districts, and 2 deaths occurred of persons admitted to institutions from places outside the Dublin Registration Area.

There was 1 death from anthrax, splenic fever, and 2 deaths from tetanus. There were 3 deaths from *puerperal fever*, 11 from erysipelas, 5 from septicæmia (not puerperal), and 4 deaths from "other septic diseases."

Tuberculous Disease.—Forty-one deaths were registered from tuberculous phthisis, and 295 as *phthisis*, making a total of 336. Tuberculous meningitis caused 43 deaths, and tuberculous peritonitis 10 deaths, while 9 deaths were attributed to *tabes mesenterica*; "other tuberculous disease" caused 64 deaths. Of the 336 deaths mentioned as occurring from tuberculous phthisis and *phthisis*, 137 occurred in North Dublin (City), and 138 in South Dublin (City), 44 deaths taking place from the remaining districts in the Dublin Registration Area. Seventeen deaths from *phthisis* occurred of persons admitted into Public Institutions from without the Area. The annual rates, which are equal to the last-named figures, are 3·6 per 1,000 for North Dublin (City), 3·9 per 1,000 for South Dublin (City), and 2·1 per 1,000 for the remaining portions of the Dublin Registration Area.

Malignant Disease, "Cancer."—Thirteen deaths occurred from carcinoma, 4 from sarcoma, and 67 were registered as *malignant disease, "cancer."*

* Names of causes of death printed in italics in the body of the text on pages 426 and 427 should be avoided when possible in Medical Certificates.

Diseases of the nervous system caused 231 deaths, of which 103 were from *convulsions*, the latter being equal to an annual rate of 1·1 per 1,000 of the population. Of the deaths from *convulsions*, 102 were of children under the age of 5 years.

Diseases of the heart and blood vessels caused 279 deaths, including 21 from cerebral hæmorrhage, thrombosis, and 44 from *apoplexy, hemiplegia.*

Diseases of the respiratory system caused 389 deaths; there were included in this figure 215 deaths from bronchitis, 7 deaths from croupous pneumonia, 42 deaths from broncho-pneumonia, and 85 deaths registered as *pneumonia.*

Of the 61 deaths by violence, 4 were suicidal, and 57 accidental. Of the latter, 11 were caused by burns, scalds, or explosions, and 9 by drowning.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 28th June, 1902.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small Pox, . .	1	1	2	.	.
Measles, . . .	18	398	239	18	159
Scarlet Fever, . .	58	162	141	10	69
Typhus „ . .	1	.	1	.	.
Diphtheria, . .	19	79	68	13	17
Enteric Fever, . .	33	97	95	9	26
Pneumonia, . . .	27	95	93	11	18

In 115 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 115 cases, 76, or 66·1 per cent., were deaths of children under 5 years of age: these 76 deaths form 11·7 per cent. of the total number of deaths of children of that age. Of the deaths of 145 infants under one month old registered, there were 47 (or 32·4 per cent.) regarding which the cause was uncertified.

From Table II., on page 428, it will be seen that, excluding 100 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,145, equal to an annual rate of 22·6 per 1,000 of the estimated population, and that 119 of these deaths, representing an annual rate of 1·3 per 1,000 persons, were caused by the principal epidemic diseases.* The death-rate for the city (from all causes) was 23·9 per 1,000, and for the urban districts 18·3 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city is 1·3, and in the urban districts 1·1, the rates for the several districts varying from 0·0 in five of the districts to 3·1 in South City No. 4, the 225 deaths from all causes tabulated for the last-named district including 17 from measles, one from scarlet fever, 5 from whooping-cough, 2 from diphtheria, and 2 from *diarrhœa.*

Occupations.—Table III., on page 429, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 33·5 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 16·0 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 20·3; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 34·1.

Ages.—Of the 2,245 persons whose deaths were registered in the Dublin Registration Area during the quarter, 649 were under 5 years of age; 216 were between the ages of 5 and 20; 390 were between 20 and 40; 459 between 40 and 60; 436 between 60 and 80; and 95 were aged 80 and upwards, including 14 persons stated to have been nonogenarians.

* See note (*) on page 430.

Public Institutions.—Of the 2,245 deaths recorded during the quarter, 928, or 41·3 per cent., occurred in public institutions, viz., 540 in the various hospitals, prisons, and lunatic asylums; 191 in the North Dublin Union Workhouse; 183 in the South Dublin Union Workhouse; and 14 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 48·5°. At Greenwich, it was 50·5°; at Glasgow, 49·4°; and at Edinburgh, 46·3°.

The rainfall at Dublin during the thirteen weeks measured 6·990 inches; at Greenwich, 6·59 inches; at Glasgow, 3·02 inches; and at Edinburgh, 5·29 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 28th June, 1902**, the number of DEATHS Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual Rate 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the princ Epidemic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions b assigned to the Districts from which the deceased were admitted.*

Registrars' Districts.	Population, estimated to middle of 1902.†	Quarter (13 Weeks) ended 28th June, 1902. Annual Rate of Mortality per 1,000 Living represented by Deaths: From all Causes.	From Diseases in Cols. 6-14.	Total Deaths.	Deaths Caused by: Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa-Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence
Cols. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	
North City: North City, No. 1, E.,	28,333	25·1	0·4	178	.	.	.	.	.	.	.	3	.	29	51	
" " W.	39,146	23·9	1·0	234	.	4	.	.	.	.	.	4	2	38	46	
" 2,	30,107	23·6	0·5	178	.	.	.	.	.	2	.	1	1	33	25	
" 3,	31,673	24·1	1·5	191	.	.	2	.	1	2	.	4	3	25	38	
Clontarf & Howth, No. 1, part of,	4,806	13·3	.	16	.	.	.	.	.	.	.	.	.	1	3	
Coolock & Drumcondra, No. 1, part of,	10,017	17·2	1·2	43	.	.	.	.	.	2	.	1	.	3	6	
Finglas and Glasnevin, part of,	6,673	10·2	.	17	.	.	.	.	.	.	.	.	.	8	4	
Blanchardstown and Castleknock, part of,	1,303	.	.	2	.	.	.	.	1	.	.	.	.	.	1	
South City: South City, No. 1,	39,152	25·2	1·4	247	.	.	2	.	3	3	.	3	3	38	35	
" 2,	17,113	28·8	0·7	123	.	.	1	.	.	.	.	1	1	22	20	
" 3,	41,736	24·1	1·4	251	.	7	2	.	2	2	.	.	2	41	47	
" 4,	34,893	25·8	3·1	225	.	17	1	.	5	2	.	.	2	32	35	
Donnybrook, part of,	245	.	.	1	.	.	.	.	.	.	.	.	.	.	1	
Palmerston, part of,	7,298	24·1	1·6	44	.	1	.	.	2	.	.	.	.	5	9	
Crumlin, part of,	899	17·8	.	4	.	.	.	.	.	.	.	.	.	.	.	
Urban Districts: Rathmines,	33,203	17·6	1·0	146	.	2	2	.	1	1	.	.	2	25	20	
Pembroke (Donnybrook, part of),	26,025	16·9	1·7	110	.	7	.	.	2	1	.	1	.	8	23	
Blackrock,	8,759	17·4	.	38	.	.	.	.	.	.	.	.	.	4	3	
Kingstown, Nos. 1 and 2,	17,622	22·0	1·1	97	.	1	1	.	.	.	.	2	1	7	15	
Total City: North,	152,058	22·6	0·9	859	.	4	2	.	2	6	.	13	6	137	174	
South,	141,336	25·3	1·8	895	.	25	6	.	12	7	.	4	8	138	147	
N. & S.,	293,394	23·9	1·3	1,754	.	29	8	.	14	13	.	17	14	275	321	
Total Urban Districts,	85,609	18·3	1·1	391	.	10	3	.	3	2	.	3	3	44	61	
Total Registration Area,	379,003	22·6	1·3	2,145	.	39	11	.	17	15	.	20	17	319	382	
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				100	.	.	.	.	1	1	.	.	2	17	7	

* See note (*) page 430. † See note (*) on page 431.

Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class.	Occupation or Social Position	Population in each Class and Group in 1891.*	Registration of Deaths, 13 Weeks ending Saturday, 28th June, 1902 — Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total. Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	25·9	2,245	649	216	390	459	436	95	.	39	11	.	18	16	.	20	19	123	336	103	389	61	1,233
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	33·5	129	2	6	16	25	51	29	.	.	.	.	.	.	.	1	.	1	13	.	12	2	101
II.	Middle Class,	80,653	16·0	322	64	34	59	68	79	18	.	1	1	.	1	5	.	6	1	15	48	17	56	6	180
III.	Artisan Class and Petty Shopkeepers,	98,374	20·3	500	141	61	102	115	73	8	.	14	3	.	1	3	.	5	2	28	87	26	70	9	280
IV.	General Service Class,	146,486	34·1	906	381	102	150	140	112	21	.	24	7	.	15	8	.	8	10	72	119	59	168	43	445
V.	Inmates of Workhouses,	5,191		388	61	13	63	111	121	19	.	.	.	.	1	.	.	.	6	7	69	1	83	1	227
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,910	27·8	55	2	4	6	14	20	9	.	.	.	.	.	.	.	1	.	1	7	.	5	2	40
	2. Merchants and Manufacturers, Higher Class,	1,838	19·6	9	.	2	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
	3. Persons of Rank and Property, not otherwise described,	5,676	45·8	65	.	.	10	9	26	20	.	.	.	.	.	.	.	.	.	.	6	.	5	.	54
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,818	15·1	22	6	1	3	5	7	.	.	.	.	.		.	.	.	.	.	2	1	5	.	14
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	25,775	16·1	104	23	5	12	25	32	7	.	.	.	.	.	2	.	1	1	4	9	7	23	1	60
	6. Clerks and Commercial Assistants,	24,750	17·3	107	29	13	28	21	16	.	.	1	1	.	1	1	.	4	.	8	23	9	12	2	53
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,310	14·6	89	6	15	16	17	24	11	.	.	.	.	.	2	.	1	.	3	14	.	16	3	53
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,352	27·7	51	14	5	16	8	8	.	.	4	.	.	.	.	.	.	.	4	14	2	5	4	22
	9. Building and Furnishing Trades,	26,030	18·0	117	51	19	19	15	13	.	.	5	1	.	.	2	.	3	.	11	21	11	15	1	58
	10. Clothing Trades,	23,686	13·0	77	14	11	18	18	11	5	.	.	.	.	.	.	.	.	.	.	17	5	10	.	45
	11. Food Supply Trades,	7,869	15·8	31	14	1	4	7	5	.	.	2	.	.	.	.	.	.	.	2	3	2	3	.	21
	12. Other Trades and Callings ranking with Trades,	26,666	28·9	193	43	22	38	56	31	3	.	3	1	.	1	1	.	2	2	10	27	6	32	4	114
	13. Petty Shopkeepers,	6,771	18·3	31	5	3	7	11	5	.	.	.	1	.	.	.	.	.	.	1	5	.	5	.	20
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	27·7	94	34	5	15	13	21	6	.	1	1	.	1	3	.	.	1	7	10	6	17	1	53
	15. Domestic Servants,	39,563	10·2	101	21	13	22	22	21	2	.	1	1	.	.	1	.	1	.	4	12	2	20	6	57
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	22·0	59	26	4	12	9	7	1	.	3	1	.	1	.	.	1	.	6	8	6	11	3	25
	17. Hawkers, Porters, Labourers, &c.,	82,631	31·6	652	300	80	101	96	63	12	.	19	4	.	13	4	.	6	9	55	89	45	120	33	310
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	5,191	–	388	61	13	63	111	121	19	.	.	.	.	1	.	.	.	6	7	69	1	83	1	227

* Occupation statistics for 1901 not yet available.

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 21·3 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—

Waterford, 17·6; Drogheda, 18·5; Lurgan, 18·7; Ballymena, 19·1; Londonderry, 19·2; Cork, 19·7; Limerick, 20·3; Belfast, 20·4; Armagh 20·6; Dundalk, 20·8; Newry, 21·3; Portadown, 21·8; Lisburn, 22·0; Wexford, 22·9; Kilkenny, 23·0; Sligo, 23·2; Queenstown, 23·3; Tralee, 23·5; Clonmel, 23·6; Newtownards, 23·7; Galway, 27·1.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·4 per 1,000 of the population, the rates varying from 0·0 in Drogheda, Portadown, and Newtownards, to 3·8 in Kilkenny, the 61 deaths from all causes in the last-named district including 6 from whooping-cough and 4 from diarrhœa. The 1,831 deaths in Belfast include one from small-pox, 46 from whooping-cough, 40 from enteric fever, 30 from diarrhœa, 18 from diphtheria, 47 from measles, 3 from simple continued and ill-defined fever, and one each from scarlet fever and typhus.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Small-pox.—One death from this disease occurred in the Registrar's District of Belfast, Urban No. 9.

Measles.—Of 67 deaths, 47 occurred in Belfast, and 9 in Londonderry.

Scarlet Fever.—There was 1 death in Belfast, but no other death was registered in any of the 21 Urban Districts.

Typhus Fever.—There was 1 death in Belfast, 2 deaths in Galway, and 2 deaths in Sligo.

Whooping-cough.—Of 67 deaths from this disease, 46 occurred in Belfast, 6 in Kilkenny, and 5 in each of Cork and Sligo.

Diphtheria.—Eighteen deaths occurred in Belfast, and 1 death in each of the following Urban Districts :—Londonderry, Dundalk, Clonmel, and Armagh.

Simple, Continued, and Ill-defined Fever.—Six deaths were tabulated under this heading.

Enteric Fever.—Forty deaths occurred in Belfast, and 4 deaths occurred in Newry, In each of the following Districts 1 death took place :—Cork, Londonderry, Dundalk, Ballymena, Tralee, and Armagh.

Diarrhœa, dysentery.—Of the 56 deaths, 30 took place in Belfast, 5 in Cork, and 4 in Kilkenny, and 3 each in Londonderry, Limerick, and Waterford.

Phthisis.—The annual death rate for the 22 towns (population 1,092,643) was 3·5; for the Dublin Registration Area, 3·4; for Belfast, 3·7; and for the other 20 urban districts, 3·2 per 1,000 of this respective total population.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery.

number of Deaths from some of the principal causes.

TOWNS AND DISTRICTS	Census Statistics of Districts.*		REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 28TH JUNE, 1902.																					
			Annual Rate per 1,000 persons represented by			NUMBER REGISTERED.																		
				DEATHS from			DEATHS.																	
										Caused by														
	Population.	Persons to an Acre.	BIRTHS.	All Causes.	Diseases, Cols. 11-19.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
TOTAL OF 22 TOWN DISTRICTS,	1,092,643	19·2	29·8	21·3	1·4	8,139	5,812	960	1,458	1	106	12	5	84	37	6	70	73	956	1,127	99	214	1,672
DUBLIN REGISTRATION AREA,	379,003	27·5	30·4	22·6	1·3	2,885	2,145	383	511	.	39	11	.	17	15	.	20	17	319	382	53	75	828
URBAN DISTRICTS.																							
BELFAST,	358,693	21·8	31·8	20·4	2·1	2,850	1,831	322	389	1	47	1	1	46	18	3	40	30	353	379	28	95	373
CORK,	76,122	33·6	25·3	19·7	0·7	482	375	39	110	.	2	.	.	5	.	1	1	5	70	65	3	10	139
LONDONDERRY,	40,729	18·8	30·6	19·2	1·5	312	195	31	54	.	9	.	.	1	1	.	1	3	27	54	2	6	23
LIMERICK,	38,151	18·1	31·5	20·3	0·3	300	194	26	54	.	.	.	.	.	.	.	.	3	24	53	.	2	64
WATERFORD,	26,769	18·7	22·6	17·6	0·6	151	118	12	38	.	.	.	.	1	.	.	.	3	30	17	2	4	43
GALWAY,	13,426	2·5	22·0	27·1	1·2	74	91	21	26	.	.	.	2	.	.	2	.	.	10	18	.	1	23
DUNDALK,	13,076	9·4	28·8	20·8	0·9	94	68	9	23	.	1	.	.	.	1	.	1	.	6	22	2	3	13
DROGHEDA,	12,760	8·6	23·5	18·5	.	75	59	4	12	.	.	.	.	.	.	.	.	.	7	.	.	1	21
NEWRY,	12,405	17·8	30·3	21·3	1·9	94	66	7	22	.	.	.	.	1	.	.	4	1	8	8	3	7	2
LURGAN,	11,782	13·8	35·0	18·7	0·3	103	55	7	13	.	1	.	.	.	.	.	.	.	15	9	.	.	18
LISBURN,	11,461	10·1	26·9	22·0	1·0	77	63	9	17	.	1	.	.	1	.	.	.	1	12	12	.	2	19
WEXFORD,	11,168	23·2	31·5	22·9	0·4	88	64	12	22	.	.	.	.	1	.	.	.	.	6	20	.	1	6
BALLYMENA,	10,886	8·9	22·8	19·1	1·8	62	52	10	23	.	3	.	.	.	.	.	1	1	6	9	1	1	2
SLIGO,	10,870	3·7	18·8	23·2	3·3	51	63	10	22	.	.	.	2	5	.	.	.	2	12	3	1	1	14
KILKENNY,	10,609	11·5	21·5	23·0	3·8	57	61	11	21	.	.	.	.	6	.	.	.	4	2	7	.	.	19
CLONMEL,	10,167	7·8	19·3	23·6	0·8	49	60	2	29	.	.	.	.	.	1	.	.	1	11	20	.	.	32
PORTADOWN,	10,092	13·2	31·3	21·8	.	79	55	17	15	.	.	.	.	.	.	.	.	.	4	14	1	2	.
TRALEE,	9,867	16·6	28·0	23·5	0·4	69	58	6	12	.	.	.	.	.	.	.	1	.	11	5	1	1	13
NEWTOWNARDS,	9,110	18·9	31·6	23·7	.	72	54	9	21	.	.	.	.	.	.	.	.	.	9	8	1	2	8
QUEENSTOWN,	7,909	14·4	27·8	23·3	2·5	55	46	9	9	.	3	.	.	.	.	.	.	2	10	15	1	.	3
ARMAGH,	7,588	22·2	31·6	20·6	1·1	60	39	4	15	.	.	.	.	.	1	.	1	.	4	7	.	.	9

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1902 that for each of the other districts is the population according to the Census of 1901.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 28th JUNE, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

REGISTRARS' DISTRICTS.	Population.*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 11-19.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Epidemic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	358,693	105	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		99	13	6	59	21	.	1	.	.	2	.	.	4	1	23	19	6	14	32
" 2 "		357			247	49	47	94	57	.	14	.	.	3	2	.	5	1	33	50	7	15	42
" 3 "		398			218	42	40	98	38	.	4	1	.	6	5	1	6	13	45	47	.	6	33
" 4 "		391			217	33	24	105	55	.	2	.	.	9	2	.	5	1	42	45	1	5	74
" 5 "		133			120	13	19	60	28	.	.	.	.	6	2	.	4	1	26	20	1	13	33
" 6 "		294			223	35	18	119	61	.	3	.	.	6	.	1	3	1	48	57	1	8	46
" 7 "		13			13	4	4	5	.	.	.	.	.	.	.	.	.	1	1	2	.	.	3
" 8 "		43			31	4	6	16	5	.	.	.	.	.	1	.	1	2	6	5	.	4	3
" 9 "		171			105	18	9	59	19		.	.	.	4	.	1	.	.	24	17	4	5	20
" 10 "		219			117	26	11	54	26	.	.	.	1	2	2	.	4	2	20	31	1	7	18
" 11 "		274			162	22	25	74	41	.	6	.	.	2	2	.	4	7	34	24	4	6	45
" 12 "		302			197	49	50	74	24	.	17	.	.	6	2	.	1	.	30	51	3	8	27
" 13 "		146			71	14	6	37	14	.	.	.	.	.	.	.	3	.	20	11	.	4	2
" 14 "		4			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Total,		2,850	20·4	2·1	1,831	322	265	855	389	1	47	1	1	46	18	3	40	30	358	379	28	95	373
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	76,122	74	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		75	4	4	38	29	.	.	.	.	.	.	1	.	.	15	12	1	2	47
" 2 "		93			56	3	10	25	13	.	1	.	.	2	.	.	.	1	8	15	1	1	16
" 3 "		73			61	7	4	36	14	.	1	.	.	.	.	.	.	.	14	12	.	.	23
" 4 "		60			43	7	4	23	9	.	.	.	.	.	.	.	.	.	9	2	.	.	7
" 5 "		38			22	3	2	8	9	.	.	.	.	1	.	.	1	.	.	4	.	.	2
" 6 "		56			17	.	1	13	3	.	.	.	.	.	.	.	.	1	5	1	.	1	1
" 7 "		88			101	10	10	48	33	.	.	.	.	2	.	.	.	3	19	19	1	5	43
Total,		482	19·7	0·7	375	39	35	191	110	.	2	.	.	5	.	1	1	5	70	65	3	10	139

* See note (*) on page 431.

GENERAL REGISTER OFFICE,

Charlemont House, Dublin. 30*th July*, 1902.

ROBERT E. MATHESON,

Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & Co. (Limited), 87, 88, and 89, Abbey-street.

P. 65. 4. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 5TH JULY, 1902. [No. 27.

General Register Office, Charlemont House, Dublin, 7th July, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 14.	Week ending June 21.	Week ending June 28.	Week ending July 5.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 14.	Week ending June 21.	Week ending June 28.	Week ending July 5.	Average Rate for 4 weeks
22 Town Dists.	19·2	18·9	19·0	21·0	19·5	Lisburn, . .	31·9	9·1	18·2	22·8	20·5
Armagh, . .	13·8	31·4	6·9	6·9	15·5	Londonderry, .	33·3	12·8	16·6	32·0	23·7
Ballymena, .	24·0	4·8	14·4	28·8	18·0	Lurgan, . .	26·6	8·9	4·4	35·4	18·8
Belfast, . .	16·4	20·9	16·6	21·4	18·8	Newry, . .	8·3	16·6	20·7	4·1	12·4
Clonmel, . .	0·0	20·4	51·1	15·3	21·7	Newtownards, .	22·9	40·1	22·9	23·6	28·6
Cork, . . .	16·5	16·5	18·5	24·0	18·9	Portadown, .	20·8	31·1	10·4	5·2	16·9
Drogheda, . .	0·0	32·7	12·3	8·2	13·3	Queenstown, .	26·4	6·6	39·7	13·2	21·5
Dublin Reg. Area,	19·7	17·9	19·9	19·1	19·2	Sligo, . . .	57·6	28·8	14·4	9·6	27·6
Dundalk, . .	39·9	16·0	16·0	12·0	21·0	Tralee, . .	31·9	5·3	10·6	26·6	18·6
Galway, . .	50·5	15·5	35·0	27·2	32·0	Waterford, .	7·8	21·4	9·7	11·7	12·7
Kilkenny, . .	14·9	24·8	64·6	14·9	29·8	Wexford, . .	23·4	28·0	9·3	46·7	26·8
Limerick, . .	12·3	13·7	28·8	31·5	21·6						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·2 in Cork; the 35 deaths from all causes in that district including 4 from measles, 2 each from whooping-cough and diphtheria, and one from diarrhœa. The 147 deaths registered in Belfast include 6 from measles, 7 from whooping-cough, 2 from enteric fever, and 4 from diarrhœa. Amongst the 25 deaths from all causes registered in Londonderry 2 were from measles and one each from enteric fever and diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 204—99 boys and 105 girls; and the deaths to 149—84 males and 65 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·5 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 19·1 per 1,000. During the twenty-seven weeks ending with Saturday last the death-rate averaged 25·0, and was 3·3 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 6 deaths from measles, 1 death from scarlet fever, 1 death from cerebro-spinal fever, 2 deaths from enteric fever, 1 death from epidemic diarrhœa and 1 from *diarrhœa*, and 1 death from epidemic pneumonia registered during the week.

Two deaths from tuberculous phthisis were registered, and 16 deaths were registered as *pulmonary phthisis*. There were 4 deaths from tuberculous meningitis and 2 deaths from tuberculous peritonitis registered, also 2 deaths registered as *tabes mesenterica*, and 4 deaths from other forms of tuberculous disease.

Two deaths were due to *malignant disease*, "*cancer*."

There were 14 deaths from diseases of the nervous system, including 5 deaths from *convulsions*. Of the latter 2 were infants under 1 month in age, 1 was over 1 month but under 1 year, and 2 were between the age periods of 1 year and 5 years.

Seventeen deaths were due to diseases of the heart and blood-vessels, including 3 from *apoplexy*, *hemiplegia*.

There were 30 deaths from diseases of the respiratory system, including 11 from bronchitis, 3 from broncho-pneumonia, and 14 from *pneumonia*. These deaths are equal to an annual rate of 4·1 per 1,000 of the estimated population of the Registration Area, the average rate for the corresponding period of the past 10 years being 2·9 per 1,000.

Seven deaths were due to accidental causes, including 3 from accidents with vehicles and horses and 2 deaths from drowning.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 8 were under one month old), and 37 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 7 were octogenarians.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse, 11 in the South Dublin Union Workhouse,

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·1 per 1,000; the rate in the City was 21·0 (17·5 on the North side, and 24·7 on the South), and in the Urban Districts 12·8.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 2·0 (1·4 in the North City Districts, and 2·6 in the South) and for the Urban Districts 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000. Measles and *diarrhœa* each caused 1 death, *phthisis* caused 2 deaths, and 1 death was due to *pneumonia*.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. Tuberculous phthisis caused 1 death, and 5 deaths were due to diseases of the respiratory system, including 1 from *pneumonia*. One death was caused by accidental violence.

No. 2 *North City District* (Lisburn-street).—The deaths (5) are equivalent to an annual rate of 8·7 per 1,000. *Phthisis* caused 1 death, 1 death also was caused by tuberculous disease, and *cancer* caused 1 death.

No. 3 *North City District* (Blackhall-place).—The deaths (14) represent an annual rate of 23·0 per 1,000. Measles and scarlet fever each caused 1 death. *Phthisis* was the cause of 2 deaths. Diseases of the respiratory system caused 5 deaths, including 3 from *pneumonia*. There was 1 death from accident.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 7·8.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 17·3 per 1,000. Measles, enteric fever, and *diarrhœa* each caused 1 death, there were 2 deaths from *phthisis*, and 1 death from broncho-pneumonia.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 30·5 per 1,000. There were 2 deaths from *phthisis* and 2 deaths from accidental violence.

No. 3 *South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 28·7 per 1,000. Enteric fever caused 1 death, and 2 deaths were due to phthisis; there were 6 deaths from diseases of the respiratory system, including 4 from *pneumonia*, and 1 death from pleurisy.

No. 4 *South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·4 per 1,000. There were 3 deaths from measles, 1 from tuberculous phthisis and 3 from *phthisis*; also 2 deaths from diseases of the respiratory system, one of which was due to *pneumonia*.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, was 28·6 per 1,000 inhabitants. One of the 4 deaths from all causes was from *pneumonia*.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 12·6 per 1,000 inhabitants; Pembroke, 14·0; Blackrock, 6·0; and Kingstown, 14·8. No deaths from any of the principal epidemic diseases were tabulated for these districts. There was 1 death each from *pneumonia* in Rathmines, Blackrock and Kingstown.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 14th June,	169 cases.
" " 21st June,	198 cases.
" " 28th June,	254 cases.
" " 5th July,	239 cases.

Of the 239 cases notified, 16 were erysipelas, 7 enteric fever, 10 scarlatina, 180 measles, 14 chicken-pox, 4 diphtheria, and 8 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 14th June,	No case.
" " 21st June,	7 cases.
" " 28th June,	3 cases.
" " 5th July,	5 cases.

Of the 5 cases notified, one was scarlet fever, one erysipelas, one diphtheria, and 2 enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 14th June,	23 cases.
" " 21st June,	29 cases.
" " 28th June,	38 cases.
" " 5th July,	41 cases.

Of the 41 cases notified, 34 were measles, 2 whooping-cough, one membranous croup, 2 enteric fever, and 2 diphtheria.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 14th June,	61 cases.
" " 21st June,	45 cases.
" " 28th June,	47 cases.
" " 5th July,	92 cases.

Of the 92 cases notified, 46 were enteric fever, 8 erysipelas, 12 diphtheria, 23 continued fever, and 3 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th July, 1902.

From this it appears that:—

Forty-eight cases of measles were admitted to hospital, 40 were discharged, there were 4 deaths, and 163 cases remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital, 7 cases were discharged, and 27 cases remained under treatment at the close of the week.

Ten cases of scarlatina were admitted to hospital, 17 cases were discharged, there was one death, and 61 cases remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 2 were discharged, there was one death, and 18 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 6 patients were discharged, there were 4 deaths, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·1), was equal to an average annual death-rate of 15·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·3 per 1,000, the rate for Glasgow being 17·8, and for Edinburgh 16·6.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th July, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 5th July, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	Not in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,522	18·7	32·8	21·0	2·2	388	439	76	96	.	18	1	1	10	2	.	5	9	62	86	17	28	137
Dublin Registration Area:— Total,‡	379,063	27·8	28·1	19·1	1·5	204	139	20	35	.	6	1	.	.	.	.	2	2	18	29	7	8	53
Registrars' Districts. City	293,394	37·8	30·7	21·0	2·0	173	118	16	31	.	6	1	.	.	.	.	2	2	17	25	6	7	48
Rathmines,‖	33,208	19·4	15·7	12·6	.	10	8	.	2	.	.	.	.	.	.	.	.	.	.	2	1	1	3
Donnybrook (part of Pembroke Urban District.)	26,025	16·0	26·0	14·0	.	18	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Blackrock,‖	8,759	8·1	.	6·0	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	23·7	14·8	.	8	5	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Urban Districts.																							
Belfast,	358,693	21·8	34·5	21·4	2·8	237	147	26	30	.	6	.	.	7	.	.	2	4	18	54	7	15	28
Cork,	75,978	33·5	39·1	24·0	6·2	57	35	8	5	.	4	.	.	2	2	.	.	1	4	3	.	.	12
Londonderry,	40,729	18·8	37·1	32·0	5·1	29	25	5	6	.	2	.	.	.	.	.	1	1	5	8	.	.	12
Limerick,	38,085	18·4	60·2	31·5	.	44	23	5	1	.	.	.	.	.	.	.	.	.	6	1	1	1	15
Waterford	26,748	18·6	13·6	11·7	.	7	6	1	2	.	.	.	.	.	.	.	.	.	2	2	.	.	2
Galway,	18,414	9·5	42·8	27·2	3·9	11	7	.	3	.	.	.	1	.	.	.	.	.	.	3	.	.	4
Dundalk	18,067	9·4	27·9	12·0	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Drogheda	12,765	8·1	24·5	8·2	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	29·0	4·1	.	7	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lurgan,	11,777	18·8	26·6	35·4	.	6	8	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Lisburn,	11,459	10·1	59·2	22·8	.	13	5	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1
Wexford,	11,154	28·2	32·7	46·7	4·7	7	10	3	2	.	.	.	.	.	.	.	.	1	1	1	.	.	2
Ballymena	10,880	10·9	24·0	28·8	.	5	6	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Sligo,	10,862	8·6	33·6	9·6	4·8	7	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Kilkenny,	10,493	11·4	19·9	14·9	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Clonmel,	10,209	7·9	25·5	15·3	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	18·1	10·4	5·2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Tralee,	9,812	16·7	47·8	26·6	.	9	5	1	3	.	.	.	.	.	.	.	.	.	.	2	.	1	3
Newtownards,	9,110	18·9	51·5	28·6	.	9	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
Queenstown,	7,887	14·7	33·1	13·2	.	5	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Armagh,	7,569	22·1	48·2	6·9	.	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 5th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	§71·4	39·4	58·9	0·27	§76·0	47·1	60·6	0·07	§68·5	48·7	53·5	0·92
City	a72·0	47·4	61·8	0·22	a74·7	53·1	68·0	0·07	a65·6	45·2	54·1	1·01
	b71·9	41·0	59·7	0·25	b74·9	49·0	61·2	0·05	b66·9	44·0	53·6	0·98
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook (part of Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	71	46	61·2	0·34	72·5	52	61·1	0·05	61·5	45	53·8	0·62
Urban Districts.												
Belfast,	76·1	42·1	60·6	0·38	77·7	49·1	60·7	0·20	62·7	45·1	52·6	1·15
Cork,	.	.	.	.	74	52	59·4	0·16	68	46	53·3	1·49
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	85	48	64	0·32	85	51	65	0·14	70	45	51	0·24
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	73·2	42·0	59·1	0·33	75·9	49·3	61·7	0·13	64·2	44·2	53·5	0·47
Newry,	73·2	42·0	59·1	0·33	75·9	49·3	61·7	0·13	64·2	44·2	53·5	0·47
Lurgan,	73·2	42·0	59·1	0·33	75·9	49·3	61·7	0·13	64·2	44·2	53·5	0·47
Lisburn,	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	79·3	45·1	60·8	0·28	77·7	49·0	63·6	0·09	65·8	41·5	54·5	0·68
Sligo,	78	43	61·4	0·00	77	54	60·4	0·06	67	45	54·2	0·74
Kilkenny,	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	73·2	42·0	59·1	0·33	75·9	49·3	61·7	0·13	64·2	44·2	53·5	0·47
Portadown	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	.	.	.	.	71	47	57·2	0·08	57	44	51·3	0·64
Newtownards,	.	.	.	.	74	52	59·4	0·16	68	46	53·3	1·49
Queenstown,	73·2	42·0	59·1	0·33	75·9	49·3	61·7	0·13	64·2	44·2	53·5	0·47
Armagh,	.	.	.	.	.	.	.	.	.	.	.	.

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† As it has been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been [illegible] and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 10 deaths of persons [illegible]

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District

a Observations by Sir J. W. Moore taken at Fitzwilliam Square.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 5th of July, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROOK.	KINGSTOWN.		
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	1	.	.	1	.	.	.	.	1	.	.	3	.	.	.		.	.	.	.	6	.
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.		.	.	.	.	2	.
Diarrhœa, Dysentery,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.	.	.	.	2	.
Phthisis,	2	1	1	2	.	.	.	.	2	2	2	4	.	1	.		.	.	.	1	18	.
Other General Diseases,	1	1	2	2	.	1	.	.	2	.	3	1	.	.	.		1	5	.	1	20	3
Total,	5	2	3	6	.	1	.	.	7	2	6	8	.	1	.		1	5	.	2	49	3
B. LOCAL DISEASES:																						
Diseases of Nervous System,	2	2	.	.	.	1	.	.	2	2	1	1	.	.	.		1	1	.	.	13	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.		.	.	1
Diseases of Heart and Blood Vessels,	2	1	1	.	.	.	.	.	1	1	4	1	.	.	.		2	1	.	1	15	2
Diseases of Respiratory System,	1	5	1	5	.	.	.	.	1	3	6	2	.	1	.		2	.	1	1	29	1
Diseases of Digestive System,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.		1	.	.	.	3	.
Diseases of Lymphatic System, &c.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Diseases of Urinary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.		.	.	.	.	2	1
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Total,	5	11	2	6	.	1	.	.	4	6	12	6	.	1	.		6	2	1	2	65	6
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	1	.	1	.	2	1	.	2	.	5	3	.	1	.		.	.	.	1	18	1
E. VIOLENT DEATHS,	.	1	.	1	1	.	.	.	.	2	.	.	.	1	.		1	.	.	.	7	.
Deaths from all Causes,	11	15	5	14	1	4	1	.	13	10	23	17	.	4	.		8	7	1	5	139	10
Annual Rate of Mortality in every 1,000 of the population.	20·2	20·0	8·7	23·0	10·8	20·8	7·8	.	17·3	30·5	28·7	25·4	.	28·6	.		12·6	14.0	6·0	14·8	19·1	
	17·5								24·7								12·8					
	21·0																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	2	3	4	.	.	.	.	4	5	8	5	.	.	.		3	.	.	1	35	9
Workhouse Hospitals,	2	2	.	3	.	.	1	.	3	.	5	1	.	.	.		.	1	.	.	18	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis ed week of the ten years, 12-

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1892-1901	In the Week ending Satu ay 5th July, 1902. Deaths of Persons of the A s					
	July 9, 1892.	July 8, 1893.	July 7, 1894	July 6, 1895.	July 4, 1896.	July 10, 1897.	July 9, 1898.	July 8, 1899.	July 7, 1900.	July 6, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	57·1	60·8	59·8	57·0	59·2	56·5	57·0	60·6	56·2	58·9	58·3	Mean Temp. 58·9					
ALL CAUSES.	146	165	118	167	172	145	136	156	124	153	148·2	149	8	13	20	14	30
Small Pox, Vaccinated	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	13	6	.	.	.	.	.	5	.	.	2·4	6	.	.	5	1	.
Scarlet Fever, ...	.	1	.	2	6	1	2	.	.	.	1·2	1	.	.	1	.	.
Typhus, ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	3	3	4	2	3	1	3	1	6	2·6	.	.	.	.	.	.
Whooping Cough, ...	2	2	1	1	5	2	3	1	3	2	2·2	.	.	.	.	.	.
Diphtheria, ...	1	.	.	1	.	2	.	1	.	3	·8	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Simple Continued Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.
Enteric Fever, ...	1	3	.	1	3	1	.	3	2	2	1·6	2	.	.	.	1	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	3	23	4	7	18	2	.	3	2	1	6·3	1 1	. .	. .	1 1	. .	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Venereal Disease, ...	.	.	.	1	.	1	.	1	.	.	·3	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	.	.	.	.	.	.	.	.	·1	. . .	. .	. .	. .	. .	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Erysipelas, ...	1	1	1	1	.	.	.	.	1	.	·5	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	2	.	.	.	1	1	.	3	·8	. .	. .	. .	. .	. .	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	9	23	19	28	20	24	18	26	26	19	21·2	2 16	. .	. .	. .	. 2	1 9
Tuberculous Meningitis, (Acute Hydrocephalus).	6	2	2	7	6	4	3	8	3	3	4·4	4	.	.	2	1	1
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	4	2	6	4	6	2	5	2	2	6	3·9	2 2	. .	. 2	1 .	1 .	.
Tuberculous Dis. (other), ... Scrofula, ...	7	6	.	2	3	4	3	3	6	5	3·9	4 .	. .	. .	. .	1 .	3 .
Alcoholism, ...	.	1	.	.	.	2	1	.	.	1	·5	.	.	.	.	.	.
Rheumatic Fever, ...	1	1	.	.	.	.	1	1	1	.	·5	.	.	.	.	.	.
Gout	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.

* The figures for the years 1892-1900 ar

VENTY-SEVENTH WEEK ending Saturday, 5th July, 1902, with the deaths from each cause in the corresponding e average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: July 9, 1892.	July 8, 1893.	July 7, 1894.	July 6, 1895.	July 4, 1896.	July 10, 1897.	July 9, 1898.	July 8, 1899.	July 7, 1900.	July 6, 1901.	Averages in 27th Week of the 10 years 1892-1901.	In the Week ending Saturday, 5th July, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 57·1	° 60·8	° 55·8	° 57·0	° 59·2	° 56·5	° 57·0	° 60·6	° 56·2	° 58·9	58·3	Mean Temp. ° 58·9								
noma												.	.	.	.	.	.	.	.	.
ma	1	4	2	2	6	7	6	5	3	7	4·3	.	.	.	.	.	.	.	.	.
nant Dis. "Cancer,"												2	.	.	.	.	1	1	.	.
tes Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ature Birth	1	1	4	2	1	3	4	5	3	4	2·8	3	3	.	.	.	.	.	.	.
ngitis (not tuberc.)												4	.	1	.	2	.	1	.	.
ity, G. P. of Insane												1	.	.	.	.	1	.	.	.
psy												.	.	.	.	.	.	.	.	.
lsions												5	2	1	2	.	.	.	.	.
notor Ataxy												.	.	.	.	.	.	.	.	.
legia Dis. of Cord												2	.	.	.	.	.	.	2	.
ous System (other Dis.) ...	33	24	25	36	34	30	32	34	22	33	30·3	2	.	.	.	.	.	.	1	1
Dis., Endocarditis												4	.	.	.	.	3	.	1	.
r. Hæm. Thromb.												.	.	.	.	.	.	.	.	.
exy, Hemiplegia												3	.	.	.	.	.	1	2	.
rysm												.	.	.	.	.	.	.	.	.
lism, Thromb. (not cerebral) and Blood Vessel Dis.												.	.	.	.	.	.	.	.	.
												10	1	.	.	.	2	5	2	.
(not Spasm or Memb.) ...	2	.	.	2	.	.	1	.	2	.	·7	.	.	.	.	.	.	.	.	.
hitis	14	14	7	16	5	4	10	12	8	8	9·8	11	.	3	2	.	.	3	3	.
ous Pneumonia												.	.	.	.	.	.	.	.	.
ho-Pneumonia	12	7	7	9	10	7	6	11	5	5	7·9	3	.	.	1	1	1	.	.	.
monia"												14	.	1	2	2	1	5	2	1
a, Emphysema												.	.	.	.	.	.	.	.	.
sy	.	1	.	4	2	7	1	1	.	2	1·8	1	.	.	.	.	.	.	1	.
ratory Dis. (other)												1	.	.	.	.	.	1	.	.
litis, Quinsy	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
tis (not Epid.)	.	3	2	.	2	.	1	.	.	1	·9	.	.	.	.	.	.	.	.	.
Enteritis												1	.	1	.	.	.	.	.	.
nitis (not Puerp.)	.	.	1	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
sis of Liver	2	3	2	3	.	1	.	.	1	2	1·4	.	.	.	.	.	.	.	.	.
Dis. (other)												1	.	.	.	.	.	.	1	.
ive Dis. (other)	3	4	2	3	8	6	6	2	2	7	4·3	1	.	.	.	.	.	1	.	.
itis, Acute												1	.	.	.	.	1	.	.	.
's Dis., Albuminuria ...	.	2	2	2	3	7	3	3	3	6	3·1	.	.	.	.	.	.	.	.	.
ry Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
ative Organs Dis.	1	.	.	1	2	.	.	.	.	1	·5	1	.	.	.	.	.	1	.	.
irth (Accid. of)	2	.	.	.	.	.	.	.	.	1	·3	3	.	.	.	.	3	.	.	.
ge	9	8	8	13	9	7	10	9	10	7	9·0	12	.	.	.	.	.	.	9	3
Diseases	12	15	8	12	18	12	14	10	11	11	12·3	12	1	3	1	.	1	3	2	1
ACCIDENT.																				
llways	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
nicles and Horses	2	.	.	.	.	1	.	.	.	2	·5	3	.	1	1	1	.	.	.	.
ps, Boats, Docks (exclusive rowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
lding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
flagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions ...	1	.	.	1	.	1	2	.	2	.	·7	.	.	.	.	.	.	.	.	.
owning	1	.	3	.	2	.	.	.	.	2	·8	2	.	.	.	.	1	.	.	1
location in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
son or Poisonous Vapours...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	1	1	4	2	1	.	1	2	3	2	1·7	2	.	.	.	.	.	.	2	.
IOLENCE OTHER THAN ACCIDENTAL.																				
ide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
e	.	1	3	.	.	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
cion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																									
	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
Births registered,	204	208	215	152	222	177	248	193	220	239	198	229	199	237	226	195	255	232	202	209	234	249	192	242	213	204
*Average Births in corresponding week of previous 10 years,**	203	193	197	207	208	195	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186
Deaths registered,	186	177	158	169	181	200	248	218	222	154	167	211	203	206	174	199	191	178	186	149	165	156	155	139	149	149
Annual Death-rate per 1,000,	25·6	24·4	21·7	23·8	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5
*Average Deaths in corresponding week of previous 10 years,**	236	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148
Ages, Under 5 years,	38	54	36	38	46	40	60	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41
5—20 "	15	10	14	11	12	18	16	17	12	22	17	20	17	16	12	19	20	13	20	16	24	14	19	15	11	14
20—40 "	35	19	27	31	36	34	37	30	29	23	32	39	33	42	28	20	31	33	39	34	28	32	29	23	23	30
40—60 "	41	42	33	43	39	47	55	48	46	35	40	52	51	41	37	50	39	33	37	21	35	38	24	26	27	27
60—80 "	48	44	37	36	36	49	70	52	67	28	26	43	45	40	32	44	42	35	32	36	27	17	27	32	26	30
80 years and upwards,	9	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9	8	8	7	6	5	5	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6	8	2	2	3	4	5	3	6
" Scarlet Fever,	.	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2	1	1	.	1	2	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	.	.	1	1	2	.	2	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.
" Diphtheria,	3	1	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.	2	1	1	1	.	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	.	1	2	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2
" Diarrhœa, Dysentery,	1	2	4	.	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1	.	.	2
" Phthisis,	30	20	9	33	31	7	27	33	38	17	36	37	27	27	25	20	25	23	30	25	27	40	26	26	15	18
" Heart Diseases,	18	18	12	12	23	18	22	14	15	17	18	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17
" Diseases of Respiratory System,	34	3	35	47	36	48	82	73	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30
Violent Deaths,	6	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4	3	4	4	6	10	.	4	7
Mean Temperature of the Air (Phœnix Park),	44·7	37·3	45·0	34·9	35·7	29·9	40·5	46·0	44·3	44·9	44·4	43·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9
Average Mean Temperature in corresponding week of previous 10 years,	38·4	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3
Rainfall in inches,	·800	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·845	·195	·158	1·025	·725	·915	·065	·270
Mean Humidity of the Air, complete Saturation 1·0,	·87	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·88	·88	·82	·86	·80	·88

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th July, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols. 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH JULY, 1902.																								
	Cols.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	22·4	149	41	14	30	27	30	7	.	6	1	.	.	.	.	2	2	11	18	5	30	7	78
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	20·3	6	.	1	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
II.	MIDDLE CLASS,	80,653	14·9	23	5	3	5	5	4	1	.	.	.	.	.	.	.	1	.	1	2	.	3	1	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	18·6	35	7	2	11	6	8	1	.	.	.	.	.	.	.	.	.	.	6	1	7	3	18
IV.	GENERAL SERVICE CLASS,	146,486	29·2	66	28	7	11	10	9	1	.	6	1	.	.	.	.	1	2	10	7	4	17	3	25
V.	INMATES OF WORKHOUSES,	5,191		19	1	1	3	4	7	3	.	.	.	.	.	.	.	.	.	.	3	.	2	.	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	9·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	1	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	6. Clerks and Commercial Assistants,	24,750	12·6	6	2	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	21·4	10	2	3	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2	1	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	9. Building and Furnishing Trades,	26,030	18·0	9	2	2	2	1	2	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	4
	10. Clothing Trades,	23,686	13·2	6	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	3
	11. Food Supply Trades,	7,869	13·3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	21·5	11	2	.	4	2	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	7
	13. Petty Shopkeepers,	6,771	30·8	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	2	1	1	.	3	.	.	.	1	.	.	.	.	.	.	1	2	.	2	1	1
	15. Domestic Servants,	39,563	5·3	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5
	17. Hawkers, Porters, Labourers, &c.,	82,681	30·9	49	23	5	7	8	5	1	.	6	.	.	.	.	.	1	2	9	5	3	13	2	17
	INMATES OF WORKHOUSES.																								
	Workhouse Inmates,	5,191	.	19	1	1	3	4	7	3	.	.	.	.	.	.	.	.	.	.	3	.	2	.	14

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,338.	May 17,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	7	.
		„ 24,	28·9	.	18	.	.	.	.	.	.	.	.	.	3	4	.
		„ 31,	29·4	1·8	16	.	.	.	.	.	.	.	1	.	3	6	.
		June 7,	25·4	.	14	.	.	.	.	.	.	.	.	.	5	3	.
		„ 14,	28·9	1·8	18	.	.	.	.	.	.	.	1	.	.	3	2
		„ 21,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	5	1	1
		„ 28,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		July 5,	20·2	8·7	11	.	1	.	.	.	.	.	.	1	2	.	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	May 17,	22·6	2·6	17	.	.	.	.	.	.	.	2	.	4	2	.
		„ 24,	29·3	1·8	22	.	.	.	.	.	.	.	.	1	2	8	1
		„ 31,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	3	2
		June 7,	18·6	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 14,	18·3	1·3	10	.	1	.	.	.	.	.	.	.	2	2	1
		„ 21,	22·6	1·3	17	.	1	.	.	.	.	.	.	.	3	3	.
		„ 28,	20·0	2·6	15	.	2	.	.	.	.	.	.	.	3	6	.
		Jaly 5,	20·0	.	15	.	.	.	.	.	.	.	.	.	1	5	1
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	May 17,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	1
		„ 24,	27·7	.	16	.	.	.	.	.	.	.	.	.	4	.	1
		„ 31,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	5	8	.
		June 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 14	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	2	.
		July 5,	8·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	May 17,	23·0	3·3	14	.	.	1	.	.	1	.	.	.	1	1	1
		„ 24,	21·4	.	18	.	.	.	.	.	.	.	.	.	5	2	.
		„ 31,	18·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		June 7,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	1	1
		„ 14,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	.	2
		„ 21,	9·9	.	6	.	.	.	.	.	.	.	.	.	3	.	.
		„ 28,	23·0	3·3	14	.	.	.	.	.	.	.	2	.	1	3	.
		July 5,	23·0	3·3	14	.	1	1	.	.	.	.	.	.	2	5	1
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	May 17,	33·3	1·3	25	.	.	.	.	.	1	.	.	.	5	2	.
		„ 24,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	3	2	.
		„ 31,	18·6	2·7	14	.	.	.	.	.	2	.	.	.	2	4	.
		June 7,	17·3	.	13	.	.	.	.	.	.	.	.	.	7	1	.
		„ 14	22·6	.	17	.	.	.	.	.	.	.	.	.	4	1	1
		„ 21,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	4	4	.
		July 5,	17·3	4·0	13	.	1	.	.	.	.	.	1	1	2	1	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	May 17,	·6	.	12	.	.	.	.	.	.	.	.	.	3	1	.
		„ 24,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
		„ 31,	33·5	3·0	11	.	.	1	.	.	.	.	.	.	2	1	.
		June 7,	30·5	.	10	.	.	.	.	.	.	.	.	.	5	2	.
		„ 14,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	45·7		15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 28,	15·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		ly 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	3	2
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	May 17,	35·0	4·8	28	.	2	.	.	1	1	.	.	.	4	8	.
		„ 24,	18·7	.	11	.	.	.	.	.	.	.	.	.	1	1	1
		„ 31,	30·0	.	24	.	.	.	.	.	.	.	.	.	6	2	1
		June 7,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	4	.
		„ 14,	17·5	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 21,	16·2	1·2	13	.	1	.	.	.	.	.	.	.	3	.	.
		„ 28,	33·7	1·2	27	.	1	.	.	.	.	.	.	.	3	3	1
		July 5,	28·7	1·2	23	.	.	.	.	.	.	.	1	.	2	6	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,898.	May 17,	26·9	3·0	18	.	1	.	.	1	.	.	.	.	2	2	.
		„ 24,	22·4	.	15	.	.	.	.	.	.	.	.	.	3	1	.
		„ 31,	29·9	4·5	20	.	2	.	.	1	.	.	.	.	.	6	.
		June 7,	34·4	4·5	23	.	2	.	.	.	1	.	.	.	4	7	.
		„ 14,	28·4	4·5	19	.	2	.	.	1	.	.	.	.	5	3	.
		„ 21,	16·4	6·0	11	.	2	1	.	.	1	.	.	.	1	.	1
		„ 28,	20·9	.	14	.	.	.	.	.	.	.	.	.	1	1	2
		July 5,	25·4	4·5	17	.	.	.	.	.	.	.	.	.	4	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	May 17,	23·6	3·1	15	.	.	.	.	1	.	.	.	1	2	.	.
	„ 24,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 31,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	3	1
	June 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	18·8	4·7	12	.	1	.	.	.	1	.	.	1	3	2	.
	„ 21,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	2	.	.
	July 5,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	May 17,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	1	2	.
	„ 31,	16·0	.	8	.	1	.	.	.	.	.	.	.	1	1	.
	June 7,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	1	1	.
	„ 14,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	.	2	1
	„ 21,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 2	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Jnly 5,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown. Pop. in 1902 (Est.) 17,622.	May 17,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 24,	5·9	3·0	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 31,	29·6	.	10	.	1	.	.	.	.	.	.	.	.	2	.
	June 7,	17·8	.	6	.	.	1	.	.	.	.	.	.	.	1	.
	„ 14,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 21,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 28,	20·7	3·0	7	.	.	.	.	.	.	.	2	.	.	.	.
	July 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1902 (Est.) 358,693.	May 17,	20·6	1·6	142	.	4	.	.	3	1	1	.	2	29	27	5
	„ 24,	22·1	1·7	152	.	3	.	.	4	1	.	3	1	26	32	1
	„ 31,	20·2	2·2	139	.	4	.	1	2	.	.	3	5	26	23	3
	June 7,	19·0	1·9	131	.	3	.	.	6	1	.	2	1	26	22	3
	„ 14,	16·4	2·5	113	1	2	.	.	1	3	.	6	4	21	20	2
	„ 21,	20·9	2·6	144	.	7	.	.	4	1	.	5	1	30	25	2
	„ 28,	16·6	2·9	114	.	6	.	.	3	2	1	5	3	22	18	1
	July 5,	21·4	2·8	147	.	6	.	.	7	.	.	2	4	18	34	7
Cork. Pop (in 1901) 75,978.	May 17,	23·3	.	34	.	.	.	.	.	.	.	.	.	6	6	.
	„ 24,	21·3	.	31	.	.	.	.	.	.	.	.	.	3	6	.
	„ 31,	16·5	1·6	24	.	.	.	.	1	.	.	.	1	5	7	.
	June 7,	17·8	0·7	26	.	.	.	.	.	.	1	.	.	6	5	.
	„ 14,	16·5	2·1	24	.	1	.	.	1	.	.	.	1	2	5	.
	„ 21,	16·5	0·7	24	.	.	.	.	.	.	.	.	1	6	3	.
	„ 28,	18·5	0·7	27	.	1	.	.	.	.	.	.	.	7	4	.
	July 5,	24·0	6·2	35	.	4	.	.	2	2	.	.	1	4	3	.
Londonderry. Pop. in 1902 (Est.) 40,729.	May 17,	15·4	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	26·9	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1
	„ 31,	21·8	3·8	17	.	3	.	.	.	.	.	.	.	.	5	.
	June 7,	20·5	3·8	16	.	3	.	.	.	.	.	.	.	2	2	.
	„ 14,	33·3	2·6	26	.	2	.	.	.	.	.	.	.	4	5	.
	„ 21,	12·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 28,	16·6	.	13	.	.	.	.	.	.	.	.	.	1	6	.
	July 5,	32·0	5·1	25	.	2	.	.	.	.	.	1	1	5	8	.
Limerick. Pop. in 1901) 38,085.	May 17,	8·2	1·4	6	.	.	.	.	.	.	.	.	1	2	2	.
	„ 24,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 31,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	June 7,	20·6	.	19	.	.	.	.	.	.	.	.	.	4	[illegible]	.
	„ 14,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 21,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 28,	28·8	.	21	.	.	.	.	.	.	.	.	.	2	7	.
	July 5,	31·5	.	23	.	.	.	.	.	.	.	.	6	1	1	.
Waterford. Pop. (in 1901) 26,748.	May 17,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	2	1
	„ 24,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	6	.	.
	June 7,	27·3	3·9	14	.	.	.	.	1	.	.	.	1	4	2	.
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	21·4	.	11	.	.	.	.	.	.	.	.	.	6	2	1
	„ 28,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	July 5,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 5th July, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,698	10	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		9	2	2	3	2	.	.	.	.	2	.	.	.	.	1	1	.	1	.
" 2 "		44			28	2	7	10	4	.	3	.	.	1	.	.	.	.	1	5	1	2	5
" 3 "		26			22	3	6	9	4	.	2	.	.	2	.	.	.	1	3	8	1	2	3
" 4 "		22			13	1	3	6	3	.	1	.	.	.	.	.	2	.	2	3	.	.	4
" 5 "		10			10	3	3	4	.	.	.	.	.	1	.	.	.	1	2	5	.	.	2
" 6 "		19			17	4	1	6	6	.	.	.	.	.	.	.	.	2	.	2	1	2	7
" 7 "		8			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "		10			14	3	.	6	5	.	.	.	.	.	.	.	.	.	1	4	2	2	2
" 10 "		19			6	1	.	3	2	.	.	.	.	.	.	.	.	.	3	.	.	1	2
" 11 "		24			13	3	1	7	2	.	.	.	.	.	.	.	.	.	3	2	1	1	1
" 12 "		33			12	3	3	6	.	.	.	.	.	1	.	.	.	.	2	4	1	2	.
" 13 "		14			6	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	1
" 14 "		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	—	237	21·4	2·8	147	26	27	64	30	.	6	.	.	7	.	.	2	4	13	34	7	15	23
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	1	1	4	1	.	1	.	.	1	.	.	.	.	1	2	.	.	2
" 2 "		9			9	4	1	3	1	.	1	.	.	.	.	.	.	1	1	.	.	.	5
" 3 "		13			7	2	1	2	2	.	.	.	.	1	.	.	.	.	1	1	.	.	1
" 4 "		5			2	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "		8			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 6 "		6			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		9			8	.	.	7	1	.	.	.	.	.	2	.	.	.	1	.	.	.	2
Total,	—	57	24·0	6·2	35	8	4	18	5	.	4	.	.	2	2	.	.	1	4	3	.	.	12

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Jan. 11.	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered,	195	187	212	188	189	201	246	207	277	226	239	175	265	216	215	245	192	229	231	201	244	217	211	209	175	237
DEATHS registered.	125	126	151	130	123	169	205	188	136	161	154	151	158	168	149	153	119	149	142	152	139	131	113	144	114	147
Annual Death-rate per 1,000 of estimated Population,*	18·2	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4
AGES, Under 1 year,	22	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16	20	26	22	26
AGES, 1–5 years,	11	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23	12	24	16	25	24	20	14	22	20	27
AGES, 5–60 years,	62	61	68	66	58	86	91	91	57	74	68	74	75	80	67	76	57	67	71	67	63	61	52	69	50	64
AGES, 60 years and upwards,	30	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21	34	27	27	22	30
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Measles,	2	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3	2	7	6	6
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Whooping-cough,	3	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4	3	4	2	6		4	3	7
,, Diphtheria,	1	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.
,, Enteric Fever,	2	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2
,, Diarrhœa, Dysentery,	2	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4
,, Phthisis	18	24	14	21	18	33	25	28	21	18	19	30	30	26	31	25	29	32	29	26	26	26	21	30	22	18
,, Diseases of Respiratory System,	34	21	52	27	46	58	55	58	33	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34
Violent Deaths,	3	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3	2	2	1	7

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th July, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Fever.	Undefined Fever.	Total.
North City No. 1, East,	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4
" " 1, West,	.	28	.	1	.	.	.	.	2	.	1	.	1	.	.	33
" " 2,	.	14	.	.	.	.	.	.	3	.	2	.	.	.	.	19
" " 3,	.	3	.	1	.	.	.	.	2	.	.	.	4	.	.	10
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra No. 1 (part of),	.	5	.	1	.	.	.	.	.	1	.	.	.	.	.	7
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1,	.	33	.	2	.	.	.	.	.	5	9	.	4	.	.	53
" " 2,	.	7	.	.	.	.	.	.	1	.	1	.	.	.	.	9
" " 3,	.	27	.	2	.	.	2	.	.	.	1	.	5	.	.	37
" " 4,	.	52	.	2	.	.	1	.	.	1	1	.	.	.	.	57
Palmerston (part of),	.	5	.	1	.	.	.	.	.	.	1	.	.	.	.	7
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	180	.	10	.	.	4	.	8	7	16	.	14	.	.	239
Total for week ended June 28th, 1902,	.	191	.	14	.	.	5	.	1	15	20	.	7	1	.	254
Total for week ended June 21st, 1902,	.	125	.	14	.	.	5	.	3	11	20	1	19	.	.	198
Total for week ended June 14th, 1902,	.	123	1	5	.	.	3	.	.	9	15	.	11	1	1	169

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th July, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th July.			
	June 14.	June 21.	June 28.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	1	.	.	.	.	.	.
Measles,	149	141	159	48	40	4	163
Scarlet Fever,	76	76	69	10	17	1	61
Typhus "	.	.	.	.	.	.	.
Diphtheria,	18	15	17	4	2	1	18
Enteric Fever,	25	25	26	8	7	.	27
Pneumonia,	19	18	18	7	6	4	15

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,579,107	July 5,	2,663	1,325	15·1	13	35	13	16	47	15	22
EDINBURGH, .	317,885	„ 5,	160	103	16·6	.	6	1	2	2	.	2
GLASGOW, . .	764,423	„ 5,	548	265	17·8	.	3	4	2	10	.	13
CALCUTTA, . .	847,793	May 3,	.	881	54·0	8	.	.	.	.	77§	148*
BOMBAY, . .	776,006	June 12,	383	627	42·0	11	14	?	?	2	62§	54*
MADRAS, . .	509,346	May 9,	382	394	40·2	1	8	?	?	?	143	56
PARIS, . . .	2,660,559	June 14,	1,177	873	18·1	1	29	4	11†	15	6	27
BRUSSELS (with 8 Faubourgs).	582,665	„ 14,	235	174	15·5	.	1	.	.	1	.	14
AMSTERDAM, .	534,013	„ 21,	309	168	16·4	.	20	.	4	4	.	12
ROTTERDAM .	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	400,570	June 14,	202	125	16·2	.	2	2	.	3	.	11
CHRISTIANIA, .	224,909	„ 14,	151	55	12·7	.	.	.	1	3	.	2
ST. PETERSBURG,	1,248,643	„ 14,	478	578	24·1	1	18	4	18	3	16	58
BERLIN, . .	1,901,406	May 17,	879	622	17·0	.	8	4	3	5	.	27
HAMBURG, . .	724,835	June 14,	.	217	15·6	.	2	4	1	5	1	6
DRESDEN . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH, . .	506,000	June 21,	.	215	22·1	.	2	1	2†	1	.	38
VIENNA (with suburbs).	1,726,604	„ 21,	1,005	623	18·8	.	10	7	5†	2	1	46
BUDA-PESTH .	767,661	„ 14,	431	297	20·1	.	7	6	1	.	4	21
PRAGUE and Faubourgs	416,817	„ 14,	198	203	25·3	.	.	5	1†	.	3	15
ROME, . . .	472,298	May 3,	.	.	.	.	.	.	.	.	.	.
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	165,350	June 7,	69	49	15·4	.	.	.	.	.	1	2
NEW YORK, .	3,632,501	„ 14,	1,623	1,163‡	16·7	13	12	20	48†	14	14	54
PHILADELPHIA, .	1,293,697	„ 14,	.	412	16·6	3	7	6	17	3	7	3

* Including 82 deaths from cholera in Calcutta, 2 in Bombay, and 1 in Madras.
† Including deaths from croup.
‡ Deaths of infants under 1 week not included.
§ Exclusive of 441 deaths from bubonic fever in Calcutta, and 101 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 5th July, 1902:—

"At times changeable, the weather of this week was on the whole most favourable—sunshine and showers alternating in a way which exactly suited vegetation. The week opened with a continuance of the bright, warm weather which had prevailed since the summer solstice. A large shallow depression, however, lay over St. George's Channel, the English Channel, and the Bay of Biscay. This system was responsible for electrical disturbances in several parts of England and Ireland. A sharp thunderstorm broke out between Holyhead and Dublin on Sunday afternoon, the resulting rainfall exceeding half an inch (·54 inch) at the former place, but varying much in Dublin and its vicinity. Between Monday and Tuesday mornings a great change took place in the distribution of atmospheric pressure—it became lowest over the North Sea and Scandinavia, where it had been relatively high, highest over Brittany and the S.W. of Ireland. This reversal of pressure brought N. winds with a brisk fall of temperature, and caused severe thunderstorms in the S.E. of England—2·25 inches of rain fell at Ipswich and ·84 inch in London on Tuesday. The high pressure area in the S.W. now travelled eastwards, and by Thursday S.W. winds and rain were established in Ireland—by 9 a.m. of Friday ·99 inch was measured at Valentia, Kerry. Except for some passing showers on Friday, the weather was very fine to the end of the week in Dublin, where the mean height of the barometer was 30·083 inches, the extremes being, lowest, 29·946 inches at 9 p.m. of Sunday (wind, E.), highest, 30·240 inches at 9 a.m. of Saturday (wind, E.). The corrected mean temperature was 61·8°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 61·4°. The screened thermometers rose to 72·0° on Monday and fell to 47·4° on Wednesday. Bright sunshine was estimated at 61 hours. The prevaling wind was E.N.E. The rainfall was ·221 inch on three days, ·141 inch being measured on Thursday. Thunder and lightning occurred on Sunday. A solar halo appeared on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·084 inches. The highest reading (30·242) was on Saturday at 9 a.m., wind E., and the lowest (29·945) on Sunday at 9 p.m., air calm.

The mean temperature for the week was 58·9°, being 0·6 over the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Monday, on which day the thermometer registered 71·4°, and was lowest on Wednesday, the mercury having fallen to 39·4°. The mean of the Dry Bulb for the week was 59·9°, and of the Wet Bulb 56·9°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 53·4 hours. The rainfall measured ·270 inch.

At Greenwich the mean temperature for the week was 62·1°, the maximum 80·7°, and the minimum 45·2°; at Glasgow the maximum was 75·0°, the minimum 46·2°, and the mean 60·2°; and at Edinburgh the maximum was 74·0°; the minimum 43·6°, and the mean 55·7°. The rainfall at Greenwich measured 0·58 inch; at Glasgow 0·95 inch; and at Edinburgh 0·27 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, June 29,	29·962	70·0	49·0	59·5	61·7	58·4	·82	·1	14·8	·020	N.E.	Calm.
Monday, " 30,	29·970	71·4	51·9	61·7	63·0	58·3	·75	·2	9·5	·000	Calm.	Calm.
Tuesday, July 1,	30·056	65·3	47·9	56·6	55·6	53·6	·88	·1	6·3	·000	W.	Calm.
Wednesday, " 2,	30·229	68·0	39·4	53·7	57·8	54·3	·79	·5	10·9	·000	E.	S.W.
Thursday, " 3,	30·096	65·3	50·9	58·1	60·1	56·9	·82	·7	0·2	·135	S.W.	S.
Friday, " 4,	30·065	70·0	55·9	63·0	62·3	60·5	·90	·4	0·7	·015	S.W.	N.W.
Saturday, " 5,	30·210	64·8	51·2	59·5	58·5	56·5	·88	·1	11·0	·000	E.	Calm.
Mean . . .	30·084	67·8	49·9	58·9	59·9	56·9	·83	·3	Total 53·4	·270	Prevailing Wind —	

Sunday—A beautiful day; thunderstorm 6.45 to 7.45 p.m.; night cloudy. *Monday*—A fine but cloudy day; night clear p.m.; cloudy a.m. *Tuesday*—A cloudy day; night clear; ground fog 9.0 p.m. to 5.0 a.m. *Wednesday*—Bright a.m.; cloudy p.m.; night cloudy. *Thursday*—A cloudy day; light rain 7.15 to 10.0 p.m.; night overcast; light rain 12.30 to 4.30 a.m. *Friday*—A cloudy day; showery 2.30 to 11.30 p.m.; night cloudy. *Saturday*—Bright a.m.; cloudy p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 12TH JULY, 1902. [No. 28.

General Register Office, Charlemont House, Dublin, 14th July, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 21.	Week ending June 28.	Week ending July 5.	Week ending July 12.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 21.	Week ending June 28.	Week ending July 5.	Week ending July 12.	Average Rate for 4 weeks
22 Town Dists.	18·9	19·0	21·0	16·6	18·9	Lisburn, . .	9·1	18·2	22·8	9·1	14·8
Armagh, . .	34·4	6·9	6·9	6·9	13·8	Londonderry, .	12·8	16·6	32·0	19·2	20·1
Ballymena, .	4·8	14·4	28·8	4·8	13·2	Lurgan, . .	8·9	4·4	35·4	4·4	13·3
Belfast, . .	20·9	16·6	21·4	17·2	19·0	Newry, . .	16·6	20·7	4·1	20·7	15·5
Clonmel, . .	20·4	51·1	15·3	10·2	24·2	Newtownards, .	40·1	22·9	28·6	28·6	30·0
Cork, . . .	16·5	18·5	24·0	23·3	20·6	Portadown, .	31·1	10·4	5·2	10·4	14·3
Drogheda, . .	32·7	12·3	8·2	20·4	18·4	Queenstown, .	6·6	39·7	13·2	6·6	16·5
Dublin Reg. Area,	17·9	19·9	19·1	16·9	18·5	Sligo, . . .	28·8	14·4	9·6	4·8	14·4
Dundalk, . .	16·0	16·0	12·0	8·0	13·0	Tralee, . .	5·3	10·6	26·6	0·0	10·6
Galway, . .	15·5	35·0	27·2	27·2	26·2	Waterford, .	21·4	9·7	11·7	23·4	16·6
Kilkenny, . .	24·8	64·6	14·9	5·0	27·3	Wexford, . .	28·0	9·3	46·7	18·7	25·7
Limerick, . .	13·7	28·8	31·5	8·2	20·5						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·0 in Kilkenny. Among the 118 deaths from all causes registered in Belfast are 7 from measles, 4 from whooping-cough, 2 from diphtheria, 4 from enteric fever, and 3 from diarrhœa; and the 34 deaths in Cork include one from measles, one from whooping-cough, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 187—94 boys and 93 girls; and the deaths to 129—68 males and 61 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 17·7 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 16·9 per 1,000. During the twenty-eight weeks ending with Saturday last the death-rate averaged 24·7, and was 3·3 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 6 deaths from measles, 2 deaths from whooping-cough, 1 death from diphtheria, 4 deaths from enteric fever, and 4 deaths from diarrhœal diseases, including 1 registered as epidemic diarrhœa; there was also 1 death registered from infective endocarditis.

There was 1 death from tuberculous phthisis, and 13 deaths registered as "*phthisis*;" 1 death from tuberculous meningitis, 3 deaths from tuberculous peritonitis, and 2 deaths from other forms of tuberculous disease.

There were 3 deaths from carcinoma and 3 deaths registered as *malignant disease*, "*cancer*."

There were 7 deaths from diseases of the nervous system, in which are included 3 deaths from meningitis and 3 deaths from *convulsions*. The latter were all infants within the age period of over 1 month and under 1 year.

There were 18 deaths from diseases of the heart and blood-vessels, including 1 from cerebral hæmorrhage and 3 from *apoplexy*.

There were 24 deaths from diseases of the respiratory system, including 13 from bronchitis, 3 from broncho-pneumonia, and 3 from *pneumonia*. The total equals an annual rate of 3·3 per 1,000 of the population of the Registration Area, the average rate for the corresponding period in the last 10 years being 3·1 per 1,000.

There were 3 deaths from accident and one death by suicide.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the death of one child under one month old.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (19 being infants under one year, of whom 7 were under one month old), and 28 were aged 60 years and upwards, including 12 persons aged 70 and upwards, of whom 2 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Fifty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 16·9 per 1,000; the rate in the City was 17·4 (17·1 on the North side, and 17·7 on the South), and in the Urban Districts 15·2.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·3 (2·7 in the North City Districts, and 1·8 in the South) and for the Urban Districts 2·4 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000. Measles and enteric fever each caused 1 death, there were 2 deaths from "*phthisis*," and 2 deaths from diseases of the respiratory system, including 1 from *pneumonia*.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. Measles caused 2 deaths and whooping-cough 1 death. Diseases of the respiratory system caused 3 deaths, including 1 from broncho-pneumonia. There was 1 death due to suicide by strangulation.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·6 per 1,000. Measles caused 2 deaths and "*phthisis*" 1 death; there was 1 death caused by accidental violence.

No. 3 North City District (Blackhall-place).—The deaths (9) represent an annual rate of 14·8 per 1,000. There was 1 death from tuberculous phthisis and 1 death registered as "*phthisis*." There were 3 deaths from diseases of the respiratory system, including 1 death from *pneumonia*. There was also 1 death due to accidental violence.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 39·1—the 5 deaths from all causes tabulated for the latter district including 1 from diarrhœa and 3 from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 20·0 per 1,000. One death from enteric fever was registered, and 4 deaths from "*phthisis*;" there were 2 deaths from tuberculous peritonitis.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 15·2 per 1,000. There was 1 death from *diarrhœa* and 1 death from "*phthisis*," also 1 death from tuberculous peritonitis registered.

No. 3 South City District (Peter-street).—The deaths (12) are equal to an annual rate of 15·0 per 1,000. Diphtheria and enteric fever each caused 1 death; there were 2 deaths from diseases of the respiratory system, including 1 from broncho-pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·9 per 1,000. Measles caused 1 death, "*phthisis*" caused 2 deaths, and diseases of the respiratory system caused 2 deaths.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, was 14·3 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 20·4 per 1,000 inhabitants; Pembroke, 14·0; Blackrock, 11·9; and Kingstown, 8·9. The deaths from the principal epidemic diseases tabulated for these districts comprise 1 from whooping-cough for Rathmines, one from enteric fever and 2 from diarrhœa for Pembroke. The 13 deaths from all causes in Rathmines include 2 from diseases of the respiratory system. There was 1 death from broncho-pneumonia in Blackrock, and one from *pneumonia* in Kingstown.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 21st June,	198 cases.
" " 28th June,	254 cases.
" " 5th July,	239 cases.
" " 12th July,	305 cases.

Of the 305 cases notified, 21 were erysipelas, 11 enteric fever, 10 scarlatina, 252 measles, 5 chicken-pox, 3 diphtheria, 2 continued fever, and one fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 21st June,	7 cases.
" " 28th June,	3 cases.
" " 5th July,	5 cases.
" " 12th July,	2 cases.

Of the 2 cases notified, one was continued fever, and one diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 21st June,	29 cases.
" " 28th June,	38 cases.
" " 5th July,	41 cases.
" " 12th July,	34 cases.

Of the 34 cases notified, 24 were measles, 8 whooping-cough, one enteric fever, and one diphtheria.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 21st June,	45 cases.
" " 28th June,	47 cases.
" " 5th July,	92 cases.
" " 12th July,	46 cases.

Of the 46 cases notified, 29 were enteric fever, 5 erysipelas, 3 diphtheria, 6 continued fever, and 1 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th July, 1902.

From this it appears that:—

Sixty-five cases of measles were admitted to hospital, 63 were discharged, there were 2 deaths, and 163 cases remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital, 4 cases were discharged, there were 2 deaths and 24 cases remained under treatment at the close of the week.

Five cases of scarlatina were admitted to hospital, 8 cases were discharged, and 58 cases remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 4 were discharged, there was one death, and 20 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 6 patients were discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·6), was equal to an average annual death-rate of 14·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·2 per 1,000, the rate for Glasgow being 16·2, and for Edinburgh 17·9.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th July, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 12th July, 1902. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 12th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th June, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,322	18·7	26·4	16·6	2·2	553	348	54	71	.	16	.	.	8	3	.	9	10	46	62	11	19	95	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	379,063	27·8	25·7	16·9	2·3	187	123	19	28	.	6	.	.	2	1	.	4	4	14	23	4	4	48	§72·7	44·4	58·2	0·20	§71·4	39·4	58·9	0·27	§76·0	47·1	60·6	0·07
Registrars' Districts. City	293,394	37·8	27·9	17·4	2·3	157	98	14	19	.	6	.	.	1	1	.	3	2	12	18	4	4	40	a74·6 / b74·7	47·9 / 44·0	60·4 / 59·1	0·28 / 0·17	a72·0 / b71·9	47·4 / 41·0	61·8 / 59·7	0·22 / 0·25	a74·7 / b74·9	53·1 / 49·0	68·0 / 61·2	0·07 / 0·05
Rathmines,‖	33,208	19·4	23·6	20·4	1·6	15	13	4	5	.	.	.	.	1	.	.	.	.	1	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	14·0	14·0	6·0	7	7	1	2	.	.	.	.	.	.	.	1	2	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	6·0	11·9	.	1	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	20·7	8·9	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	75	48	60·9	0·18	71	46	61·2	0·34	72·5	52	61·1	0·05
Urban Districts.																																			
Belfast,	358,693	21·8	30·2	17·2	2·9	208	118	24	16	.	7	.	.	4	2	.	4	3	19	22	4	6	23	78·1	46·3	58·3	0·94	76·1	42·1	60·6	0·38	77·7	49·1	60·7	0·20
Cork,	75,978	33·5	18·7	23·3	2·7	20	34	1	9	.	1	.	.	1	.	.	.	2	3	6	.	3	11	69	48	58·7	0·02	69	53	60·1	0·22	74	52	59·4	0·16
Londonderry,	40,729	18·8	21·8	19·2	2·6	17	15	4	.	.	2	.	.	.	.	.	.	.	2	6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	88,085	18·4	15·1	8·2	.	11	6	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,748	18·6	33·1	28·4	1·9	17	12	1	7	.	.	.	.	.	.	.	.	1	1	.	1	1	6	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,414	9·5	35·0	27·2	.	9	7	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	78	46	59	0·74	85	48	64	0·32	85	51	65	0·14
Dundalk	13,067	9·4	35·9	8·0	.	9	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	26·4	20·4	.	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	24·9	20·7	4·1	6	5	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	70·0	45·0	58·3	0·71	73·2	42·0	59·1	0·33	75·9	49·3	61·7	0·13
Lurgan,	11,777	13·8	22·1	4·4	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70·0	45·0	58·3	0·71	73·2	42·0	59·1	0·33	75·9	49·3	61·7	0·13
Lisburn,	11,459	10·1	18·2	9·1	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	70·0	45·0	58·3	0·71	73·2	42·0	59·1	0·33	75·9	49·3	61·7	0·13
Wexford,	11,154	28·2	37·4	18·7	.	8	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,880	10·9	19·2	4·8	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,862	8·6	33·6	4·8	.	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·7	47·3	58·4	1·00	79·3	45·1	60·8	0·28	77·7	49·0	68·6	0·09
Kilkenny,	10,498	11·4	19·9	5·0	5·0	4	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	75	45	59·3	0·00	78	43	61·4	0·00	77	54	60·4	0·06
Clonmel,	10,209	7·9	56·2	10·2	.	11	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,046	13·1	26·0	10·4	.	5	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	70·0	45·0	58·3	0·71	73·2	42·0	59·1	0·33	75·9	49·3	61·7	0·13
Tralee,	9,612	16·7	31·9	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	5·7	28·6	.	1	5	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	73	47	56·6	0·70	70	45	57·2	0·36	71	47	57·2	0·08
Queenstown,	7,887	14·7	13·2	6·6	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	69	48	58·7	0·02	69	53	60·1	0·22	74	52	59·4	0·16
Armagh,	7,569	22·1	48·2	6·9	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	70·0	45·0	58·8	0·71	73·2	42·0	59·1	0·33	75·9	49·3	61·7	0·13

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† Where the readings at Dublin have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 6 deaths of persons admitted to hospital from localities outside the area.

BLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 12th of July, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

AMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	1	2	2	.	.	.	.	.	.	.	.	1	.	.	.		.	.	.	.	6	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.		.	1	.	.	4	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.		.	2	.	.	4	.
Phthisis,	2	.	1	2	.	.	.	.	4	1	.	2	.	.	.		1	.	1	.	14	.
Other General Diseases,	1	.	2	.	.	.	.	.	2	2	1	2	1	.	.		.	2	.	.	13	4
Total,	5	3	5	2	.	.	1	.	7	4	3	5	1	.	.		2	5	1	.	44	4
B. LOCAL DISEASES:																						
Diseases of Nervous System,	.	1	.	.	.	.	.	.	1	1	2	1	.	.	.		.	1	.	.	7	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	4	.	2	.	1	.	.	3	.	3	1	.	1	1		1	.	.	.	18	.
Diseases of Respiratory System,	2	3	1	3	.	.	3	.	1	.	2	2	.	1	.		2	1	1	1	23	1
Diseases of Digestive System,	.	1	.	.	.	.	1	.	1	.	1	.	.	.	.		1	.	.	.	5	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diseases of Urinary System,	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.		2	.	.	2	7	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.	.	.	.	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Total,	3	9	2	5	.	3	4	.	7	1	8	4	.	2	1		7	2	1	3	62	2
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	2	1	1	.	.	.	.	1	.	1	3	.	.	.		4	.	.	.	13	.
E. VIOLENT DEATHS,	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.		.	.	.	.	4	.
Deaths from all Causes,	8	15	9	9	1	3	5	.	15	5	12	12	1	2	1		13	7	2	3	123	6
Annual Rate of Mortality in every 1,000 of the population.	14·7	20·0	15·6	14·8	10·8	15·6	39·1	.	20·0	15·2	15·0	17·9	.	14·3	.		20·4	14·0	11·9	8·9	16·9	
	17·1								17·7								15·2					
	17·4																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	2	2	3	.	.	1	.	4	1	2	2	.	.	.		3	1	1	1	23	6
Workhouse Hospitals,	2	2	3	3	.	.	2	.	3	.	3	4	1	.	.		1	1	.	.	25	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regi re
week of the ten years, 92-

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1892-1901	In the Week ending Sat da 12th July, 1902. Deaths of Persons of the					
	July 16, 1892.	July 15, 1893.	July 14, 1894	July 13, 1895.	July 11, 1896.	July 17, 1897.	July 16, 1898.	July 15, 1899.	July 14, 1900	July 13, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 60.
Mean Temperature.	° 54·3	° 58·6	° 56·6	° 58·5	° 58·4	° 59·8	° 60·7	° 59·0	° 60·8	° 59·8	58·7	Mean Temp. ° 58·2					
ALL CAUSES.	162	182	121	134	170	162	124	173	127	157	151·2	129	7	12	19	10	92
Small Pox, Vaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	
Small Pox, Unvaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	9	2	.	.	.	1	.	7	.	.	1·9	6	.	1	5	.	
Scarlet Fever, ...	.	.	.	.	1	1	1	.	.	1	·4	.	.	.	.	.	
Typhus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	.	2	.	2	1	1	.	.	1	1	·8	.	.	.	.	.	
Whooping Cough, ...	.	2	3	.	7	3	1	4	4	4	2·8	2	.	1	1	.	
Diphtheria, ...	.	.	.	1	.	.	.	3	.	1	·5	1	.	.	.	1	
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	
Enteric Fever, ...	4	3	2	3	1	4	.	1	2	.	2·0	4	.	1	.	.	3
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	.	32	1	10	20	2	1	6	1	4	7·7	1 3	1 .	. 1	. .	.	
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease, ...	.	.	1	.	.	.	.	1	1	2	·5	1	1	.	.	.	
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	1	.	.	.	.	1	1	.	.	·4	. . .	. . .	. . .	. . .	.	
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	1	1	1	.	.	.	.	1	.	.	·4	.	.	.	.		
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	1	.	2	.	1	1	.	.	·5	. .	. .	. .	. .	.	
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
Tuberculous Phthisis, ... "*Phthisis*,"	23	15	20	22	20	21	23	33	31	25	23·3	1 13	.	.	.	.	1 7
Tuberculous Meningitis, (Acute Hydrocephalus).	1	1	4	3	4	5	4	6	5	4	3·7	1	.	1	.	.	
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	9	8	2	4	7	1	3	7	1	4	4·6	3 .	.	.	.	3 .	
Tuberculous Dis. (other), ... Scrofula, ...	2	1	3	.	3	7	5	4	1	5	3·1	2 .	.	.	1 .	.	1
Alcoholism, ...	.	.	.	2	.	2	.	1	2	2	·9	.	.	.	.	.	
Rheumatic Fever, ...	.	.	.	1	1	.	2	.	.	1	·5	.	.		.	.	
Gout	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	

* The figures for the years 1892-1900 a

ENTY-EIGHTH WEEK ending Saturday, 12th July, 1902, with the deaths from each cause in the corresponding e average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: July 16, 1892.	July 15, 1893.	July 14, 1894.	July 13, 1895.	July 11, 1896.	July 17, 1897.	July 16, 1898.	July 15, 1899.	July 14, 1900.	July 13, 1901.	Averages in 28th Week of the 10 years 1892-1901.	In the Week ending Saturday, 12th July, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	54·3	58·6	56·6	58·5	58·4	59·8	60·7	59·0	60·8	59·8	58·7	58·2								
noma	6	5	4	6	10	6	5	11	5	4	6·2	3	.	.	.	.	1	2	.	.
ma												.	.	.	.	.	.	.	.	.
nant Dis. "Cancer,"												3	.	.	.	.	.	2	1	.
tes Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ature Birth	1	1	1	.	4	3	4	4	2	4	2·4	2	2	.	.	.	.	.	.	.
gitis (not tuberc.)												3	.	.	1	1	1	.	.	.
ity, G. P. of Insane												1	.	.	.	.	.	.	1	.
psy												.	.	.	.	.	.	.	.	.
lsions												3	.	3	.	.	.	.	.	.
motor Ataxy												.	.	.	.	.	.	.	.	.
plegia Dis. of Cord												.	.	.	.	.	.	.	.	.
ous System (other Dis.) ...	22	35	20	24	31	44	30	23	20	35	28·4	.	.	.	.	.	.	.	.	.
Dis., Endocarditis												2	.	.	.	.	2	.	.	.
or. Hæm. Thromb.												1	.	.	.	.	.	1	.	.
exy, Hemiplegia												3	.	.	.	.	.	2	.	1
rysm												.	.	.	.	.	.	.	.	.
olism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
t and Blood Vessel Dis.												12	.	.	.	2	2	4	4	.
o (not Spasm or Memb.) ...	1	2	1	1	1	1	.	1	.	1	·9	1	1	.	.	.	.	.	.	.
chitis	15	8	12	14	10	12	10	12	11	10	11·4	13	.	.	2	.	.	3	8	.
pous Pneumonia												.	.	.	.	.	.	.	.	.
cho-Pneumonia	9	13	4	5	5	11	8	7	7	8	7·7	3	.	.	2	.	.	.	1	.
umonia"												3	.	.	.	.	1	2	.	.
na, Emphysema												.	.	.	.	.	.	.	.	.
risy	2	1	3	1	1	3	3	.	2	2	1·8	.	.	.	.	.	.	.	.	.
iratory Dis. (other)												4	.	.	1	.	.	1	2	.
llitis, Quinsy	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ritis (not Epid.)	1	.	1	.	.	1	.	2	1	.	·6	.	.	.	.	.	.	.	.	.
o Enteritis												1	.	.	.	.	1	.	.	.
onitis (not Puerp.)	.	1	1	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
osis of Liver	7	2	4	5	.	1	1	.	1	5	2·6	.	.	.	.	.	.	.	.	.
Dis. (other)												2	.	.	.	.	1	1	.	.
tive Dis. (other)	9	4	2	3	3	3	1	7	2	2	3·6	3	.	.	1	.	.	2	.	.
ritis, Acute	.											4	.	.	.	1	.	2	1	.
it's Dis., Albuminuria ...	6	5	2	2	5	4	2	6	3	7	4·2	2	.	.	.	.	.	.	2	.
ary Sys. (Other Dis.) ...												1	.	.	.	.	.	.	1	.
rative Organs Dis.	.	.	.	.	2	.	.	.	.	.	·2	1	.	.	.	.	.	.	1	.
lbirth (Accid. of)	.	1	.	1	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.
Age	9	14	9	7	3	6	6	9	7	6	7·6	4	.	.	.	.	.	.	2	2
r Diseases	20	15	15	10	20	14	8	10	9	15	13·6	10	2	4	4	.	.	.	.	.
ACCIDENT.																				
ailways	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
ehicles and Horses	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
uilding Operations	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
onflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	.	3	.	1	2	.	.	1	.	.	·7	2	.	.	1	.	.	1	.	.
rowning	1	1	.	2	3	.	1	.	.	.	·8	1	.	.	.	.	1	.	.	.
uffocation in Bed	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
r Deaths by Accidents ...	1	.	1	.	2	2	2	3	4	1	1·6	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
icide	1	1	1	1	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
ide	1	.	.	.	.	.	.	.	1	.	·2	1	.	.	.	.	1	.	.	.
cution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																									
	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Births registered,	208	215	152	222	177	248	193	220	239	198	229	199	237	226	195	255	232	202	209	234	249	192	242	213	204	187
*Average Births in corresponding week of previous 10 years,**	193	197	207	208	195	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195
Deaths registered,	177	158	169	181	200	248	218	222	154	167	211	203	206	174	199	191	178	186	149	165	156	155	139	149	149	129
Annual Death-rate per 1,000,	24·4	21·7	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7
*Average Deaths in corresponding week of previous 10 years,**	241	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151
Ages, Under 5 years,	54	36	38	46	40	60	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38
5—20 "	10	14	11	12	18	16	17	12	22	17	20	17	16	12	19	20	18	20	16	24	14	19	15	11	14	10
20—40 "	19	27	31	36	34	37	30	29	28	32	39	33	42	28	20	31	33	39	34	28	32	29	28	23	30	24
40—60 "	42	33	43	39	47	55	43	46	35	40	52	51	41	37	50	39	33	37	21	35	38	24	26	27	27	29
60—80 "	44	37	36	36	49	70	52	67	28	26	43	45	40	32	44	42	35	32	36	27	17	27	32	26	30	25
80 years and upwards,	8	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9	3	8	7	6	5	5	7	3
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6
" Scarlet Fever,	.	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2	1	1	.	1	2	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" Whooping-cough,	.	1	1	2		2	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.
" Diphtheria,	1	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.	2	1	1	1	.	.	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	2	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4
" Diarrhœa, Dysentery,	2	4	.	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1	.	.	2	4
" Phthisis,	20	9	33	31	7	27	33	38	17	36	37	27	27	25	20	25	23	30	25	27	40	26	26	15	18	14
" Heart Diseases,	18	12	12	23	18	22	14	15	17	18	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17	18
" Diseases of Respiratory System,	3	35	47	36	48	82	73	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30	24
Violent Deaths,	1	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4	3	4	4	6	10	.	4	7	4
Mean Temperature of the Air (Phœnix Park),	37·3	45·0	34·9	35·7	29·9	40·5	46·0	44·3	44·9	44·4	48·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	56·9	58·2
Average Mean Temperature in corresponding week of previous 10 years,	41·8	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7
Rainfall in inches,	·025	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·380	·090	·845	·195	·158	1·025	·725	·915	·065	·270	·200
Mean Humidity of the Air, complete Saturation 1·0,	·82	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80

* See note at foot of Table III.

in the Dublin Registration Area during the Week ending Saturday, 12th July, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	19·4	129	38	10	24	29	25	3	.	6	.	.	2	1	.	4	4	17	14	3	24	4	67
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	20·3	6	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
II.	Middle Class,	80,653	14·2	22	4	1	4	4	8	1	.	.	.	.	1	.	.	.	2	3	3	.	7	1	8
III.	Artisan Class and Petty Shopkeepers	98,374	10·6	20	7	3	7	2	1	.	.	1	.	.	.	1	.	1	.	3	4	2	1	2	8
IV.	General Service Class,	146,486	27·8	56	22	6	7	16	4	1	.	5	.	.	1	.	.	2	2	10	4	1	7	1	33
V.	Inmates of Workhouses,	5,191		25	5	.	5	5	9	1	.	.	.	.	.	.	.	1	.	1	3	.	8	.	13
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	1	.	.	.	3	1	.	.	.	.	1	.	.	.	1	2	.	.	1	.	2
	6. Clerks and Commercial Assistants,	24,750	12·6	6	2	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	21·4	10	1	1	1	3	4	.	.	.	.	.	.	.	.	.	1	1	2	.	4	.	3
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.
	9. Building and Furnishing Trades,	26,030	10·0	5	1	2	1	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	3
	10. Clothing Trades,	23,686	4·4	2	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.
	11. Food Supply Trades,	7,869	26·5	4	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	12. Other Trades and Callings ranking with Trades,	26,666	9·8	5	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	1
	13. Petty Shopkeepers,	6,771	7·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	19·2	5	3	1	.	1	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	3
	15. Domestic Servants,	39,568	1·3	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	4·9	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	30·9	49	17	5	7	15	4	1	.	3	.	.	1	.	.	2	1	7	4	1	7	1	29
	Inmates of Workhouses.																								
	Workhouse Inmates,	5,191	.	25	5	.	5	5	9	1	.	.	.	.	.	.	.	1	.	1	3	.	8	.	13

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(1)	(13)	(14)	(15)	(21)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,333.	May 24,	23·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 31,	29·4	1·8	16	.	.	.	.	.	.	.	1	.	3	6	.
		June 7,	25·4	.	14	.	.	.	.	.	.	.	.	.	5	3	.
		„ 14,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	.	3	2
		„ 21,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	5	1	1
		„ 28,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		July 5,	20·2	3·7	11	.	1	.	.	.	.	.	.	1	2	.	.
		„ 12,	14·7	3·7	8	.	1	.	.	.	.	.	1	.	2	2	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	May 24,	29·3	1·3	22	.	.	.	.	.	.	.	.	1	2	3	1
		„ 31,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	3	2
		June 7,	18·6	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 14,	13·3	1·3	10	.	1	.	.	.	.	.	.	.	2	2	1
		„ 21,	23·6	1·3	17	.	1	.	.	.	.	.	.	.	3	3	.
		„ 28,	20·0	2·6	15	.	2	.	.	.	.	.	.	.	3	6	.
		July 5,	20·0	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 12,	20·0	4·0	15	.	2	.	.	1	.	.	.	.	.	3	1
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	May 24,	27·7	.	16	.	.	.	.	.	.	.	.	.	4	.	1
		„ 31,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	5	3	.
		June 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 14	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	2	.
		July 5,	8·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	1	1	1
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	May 24,	21·4	.	13	.	.	.	.	.	.	.	.	.	5	2	.
		„ 31,	18·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		June 7,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	1	1
		„ 14,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	.	2
		„ 21,	9·9	.	6	.	.	.	.	.	.	.	.	.	3	.	.
		„ 28,	23·0	3·3	14	.	.	.	.	.	.	.	2	.	1	3	.
		July 5,	23·0	3·3	14	.	1	1	.	.	.	.	.	.	2	5	1
		„ 12,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	3	1
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	May 24,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	3	2	.
		„ 31,	18·6	2·7	14	.	.	.	.	.	2	.	.	.	2	4	.
		June 7,	17·3	.	13	.	.	.	.	.	.	.	.	.	7	1	.
		„ 14	22·6	.	17	.	.	.	.	.	.	.	.	.	4	1	1
		„ 21,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	4	4	.
		July 5,	17·3	4·0	13	.	1	.	.	.	.	.	1	1	2	1	.
		„ 12,	20·0	1·3	15	.	.	.	.	.	.	.	1	.	4	1	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	May 24,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
		„ 31,	33·5	3·0	11	.	.	1	.	.	.	.	.	.	2	1	.
		une 7,	30·5	.	10	.	.	.	.	.	.	.	.	.	5	2	.
		„ 14,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	45·7		15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 28,	15·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		July 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	3	2
		„ 12,	15·2	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	May 24,	13·7	.	11	.	.	.	.	.	.	.	.	.	1	1	1
		„ 31,	30·0	.	24	.	.	.	.	.	.	.	.	.	6	2	1
		June 7,	16·3	.	13	.	.	.	.	.	.	.	.	.	4	4	.
		„ 14,	17·5	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 21,	16·2	1·2	13	.	1	.	.	.	.	.	.	.	3	.	.
		„ 28,	33·7	1·2	27	.	1	.	.	.	.	.	.	.	3	3	1
		July 5,	28·7	1·2	23	.	.	.	.	.	.	.	1	.	2	6	.
		„ 12,	15·0	2·5	12	.	.	.	.	.	1	.	1	.	.	2	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	May 24,	22·4	.	15	.	.	.	.	.	.	.	.	.	3	1	.
		„ 31,	29·9	4·5	20	.	2	.	.	1	.	.	.	.	.	6	.
		June 7,	34·4	4·5	23	.	2	.	.	.	1	.	.	.	4	7	.
		„ 14,	28·4	4·5	19	.	2	.	.	1	.	.	.	.	5	3	.
		„ 21,	16·4	6·0	11	.	2	1	.	.	1	.	.	.	1	.	1
		„ 28,	20·9	.	14	.	.	.	.	.	.	.	.	.	1	1	2
		July 5,	25·4	4·5	17	.	.	.	.	.	.	.	.	.	4	2	.
		„ 12,	17·9	1·5	13	.	1	.	.	.	.	.	.	.	2	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	May 24,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 31,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	3	1
	June 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	18·8	4·7	12	.	1	.	.	.	1	.	.	1	3	2	.
	„ 21,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	2	.	.
	July 5,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	„ 12,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	1	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	May 24,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	1	2	.
	„ 31,	16·0	.	8	.	1	.	.	.	.	.	.	.	1	1	.
	June 7,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	1	1	.
	„ 14,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	.	2	1
	„ 21,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 28,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	July 5,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12	14·0	6·0	7	.	.	.	.	.	.	.	1	2	.	1	.
Kingstown. Pop. in 1902 (Est.) 17,622.	May 24,	5·9	3·0	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 31,	29·6	.	10	.	1	.	.	.	.	.	.	.	.	2	.
	June 7,	17·8	.	6	.	.	1	.	.	.	.	.	.	.	1	.
	„ 14,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 21,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 28,	20·7	3·0	7	.	.	.	.	.	.	.	2	.	.	.	.
	July 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1902 (Est.) 358,693.	May 24,	22·1	1·7	152	.	3	.	.	4	1	.	3	1	26	32	1
	„ 31,	20·2	2·2	139	.	4	.	1	2	.	.	3	5	26	23	3
	June 7,	19·0	1·9	131	.	3	.	.	6	1	.	2	1	26	22	3
	„ 14,	16·4	2·5	113	1	2	.	.	1	3	.	6	4	21	20	2
	„ 21,	20·9	2·6	144	.	7	.	.	4	1	.	5	1	30	25	2
	„ 28,	16·6	2·9	114	.	6	.	.	3	2	1	5	3	22	18	1
	July 5,	21·4	2·8	147	.	6	.	.	7	.	.	2	4	18	34	7
	„ 12,	17·2	2·9	118	.	7	.	.	4	2	.	4	3	19	22	4
Cork. Pop (in 1901) 75,978.	May 24,	21·3	.	31	.	.	.	.	.	.	.	.	.	3	6	.
	„ 31,	16·5	1·6	24	.	.	.	.	1	.	.	.	1	5	7	.
	June 7,	17·8	0·7	26	.	.	.	.	.	.	1	.	.	6	5	.
	„ 14,	16·5	2·1	24	.	1	.	.	1	.	.	.	1	2	5	.
	„ 21,	16·5	0·7	24	.	.	.	.	.	.	.	.	1	6	3	.
	„ 28,	18·5	0·7	27	.	1	.	.	.	.	.	.	.	7	4	.
	July 5,	24·0	6·2	35	.	.	.	.	2	2	.	.	1	4	3	.
	„ 12,	23·3	2·7	34	.	1	.	.	1	.	.	.	2	3	6	.
Londonderry. Pop. in 1902 (Est.) 40,729.	May 24,	26·9	1·3	21	.	.	.	.	.	.	.	1	.	2	3	1
	„ 31,	21·8	3·3	17	.	3	.	.	.	.	.	.	.	.	5	.
	June 7,	20·5	3·3	16	.	3	.	.	.	.	.	.	.	2	2	.
	„ 14,	33·3	2·6	26	.	2	.	.	.	.	.	.	.	4	5	.
	„ 21,	12·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 28,	16·6	.	13	.	.	.	.	.	.	.	.	.	1	6	.
	July 5,	32·0	5·1	25	.	2	.	.	.	.	.	1	1	5	8	.
	„ 12,	19·2	2·6	15	.	2	.	.	.	.	.	.	.	2	6	.
Limerick. Pop. (in 1901) 38,035.	May 24,	19·2	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 31,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	June 7,	20·6	.	19	.	.	.	.	.	.	.	.	.	4	3	.
	„ 14,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 21,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 28,	18·8	.	21	.	.	.	.	.	.	.	.	.	2	7	.
	July 5,	31·5	.	23	.	.	.	.	.	.	.	.	6	1	1	.
	„ 12,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
Waterford. Pop. (in 1901) 26,743.	May 24,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	6	.	.
	June 7,	27·3	3·9	14	.	.	.	.	1	.	.	.	1	4	2	.
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	21·4	.	11	.	.	.	.	.	.	.	.	.	6	2	1
	„ 28,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	July 5,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 12,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 12th July, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	14	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		14	.	6	8	.	.	3	.	.	1	.	.	1	.	4	1	.	.	4
" 2 "		30			18	5	3	7	3	.	.	.	.	1	.	.	1	1	.	7	2	2	3
" 3 "		27			16	4	3	8	1	.	.	.	.	.	.	.	.	.	4	5	.	.	.
" 4 "		29			20	4	3	7	6	.	1	.	.	.	1	.	.	1	2	2	.	.	7
" 5 "		8			3	.	1	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1
" 6 "		22			10	2	2	3	3	.	.	.	.	1	.	.	.	.	1	1	1	1	3
" 7 "		1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 8 "		.			2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 9 "		6			7	1	1	4	1	.	.	.	.	1	1	.	.	.	.	2	.	.	1
" 10 "		19			8	1	1	5	1	.	1	.	.	.	.	.	.	.	4	.	.	.	.
" 11 "		19			7	3	.	3	1	.	1	.	.	.	.	.	.	1	1	.	1	3	1
" 12 "		19			10	2	2	6	.	.	.	.	.	.	.	.	2	.	.	3	.	.	2
" 13 "		14			2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	208	17·2	2·9	118	24	23	55	16	.	7	.	.	4	2	.	4	3	19	22	4	6	23
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	.	.	5	2	.	.	.	.	.	.	.	.	1	1	.	.	.	2
" 2 "		.			6	.	2	2	2	.	.	.	.	1	.	.	.	1	.	1	.	1	1
" 3 "		.			6	1	.	2	3	.	.	.	.	.	.	.	.	.	.	3	.	.	2
" 4 "		5			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "		2			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" 6 "		2			5	.	1	4	.	.	1	.	.	.	.	.	.	.	2	.	.	1	1
" 7 "		4			7	.	1	5	1	.	.	.	.	.	.	.	.	.	.	2	.	.	5
Total,	—	20	23·3	2·7	34	1	4	20	9	.	1	.	.	1	.	.	.	2	3	6	.	3	11

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Jan. 18.	Jan. 25.	Feb. 1.	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	Juiy 12.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered,	187	212	188	189	201	246	207	277	226	239	175	265	216	215	245	192	229	231	201	244	217	211	209	175	237	208
DEATHS registered.	126	151	130	123	169	205	188	136	161	154	151	158	168	149	153	119	149	142	152	139	131	113	144	114	147	118
Annual Death-rate per 1,000 of estimated Population,*	18·3	21·9	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2
AGES, Under 1 year,	23	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16	20	26	22	26	24
AGES, 1-5 years,	13	21	14	17	21	30	17	16	13	22	21	22	21	22	23	12	24	16	25	24	20	14	22	20	27	23
AGES, 5-60 years,	61	68	66	58	86	91	91	57	74	68	74	75	80	67	76	57	67	71	67	63	61	52	69	50	64	55
AGES, 60 years and upwards,	29	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21	34	27	27	22	30	16
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, Measles,	2	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3	2	7	6	6	7
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.		.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Whooping-cough,	3	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4	3	4	2	6		4	3	7	4
,, Diphtheria,	1	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.
,, Enteric Fever,	1	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4
,, Diarrhœa, Dysentery,	1	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3
,, Phthisis	24	14	21	18	33	25	28	24	18	19	30	30	26	31	25	29	33	29	26	26	26	21	30	22	18	19
,, Diseases of Respiratory System,	21	52	27	46	58	55	58	33	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22
Violent Deaths,	1	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3	2	2	1	7	4

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th July, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Fever.	Undefined Fever.	Total.
North City No. 1, East,	.	23	.	1	.	.	.	.	1	1	2	.	.	.	.	28
„ 1, West,	.	59	.	2	.	.	.	.	1	1	.	.	1	.	.	61
„ „ 2,	.	52	.	.	.	.	.	.	.	1	2	.	.	1	.	56
„ „ 3,	.	13	.	3	.	.	.	.	.	.	4	.	.	.	.	20
Clontarf and Howth No. 1 (part of),	.	3	.	.	.	.	.	.	.	1	.	.	.	.	.	4
Coolock and Drumcondra No. 1 (part of),	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
South City No. 1,	.	25	.	1	.	.	1	.	.	4	11	.	1	.	.	43
„ „ 2,	.	10	.	1	.	.	.	.	.	1	.	.	.	.	.	12
„ „ 3,	.	36	.	.	.	.	.	.	.	2	1	.	2	.	.	41
„ „ 4,	.	23	.	1	.	.	2	.	.	.	1	.	1	.	.	28
Palmerston (part of),	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	252	.	10	.	.	3	.	2	11	21	.	5	1	.	305
Total for week ended July 5th, 1902,	.	180	.	10	.	.	4	.	8	7	16	.	14	.	.	239
Total for week ended June 28th, 1902,	.	191	.	14	.	.	5	.	1	15	20	.	7	1	.	254
Total for week ended June 21st, 1902,	.	125	.	14	.	.	5	.	3	11	20	1	19	.	.	198

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th July, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th July.			
	June 21.	June 28.	July 5.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	141	159	163	65	63	2	163
Scarlet Fever,	76	69	61	5	8	.	58
Typhus „	.	.	.	.	.	.	.
Diphtheria,	15	17	18	7	4	1	20
Enteric Fever,	25	26	27	3	4	2	24
Pneumonia,	18	18	15	7	6	.	16

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births	Deaths	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever	Diarrhœal Diseases.
			Exclusive of Stillborn.									
LONDON,	4,579,107	July 12,	2,530	1,280	14·6	13	37	6	15	47	17	42
EDINBURGH,	317,885	„ 12,	186	111	17·9	.	12	.	1	6	1	4
GLASGOW,	764,423	„ 12,	477	241	16·2	.	4	1	1	3	3	8
CALCUTTA,	847,796	May 10,	.	693	42·5	.	.	.	.	.	71§	145*
BOMBAY,	776,006	June 17,	336	546	36·6	9	11	?	?	2	41§	50*
MADRAS,	509,346	May 16,	284	393	40·1	2	4	?	?	?	166	47
PARIS,	2,660,559	June 21,	1,097	909	20·4	1	32	2	18†	12	1	40
BRUSSELS (with 8 Faubourgs).	582,665	„ 21,	246	169	15·1	.	1	.	.	1	3	15
AMSTERDAM,	534,013	„ 28,	317	181	17·7	.	16	.	2	2	1	6
ROTTERDAM	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	June 21,	179	113	14·7	.	.		.	.	.	6
CHRISTIANIA,	224,909	„ 21,	144	65	15·3	.	.	.	.	3	1	7
ST. PETERSBURG,	1,248,643	„ 21,	735	583	24·3	.	15	10	10	3	17	70
BERLIN,	1,901,751	„ 24,	873	662	18·2	.	4	3	4	10	.	37
HAMBURG,	724,835	„ 21,	.	226	16·2	.	2	9	2	6	.	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	June 28,	.	193	19·8	.	4	2	3†	5	.	19
VIENNA (with suburbs).	1,726,604	„ 28,	1,000	611	18·4	.	17	8	1†	4	1	48
BUDA-PESTH,	767,661	„ 21,	391	240	16·3	.	10	8	4	.	1	11
PRAGUE and Faubourgs	416,817	„ 28,	208	190	23·7	.	3	2	1†	.	1	10
ROME,	480,361	May 3,	201	188	20·4	.	26	.	1	3	.	11
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	June 7,	69	49	15·4	.	.	.	.	.	1	2
NEW YORK,	3,632,501	„ 21,	1,561	1,132‡	16·3	8	22	18	32†	9	8	122
PHILADELPHIA,	1,293,697	„ 21,	.	432	17·4	3	5	4	11	3	11	26

* Including 74 deaths from cholera in Calcutta, and 2 in Bombay.
† Including deaths from croup.
‡ Deaths of non-residents and of infants under 1 week not included.
§ Exclusive of 280 deaths from bubonic fever in Calcutta, and 55 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 12th July, 1902:—

"Changeable but generally favourable weather prevailed. At first, temperature ruled high, but on and after Wednesday it became much cooler, and Thursday night was distinctly cold, the thermometer falling to 42° at Malin Head, 43° at Parsonstown, and 48° in Dublin. In London a remarkable fall of temperature occurred between Tuesday, when a maximum of 85° was recorded and Thursday, when the thermometer did not exceed 65°. In the fine warm period at the beginning of the week the barometer was high, and uniformly so, at about 30·2 inches. The unsettled weather, which set in on Wednesday, was heralded by a great development of cirrus cloud in the N.W. and N. on Tuesday. The barometer gave way quickly in the Northwest, and a depression of considerable size pssed eastwards across Scotland and the North Sea, being central over Denmark on Thursday morning and near Wisby in Gothland on Friday morning. Its secondaries passed southeastwards across the British Islands, causing strong N.W. and N. winds and squalls of rain and hail with thunder and lightning, especially over the E. and S.E. of England. By Saturday another depression had appeared off the N.W of Ireland, bringing squally S.W. winds, clouds and a renewed rainfall, which in Dublin however was very trifling. In this city the mean height of the barometer was 30·051 inches, the range being from 30·201 inches at 9 a.m. of Monday (wind, W. by N.) to 29·690 inches at 6 a.m. of Thursday (wind, W.). The corrected mean temperature was 60·4°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 59·6°. On Sunday the screened thermometers rose to 74·6°, on Friday they fell to 47·9°. Westerly winds were the most prevalent. Bright sunshine was estimated at 36½ hours. The rainfall was ·234 inch on five days, ·109 inch being measured on Wednesday. In the course of Friday night the thermometer fell to 39° in the screen at Wick, Nairn, Penrith, and Loughborough."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·055 inches. The highest reading (30·209) was on Friday at 9 p.m., air calm, and the lowest (29·717) on Thursday at 9 a.m., wind W.

The mean temperature for the week was 58·2°, being 0·5 below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Sunday, on which day the thermometer registered 72·7°, and was lowest on Friday, the mercury having fallen to 44·4°. The mean of the Dry Bulb for the week was 58·0°, and of the Wet Bulb 54·8°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 39·6 hours. The rainfall measured ·200 inch.

At Greenwich the mean temperature for the week was 62·8°, the maximum 83·5°, and the minimum 42·4°; at Glasgow the maximum was 68·0°, the minimum 40·8°, and the mean 57·5°; and at Edinburgh the maximum was 67·9°; the minimum 43·7°, and the mean 55·6°. The rainfall at Greenwich measured 0·35 inch; at Glasgow 06·1 inch; and at Edinburgh 0·49 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, July 6,	30·134	72·7	50·4	61·6	61·8	57·8	·77	·5	9·4	—	S.W.	W.
Monday, „ 7,	30·203	68·2	54·0	61·1	59·1	56·0	·81	·5	6·4	·010	W.	W.
Tuesday, „ 8,	30·064	67·8	53·4	60·1	62·9	60.4	·85	·4	0·0	·005	S.W.	W.
Wednesday, „ 9,	29·820	63·5	55·4	60·0	57·3	54·7	·84	·7	3·0	·155	W.S.W.	W.
Thursday, „ 10,	29·872	59·6	50·1	54·9	53·3	49·7	·77	·8	10·1	·030	W.	W.S.W.
Friday, „ 11,	30·208	62·1	44·4	53·3	53·9	50·9	·81	·2	10·7	—	N.W.	Calm.
Saturday, „ 12,	30·107	63·8	49·4	56·6	57·7	54·2	·78	·5	0·0	—	S.W.	S.W.
Mean . .	30·055	65·4	51·0	58·2	58·0	54·8	·80	·5	Total 39·6	·200	Prevailing Wind W.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A fine but cloudy day; night cloudy; light rain 5.30 to 7.0 a.m. *Tuesday*—A dull day; night overcast; light rain 5.0 to 5.30 a.m. *Wednesday*—A dull day to 2.30 p.m., then cloudy and showery; night cloudy. *Thursday*—A cloudy day; heavy shower 9 30 to 9.45 a.m.; night cloudy. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A dull day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 19TH JULY, 1902. [No. 29.

General Register Office, Charlemont House, Dublin, 21*st July,* 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 28.	July 5.	July 12.	July 19.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 28.	July 5.	July 12.	July 19.	Average Rate for 4 weeks
22 Town Dists.	19·0	21·0	16·6	17·7	18·6	Lisburn, . .	18·2	22·8	9·1	22·8	18·2
Armagh, . .	6·9	6·9	6·9	20·7	10·4	Londonderry, .	16·6	32·0	19·2	21·8	22·4
Ballymena, .	14·4	28·8	4·8	28·8	19·2	Lurgan, . .	4·4	35·4	4·4	17·7	15·5
Belfast, . .	16·6	21·4	17·2	16·9	18·0	Newry, . .	20·7	4·1	20·7	8·3	13·5
Clonmel, . .	51·1	15·3	10·2	35·8	28·1	Newtownards, .	22·9	28·6	28·6	5·7	21·4
Cork, . . .	18·5	24·0	23·3	17·2	20·7	Portadown, .	10·4	5·2	10·4	15·6	10·4
Drogheda, . .	12·3	8·2	20·4	12·3	13·3	Queenstown, .	39·7	13·2	6·6	0·0	14·9
Dublin Reg. Area,	19·9	19·1	16·9	20·2	19·0	Sligo, . . .	14·4	9·6	4·8	9·6	9·6
Dundalk, . .	16·0	12·0	8·0	0·0	9·0	Tralee, . .	10·6	26·6	0·0	5·3	10·6
Galway, . .	35·0	27·2	27·2	15·5	26·2	Waterford, .	9·7	11·7	23·4	11·7	14·1
Kilkenny, . .	64·6	14·9	5·0	9·9	23·6	Wexford, . .	9·3	46·7	18·7	4·7	19·8
Limerick, . .	28·8	31·5	8·2	20·5	22·2						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·4 in Lurgan. Among the 116 deaths from all causes registered in Belfast are 7 from measles, 3 from enteric fever, and 6 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 196—103 boys and 93 girls; and the deaths to 155—79 males and 76 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·3 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 20·2 per 1,000. During the twenty-nine weeks ending with Saturday last the death-rate averaged 24·6, and was 3·2 below the average mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Measles caused 8 deaths, there being 6 deaths in the preceding week; typhus fever, whooping-cough, diphtheria, influenza, and simple continued fever each caused 1 death; there were 3 deaths from enteric fever and 1 death from epidemic diarrhœa.

Phthisis caused 25 deaths, tuberculous peritonitis caused 1 death, and 2 deaths were registered as *tabes mesenterica*; 3 were caused by other forms of tuberculous disease.

Malignant disease, "*cancer*," caused 5 deaths.

There were 8 deaths from diseases of the nervous system, including 3 from *convulsions*. Of the latter 2 were between the ages of 1 month and 1 year and 1 was in the age period over 1 year, and under 5 years.

Diseases of the heart and blood-vessels caused 25 deaths, including 2 from cerebral hæmorrhage, and 6 from *apoplexy*.

The deaths from diseases of the respiratory system, 23 in number, include 10 from bronchitis, 3 from broncho-pneumonia, 6 from *pneumonia*, 1 from pleurisy, and 3 from other diseases of the respiratory system. The total equals a rate of 3·2 per 1,000 of the population of the Dublin Registration Area, the rate for the corresponding period of the last 10 years being 3·0 per 1,000.

There were 2 accidental deaths and 1 homicidal death.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of one child under one month and the deaths of 2 persons aged 60 years and upwards.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (16 being infants under one year, of whom 5 were under one month old), and 32 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 5 were octogenarians.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse,

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·2 per 1,000; the rate in the City was 22·4 (24·0 on the North side, and 20·7 on the South), and in the Urban Districts 12·8.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 1·8 (2·4 in the North City Districts, and 1·1 in the South) and for the Urban Districts 2·4 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000. Measles caused 2 deaths, *phthisis* caused 1 death, and diseases of the respiratory system caused 3 deaths, including 2 from *pneumonia*.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. There were 2 deaths from measles, 1 death from typhus fever, 1 from enteric fever, and 2 from *phthisis*; there were 4 deaths from diseases of the respiratory system, including 1 from broncho-pneumonia.

No. 2 North City District (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 38·1 per 1,000. One death was caused by measles and 8 deaths by *phthisis*; there was 1 death from *pneumonia*, and 1 death from accident.

No. 3 North City District (Blackhall-place).—The deaths (14) represent an annual rate of 23·0 per 1,000. There was 1 death from influenza and 2 deaths from *phthisis*.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·4; and Finglas and Glasnevin, part of, 15·6

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 21·3 per 1,000. Diphtheria caused 1 death and *phthisis* caused 6 deaths; there were 2 deaths from diseases of the respiratory system, of which 1 was *pneumonia*.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 15·2 per 1,000. There was 1 death from measles and 1 from *phthisis*.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 22·5 per 1,000. There were 3 deaths from *phthisis* and 2 from *tabes mesenterica*, and 2 deaths from *pneumonia*.

No. 4 South City District (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·4 per 1,000. There was 1 death from measles and 1 death from *phthisis*, and 3 deaths from diseases of the respiratory system, including 1 from *pneumonia*. There was, moreover, a death of a child caused by neglect.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, was 14·3 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 9·4 per 1,000 inhabitants; Pembroke, 18·0; Blackrock, 23·8; and Kingstown, 5·9. The deaths from the principal epidemic diseases tabulated for these districts include 1 from enteric fever in Rathmines, 1 from measles, 1 from enteric fever, and 1 from *diarrhœa* in Pembroke. There were 2 deaths from diseases of the respiratory system in Rathmines.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 28th June,	254 cases.
" " 5th July,	239 cases.
" " 12th July,	305 cases.
" " 19th July,	238 cases.

Of the 238 cases notified, 8 were erysipelas, 10 enteric fever, 8 scarlatina, 196 measles, 9 diphtheria, 4 continued fever, one typhus fever, and 2 meningitis.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 28th June,	3 cases.
" " 5th July,	5 cases.
" " 12th July,	2 cases.
" " 19th July,	5 cases.

Of the 5 cases notified, one was enteric fever, one diphtheria, and 3 erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 28th June,	38 cases.
" " 5th July,	41 cases.
" " 12th July,	34 cases.
" " 19th July,	17 cases.

Of the 17 cases notified, 10 were measles, 16 whooping-cough, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 28th June,	47 cases.
" " 5th July,	92 cases.
" " 12th July,	46 cases.
" " 19th July,	69 cases.

Of the 69 cases notified, 37 were enteric fever, 8 erysipelas, 5 diphtheria, 15 continued fever, and 4 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th July, 1902.

From this it appears that:—

Twenty-eight cases of measles were admitted to hospital, 49 were discharged, and 142 cases remained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital, 6 cases were discharged, there was one death, and 28 cases remained under treatment at the close of the week.

Four cases of scarlatina were admitted to hospital, 9 cases were discharged, and 53 cases remained under treatment at the close of the week.

One case of typhus fever was admitted to hospital during the week.

Seven cases of diphtheria were admitted to hospital, 6 were discharged, and 21 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 8 patients were discharged, there was one death, and 13 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·1), was equal to an average annual death-rate of 14·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·7 per 1,000, the rate for Glasgow being 13·7, and for Edinburgh 15·3.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th July, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 19th July, 1902. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,322	18·7	27·3	17·7	1·6	571	370	61	82	.	16	.	1	.	1	.	7	8	69	52	5	18	118
Dublin Registration Area:— Total,‡	379,068	27·8	27·0	20·2	1·9	196	147	16	31	.	8	.	1	.	1	.	3	1	24	23	2	8	69
Registrars' Districts. City	298,394	37·8	29·7	22·4	1·8	167	126	14	25	.	7	.	1	.	1	.	1	.	24	20	2	7	65
Rathmines,‖	33,208	19·4	15·7	9·4	1·6	10	6	.	2	.	.	.	.	.	.	.	1	.	.	2	.	.	1
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	16·0	18·0	6·0	8	9	1	2	.	1	.	.	.	.	.	1	1	.	.	.	1	3
Blackrock,‖	8,759	8·1	17·9	23·8	.	3	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	23·7	5·9	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Belfast,	358,693	21·8	31·1	16·9	2·3	214	116	19	23	.	7	.	.	.	.	.	3	6	23	18	1	6	20
Cork,	75,978	33·5	20·6	17·2	0·7	30	25	3	7	.	.	.	.	.	.	.	1	.	4	3	1	2	6
Londonderry,	40,729	18·8	19·2	21·8	1·3	15	17	4	5	.	.	.	.	.	.	.	.	1	2	2	.	.	4
Limerick,	38,085	18·4	23·3	20·5	.	17	15	2	1	.	.	.	.	.	.	.	.	.	7	1	.	.	10
Waterford	26,748	18·6	23·4	11·7	.	12	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Galway,	18,414	9·5	11·7	15·5	.	3	4	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.
Dundalk	18,067	9·4	16·0	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	.	12·3	.	.	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,587	17·9	20·7	8·8	.	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,777	13·8	48·7	17·7	4·4	11	4	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Lisburn,	11,459	19·1	50·1	22·8	.	11	5	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1
Wexford,	11,154	28·2	32·7	4·7	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Ballymena	10,880	10·9	38·3	28·8	.	8	6	1	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.
Sligo,	10,862	8·6	9·6	9·6	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Kilkenny,	10,498	11·4	29·8	9·9	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,209	7·9	25·5	35·8	.	5	7	.	2	.	.	.	.	.	.	.	.	.	3	.	.	.	3
Portadown	10,046	13·1	15·6	15·6	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,812	16·7	79·7	5·3	.	15	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	5·7	5·7	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Queenstown,	7,887	14·7	26·4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,569	22·1	13·8	20·7	.	2	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1

Towns and Districts.	Meteorology.† Week ending 19th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean	Rainfall in Inches.	Week ending 5th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	§71·5	42·0	58·6	0·63	§72·7	44·4	58·2	0·20	§71·4	39·4	58·9	0·27
City	a74·8 b73·9	49·0 43·0	61·4 59·9	0·70 0·79	a74·6 b74·7	44·0 44·0	60·4 59·1	0·28 0·17	a72·0 b71·9	47·4 41·0	61·8 59·7	0·22 0·25
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	74	48·5	60·9	0·91	75	48	60·9	0·18	71	46	61·2	0·34
Belfast,	69·9	48·1	59·5	0·50	73·1	46·3	58·3	0·94	76·1	42·1	60·6	0·88
Cork,	72	46	58·4	0·03	69	48	58·7	0·02	69	53	60·1	0·22
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	68	45	58	0·00	73	46	59	0·74	85	48	64	0·32
Galway,	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	70·5	46·0	58·4	1·11	70·0	45·0	58·3	0·71	73·2	42·0	59·1	0·83
Newry,	70·5	46·0	58·4	1·11	70·0	45·0	58·3	0·71	73·2	42·0	59·1	0·83
Lurgan,	70·5	46·0	58·4	1·11	70·0	45·0	58·3	0·71	73·2	42·0	59·1	0·83
Lisburn,	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	65·9	40·9	56·7	0·32	67·7	47·3	58·4	1·00	79·3	45·1	60·8	0·28
Sligo,	77	45	59·4	0·23	75	45	59·3	0·00	78	43	61·4	0·00
Kilkenny,	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	70·5	46·0	58·4	1·11	70·0	45·0	58·3	0·71	73·2	42·0	59·1	0·83
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	69	47	56·8	0·80	73	47	56·6	0·70	70	45	57·2	0·36
Queenstown,	72	46	58·4	0·03	69	48	58·7	0·02	69	53	60·1	0·22
Armagh,	70·5	46·0	58·4	1·11	70·0	45·0	58·3	0·71	73·2	42·0	59·1	0·83

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

quoted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Ballyshee for Sligo, and those at Roche

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 19th of July, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of				Total for Dublin Registration Area.	
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Glasnevin & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of).	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	2	1	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	8	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Phthisis,	1	2	8	2	.	.	.	.	6	1	3	1	.	.	.	.	.	.	.	24	1
Other General Diseases,	.	2	3	3	1	.	1	.	1	1	5	3	.	.	.	.	.	1	1	22	2
Total,	3	8	12	5	1	.	1	.	8	3	8	5	.	.	.	1	3	1	1	60	5
B. Local Diseases:																					
Diseases of Nervous System,	.	2	1	.	.	.	.	.	1	.	2	1	.	.	.	.	.	.	.	7	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	4	5	2	.	1	.	.	1	1	2	3	.	.	.	2	3	.	.	25	.
Diseases of Respiratory System,	3	4	1	1	.	1	.	.	2	.	3	3	.	2	.	2	.	1	.	23	.
Diseases of Digestive System,	1	1	.	2	.	.	1	1	2	.	.	2	.	.	.	.	.	1	1	12	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	11	9	8	.	2	1	1	6	1	7	9	.	2	.	5	4	2	1	74	2
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	.	1	.	1	.	.	.	.	2	1	3	.	.	.	.	.	2	1	.	11	.
E. Violent Deaths,	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	1
Deaths from all Causes,	8	20	22	14	1	2	2	1	16	5	18	15	.	2	.	6	9	4	2	147	8
Annual Rate of Mortality in every 1,000 of the population.	14·7	26·6	38·1	23·0	10·8	10·4	15·6	.	21·3	15·2	22·5	22·4	.	14·3	.	9·4	18·0	23·8	5·9	20·2	
	24·0								20·7							12·8					
	22·4																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	5	7	2	.	.	1	1	4	1	6	5	.	.	.	1	2	.	.	36	8
Workhouse Hospitals,	.	4	9	5	.	.	.	.	6	2	4	2	.	.	.	.	1	.	.	33	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis[illegible]red week of the ten years, 1[illegible]

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years 1892-1901	In the Week ending Sat[illegible]day 19th July, 1902. Deaths of Persons of the A[illegible]s					
	July 23, 1892.	July 22, 1893.	July 21, 1894	July 20, 1895.	July 18, 1896.	July 24, 1897.	July 23, 1898.	July 22, 1899.	July 21, 1900	July 20, 1901.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	51·7°	59·0°	57·7°	57·2°	59·8°	60·1°	61·1°	61·3°	64·3°	64·6°	60·0°	58·6°							
ALL CAUSES.	13[illegible]	203	117	168	17[illegible]	150	152	147	165	138	155·8	155	5	11	28	13	30	27	
Small Pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small Pox, Unvaccinated, ...	.	.	1	2	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	7	2	1	.	.	3	.	4	.	.	1·7	8	.	.	7	1	.	.	
Scarlet Fever, ...	.	.	1	.	3	2	1	2	1	1	1·1	.	.	.	.	.	.	.	
Typhus, ...	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	1	.	
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	.	3	.	1	2	1	1	.	.	1	·9	1	.	.	.	.	1	.	
Whooping Cough, ...	2	2	1	3	4	4	5	2	5	.	2·8	1	.	.	1	.	.	.	
Diphtheria, ...	.	1	.	.	.	3	1	2	2	1	1·0	1	.	.	.	.	.	.	
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Continued Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	.	.	
Enteric Fever, ...	.	4	4	.	2	.	1	1	2	2	1·6	3	.	.	1	1	1	.	
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	4	37	6	16	25	7	5	10	4	14	12·8	1	.	1	.	.	.	.	
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease, ...	2	2	.	.	.	.	2	.	.	.	·6	.	.	.	.	.	.	.	
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	1	.	1	.	.	.	2	.	.	·4	.	.	.	.	.	.	.	
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	.	.	1	1	1	1	.	.	1	.	·5	3	.	.	.	.	.	.	
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	1	.	.	.	.	.	1	.	1	·4	1	.	.	.	.	1	.	
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculous Phthisis, "*Phthisis*," ...	17	25	23	22	32	18	21	17	28	22	22·5	25	.	.	1	4	12	.	
Tuberculous Meningitis, (Acute Hydrocephalus).	2	3	1	.	4	6	4	3	4	.	2·7	.	.	.	.	.	.	.	
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	2	8	1	4	10	3	4	7	7	5	5·1	1 2	.	.	.	1 1	.	.	
Tuberculous Dis. (other), Scrofula, ...	.	2	4	4	2	5	4	2	5	1	2·9	3	.	.	.	2	.	1	
Alcoholism, ...	.	.	1	1	1	2	1	2	1	1	1·0	1	.	.	.	.	1	.	
Rheumatic Fever, ...	.	.	.	.	2	.	1	.	2	1	·6	.	.	.	.	.	.	.	
Gout ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	

* The figures for the years 1892-1900 are

WENTY-NINTH WEEK ending Saturday, 19th July, 1902, with the deaths from each cause in the corresponding he average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday July 23, 1892.	July 22, 1893.	July 21, 1894.	July 20, 1895.	July 18, 1896.	July 24, 1897.	July 23, 1898.	July 22, 1899.	July 21, 1900.	July 20, 1901.	Averages in 29th Week of the 10 years 1892-1901.	In the Week ending Saturday, 19th July, 1902. Deaths of Persons of the Ages of: All Ages. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 54·7	° 59·0	° 57·7	° 57·2	° 59·8	° 60·1	° 61·1	° 61·9	° 64·2	° 61·6	60·0	° 58·6								
cinoma	2	3	4	3	8	8	6	2	6	4	4·6	.	.	.	.	.	.	.	.	.
coma												5	.	.	.	.	1	2	2	.
lignant Dis. "Cancer,"												.	.	.	.	.	.	.	.	.
betes Mellitus	4	1	.	2	1	5	1	1	3	3	2·1	3	3	.	.	.	.	.	.	.
mature Birth												1	.	.	1	.	.	.	.	.
ningitis (not tuberc.)												2	.	.	.	.	1	1	.	.
anity, G. P. of Insane												1	.	.	.	.	.	1	.	.
lepsy												3	.	2	1	.	.	.	.	.
vulsions												.	.	.	.	.	.	.	.	.
omotor Ataxy												1	.	.	1	.	.	.	.	.
aplegia Dis. of Cord												.	.	.	.	.	.	.	.	.
rvous System (other Dis.) ...	38	30	26	39	33	21	39	25	35	31	32·0									
v. Dis., Endocarditis												2	.	.	.	.	1	.	1	.
ebr. Hæm. Thromb.												2	.	.	.	.	.	.	2	.
plexy, Hemiplegia												6	.	.	.	.	.	.	5	1
urysm												.	.	.	.	.	.	.	.	.
bolism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.												15	1	.	.	1	3	6	4	.
up (not Spasm or Memb.) ...	.	4	.	.	1	1	1	.	.	.	·7	.	.	.	.	.	.	.	.	.
nchitis	7	11	6	10	8	9	10	11	10	6	8·8	10	.	.	4	1	.	.	5	.
upous Pneumonia												.	.	.	.	.	.	.	.	.
ncho-Pneumonia	12	9	4	10	5	5	18	18	11	8	10·0	3	.	1	1	.	.	1	.	.
neumonia"												6	.	.	4	.	.	2	.	.
hma, Emphysema												.	.	.	.	.	.	.	.	.
urisy	1	3	1	4	1	2	2	1	2	.	1·7	1	.	.	.	.	.	1	.	.
spiratory Dis. (other)												3	.	.	1	.	1	1	.	.
nsillitis, Quinsy	.	1	.	.	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
teritis (not Epid.)	1	1	.	1	1	.	.	.	.	1	·5	4	.	2	1	.	1	.	.	.
tro Enteritis												.	.	.	.	.	.	.	.	.
itonitis (not Puerp.)	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
rhosis of Liver	4	3	6	5	.	4	1	.	2	5	3·0	1	.	.	.	.	1	.	.	.
er Dis. (other)												2	.	.	.	.	.	.	2	.
estive Dis. (other)	3	9	3	7	3	2	.	2	3	3	3·5	6	.	1	.	.	4	1	.	.
phritis, Acute												3	.	.	.	.	2	1	.	.
ght's Dis., Albuminuria ...	4	6	1	2	5	5	3	5	3	3	3·7	3	.	.	.	1	.	1	1	.
inary Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
nerative Organs Dis.	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of)	.	1	.	1	.	1	.	1	2	.	·6	1	.	.	.	.	1	.	.	.
l Age	8	7	8	5	5	9	4	9	7	7	6·9	6	.	.	.	.	.	.	2	4
ner Diseases	11	18	8	16	15	22	14	12	14	10	14·0	9	1	3	3	.	1	1	.	.
ACCIDENT.																				
Railways	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Vehicles and Horses	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	1	.	.	.
Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations	.	.	.	.	.	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions ...	1	.	1	2	.	.	1	.	2	2	1·0	.	.	.	.	.	.	.	.	.
Drowning	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed	.	.	.	.	1	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	.	.	1	4	2	1	1	1	2	2	1·4	1	.	.	.	.	1	.	.	.
her Deaths by Accidents ...																				
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	1	·1	1	.	1	.	.	.	.	.	.
icide	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																										
	Jan. 25.	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Births registered,	215	152	222	177	248	193	220	239	198	229	199	287	226	195	255	232	202	209	234	249	192	242	213	204	187	196
*Average Births in corresponding week of previous 10 years,**	197	207	208	195	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188
Deaths registered,	158	169	181	200	248	218	222	154	167	211	208	206	174	199	191	178	186	149	165	156	155	139	149	149	129	155
Annual Death-rate per 1,000,	21·7	28·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3
*Average Deaths in corresponding week of previous 10 years,**	219	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156
Ages, Under 5 years,	36	38	46	40	60	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44
5—20 ,,	14	11	12	18	16	17	12	22	17	20	17	16	12	19	20	18	20	16	24	14	19	15	11	14	10	18
20—40 ,,	27	31	36	34	37	30	29	23	32	39	33	42	28	20	31	33	39	34	23	32	29	23	23	30	24	36
40—60 ,,	33	43	39	47	55	43	46	35	40	52	51	41	37	50	39	33	37	21	35	38	24	26	27	27	29	30
60—80 ,,	37	36	36	49	70	52	67	28	26	43	45	40	33	44	42	35	32	36	27	17	27	32	26	30	25	27
80 years and upwards,	11	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9	8	8	7	6	5	5	7	3	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6	8
,, Scarlet Fever,	.	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2	1	1	.	1	2	1	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
,, Whooping-cough,	1	1	2		2	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1
,, Diphtheria,	1	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.	2	1	1	1	.	.	1	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, Enteric Fever,	2	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3
,, Diarrhœa, Dysentery,	4	.	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1	.	.	2	4	1
,, Phthisis,	9	33	31	7	27	33	38	17	36	37	27	27	25	20	25	23	30	25	27	40	26	26	15	18	14	25
,, Heart Diseases,	12	12	23	18	22	14	15	17	18	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25
,, Diseases of Respiratory System,	35	47	36	48	82	78	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30	24	23
Violent Deaths,	5	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4	8	4	4	6	10	.	4	7	4	3
Mean Temperature of the Air (Phœnix Park),	45·0	34·9	35·7	29·9	40·5	46·0	44·3	44·9	44·4	48·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6
Average Mean Temperature in corresponding week of previous 10 years,	40·6	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0
Rainfall in inches,	·205	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·345	·195	·153	1·025	·725	·915	·065	·270	·200	·630
Mean Humidity of the Air, complete Saturation 1·0,	·84	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th July, 1902; the Annual Death-rate represented by those Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 19th July, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols. 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	23·4	155	44	13	36	30	27	5	.	8	.	1	1	1	1	3	1	16	25	3	23	3	85
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	20·3	6	.	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
II.	MIDDLE CLASS,	80,653	12·9	20	4	1	6	3	6	.	.	1	.	1	.	.	.	.	.	2	2	.	2	1	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	19·1	36	9	5	10	7	5	.	.	2	.	.	.	.	.	.	1	3	8	1	7	.	17
IV.	GENERAL SERVICE CLASS,	146,486	32·0	60	28	4	12	10	6	.	.	5	.	.	1	.	1	3	.	10	6	2	10	2	30
V.	INMATES OF WORKHOUSES,	5,191		33	3	3	7	10	7	3	.	.	.	.	.	1	.	.	.	1	9	.	3	.	20
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	.	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	6·1	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	6. Clerks and Commercial Assistants,	24,750	21·1	10	3	.	3	.	4	.	.	1	.	.	.	.	.	.	.	1	.	.	1	1	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	10·7	5	.	.	2	1	2	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	9. Building and Furnishing Trades,	26,080	16·0	8	2	1	2	2	1	.	.	1	.	.	.	.	.	.	.	1	2	.	1	.	4
	10. Clothing Trades,	23,686	8·8	4	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	11. Food Supply Trades,	7,869	26·5	4	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	29·3	15	3	4	4	3	1	.	.	1	.	.	.	.	.	.	1	2	4	.	3	.	6
	13. Petty Shopkeepers,	6,771	15·4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	19·2	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	15. Domestic Servants,	39,563	6·6	5	1	1	3	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	9·7	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	17. Hawkers, Porters, Labourers, &c.,	82,631	30·3	48	25	2	7	9	5	.	.	5	.	.	1	.	1	1	.	8	4	2	9	.	25
	INMATES OF WORKHOUSES.																								
	Workhouse Inmates,	5,191	.	33	3	3	7	10	7	3	.	.	.	.	.	1	.	.	.	1	9	.	3	.	20

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(1)	(13)	(14)	(15)	(21)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,333.	May 31,	29·4	1·8	16	.	.	.	.	.	.	.	1	.	3	6	.
		June 7,	25·4	.	14	.	.	.	.	.	.	.	.	.	5	3	.
		„ 14,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	.	3	2
		„ 21,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	5	1	1
		„ 28,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		July 5,	20·2	3·7	11	.	1	.	.	.	.	.	.	1	2	.	.
		„ 12,	14·7	3·7	8	.	1	.	.	.	.	.	1	.	2	2	.
		„ 19,	14·7	3·7	8	.	2	.	.	.	.	.	.	.	1	3	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	May 31,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	3	2
		June 7,	18·6	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 14,	18·3	1·3	10	.	1	.	.	.	.	.	.	.	2	2	1
		„ 21,	22·6	1·3	17	.	1	.	.	.	.	.	.	.	3	3	.
		„ 28,	20·0	2·6	15	.	2	.	.	.	.	.	.	.	3	6	.
		July 5,	20·0	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 12,	20·0	4·0	15	.	2	.	.	1	.	.	.	.	.	3	1
		„ 19,	26·6	5·3	20	.	2	.	1	.	.	.	1	.	2	4	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	May 31,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	5	3	.
		June 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 14	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	2	.
		July 5,	8·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	1	1	1
		„ 19,	38·1	1·7	22	.	1	.	.	.	.	.	.	.	8	1	1
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	May 31,	18·1	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		June 7,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	1	1
		„ 14,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	.	2
		„ 21,	9·9	.	6	.	.	.	.	.	.	.	.	.	3	.	.
		„ 28,	23·0	3·3	14	.	.	.	.	.	.	.	2	.	1	3	.
		July 5,	23·0	3·3	14	.	1	1	.	.	.	.	.	.	2	5	1
		„ 12,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	3	1
		„ 19,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	May 31,	18·6	2·7	14	.	.	.	.	.	2	.	.	.	2	4	.
		June 7,	17·3	.	13	.	.	.	.	.	.	.	.	.	7	1	.
		„ 14	22·6	.	17	.	.	.	.	.	.	.	.	.	4	1	1
		„ 21,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	4	4	.
		July 5,	17·3	4·0	13	.	1	.	.	.	.	.	1	1	2	1	.
		„ 12,	20·0	1·3	15	.	.	.	.	.	.	.	1	.	4	1	.
		„ 19,	21·3	1·3	16	.	.	.	.	.	1	.	.	.	6	2	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	May 31,	33·5	3·0	11	.	.	1	.	.	.	.	.	.	2	1	.
		une 7,	30·5	.	10	.	.	.	.	.	.	.	.	.	5	2	.
		„ 14,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	45·7		15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 28,	15·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		July 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	3	2
		„ 12,	15·2	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.
		„ 19,	15·2	3.0	5	.	1	.	.	.	.	.	.	.	1	.	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	May 31,	30·6	.	24	.	.	.	.	.	.	.	.	.	6	2	1
		June 7,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	4	.
		„ 14,	17·5	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 21,	16·2	1·2	13	.	1	.	.	.	.	.	.	.	3	.	.
		„ 28,	33·7	1·2	27	.	1	.	.	.	.	.	.	.	3	3	1
		July 5,	28·7	1·2	23	.	.	.	.	.	.	.	1	.	2	6	.
		„ 12,	15·0	2·5	12	.	.	.	.	.	1	.	1	.	.	2	.
		„ 19,	22·5	.	18	.	.	.	.	.	.	.	.	.	3	3	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,898.	May 31,	29·9	4·5	20	.	2	.	.	1	.	.	.	.	.	6	.
		June 7,	34·4	4·5	23	.	2	.	.	.	1	.	.	.	4	7	.
		„ 14,	28·4	4·5	19	.	2	.	.	1	.	.	.	.	5	3	.
		„ 21,	16·4	6·0	11	.	2	1	.	.	1	.	.	.	1	.	1
		„ 28,	20·9	.	14	.	.	.	.	.	.	.	.	.	1	1	2
		July 5,	26·4	4·5	17	.	.	.	.	.	.	.	.	.	4	2	.
		„ 12,	17·9	1·5	12	.	1	.	.	.	.	.	.	.	2	2	.
		„ ,	22·4	1·5	15	.	1	.	.	.	.	.	.	.	1	3	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	May 31,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	3	1
	June 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	18·8	4·7	12	.	1	.	.	.	1	.	.	1	3	2	.
	„ 21,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	2	.	.
	July 5,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	„ 12,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	1	2	.
	„ 19,	9·4	1·6	6	.	.	.	.	.	.	.	1	.		2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	May 31,	16·0	.	8	.	1	.	.	.	.	.	.	.	1	1	.
	June 7,	12·0	2·0	6	.	1	.	.	.	.	.		.	1	1	.
	„ 14,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	.	2	1
	„ 21,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 28,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	July 5,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	14·0	6·0	7	.	.	.	.	.	.	.	1	2	.	1	.
	„ 19,	18·0	6·0	9	.	1	.	.	.	.	.	1	1	.	.	.
Kingstown. Pop. in 1902 (Est.) 17,622.	May 31,	29·6	.	10	.	1	.	.	.	.	.	.	.	.	2	.
	June 7,	17·8	.	6	.	.	1	.	.		.	.	.	.	1	.
	„ 14,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 21,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 28,	20·7	3·0	7	.	.	.	.	.	.	.	2	.	.	.	.
	July 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 19,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	May 31,	20·2	2·2	139	.	4	.	1	2	.	.	3	5	26	23	3
	June 7,	19·0	1·9	131	.	3	.	.	6	1	.	2	1	26	22	3
	„ 14,	16·4	2·5	113	1	2	.	.	1	3	.	6	4	21	20	2
	„ 21,	20·9	2·6	144	.	7	.	.	4	1	.	5	1	30	25	2
	„ 28,	16·6	2·9	114	.	6	.	.	3	2	1	5	3	23	18	1
	July 5,	21·4	2·8	147	.	6	.	.	7	.	.	2	4	18	34	7
	„ 12,	17·2	2·9	118	.	7	.	.	4	2	.	4	3	19	22	4
	„ 19,	16·9	2·3	116	.	7	.	.	.	.	.	3	6	23	18	1
Cork. Pop (in 1901) 75,978.	May 31,	16·5	1·6	24	.	.	.	.	1	.	.	.	1	5	7	.
	June 7,	17·8	0·7	26	.	.	.	.	.	.	1	.	.	6	5	.
	„ 14,	16·5	2·1	24	.	1	.	.	1	.	.	.	1	2	5	.
	„ 21,	16·5	0·7	24	.	.	.	.	.	.	.	.	1	6	3	.
	„ 28,	18·5	0·7	27	.	1	.	.	.	.	.	.		7	4	.
	July 5,	24·0	6·2	35	.	.	.	.	2	2	.	.	1	4	8	.
	„ 12,	23·3	2·7	34	.	1	.	.	1	.	.	.	2	3	6	.
	„ 19,	17·2	0·7	25	.	.	.	.	.	.	.	1	.	4	3	1
Londonderry. Pop. in 1902 (Est.) 40,729.	May 31,	21·8	3·8	17	.	3	.	.	.	.	.	.	.	.	5	.
	June 7,	20·5	3·8	16	.	3	.	.	.	.	.	.	.	2	2	.
	„ 14,	33·3	2·6	26	.	2	.	.	.	.	.	.	.	4	5	.
	„ 21,	12·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 28,	16·6	.	13	.	.	.	.	.	.	.	.	.	1	6	.
	July 5,	32·0	5·1	25	.	2	.	.	.	.	.	1	1	5	8	.
	„ 12,	19·2	2·6	15	.	2	.	.	.	.	.	.	.	2	6	.
	„ 19,	21·8	1·3	17	.	.	.	.	.	.	.	.	1	2	2	.
Limerick. Pop. (in 1901) 38,085.	May 31,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	June 7,	26·0	.	19	.	.	.	.	.	.	.	.	.	4	8	.
	„ 14,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 21,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 28,	28·8	.	21	.	.	.	.	.	.	.	.	.	2	7	.
	July 5,	31·5	.	23	.	.	.	.	.	.	.	.	6	1	1	.
	„ 12,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	20·5	.	15	.	.	.	.	.	.	.	.	.	7	1	.
Waterford. Pop. (in 1901) 26,748.	May 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	6	.	.
	June 7,	27·3	3·9	14	.	.	.	.	1	.	.	.	1	4	2	.
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	21·4	.	11	.	.	.	.	.	.	.	.	.	6	2	1
	„ 28,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	July 5,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 12,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	1
	„ 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 19th July, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,698	7	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	1	4	3	.	.	1	.	.	.	.	.	.	.	2	3	.	.	1
" 2 "		31			15	4	3	5	3	.	1	.	.	.	.	.	.	1	3	3	1	1	3
" 3 "		20			14	5	3	4	2	.	1	.	.	.	.	.	1	3	.	2	.	2	2
" 4 "		31			15	5	1	6	3	.	1	.	.	.	.	.	.	1	6	1	.	1	3
" 5 "		3			9	3	1	4	1	.	2	.	.	.	.	.	.	1	2	1	.	1	3
" 6 "		22			12	2	2	3	5	.	.	.	.	.	.	.	.	.	1	1	.	.	4
" 7 "		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" 8 "		2			2	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" 9 "		13			2	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
" 10 "		15			13	4	1	6	2	.	.	.	.	.	.	.	.	.	2	4	.	.	1
" 11 "		40			9	2	2	3	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.
" 12 "		25			14	3	2	6	3	.	1	.	.	.	.	.	1	.	4	1	.	.	2
" 13 "		4			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	214	16·9	2·3	116	29	19	45	23	.	7	.	.	.	.	.	3	6	23	18	1	6	20
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	75,978	.	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 2 "		5			2	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
" 3 "		3			3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 4 "		7			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "		2			4	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1
" 6 "		3			4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		10			7	.	2	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Total,	—	30	17·2	0·7	25	3	4	11	7	.	.	.	.	.	.	.	1	.	4	3	1	2	6

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Jan. 25.	Feb. 1.	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered,	212	188	189	201	246	207	277	226	239	175	265	216	215	245	192	229	231	201	244	217	211	209	175	237	208	214
DEATHS registered.	151	130	123	169	205	188	136	161	154	151	158	168	149	153	119	149	142	152	139	131	113	144	114	147	118	116
Annual Death-rate per 1,000 of estimated Population,*	21·9	18·9	17·9	24·6	29·8	27·3	19·2	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9
AGES, Under 1 year,	35	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16	20	26	22	26	24	29
AGES, 1-5 years,	21	14	17	21	30	17	16	13	22	21	22	21	22	23	13	24	16	25	24	20	14	22	20	27	23	19
AGES, 5–60 years,	68	66	58	86	91	91	57	74	68	74	75	80	67	76	57	67	71	67	63	61	52	69	50	64	55	45
AGES, 60 years and upwards,	27	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21	34	27	27	22	30	16	23
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Measles,	.	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3	2	7	6	6	7	7
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.		.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
,, Whooping-cough,	3	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4	3	4	2	6		4	3	7	4	.
,, Diphtheria,	1	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.
,, Enteric Fever,	.	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3
,, Diarrhœa, Dysentery,	2	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6
,, Phthisis	14	21	18	33	25	28	24	18	19	30	30	26	31	25	29	32	29	26	26	26	21	30	23	18	19	23
,, Diseases of Respiratory System,	52	27	46	58	55	58	33	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18
Violent Deaths,	1	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3	2	2	1	7	4	1

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th July, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Fever.	Undefined Fever.	Total.
North City No. 1, East,	.	33	.	.	.	.	1	.	.	1	.	.	.	.	.	35
„ 1, West,	.	34	.	1	.	.	.	.	.	2	4	.	.	.	.	41
„ „ 2,	.	25	.	1	1	.	.	.	.	1	.	.	1	.	.	29
„ „ 3,	.	11	.	1	.	.	5	.	.	.	.	.	.	.	.	17
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	30	.	4	.	.	2	.	.	2	1	.	.	.	.	39
„ „ 2,	.	4	.	1	.	.	.	.	.	1	2	.	.	.	.	8
„ „ 3,	.	25	.	.	.	.	1	.	.	2	.	.	.	.	.	28
„ „ 4,	.	33	.	.	.	.	.	.	3	1	1	.	1	.	.	39
Palmerston (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	196	.	8	1	.	9	.	4	10	8	.	2	.	.	238
Total for week ended July 12th, 1902,	.	252	.	10	.	.	3	.	2	11	21	.	5	1	.	305
Total for week ended July 5th, 1902,	.	180	.	10	.	.	4	.	8	7	16	.	14	.	.	239
Total for week ended June 28th, 1902,	.	191	.	14	.	.	5	.	1	15	20	.	7	1	.	254

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th July, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th July.			
	June 28.	July 5.	July 12.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	159	163	163	28	49	.	142
Scarlet Fever,	69	61	58	4	9	.	53
Typhus „	.	.	.	1	.	.	1
Diphtheria,	17	18	20	7	6	.	21
Enteric Fever,	26	27	24	11	6	1	28
Pneumonia,	18	15	16	6	8	1	13

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death Rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever	Diarrhœal Diseases.
LONDON,	4,579,107	July 19,	2,657	1,236	14·1	15	48	13	20	35	11	48
EDINBURGH,	317,885	„ 19,	173	95	15·3	.	7	1	.	2	.	2
GLASGOW,	764,423	„ 19,	449	205	13·7	.	4	.	.	7	.	6
CALCUTTA,	847,79[illegible]	May 17,	.	603	36·9	4	.	.	.	.	59§	118*
BOMBAY,	776,006	June 24,	351	540	36·2	7	9	?	?	.	73§	48*
MADRAS,	509,346	May 23,	261	329	33·6	.	4	?	?	?	119	46
PARIS,	2,660,559	June 28,	1,093	868	17·9	1	33	3	11†	11	5	22
BRUSSELS (with 8 Faubourgs).	562,893	„ 28,	286	173	16·0	.	3	.	1	2	1	16
AMSTERDAM,	534,663	July 5,	263	162	15·8	.	9	.	1	3	2	10
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	June 28,	210	110	14·5	.	3		2	1	1	5
CHRISTIANIA,	224,909	„ 28,	120	82	19·0	.	.	.	.	6	.	4
ST. PETERSBURG,	1,248,643	„ 28,	503	592	24·6	1	22	5	13	2	22	88
BERLIN,	1,902,066	May 31,	832	676	18·5	.	13	5	3	10	.	30
HAMBURG,	724,835	June 28,	.	230	16·5	.	2	7	1†	6	2	16
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	June 28,	.	193	19·8	.	4	2	3†	5	.	19
VIENNA (with suburbs).	1,726,604	July 5,	961	645	19·4	.	14	3	7†	6	4	65
BUDA PESTH,	767,661	June 28,	459	249	16·9	.	7	11	.	3	1	11
PRAGUE and Faubourgs	416,817	„ 28,	208	190	23·7	.	3	2	1†	.	1	10
ROME,	480,361	May 3,	201	188	20·4	.	26	.	1	3	.	11
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	June 14,	62	42	13·2	.	1	.	.	.	.	3
NEW YORK,	3,632,501	„ 28,	1,428	1,232‡	18·6	20	17	18	40†	12	17	221
PHILADELPHIA,	1,293,697	„ 28,	.	443	17·8	1	3	4	8	4	8	31

* Including 64 deaths from cholera in Calcutta, and 1 in Bombay.
† Including deaths from croup.
‡ Deaths of non-residents and of infants under 1 week not included.
§ Exclusive of 209 deaths from bubonic fever in Calcutta, and 39 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 19th July, 1902:—

"At first warm, bright, and in all respects summerlike, the weather became much cooler on Wednesday, showery and unsettled at the close. Sunday was a beautiful summer's day—the thermometer rose in the shade to 75° in Dublin. Monday was equally fine, the maximum being 74° in Dublin, but 87° in London. On Tuesday a shallow atmospheric depression lay over Scotland, where slight rain fell, as also in the West and North of Ireland. The weather remained very fine and warm in all other parts of the United Kingdom, 84° being reached in London and 73° in Dublin. A gradual reduction of pressure now set in over Scandinavia and Scotland, while the barometer rose in the South, and finally in the S.W. as well. These changes brought a cool N.W. wind, and filled the sky with clouds, from which showers fell in many places on both Thursday and Friday. In the course of Thursday night or Friday morning the thermometer sank to 49° in Dublin, 47° at Donaghadee, 44° at Valentia in Kerry, and 42° at Birr, King's County. On Saturday a brisk fall of the barometer took place over Ireland, as a depression advanced in a southeasterly direction from the Atlantic. The wind backed to S.W. from N.N.W., and rain fell in large quantities—in Dublin to the amount of ·600 inch between 7 a.m. and 5 p.m. In this city the mean height of the barometer was 30·068 inches, the highest reading being 30·206 inches at 9 p.m. of Friday (wind, N.N.W.); the lowest, 29·852 inches at 4 30 p.m. of Saturday (wind, N.W.). The corrected mean temperature was 61·4°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 60·2°. The screened thermometers rose to 74·8° on Sunday and fell to 49·0° on Friday. The most prevalent wind was N.W. The duration of bright sunshine was estimated at 45 hours. Rain fell on the last three days to the amount of ·697 inch, ·652 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·068 inches. The highest reading (30·205) was on Friday at 9 p.m., air calm, and the lowest (29·927) on Saturday at 9 p.m., wind N.E.

The mean temperature for the week was 58·6°, being 1·4 below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Sunday, on which day the thermometer registered 71·5°, and was lowest on Friday, the mercury having fallen to 42·0°. The mean of the Dry Bulb for the week was 58·0°, and of the Wet Bulb 54·9°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 47·7 hours. The rainfall measured ·630 inch.

At Greenwich the mean temperature for the week was 64·0°, the maximum 86·1°, and the minimum 46·7°; at Glasgow the maximum was 67·9°, the minimum 46·8°, and the mean 58·6°; and at Edinburgh the maximum was 66·6°; the minimum 46·4°, and the mean 57·2°. The rainfall at Greenwich measured 0 01 inch; at Glasgow 0·27 inch; and at Edinburgh 0·14 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day	Barometer: Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer: Maximum.	Thermometer: Minimum.	Thermometer: Mean.	Hygrometer: Dry Bulb.	Hygrometer: Wet Bulb.	Hygrometer: Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, July 13,	30·041	71·5	55·4	63·5	60·6	57·7	·84	·2	7.6	—	S.W.	Calm.
Monday, „ 14,	30·021	71·1	54·4	62·8	64·2	60·3	·80	·3	9·5	—	W.	Calm.
Tuesday, „ 15,	30·079	71·0	54·4	62·7	59·6	56.2	·81	·4	12·4	—	W.	Calm.
Wednesday, „ 16,	30·066	61·8	51·3	56·6	56·9	54·7	·86	·5	2·3	—	Calm.	Calm.
Thursday, „ 17,	30·082	66·5	53·1	59·8	57·4	53·5	·77	·4	9·1	·025	N.W.	Calm.
Friday, „ 18,	30·196	61·5	42·0	51·8	55·7	51·1	·72	·4	6·8	·015	N.W.	Calm.
Saturday, „ 19.	29 994	58·6	47·2	52·9	51·7	50·6	·92	·6	0·0	·590	S.W.	N.E.
Mean . .	30·068	66·0	51·1	58·6	58·0	54·9	·82	·4	Total 47·7	·630	Prevailing Wind —	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—Dull a.m.; cloudy p.m.; light shower 7.0 p.m.; night cloudy (inappreciable). *Thursday*—A fine but cloudy day; heavy shower 7.15 to 7.30 pm.; night cloudy. *Friday*—A fine but cloudy day; night cloudy; light rain 8.0 to 9.0 a.m. *Saturday*—A dull, wet day; light and heavy rain 9.0 a.m. to 4.0 p.m.; showery 9.0 p.m. to 3.0 a.m.; night cloudy and showery to 3.0 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 26TH JULY, 1902. [No. 30.

General Register Office, Charlemont House, Dublin, 28th July, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,322.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 5.	Week ending July 12.	Week ending July 19.	Week ending July 26.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 5.	Week ending July 12.	Week ending July 19.	Week ending July 26.	Average Rate for 4 weeks
22 Town Dists.	**21·0**	**16·6**	**17·7**	**17·3**	**18·2**	Lisburn, . .	22·8	9·1	22·8	18·2	18·2
Armagh, . .	6·9	6·9	20·7	27·6	15·5	Londonderry, .	32·0	19·2	21·8	12·8	21·4
Ballymena, .	28·8	4·8	28·8	19·2	20·4	Lurgan, . .	35·4	4·4	17·7	22·1	19·9
Belfast, . .	21·4	17·2	16·9	15·6	17·8	Newry, . .	4·1	20·7	8·3	16·6	12·4
Clonmel, . .	15·3	10·2	35·8	15·3	19·1	Newtownards, .	28·6	28·6	5·7	5·7	17·2
Cork, . . .	24·0	23·3	17·2	15·1	19·9	Portadown, .	5·2	10·4	15·6	0·0	7·8
Drogheda, . .	8·2	20·4	12·3	4·1	11·3	Queenstown, .	13·2	6·6	0·0	6·6	6·6
Dublin Reg. Area,	19·1	16·9	20·2	20·2	19·1	Sligo, . . .	9·6	4·8	9·6	19·2	10·8
Dundalk, . .	12·0	8·0	0·0	0·0	5·0	Tralee, . .	26·6	0·0	5·3	26·6	14·6
Galway, . .	27·2	27·2	15·5	31·1	25·2	Waterford, .	11·7	23·4	11·7	17·5	16·1
Kilkenny, . .	14·9	5·0	9·9	19·9	12·4	Wexford, . .	46·7	18·7	4·7	28·0	24·5
Limerick, . .	31·5	8·2	20·5	17·8	19·5						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·4 per 1,000, the rates varying from 0·0 in fourteen of the districts to 9·1 in Lisburn; the 4 deaths from all causes registered in that district including one from scarlatina and one from enteric fever. Among the 107 deaths from all causes registered in Belfast are 8 from measles, 2 from whooping-cough, 7 from enteric fever, and 6 from diarrhœa; and the 22 deaths in Cork include 3 from measles

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 203—101 boys and 102 girls; and the deaths to 150—66 males and 84 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·6 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 20·2 per 1,000. During the thirty weeks ending with Saturday last the death-rate averaged 24·5, and was 3·2 below the average mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Measles caused 8 deaths—the same number as in the preceding week, and scarlet fever, whooping-cough, diphtheria, and enteric fever each caused one death; there were 3 deaths from *diarrhœa*, dysentery.

Phthisis caused 18 deaths, *tabes mesenterica* 2, and 2 deaths were caused by other forms of tuberculous disease.

Malignant disease, "*cancer*," caused 6 deaths.

There were 15 deaths from diseases of the nervous system, including 4 from *convulsions*. The latter were children under 5 years of age, 3 being under 12 months old.

Diseases of the heart and blood-vessels caused 18 deaths, including one from cerebral hæmorrhage and 4 from *apoplexy*.

Diseases of the respiratory system caused 17 deaths, being equal to an annual rate of 2·3 per 1,000 of the population, the rate for the corresponding period of the preceding 10 years being 3·0. Of the 17 deaths, 9 were caused by bronchitis, 4 by broncho-pneumonia, 2 by *pneumonia*, and 2 by other diseases of the respiratory system.

There were 2 accidental deaths.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under one year of age and the death of one person aged 80 years.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 10 were under one month old), and 42 were aged 60 years and upwards, including 26 persons aged 70 and upwards, of whom 10 were octogenarians, and 3 (females) were stated to have been aged 91, 92, and 96 years respectively.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·2 per 1,000; the rate in the City was 21·1 (22·6 on the North side, and 19·6 on the South), and in the Urban Districts 17·1.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·0 (2·1 in the North City Districts, and 1·8 in the South) and for the Urban Districts 2·4 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·6 per 1,000. There was 1 death each from whooping-cough and *diarrhœa*. Two of the deaths were caused by *phthisis*, 2 by bronchitis, and 2 by *cancer*.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. Measles caused 2 deaths, *diarrhœa* 1 death, and *phthisis* 2 deaths.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. One of the deaths was caused by measles, 3 by *phthisis*, and 3 by diseases of the nervous system.

No. 3 North City District (Blackhall-place).—The deaths (16) represent an annual rate of 26·3 per 1,000. There were 6 deaths attributed to *phthisis*, 2 to *tabes mesenterica*, and 2 to bronchitis.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 5·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 20·0 per 1,000. Measles caused 1 death, diseases of the heart and blood-vessels 3 deaths, and diseases of the respiratory system 2 deaths, the latter including 1 from catarrhal pneumonia.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 27·4 per 1,000. There was 1 death from *phthisis*, 2 from diseases of the heart and blood vessels, and 1 from broncho-pneumonia.

No. 3 South City District (Peter-street).—The deaths (11) are equal to an annual rate of 13·7 per 1,000. One of the deaths from all causes was tabulated to measles, 3 to diseases of the nervous system, and 2 to bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·9 per 1,000. Measles caused 2 deaths, diphtheria 1 death, diseases of the heart and blood-vessels 3 deaths, and diseases of the respiratory system 2 deaths, one of which was caused by *pneumonia*.

South City Extension.—The annual death-rate represented by the deaths recorded last week for Palmerston, part of, was 14·3 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 25·1 per 1,000 inhabitants; Pembroke, 16·0; Blackrock, 6·0; and Kingstown, 8·9. The deaths from the principal epidemic diseases tabulated for these districts consist of 1 from scarlatina and 1 from enteric fever for Rathmines, and 1 from measles and 1 from diarrhœa for Pembroke. Among the 16 deaths from all causes tabulated for Rathmines are 3 from diseases of the nervous system, 3 from diseases of the heart and blood-vessels, and 2 from diseases of the respiratory system (including one from catarrhal pneumonia).

NOTE.—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 5th July,	239 cases.
" " 12th July,	305 cases.
" " 19th July,	238 cases.
" " 26th July,	313 cases.

Of the 313 cases notified, 19 were erysipelas, 23 enteric fever, 8 scarlatina, 242 measles, 7 diphtheria, 9 continued fever, and 5 varicella.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 5th July,	5 cases.
" " 12th July,	2 cases.
" " 19th July,	5 cases.
" " 26th July,	2 cases.

The 2 cases notified were enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 5th July,	41 cases.
" " 12th July,	34 cases.
" " 19th July,	17 cases.
" " 26th July,	17 cases.

Of the 17 cases notified, 14 were measles, and 3 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 5th July,	92 cases.
" " 12th July,	46 cases.
" " 19th July,	69 cases.
" " 26th July,	36 cases.

Of the 36 cases notified, 15 were enteric fever, 3 erysipelas, 4 diphtheria, 11 continued fever, 1 scarlet fever, and 2 small-pox.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th July, 1902.

From this it appears that:—

Fifty-six cases of measles were admitted to hospital, 57 were discharged, there were 2 deaths, and 139 cases remained under treatment at the close of the week.

Seventeen cases of enteric fever were admitted to hospital, 5 cases were discharged, there was one death, and 39 cases remained under treatment at the close of the week.

Sixteen cases of scarlatina were admitted to hospital, 7 cases were discharged, there was one death, and 61 cases remained under treatment at the close of the week.

One case of typhus fever remained in hospital at the close of the week.

Thirteen cases of diphtheria were admitted to hospital, 10 were discharged, there was one death, and 23 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 3 patients were discharged, and 14 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·3), was equal to an average annual death-rate of 13·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·8 per 1,000, the rate for Glasgow being 18·1, and for Edinburgh 15·6.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 26th July, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 26th July, 1902. Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,322	18·7	29·2	17·3	2·4	612	362	70	83	.	22	2	.	3	2	1	10	16	45	48	11	17	105
Dublin Registration Area:— Total, ‡	379,068	27·8	27·9	20·2	2·1	203	147	28	42	.	8	1	.	1	1	.	1	3	18	17	2	3	57
Registrars' Districts. City	298,394	37·8	29·3	21·1	2·0	165	119	25	30	.	7	.	.	.	1	.	.	2	16	14	.	1	52
Rathmines, ‖	33,208	19·4	20·4	25·1	3·1	13	16	2	6	.	.	1	.	.	.	.	1	.	1	2	1	1	4
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	32·1	16·0	4·0	16	8	1	3	.	1	.	.	.	.	.	.	1	.	1	1	1	.
Blackrock, ‖	8,759	8·1	29·8	6·0	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2, ‖	17,622	12·1	11·8	8·9	.	4	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Urban Districts. Belfast	358,698	21·8	32·6	15·6	3·3	224	107	23	17	.	9	.	.	2	.	.	7	6	17	16	6	10	21
Cork	75,978	33·5	24·0	15·1	1·1	35	22	3	5	.	3	.	.	.	.	.	.	.	4	2	1	2	7
Londonderry	40,729	18·8	23·0	12·8	3·8	18	10	1	1	.	3	.	.	.	.	.	.	.	1	1	1	1	.
Limerick	38,085	18·4	23·3	17·8	.	17	13	2	4	.	.	.	.	.	.	.	.	.	2	3	.	.	2
Waterford	26,748	18·6	21·4	17·5	3·9	11	9	3	1	.	.	.	.	.	.	1	.	1	1	.	.	.	5
Galway	18,414	9·5	27·2	31·1	.	7	8	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	5
Dundalk	18,067	9·4	4·0	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,765	8·1	36·8	4·1	.	9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,587	17·9	12·4	16·6	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,777	18·8	62·0	22·1	4·4	14	5	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1
Lisburn	11,459	19·1	4·6	18·2	9·1	1	4	1	1	.	.	1	.	.	.	1	.	.	.	.	.	.	2
Wexford	11,154	28·2	28·0	28·0	.	6	6	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Ballymena	10,880	10·9	24·0	19·4	.	5	4	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
Sligo	10,862	8·6	32·8	19·2	.	11	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	10,498	11·4	34·7	19·9	.	14	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Clonmel	10,209	7·9	35·8	15·3	5·1	7	3	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.
Portadown	10,046	13·1	31·1	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	9,812	16·7	31·9	26·6	.	6	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Newtownards	9,110	18·9	45·8	5·7	.	8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown	7,887	14·7	39·7	6·6	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,569	22·1	20·7	27·6	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	2

Towns and Districts.	Meteorology.† Week ending 26th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	°	°	°		°	°	°		°	°	°	
Dublin Registration Area: Total, ‡	§66·0	41·1	54·0	1·65	§71·5	42·0	58·6	0·68	§72·7	44·4	58·2	0·20
City	a64·8 b65·4	45·1 42·0	56·6 54·9	2·00 1·74	a74·8 b73·9	49·0 43·0	61·4 59·9	0·70 0·79	a74·6 b74·7	47·9 44·0	60·4 59·1	0·28 0·17
Rathmines, ‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock, ‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2, ‖	66	46	56·6	1·23		48·5	60·9	0·91	75	48	60·9	0·18
Belfast	63·1	39·5	53·6	1·01	69·0	48·1	59·5	0·50	73·1	46·3	58·3	0·94
Cork	70	48	57·8	1·83	72	46	58·4	0·03	69	48	58·7	0·02
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	66	45	57	0·39	68	45	58	0·00	73	46	59	0·74
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	66·1	42·0	54·8	2·08	70·5	46·0	58·4	1·11	70·0	45·0	58·3	0·71
Lurgan	66·1	42·0	54·8	2·08	70·5	46·0	58·4	1·11	70·0	45·0	58·3	0·71
Lisburn	66·1	42·0	54·8	2·08	70·5	46·0	58·4	1·11	70·0	45·0	58·3	0·71
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	63·4	38·4	54·1	0·98	65·9	40·9	56·7	0·83	67·7	47·3	58·4	1·00
Kilkenny	65	46	56·3	1·90	77	45	59·4	0·23	75	45	59·3	0·00
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	66·1	42·0	54·8	2·08	70·5	46·0	58·4	1·11	70·0	45·0	58·3	0·71
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	60	40	52·9	0·81	69	47	56·8	0·80	73	47	56·6	0·70
Queenstown	70	48	57·8	1·83	72	46	58·4	0·03	69	48	58·7	0·02
Armagh	66·1	42·0	54·8	2·08	70·5	46·0	58·4	1·11	70·0	45·0	58·3	0·71

* According to the Census of 1901 (unrevised figures), but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

Point for Cork and Queenstown. ‡ Exclusive of 8 deaths of persons admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 26th of July, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
A. GENERAL DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	1	.	.	.	.	.	1	.	1	2	.	.	.	.	1	.	.	8	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diarrhœa, Dysentery,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Phthisis,	2	2	3	6	.	.	.	.	1	1	.	1	.	.	.	1	.	.	1	18	.
Other General Diseases,	2	7	1	3	.	.	.	.	3	1	1	3	.	.	.	.	.	.	.	21	2
Total,	6	12	5	9	.	.	.	.	5	2	2	7	.	.	.	3	2	.	1	54	2
B. LOCAL DISEASES:																					
Diseases of: Nervous System,	1	3	3	.	.	.	.	.	1	.	3	.	.	.	.	3	1	.	.	15	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	3	.	2	.	.	.	.	.	3	2	1	3	.	.	.	3	.	.	1	18	.
Respiratory System,	2	1	.	2	.	1	.	.	2	1	2	2	.	1	.	2	1	.	.	17	.
Digestive System,	1	1	.	2	.	.	.	.	1	1	2	2	.	.	.	2	1	1	.	14	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Urinary System,	.	1	1	1	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	7	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	6	6	5	.	1	.	.	8	5	8	8	.	2	.	10	5	1	1	73	1
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL DEFINED AND NOT SPECIFIED DISEASES,	2	1	2	2	.	.	.	2	2	2	1	1	.	.	.	2	.	.	1	18	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.
Deaths from all Causes,	15	19	13	16	.	1	.	2	15	9	11	16	.	2	.	16	8	1	3	147	3
Annual Rate of Mortality in every 1,000 of the population.	27·6	25·3	22·5	26·3	.	5·2	.	.	20·0	27·4	13·7	25·9	.	14·3	.	25·1	16·0	6·0	8·9	20·2	
	22·6								19·6							17·1					
	21·1																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	2	6	2	.	.	.	.	2	2	2	4	.	1	.	4	.	.	.	25	3
Workhouse Hospitals,	4	5	2	5	.	.	.	.	5	4	2	4	.	.	.	.	.	.	1	32	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in week of the ten years, 1892-01

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 30th Week of the 10 years 1892-1901	In the Week ending Saturday 26th July, 1902. Deaths of Persons of the Ages							
	July 30, 1892.	July 29, 1893.	July 28, 1894.	July 27, 1895.	July 25, 1896.	July 31, 1897.	July 30, 1898.	July 29, 1899.	July 28, 1900.	July 27, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and upwards.
Mean Temperature.	53·3	60·6	57·8	57·0	60·1	61·6	57·1	60·0	63·8	59·2	59·1	Mean Temp. 54·0							
ALL CAUSES.	190	196	149	160	159	153	160	191	129	155	164·2	150	10	18	18	8	25	29	3
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	8	1	.	.	.	.	.	13	.	.	2·2	8	.	2	6	.	.	.	
Scarlet Fever,	.	.	2	.	1	1	1	3	.	.	·8	1	.	.	1	.	.	.	
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza,	.	2	.	1	1	1	.	1	.	3	·9	.	.	.	.	.	.	.	
Whooping Cough,	1	4	3	3	3	1	.	3	.	4	2·2	1	.	.	1	.	.	.	
Diphtheria,	.	2	.	.	.	3	1	.	1	1	·8	1	.	.	1	.	.	.	
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Continued Fever,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	
Enteric Fever,	.	1	1	.	.	1	3	1	.	.	·7	1	.	.	.	.	1	.	
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	3	38	3	25	43	9	10	19	4	21	17·5	. 3	.	.	2	.	.	.	
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease,	2	.	.	2	.	1	2	2	.	.	·9	.	.	.	.	.	.	.	
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	.	1	.	.	.	.	.	1	.	.	·2	. . .	.	.	.	.	.	.	
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas,	.	1	1	1	.	.	1	.	1	1	·6	.	.	.	.	.	.	.	
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	.	1	.	.	.	.	.	.	.	1	·2	. .	.	.	.	.	.	.	
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculous Phthisis, "*Phthisis*,"	28	29	31	19	12	21	21	16	19	26	22·2	. 18	.	.	.	2	9	5	2
Tuberculous Meningitis, (Acute Hydrocephalus).	4	3	6	3	1	3	6	5	2	2	3·5	.	.	.	.	.	.	.	
Tuberculous Peritonitis, *Tabes Mesenterica*,	4	8	5	7	6	6	1	7	3	3	5·0	. 2	.	2	.	.	.	.	
Tuberculous Dis. (other), Scrofula,	5	2	3	.	3	5	4	3	1	1	2·7	2 .	.	.	.	1	1	.	
Alcoholism,	1	.	.	1	2	1	.	1	.	1	·7	2	.	.	.	.	1	1	
Rheumatic Fever,	.	.	.	.	.	1	.	.	2	.	·3	3	.	.	.	1	1	1	
Gout	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	

* The figures for the years 1892-1900 are f

ITH WEEK ending Saturday, 26th July, 1902, with the deaths from each cause in the corresponding
rage for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: July 30, 1892.	July 29, 1893.	July 28, 1894.	July 27, 1895.	July 25, 1896.	July 31, 1897.	July 30, 1898.	July 29, 1899.	July 28, 1900.	July 27, 1901.	Averages in 30th Week of the 10 years 1892-1901.	In the Week ending Saturday, 26th July, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
an Temperature.	° 53·3	° 60·6	° 57·8	° 57·0	° 60·1	° 61·6	° 57·1	° 60·0	° 63·8	° 59·2	° 59·1	° 54·0								
a												.	.	.	.	.	.	.	.	.
... ...	6	6	5	4	6	9	5	6	7	5	5·9	.	.	.	.	.	.	.	.	.
Dis. "*Cancer*," ...												6	.	.	.	.	1	4	1	.
Mellitus												1	.	.	.	.	.	1	.	.
e Birth	1	2	3	1	.	5	2	2	1	1	1·8	3	3	.	.	.	.	.	.	.
s (not tuberc.) ...												4	.	1	1	2	.	.	.	.
G. P. of Insane ...												2	.	.	.	.	.	2	.	.
.. ..												.	.	.	.	.	.	.	.	.
is												4	.	3	1	.	.	.	.	.
r Ataxy												.	.	.	.	.	.	.	.	.
a Dis. of Cord												1	.	.	.	.	.	1	.	.
System (other Dis.) ...	41	36	28	32	23	31	34	43	30	35	33·3	4	.	.	.	1	.	.	2	1
, Endocarditis												2	.	.	.	.	1	.	1	.
æm. Thromb.												1	.	.	.	.	.	.	1	.
Hemiplegia												4	.	.	.	.	.	1	3	.
n												.	.	.	.	.	.	.	.	.
a, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
d Blood Vessel Dis.												11	.	1	.	.	.	4	4	2
ot Spasm or Memb.) ...	1	1	1	3	1	.	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
is	18	13	9	9	10	9	16	13	15	10	12·2	9	.	.	2	.	.	2	3	2
a Pneumonia												.	.	.	.	.	.	.	.	.
Pneumonia	4	5	4	4	1	6	9	9	8	8	5·8	4	.	2	.	.	1	.	1	.
nia"												2	.	.	.	.	.	1	1	.
Emphysema												.	.	.	.	.	.	.	.	.
... ...	6	1	2	3	1	4	1	2	.	1	2·1	.	.	.	.	.	.	.	.	.
ory Dis. (other)												2	.	.	.	.	1	1	.	.
is, Quinsy	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
(not Epid.)	.	2	1	1	3	1	.	2	1	.	1·1	1	.	.	.	.	1	.	.	.
nteritis												.	.	.	.	.	.	.	.	.
is (not Puerp.)	2	1	.	1	.	.	.	1	2	1	·8	.	.	.	.	.	.	.	.	.
of Liver	2	.	1	1	.	1	3	1	2	1	1·2	3	.	.	.	.	2	.	1	.
s. (other)												2	1	.	.	.	.	1	.	.
e Dis. (other)	3	2	3	3	6	2	8	6	2	2	3·7	8	.	2	.	.	.	2	2	2
s, Acute												4	.	1	1	.	.	1	1	.
Dis., Albuminuria ...	2	5	4	2	4	4	5	3	1	4	3·4	3	.	.	.	.	2	.	1	.
Sys. (Other Dis.) ...												1	.	.	.	.	1	.	.	.
ive Organs Dis.	.	.	.	.	2	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
th (Accid. of)	1	.	1	1	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
... ...	10	6	10	8	8	6	12	10	9	5	8·4	10	.	.	.	.	.	.	4	6
iseases	27	18	19	16	17	17	11	14	13	12	16·4	13	6	4	1	.	1	1	.	.
ACCIDENT.																				
ways												.	.	.	.	.	.	.	.	.
icles and Horses	1	.	.	1	2	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
s, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ling Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
lagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	.	.	.	4	.	.	.	1	.	.	·5	1	.	.	1	.	.	.	.	.
wning	5	2	.	.	1	1	.	.	1	.	1·0	1	.	.	.	1	.	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	1	1	.	.	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	1	2	1	1	1	1	2	2	2	3	1·6	.	.	.	.	.	.	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
de	.	.	1	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
... ...	1	.	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
ion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																										
	Feb. 1.	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Births registered,	152	222	177	248	198	220	289	198	229	199	237	226	195	255	232	202	209	234	249	192	242	218	204	187	196	203
*Average Births in corresponding week of previous 10 years,**	207	208	195	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195
Deaths registered,	169	181	200	248	218	222	151	167	211	203	206	174	199	191	173	186	149	165	156	155	139	149	149	129	155	150
Annual Death-rate per 1,000,	23·3	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6
*Average Deaths in corresponding week of previous 10 years,**	216	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164
Ages, Under 5 years,	38	46	40	60	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46
5—20 "	11	12	18	16	17	12	22	17	20	17	16	12	19	20	18	20	16	24	14	19	15	11	14	10	13	8
20—40 "	31	36	34	37	30	29	23	32	39	33	42	28	20	31	33	39	34	23	32	29	23	23	30	24	36	25
40—60 "	43	39	47	55	48	46	35	40	52	51	41	37	50	39	33	37	21	35	38	24	26	27	27	29	30	29
60—80 "	36	36	49	70	52	67	28	26	43	45	40	33	44	42	35	32	36	27	17	27	32	26	30	25	27	29
80 years and upwards,	10	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9	8	8	7	6	5	5	7	3	5	13
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	3	3	1	6	4	1	1	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6	3	8
" Scarlet Fever,	1	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
" Whooping-cough,	1	2		2	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1
" Diphtheria,	1	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.		1	1	1	.	.	1	1	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Enteric Fever,	.	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1
" Diarrhœa, Dysentery,	.	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1		.	2	4	1	3
" Phthisis,	33	31	7	27	33	38	17	36	37	27	27	23	20	25	23	30	25	27	40	26	26	15	18	14	25	18
" Heart Diseases,	12	23	18	22	14	15	17	13	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18
" Diseases of Respiratory System,	47	36	48	82	73	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30	24	23	17
Violent Deaths,	2	5	7	7	5	4	2	8	1	4	8	1	4	6	4	3	4	4	6	10	.	4	7	4	3	2
Mean Temperature of the Air (Phœnix Park),	34·9	35·7	29·9	40·5	46·0	44·3	44·9	44·4	43·5	43·5	38·4	45·9	49·8	46·9	48·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0
Average Mean Temperature in corresponding week of previous 10 years,	39·3	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1
Rainfall in inches,	·390	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·815	·195	·158	1·025	·725	·915	·065	·270	·200	·630	1·650
Mean Humidity of the Air, complete Saturation 1·0,	·81	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th July, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(18)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	846,128	22·6	150	46	8	25	29	29	13	.	8	1	.	1	1	.	1	3	15	18	4	17	2	94
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	23·7	7	.	.	.	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
II.	MIDDLE CLASS,	80,658	12·3	19	6	3	3	2	3	2	.	1	1	.	1	.	.	.	1	4	2	1	2	.	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	20·1	38	12	3	7	9	7	.	.	5	.	.	.	1	.	.	.	6	2	1	5	1	23
IV.	GENERAL SERVICE CLASS,	146,486	29·6	54	25	.	11	6	9	3	.	2	.	.	.	.	.	1	2	5	7	2	8	1	31
V.	INMATES OF WORKHOUSES,	5,191		32	3	2	4	11	9	3	.	.	.	.	.	.	.	.	.	.	7	.	1	.	24
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	16·2	8	1	3	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	6
	6. Clerks and Commercial Assistants,	24,750	12·6	6	5	.	.	.	1	.	.	1	1	.	1	.	.	.	1	4	.	1	.	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	8·6	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	14·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	9. Building and Furnishing Trades,	26,080	24·0	12	6	.	4	2	.	.	.	3	.	.	.	1	.	.	.	4	.	.	1	.	7
	10. Clothing Trades,	23,686	8·8	4	2	.	1	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	1
	11. Food Supply Trades,	7,869	13·3	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	27·4	14	3	3	1	2	5	.	.	1	.	.	.	.	.	.	.	1	1	1	1	1	9
	13. Petty Shopkeepers,	6,771	30·8	4	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·4	10	5	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	2	.	6
	15. Domestic Servants,	39,563	4·0	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	4	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	5
	17. Hawkers, Porters, Labourers, &c.,	82,631	21·5	34	16	.	7	3	7	1	.	2	.	.	.	.	.	1	2	5	4	2	5	.	18
	INMATES OF WORKHOUSES.																								
V.	Workhouse Inmates,	5,191	.	32	3	2	4	11	9	3	.	.	.	.	.	.	.	.	.	.	7	.	1	.	24

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(1)	(13)	(14)	(15)	(21
City of Dublin (prior to extension)																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.* Pop. in 1902 (Est. 28,333.	June 7,	25·4	.	14	.	.	.	.	.	.	.	.	.	5	3	.
	„ 14,	23·9	1·3	13	.	.	.	.	.	.	.	1	.	.	3	2
	„ 21,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	5	1	1
	„ 28,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	July 5,	20·2	3·7	11	.	1	.	.	.	.	.	.	1	2	.	.
	„ 12,	14·7	3·7	8	.	1	.	.	.	.	.	1	.	2	2	.
	„ 19,	14·7	3·7	8	.	2	.	.	.	.	.	.	.	1	3	.
	„ 26,	27·6	3·7	15	.	.	.	.	1	.	.	.	1	2	2	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est. 39,146.	June 7,	18·6	.	14	.	.	.	.	.	.	.	.	.	4	2	1
	„ 14,	18·3	1·3	10	.	1	.	.	.	.	.	.	.	2	2	1
	„ 21,	22·6	1·3	17	.	1	.	.	.	.	.	.	.	3	3	.
	„ 28,	20·0	2·6	15	.	2	.	.	.	.	.	.	.	3	6	.
	July 5,	20·0	.	15	.	.	.	.	.	.	.	.	.	1	5	1
	„ 12,	20·0	4·0	15	.	2	.	.	1	.	.	.	.	.	3	1
	„ 19,	26·6	5·3	20	.	2	.	1	.	.	.	1	.	2	4	.
	„ 26,	25·3	1·3	19	.	2	.	.	.	.	.	.	1	2	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est. 30,107.	June 7,	24·2	.	14	.	.	.	.	.	.	.	.	.	5	1	1
	„ 14	20·2	.	12	.	.	.	.	.	.	.	.	.	2	.	.
	„ 21,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	2	.
	July 5,	8·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	1	1	1
	„ 19,	38·1	1·7	22	.	1	.	.	.	.	.	.	.	8	1	1
	„ 26,	22·5	1·7	13	.	1	.	.	.	.	.	.	.	3	.	.
North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,678.	June 7,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	„ 14,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	.	2
	„ 21,	9·9	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	„ 28,	23·0	3·3	14	.	.	.	.	.	.	.	2	.	1	3	.
	July 5,	23·0	3·3	14	.	1	1	.	.	.	.	.	.	2	5	1
	„ 12,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	3	1
	„ 19,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.
	„ 26,	26·3	.	16	.	.	.	.	.	.	.	.	.	6	2	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 39,152.	June 7,	17·3	.	13	.	.	.	.	.	.	.	.	.	7	1	.
	„ 14	22·6	.	17	.	.	.	.	.	.	.	.	.	4	1	1
	„ 21,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	4	4	.
	July 5,	17·3	4·0	13	.	1	.	.	.	.	.	1	1	2	1	.
	„ 12,	20·0	1·3	15	.	.	.	.	.	.	.	1	.	4	1	.
	„ 19,	21·3	1·3	16	.	.	.	.	.	1	.	.	.	6	2	.
	„ 26,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	1	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,118.	June 7,	30·5	.	10	.	.	.	.	.	.	.	.	.	5	2	.
	„ 14,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	.	.
	„ 21,	45·7		15	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	15·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	July 5,	30·5		10	.	.	.	.	.	.	.	.	.	2	3	2
	„ 12,	15·2	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.
	„ 19,	15·2	3.0	5	.	1	.	.	.	.	.	.	.	1	.	.
	„ 26,	27·4	.	9	.	.	.	.	.	.	.	.	.	1	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 41,766.	June 7,	16·2	.	18	.	.	.	.	.	.	.	.	.	4	4	.
	„ 14,	17·5	.	14	.	.	.	.	.	.	.	.	.	4	2	1
	„ 21,	16·2	1·2	18	.	1	.	.	.	.	.	.	.	3	.	.
	„ 28,	33·7	1·2	27	.	1	.	.	.	.	.	.	.	3	3	1
	July 5,	28·7	1·2	23	.	.	.	.	.	.	.	1	.	2	6	.
	„ 12,	15·0	2·5	12	.	.	.	.	.	1	.	1	.	.	2	.
	„ 19,	22·5	.	18	.	.	.	.	.	.	.	.	.	3	3	.
	„ 26,	13·7	1·2	11	.	1	.	.	.	.	.	.	.	.	2	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	June 7,	34·4	4·5	23	.	2	.	.	.	1	.	.	.	4	7	.
	„ 14,	28·4	4·5	19	.	2	.	.	1	.	.	.	.	5	3	.
	„ 21,	16·4	6·0	11	.	2	1	.	.	1	.	.	.	1	.	1
	„ 28,	20·9	.	14	.	.	.	.	.	.	.	.	.	1	1	2
	July 5,	25·4	4·5	17	.	3	.	.	.	.	.	.	.	4	2	.
	„ 12,	17·9	1·5	12	.	1	.	.	.	.	.	.	.	2	2	.
	„ 19,	22·4	1·5	15	.	1	.	.	.	.	.	.	.	1	3	1
	„ 26,	23·9	4·5	16	.	2	.	.	.	1	.	.	.	1	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,208.	June 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	3	2	.
	,, 14,	18·8	4·7	12	.	1	.	.	.	1	.	.	1	3	2	.
	,, 21,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	,, 28,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	2	.	.
	July 5,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	,, 12,	20·4	1·6	15	.	.	.	.	1	.	.	.	.	1	2	.
	19	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	2	.
	26,	25·1	3·1	16	.	.	1	.	.	.	.	1	.	1	2	1
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	June 7,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	1	1	.
	,, 14,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	.	2	1
	,, 21,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	,, 28,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	July 5,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	,, 12,	14·0	6·0	7	.	.	.	.	.	.	.	1	2	.	1	.
	,, 19,	18·0	6·0	9	.	1	.	.	.	.	.	1	1	.	.	.
	,, 26,	16·0	4·0	8	.	1	.	.	.	.	.	.	1	.	1	1
Kingstown. Pop. in 1902 (Est.) 17,622.	June 7,	17·8	.	6	.	.	1	.	.	.	.	.	.	.	1	.
	,, 14,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	,, 21,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	,, 28,	20·7	3·0	7	.	.	.	.	.	.	.	2	.	.	.	.
	July 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	,, 12,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	,, 19,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	,, 26,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	June 7,	19·0	1·9	131	.	3	.	.	6	1	.	2	1	26	22	3
	,, 14,	16·4	2·5	113	1	2	.	.	1	3	.	6	4	21	20	2
	,, 21,	20·9	2·6	144	.	7	.	.	4	1	.	5	1	30	25	2
	,, 28,	16·6	2·9	114	.	6	.	.	3	2	1	5	3	22	18	1
	July 5,	21·4	2·8	147	.	6	.	.	7	.	.	2	4	18	34	7
	,, 12,	17·2	2·9	118	.	7	.	.	4	2	.	4	3	19	22	4
	,, 19,	16·9	2·3	116	.	7	.	.	.	.	.	3	6	23	18	1
	,, 26,	15·6	3·3	107	.	8	.	.	2	.	.	7	6	17	16	6
Cork. Pop (in 1901) 75,978.	June 7,	17·8	0·7	26	.	.	.	.	.	.	1	.	.	6	5	.
	,, 14,	16·5	2·1	24	.	1	.	.	1	.	.	.	1	2	5	.
	,, 21,	16·5	0·7	24	.	.	.	.	.	.	.	.	1	6	3	.
	,, 28,	18·5	0·7	27	.	1	.	.	.	.	.	.	.	7	4	.
	July 5,	24·0	6·2	35	.	.	.	.	2	2	.	.	1	4	3	.
	,, 12,	23·3	2·7	34	.	1	.	.	1	.	.	.	2	3	6	.
	,, 19,	17·2	0·7	25	.	.	.	.	.	.	.	1	.	4	3	1
	,, 26,	15·1	2·1	22	.	3	.	.	.	.	.	.	.	4	2	1
Londonderry. Pop. in 1902 (Est.) 40,729.	June 7,	20·5	3·3	16	.	3	.	.	.	.	.	.	.	2	2	.
	,, 14,	33·3	2·6	26	.	2	.	.	.	.	.	.	.	4	5	.
	,, 21,	12·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	,, 28,	16·6	.	13	.	.	.	.	.	.	.	.	.	1	6	.
	July 5,	32·0	5·1	25	.	2	.	.	.	.	.	1	1	5	8	.
	,, 12,	19·2	2·6	15	.	2	.	.	.	.	.	.	.	2	6	.
	,, 19,	21·8	1·3	17	.	.	.	.	.	.	.	.	1	2	2	.
	,, 26,	12·8	3·8	10	.	3	.	.	.	.	.	.	.	1	1	1
Limerick. Pop. (in 1901) 38,085.	June 7,	26·0	.	19	.	.	.	.	.	.	.	.	.	4	3	.
	,, 14,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	,, 21,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	,, 28,	28·8	.	21	.	.	.	.	.	.	.	.	.	2	7	.
	July 5,	31·5	.	23	.	.	.	.	.	.	.	.	.	6	1	1
	,, 12,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	,, 19,	20·5	.	15	.	.	.	.	.	.	.	.	.	7	1	.
	,, 26,	17·8	.	13	.	.	.	.	.	.	.	.	.	2	3	.
Waterford. Pop. (in 1901) 26,743.	June 7,	27·3	3·9	14	.	.	.	.	1	.	.	.	1	4	2	.
	,, 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	,, 21,	21·4	.	11	.	.	.	.	.	.	.	.	.	6	2	1
	,, 28,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	July 5,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	,, 12,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	1
	,, 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	,, 26,	17·5	3·9	9	.	.	.	.	.	.	1	.	1	1	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 26th July, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	3	1	2	.	.	.	.	1	.	.	.	1	.	1	.	2	1
" 2 "		27			14	5	3	5	1	.	1	.	.	1	.	.	.	.	2	3	2	3	1
" 3 "		31			16	5	5	4	2	.	4	.	.	.	.	.	.	2	2	4	1	1	.
" 4 "		29			17	3	1	11	2	.	1	.	.	.	.	.	3	.	2	.	.	1	7
" 5 "		15			5	.	.	4	1	.	.	.	.	.	.	.	1	.	3	.	.	.	3
" 6 "		30			16	5	.	7	4	.	.	.	.	.	.	.	.	1	2	4	3	3	2
" 7 "		.			2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 8 "		8			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "		5			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 10 "		11			6	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 11 "		17			11	1	2	7	1	.	1	.	.	.	.	.	2	1	4	1	.	.	.
" 12 "		30			9	3	2	4	.	.	1	.	.	.	.	.	1	1	1	2	.	.	3
" 13 "		15			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	224	15·6	3·3	107	23	19	48	17	.	8	.	.	2	.	.	7	6	17	16	6	10	21
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	75,978	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" 2 "		7			5	1	2	1	1	.	.	.	.	.	.	.	.	.	1	1	1	1	2
" 3 "		7			7	.	1	4	2	.	1	.	.	.	.	.	.	.	3	.	.	.	2
" 4 "		3			2	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		3			2	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		8			4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Total,	—	35	15·1	2·1	22	3	6	8	5	.	3	.	.	.	.	.	.	.	4	2	1	2	7

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Feb. 1.	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered,	188	189	201	246	207	277	226	239	175	265	216	215	245	192	229	231	201	244	217	211	209	175	237	208	214	224
DEATHS registered.	130	128	169	205	188	136	161	154	151	158	168	149	158	119	149	142	152	139	131	113	144	114	147	118	116	107
Annual Death-rate per 1,000 of estimated Population,*	18·9	17·9	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6
AGES, Under 1 year,	26	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16	20	26	22	26	24	29	23
AGES, 1-5 years,	14	17	21	30	17	16	18	22	21	22	21	22	23	12	24	16	25	21	20	14	22	20	27	23	19	19
AGES, 5-60 years,	66	58	86	91	91	57	74	68	71	75	80	67	76	57	67	71	67	63	61	52	69	50	64	55	45	48
AGES, 60 years and upwards,	24	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21	31	27	27	22	30	16	23	17
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Measles,	.	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3	2	.	6	6	7	7	8
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	6	5	4	1	.	3	5	6	5	6	4	2	2	4	3	4	2	6		4	3	7	4	.	2
,, Diphtheria,	.	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
,, Enteric Fever,	3	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7
,, Diarrhœa, Dysentery,	2	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6
,, Phthisis	21	18	33	25	28	24	18	19	30	30	26	31	25	29	32	29	26	26	26	21	30	22	18	19	23	17
,, Diseases of Respiratory System,	27	46	58	55	58	33	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18	16
Violent Deaths,	2	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3	2	2	1	7	4	1	6

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th July, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Fever.	Total.
North City No. 1, East,	.	36	.	2	.	.	.	.	.	6	.	.	1	.	45
„ 1, West,	.	38	.	.	.	.	.	.	3	1	.	.	2	.	44
„ „ 2,	.	31	.	1	.	.	.	.	.	1	.	.	.	.	33
„ „ 3,	.	14	.	1	.	.	1	.	.	2	4	.	1	.	23
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	.	.	1	.	.	.	.	3
Coolock and Drumcondra No. 1 (part of),	.	4	.	.	.	.	.	.	.	1	.	.	1	.	6
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	35	.	2	.	.	3	.	.	5	7	.	.	.	52
„ „ 2,	.	17	.	.	.	.	.	.	.	2	1	.	.	.	20
„ „ 3,	.	36	.	.	.	.	.	.	.	2	2	.	.	.	40
„ „ 4,	.	28	.	1	.	.	3	.	6	2	5	.	.	.	45
Palmerston (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	242	.	8	.	.	7	.	9	23	19	.	5	.	313
Total for week ended July 19th, 1902,	.	196	.	8	1	.	9	.	4	10	8	.	2	.	238
Total for week ended July 12th, 1902,	.	252	.	10	.	.	3	.	2	11	21	.	5	1	305
Total for week ended July 5th, 1902,	.	180	.	10	.	.	4	.	8	7	16	.	14	.	239

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th July, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th July.			
	July 5.	July 12.	July 19.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	163	163	142	56	57	2	139
Scarlet Fever,	61	58	53	16	7	1	61
Typhus „	.	.	1	.	.	.	1
Diphtheria,	18	20	21	13	10	1	23
Enteric Fever,	27	24	28	17	5	1	39
Pneumonia,	15	16	13	4	3	.	14

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births Exclusive of Stillborn.	Deaths	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	July 26,	2,521	1,258	14·3	4	32	8	31	49	19	47
EDINBURGH,	317,885	„ 26,	155	97	15·6	.	7	.	.	3	.	.
GLASGOW,	764,423	„ 26,	449	270	18·1	.	.	5	2	7	.	13
CALCUTTA,	847,793	May 24,	.	613	37·5	2	.	.	.	.	86§	104*
BOMBAY,	776,006	July 1,	328	554	37·1	3	10	?	?	.	75§	63*
MADRAS,	509,316	May 30,	276	357	36·4	.	3	?	?	?	129	47
PARIS,	2 660,559	July 5,	1,066	894	18·5	.	14	5	26†	8	6	25
BRUSSELS (with 8 Faubourgs).	562,893	„ 5,	239	144	13·3	.	2	.	.	3	.	4
AMSTERDAM,	534,663	„ 12,	286	122	11·9	.	8	.	.	.	.	7
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	July 5,	179	122	15·8	.	1		2	2	.	4
CHRISTIANIA,	224,909	„ 5,	101	63	14·6	.	.	.	.	1	.	1
ST. PETERSBURG,	1,248,643	„ 5,	637	582	24·2	.	16	10	12	3	12	81
BERLIN,	1,902,066	June 7,	956	779	21·4	.	8	6	5	15	1	95
HAMBURG,	724,835	July 5,	.	216	15·5	.	1	7	.	3	2	8
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	June 28,	.	193	19·8	.	4	2	3†	5	.	19
VIENNA (with suburbs).	1,726,604	July 12,	948	593	17·9	.	14	9	5†	1	.	48
BUDA PESTH,	767,061	„ 5,	388	259	17·4	.	3	5	1	3	.	16
PRAGUE and Faubourgs	416,817	„ 5,	217	168	21·0	.	.	4	1†	.	5	10
ROME,	480,361	May 10,	207	202	21·9	.	19	.	.	1	.	17
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	June 21,	74	52	16·4	.	1	.	2	.	2	.
NEW YORK,	3,632,501	July 5,	1,343	1,321	19·0	11	18	18	43†	14	11	257
PHILADELPHIA,	1,293,697	„ 5,	.	402	16·2	2	4	3	11	2	5	44

* Including 55 deaths from cholera in Calcutta, and 10 in Bombay.
† Including deaths from croup
§ Exclusive of 205 deaths from bubonic fever in Calcutta, and 45 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 26th July, 1902:—

"At first dry, but cloudy and (for the time of year) cold, the weather finally became very broken with heavy rain, and for a short time on Friday night—a gale of wind. On Sunday morning a depression, which had crossed Ireland in a southeasterly direction during the previous day and night was central over the western part of the English Channel. The disturbance had caused heavy rain in parts of Ireland and Wales—1·30 inches at Birr, King's County, ·65 inch in Dublin, and ·62 inch at Pembroke. In its wake cold dry N. and N.W. winds prevailed, and the thermometer fell to 45° in the screen in Dublin during Monday night A large area of relatively low pressure about this time formed over Scandinavia, and small secondary depressions continued to travel southeastwards across the British Isles until Thursday. The weather remained cloudy, showery, and very cool. The cold became winter-like in its intensity early on Friday morning, when the screened thermometer sank to 38° at Loughborough and Wick, 36° at Penrith, and 40° even at Donaghadee on the coast. On Friday two air currents were observed in Dublin—a stratum of moist air from W.S.W. was superimposed on a cool easterly ground current of increasing strength. The barometer fell fast and at night a violent rain storm raged for 8 hours, yielding 1·34 inches of rain in Dublin, 2·12 inches at Greystones, and 2·43 inches at Fassaroe, near Bray, County Wicklow. Further heavy rain fell on Saturday. In Dublin the mean pressure was 29·853 inches, the highest reading being 30·116 inches at 9 p.m. of Sunday (wind, N.N.W.), the lowest 29·194 inches at 4 p.m. of Saturday (wind, S.). The corrected mean temperature was 56·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 55·6°. The screened thermometers fell to 45·1° on Monday and rose to 64·3° on Tuesday. The prevalent wind was N.N.W. Only 23¾ hours of bright sunshine were observed. Rain fell on six days to the large amount of 2·002 inches, 1·342 inches being measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·859 inches. The highest reading (30·121) was on Sunday at 9 p.m., wind N.W., and the lowest (29·300) on Saturday at 9 a.m., wind S.S.W.

The mean temperature for the week was 54·0°, being 5·1 below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Saturday, on which day the thermometer registered 66·0°, and was lowest on Monday, the mercury having fallen to 41·1°. The mean of the Dry Bulb for the week was 54·5°, and of the Wet Bulb 51·4°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 23·3 hours. The rainfall measured 1·650 inches.

At Greenwich the mean temperature for the week was 57·1°, the maximum 74·2°, and the minimum 48·5°; at Glasgow the maximum was 67·0°, the minimum 41·1°, and the mean 54·2°; and at Edinburgh the maximum was 61·0°; the minimum 44·7°, and the mean 51·8°. The rainfall at Greenwich measured 0·21 inch; at Glasgow 0·43 inch; and at Edinburgh 1·63 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, July 20,	30·108	57·2	46·2	51·7	50·4	47·1	·79	·7	6.0	—	N.N.E.	N.W.
Monday, " 21,	30·066	61·3	41·1	51·2	51·5	48·2	·79	·4	7·4	·015	N.W.	Calm.
Tuesday, " 22,	29·923	63·6	48·5	56·1	56·4	53·6	·82	·4	1·8	—	W.	Calm.
Wednesday, " 23,	29·935	59·3	50·7	55·0	54·9	51·3	·78	·4	0·7	·020	W.	Calm.
Thursday, " 24,	29·872	57·5	48·3	52·9	53·4	50·2	·81	·1	3·2	·265	N.	Calm.
Friday, " 25,	29·790	57·6	45·9	51·8	51·5	52·3	·86	·7	1·2	1·030	N.W.	E.
Saturday, " 26,	29·317	66·0	52·9	59·5	60·6	57·2	·81	·8	3·0	·320	S.S.W.	W.
Mean . .	29·859	60·4	47·7	54·0	54·5	51·4	·81	·5	Total 23·3	1·650	—	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A fine but cloudy day; night cloudy; showery 3 to 6.30 a.m. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A cloudy day; night cloudy; light rain 2.30 to 3.30 a.m. *Thursday*—Cloudy a.m.; dull p.m.; heavy rain 8.45 to 10.30 p.m.; night cloudy; showery 12.0 to 4.0 a.m. *Friday*—A cloudy day; night overcast; light and heavy rain 7.15 p.m. to 4.0 a.m.; showery 6.0 to 7.0 a.m. *Saturday*—Day overcast, and heavy showers at intervals from 10.0 a.m. to 7.30 p.m.; night overcast; showery 4.30 to 7.0 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 2ND AUGUST, 1902. [No. 31.

General Register Office, Charlemont House, Dublin, 5th August, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,643.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 12.	Week ending July 19.	Week ending July 26.	Week ending Aug. 2.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 12.	Week ending July 19.	Week ending July 26.	Week ending Aug. 2.	Average Rate for 4 weeks
22 Town Dists.	16·6	17·7	17·3	18·4	17·5	Lisburn, . .	9·1	22·8	18·2	13·6	15·9
Armagh, . .	6·9	20·7	27·6	6·9	15·5	Londonderry, .	19·2	21·8	12·8	20·5	18·6
Ballymena, .	4·8	28·8	19·2	4·8	14·4	Lurgan, . .	4·4	17·7	22·1	4·4	12·2
Belfast, . .	17·2	16·9	15·6	18·6	17·1	Newry, . .	20·7	8·3	16·6	12·6	14·6
Clonmel, . .	10·2	35·8	15·3	5·1	16·6	Newtownards, .	28·6	5·7	5·7	40·1	20·0
Cork, . . .	23·3	17·2	15·1	18·5	18·5	Portadown, .	10·4	15·6	0·0	0·0	6·5
Drogheda, . .	20·4	12·3	4·1	20·4	14·3	Queenstown, .	6·6	0·0	6·6	13·2	6·6
Dublin Reg. Area,	16·9	20·2	20·2	21·2	19·6	Sligo, . . .	4·8	9·6	19·2	4·8	9·6
Dundalk, . .	8·0	0·0	0·0	16·0	6·0	Tralee, . .	0·0	5·3	26·6	26·4	14·6
Galway, . .	27·2	15·5	31·1	15·5	22·3	Waterford, .	23·4	11·7	17·5	11·7	16·1
Kilkenny, . .	5·0	9·9	19·9	9·8	11·2	Wexford, . .	18·7	4·7	28·0	9·3	15·2
Limerick, . .	8·2	20·5	17·8	17·8	16·1						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·8 per 1,000, the rates varying from 0·0 in fifteen of the districts to 7·8 in Galway. The 128 deaths from all causes in Belfast include 5 from measles, 8 from whooping-cough, 3 from enteric fever, and 2 from diarrhœa. The 16 deaths in Londonderry include 3 from measles and one from diarrhœa; and amongst the 27 deaths in Cork 2 were from measles and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 186—93 boys and 93 girls; and the deaths to 165—98 males and 67 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·7 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 21·2 per 1,000. During the thirty-one weeks ending with Saturday last the death-rate averaged 24·4, and was 3·2 below the average mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Eighteen deaths (being equal to an annual rate of 2·5 per 1,000 of the population) were caused by measles, of these it appears that 2 died in hospital. The numbers in the 3 preceding weeks were 8, 8, and 6, respectively. There were 2 deaths from scarlet fever, 2 from influenza, 2 from whooping-cough, 2 from diphtheria, and 2 from enteric fever; typhus fever and cerebro-spinal fever each caused one death, and diarrhœal diseases caused 5 deaths.

There were 3 deaths from tuberculous phthisis, and 16 deaths registered as *phthisis*, and one death each from tuberculous meningitis and tuberculous peritonitis. Other forms of tuberculous disease caused 2 deaths.

There were 5 deaths from *malignant disease*, "*cancer*," 2 from carcinoma, and one from sarcoma.

There were 16 deaths from diseases of the nervous system, including 6 from *convulsions* (of the latter 2 were under one month and 4 in the age period over one month and under one year).

Diseases of the heart and blood-vessels caused 9 deaths, including 2 deaths from *apoplexy, hemiplegia.*

Diseases of the respiratory system caused 30 deaths, equal to a rate of 4·1 per 1,000 of the estimated population of the Registration Area, the average rate for the corresponding period of the past 10 years being 2·3 per 1,000. Eighteen deaths from bronchitis, 3 deaths from broncho-pneumonia, and 6 deaths from *pneumonia* are included in above total.

There were 7 deaths registered as being caused by accidental violence.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age (including 4 under one year and 2 infants under one month old.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 6 were under one month old), and 37 were aged 60 years and upwards, including 16 persons aged 70 and upwards, of whom 7 were octogenarians.

Seventy-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 21·2 per 1,000; the rate in the City was 22·7 (22·3 on the North side, and 23·2 on the South), and in the Urban Districts 15·8.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 4·0 per 1,000 inhabitants, the rate for the City being 4·1 (5·5 in the North City Districts, and 2·6 in the South) and for the Urban Districts 3·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. There were 3 deaths from measles, and 1 death from tuberculous phthisis, there were 4 deaths from diseases of the respiratory system, including 1 death from broncho-pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 21·3 per 1,000. There were 2 deaths from measles, 1 death from *phthisis*, 1 death from influenza, 2 deaths from diseases of the respiratory system, including 1 death from *pneumonia;* there were 2 deaths from accidental violence.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Measles caused 2 deaths, scarlet fever caused 1 death, 3 deaths were due to *phthisis*, and 2 deaths to diseases of the respiratory system; 1 death from accidental violence was registered.

No. 3 North City District (Blackhall-place).—The deaths (15) represent an annual rate of 24·7 per 1,000. Seven deaths were registered from measles, 1 from *diarrhœa*, 1 death from *phthisis*, and 2 deaths were due to diseases of the respiratory system, of which 1 was due to *pneumonia.*

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·4; and Finglas and Glasnevin, part of, 7·8.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·3 per 1,000. There was 1 death from epidemic diarrhœa, and 1 death from *phthisis*, there were 6 deaths from diseases of the nervous system, including 3 deaths from *convulsions*; there were 5 deaths from diseases of the respiratory system, including 1 death each from *pneumonia* and pleurisy.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 33·5 per 1,000. Enteric fever caused 1 death, and *phthisis* caused 2 deaths, diseases of the respiratory system caused 2 deaths, and there were 2 deaths from accidental violence.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·7 per 1,000. Diarrhœa, *phthisis*, and tuberculous-meningitis respectively caused 1 death, there were 6 deaths from diseases of the respiratory system, including 1 death each from broncho-pneumonia and *pneumonia.*

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·9 per 1,000. There were 3 deaths from measles and 1 death from whooping-cough, 1 death from tuberculous phthisis and 3 deaths from *phthisis*, there were 3 deaths from diseases of the respiratory system, including 2 deaths from *pneumonia*, and 1 death from accidental violence was registered.

South City Extension.—There were no deaths recorded last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are—Rathmines, 7·9 per 1,000 inhabitants; Pembroke, 28·0; Blackrock, 17·9; and Kingstown, 11·8. The deaths from the principal epidemic diseases tabulated for these districts consist of 1 from diphtheria for Rathmines, 1 each from measles, typhus, *diarrhœa* and *vomiting* for Pembroke, 1 from whooping-cough for Blackrock, and 1 from *diarrhœa* for Kingstown. Among the 14 deaths from all causes tabulated for Pembroke are 1 from tuberculous phthisis, 2 from *phthisis*, and 2 from diseases of the respiratory system—the latter including 1 death from broncho-pneumonia.

NOTE.—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 12th July,	305 cases.
" " 19th July,	238 cases.
" " 26th July,	313 cases.
" " 2nd August,	262 cases.

Of the 262 cases notified, 30 were erysipelas, 22 enteric fever, 11 scarlatina, 173 measles, 10 diphtheria, 9 continued fever, 5 varicella, 1 "fever," and 1 diphtheritic tonsillitis.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 12th July,	2 cases.
" " 19th July,	5 cases.
" " 26th July,	2 cases.
" " 2nd August,	3 cases.

Of the 3 cases notified, 2 were diphtheria, and one enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 12th July,	34 cases.
" " 19th July,	17 cases.
" " 26th July,	17 cases.
" " 2nd August,	13 cases.

Of the 13 cases notified, 11 were measles, one erysipelas, and one continued fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 12th July,	46 cases.
" " 19th July,	69 cases.
" " 26th July,	36 cases.
" " 2nd August,	64 cases.

Of the 64 cases notified, 41 were enteric fever, 7 erysipelas, 2 diphtheria, 6 continued fever, 5 scarlet fever, and one small-pox.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd August, 1902.

From this it appears that:—

Thirty-seven cases of measles were admitted to hospital, 55 were discharged, there were 2 deaths, and 119 cases remained under treatment at the close of the week.

Sixteen cases of enteric fever were admitted to hospital, 3 cases were discharged, there was one death, and 51 cases remained under treatment at the close of the week.

Nine cases of scarlatina were admitted to hospital, 19 cases were discharged, there was one death, and 50* cases remained under treatment at the close of the week.

One case of typhus fever remained in hospital at the close of the week.

Seven cases of diphtheria were admitted to hospital, 7 were discharged, there were 2 deaths, and 21 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 7 patients were discharged, there was one death, and 9 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·3), was equal to an average annual death-rate of 14·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·6 per 1,000, the rate for Glasgow being 16·8, and for Edinburgh 16·7.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS** and **DEATHS** registered during the Week ending Saturday, 2nd August, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Persons to an Acre	Annual Rate per 1,000 persons represented by: Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 2nd August, 1902. Numbers Registered. **Births.**	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 2nd August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
																								°	°	°		°	°	°		°	°	°	
Total of 22 Town Districts	1,092,643	19·2	27·2	18·4	2·8	571	386	71	83	.	28	1	1	10	1	2	4	11	47	71	12	23	110	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	879,003	27·8	25·6	21·2	4·0	186	154	26	35	.	18	1	1	2	1	.	1	5	17	29	6	8	68	§64·8	45·1	55·4	0·11	§66·0	41·1	54·0	1·65	§71·5	42·0	58·6	0·63
Registrars' Districts. City,	293,394	37·8	27·5	22·7	4·1	155	128	23	30	.	17	1	.	1	.	.	1	3	14	27	6	8	63	*a*66·0 *b*65·9	48·0 44·8	57·0 56·3	0·27 0·25	*a*64·3 *b*65·4	45·1 42·0	56·0 54·9	2·00 1·74	*a*74·8 *b*78·9	49·0 43·0	61·4 59·9	0·70 0·79
Rathmines,‖	33,208	19·4	9·4	7·9	1·6	6	5	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	22·0	28·0	6·0	11	14	2	2	.	1	.	1	.	.	.	.	1	3	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	6·0	17·9	6·0	1	3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,622	12·1	38·5	11·8	3·0	13	4	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	67	45	58·0	0·21	66	46	56·6	1·23	74	48·5	60·9	0·91
Urban Districts.																																			
Belfast,	358,693	21·8	29·1	18·6	2·6	200	128	24	24	.	5	.	.	8	.	.	8	2	16	29	4	11	22	63·1	39·6	54·4	0·81	63·1	39·5	58·6	1·01	69.9	48·1	59·5	0·50
Cork,	76,122	33·6	30·8	18·5	2·1	45	27	4	4	.	2	.	.	.	.	.	.	1	5	3	.	.	10	.	.	.	.	70	48	57·8	1·83	72	46	58·4	0·03
Londonderry,	40,729	18·8	43·5	20·5	5·1	34	16	3	4	.	3	.	.	.	.	.	.	1	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	20·5	17·8	.	15	13	2	5	.	.	.	.	.	.	.	.	.	1	3	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	35·1	11·7	.	18	6	1	.	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,426	2·5	19·4	15·5	7·8	5	4	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	65	44	58	0·35	66	45	57	0·59	68	45	58	0·00
Dundalk	13,076	9·4	12·0	16·0	.	3	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	.	20·4	.	.	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	25·2	12·6	.	6	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	65·7	44·0	55·1	0·41	66·1	42·0	54·3	2·08	70·5	46·0	58·4	1·11
Lurgan,	11,782	13·8	31·0	4·4	.	7	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	65·7	44·0	55·1	0·41	66·1	42·0	54·3	2·08	70·5	46·0	58·4	1·11
Lisburn,	11,461	10·1	22·7	13·6	.	5	3	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	65·7	44·0	55·1	0·41	66·1	42·0	54·3	2·08	70·5	46·0	58·4	1·11
Wexford,	11,168	23·2	37·4	9·3	.	8	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	23·9	4·8	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	19·2	4·8	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·1	41·5	52·8	0·58	63·4	38·4	54·1	0·98	65·9	40·9	56·7	0·32
Kilkenny,	10,609	11·5	4·9	9·8	4·9	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	66	46	57·3	0·10	65	46	56·3	1·90	77	45	59·4	0·23
Clonmel,	10,167	7·8	5·1	5·1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	36·2	.	.	7		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65·7	44·0	55·1	0·41	66·1	42·0	54·3	2·08	70·5	46·0	58·4	1·11
Tralee,	9,867	16·6	37·0	26·4	.	7	5	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	28·6	40·1	5·7	5	7	1	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	60	40	52·9	0·81	69	47	56·8	0·80
Queenstown,	7,909	14·4	52·7	13·2	.	8	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	48	57·8	1·83	72	46	58·4	0·03
Armagh,	7,588	22·2	6·9	6·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65·7	44·0	55·1	0·41	66·1	42·0	54·3	2·08	70·5	46·0	58·4	1·11

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the [illegible]

† It having been found impracticable to obtain meteorological observations from some of the towns [illegible] adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 11 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from [illegible] ‖ The Urban District [illegible]

BLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 2nd of August, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

AMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of				Total for Dublin Registration Area.	
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
. General Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	2	2	7	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	18	.
Scarlet Fever (Scarlatina),	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1
Diarrhœa, Dysentery,	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	.	1	5	.
Phthisis,	1	1	3	1	.	.	.	.	1	2	1	4	.	.	.	.	3	.	.	17	2
Other General Diseases,	1	3	2	1	.	1	.	.	3	2	3	1	.	.	.	1	2	1	.	21	3
Total,	5	6	8	10	.	1	.	.	5	5	5	9	.	.	.	2	8	2	1	67	8
B. Local Diseases:																					
Diseases of Nervous System,	2	2	1	.	.	.	.	.	6	1	2	1	.	.	.	.	.	.	1	16	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	.	.	1	.	.	.	.	1	.	.	2	.	.	.	2	1	.	1	9	.
Diseases of Respiratory System,	4	2	2	2	1	.	.	.	5	2	6	3	.	.	.	.	2	.	.	29	1
Diseases of Digestive System,	2	.	2	1	.	1	.	.	2	.	.	.	.	.	.	1	2	.	.	11	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Diseases of Generative System,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	9	5	5	4	1	1	1	.	14	3	8	7	.	.	.	3	5	.	2	68	2
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	2	3	.	1	.	.	.	.	.	1	2	1	.	.	.	.	1	1	1	13	.
E. Violent Deaths,	.	2	1	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	6	1
Deaths from all Causes,	16	16	14	15	1	2	1	.	19	11	15	18	.	.	.	5	14	3	4	154	11
Annual Rate of Mortality in every 1,000 of the population.	29·4	21·3	24·2	24·7	10·8	10·4	7·8	.	25·3	33·5	18·7	26·9	.	.	.	7·9	28·0	17·9	11·8	21·2	
	22·3								23·2							15·8					
	22·7																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	5	7	.	.	1	.	3	5	3	6	.	.	.	1	2	.	.	37	9
Workhouse Hospitals,	4	4	6	2	.	.	.	.	5	1	3	4	.	.	.	.	2	.	.	31	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regi red week of the ten years, 92-1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years 1892-1901	In the Week ending Sat lay 2nd August, 1902. Deaths of Persons of the es o					
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 60.	60 and under 80.
	Aug. 6, 1892.	Aug. 5, 1893.	Aug. 4, 1894	Aug. 3, 1895.	Aug. 1, 1896.	Aug. 7, 1897.	Aug. 6, 1898.	Aug. 5, 1899.	Aug. 4, 1900.	Aug. 3, 1901.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.			
Mean Temperature.	60·3	58·8	58·6	56·3	57·2	62·9	60·6	62·1	58·7	61·1	59·7	55·4						
ALL CAUSES.	144	194	134	172	184	150	160	223	159	158	167·8	165	6	20	23	14	34	30
Small Pox, Vaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.		
Small Pox, Unvaccinated, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.		
Small Pox, No Statement, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.		
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, ...	6	5	.	.	.	.	.	18	.	.	2·9	18	.	3	15	.		
Scarlet Fever	.	1	2	2	2	4	1	.	.	.	1·2	2	.	.	2	.		
Typhus, ...	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.		
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza, ...	.	2	.	2	2	.	.	1	1	.	·8	2	.	.	.	.		
Whooping Cough, ...	2	4	.	2	3	1	2	4	3	4	2·5	2	.	.	2	.		
Diphtheria, ...	.	2	.	.	2	1	1	.	.	.	·6	2	.	.	1	1		
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1		
Simple Continued Fever, ...	.	1	1	.	.	.	.	.	.	1	·3	.	.	.	.	.		
Enteric Fever, ...	.	1	1	1	2	1	5	3	2	1	1·7	2	.	.	.	.		
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	5	32	7	17	28	20	18	43	9	27	20·6	1	.	.	1	.		
												4	.	2	1	.		1
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Venereal Disease, ...	.	.	1	.	1	.	1	.	.	1	·4	.	.	.	.	.		
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	.	1	1	.	.	.	.	1	·4	.	.	.	.	.		
												.	.	.	.	.		
												.	.	.	.	.		
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Erysipelas, ...	.	2	.	.	.	.	.	.	1	.	·3	.	.	.	.	.		
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	.	1	.	1	.	1	.	.	·4	1	.	.	.	.	1	
												.	.	.	.	.		
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Tuberculous Phthisis, ... "*Phthisis*,"	26	19	21	24	21	14	21	24	24	15	20·9	3	.	.	.	1	1	
												16	.	.	.	1	1	1
Tuberculous Meningitis, (Acute Hydrocephalus).	1	2	4	3	8	6	7	5	4	.	4·0	1	.	.	1	.		
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	3	4	3	8	5	4	4	9	5	9	5·4	1	.	.	.	.	1	
												.	.	.	.	.		
Tuberculous Dis. (other), ... Scrofula, ...	2	1	4	4	3	4	6	3	4	1	3·2	2	.	.	.	1	1	
												.	.	.	.	.		
Alcoholism, ...	.	1	2	1	.	1	.	1	.	1	·7	.	.	.	.	.		
Rheumatic Fever, ...	.	1	.	2	1	.	.	.	1	.	·5	.	.	.	.	.		
Gout	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.		

* The figures for the years 1892-1900 e for

'Y-FIRST WEEK ending Saturday, 2nd August, 1902, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Aug. 6, 1892.	Aug. 5, 1893.	Aug. 4, 1894.	Aug. 3, 1895.	Aug. 1, 1896.	Aug. 7, 1897.	Aug. 6, 1898.	Aug. 5, 1899.	Aug. 4, 1900.	Aug. 3, 1901.	Averages in 31st Week of the 10 years 1892-1901.	In the Week ending Saturday, 2nd August, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 60·3	° 58·8	° 58·6	° 56·3	° 57·2	° 62·9	° 60·6	° 62·1	° 58·7	° 61·1	59·7	Mean Temp. ° 55·4								
na	5	10	5	5	10	7	8	6	9	7	7·2	2	.	.	.	.	.	1	1	.
... ...												1	.	.	.	.	1	.	.	.
t Dis. "Cancer,"												5	.	.	.	.	1	2	2	.
Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ire Birth	1	4	1	3	1	3	4	3	2	4	2·6	2	1	1	.	.	.	.	.	.
tis (not tuberc.)												4	.	.	.	3	.	1	.	.
, G. P. of Insane												1	.	.	.	.	.	.	.	1
... ...												.	.	.	.	.	.	.	.	.
ms												6	2	4	.	.	.	.	.	.
or Ataxy												.	.	.	.	.	.	.	.	.
ria Dis. of Cord												.	.	.	.	.	.	.	.	.
System (other Dis.) ...	30	46	31	35	37	30	23	40	36	26	33·4	5	.	.	.	1	1	1	2	.
s., Endocarditis												2	.	.	.	.	.	.	2	.
Hæm. Thromb.												.	.	.	.	.	.	.	.	.
, Hemiplegia												2	1	.	.	.	.	1	.	.
m												.	.	.	.	.	.	.	.	.
m, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis.												5	.	.	.	1	1	1	1	1
not Spasm or Memb.) ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
tis	11	9	11	9	5	11	15	6	9	6	9·2	18	.	3	3	.	.	1	10	1
is Pneumonia												.	.	.	.	.	.	.	.	.
-Pneumonia	6	2	3	6	5	5	4	10	3	10	5·4	3	.	.	1	1	.	1	.	.
onia"												6	.	.	3	.	2	.	1	.
, Emphysema												.	.	.	.	.	.	.	.	.
... ...	.	2	3	3	1	3	1	2	2	1	1·8	1	.	.	.	.	1	.	.	.
tory Dis. (other)												2	.	.	1	.	.	1	.	.
is, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s (not Epid.)	2	.	.	2	2	.	2	3	1	1	1·3	1	.	1	.	.	.	.	.	.
Enteritis												1	.	1	.	.	.	.	.	.
tis (not Puerp.)	2	2	.	.	1	.	.	3	1	1	1·0	1	.	.	.	1	.	.	.	.
s of Liver	3	.	1	2	6	2	1	3	2	4	2·4	2	.	.	.	.	1	.	1	.
is. (other)												1	.	.	.	.	1	.	.	.
e Dis. (other)	5	7	4	9	8	5	6	6	8	7	6·5	5	.	2	.	1	2	.	.	.
is, Acute												.	.	.	.	.	.	.	.	.
Dis., Albuminuria ...	6	2	2	4	6	3	2	4	8	7	4·4	1	.	.	.	.	.	1	.	.
Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
ive Organs Dis.	2	1	2	.	.	.	2	1	.	1	·9	2	.	.	.	.	.	1	1	.
rth (Accid. of)	1	1	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
... ...	5	9	10	6	7	5	9	9	8	5	7·3	5	.	.	.	.	.	.	2	3
Diseases	15	15	9	9	14	13	15	12	11	11	12·4	14	2	2	2	.	1	3	3	1
ACCIDENT.																				
ways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icles and Horses	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
s, Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
owning)																				
ling Operations	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
lagrations	.	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	1	.	.	1	.	1	1	2	1	1	1·0	.	.	.	.	.	.	.	.	.
wning	1	.	2	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ocation in Bed	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	1	.	.	.	.	.	.	.	2·2	7	.	1	.	1	2	3	.	.
Deaths by Accidents ...	3	1	1	6	1	3	1	.	3	3										
OLENCE OTHER THAN ACCIDENTAL.																				
de	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
... ...	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
ion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

*egistration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	Feb. 8.	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered,	222	177	248	193	220	239	198	229	199	287	226	195	255	232	232	209	234	249	192	242	213	204	187	196	203	186
*Average Births in corresponding week of previous 10 years,**	208	195	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210
DEATHS registered,	181	200	248	218	222	154	167	211	203	206	174	199	191	178	186	149	165	156	155	139	149	149	129	155	150	165
Annual Death-rate per 1,000,	24·9	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7
*Average Deaths in corresponding week of previous 10 years,**	213	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168
AGES, Under 5 years,	46	40	60	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59
5—20 ,,	12	18	16	17	12	22	17	20	17	16	12	19	20	13	20	16	24	14	19	15	11	14	10	13	8	14
20—40 ,,	36	34	37	30	29	23	32	39	33	42	28	20	31	33	29	34	23	32	29	23	23	30	24	36	25	31
40—60 ,,	39	47	55	43	46	35	40	52	51	41	37	50	39	33	37	21	35	38	24	26	27	27	29	30	29	24
60—80 ,,	36	49	70	52	67	28	26	43	45	40	33	44	42	35	32	36	27	17	27	32	26	30	25	27	29	30
80 years and upwards,	12	12	10	16	9	9	7	8	8	11	7	6	13	7	9	3	8	7	6	5	5	7	3	5	13	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	3	3	1	6	4	1	1	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18
,, Scarlet Fever,	.	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1
,, Whooping-cough,	2		2	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2
,, Diphtheria,	.	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.		1	1	1	.	.	1	1	1	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Enteric Fever,	2	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2
,, Diarrhœa, Dysentery,	1	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1		.	2	4	1	3	5
,, Phthisis,	31	7	27	33	38	17	36	37	27	27	25	20	25	23	30	25	27	40	26	26	15	18	[illegible]	[illegible]	[illegible]	19
,, Heart Diseases,	23	18	22	14	15	17	13	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18	9
,, Diseases of Respiratory System,	36	48	82	73	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30	24	23	17	30
Violent Deaths,	5	7	7	5	4	2	8	1	4	8	1	4	6	4	3	4	4	6	10	.	4	7	4	3	2	7
Mean Temperature of the Air (Phœnix Park),	35·7	29·9	40·5	46·0	44·3	44·9	44·4	48·5	43·5	38·4	45·9	49·8	46·9	48·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4
Average Mean Temperature in corresponding week of previous 10 years,	41·1	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7
Rainfall in inches,	·175	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·845	·195	·153	1·025	·725	·915	·065	·270	·200	·630	1·650	·105
Mean Humidity of the Air, complete Saturation 1·0,	·84	79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd August, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols. 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
		REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND AUGUST, 1902.																							
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	24·9	165	59	14	31	24	30	7	.	18	2	1	2	2	.	2	5	32	19	6	30	7	71
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	13·5	4	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
II.	MIDDLE CLASS,	80,653	12·3	19	7	3	3	.	4	2	.	1	.	.	1	.	.	.	.	2	2	1	2	1	11
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	19·1	36	7	4	10	9	5	1	.	4	.	.	.	.	.	1	1	6	4	.	4	2	20
IV.	GENERAL SERVICE CLASS,	146,486	36·4	73	40	6	10	6	11	.	.	13	2	1	1	2	.	1	4	24	6	5	13	4	21
V.	INMATES OF WORKHOUSES,	5,191		33	5	1	6	9	10	2	.	.	.	.	.	.	.	.	.	.	7	.	11	.	15
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	6·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	4	1	.	.	1	1	.	.	.	.	1	.	.	.	.	1	1	1	1	.	3
	6. Clerks and Commercial Assistants,	24,750	10·5	5	1	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	2	1	1	.	1	1	.	1	.	.	.	.	.	.	.	1	.	.	.	1	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	1	1	2	.	1	.	.	1	.	.	.	.	.	1	.	2	2	.	1	.	.
	9. Building and Furnishing Trades,	26,030	24·0	12	3	1	2	3	2	1	.	1	.	.	.	.	.	.	1	2	.	.	2	2	6
	10. Clothing Trades,	23,686	13·2	6	2	1	2	1	.	.	.	2	.	.	.	.	.	.	.	2	1	.	.	.	3
	11. Food Supply Trades,	7,869	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	21·5	11	1	1	3	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	10
	13. Petty Shopkeepers,	6,771	15·4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	15·3	4	2	.	1	.	1	.	.	.	.	.	.	1	.	1	.	2	.	.	2	.	.
	15. Domestic Servants,	39,563	10·5	8	2	2	1	1	2	.	.	1	.	.	.	1	.	.	.	2	1	.	1	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	39·0	8	4	1	1	1	1	.	.	1	.	.	.	.	.	.	.	1	2	.	1	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,681	33·4	53	32	3	7	4	7	.	.	11	2	1	1	.	.	.	4	19	8	5	9	4	13
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	33	5	1	6	9	10	2	.	.	.	.	.	.	.	.	.	.	7	.	11	.	15

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,888.	June 14,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	.	3	2
		„ 21,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	5	1	1
		„ 28,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		July 5,	20·2	3·7	11	.	1	.	.	.	.	.	.	1	2	.	.
		„ 12,	14·7	3·7	8	.	1	.	.	.	.	.	1	.	2	2	.
		„ 19,	14·7	3·7	8	.	2	.	.	.	.	.	.	.	1	3	.
		„ 26,	27·6	3·7	15	.	.	.	.	1	.	.	.	1	2	2	.
		Aug. 2,	29·4	5·5	16	.	3	.	.	.	.	.	.	.	1	4	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	June 14,	18·3	1·3	10	.	1	.	.	.	.	.	.	.	2	2	1
		„ 21,	22·6	1·3	17	.	1	.	.	.	.	.	.	.	3	3	.
		„ 28,	20·0	2·7	15	.	2	.	.	.	.	.	.	.	3	6	.
		July 5,	20·0	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 12,	20·0	4·0	15	.	2	.	.	1	.	.	.	.	.	3	1
		„ 19,	26·6	5·3	20	.	2	.	1	.	.	.	1	.	2	4	.
		„ 26,	25·3	1·3	19	.	2	.	.	.	.	.	.	1	2	1	.
		Aug. 2,	21·3	2·7	16	.	2	.	.	.	.	.	.	.	1	2	2
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	June 14,	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	2	.
		July 5,	8·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	1	1	1
		„ 19,	38·1	1·7	22	.	1	.	.	.	.	.	.	.	3	1	1
		„ 26,	22·5	1·7	13	.	1	.	.	.	.	.	.	.	3	.	.
		Aug. 2,	24·2	5·2	14	.	2	1	.	.	.	.	.	.	3	2	1
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	June 14,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	.	2
		„ 21,	9·9	.	6	.	.	.	.	.	.	.	.	.	3	.	.
		„ 28,	23·0	3·3	14	.	.	.	.	.	.	.	2	.	1	3	.
		July 5,	23·0	3·3	14	.	1	1	.	.	.	.	.	.	2	5	1
		„ 12,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	3	1
		„ 19,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.
		„ 26,	26·3	.	16	.	.	.	.	.	.	.	.	.	6	2	.
		Aug. 2,	24·7	13·2	15	.	7	.	.	.	.	.	.	1	1	2	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 39,152.	June 14,	22·6	.	17	.	.	.	.	.	.	.	.	.	4	1	1
		„ 21,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	4	4	.
		July 5,	17·3	4·0	13	.	1	.	.	.	.	.	1	1	2	1	.
		„ 12,	20·0	1·3	15	.	.	.	.	.	.	.	1	.	4	1	.
		„ 19,	21·3	1·3	16	.	.	.	.	.	1	.	.	.	6	2	.
		„ 26,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	1	2	.
		Aug. 2,	25·3	1·3	19	.	.	.	.	.	.	.	.	1	1	5	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	June 14,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	.	.
		„ 21,	45·7	.	15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 28,	15·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		uly 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	3	2
		„ 12,	15·2	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.
		„ 19,	15·2	3,0	5	.	1	.	.	.	.	.	.	.	1	.	.
		„ 26,	27·4	.	9	.	.	.	.	.	.	.	.	.	1	1	.
		Aug. 2,	33·5	3·0	11	.	.	.	.	.	.	.	1	.	2	2	2
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 41,786.	June 14,	17·5	.	14	.	.	.	.	.	.	.	.	.	4	2	1
		„ 21,	16·2	1·2	13	.	1	.	.	.	.	.	.	.	3	.	.
		„ 28,	33·7	1·2	27	.	1	.	.	.	.	.	.	.	3	3	1
		uly 5,	28·7	1·2	23	.	.	.	.	.	.	.	1	.	2	6	.
		„ 12,	15·0	2·5	12	.	.	.	.	.	1	.	1	.	.	2	.
		„ 19,	22·5	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		„ 26,	13·7	1·2	11	.	1	.	.	.	.	.	.	.	.	2	.
		Aug. 2,	18·7	1·2	15	.	.	.	.	.	.	.	.	1	1	6	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,898.	June 14,	28·4	4·5	19	.	2	.	.	1	.	.	.	.	5	3	.
		„ 21,	16·4	6·0	11	.	2	1	.	.	1	.	.	.	1	.	1
		„ 28,	20·9	.	14	.	.	.	.	.	.	.	.	.	1	1	2
		uly 5,	25·4	4·5	17	.	3	.	.	.	.	.	.	.	4	2	.
		„ 12,	17·9	1·5	12	.	1	.	.	.	.	.	.	.	2	3	.
		„ 19,	22·4	1·5	15	.	1	.	.	.	.	.	.	.	1	3	1
		„ 26,	23·9	4·5	16	.	2	.	.	.	1	.	.	.	1	2	.
		Aug. 2,	26·9	6·0	18	.	3	.	.	1	.	.	.	.	4	3	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 83,208.	June 14,	18·8	4·7	12	.	1	.	.	.	1	.	.	1	3	2	.
	" 21,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	" 28,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	2	.	.
	July 5,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	" 12,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	1	2	.
	" 19,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	2	.
	" 26,	24·1	3·1	16	.	.	1	.	.	.	.	1	.	1	2	1
	Aug. 2,	7·9	1·6	5	.	.	.	.	.	1	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1902 (Est.) 36,025.	June 14,	16·0	2·0	8	.	.	.	.	1	.	.	.	.	.	2	1
	" 21,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	" 28,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	July 5,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	" 12,	14·0	6·0	7	.	.	.	.	.	.	.	1	2	.	1	.
	" 19,	18·0	6·0	9	.	1	.	.	.	.	.	1	1	.	.	.
	" 26,	16·0	4·0	8	.	1	.	.	.	.	.	.	1	.	1	1
	Aug. 2,	28·0	6·0	14	.	1	.	1	.	.	.	.	1	3	2	.
Kingstown. Pop. in 1902 (Est.) 17,622.	June 14,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	" 21,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	" 28,	20·7	3·0	7	.	.	.	.	.	.	.	2	.	.	.	.
	July 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	" 12,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	" 19,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	" 26,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	Aug. 2,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	June 14,	16·4	2·5	113	1	2	.	.	1	3	.	6	4	21	20	2
	" 21,	20·9	2·6	144	.	7	.	.	4	1	.	5	1	30	25	2
	" 28,	16·6	2·9	114	.	6	.	.	3	2	1	5	3	22	18	1
	July 5,	21·4	2·8	147	.	6	.	.	7	.	.	2	4	18	34	7
	" 12,	17·2	2·9	118	.	7	.	.	4	2	.	4	3	19	22	4
	" 19,	16·9	2·3	116	.	7	.	.	.	.	.	3	6	23	18	1
	" 26,	15·6	3·3	107	.	8	.	.	2	.	.	7	6	17	16	6
	Aug. 2,	18·6	2·6	128	.	5	.	.	8	.	.	3	2	16	29	4
Cork. Pop (in 1901) 76,122.	June 14,	16·5	2·1	24	.	1	.	.	1	.	.	.	1	2	5	.
	" 21,	16·5	0·7	24	.	.	.	.	.	.	.	.	1	6	3	.
	" 28,	18·5	0·7	27	.	1	.	.	.	.	.	.	.	7	4	.
	July 5,	24·0	6·2	35	.	.	.	.	2	2	.	.	1	4	3	.
	" 12,	23·3	2·7	34	.	1	.	.	1	.	.	.	2	3	6	.
	" 19,	17·2	0·7	25	.	.	.	.	.	.	.	1	.	4	3	1
	" 26,	15·1	2·1	22	.	3	.	.	.	.	.	.	.	4	2	1
	Aug. 2,	30·8	2·1	27	.	2	.	.	.	.	.	.	1	5	3	.
Londonderry. Pop. in 1902 (Est.) 40,729.	June 14,	33·3	2·6	26	.	2	.	.	.	.	.	.	.	4	5	.
	" 21,	12·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	" 28,	16·6	.	13	.	.	.	.	.	.	.	.	.	1	6	.
	July 5,	32·0	5·1	25	.	2	.	.	.	.	.	1	1	5	8	.
	" 12,	19·2	2·6	15	.	2	.	.	.	.	.	.	.	2	6	.
	" 19,	21·8	1·3	17	.	.	.	.	.	.	.	.	1	2	2	.
	" 26,	12·8	3·8	10	.	3	.	.	.	.	.	.	.	1	1	1
	Aug. 2,	20·5	5·1	16	.	3	.	.	.	.	.	.	1	4	2	.
Limerick. Pop. in 1901) 38,151.	June 14,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	" 21,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	" 28,	28·8	.	21	.	.	.	.	.	.	.	.	.	2	7	.
	July 5,	31·5	.	23	.	.	.	.	.	.	.	.	.	6	1	1
	" 12,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	" 19,	20·5	.	15	.	.	.	.	.	.	.	.	.	7	1	.
	" 26,	17·8	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	Aug. 2,	20·5	.	15	.	.	.	.	.	.	.	.	.	1	3	.
Waterford. Pop. (in 1901) 26,769.	June 14,	7·3	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	" 21,	21·4	.	11	.	.	.	.	.	.	.	.	.	6	3	1
	" 28,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	July 5,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	" 12,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	1
	" 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	" 26,	17·5	3·9	9	.	.	.	.	.	.	1	.	1	1	.	.
	Aug. 2,	35·1	.	6	.	.	.	.	.	.	.	.	.	.	.	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 2nd August, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	5	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		9	1	3	3	2	.	.	.	.	.	.	.	.	1	1	3	.	2	2
" 2 "		28			19	8	3	6	2	.	1	.	.	3	.	.	.	.	2	4	.	1	1
" 3 "		33			20	4	5	7	4	.	1	.	.	2	.	.	.	.	2	9	.	2	1
" 4 "		22			19	1	5	10	3	.	.	.	.	2	.	.	1	.	1	4	.	.	7
" 5 "		6			9	2	2	4	1	.	2	.	.	.	.	.	.	.	1	1	1	1	3
" 6 "		20			13	2	1	6	4	.	1	.	.	.	.	.	.	1	1	1	1	1	2
" 7 "		2			2	1	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
" 8 "		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "		12			7	1	1	4	1	.	.	.	.	.	.	.	1	.	2	1	1	1	1
" 10 "		20			3	.	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" 11 "		17			7	.	.	6	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1
" 12 "		26			17	3	2	8	4	.	.	.	.	1	.	.	.	.	4	3	1	3	2
" 13		8			3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	200	18·6	2·6	128	24	22	58	24	.	5	.	.	8	.	.	3	2	16	29	4	11	22
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	76,122	9	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 2 "		7			4	.	1	3	.	.	1	.	.	.	.	.	.	1	.	.	.	.	2
" 3 "		5			6	3	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	3
" 4 "		5			3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 5 "		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		6			4	1	1	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "		10			6	.	1	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Total,	—	45	18·5	2·1	27	4	6	13	4	.	2	.	.	.	.	.	.	1	5	3	.	.	10

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Feb. 8.	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered,	189	201	246	267	277	226	239	175	265	216	215	245	192	229	231	201	244	217	211	209	175	237	208	214	224	200
DEATHS registered.	123	169	205	188	136	161	154	151	158	168	149	153	119	149	142	152	139	131	113	144	114	147	118	116	107	128
Annual Death-rate per 1,000 of estimated Population,*	17·9	24·6	29·8	27·9	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6
AGES, Under 1 year,	25	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16	20	26	22	26	24	29	23	21
AGES, 1–5 years,	17	21	30	17	16	13	22	21	22	21	22	23	12	24	16	25	24	20	14	22	20	27	23	19	19	22
AGES, 5–60 years,	58	86	91	91	57	74	68	74	75	80	67	76	57	67	71	67	68	61	52	69	50	64	55	45	48	58
AGES, 60 years and upwards,	23	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
,, Measles,	.	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3	2	7	6	6	7	7	8	5
,, Scarlet Fever,	.	.	.	.	.	.	.		.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	6	5		1	.	3	5	6	5	6	4	2	2	4	3	4	2	6		4	3	7	4	.	2	8
,, Diphtheria,	3	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.
,, Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
,, Enteric Fever,	2	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3
,, Diarrhœa, Dysentery,	2	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2
,, Phthisis	18	33	25	28	24	18	19	30	30	26	31	25	29	32	29	26	26	26	21	30	22	18	19	23	17	16
,, Diseases of Respiratory System,	46	58	55	58	33	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18	16	29
Violent Deaths,	4	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3	2	2	1	7	4	1	6	4

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd August, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Fever.	Diphtheritic Tonsillitis.	Total.
North City No. 1, East,	.	21	.	.	.	.	.	.	.	.	1	.	.	.	.	22
„ 1, West,	.	36	.	1	.	.	.	.	2	7	1	.	.	1	.	48
„ „ 2,	.	13	.	3	.	.	3	.	.	1	1	.	.	.	.	21
„ „ 3,	.	12	.	3	.	.	1	.	3	3	6	.	.	.	1	29
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	.	.	2	1	.	.	.	.	5
Coolock and Drumcondra No. 1 (part of),	.	3	.	1	.	.	1	.	.	.	1	.	.	.	.	6
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	18	.	2	.	.	.	.	2	3	11	.	3	.	.	39
„ „ 2,	.	11	.	.	.	.	.	.	.	1	4	.	1	.	.	17
„ „ 3,	.	11	.	.	.	.	1	.	.	4	3	.	.	.	.	19
„ „ 4,	.	28	.	.	.	.	4	.	2	1	1	.	1	.	.	37
Palmerston (part of),	.	17	.	1	.	.	.	.	.	.	.	.	.	.	.	18
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	173	.	11	.	.	10	.	9	22	30	.	5	1	1	262
Total for week ended July 26th, 1902,	.	242	.	8	.	.	7	.	9	23	19	.	5	.	.	313
Total for week ended July 19th, 1902,	.	196	.	8	1	.	9	.	4	10	8	.	2	.	.	238
Total for week ended July 12th, 1902,	.	252	.	10	.	.	3	.	2	11	21	.	5	1	.	305

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd August, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of Week ended			Week ended 2nd August.			
	July 12.	July 19.	July 26.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	163	142	139	37	55	2	119
Scarlet Fever,	58	53	61	9	19	1	50*
Typhus „	.	1	1	.	.	.	1
Diphtheria,	20	21	23	7	7	2	21
Enteric Fever,	24	28	39	16	3	1	51
Pneumonia,	16	13	14	3	7	1	9

Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XL.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn.)	Deaths (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Aug. 2,	2,721	1,164	13·3	7	25	9	29	25	17	69
EDINBURGH,	317,885	„ 2,	152	104	16·7	.	8	.	1	1	.	2
GLASGOW,	764,423	„ 2,	492	250	16·8	.	3	2	3	4	1	9
CALCUTTA,	847,793	May 24,	.	613	37·5	2	.	.	.	.	86§	104*
BOMBAY,	776,006	July 8,	425	636	42·6	7	19	?	?	.	72§	62*
MADRAS,	509,346	June 6.	269	335	34·2	1	4	?	?	?	115	48
PARIS,	2,660,559	July 12,	1,066	882	17·0	1	21	2	11†	6	.	38
BRUSSELS (with 8 Faubourgs).	562,893	„ 12,	215	156	14·4	.	4	.	1	1	3	16
AMSTERDAM,	534,663	„ 19,	303	133	13·0	.	13	.	.	.	1	10
ROTTERDAM	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	400,570	July 12,	181	116	15·1	.	.		1	2	.	8
CHRISTIANIA,	224,909	„ 12,	159	60	15·9	.	.	.	.	5	.	5
ST. PETERSBURG,	1,248,643	„ 12,	541	553	23·4	1	23	8	18	3	7	74
BERLIN,	1,901,546	June 14,	802	567	15·5	.	15	6	2	3	1	55
HAMBURG,	724,835	July 12,	.	198	14·2	.	.	2	.	6	.	16
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	June 28,	.	193	19·8	.	4	2	3†	5	.	19
VIENNA (with suburbs).	1,726,604	July 19,	967	526	15·8	.	11	3	3†	7	1	62
BUDA-PESTH,	767,061	„ 12,	434	225	15·2	.	6	6	.	2	.	17
PRAGUE and Faubourgs	416,817	„ 12,	186	187	23·3	.	.	6	1†	.	4	13
ROME,	480,361	May 17,	213	206	22·3	.	18	1	1	2	.	22
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	June 28,	80	58	18·2	.	.	.	1	1	1	6
NEW YORK,	3,632,501	July 12,	1,705	1,569	22·5	9	8	16	36†	22	21	369
PHILADELPHIA,	1,293,697	„ 12,	.	570	22·9	3	5	3	9	4	6	83

* Including 55 deaths from cholera in Calcutta, and 1 in Bombay.
† Including deaths from croup.
§ Exclusive of 205 deaths from bubonic fever in Calcutta, and 26 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 2nd August, 1902:—

"Chiefly dry but cool and changeable was the weather of this week. Only on Saturday did rain fall to any amount in Dublin. During the first two days of the period, the large and deep depression, which had caused such a downpour of rain in the S.E., E., and N. of Ireland at the end of the previous week, remained central over the S. of Norway. It drew over the British Islands cool N.W. winds, and caused very clouded skies, with passing showers at intervals in most districts. On Wednesday the barometer rose in the N., fell in the S., thus equalising atmospheric pressure. By Thursday morning the barometer had risen to 30·10 inches or upwards all over Ireland, Scotland, Wales, and the centre and S.W. of England. Light and cool N. and N.W. winds prevailed, and the sky remained cloudy. On Friday evening a sheet of cirriform cloud spread across the sky from N.W., heralding the arrival of a depression in that direction from the Atlantic. The barometer fell briskly and on Saturday heavy rain showers passed over Dublin from the westward at frequent intervals, yielding ·190 inch in the rain gauge. In Dublin the mean height of the barometer was 30·060 inches, pressure ranging between 29·682 inches at 9 a.m. of Sunday (wind, N.W.) and 30·225 inches at 9 a.m. of Friday (wind also N.W.). The corrected mean temperature was 57·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 56·1°. The screened thermometers rose to 66·0° on Monday, having fallen to 48·0° during the previous night. The duration of bright sunshine was estimated at 31 hours. The prevalent wind was W.N.W. Rain fell on three days to the amount of ·266 inch, ·208 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·065 inches. The highest reading (30·230) was on Friday at 9 a.m., air calm, and the lowest (29·701) on Sunday at 9 a.m., wind W. The mean temperature for the week was 55·4°, being 4·3 below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Monday, on which day the thermometer registered 64·8°, and was lowest on Friday, the mercury having fallen to 45·1°. The mean of the Dry Bulb for the week was 55·1°, and of the Wet Bulb 52·1°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 39·6 hours. The rainfall measured ·105 inch.

At Greenwich the mean temperature for the week was 58·1°, the maximum 71·4°, and the minimum 42·8°; at Glasgow the maximum was 63·8°, the minimum 46·0°, and the mean 55·5°; and at Edinburgh the maximum was 61·6°; the minimum 44·7°, and the mean 54·1°. The rainfall at Greenwich measured 0·29 inch; at Glasgow 0·08 inch; and at Edinburgh 0·18 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, July 27,	29·841	61·8	51·3	56·6	53·5	51·0	·84	·4	7·4	—	W.	Calm.
Monday, „ 28,	30·100	64·8	45·7	55·3	58·1	54·3	·77	·4	8·2	·005	S.W.	W.S.W.
Tuesday, „ 29,	30·139	63·6	52·9	58·3	56·6	53·6	·82	·7	7·4	·005	W.	W.
Wednesday, „ 30,	30·139	63·0	46·0	54·5	54·6	51·4	·79	·2	5·5	—	W.	Calm.
Thursday, „ 31,	30·182	58·1	45·8	52·0	52·8	50·5	·86	·4	1·1	—	N.W.	Calm.
Friday, August 1,	30·177	61·1	45·1	53·1	53·4	50·1	·81	·4	4·0	·040	Calm.	Calm.
Saturday, „ 2,	29·881	64·6	50·7	57·7	56·6	53·9	·84	·6	6·0	·055	W.S.W.	W.
Mean . . .	30·065	62·3	48·2	55·4	55·1	52·1	·82	·4	Total 39·6	·105	—	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A cloudy day; light showers a.m.; night cloudy. *Tuesday*—A cloudy day; light showers a.m. and p.m.; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A cloudy day; night cloudy. *Friday*—A cloudy day; night cloudy and showery. *Saturday*—A cloudy and showery day; night cloudy; light showers 3.30 to 4.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 9TH AUGUST, 1902. [No. 32.

General Register Office, Charlemont House, Dublin, 11th August, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 19.	Week ending July 26.	Week ending Aug. 2.	Week ending Aug. 9.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 19.	Week ending July 26.	Week ending Aug. 2.	Week ending Aug. 9.	Average Rate for 4 weeks
22 Town Dists.	17·7	17·3	18·4	17·7	17·8	Lisburn,	22·8	18·2	13·6	4·5	14·8
Armagh,	20·7	27·6	6·9	13·7	17·2	Londonderry,	21·8	12·8	20·5	6·4	15·4
Ballymena,	28·8	19·2	4·8	0·0	13·2	Lurgan,	17·7	22·1	4·4	13·3	14·4
Belfast,	16·9	15·6	18·6	17·6	17·2	Newry,	8·3	16·6	12·6	4·2	10·4
Clonmel,	35·8	15·3	5·1	35·9	23·0	Newtownards,	5·7	5·7	40·1	22·9	18·6
Cork,	17·2	15·1	18·5	17·8	17·2	Portadown,	15·6	0·0	0·0	15·5	7·8
Drogheda,	12·3	4·1	20·4	8·2	11·3	Queenstown,	0·0	6·6	13·2	13·2	8·3
Dublin Reg. Area,	20·2	20·2	21·2	20·2	20·5	Sligo,	9·6	19·2	4·8	38·4	18·0
Dundalk,	0·0	0·0	16·0	12·0	7·0	Tralee,	5·3	23·6	26·4	10·6	17·2
Galway,	15·5	31·1	15·5	7·8	17·5	Waterford,	11·7	17·5	11·7	13·6	13·6
Kilkenny,	9·9	19·9	9·8	44·2	20·9	Wexford,	4·7	28·0	9·3	14·0	14·0
Limerick,	20·5	17·8	17·8	16·4	18·1						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·8 in Sligo. The 121 deaths from all causes in Belfast include 3 from measles, 6 from whooping-cough, 4 from enteric fever, and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 244—144 boys and 100 girls; and the deaths to 154—84 males and 70 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·2 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 20·2 per 1,000. During the thirty-two weeks ending with Saturday last the death-rate averaged 24·3, and was 3·1 below the average mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Twenty deaths from measles were registered, equal to an annual rate of 2·8 per 1,000 of the estimated population of the Registration Area; the deaths from measles in the preceding 4 weeks were respectively 6, 8, 8, and 18. Of the 20 deaths 9 appear to have died in hospitals. Scarlet fever, influenza, and whooping-cough each caused one death; 2 deaths were due to diphtheria, 4 deaths to enteric fever, and 3 to *diarrhœa*, dysentery.

Tuberculous phthisis caused one death, and 14 deaths were tabulated to *phthisis*. Tuberculous meningitis caused 9 deaths, *tabes mesenterica* one death, and 4 deaths were due to other forms of tubercular disease.

Two deaths were registered as carcinoma, and 3 as *malignant disease*, "*cancer*."

Diseases of the nervous system caused 13 deaths, including 9 deaths from *convulsions* (of the latter 5 were under one month, 2 were over one month but under one year, and 2 were over one year but under 5 years of age).

Eighteen deaths were caused by diseases of the heart and blood-vessels, including 5 deaths from *apoplexy, hemiplegia*, and one death from cerebral hæmorrhage.

Twenty-eight deaths were caused by diseases of the respiratory system, equal to an annual rate of 3·9 per 1,000 of the estimated population, the average rate for the corresponding period of the past 10 years being 1·9 per 1,000. There were 16 deaths from bronchitis, 2 deaths from broncho-pneumonia, and 6 deaths from *pneumonia*.

Two deaths were due to accidental causes.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 8 children under 5 years of age (including 6 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Sixty-five of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 13 were under one month old), and 33 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 4 were octogenarians.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·2 per 1,000; the rate in the City was 23·5 (21·3 on the North side, and 25·8 on the South), and in the Urban Districts 9·2.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 4·1 per 1,000 inhabitants, the rate for the City being 5·2 (3·8 in the North City Districts, and 6·6 in the South) and for the Urban Districts 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. There were 3 deaths from measles, and 1 death from whooping-cough, also 2 deaths from tuberculous meningitis, and 1 death from *tabes mesenterica*.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. Measles caused 1 death, 2 deaths were due to *phthisis*, and 2 deaths to tuberculous meningitis; diseases of the respiratory system caused 6 deaths, including 1 from *pneumonia*.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·9 per 1,000. There was 1 death each from measles and phthisis, and 3 deaths from diseases of the respiratory system. There was 1 accidental death.

No. 3 North City District (Blackhall-place).—The deaths (20) represent an annual rate of 32·9 per 1,000. Three deaths were due to measles, and 1 death each to *diarrhœa* and *phthisis*; there were 3 deaths from diseases of the respiratory system, including 1 from *pneumonia*.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 15·6 per 1,000 inhabitants; and Finglas and Glasnevin, part of, 15·6

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 27·2 per 1,000. Measles caused 3 deaths and diphtheria 1 death, *diarrhœa* caused 1 death, *phthisis* caused 1 death, and tuberculous meningitis also caused 1 death. Of the 3 deaths due to diseases of the respiratory system 2 deaths were due to *pneumonia*.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 24·4 per 1,000. There was 1 death from scarlet fever, and 3 deaths from *phthisis*, and 1 death from tuberculous meningitis. Of the 2 deaths from diseases of the respiratory system 1 was due to *pneumonia*.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·5 per 1,000. Three deaths were caused by measles, and 4 deaths by enteric fever; there were 2 deaths from *phthisis* and 1 death from tuberculous meningitis. Of the 6 deaths from diseases of the respiratory system 1 was due to *pneumonia*

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·9 per 1,000. Measles caused 3 deaths and *diarrhœa* 1 death; there were 2 deaths due to tuberculous meningitis, and 1 death occurred from accidental causes.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 28·6 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 6·3 per 1,000 inhabitants; Pembroke, 4·0; Blackrock, 17·9; and Kingstown, 18·0. The only death from any of the principal epidemic diseases tabulated for these districts was from measles in Kingstown.

NOTE.—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 19th July,	238 cases.
" " 26th July,	313 cases.
" " 2nd August,	262 cases.
" " 9th August,	243 cases.

Of the 243 cases notified, 10 were erysipelas, 17 enteric fever, 13 scarlatina, 181 measles, 8 diphtheria, 4 continued fever, one small-pox, 3 typhus fever, and 6 meningitis.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 19th July,	5 cases.
" " 26th July,	2 cases.
" " 2nd August,	3 cases.
" " 9th August,	7 cases.

Of the 7 cases notified, one was diphtheria, one enteric fever, 2 continued fever, and 3 chicken-pox.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 19th July,	17 cases.
" " 26th July,	17 cases.
" " 2nd August,	13 cases.
" " 9th August,	8 cases.

Of the 8 cases notified, 3 were measles, 2 diphtheria, 2 scarlet fever, and one whooping cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 19th July,	69 cases.
" " 26th July,	36 cases.
" " 2nd August,	64 cases.
" " 9th August,	46 cases.

Of the 46 cases notified, 27 were enteric fever, 6 erysipelas, 2 diphtheria, 7 continued fever, and 3 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th August, 1902.

From this it appears that:—

Sixty-nine cases of measles were admitted to hospital, 48 were discharged, there were 9 deaths, and 131 cases remained under treatment at the close of the week.

Thirteen cases of enteric fever were admitted to hospital, 8 cases were discharged, there were 4 deaths, and 52 cases remained under treatment at the close of the week.

Twenty cases of scarlatina were admitted to hospital, 2 cases were discharged, there was one death, and 67* cases remained under treatment at the close of the week.

Three cases of typhus fever were admitted to hospital, one was discharged, and 3 patients remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 4 were discharged, and 24 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 2 patients were discharged, there was one death, and 8 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·4), was equal to an average annual death-rate of 13·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·9 per 1,000, the rate for Glasgow being 13·5, and for Edinburgh 14·2.

* See note (*) at foot of Table X.

TABLE I.--**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th August, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 9th August, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Deaths. Caused by Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	12	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,401	19·2	31·5	17·7	2·4	660	370	76	82	.	26	1	.	8	2	.	8	6	57	55	2	8	119
Dublin Registration Area:— Total,‡	378,761	27·5	33·6	20·2	4·1	244	147	31	31	.	20	1	.	1	1	.	4	3	14	27	2	3	57
Registrars' Districts. City	293,394	37·8	39·8	23·5	5·2	224	182	27	27	.	19	1	.	1	1	.	4	3	11	26	2	3	54
Rathmines,‖	33,203	19·4	7·9	6·3	.	5	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	12·0	4·0	.	6	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Blackrock,‖	8,759	8·1	6·0	17·9	.	1	3	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Kingstown, 1 & 2,‖	17,380	11·9	24·0	18·0	3·0	8	6	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Urban Districts. Belfast	358,693	21·8	31·3	17·6	2·0	215	121	25	21	.	3	.	.	6	.	.	4	1	30	15	.	2	27
Cork	76,122	33·6	30·1	17·8	2·1	44	26	4	7	.	1	.	.	.	1	.	.	1	5	2	.	1	9
Londonderry	40,729	18·8	21·8	6·4	2·6	17	5	.	1	.	2	.	.	.	.	.	.	.	1	.	.	.	.
Limerick	38,151	18·1	72·4	16·4	.	53	12	3	2	.	.	.	.	.	.	.	.	.	3	.	.	.	3
Waterford	26,769	18·7	25·3	18·6	.	13	7	.	3	.	.	.	.	.	.	.	.	.	.	2	.	1	3
Galway	18,426	2·5	23·3	7·8	.	6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	13,076	9·4	19·9	12·0	.	5	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Drogheda	12,760	8·6	20·4	8·2	4·1	5	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Newry	12,405	17·8	21·0	4·2	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,782	18·8	22·1	13·3	.	5	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Lisburn	11,461	10·1	13·6	4·5	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Wexford	11,168	23·2	18·7	14·0	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Ballymena	10,886	8·9	38·3	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	38·6	38·4	4·8	7	8	4	2	.	.	.	.	1	.	.	.	.	.	2	.	.	3
Kilkenny	10,609	11·5	4·9	44·2	.	1	9	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	6
Clonmel	10,167	7·8	10·3	35·9	.	2	7	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	6
Portadown	10,092	13·2	20·7	15·5	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tralee	9,867	16·6	42·3	10·6	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Newtownards	9,110	18·9	5·7	22·9	.	1	4	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Queenstown	7,909	14·4	39·6	18·2	.	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,588	22·2	27·5	13·7	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 9th August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th July, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area: Total,‡	§67·8	38·2	54·4	1·30	§64·6	45·1	55·4	0·11	§66·0	41·1	54·0	1·65
City	a68·8 b63·8	44·8 39·0	56·4 54·8	1·41 1·71	a66·0 b65·9	48·0 44·8	57·0 56·3	0·27 0·25	a64·8 b65·4	45·1 42·0	56·0 54·9	2·00 1·74
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	66·5	46·5	57·2	1·60	67	45	58·0	0·21	66	46	56·6	1·23
Belfast	.	.	.	.	63·1	39·6	54·4	0·81	63·1	39·5	53·6	1·01
Cork	65	50	57·6	0·67	.	.	.	.	70	48	57·8	1·83
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	69	42	55	1·18	65	44	58	0·35	66	45	57	0·59
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	64·1	44·0	54·2	0·14	65·7	44·0	55·1	0·41	66·1	42·0	54·8	2·08
Lisburn	64·1	44·0	54·2	0·14	65·7	44·0	55·1	0·41	66·1	42·0	54·8	2·08
Wexford	64·1	44·0	54·2	0·14	65·7	44·0	55·1	0·41	66·1	42·0	54·8	2·08
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	66·9	48·3	55·0	0·28	63·1	41·5	52·8	0·58	63·4	38·4	54·1	0·98
Clonmel	67	40	59·2	1·57	66	46	57·3	0·10	65	46	56·8	1·90
Portadown	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	64·1	44·0	54·2	0·14	65·7	44·0	55·1	0·41	66·1	42·0	54·8	2·08
Newtownards	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown	62	45	53·3	0·45	.	.	.	.	60	40	52·9	0·81
Armagh	65	50	57·6	0·67	.	.	.	.	70	48	57·8	1·83
	64·1	44·0	54·2	0·14	65·7	44·0	55·1	0·41	66·1	42·0	54·8	2·08

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lurgan, Lisburn, Portadown, Tralee, Newtownards, Queenstown, and Armagh,

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 9th of August, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of				Total for Dublin Registration Area.	
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	1	1	3	.	.	1	.	3	.	3	3	.	1	.	.	.	.	1	20	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	4	.
Diarrhœa, Dysentery,	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3	.
Phthisis,	.	2	1	1	.	.	.	.	1	3	2	.	.	1	.	.	1	2	.	14	1
Other General Diseases,	4	4	1	2	.	.	1	.	3	2	2	6	.	.	.	2	.	.	.	27	.
Total,	8	7	3	7	.	.	2	.	9	6	11	10	.	2	.	2	1	2	1	71	2
B. Local Diseases:																					
Diseases of: Nervous System,	.	1	.	4	.	.	.	.	2	.	2	.	.	1	.	1	1	.	.	12	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	.	1	4	.	.	.	1	2	.	1	3	.	.	.	.	.	1	3	17	1
Respiratory System,	.	6	3	3	.	1	.	.	3	2	6	1	.	1	.	1	.	.	.	27	1
Digestive System,	.	1	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	1	6	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	8	4	12	.	3	.	1	9	2	9	4	.	2	.	2	1	1	4	64	4
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	3	.	.	1	.	.	.	.	2	.	.	3	.	.	.	.	.	.	1	10	1
E. Violent Deaths,	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Deaths from all Causes,	13	15	8	20	.	3	2	1	20	8	20	18	.	4	.	4	2	3	6	147	7
Annual Rate of Mortality in every 1,000 of the population.	23·9	20·0	13·9	32·9	.	15·6	15·6	.	27·2	24·4	24·5	26·9	.	28·6	.	6·3	4·0	17·9	18·0	20·2	
	21·3								25·8							9·2					
	23·5																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	3	1	8	1	.	.	.	4	3	5	3	.	2	.	.	.	.	.	32	6
Workhouse Hospitals,	2	2	2	4	.	.	.	.	6	2	2	2	.	.	.	.	1	1	1	25	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg ered week of the ten years 892-19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 32nd Week of the 10 years 1892-1901	In the Week ending Sa rday, 9th August, 1902.							
												Deaths of Persons of the ges of							
	Aug. 13, 1892.	Aug. 12, 1893.	Aug. 11, 1894	Aug. 10, 1895.	Aug. 8, 1896.	Aug. 14, 1897.	Aug. 13, 1898.	Aug. 12, 1899.	Aug. 11, 1900.	Aug. 10, 1901.		ALL AGES.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 56·8	° 64·0	° 57·2	° 56·0	° 55·2	° 59·0	° 58·6	° 57·6	° 55·5	° 61·2	58·1	Mean Temp. ° 54·4							
ALL CAUSES.	145	176	124	149	161	178	171	214	161	166	164·4	154	13	18	24	14	20	29	4
Small Pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	1	.	.	1	.	.	9	.	.	1·6	20	.	2	14	3	.	1	.
Scarlet Fever ...	.	.	.	.	.	3	3	.	.	.	·6	1	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	2	1	1	2	.	.	.	·7	1	.	.	.	.	1	.	.
Whooping Cough, ...	2	5	1	1	4	5	5	3	1	.	2·7	1	.	1	.	.	.	.	.
Diphtheria, ...	.	.	.	.	2	.	1	2	3	2	1·0	2	.	1	.	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	5	2	2	3	4	3	4	.	1	2·4	4	.	.	.	1	3	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	6	34	8	23	32	39	19	49	19	33	26·2	. 3	1	2	.	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	1	1	.	.	.	2	1	.	.	·6	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	2	2	1	.	.	.	.	1	1	·7	. . .	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	.	1	.	.	1	1	1	.	·6	1	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	2	1	1	.	.	.	.	2	·6	. .	.	.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	22	17	19	23	21	22	17	24	24	20	20·9	1 14	.	.	.	1	11	1	.
Tuberculous Meningitis, (Acute Hydrocephalus).	6	1	.	6	6	4	3	4	5	3	3·8	9	.	1	7	1	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	7	7	1	5	6	3	3	4	6	4	4·6	. 1	.	.	.	1	.	.	.
Tuberculous Dis. (other), Scrofula, ...	3	5	4	2	6	5	7	2	1	4	3·9	4 .	.	.	2	2	.	.	.
Alcoholism, ...	.	.	.	2	.	1	.	.	3	1	·7	1	.	.	.	.	.	1	.
Rheumatic Fever, ...	1	.	.	.	.	2	.	.	1	1	·5	.	.	.	.	.	.	.	.
Gout ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are

TY-SECOND WEEK ending Saturday, 9th August, 1902, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Aug. 13, 1892.	Aug. 12, 1893.	Aug. 11, 1894.	Aug. 10, 1895.	Aug. 8, 1896.	Aug. 14, 1897.	Aug. 13, 1898.	Aug. 12, 1899.	Aug. 11, 1900.	Aug. 10, 1901.	Averages in 32nd Week of the 10 years 1892-1901.	In the Week ending Saturday, 9th August, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	56·8°	61·0°	57·2°	56·0°	55·2°	59·0°	58·6°	57·6°	55·5°	61·2°	58·1	Mean Temp. 54·4°								
oma	4	9	4	3	4	4	6	8	11	8	6·1	2	.	.	.	.	.	1	1	.
a												.	.	.	.	.	.	2	1	.
ant Dis. "Cancer,"												3	.	.	.	.	.	.	.	.
es Mellitus	.	.	.	1	3	3	4	4	1	4	2·4	.	.	.	.	.	.	.	.	.
ture Birth	2		2									2	1	1	.	.	.	.	.	.
gitis (not tuberc.)												1	.	.	.	1	.	.	.	.
y, G. P. of Insane												2	.	.	.	.	1	1	.	.
sy												1	.	.	.	1	.	.	.	.
sions												9	5	2	2	.	.	.	.	.
otor Ataxy												.	.	.	.	.	.	.	.	.
egia Dis. of Cord												.	.	.	.	.	.	.	.	.
us System (other Dis.) ...	39	33	24	30	27	33	26	40	31	37	32·0	.								
Dis., Endocarditis												4	.	.	1	.	.	1	2	.
r. Hæm. Thromb.												1	.	.	.	.	.	.	1	.
xy, *Hemiplegia*												5	.	.	.	.	.	.	4	1
ysm												.	.	.	.	.	.	.	.	.
lism, Thromb. (not cerebral) and Blood Vessel Dis.												8	.	.	.	.	2	.	4	2
(not Spasm. or Memb.) ...	.	1	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
hitis	3	7	6	7	4	8	15	12	9	5	7·6	16	1	3	.	.	1	4	7	.
ous Pneumonia												.	.	.	.	.	.	.	.	.
ho-Pneumonia	3	3	5	2	.	6	8	7	3	5	4·2	2	.	2	.	.	.	.	.	.
monia"												6	.	.	3	.	1	2	.	.
a, Emphysema												1	.	.	.	.	.	.	1	.
sy	3	1	2	1	.	2	.	.	3	1	1·3	1	.	.	.	.	1	.	.	.
ratory Dis. (other)												2	.	.	2	.	.	.	.	.
litis, Quinsy	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
itis (not Epid.)	2	1	.	.	2	1	1	3	.	4	1·4	.	.	.	.	.	.	.	.	.
Enteritis												.	.	.	.	.	.	.	.	.
nitis (not Puerp.)	.	1	1	.	.	1	.	.	1	.	·4	1	.	.	.	.	.	1	.	.
osis of Liver	2	3	2	1	5	2	3	.	2	1	2·1	1	.	.	.	.	.	1	.	.
Dis. (other)												1	.	.	1	.	.	.	.	.
tive Dis. (other)	4	4	6	5	7	6	4	4	4	4	4·8	4	.	2	.	1	.	.	1	.
ritis, Acute	3	3	2	4	2	3	3	1	3	.	2·4	2	.	.	.	.	.	1	1	.
t's Dis., Albuminuria ...												.	.	.	.	.	.	.	.	.
ry Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
rative Organs Dis.	2	.	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
birth (Accid. of)	.	1	.	2	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
lge	8	5	8	5	9	4	16	14	10	2	8·1	4	.	.	.	.	.	.	3	1
Diseases	15	17	16	14	13	9	14	13	11	15	13·7	9	5	1	1	.	.	1	1	.
ACCIDENT.																				
allways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ehicles and Horses	.	1	.	.	.	.	.	1	2	1	·5	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
										1	·1	.	.	.	.	.	.	.	.	.
uilding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
onflagrations	.	.	1	1	.	1	2	1	2	1	·9	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	.	1	1	1	.	4	2	1	.	3	1·3	.	.	.	.	.	.	.	.	.
rowning	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
uffocation in Bed	.	.	.	.	.	.	1	.	1	2	·1	1	.	.	1	.	.	.	.	.
oison or Poisonous Vapours...	1	3	2	1	.	.	.	.	.	.	1·0	1	.	.	.	.	.	.	.	.
r Deaths by Accidents ...	.																			
VIOLENCE OTHER THAN ACCIDENTAL.																				
icide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ide	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	Feb. 15.	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered,	177	248	198	220	239	198	229	199	237	226	195	255	232	232	209	234	249	192	242	213	204	187	196	203	186	244
*Average Births in corresponding week of previous 10 years,**	195	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190
DEATHS registered,	200	248	218	222	151	167	211	203	206	174	199	191	178	186	149	165	156	155	139	149	149	129	155	150	165	154
Annual Death-rate per 1,000,	27·5	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·8	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2
*Average Deaths in corresponding week of previous 10 years,**	224	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164
AGES,— Under 5 years,	40	60	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65
5—20 „	18	16	17	12	22	17	20	17	16	12	19	20	18	20	16	24	14	19	15	11	14	10	18	8	14	14
20—40 „	34	37	30	29	28	32	39	33	42	28	20	31	33	39	34	28	32	29	23	23	30	24	36	25	31	22
40—60 „	47	55	43	46	35	40	52	51	41	37	50	39	33	37	21	35	38	24	26	27	27	29	30	29	24	20
60—80 „	49	70	52	67	28	26	43	45	40	33	44	42	35	32	36	27	17	27	32	26	30	25	27	29	30	29
80 years and upwards,	12	10	16	9	9	7	8	8	11	7	6	13	7	9	8	8	7	6	5	5	7	3	5	13	7	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	3	3	1	6	4	1	1	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20
„ Scarlet Fever,	2	.	1	1	3	1	2	1	.	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
„ Whooping-cough,	.	2	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1
„ Diphtheria,	.	1	.	3	.	1	.	2	1	1	.	2	2	3	.		1	1	1	.	.	1	1	1	2	2
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ Enteric Fever,	2	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4
„ Diarrhœa, Dysentery,	2	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1	.	.	2	4	1	3	5	3
„ Phthisis,	7	27	33	38	17	36	37	27	27	25	20	25	23	30	25	27	40	26	26	15	18	14	25	18	19	15
„ Heart Diseases,	18	22	14	15	17	13	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18	9	18
„ Diseases of Respiratory System,	48	82	73	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30	24	23	17	30	28
Violent Deaths,	7	7	5	4	2	8	1	4	8	1	4	6	4	3	4	4	6	10	.	4	7	4	3	2	7	2
Mean Temperature of the Air (Phœnix Park),	29·9	40·5	46·0	44·3	44·9	44·4	48·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4
Average Mean Temperature in corresponding week of previous 10 years,	39·4	39·6	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1
Rainfall in inches,	·000	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·345	·195	·158	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300
Mean Humidity of the Air, complete Saturation 1·0,	·79	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th August, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH AUGUST, 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Colic, 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	23·2	154	65	14	22	20	29	4	.	20	1	.	1	2	.	4	3	31	15	9	28	2	69
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	23·7	7	1	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
II.	MIDDLE CLASS,	80,658	5·2	8	3	1	2	.	2	.	.	.	1	.	1	.	.	.	.	2	.	.	1	.	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	13·8	26	10	4	3	5	4	.	.	5	.	.	.	.	.	2	.	7	1	2	6	.	10
IV.	GENERAL SERVICE CLASS,	146,486	33·8	87	48	8	8	11	10	2	.	15	.	.	.	2	.	2	3	22	6	7	16	2	34
V.	INMATES OF WORKHOUSES,	5,191		26	3	1	8	4	10	.	.	.	.	.	.	.	.	.	.	.	7	.	5	.	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	2·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	6·1	3	1	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	.	1
	6. Clerks and Commercial Assistants,	24,750	4·2	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	4·3	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	14·2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	9. Building and Furnishing Trades,	26,030	22·0	11	5	2	1	2	1	.	.	2	.	.	.	.	.	1	.	2	1	1	2	.	4
	10. Clothing Trades,	23,686	4·4	2	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.
	11. Food Supply Trades,	7,869	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	19·6	10	4	.	2	1	3	.	.	2	.	.	.	.	.	1	.	3	.	1	2	.	4
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	3	1	.	1	3	.	.	.	.	.	.	.	.	1	1	2	.	1	2	.	3
	15. Domestic Servants,	39,568	7·9	6	.	1	1	2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	42·3	67	42	6	6	7	4	2	.	15	.	.	.	2	.	.	2	19	5	5	12	2	24
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	26	3	1	8	4	10	.	.	.	.	.	.	.	.	.	.	.	7	.	5	.	14

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,338.	June 21,	31·3	1·8	17	.	.	.	.	.	.	.	1	.	5	1	1
		„ 28,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		July 5,	20·2	3·7	11	.	1	.	.	.	.	.	.	1	2	.	.
		„ 12,	14·7	3·7	8	.	1	.	.	.	.	.	1	.	2	2	.
		„ 19,	14·7	3·7	8	.	2	.	.	.	.	.	.	.	1	3	.
		„ 26,	27·6	3·7	15	.	.	.	.	1	.	.	.	1	2	2	.
		Aug. 2,	29·4	5·5	16	.	3	.	.	.	.	.	.	.	1	4	.
		„ 9,	23·9	7·4	13	.	3	.	.	1	.	.	.	.	.	.	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	June 21,	22·6	1·3	17	.	1	.	.	.	.	.	.	.	3	3	.
		„ 28,	20·0	2·7	15	.	2	.	.	.	.	.	.	.	3	6	.
		July 5,	20·0	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 12,	20·0	4·0	15	.	2	.	.	1	.	.	.	.	.	3	1
		„ 19,	26·6	5·3	20	.	2	.	1	.	.	.	1	.	2	4	.
		„ 26,	25·3	4·0	19	.	2	.	.	.	.	.	.	1	2	1	.
		Aug 2,	21·3	2·7	16	.	2	.	.	.	.	.	.	.	1	2	2
		„ 9,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	2	6	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	June 21,	15·6	.	9	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	2	.
		July 5,	8·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	1	1	1
		„ 19,	38·1	1·7	22	.	1	.	.	.	.	.	.	.	8	1	1
		„ 26,	22·5	1·7	13	.	1	.	.	.	.	.	.	.	3	.	.
		Aug. 2,	24·2	5·2	14	.	2	1	.	.	.	.	.	.	3	2	1
		„ 9,	13·9	1·7	8	.	1	.	.	.	.	.	.	.	1	3	1
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	June 21,	9·9	.	6	.	.	.	.	.	.	.	.	.	3	.	.
		„ 28,	23·0	3·3	14	.	.	.	.	.	.	.	2	.	1	3	.
		July 5,	23·0	3·3	14	.	1	1	.	.	.	.	.	.	2	5	1
		„ 12,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	3	1
		„ 19,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.
		„ 26,	26·3	.	16	.	.	.	.	.	.	.	.	.	6	2	.
		Aug. 2,	24·7	13·2	15	.	7	.	.	.	.	.	.	1	1	2	.
		„ 9,	32·9	6·6	20	.	3	.	.	.	.	.	.	1	1	3	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 38,313.	June 21,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	.	.
		„ 28,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	4	4	.
		July 5,	17·3	4·0	13	.	1	.	.	.	.	.	1	1	2	1	.
		„ 12,	20·0	1·3	15	.	.	.	.	.	.	.	1	.	4	1	.
		„ 19,	21·3	1·3	16	.	.	.	.	.	1	.	.	.	6	2	.
		„ 26,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	1	2	.
		Aug. 2,	25·3	1·3	19	.	.	.	.	.	.	.	.	1	1	5	.
		„ 9,	27·2	6·6	20	.	3	.	.	.	1	.	.	1	1	3	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	June 21,	45·7	.	15	.	.	.	.	.	.	.	.	.	2	1	.
		„ 28,	15·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		uly 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	3	2
		„ 12,	15·2	·0	5	.	.	.	.	.	.	.	.	1	1	.	.
		„ 19,	15·2	3.0	5	.	1	.	.	.	.	.	.	.	1	.	.
		„ 26,	27·4	.	9	.	.	.	.	.	.	.	.	.	1	1	.
		Aug. 2,	33·5	3·0	11	.	.	.	.	.	.	.	1	.	2	2	2
		„ 9,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	3	2	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 42,575.	June 21,	16·2	1·2	13	.	1	.	.	.	.	.	.	.	3	.	.
		„ 28,	33·7	1·2	27	.	1	.	.	.	.	.	.	.	3	3	1
		uly 5,	28·7	1·2	23	.	.	.	.	.	.	.	1	.	2	6	.
		„ 12,	15·0	2·5	12	.	.	.	.	.	1	.	1	.	.	2	.
		„ 19,	22·5	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		„ 26,	13·7	1·2	11	.	1	.	.	.	.	.	.	.	.	2	.
		Aug. 2,	18·7	1·2	15	.	.	.	.	.	.	.	.	1	1	6	.
		„ 9,	24·5	5·5	20	.	3	.	.	.	.	.	4	.	2	6	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,898.	June 21,	16·4	6·0	11	.	2	1	.	.	1	.	.	.	1	.	1
		„ 28,	20·9	.	14	.	.	.	.	.	.	.	.	.	1	1	.
		uly 5,	25·4	4·5	17	.	3	.	.	.	.	.	.	.	4	2	.
		„ 12,	17·9	1·5	12	.	1	.	.	.	.	.	.	.	2	2	.
		„ 19,	22·4	1·5	15	.	1	.	.	.	.	.	.	.	1	3	1
		„ 26,	23·9	4·5	16	.	2	.	.	.	1	.	.	.	1	2	.
		Aug. 2,	26·2	6·0	18	.	3	.	.	1	.	.	.	.	4	3	1
		„ 9,	26·9	6·0	18	.	3	.	.	.	.	.	.	1	.	1	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Disease of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	June 21,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	2		.
	July 5,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	„ 12,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	1	2	.
	„ 19	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	2	.
	„ 26,	25·1	3·1	16	.	.	1	.	.	.	.	1	.	1	2	1
	Aug. 2,	7·9	1·6	5	.	.	.	.	.	1	.	.	.	.	.	.
	„ 9,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 36,025.	June 21,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 28,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	July 5,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	14·0	6·0	7	.	.	.	.	.	.	.	1	2	.	1	.
	„ 19,	18·0	6·0	9	.	1	.	.	.	.	.	1	1	.	.	.
	„ 26,	16·0	4·0	8	.	1	.	.	.	.	.	.	1	.	1	1
	Aug. 2,	23·0	6·0	14	.	1	.	1	.	.	.	.	1	3	2	.
	„ 9,	4·0	.	2	.	.	.	.	.	.	.	.	.	1	.	.
Kingstown. Pop. in 1902 (Est.) 17,880.	June 21,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 28,	20·7	3·0	7	.	.	.	.	.	.	.	2	.	.	.	.
	July 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 19,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 26,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	Aug. 2,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 9,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	June 21,	20·9	2·6	144	.	7	.	.	4	1	.	5	1	30	25	2
	„ 28,	16·6	2·9	114	.	6	.	.	3	2	1	5	3	22	18	1
	July 5,	21·4	2·8	147	.	6	.	.	7	.	.	2	4	18	34	7
	„ 12,	17·2	2·9	118	.	7	.	.	4	2	.	4	3	19	22	4
	„ 19,	16·9	2·3	116	.	7	.	.	.	.	.	3	6	23	18	1
	„ 26,	15·6	3·3	107	.	8	.	.	2	.	.	7	6	17	16	6
	Aug. 2,	18·3	2·6	128	.	5	.	.	8	.	.	3	2	16	29	4
	„ 9,	17·6	2·0	121	.	3	.	.	6	.	.	4	1	30	15	.
Cork. Pop (in 1901) 76,122.	June 21,	16·5	0·7	24	.	.	.	.	.	.	.	.	1	6	3	.
	„ 28,	18·5	0·7	27	.	1	.	.	.	.	.	.	.	7	4	.
	July 5,	24·0	6·2	35	.	.	.	.	2	2	.	.	1	4	3	.
	„ 12,	23·3	2·7	34	.	1	.	.	1	.	.	.	2	3	6	.
	„ 19,	17·2	0·7	25	.	.	.	.	.	.	.	1	.	4	3	1
	„ 26,	15·1	2·1	22	.	3	.	.	.	.	.	.	.	4	2	1
	Aug. 2,	30·8	2·1	27	.	2	.	.	.	.	.	.	1	5	3	.
	„ 9,	17·8	2·1	26	.	1	.	.	.	1	.	.	1	5	3	.
Londonderry. Pop. in 1902 (Est.) 40,729.	June 21,	12·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 28,	16·6	.	13	.	.	.	.	.	.	.	.	.	1	6	.
	July 5,	32·0	5·1	25	.	2	.	.	.	.	.	1	1	5	8	.
	„ 12,	19·2	2·6	15	.	2	.	.	.	.	.	.	.	2	6	.
	„ 19,	21·8	1·3	17	.	.	.	.	.	.	.	.	1	2	2	.
	„ 26,	12·8	3·8	10	.	3	.	.	.	.	.	.	.	1	1	1
	Aug. 2,	20·5	5·1	16	.	3	.	.	.	.	.	.	1	4	2	.
	„ 9,	6·4	2·6	5	.	2	.	.	.	.	.	.	.	1	.	.
Limerick. Pop. in 1901) 38,151.	June 21,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 28,	18·8	.	21	.	.	.	.	.	.	.	.	.	2	7	.
	July 5,	31·5	.	28	.	.	.	.	.	.	.	.	.	6	1	1
	„ 12,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	20·5	.	15	.	.	.	.	.	.	.	.	.	7	1	.
	„ 26,	17·8	.	18	.	.	.	.	.	.	.	.	.	2	3	.
	Aug. 2,	20·5	.	18	.	.	.	.	.	.	.	.	.	1	3	.
	„ 9,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	.	.
Waterford. Pop. (in 1901) 26,769.	June 21,	21·4	.	11	.	.	.	.	.	.	.	.	.	6	3	1
	„ 28,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	July 5,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 12,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	1
	„ 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 26,	17·5	3·9	9	.	.	.	.	.	.	1	.	1	1	.	.
	Aug. 2,	35·1	.	6	.	.	.	.	.	.	.	.	.	.	.	2
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 9th August, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population*	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	358,693	17	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	1	2	2	2	.	2	.	.	1	.	.	.	.	1	1	.	.	2
" 2 "		31			14	5	1	5	3	.	.	.	.	2	.	.	1	.	3	3	.	.	4
" 3 "		34			17	4	4	6	3	.	1	.	.	1	.	.	1	1	3	1	.	1	2
" 4 "		29			17	5	1	10	1	.	.	.	.	1	.	.	.	.	5	2	.	.	4
" 5 "		11			10	1	.	6	3	.	.	.	.	.	.	.	1	.	3	.	.	.	4
" 6 "		17			18	3	.	12	3	.	.	.	.	.	.	.	1	.	4	2	.	.	3
" 7 "		2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 9 "		10			7	.	.	6	1	.	.	.	.	.	.	.	.	.	2	2	.	.	2
" 10 "		15			4	1	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.
" 11 "		23			5	2	1	1	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.
" 12 "		15			16	3	2	9	2	.	.	.	.	.	.	.	.	.	5	2	.	.	4
" 13 "		10			4	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 14 "		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	215	17·6	2·0	121	25	13	62	21	.	3	.	.	6	.	.	4	1	30	15	.	2	27
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	76,122	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
" 2 "		5			6	1	1	3	1	.	1	.	.	.	1	.	.	1	2	.	.	.	2
" 3 "		11			2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 4 "		4			3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
" 5 "		4			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "		3			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "		11			7	2	.	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Total,	—	44	17·8	2·1	26	4	3	12	7	.	1	.	.	.	1	.	.	1	5	2	.	1	9

* See note (*), Table I.

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Feb 15.	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered,	201	246	207	277	226	239	175	265	216	215	245	192	229	231	201	244	217	211	209	175	237	208	214	224	200	215
DEATHS registered,	169	205	188	136	161	154	151	158	168	149	153	119	149	142	152	139	131	113	144	114	147	118	116	107	128	121
Annual Death-rate per 1,000 of estimated Population,*	24·6	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6
AGES, Under 1 year,	34	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16	20	26	22	26	24	29	23	24	25
AGES, 1-5 years,	21	30	17	16	13	22	21	22	21	22	23	12	24	16	25	24	20	14	22	20	27	28	19	19	22	13
AGES, 5-60 years,	86	91	91	57	74	68	74	75	80	67	76	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62
AGES, 60 years and upwards,	28	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Measles,	2	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3	2	7	6	6	7	7	8	5	3
,, Scarlet Fever,	.	.	.	.	.	.		.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	5		1	.	3	5	6	5	6	4	2	2	4	3	4	2	6		4	3	7	4	.	2	8	6
,, Diphtheria,	2	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
,, Enteric Fever,	3	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4
,, Diarrhœa, Dysentery,	2	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1
,, Phthisis	33	25	28	24	18	19	30	30	26	31	25	29	32	29	26	26	26	21	30	22	18	19	23	17	16	30
,, Diseases of Respiratory System,	58	55	58	33	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18	16	29	15
Violent Deaths,	1	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3	2	2	1	7	4	1	6	4	.

* The Death-rates in this Table are those based on the estimates of the Population given in the several Weekly Returns as published.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th August, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Fever.	Diphtheritic Tonsilitis.	Total.
North City No. 1, East,	1	19	.	.	.	.	.	.	.	.	.	.	.	.	.	20
„ 1, West,	.	35	.	2	.	.	1	.	1	1	2	.	.	.	.	42
„ „ 2,	.	19	.	3	1	.	3	.	.	2	.	.	1	.	.	29
„ „ 3,	.	36	.	.	.	.	1	.	.	4	1	.	2	.	.	44
Clontarf and Howth No. 1 (part of),	.	3	.	.	.	.	.	.	.	2	.	.	.	.	.	5
Coolock and Drumcondra No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	19	.	1	2	.	.	.	.	3	1	.	.	.	.	26
„ „ 2,	.	.	.	2	.	.	1	.	.	.	1	.	.	.	.	4
„ „ 3,	.	32	.	4	.	.	1	.	3	4	3	.	3	.	.	50
„ „ 4,	.	9	.	1	.	.	1	.	.	.	2	.	.	.	.	13
Palmerston (part of),	.	4	.	.	.	.	.	.	.	1	.	.	.	.	.	5
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	1	181	.	13	3	.	8	.	4	17	10	.	6	.	.	243
Total for week ended Aug. 2nd, 1902,	.	173	.	11	.	.	10	.	9	22	30	.	5	1	1	262
Total for week ended July 26th, 1902,	.	242	.	8	.	.	7	.	9	23	19	.	5	.	.	313
Total for week ended July 19th, 1902,	.	196	.	8	1	.	9	.	4	10	8	.	2	.	.	238

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th August, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th August.			
	July 19.	July 26.	August 2.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	1	.	.	1
Measles,	142	139	119	69	48	9	131
Scarlet Fever,	53	61	50	20	2	1	67*
Typhus „	1	1	1	3	1	.	3
Diphtheria,	21	23	21	8	4	.	25
Enteric Fever,	28	39	51	13	8	4	52
Pneumonia,	13	14	9	2	2	1	8

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa/Diseases.
LONDON,	4,579,107	Aug. 9,	1,929	1,176	13·4	4	31	16	13	37	16	93
EDINBURGH,	317,885	„ 9,	133	88	14·2	.	3	1	1	2	.	2
GLASGOW,	764,423	„ 9,	413	202	13·5	.	1	2	.	9	1	9
CALCUTTA,	847,793	May 24,	.	613	37·5	2	.	.	.	.	86§	104*
BOMBAY,	776,006	July 15,	327	605	40·5	3	6	?	?	.	66§	68*
MADRAS,	509,346	June 13,	288	351	35·8	.	4	?	?	?	125	57
PARIS,	2,660,559	July 19,	1,173	886	18·3	.	17	1	13†	7	5	36
BRUSSELS (with 8 Faubourgs).	562,893	„ 19,	267	128	11·8	.	.	1	.	.	1	22
AMSTERDAM,	534,663	„ 26,	270	142	13·9	.	13	.	1†	3	1	17
ROTTERDAM,	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	July 19,	199	110	14·3	.	.	.	1	2	.	3
CHRISTIANIA,	224,909	„ 19,	154	34	7·9	.	.	1	.	.	.	4
ST. PETERSBURG,	1,248,643	„ 19,	497	527	21·8	.	14	6	23	1	15	80
BERLIN,	1,902,166	June 21,	802	527	14·4	.	4	8	1	6	.	58
HAMBURG,	724,835	July 19,	.	200	14·3	.	1	12	2	6	1	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	July 26,	.	195	20·0	.	.	.	.	5	.	26
VIENNA (with suburbs).	1,726,604	„ 26,	934	573	17·3	.	9	2	6†	5	.	66
BUDA PESTH	767,661	„ 19,	411	249	16·9	.	6	8	4†	.	.	13
PRAGUE and Faubourgs	416,817	„ 19,	185	183	22·8	.	.	5	.	.	5	16
ROME,	480,361	May 24,	196	206	22·3	.	14	.	2	.	4	22
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	July 5,	69	63	19·3	.	1	.	.	.	1	6
NEW YORK,	3,632,501	„ 19,	1,651	1,540	22·1	3	8	23	40†	18	20	401
PHILADELPHIA,	1,293,697	„ 19,	.	509	20·4	3	8	1	9	7	10	54

* Including 55 deaths from cholera in Calcutta, and 2 in Bombay.
† Including deaths from croup.
§ Exclusive of 205 deaths from bubonic fever in Calcutta, and 22 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 9th August, 1902:—

"Like so many previous weeks of the present summer, the week just closed was changeable, cool, and cloudy, with a preponderating wind movement from polar quarters. On Sunday a cyclonic system was central over Scotland and the North Sea, so that cool N.W. winds prevailed and showers fell in many parts of the British Isles. Near Dublin the weather was not unfavourable, but the sky was very cloudy until evening when a beautiful sunset occurred. Owing to the arrival of a small secondary depression off the S. of Ireland and a consequent equalisation of atmospheric pressure over this country Monday—Bank Holiday—turned out fair and summerlike. But the "secondary" in the south brought heavy showers to England as it travelled eastwards. The night temperatures at this time were very low in the centre and east of Ireland—44·8° in Dublin on Sunday night, 43° at Birr, King's Co., on Monday night. The weather remained fine until midnight of Tuesday, when a rainstorm set in along the east coast of Ireland. By 9 a.m. of Thursday 1·374 inches of rain had fallen in Dublin and 2·170 at Greystones, Co. Wicklow. This downpour was connected with a complex atmospheric depression which drifted slowly eastwards across England to Holland and North Germany during Thursday and Friday. The latter day proved very fine and bright in Dublin, but clouds returned on Saturday when also the wind blew freshly from N.W. In Dublin the mean height of the barometer was 29·908 inches, pressure ranging between 29·659 inches at 9 p.m. of Wednesday (wind, E.), and 30·195 inches at 9 a.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 56·4°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 55·7°. The screened thermometers rose to 63·8° on Saturday, having fallen to 44·8° on Monday. Rain fell on four days to the amount of 1·408 inches, ·924 inch being measured on Wednesday, and ·459 inch on Tuesday. The prevalent winds were E.N.E. and N.W. Bright sunshine was estimated at 30¼ hours' duration."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·915 inches. The highest reading (30·207) was on Saturday at 9 a.m., wind W., and the lowest (29·665) on Wednesday at 9 p.m., wind E.

The mean temperature for the week was 54·4°, being 3·7° below the average for the corresponding week of the ten years 1892-1901. Both extremes of temperature—highest 67·8° and lowest 38·2°—were registered on Monday. The mean of the Dry Bulb for the week was 54·8°, and of the Wet Bulb 52·2°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 32·1 hours. The rainfall measured 1·300 inches.

At Greenwich the mean temperature for the week was 59·1°, the maximum 73·6°, and the minimum 46·7°; at Glasgow the maximum was 67·3°, the minimum 45·4°, and the mean 55·4°; and at Edinburgh the maximum was 61·7°; the minimum 46·9°, and the mean 52·5°. The rainfall at Greenwich measured 0·44 inch; at Glasgow 0·07 inch; and at Edinburgh 0·16 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day	Barometer: Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer: Maximum.	Thermometer: Minimum.	Thermometer: Mean.	Hygrometer: Dry Bulb.	Hygrometer: Wet Bulb.	Hygrometer: Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, August 3,	29·875	61·3	51·7	56·5	54·6	51·5	·81	·7	2·7	—	W.	Calm.
Monday, " 4,	29·887	67·8	33·2	53·0	53·0	49·0	·76	·1	8·1	—	W.	Calm.
Tuesday, " 5,	29·929	61·0	38·4	49·7	53·6	50·3	·81	·3	11·3	·455	Calm.	Calm.
Wednesday, " 6,	29·681	60·8	45·7	53·3	56·6	56·3	·99	·1	0·8	·825	E.	E.
Thursday, " 7,	29·768	57·6	53·7	55·7	54·9	54·0	·93	·8	0·0	·020	E.	N.E.
Friday, " 8,	30·062	61·3	50·5	55·9	54·4	51·2	·79	·4	7·7	—	N.N.E.	W.N.W.
Saturday, " 9,	30·205	62·0	51·8	56·9	56·5	53·3	·80	·8	1·5	—	W.	W.
Mean . .	29·915	61·7	47·1	54·4	54·8	52·2	·84	·5	Total 32·1	1·300	Prevailing Wind, W.	

Sunday—A cloudy day; night cloudy. *Monday*—Bright a.m.; cloudy p.m.; night cloudy. *Tuesday*—A fine but cloudy day; night overcast and heavy; showers from 11 p.m. *Wednesday*—Day overcast to 5 p.m.; light rain 8.30 to 9.15 a.m.; night overcast from 7.0 p.m.; heavy rain 9.30 p.m. to 6.30 a.m. *Thursday*—Day overcast; night cloudy from 10 p.m.; light rain 10.0 to 10.30 p.m. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6.1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 16TH AUGUST, 1902. [No. 33.

General Register Office, Charlemont House, Dublin, 18*th August,* 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 26.	Week ending Aug. 2.	Week ending Aug. 9.	Week ending Aug. 16.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 26.	Week ending Aug. 2.	Week ending Aug. 9.	Week ending Aug. 16.	Average Rate for 4 weeks
22 Town Dists.	17·3	18·4	17·7	17·3	17·7	Lisburn, . .	18·2	13·6	4·5	13·6	12·5
Armagh, . .	27·6	6·9	13·7	6·9	13·8	Londonderry, .	12·8	20·5	6·4	15·4	13·8
Ballymena, .	19·2	4·8	0·0	14·4	9·6	Lurgan, . .	22·1	4·4	13·3	26·6	16·6
Belfast, . .	15·6	18·6	17·6	15·7	16·9	Newry, . .	16·6	12·6	4·2	25·2	14·7
Clonmel, . .	15·3	5·1	35·9	20·5	19·2	Newtownards, .	5·7	40·1	22·9	11·4	20·0
Cork, . . .	15·1	18·5	17·8	17·8	17·3	Portadown, .	0·0	0·0	15·5	10·3	6·5
Drogheda, . .	4·1	20·4	8·2	28·6	15·3	Queenstown, .	6·6	13·2	13·2	26·4	14·9
Dublin Reg. Area,	20·2	21·2	20·2	19·5	20·3	Sligo, . . .	19·2	4·8	38·4	14·4	19·2
Dundalk, . .	0·0	16·0	12·0	16·0	11·0	Tralee, . .	26·6	26·4	10·6	15·9	19·9
Galway, . .	31·1	15·5	7·8	3·9	14·6	Waterford, .	17·5	11·7	13·6	11·7	13·6
Kilkenny, . .	19·9	9·8	44·2	34·4	27·1	Wexford, . .	28·0	9·3	14·0	14·0	16·3
Limerick, . .	17·8	17·8	16·4	12·3	16·1						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·8 in Sligo. Among the 108 deaths from all causes registered in Belfast are 3 from measles, 2 from whooping-cough, 2 from diphtheria, 2 from simple fever, 4 from enteric fever, and 5 from diarrhœa. The 26 deaths for Cork include 2 from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 192—98 boys and 94 girls; and the deaths to 145—79 males and 66 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·0 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 19·5 per 1,000. During the thirty-three weeks ending with Saturday last the death-rate averaged 24·2, and was 3·1 below the average mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 20 deaths from measles, as in the preceding week, equal to an annual rate of 2·8 per 1,000 of the estimated population of the Dublin Registration Area; in the 4 weeks preceding these there were 6, 8, 8, and 18 deaths respectively. Of the 20 deaths, 3 appertained to North City No. 1, West, 9 to North City No. 3, 3 to South City No. 1, 3 to South City No. 2, one to South City No. 3, and one to the Urban District of Blackrock. Scarlet fever, typhus fever, enteric fever, and *diarrhœa* each caused one death; 2 deaths were due to influenza.

One death was caused by tuberculous phthisis; 17 deaths were registered from *phthisis*. There were 3 deaths from tuberculous meningitis and 2 deaths from other forms of the disease.

Carcinoma caused 2 deaths, and 6 deaths were registered from *malignant disease*, "*cancer*."

Diseases of the nervous system caused 19 deaths, including 13 from *convulsions* (of the latter, 5 were under one month and 7 were over one month but under one year of age).

Diseases of the heart and blood-vessels caused 21 deaths, including one from cerebral hæmorrhage, and 4 registered as *apoplexy, hemiplegia*.

There were 19 deaths due to diseases of the respiratory system, equal to an annual rate of 2·6 per 1,000 of the population, the rate for the corresponding period of the past 10 years being 2·2 per 1,000. There were included in the 19 deaths one from croup, 8 deaths from bronchitis, 6 deaths from broncho-pneumonia, and 3 deaths from *pneumonia*.

Three deaths were due to accidental causes.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 6 infants under one year old).

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 9 were under one month old), and 30 were aged 60 years and upwards, including 11 persons aged 70 and upwards, of whom 2 were octogenarians.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 9 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·5 per 1,000; the rate in the City was 22·2 (23·0 on the North side, and 21·4 on the South), and in the Urban Districts 10·4.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 3·3 per 1,000 inhabitants, the rate for the City being 4·1 (4·5 in the North City Districts, and 3·7 in the South) and for the Urban Districts 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. There were 2 deaths from phthisis, 1 death from influenza, and 1 death from *cancer*, and 3 deaths from diseases of the respiratory system, including 2 deaths from broncho-pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 21·3 per 1,000. There were 3 deaths from measles, 1 death from *phthisis*, 2 deaths from tuberculous meningitis, 1 death from *cancer*, and 1 death from *pneumonia*; there was also a death from accident.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·1 per 1,000. There was 1 death from typhus fever, 2 deaths from phthisis, and 2 deaths from diseases of the respiratory system.

No. 3 North City District (Blackhall-place).—The deaths (23) represent an annual rate of 37·9 per 1,000. There were 9 deaths from measles, 3 deaths from *phthisis*, 1 death from tuberculous meningitis, 1 death from *cancer*; and there were 3 deaths from diseases of the respiratory system, including 2 deaths from broncho-pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2: and Finglas and Glasnevin, part of, 0 0.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 19·1 per 1,000. There were 3 deaths from measles, 1 death from *diarrhœa*, and 4 deaths from diseases of the nervous system.

No. 2 South City District (Castle-street).—The deaths (15) are equal to an annual rate of 45·7 per 1,000. There were 3 deaths from measles, 1 death from scarlet fever, and 3 deaths from phthisis; *pneumonia* caused 1 death, and 2 deaths were due to accidental causes.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 20·8 per 1,000. There was 1 death from measles, and 1 death from enteric fever; there were 4 deaths from *phthisis*, and 1 death from general tuberculosis; diseases of the respiratory system caused 2 deaths.

No. 4 South City District (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·9 per 1,000. There was 1 death from *phthisis*, 1 death from *cancer*, and 1 death from carcinoma; diseases of the respiratory system caused 4 deaths, including 2 deaths from broncho-pneumonia and 1 death from *pneumonia*.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 14·3 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 9·4 per 1,000 inhabitants; Pembroke, 8·0; Blackrock, 11·9; and Kingstown, 15·0. The only death from any of the principal epidemic diseases tabulated for any of these districts was from measles for Blackrock. Among the 6 deaths from all causes tabulated for Rathmines are 1 each from *cancer* and carcinoma, and 2 from diseases of the heart and blood-vessels, and the 5 deaths from all causes in Kingstown include 1 from *cancer* and 2 from diseases of the heart and blood-vessels.

NOTE.—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 26th July,	313 cases.
" " 2nd August,	262 cases.
" " 9th August,	243 cases.
" " 16th August,	204 cases.

Of the 204 cases notified, 14 were erysipelas, 30 enteric fever, 11 scarlatina, 132 measles, 6 diphtheria, 10 continued fever, and one varicella.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 26th July,	2 cases.
" " 2nd August,	3 cases.
" " 9th August,	7 cases.
" " 16th August,	2 cases.

Of the 2 cases notified, one was scarlet fever, and one enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 26th July,	17 cases.
" " 2nd August,	13 cases.
" " 9th August,	8 cases.
" " 16th August,	6 cases.

Of the 6 cases notified, 2 were measles, 2 whooping-cough, one scarlet fever, and one enteric fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 26th July,	36 cases.
" " 2nd August,	64 cases.
" " 9th August,	46 cases.
" " 16th August,	49 cases.

Of the 49 cases notified, 22 were enteric fever, 6 erysipelas, 5 diphtheria, 11 continued fever, one membranous croup, and 4 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th August, 1902.

From this it appears that:—

There was one case of small-pox under treatment at the close of the week.

Thirty-one cases of measles were admitted to hospital, 36 were discharged, there were 11 deaths, and 115 cases remained under treatment at the close of the week.

Sixteen cases of enteric fever were admitted to hospital, 9 cases were discharged, there were no deaths, and 59 cases remained under treatment at the close of the week.

Fifteen cases of scarlatina were admitted to hospital, 14 cases were discharged, there was one death, and 67* cases remained under treatment at the close of the week.

One case of typhus fever was admitted to hospital, one died, and 3 patients remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, one was discharged, 5 died, and 25 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 2 patients were discharged, there was one death, and 11 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·8), was equal to an average annual death-rate of 15·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow being 15·2, and for Edinburgh 15·9.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th August, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 16th August, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 16th August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,401	19·2	27·5	17·3	2·3	576	362	64	84	.	24	1	2	4	2	2	6	7	44	52	4	13	97	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	378,761	27·5	26·4	19·5	3·3	192	142	27	29	.	20	1	1	.	.	.	1	1	13	19	3	6	65	§65·9	40·9	57·0	0·36	§67·8	38·2	54·4	1·30	§64·8	45·1	55·4	0·11
Registrars' Districts. City	293,894	37·8	28·3	22·2	4·1	159	125	24	23	.	19	1	1	.	.	.	1	1	16	19	3	6	60	a67·7 / b68·5	44·8 / 41·0	58·4 / 57·7	0·40 / 0·42	a68·8 / b68·8	44·8 / 39·0	56·4 / 54·8	1·41 / 1·71	a66·0 / b65·9	48·0 / 44·8	57·0 / 56·3	0·27 / 0·25
Rathmines,‖	33,208	19·4	26·7	9·4	.	17	6	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	24·0	8·0	.	12	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	11·9	11·9	6·0	2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	6·0	15·0	.	2	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	69	45·5	59·6	0·30	66·5	46·5	57·2	1·60	67	45	58·0	0·21
Urban Districts.																																			
Belfast,	358,698	21·8	28·2	15·7	2·6	194	108	20	23	.	3	.	.	2	2	2	4	5	14	19	1	3	12	69·1	41·1	55·6	0·33	64·1	40·1	49·7	0·81	63·1	39·6	54·4	0·81
Cork,	76,122	33·6	28·1	17·8	2·1	41	26	5	7	.	.	.	.	2	.	.	.	1	2	5	.	.	11	67	51	8·8	00·9	65	50	57·6	0·67	.	.	.	.
Londonderry,	40,729	18·8	28·2	15·4	1·3	22	12	1	3	.	1	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	20·5	12·3	.	15	9	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	13·6	11·7	.	7	6	1	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	15·5	3·9	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	46	59	0·00	69	42	55	1·18	65	44	58	0·35
Dundalk	13,076	9·4	27·9	16·0	.	7	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	16·3	28·6	.	4	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	16·8	25·2	4·2	4	6	.	1	.	.	.	.	.	.	.	1	.	2	.	.	.	.	68·5	41·4	57·6	0·33	64·1	44·0	54·2	0·14	65·7	44·0	55·1	0·41
Lurgan,	11,782	18·8	26·6	26·6	.	6	6	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	68·5	41·4	57·6	0·33	64·1	44·0	54·2	0·14	65·7	44·0	55·1	0·41
Lisburn,	11,461	10·1	45·5	13·6	.	10	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·5	41·4	57·6	0·33	64·1	44·0	54·2	0·14	65·7	44·0	55·1	0·41
Wexford,	11,168	28·2	23·3	14·0	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	43·1	14·4	.	9	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	24·0	14·4	4·8	5	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	69·5	41·8	57·8	0·44	66·9	43·3	55·0	0·28	63·1	41·5	52·8	0·58
Kilkenny	10,609	11·5	103·2	84·4	.	21	7	1	3	.	.	.	.	.	.	.	.	.	1	2	.	.	1	69	45	59·5	0·22	67	40	59·2	1·57	66	46	57·3	0·10
Clonmel,	10,167	7·8	30·8	20·5	.	6	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	18·2	41·3	10·3	.	8	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·5	41·4	57·6	0·33	64·1	44·0	54·2	0·14	65·7	44·0	55·1	0·41
Tralee,	9,867	16·6	21·1	15·9	.	4	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	11·4	11·4	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	66	46	55·0	0·29	62	45	53·3	0·45	.	.	.	.
Queenstown,	7,909	14·4	6·6	26·4	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	67	51	58·8	00·9	65	50	57·6	0·67	.	.	.	.
Armagh,	7,588	22·2	61·8	6·9	.	9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·5	41·4	57·6	0·33	64·1	44·0	54·2	0·14	65·7	44·0	55·1	0·41

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

[illegible] Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

BLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 16th of August, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROOK.	KINGSTOWN.			
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	3	.	9	.	.	.	.	3	3	1	.	.	.	.	.	.	1	.	20	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
Phthisis,	2	1	2	3	.	.	.	.	.	3	4	1	.	.	.	.	1	.	1	18	.	.
Other General Diseases,	2	4	1	4	.	.	.	1	1	.	1	2	.	.	.	3	.	.	1	20	.	1
Total,	4	8	4	16	.	.	.	1	5	7	7	3	.	.	.	3	1	1	2	62	.	1
B. LOCAL DISEASES:																						
Diseases of: Nervous System,	1	2	3	.	.	.	.	.	4	2	2	1	.	1	.	1	.	1	1	19	.	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	.	3	1	.	.	.	2	2	2	2	.	.	.	2	1	.	2	19	2	.
Respiratory System,	3	1	2	3	.	1	.	.	1	1	2	4	.	1	.	.	.	.	.	19	.	.
Digestive System,	4	2	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	9	.	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	1	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	4	.	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	9	7	5	7	1	1	.	.	9	6	9	7	.	2	.	3	2	1	3	72	2	.
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	.	2	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.	.
E. VIOLENT DEATHS,	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	3	.	.
Deaths from all Causes,	13	16	11	23	2	1	.	1	14	15	17	10	.	2	.	6	4	2	5	142	3	
Annual Rate of Mortality in every 1,000 of the population.	23·9	21·3	19·1	37·9	21·7	5·2	.	.	19·1	45·7	20·8	14·9	.	14·3	.	9·4	8·0	11·9	15·0	19·5		
	23·0								21·4							10·4						
	22·2																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	4	12	.	.	.	1	4	7	3	2	.	.	.	2	1	.	.	41	1
Workhouse Hospitals,	3	2	4	6	.	.	.	.	.	3	1	3	.	.	.	.	1	.	1	24	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years 189

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 33rd Week of the 10 years 1892-1901	In the Week ending 16th August, 190				
												Deaths of Persons of				
	Aug. 20, 1892.	Aug. 19, 1893.	Aug. 18, 1894	Aug. 17, 1895.	Aug 15, 1896.	Aug. 21, 1897.	Aug. 20, 1898.	Aug. 19, 1899.	Aug. 18, 1900.	Aug. 17, 1901.		ALL AGES.	0 to 5.			
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	20 and under 40.
Mean Temperature.	57·2	66·6	56·5	59·3	58·6	58·8	59·5	61·0	60·2	58·9	59·7	57·0				
ALL CAUSES.	131	179	132	161	145	163	146	234	147	148	158·6	145	9	18	28	17
Small Pox, Vaccinated,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	2	1	.	.	.	.	.	.	·3	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	2	1	.	.	1	1	10	.	.	1·8	20	1	1	16	.
Scarlet Fever	1	.	1	2	4	3	1	.	.	1	1·3	1	.	.	1	.
Typhus,	.	1	.	.	1	.	.	.	1	.	·3	1	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	2	2	1	.	4	.	1	1·1	2	.	.	.	.
Whooping Cough,	1	7	2	1	1	2	1	7	1	3	2·6	.	.	.	.	.
Diphtheria,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.
Enteric Fever,	2	9	1	1	3	2	3	1	1	.	2·3	1	.	.	.	1
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	13	12	6	17	21	32	23	49	25	30	22·8	.	.	.	.	.
												1	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	2	.	.	.	.	4	.	.	.	·6	1	.	1	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	.	1	.	.	.	.	.	1	.	1	·3	.	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	18	26	26	23	13	26	18	26	20	24	22·0	1	.	.	.	.
												17	.	.	.	8
Tuberculous Meningitis, (Acute Hydrocephalus).	4	2	6	5	5	1	5	2	3	1	3·4	3	.	1	1	1
Tuberculous Peritonitis, *Tabes Mesenterica*,	5	4	2	2	5	9	5	9	3	4	4·8	.	.	.	.	.
												.	.	.	.	.
Tuberculous Dis. (other), Scrofula,	1	6	3	6	2	2	6	4	5	6	4·1	2	.	.	2	.
												.	.	.	.	.
Alcoholism	.	2	1	.	3	2	1	.	1	.	1·0	1	.	.	.	1
Rheumatic Fever,	.	.	.	.	1	.	2	.	.	.	·3	.	.	.	.	.
Gout	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* The figures for the years 1892-190

RTY-THIRD WEEK ending Saturday, 16th August, 1902, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Aug. 20, 1892.	Aug. 19, 1893.	Aug. 18, 1894.	Aug. 17, 1895.	Aug. 15, 1896.	Aug. 21, 1897.	Aug. 20, 1898.	Aug. 19, 1899.	Aug. 18, 1900.	Aug. 17, 1901.	Averages in 33rd Week of the 10 years 1892–1901.	In the Week ending Saturday, 16th August, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 57·2	° 66·6	° 56·5	° 59·3	° 58·6	° 58·8	° 59·5	° 61·0	° 60·2	° 58·9	59·7	° 57·0								
Ca oma												2	.	.	.	.	.	2	.	.
Sa na	9	3	3	9	6	1	5	8	6	3	5·3	.	.	.	.	.	.	.	.	.
Ma ant Dis. "Cancer,"												6	.	.	.	.	.	2	4	.
Di es Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pre ture Birth	.	2	.	2	3	2	.	.	2	1	1·2	1	1	.	.	.	.	.	.	.
Me gitis (not tuberc.)												2	.	.	1	1	.	.	.	.
Ins ty, G. P. of Insane												.	.	.	.	.	.	.	.	.
Ep sy												.	.	.	.	.	.	.	.	.
Co sions												13	5	7	1	.	.	.	.	.
Lo otor Ataxy												.	.	.	.	.	.	.	.	.
Pa legia Dis. of Cord												2	.	.	.	.	1	1	.	.
Ne us System (other Dis.) ...	23	27	27	29	31	28	30	30	32	30	28·7	2	.	.	.	.	.	.	2	.
Va Dis., Endocarditis												2	.	.	.	.	.	1	1	.
Ce r. Hæm. Thromb.												1	.	.	.	.	.	1	.	.
Ap oxy, Hemiplegia												4	.	.	.	.	.	.	3	1
An ysm												1	.	.	.	.	.	1	.	.
Em lism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
He and Blood Vessel Dis.												13	.	1	.	.	1	5	6	.
Cro (not Spasm. or Memb.) ...	.	1	1	.	.	.	.	.	.	.	·2	1	.	.	.	1	.	.	.	.
Bro hitis	3	13	7	5	6	11	12	15	9	9	9·0	8	.	2	.	.	1	4	1	.
Cro ous Pneumonia												.	.	.	.	.	.	.	.	.
Bro cho-Pneumonia	2	5	4	6	5	3	3	12	3	8	5·1	6	.	1	3	.	1	.	1	.
"P monia"												3	.	.	.	.	.	2	1	.
Ast a, Emphysema												.	.	.	.	.	.	.	.	.
Ple sy	3	.	1	1	1	1	.	2	1	1	1·1	.	.	.	.	.	.	.	.	.
Res atory Dis. (other)												1	.	.	1	.	.	.	.	.
Ton litis, Quinsy	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
En itis (not Epid.)												.	.	.	.	.	.	.	.	.
Gas Enteritis	.	2	.	2	.	2	3	4	2	1	1·6	.	.	.	.	.	.	.	.	.
Pe nitis (not Puerp.)	2	1	3	.	1	.	.	2	1	1	1·1	.	.	.	.	.	.	.	.	.
Cirosis of Liver												2	.	.	.	.	2	.	.	.
Liv Dis. (other)	2	3	5	7	6	1	1	3	2	1	3·1	2	.	.	.	.	.	2	.	.
Dig ive Dis. (other)	3	5	3	13	2	6	3	3	1	2	4·1	5	.	2	1	1	.	.	1	.
Ne itis, Acute												2	.	.	.	.	.	1	1	.
Bri t's Dis., Albuminuria ...	6	5	3	4	2	3	2	6	4	3	3·8	1	.	.	.	.	.	1	.	.
Uri ry Sys. (Other Dis.) ...												1	.	.	.	.	.	.	1	.
Ge ative Organs Dis.	.	1	1	.	1	1	.	2	.	1	·7	.	.	.	.	.	.	.	.	.
Ch birth (Accid. of)	.	.	.	1	.	.	.	.	.	1	·2	1	.	.	.	.	1	.	.	.
Old age	11	8	6	7	6	5	3	9	7	6	6·8	3	.	.	.	.	.	.	2	1
Oth Diseases	12	21	13	14	10	14	10	17	10	6	12·7	6	2	2	1	1	.	.	.	.
ACCIDENT.																				
By ilways	.	.	.	.	.	1	1	.	.	2	·4	.	.	.	.	.	.	.	.	.
By hicles and Horses	1	.	.	.	.	1	.	2	2	1	·7	.	.	.	.	.	.	.	.	.
In ps, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In ilding Operations	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
In nflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By urns, Scalds, Explosions ...	1	.	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
By rowning	2	2	.	.	2	1	1	.	1	.	·9	.	.	.	.	.	.	.	.	.
By ffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By ison or Poisonous Vapours...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Oth Deaths by Accidents ...	2	2	1	.	1	.	1	2	.	.	·9	3	.	.	.	.	1	2	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Ho cide	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Su de	.	3	.	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Ex ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

t Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	Feb. 22.	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered,	248	193	220	239	198	229	199	237	226	195	255	232	202	209	234	249	192	242	213	204	187	196	203	186	244	192
*Average Births in corresponding week of previous 10 years,**	210	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200
DEATHS registered,	248	218	222	154	167	211	208	206	174	199	191	178	186	149	165	156	155	139	149	149	129	155	150	165	154	145
Annual Death-rate per 1,000,	34·1	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0
*Average Deaths in corresponding week of previous 10 years,**	225	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159
AGES, Under 5 years,	60	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55
5—20 "	16	17	12	22	17	20	17	16	12	19	20	18	20	16	24	14	19	15	11	14	10	18	8	14	14	7
20—40 "	37	30	29	28	32	39	33	42	28	20	31	33	39	34	23	32	29	28	23	30	24	36	25	31	22	17
40—60 "	55	48	46	35	40	52	51	41	37	50	39	32	37	21	35	38	24	26	27	27	29	30	29	24	20	36
60—80 "	70	52	67	28	26	43	45	40	33	44	42	35	32	36	27	17	27	32	26	30	25	27	29	30	29	28
80 years and upwards,	10	16	9	9	7	8	8	11	7	6	13	7	9	8	8	7	6	5	5	7	3	5	18	7	4	2
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	1	6	4	1	1	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20
" Scarlet Fever,	.	1	1	3	1	2	.	.	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
" Whooping-cough,	2	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.
" Diphtheria,	1	.	3	.	1	.	2	1	1	.	2	2	3	.	.	1	1	1	.	.	1	1	1	2	2	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" Enteric Fever,	.	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1
" Diarrhœa, Dysentery,	2	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1	.	.	2	4	1	3	5	3	1
" Phthisis,	27	33	38	17	36	37	27	27	25	20	25	23	30	25	27	40	26	26	15	18	14	25	18	19	15	18
" Heart Diseases,	22	14	15	17	13	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18	9	18	21
" Diseases of Respiratory System,	82	73	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30	24	23	17	30	28	19
Violent Deaths,	7	5	4	2	8	1	4	8	1	4	6	4	8	4	4	6	10	.	4	7		8	2	7	2	3
Mean Temperature of the Air (Phœnix Park),	40·5	46·0	44·	44·9	44·4	48·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0
Average Mean Temperature in corresponding week of previous 10 years,	39·	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7
Rainfall in inches,	·145	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·845	·195	·153	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355
Mean Humidity of the Air, complete Saturation 1·0,	·84	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th August, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Colds, 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	846,128	21·8	145	55	7	17	36	28	2	.	20	1	1	.	.	.	1	1	24	18	13	19	3	68
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	30·4	9	.	.	.	3	5	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	8
II.	MIDDLE CLASS,	80,653	11·6	18	6	1	1	6	4	.	.	1	.	.	.	.	.	.	.	1	3	3	3	.	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	15·9	30	13	4	4	4	5	.	.	4	.	.	.	.	.	1	.	5	3	3	4	.	15
IV.	GENERAL SERVICE CLASS,	146,486	30·3	62	32	1	8	15	6	.	.	15	1	1	.	.	.	.	1	18	4	7	7	3	23
V.	INMATES OF WORKHOUSES,	5,191		26	4	1	4	8	8	1	.	.	.	.	.	.	.	.	.	.	7	.	5	.	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	6·1	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.
	6. Clerks and Commercial Assistants,	24,750	19·0	9	3	1	.	5	.	.	.	1	.	.	.	.	.	.	.	1	1	1	2	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	8·6	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	9. Building and Furnishing Trades,	26,030	16·0	8	5	2	.	.	.	.	.	1	.	.	.	.	.	1	.	2	.	2	.	.	4
	10. Clothing Trades,	23,686	11·0	5	1	.	2	.	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	4
	11. Food Supply Trades,	7,869	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	21·5	11	6	1	1	1	2	.	.	1	.	.	.	.	.	.	.	1	2	1	3	.	4
	13. Petty Shopkeepers,	6,771	15·4	2	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	15·3	4	2	.	1	.	1	.	.	1	.	.	.	.	.	.	.	1	.	1	.	1	1
	15. Domestic Servants,	39,563	5·3	4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	9·7	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	32·8	52	28	1	6	13	4	.	.	14	1	1	.	.	.	.	1	17	3	5	7	1	19
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	26	4	1	4	8	8	1	.	.	.	.	.	.	.	.	.	.	7	.	5	.	14

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

City of Dublin (prior to extension)		1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
	North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,333.	June 28,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	.
		July 5,	20·2	8·7	11	.	1	.	.	.	.	.	.	1	2	.	.
		„ 12,	14·7	8·7	8	.	1	.	.	.	.	.	1	.	2	2	.
		„ 19,	14·7	8·7	8	.	2	.	.	.	.	.	.	.	1	3	.
		„ 26,	27·6	8·7	15	.	.	.	.	1	.	.	.	1	2	2	.
		Aug. 2,	29·4	5·5	16	.	3	.	.	.	.	.	.	.	1	4	.
		„ 9,	23·9	7·4	13	.	3	.	.	1	.	.	.	.	.	.	.
		„ 16,	23·9	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	June 28,	20·0	2·7	15	.	2	.	.	.	.	.	.	.	3	6	.
		July 5,	20·0	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 12,	20·0	4·0	15	.	2	.	.	1	.	.	.	.	.	3	1
		„ 19,	26·6	5·3	20	.	2	.	1	.	.	.	1	.	2	4	.
		„ 26,	25·3	4·0	19	.	2	.	.	.	.	.	.	1	2	1	.
		Aug. 2,	21·3	2·7	16	.	2	.	.	.	.	.	.	.	1	2	2
		„ 9,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	2	6	.
		„ 16,	21·3	4·0	16	.	3	.	.	.	.	.	.	.	1	1	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	June 28,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	2	.
		July 5,	8·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	1	1	1
		„ 19,	38·1	1·7	22	.	1	.	.	.	.	.	.	.	8	1	1
		„ 26,	22·5	1·7	13	.	1	.	.	.	.	.	.	.	3	.	.
		Aug. 2,	24·2	5·2	14	.	2	1	.	.	.	.	.	.	3	2	1
		„ 9,	13·9	1·7	8	.	1	.	.	.	.	.	.	.	1	3	1
		„ 16,	19·1	1·7	11	.	.	.	1	.	.	.	.	.	2	2	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,078.	June 28,	23·0	3·3	14	.	.	.	.	.	.	.	2	.	1	3	.
		July 5,	23·0	3·3	14	.	1	1	.	.	.	.	.	.	2	5	1
		„ 12,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	3	1
		„ 19,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.
		„ 26,	26·3	.	16	.	.	.	.	.	.	.	.	.	6	2	.
		Aug. 2,	24·7	13·2	15	.	7	.	.	.	.	.	.	1	1	2	.
		„ 9,	32·9	6·6	20	.	3	.	.	.	.	.	.	1	1	3	.
		„ 16,	37·9	14·8	23	.	9	.	.	.	.	.	.	.	3	3	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 32,313.	June 23,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	4	4	.
		July 5,	17·3	4·0	13	.	1	.	.	.	.	.	1	1	2	1	.
		„ 12,	20·0	1·3	15	.	.	.	.	.	.	.	1	.	4	1	.
		„ 19,	21·3	1·3	16	.	.	.	.	.	1	.	.	.	6	2	.
		„ 26,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	1	2	.
		Aug. 2,	25·3	1·3	19	.	.	.	.	.	.	.	.	1	1	5	.
		„ 9,	27·2	6·6	20	.	3	.	.	.	1	.	.	1	1	3	.
		„ 16,	19·1	5·4	14	.	3	.	.	.	.	.	.	1	.	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	June 28,	15·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.
		uly 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	3	2
		„ 12,	15·2	·0	5	.	.	.	.	.	.	.	.	1	1	.	.
		„ 19,	15·2	3.0	5	.	1	.	.	.	.	.	.	.	1	.	.
		„ 26,	27·4	.	9	.	.	.	.	.	.	.	.	.	1	1	.
		Aug. 2,	33·5	3·0	11	.	.	.	.	.	.	.	1	.	2	2	2
		„ 9,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	3	2	.
		„ 16,	45·7	12·2	15	.	3	1	.	.	.	.	.	.	3	1	2
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 42,575.	June 28,	33·7	1·2	27	.	1	.	.	.	.	.	.	.	3	3	1
		July 5,	23·7	1·2	23	.	.	.	.	.	.	.	1	.	2	6	.
		„ 12,	15·0	2·5	12	.	.	.	.	.	1	.	1	.	.	2	.
		„ 19,	22·5	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		„ 26,	13·7	1·2	11	.	1	.	.	.	.	.	.	.	.	2	.
		Aug. 2,	18·7	1·2	15	.	.	.	.	.	.	.	.	1	1	6	.
		„ 9,	24·5	8·5	20	.	3	.	.	.	.	.	4	.	3	6	.
		„ 16,	20·3	2·5	17	.	1	.	.	.	.	.	1	.	4	2	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	June 28,	20·9	.	14	.	.	.	.	.	.	.	.	.	1	1	2
		July 5,	25·4	4·5	17	.	3	.	.	.	.	.	.	.	4	2	.
		„ 12,	17·9	1·5	12	.	1	.	.	.	.	.	.	.	2	2	.
		„ 19,	22·4	1·5	15	.	1	.	.	.	.	.	.	.	1	3	1
		„ 26,	23·9	4·5	16	.	2	.	.	.	1	.	.	.	1	2	.
		Aug. 2,	26·9	6·0	18	.	3	.	.	1	.	.	.	.	4	3	1
		„ 9,	26·9	6·0	18	.	3	.	.	.	.	.	.	1	.	1	1
		„ 16,	14·9	.	10	.	.	.	.	.	.	.	.	.	1	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	June 28,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	2	.	.
	July 5,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	" 12,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	1	2	.
	" 19	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	2	.
	" 26,	25·1	3·1	16	.	.	1	.	.	.	.	1	.	1	2	1
	Aug. 2,	7·9	1·6	5	.	.	.	.	.	1	.	.	.	.	.	.
	" 9,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	" 16	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	June 28,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	July 5,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	" 12,	14·0	6·0	7	.	.	.	.	.	.	.	1	2	.	1	.
	" 19,	18·0	6·0	9	.	1	.	.	.	.	.	1	1	.	.	.
	" 26,	16·0	4·0	8	.	1	.	.	.	.	.	.	1	.	1	1
	Aug. 2,	28·0	6·0	14	.	1	.	1	.	.	.	.	1	3	2	.
	" 9,	4·0	.	2	.	.	.	.	.	.	.	.	.	1	.	.
	" 16,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
Kingstown. Pop. in 1902 (Est.) 17,880.	June 28,	20·7	3·0	7	.	.	.	.	.	.	.	2	.	.	.	.
	July 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	" 12,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	" 19,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	" 26,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	Aug. 2,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	" 9,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	.	.
	" 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	June 28,	16·6	2·9	114	.	6	.	.	3	2	1	5	3	22	18	1
	July 5,	21·4	2·8	147	.	6	.	.	7	.	.	2	4	18	34	7
	" 12,	17·2	2·9	118	.	7	.	.	4	2	.	4	3	19	22	4
	" 19,	16·9	2·8	116	.	7	.	.	.	.	.	3	6	23	18	1
	" 26,	15·6	3·3	107	.	8	.	.	2	.	.	7	6	17	16	6
	Aug. 2,	18·6	2·6	128	.	5	.	.	8	.	.	3	2	16	29	4
	" 9,	17·6	2·0	121	.	3	.	.	6	.	.	4	1	30	15	.
	" 16,	15·7	2·6	108	.	3	.	.	2	2	2	4	5	14	19	1
Cork. Pop (in 1901) 76,122.	June 28,	18·5	0·7	27	.	1	.	.	.	.	.	.	.	7	4	.
	July 5,	24·0	6·2	35	.	.	.	.	2	2	.	.	1	4	3	.
	" 12,	23·3	2·7	34	.	1	.	.	1	.	.	.	2	3	6	.
	" 19,	17·2	0·7	25	.	.	.	.	.	.	.	1	.	4	3	1
	" 26,	15·1	2·1	22	.	3	.	.	.	.	.	.	.	4	2	1
	Aug. 2,	30·8	2·1	27	.	2	.	.	.	.	.	.	1	5	3	.
	" 9,	17·8	2·1	26	.	1	.	.	.	1	.	.	1	5	2	.
	" 16,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	2	5	.
Londonderry. Pop. in 1902 (Est.) 40,729.	June 28,	16·6	.	13	.	.	.	.	.	.	.	.	.	1	6	.
	July 5,	32·0	5·1	25	.	2	.	.	.	.	.	1	1	5	8	.
	" 12,	19·2	2·6	15	.	2	.	.	.	.	.	.	.	2	6	.
	" 19,	21·8	1·3	17	.	.	.	.	.	.	.	.	1	2	2	.
	" 26,	12·8	3·8	10	.	3	.	.	.	.	.	.	.	1	1	1
	Aug. 2,	20·5	5·1	16	.	3	.	.	.	.	.	.	1	4	2	.
	" 9,	6·4	2·6	5	.	2	.	.	.	.	.	.	.	1	.	.
	" 16,	15·4	1·3	12	.	1	.	.	.	.	.	.	.	1	2	.
Limerick. Pop. in 1901) 38,151.	June 28,	28·8	.	21	.	.	.	.	.	.	.	.	.	2	7	.
	July 5,	31·5	.	23	.	.	.	.	.	.	.	.	.	6	1	1
	" 12,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	" 19,	20·5	.	15	.	.	.	.	.	.	.	.	.	7	1	.
	" 26,	17·8	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	Aug. 2,	20·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	" 9,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	.	.
	" 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
Waterford. Pop. (in 1901) 26,769.	June 28,	9·7	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	July 5,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	" 12,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	1
	" 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	" 26,	17·5	5·9	9	.	.	.	.	.	.	1	.	1	1	.	.
	Aug. 2,	35·1	.	6	.	.	.	.	.	.	.	.	.	.	.	2
	" 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	" 16,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 16th August, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	6	14·2	3·5	4	.	2	1	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.
" 2 "	47,959	28	14·1	3·3	13	4	3	4	2	.	1	.	.	.	1	.	.	1	2	3	.	.	.
" 3 "	47,214	26	19·9	6·6	18	4	6	4	4	.	1	.	.	1	.	.	1	3	1	3	.	.	1
" 4 "	40,911	32	21·7	.	17	3	.	10	4	.	.	.	.	.	.	.	.	.	3	4	.	.	3
" 5 "	17,387	9	15·0	6·0	5	1	2	1	1	.	.	.	.	.	.	2	.	.	1	.	.	.	2
" 6 "	48,122	19	11·9	2·2	11	.	.	8	3	.	.	.	.	.	1	.	1	.	.	2	.	.	1
" 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	2	10·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "	19,569	9	21·5	.	10	1	2	4	3	.	.	.	.	.	.	.	.	.	3	1	.	.	4
" 10 "	23,064	16	27·1	2·3	12	3	2	5	2	.	.	.	.	1	.	.	.	.	3	.	.	.	.
" 11 "	34,802	20	9·0	1·5	6	2	.	3	1	.	.	.	.	.	.	.	1	.	1	.	.	1	.
" 12 "	33,588	18	14·0	1·6	9	2	2	4	1	.	.	.	.	.	.	.	.	1	.	3	1	1	1
" 13 "	15,006	8	6·9	3·5	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	194	16·1	2·7	108	20	21	44	23	.	3	.	.	2	2	2	4	5	14	19	1	3	12
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	12	32·4	.	8	1	.	2	5	.	.	.	.	.	.	.	.	.	2	3	.	.	4
" 2 "	10,701	5	19·5	9·7	4	2	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
" 3 "	9,978	3	31·4	.	6	1	.	3	2	.	.	.	.	.	.	.	.	.	.	2	.	.	3
" 4 "	8,666	6	6·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 5 "	6,592	1	7·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 6 "	10,702	5	9·7	4·9	2	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" 7 "	16,616	9	12·6	.	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Total,	76,122	41	17·8	2·1	26	5	3	11	7	.	.	.	.	2	.	.	.	1	2	5	.	.	11

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Feb. 22.	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered,	246	207	277	226	239	175	265	216	215	245	192	229	231	201	244	217	211	209	175	237	208	214	224	200	215	194
DEATHS registered.	205	188	186	161	154	151	158	168	149	153	119	149	142	152	139	131	113	144	114	147	118	116	107	128	121	108
Annual Death-rate per 1,000 of estimated Population,	29·8	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7
AGES, Under 1 year,	35	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16	20	26	22	26	24	29	23	24	25	20
1–5 years,	30	17	16	13	22	21	22	21	22	23	12	24	16	25	24	20	14	22	20	27	23	19	19	22	13	21
5–60 years,	91	91	57	74	68	74	75	80	67	76	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62	44
60 years and upwards,	49	39	27	41	34	29	36	42	37	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21	23
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Measles,	2	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3	2	7	6	6	7	7	8	5	3	3
,, Scarlet Fever,	.	.	.	.	.		.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,		1	.	3	5	6	5	6	4	2	2	4	3	4	2	6		4	3	7	4	.	2	8	6	2
,, Diphtheria,	1	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2
,, Enteric Fever,	4	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4	4
,, Diarrhœa, Dysentery,	4	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1	5
,, Phthisis	25	28	21	18	19	30	30	26	31	25	29	32	29	26	26	26	21	30	22	18	19	23	17	16	30	14
,, Diseases of Respiratory System,	55	58	33	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18	16	29	15	19
Violent Deaths,	15	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3		2	1	7	4	1	6	4	.	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th August, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Fever.	Diphtheritic Tonsillitis.	Total.
North City No. 1, East,	.	16	.	.	.	.	.	.	.	.	1	.	.	.	.	17
" " 1, West,	.	22	.	2	.	.	.	.	.	1	.	.	.	.	.	25
" " 2,	.	10	.	.	.	.	.	.	.	8	1	.	.	.	.	19
" " 3,	.	10	.	1	.	.	2	.	.	10	1	.	.	.	.	24
Clontarf and Howth No. 1 (part of),	.	14	.	.	.	.	.	.	.	1	.	.	.	.	.	15
Coolock and Drumcondra No. 1 (part of),	.	2	.	.	.	.	.	.	1	.	.	.	1	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	19	.	.	.	.	2	.	.	2	6	.	.	.	.	29
" " 2,	.	8	.	1	.	.	.	.	.	1	2	.	.	.	.	12
" " 3,	.	13	.	4	.	.	1	.	6	3	1	.	.	.	.	28
" " 4,	.	14	.	1	.	.	1	.	3	2	2	.	.	.	.	23
Palmerston (part of),	.	4	.	2	.	.	.	.	.	1	.	.	.	.	.	7
Crumlin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Total,	.	132	.	11	.	.	6	.	10	30	14	.	1	.	.	204
Total for week ended Aug. 9th, 1902,	1	181	.	13	3	.	8	.	4	17	10	.	6	.	.	243
Total for week ended Aug. 2nd, 1902,	.	173	.	11	.	.	10	.	9	22	30	.	5	1	1	262
Total for week ended July 26th, 1902,	.	242	.	8	.	.	7	.	9	23	19	.	5	.	.	313

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th August, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th August.			
	July 26.	August 2.	August 9.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	1	.	.	.	1
Measles,	139	119	131	31	36	11	115
Scarlet Fever,	61	50	67	15	14	1	67*
Typhus "	1	1	3	1	.	1	3
Diphtheria,	23	21	25	6	1	5	25
Enteric Fever,	39	51	52	16	9	.	59
Pneumonia,	14	9	8	6	2	1	11

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,579,107	Aug. 16,	2,816	1,384	15·8	5	28	11	21	43	9	119
EDINBURGH,	317,885	„ 16,	180	99	15·9	.	2	.	.	2	2	3
GLASGOW,	764,423	„ 16,	486	226	15·2	.	2	1	.	14	2	11
CALCUTTA,	847,793	May 24,	.	.	.	.	.	.	.	.	.	.
BOMBAY,	776,006	July 22,	413	606	40·6	3	5	?	?	.	70§	69
MADRAS,	509,346	June 20.	286	285	29·0	1	3	?	?	?	78	54
PARIS,	2 660,559	July 26,	1,055	821	16·9	.	10	.	17†	4	4	46
BRUSSELS (with 8 Faubourgs).	562,893	„ 26,	231	164	15·1	.	5	.	.	.	3	22
AMSTERDAM,	534,663	Aug. 2,	313	125	12·2	.	10	.	.	1	1	7
ROTTERDAM	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	400,570	July 26,	183	104	13·5	.	1	.	1	1	.	6
CHRISTIANIA,	224,909	„ 26,	124	49	11·3	.	.	.	.	2	.	4
ST. PETERSBURG,	1,248,643	„ 26,	498	519	21·6	.	23	7	12	1	17	87
BERLIN,	1,902,166	June 28,	851	549	15·0	.	6	2	4	8	1	58
HAMBURG,	724,835	July 26,	.	203	14·6	.	1	8	3	4	.	15
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	Aug, 2,	.	194	19·9	.	.	.	1†	6	.	52
VIENNA (with suburbs).	1,726,604	„ 2,	932	548	16·5	.	7	7	5†	4	1	80
BUDA PESTH,	767,661	July 26,	393	265	18·0	.	1	4	1†	4	2	30
PRAGUE and Faubourgs	416,817	„ 26,	183	184	22·9	.	2	6	1	.	2	18
ROME,	480,361	May 31,	219	226	24·5	.	16	.	2	2	2	18
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	July 12,	80	70	22·0	.	2	.	.	.	1	11
NEW YORK,	3,632,501	„ 26,	1,686	1,470	21·1	3	9	8	22†	16	19	401
PHILADELPHIA,	1,293,697	„ 26,	.	474	19·1	1	.	2	8	5	10	64

† Including deaths from croup. § Exclusive of 37 from bubonic fever in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 16th August, 1902:—

"At first very cold and afterwards showery, the weather finally showed an improvement, becoming moderately warm and in general more seasonable. During the greater part of the week an area of relatively low atmospheric pressure was central over Sweden. This cyclonic system caused cold N. to W. winds in the British Isles, France and Germany, in all of which countries temperature ruled very low in the earlier portion of the period. On Monday morning minima were recorded as low as 37° at Penrith, 39° at North Shields, 40° at Manchester, 41° at Nairn, 42° at Dungeness and Loughborough, 43° at Leith and Birr, 44° in London, and 44·8° in Dublin. At Penrith on Tuesday morning 36° was the recorded shade minimum. On this day a wave of higher temperature passed over Ireland, as the influence of the Swedish depression waned. The change was attended by a considerable rainfall in the course of Monday night and Tuesday morning. On Wednesday a shallow secondary depression lay over Ireland and Wales, causing light variable airs and heavy local showers. The air at this time was warm and damp. At 8 a.m. of Thursday the readings of the barometer were exceptionally uniform over the British Isles, varying only one-tenth of an inch—from 29·98 inches at Valentia, Kerry, to 29·88 inches at Stornoway in the Hebrides. This equable distribution of pressure was accompanied by light variable breezes or calms and the formation of fog or mist in several districts on Friday morning. On this day and again on Saturday much cirriform cloud prevailed, with solar halos on both days and a lunar halo on Saturday evening. In Dublin the mean height of the barometer was 29·992 inches, the range of pressure being from 30·166 inches at 9 a.m. of Monday (wind, W.N.W.) to 29·710 inches at 9 p.m. of Saturday (wind, E.). The corrected mean temperature was 58·4°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 58·2°. On Monday the screened thermometers fell to 44·8°; on Saturday they rose to 67·7°, the highest reading in Dublin since July 17th. N.W. winds were again most prevalent. Bright sunshine was estimated at 23½ hours. The rainfall was ·396 inch on 4 days, ·212 inch being registered on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·995 inches. The highest reading (30·170) was on Monday at 9 a.m., wind W., and the lowest (29·720) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 57·0°, being 2·7° below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Wednesday, when the thermometer registered 65·9°, and was lowest on Monday, the mercury having fallen to 40·9. The mean of the Dry Bulb for the week was 57·3°, and of the Wet Bulb 55·2°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 22·6 hours. The rainfall measured ·355 inch.

At Greenwich the mean temperature for the week was 58·5°, the maximum 79·0°, and the minimum 45·2°; at Glasgow the maximum was 72·3°, the minimum 43·8°, and the mean 57·2°; and at Edinburgh the maximum was 69·8°; the minimum 40·3°, and the mean 53·7°. The rainfall at Greenwich measured 0·17 inch; at Glasgow 0·00 inch; and at Edinburgh 0·13 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, August 10,	30·145	60·7	48·9	54·8	52·3	49·1	·79	·7	9·1	—	N.W.	N.W.
Monday, " 11,	30·123	56·4	40·9	48·7	53·3	51·4	·88	·6	1·0	·145	W.	W.
Tuesday, " 12,	30·070	63·3	52·9	58·1	57·9	55·3	·84	·4	2·4	·030	W.	Calm.
Wednesday, " 13,	29·943	65·9	56·0	61·0	60·8	59·4	·92	·3	0·8	·055	W.	W.
Thursday, " 14,	29·970	64·8	51·9	58·4	58·6	57·0	·90	·0	3·0	—	Calm.	Calm.
Friday, " 15,	29·939	64·9	53·5	59·2	59·1	56·8	·87	·1	2·3	—	Calm.	Calm.
Saturday, " 16,	29·772	65·1	51·9	58·5	58·9	57·2	·89	·1	4·0	·125	E.	Calm.
Mean, . .	29·995	63·0	50·9	57·0	57·3	55·2	·87	·3	Total 22·6	·355	Prevailing Wind, Calm.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—Cloudy a.m.; dull p.m.; night overcast to 5.30 a.m.; light rain 9.15 p.m. to 9.30 p.m., and 11.30 p.m. to 5.30 a.m. *Tuesday*—A cloudy day; night cloudy; light rain 5.0 to 7.0 a.m. *Wednesday*—A cloudy day; showery at intervals; night cloudy. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A cloudy day; light rain p.m., inappreciable; night cloudy. *Saturday*—A fine but cloudy day; night overcast from 11.0 p.m.; light rain 11.0 p.m. to 6.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 23RD AUGUST, 1902. [No. 34.

General Register Office, Charlemont House, Dublin, 25th August, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 2.	Week ending Aug. 9.	Week ending Aug. 16.	Week ending Aug. 23.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 2.	Week ending Aug. 9.	Week ending Aug. 16.	Week ending Aug. 23.	Average Rate for 4 weeks
22 Town Dists.	18·4	17·7	17·3	15·6	17·3	Lisburn, . .	13·6	4·5	13·6	9·1	10·2
Armagh, . .	6·9	13·7	6·9	6·9	8·6	Londonderry, .	20·5	6·4	15·4	9·0	12·8
Ballymena, .	4·8	0·0	14·4	14·4	8·4	Lurgan, . .	4·4	13·3	26·6	17·7	15·5
Belfast, . .	18·6	17·6	15·7	16·3	17·1	Newry, . .	12·6	4·2	25·2	0·0	10·5
Clonmel, . .	5·1	35·9	20·5	20·5	20·5	Newtownards, .	40·1	22·9	11·4	17·2	22·9
Cork, . . .	18·5	17·8	17·8	13·7	17·0	Portadown, .	0·0	15·5	10·3	5·2	7·8
Drogheda, . .	20·4	8·2	28·6	12·3	17·4	Queenstown, .	13·2	13·2	26·4	13·2	16·5
Dublin Reg. Area,	21·2	20·2	19·5	19·5	20·1	Sligo, . . .	4·8	38·4	14·4	4·8	15·6
Dundalk, . .	16·0	12·0	16·0	8·0	13·0	Tralee, . .	26·4	10·6	15·9	5·3	14·6
Galway, . .	15·5	7·8	3·9	7·8	8·8	Waterford, .	11·7	13·6	11·7	11·7	12·2
Kilkenny, . .	9·8	44·2	34·4	14·7	25·8	Wexford, . .	9·3	14·0	14·0	9·3	11·7
Limerick, . .	17·8	16·4	12·3	8·2	13·7						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·1 in Clonmel. Among the 112 deaths from all causes registered in Belfast are 2 from measles, 6 from whooping-cough, one from diphtheria, 7 from enteric fever, and 5 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 185—102 boys and 83 girls; and the deaths to 146—87 males and 59 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·1 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 19·5 per 1,000. During the thirty-four weeks ending with Saturday last the death-rate averaged 24·1, and was 3·1 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Measles, which had caused 20 deaths in the preceding week, fell to 16 deaths in the week ending 23rd August; in the 4 weeks preceding these, the deaths numbered 8, 8, 18, and 20 respectively. The 16 deaths are equal to an annual rate of 2·2 per 1,000. Nine deaths from measles are reported to have occurred in hospitals. One death was caused by typhus fever, and 2 deaths each by whooping-cough and enteric fever. There was one death from epidemic diarrhœa, and 2 deaths registered as *diarrhœa.*

The following deaths were registered from tuberculous disease, viz.:—3 deaths from tuberculous phthisis, 18 deaths from *phthisis*, 5 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and 4 deaths from other forms of the disease.

Three deaths were registered from carcinoma, and 2 as *malignant disease*, "*cancer.*"

The 19 deaths tabulated to diseases of the nervous system include 13 deaths from *convulsions* (of the latter, 5 were of children under one month, 5 in the age period over one month and under one year, 2 were over one year but under 5 years of age, and one death occurred in a person 8 years of age).

Diseases of the heart and blood-vessels caused 17 deaths, including 4 from *apoplexy, hemiplegia.*

Diseases of the respiratory organs caused 18 deaths, equal to an annual rate of 2·5 per 1,000 of the estimated population of the Dublin Registration Area; the average rate for the corresponding period of the past 10 years was 2·3 per 1,000. There were 7 deaths from bronchitis, 2 from broncho-pneumonia, and 8 from *pneumonia.*

There were 5 deaths from accidental causes registered during the week.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 11 infants under one year old and the death of a person aged 64 years.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 9 were under one month old), and 20 were aged 60 years and upwards, including 8 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·5 per 1,000; the rate in the City was 21·3 (19·9 on the North side, and 22·9 on the South), and in the Urban Districts 13·4.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 3·2 per 1,000 inhabitants, the rate for the City being 3·9 (4·8 in the North City Districts, and 3·0 in the South) and for the Urban Districts 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. Four deaths from measles, 1 death from epidemic diarrhœa, 1 death from tuberculous phthisis, 1 death from *phthisis*, 1 death from tuberculous meningitis, and 1 accidental death were registered.

No. 1 *North City District, West* (Summer-hill).—The deaths (13) are equal to an annual rate of 17·3 per 1,000. Measles and enteric fever each caused 1 death, *phthisis* caused 1 death, tuberculous meningitis caused 1 death, and diseases of the respiratory system caused 4 deaths, including 1 death from *pneumonia.*

No. 2 *North City District* (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·3 per 1,000. There was 1 death from typhus fever, phthisis and tuberculous peritonitis each caused 1 death, and 1 death was due to *pneumonia.*

No. 3 *North City District* (Blackhall-place).—The deaths (17) represent an annual rate of 28·0 per 1,000. There were 6 deaths from measles, and 2 deaths each from *phthisis* and tuberculous meningitis, and 1 death from *pneumonia.*

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0 0.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 23·1 per 1,000. There was 1 death from measles, *phthisis* caused 4 deaths, and tuberculous meningitis 1 death; there were 2 deaths from diseases of the respiratory system, including 1 from broncho-pneumonia.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 27·4 per 1,000. There was 1 death from *diarrhœa*, and 2 deaths from tuberculous disease, also 3 deaths from diseases of the respiratory system, including 2 from *pneumonia.*

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·7 per 1,000. There were 2 deaths from measles, 1 from whooping-cough, and 1 from *diarrhœa*; there were 3 deaths from *phthisis*, and 1 from tuberculous disease; there were 4 deaths from diseases of the respiratory system, including 1 from broncho-pneumonia. There was 1 death due to accident.

No. 4 *South City District* (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·9 per 1,000. Measles and whooping-cough each caused 1 death, tuberculous phthisis caused 1 death, and *phthisis* 3 deaths; there were 2 deaths from carcinoma, and 2 from *malignant disease*, "*cancer*"; there was 1 death from *pneumonia.*

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 7·1 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 12·6 per 1,000 inhabitants; Pembroke, 12·0; Blackrock, 23·8; and Kingstown, 12·0. The only death from any of the principal epidemic diseases tabulated for any of these districts was from measles for Pembroke. Among the 8 deaths from all causes tabulated for Rathmines are 2 from diseases of the nervous system, 2 from diseases of the heart and blood-vessels, and 1 from *pneumonia*; and the 6 deaths from all causes in Pembroke include 1 from *phthisis* and 1 from tuberculous phthisis.

NOTE.—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	2nd August,	262 cases.
" "	9th August,	243 cases.
" "	16th August,	204 cases.
" "	23rd August,	204 cases.

Of the 204 cases notified, 16 were erysipelas, 26 enteric fever, 10 scarlatina, 124 measles, one German measles, 11 diphtheria, 11 continued fever, one typhus fever, and 4 varicella.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	2nd August,	3 cases.
" "	9th August,	7 cases.
" "	16th August,	2 cases.
" "	23rd August,	4 cases.

Of the 4 cases notified, 2 were scarlet fever, and 2 enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	2nd August,	13 cases.
" "	9th August,	8 cases.
" "	16th August,	6 cases.
" "	23rd August,	3 cases.

Of the 3 cases notified, 2 were measles, and one scarlet fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	2nd August,	64 cases.
" "	9th August,	46 cases.
" "	16th August,	49 cases.
" "	23rd August,	80 cases.

Of the 80 cases notified, 34 were enteric fever, 8 erysipelas, 5 diphtheria, 26 continued fever, and 7 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd August, 1902.

From this it appears that:—

There was one case of small-pox admitted to hospital, leaving 2 cases under treatment at the close of the week.

Thirty-six cases of measles were admitted to hospital, 49 were discharged, there were 9 deaths, and 93 cases remained under treatment at the close of the week.

Twenty-four cases of enteric fever were admitted to hospital, 20 cases were discharged, there was one death, and 62 cases remained under treatment at the close of the week.

Twenty cases of scarlatina were admitted to hospital, 12 cases were discharged, there was one death, and 74* cases remained under treatment at the close of the week.

One case of typhus fever was discharged from hospital, and 2 patients remained under treatment at the close of the week.

Twelve cases of diphtheria were admitted to hospital, 3 were discharged, one died, and 33 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 2 patients were discharged, there were 3 deaths, and 12 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·5), was equal to an average annual death-rate of 14·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·4 per 1,000, the rate for Glasgow being 15·0, and for Edinburgh 14·7.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd August, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 23rd August, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 23rd August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,401	19·2	26·3	15·6	2·3	550	327	76	60	.	18	.	1	10	1	.	8	11	46	49	6	7	99	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,†	373,761	27·5	25·5	19·5	3·2	185	142	29	20	.	16	.	1	2	.	.	1	3	20	18	4	4	61	§70·2	46·1	59·8	0·54	§65·9	40·9	57·0	0·36	§67·8	38·2	54·4	1·30
Registrars' Districts. City	293,394	37·8	26·8	21·3	3·9	151	120	25	15	.	15	.	1	2	.	.	1	3	18	16	2	2	56	a71·2 b72·3	50·5 46·0	60·7 59·6	0·49 0·61	a67·7 b68·5	44·8 41·0	58·4 57·7	0·40 0·42	a68·8 b68·8	44·8 39·0	56·4 54·8	1·41 1·71
Rathmines,‖	33,203	19·4	20·4	13·6	.	13	8	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	26·0	12·0	2·0	13	6	1	.	.	1	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	23·8	23·8	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	12·0	12·0	.	4	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	72	49	61·8	0·89	69	45·5	59·6	0·30	66·5	46·5	57·2	1·60
Urban Districts.																																			
Belfast,	358,693	21·8	29·1	16·3	3·1	200	112	36	16	.	2	.	.	6	1	.	7	5	18	19	1	2	20	66·6	40·1	56·9	1·40	69·1	41·1	55·6	0·33	64·1	40·1	49·7	0·81
Cork,	76,122	33·6	22·6	13·7	.	33	20	5	4	.	.	.	.	.	.	.	.	.	6	4	.	.	8	67	50	59·8	0·96	67	51	58·8	0·09	65	50	57·6	0·67
Londonderry,	40,729	18·8	26·9	9·0	.	21	7	.	1	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	13·7	8·2	.	10	6	.	1	.	.	.	.	.	.	.	.	.	3	1	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	17·5	11·7	3·9	9	6	3	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,426	2·5	35·0	7·8	.	9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	70	51	60	0·86	70	46	59	0·00	69	42	55	1·13
Dundalk	13,076	9·4	8·0	8·0	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	12·3	12·3	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	21·0	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·2	43·2	58·3	1·15	68·5	41·4	57·6	0·33	64·1	44·0	54·2	0·14
Lurgan,	11,782	18·8	31·0	17·7	.	7	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	69·2	43·2	58·3	1·15	68·5	41·4	57·6	0·33	64·1	44·0	54·2	0·14
Lisburn,	11,461	10·1	22·7	9·1	4·5	5	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	69·2	43·2	58·3	1·15	68·5	41·4	57·6	0·33	64·1	44·0	54·2	0·14
Wexford,	11,168	23·2	46·7	9·3	4·7	10	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	28·7	14·4	.	6	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	69·7	40·2	56·6	1·00	69·5	41·8	57·3	0·44	66·9	48·3	55·0	0·28
Sligo,	10,870	3·7	48·0	4·8	.	10	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	70	45	58·2	1·16	69	45	59·5	0·22	67	40	59·2	1·57
Kilkenny,	10,609	11·5	49·1	14·7	.	10	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,167	7·8	15·4	20·5	5·1	3	4	1	2	.	.	.	.	.	.	.	1	1	.	.	.	.	1	69·2	43·2	58·3	1·15	68·5	41·4	57·6	0·33	64·1	44·0	54·2	0·14
Portadown	10,092	13·2	36·2	5·2	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,867	16·6	10·6	5·3	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	69	49	56·1	1·22	66	46	55·0	0·29	62	45	53·3	0·45
Newtownards,	9,110	18·9	17·2	17·2	.	3	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	50	59·8	0·96	67	51	58·8	0·09	65	50	57·6	0·67
Queenstown,	7,909	14·4	39·6	18·2	.	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·2	43·2	58·3	1·15	68·5	41·4	57·6	0·33	64·1	44·0	54·2	0·14
Armagh,	7,588	22·2	27·5	6·9	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.												

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that es imated to the middle of 1902

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, [illegible]

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 23rd of August, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	4	1	.	6	.	.	.	.	1	.	2	1	.	.	.	.	1	.	.	16	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diarrhœa, Dysentery,	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	3	.
Phthisis,	2	1	1	2	1	.	.	.	4	.	3	4	.	.	.	.	2	.	.	20	1
Other General Diseases,	3	3	2	4	.	.	.	.	1	2	1	4	.	.	.	2	.	.	.	22	.
Total,	10	6	4	12	1	.	.	.	6	3	8	10	.	.	.	2	3	.	.	65	2
B. LOCAL DISEASES:																					
Diseases of: Nervous System,	2	1	3	.	.	.	.	.	3	2	4	1	.	.	.	2	1	.	.	19	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	2	1	1	1	.	.	.	3	.	1	1	.	1	.	2	.	2	2	17	.
Respiratory System,	.	4	1	1	.	.	.	.	2	3	4	1	.	.	.	1	.	1	.	18	.
Digestive System,	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	4	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	3	.	.	.	.	1	.	.	1	.	.	.	1	1	.	1	8	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	7	5	5	1	.	.	.	11	5	9	4	.	1	.	6	2	4	3	66	1
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	2	.	1	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	7	.
E. VIOLENT DEATHS,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	4	1
Deaths from all Causes,	16	13	10	17	2	.	.	.	17	9	21	14	.	1	.	8	6	4	4	142	4
Annual Rate of Mortality in every 1,000 of the population.	29·4	17·3	17·3	28·0	21·7	.	.	.	23·1	27·4	25·7	20·9	.	7·1	.	12·6	12·0	23·8	12·0	19·5	
	19·9								22·9							13·4					
	21·3																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	4	2	11	.	.	.	.	5	2	4	5	.	.	.	1	3	.	1	38	3
Workhouse Hospitals,	.	3	2	6	.	.	.	.	2	2	5	3	.	.	.	.	.	.	.	23	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg ere week of the ten years 892-

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 34th Week of the 10 years 1892-1901	In the Week ending Sa da 23rd August, 1902. Deaths of Persons of the ges					
	Aug. 27, 1892.	Aug. 26, 1893.	Aug. 25, 1894	Aug. 24, 1895.	Aug. 22, 1896.	Aug. 28, 1897.	Aug. 27, 1898.	Aug. 26, 1899.	Aug. 25, 1900.	Aug. 24, 1901.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	60 and under 80.
Mean Temperature.	° 59·7	° 57·9	° 55·1	° 59·5	° 56·0	° 57·5	° 58·5	° 61·7	° 56·8	° 56·4	57·9	° 59·3					
ALL CAUSES.	161	146	188	140	167	154	150	207	185	179	167·7	146	9	20	23	15	2
Small Pox, Vaccinated, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	
Small Pox, Unvaccinated, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	2	.	.	.	.	.	.	18	.	.	2·0	16	.	3	13	.	
Scarlet Fever ...	.	.	4	1	1	2	.	2	.	1	1·1	.	.	.	.	.	
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	.	1	.	1	2	1	1	3	1	1	1·1	.	.	.	.	.	
Whooping Cough, ...	.	3	4	1	2	.	.	1	5	1	1·7	2	.	.	2	.	
Diphtheria, ...	.	1	.	.	.	2	2	.	1	.	·6	.	.	.	.	.	
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	
Enteric Fever, ...	1	3	4	.	4	3	3	6	2	.	2·6	2	.	.	.	.	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	11	27	9	9	22	35	26	42	25	33	23·9	1 2	. 1	1 .	. .	. .	 1
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease, ...	2	1	1	1	.	.	2	1	5	1	1·4	1	.	.	.	.	1
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	.	.	.	.	1	.	·1	. . .	. . .	. . .	. . .	. . .	
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	.	.	1	.	1	.	.	.	.	2	·4	1	.	.	.	.	1
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	.	.	.	1	.	1	.	1	·4	. .	. .	. .	. .	. .	
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculous Phthisis, ... "*Phthisis*," ...	24	24	25	26	17	21	19	19	25	30	23·0	3 18	. .	. .	. .	. 1	2 12
Tuberculous Meningitis, (Acute Hydrocephalus).	5	1	4	2	3	3	3	4	2	.	2·7	5	.	2	1	2	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	4	4	4	5	5	6	8	3	9	6	5·4	1 .	. .	. .	. .	1 .	.
Tuberculous Dis. (other), ... Scrofula, ...	3	4	4	1	4	5	4	1	7	5	3·8	4 .	. .	2 .	. .	2 .	.
Alcoholism ...	4	1	.	.	1	1	4	1	1	.	1·3	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Gout ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are

-FOURTH WEEK ending Saturday, 23rd August, 1902, with the deaths from each cause in the corresponding erage for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Aug. 27, 1892.	Aug. 26, 1893.	Aug. 25, 1894.	Aug. 24, 1895.	Aug. 22, 1896.	Aug. 28, 1897.	Aug. 27, 1898.	Aug. 26, 1899.	Aug. 25, 1900.	Aug. 24, 1901.	Averages in 34th Week of the 10 years 1892-1901.	In the Week ending Saturday, 23rd August, 1902. Deaths of Persons of the Ages of: ALL AGES.	Under 1 month.	1 month and under a year.	1 to 5	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	0 to 5.							
ean Temperature.	° 59·7	° 57·9	° 55·1	° 59·5	° 56·0	° 57·5	° 58·5	° 61·7	° 56·8	° 56·4	57·9	° 59·3								
... ... Dis. "Cancer,"	3	3	3	4	3	4	3	9	10	7	4·9	3	.	.	.	.	.	1	2	.
												2	.	.	.	.	1	1	.	.
Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
e Birth	1	.	3	1	5	2	4	1	3	4	2·4	3	3	.	.	.	.	.	.	.
s (not tuberc.)												3	.	.	.	1	.	2	.	.
J. P. of Insane												1	.	.	.	.	1	.	.	.
... ...												.	.	.	.	.	.	.	.	.
s												13	5	5	2	1	.	.	.	.
r Ataxy												.	.	.	.	.	.	.	.	.
a Dis. of Cord												.	.	.	.	.	.	.	.	.
ystem (other Dis.) ...	36	29	37	27	36	25	22	23	37	32	30·4	2	.	.	.	1	.	1	.	.
Endocarditis												3	.	.	.	2	.	.	1	.
æm. Thromb.												.	.	.	.	.	.	.	.	.
Hemiplegia												4	.	.	.	.	.	1	3	.
... ...												.	.	.	.	.	.	.	.	.
, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
Blood Vessel Dis.												10	.	.	1	1	1	4	.	3
t Spasm. or Memb.) ...	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
... ...	9	6	10	10	8	9	9	10	8	4	8·3	7	.	1	1	.	.	3	1	1
Pneumonia												.	.	.	.	.	.	.	.	.
Pneumonia	5	4	10	7	5	2	4	13	6	7	6·3	2	.	.	2	.	.	.	.	.
ia"												8	.	1	.	.	3	3	1	.
mphysema												.	.	.	.	.	.	.	.	.
... ...	4	.	1	1	3	2	1	.	.	.	1·2	.	.	.	.	.	.	.	.	.
ry Dis. (other)												1	.	.	.	.	.	1	.	.
, Quinsy	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
not Epid.)												.	.	.	.	.	.	.	.	.
teritis	.	.	5	.	.	1	4	2	2	1	1·5	.	.	.	.	.	.	.	.	.
(not Puerp.)	1	1	.	2	1	1	.	1	1	1	·9	.	.	.	.	.	.	.	.	.
f Liver	1	2	4	2	1	2	3	1	4	.	2·0	2	.	.	.	1	.	1	.	.
(other)												1	.	.	.	.	.	1	.	.
Dis. (other)	4	4	4	8	4	5	2	2	2	6	4·1	2	.	1	.	.	.	1	.	.
Acute												3	.	.	.	.	.	2	1	.
is., Albuminuria ...	3	1	6	1	3	4	2	5	4	7	3·6	3	.	.	.	.	1	1	1	.
ys. (Other Dis.) ...												2	.	.	.	.	.	1	1	.
e Organs Dis.	.	1	.	1	.	1	.	.	2	.	·5	.	.	.	.	.	.	.	.	.
(Accid. of)	.	.	1	1	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
... ...	14	7	13	12	11	3	5	12	3	9	8·9	3	.	.	.	.	.	2	1	
eases	20	12	20	8	20	9	15	16	9	16	14·5	6	.	4	.	2	.	.	.	.
ACCIDENT.																				
ys	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
es and Horses	.	.	.	.	.	.	1	4	1	.	·6	1	.	.	.	.	1	.	.	.
oats, Docks (exclusive ning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
g Operations	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
rations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scalds, Explosions ...	.	1	.	1	1	1	.	.	.	.	·4	1	.	.	1	.	.	.	.	.
ing	1	1	.	2	1	1	.	3	2	1	1·2	1	.	.	.	.	1	.	.	.
tion in Bed	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
or Poisonous Vapours...	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
ths by Accidents ...	1	1	4	2	.	1	2	1	5	2	1·9	1	.	.	.	.	1	.	.	.
ENCE OTHER THAN ACCIDENTAL.																				
... ...	.	.	.	1	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

stration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	Mar. 1.	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered,	193	220	239	198	229	199	237	226	195	255	232	202	209	234	249	192	242	213	204	187	196	203	186	244	192	185
*Average Births in corresponding week of previous 10 years,**	219	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188
DEATHS registered,	218	222	154	167	211	203	206	174	199	191	178	186	149	165	156	155	139	149	149	129	155	150	165	154	145	146
Annual Death-rate per 1,000,	30·0	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·8	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1
*Average Deaths in corresponding week of previous 10 years,**	229	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168
AGES, Under 5 years,	60	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52
5—20 ,,	17	12	22	17	20	17	16	12	19	20	13	20	16	24	14	19	15	11	14	10	18	8	14	14	7	15
20—40 ,,	30	29	23	32	39	33	42	28	20	31	33	39	34	23	32	29	23	23	30	24	36	25	31	22	17	27
40—60 ,,	43	46	35	40	52	51	41	37	50	39	33	37	21	35	38	24	26	27	27	29	30	29	24	20	36	32
60—80 ,,	52	67	28	26	43	45	40	33	44	42	35	32	36	27	17	27	32	26	30	25	27	29	30	29	28	15
80 years and upwards,	16	9	9	7	8	8	11	7	6	13	7	9	3	8	7	6	5	5	7	3	5	13	7	4	2	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	4	1	1	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16
,, Scarlet Fever,	1	1	3	1	2	.	.	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	1
,, Whooping-cough,	5	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2
,, Diphtheria,	.	3	.	1	.	2	1	1	.	2	2	3	.		1	1	1	.	.	1	1	1	2	2	.	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Enteric Fever,	.	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2
,, Diarrhœa, Dysentery,	3	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1	.	.	2	4	1	3	5	3	1	3
,, Phthisis,	33	38	17	36	37	27	27	25	20	25	23	30	25	27	40	26	26	15	18	14	25	18	19	15	18	21
,, Heart Diseases,	14	15	17	13	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18	9	18	21	17
,, Diseases of Respiratory System,	73	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30	24	23	17	30	28	19	18
Violent Deaths,	5	4	2	8	1	4	8	1	4	6	4	3	4	4	6	10	.	4	7		3	2	7	2	3	5
Mean Temperature of the Air (Phœnix Park),	46·0	44·	44·9	44·4	48·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3
Average Mean Temperature in corresponding week of previous 10 years,	40·2	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9
Rainfall in inches,	1·160	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·845	·195	·158	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·538
Mean Humidity of the Air, complete Saturation 1·0,	·87	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd August, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 23rd August, 1902.																						
			Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages.						Causes of Death.														
					Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	22·0	146	52	15	27	32	15	5	.	16	.	1	2	.	.	2	3	24	21	13	18	5	65
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	16·9	5	1	.	1	2	.	1	.	.	.	.	.	.	.	1	.	1	.	.	1	1	2
II.	MIDDLE CLASS,	80,653	12·9	20	2	1	8	5	4	.	.	.	.	.	.	.	.	.	1	1	5	.	4	.	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	12·7	24	8	1	6	5	3	1	.	2	.	.	1	.	.	1	.	4	3	3	2	2	10
IV.	GENERAL SERVICE CLASS,	146,486	33·8	73	38	11	9	10	3	2	.	12	.	1	1	.	.	.	1	15	5	10	6	2	35
V.	INMATES OF WORKHOUSES,	5,191		24	3	2	3	10	5	1	.	2	.	.	.	.	.	.	1	3	3	.	5	.	8
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	44·8	5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	12·1	6	.	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	6. Clerks and Commercial Assistants,	24,750	10·5	5	1	1	2	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	8·6	4	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	3	1	2	.	.	.	.	1	.	.	.	.	.	1	.	2	1	1	.	.	2
	9. Building and Furnishing Trades,	26,030	14·0	7	2	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	4
	10. Clothing Trades,	23,686	8·8	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
	11. Food Supply Trades,	7,869	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	11·7	6	1	.	3	1	1	.	.	1	.	.	.	.	.	.	.	1	2	.	.	1	2
	13. Petty Shopkeepers,	6,771	7·7	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	23·0	6	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5
	15. Domestic Servants,	39,563	9·2	7	2	.	3	.	1	1	.	.	.	1	.	.	.	.	.	1	1	2	.	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	24·4	5	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	32,631	34·7	55	33	7	5	8	1	1	.	12	.	.	1	.	.	.	1	14	4	6	5	2	24
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	24	3	2	3	10	5	1	.	2	.	.	.	.	.	.	1	3	3	.	5	.	8

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Dtiseases: whi the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,333.	July 5,	20·2	3·7	11	.	1	.	.	.	.	.	.	1	2	.	.
		„ 12,	14·7	3·7	8	.	1	.	.	.	.	.	1	.	2	2	.
		„ 19,	14·7	3·7	8	.	2	.	.	.	.	.	.	.	1	3	.
		„ 26,	27·6	3·7	15	.	.		.	1	.	.	.	1	2	2	.
		Aug. 2,	29·4	5·5	16	.	3	.	.	.	.	.	.	.	1	4	.
		„ 9,	28·9	7·4	13	.	3	.	.	1	.	.	.	.	.	.	.
		„ 16,	23·9	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 23,	29·4	9·2	16	.	4	.	.	.	.	.	.	1	2	.	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	July 5,	20·0	.	15	.	.	.	.	.	.	.	.	.	1	5	1
		„ 12,	20·0	4·0	15	.	2	.	1	.	.	.	.	.	.	3	1
		„ 19,	26·6	5·3	20	.	2	.	1	.	.	.	1	.	2	4	.
		„ 26,	25·3	4·0	19	.	2	.	.	.	.	.	.	1	2	1	.
		Aug. 2,	21·3	2·7	16	.	2	.	.	.	.	.	.	.	1	2	2
		„ 9,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	2	6	.
		„ 16,	21·3	4·0	16	.	3	.	.	.	.	.	.	.	1	1	1
		„ 23,	17·3	2·7	13	.	1	.	.	.	.	.	1	.	1	4	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	July 5,	8·7	.	5	.	.	.	.	.	.	.	.	.	1	1	.
		„ 12,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	1	1	1
		„ 19,	38·1	1·7	22	.	1	.	.	.	.	.	.	.	8	1	1
		„ 26,	22·5	1·7	13	.	1	.	.	.	.	.	.	.	3	.	.
		Aug. 2,	24·2	5·2	14	.	2	1	.	.	.	.	.	.	3	2	1
		„ 9,	13·9	1·7	8	.	1	.	.	.	.	.	.	.	1	3	1
		„ 16,	19·1	1·7	11	.	.	.	1	.	.	.	.	.	2	2	.
		„ 23,	17·3	1·7	10	.	.	.	1	.	.	.	.	.	1	1	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	July 5,	23·0	3·3	14	.	1	1	.	.	.	.	.	.	2	5	1
		„ 12,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	3	1
		„ 19,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.
		„ 26,	26·3	.	16	.	.	.	.	.	.	.	.	.	6	2	.
		Aug. 2,	24·7	13·2	15	.	7	.	.	.	.	.	.	1	1	2	.
		„ 9,	32·9	6·6	20	.	3	.	.	.	.	.	.	1	1	3	.
		„ 16,	37·9	14·8	23	.	9	.	.	.	.	.	.	.	3	3	.
		„ 23,	28·0	9·9	17	.	6	.	.	.	.	.	.	.	2	1	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 38,318.	July 5,	17·3	4·0	13	.	1	.	.	.	.	.	1	1	2	1	.
		„ 12,	20·0	1·3	15	.	.	.	.	.	.	.	1	.	4	1	.
		„ 19,	21·8	1·3	16	.	.	.	.	.	1	.	.	.	6	2	.
		„ 26,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	1	2	.
		Aug. 2,	25·3	1·3	19	.	.	.	.	.	.	.	.	1	1	5	.
		„ 9,	27·2	6·6	20	.	3	.	.	.	1	.	.	1	1	3	.
		„ 16,	19·1	5·4	14	.	3	.	.	.	.	.	.	1	.	1	.
		„ 23,	23·1	1·4	17	.	1	.	.	.	.	.	.	.	4	2	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	July 5,	30·5	.	10	.	.	.	.	.	.	.	.	.	2	3	2
		„ 12,	15·2	1·0	5	.	.	.	.	.	.	.	.	1	1	.	.
		„ 19,	15·2	3.0	5	.	1	.	.	.	.	.	.	.	1	.	.
		„ 26,	27·4	.	9	.	.	.	.	.	.	.	.	.	1	1	.
		Aug. 2,	33·5	3·0	11	.	.	.	.	.	.	.	1	.	2	2	2
		„ 9,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	3	2	.
		„ 16,	45·7	12·2	15	.	3	1	.	.	.	.	.	.	3	1	2
		„ 23,	27·4	3·0	9	.	.	.	.	.	.	.	.	1	.	3	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 42,575.	July 5,	28·7	1·2	23	.	.	.	.	.	.	.	1	.	2	6	.
		„ 12,	15·0	2·5	12	.	.	.	.	.	1	.	1	.	.	2	.
		„ 19,	22·5	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		„ 26,	13·7	1·2	11	.	1	.	.	.	.	.	.	.	.	2	.
		Aug. 2,	18·7	1·2	15	.	.	.	.	.	.	.	.	1	1	6	.
		„ 9,	24·5	8·5	20	.	3	.	.	.	.	.	4	.	2	6	.
		„ 16,	20·8	2·5	17	.	1	.	.	.	.	.	1	.	4	2	.
		„ 23,	25·7	4·9	21	.	2	.	.	1	.	.	.	1	3	4	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	July 5,	25·4	4·5	17	.	3	.	.	.	.	.	.	.	4	2	.
		„ 12,	17·9	1·5	12	.	1	.	.	.	.	.	.	.	2	2	.
		„ 19,	22·4	1·5	15	.	1	.	.	.	.	.	.	.	1	3	1
		„ 26,	23·9	4·5	16	.	2	.	.	.	1	.	.	.	1	2	.
		Aug. 2,	26·9	6·0	18	.	3	.	.	1	.	.	.	.	4	3	1
		„ 9,	26·9	6·0	18	.	3	.	.	.	.	.	.	1	.	1	1
		„ 16,	14·9	.	10	.	.	.	.	.	.	.	.	.	1	4	.
		„ 23,	20·9	3·0	14	.	1	.	.	1	.	.	.	.	4	1	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deat hs from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	July 5,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	„ 12,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	1	2	.
	„ 19,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	2	.
	„ 26,	25·1	3·1	16	.	.	1	.	.	.	.	1	.	1	2	1
	Aug. 2,	7·9	1·6	5	.	.	.	.	.	1	.	.	.	.	.	.
	„ 9,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	„ 16	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	July 5,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	14·0	6·0	7	.	.	.	.	.	.	.	1	2	.	1	.
	„ 19,	18·0	6·0	9	.	1	.	.	.	.	.	1	1	.	.	.
	„ 26,	16·0	4·0	8	.	1	.	.	.	.	.	.	1	.	1	1
	Aug. 2,	28·0	6·0	14	.	1	.	1	.	.	.	.	1	3	2	.
	„ 9,	4·0	.	2	.	.	.	.	.	.	.	.	.	1	.	.
	„ 16,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 23,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	2	.	1
Kingstown. Pop. in 1902 (Est.) 17,880.	July 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 19,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 26,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	Aug. 2,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 9,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	.	.
	„ 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1902 (Est.) 358,693.	July 5,	21·4	2·8	147	.	6	.	.	7	.	.	2	4	18	34	7
	„ 12,	17·2	2·9	118	.	7	.	.	4	2	.	4	3	19	22	4
	„ 19,	16·9	2·3	116	.	7	.	.	.	.	.	3	6	23	18	1
	„ 26,	15·6	3·3	107	.	8	.	.	2	.	.	7	6	17	16	6
	Aug. 2,	18·6	2·6	128	.	5	.	.	8	.	.	3	2	16	29	4
	„ 9,	17·6	2·0	121	.	3	.	.	6	.	.	4	1	30	15	.
	„ 16,	15·7	2·6	108	.	3	.	.	2	2	2	4	5	14	19	1
	„ 23,	16·3	3·1	112	.	2	.	.	6	1	.	7	5	13	19	1
Cork. Pop (in 1901) 76,122.	July 5,	24·0	6·2	35	.	.	.	.	2	2	.	.	1	4	3	.
	„ 12,	23·2	2·7	34	.	1	.	.	1	.	.	.	2	3	6	.
	„ 19,	17·2	0·7	25	.	.	.	.	.	.	.	1	.	4	3	1
	„ 26,	15·1	2·1	22	.	3	.	.	.	.	.	.	.	4	2	1
	Aug. 2,	30·8	2·1	27	.	2	.	.	.	.	.	.	1	5	3	.
	„ 9,	17·8	2·1	26	.	1	.	.	.	1	.	.	1	5	2	.
	„ 16,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	2	5	.
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	6	4	.
Londonderry. Pop. in 1902 (Est.) 40,729.	July 5,	32·0	5·1	25	.	2	.	.	.	.	.	1	1	5	8	.
	„ 12,	19·2	2·6	15	.	2	.	.	.	.	.	.	.	2	6	.
	„ 19,	21·8	1·3	17	.	.	.	.	.	.	.	.	1	2	2	.
	„ 26,	12·8	3·8	10	.	3	.	.	.	.	.	.	.	1	1	1
	Aug. 2,	20·5	5·1	16	.	3	.	.	.	.	.	.	1	4	2	.
	„ 9,	6·4	2·6	5	.	2	.	.	.	.	.	.	.	1	.	.
	„ 16,	15·4	1·3	12	.	1	.	.	.	.	.	.	.	1	2	.
	„ 23,	9·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
Limerick. Pop. in 1901) 38,151.	July 5,	31·5	.	23	.	.	.	.	.	.	.	.	.	6	1	1
	„ 12,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	20·5	.	15	.	.	.	.	.	.	.	.	.	7	1	.
	„ 26,	17·8	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	Aug. 2,	20·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	„ 9,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	.	.
	„ 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 23,	8·2	.	6	.	.	.	.	.	.	.	.	.	3	1	1
Waterford. Pop. (in 1901) 26,769.	July 5,	11·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 12,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	1
	„ 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 26,	17·5	3·9	9	.	.	.	.	.	.	.	.	1	1	.	.
	Aug. 2,	35·1	.	6	.	.	.	.	.	.	.	.	.	.	.	2
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 16,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	„ 23,	11·7	3·9	6	.	.	.	.	.	.	.	.	2	.	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 23rd August, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	18	28·3	10·6	8	1	3	2	2	.	1	.	.	1	.	.	1	.	1	3	.	.	2
" 2 "	47,959	27	9·8	2·2	9	4	1	3	1	.	.	.	.	.	.	.	.	2	1	3	.	.	.
" 3 "	47,214	16	12·1	4·4	11	5	1	3	2	.	1	.	.	2	.	.	1	.	1	2	.	1	2
" 4 "	40,911	25	21·7	.	17	3	4	7	3	.	.	.	.	.	.	.	.	.	3	3	.	.	2
" 5 "	17,387	11	21·0	3·0	7	4	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2
" 6 "	48,122	19	16·3	1·1	15	2	1	11	1	.	.	.	.	.	.	.	.	1	4	1	.	.	3
" 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	3	20·6	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	19,569	19	17·2	2·2	8	4	1	2	1	.	.	.	.	.	.	.	1	.	1	1	1	1	2
" 10 "	23,064	12	27·1	6·8	12	6	2	4	.	.	.	.	.	1	.	.	1	1	1	3	.	.	1
" 11 "	34,802	20	19·5	3·0	13	3	2	4	4	.	.	.	.	1	1	.	.	.	.	2	.	.	5
" 12 "	33,588	26	10·9	4·7	7	4	2	1	.	.	.	.	.	1	.	.	1	1	.	1	.	.	.
" 13 "	15,006	8	10·4	3·5	3	.	.	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4,349,180	200	16·7	3·1	112	36	17	43	16	.	2	.	.	6	1	.	7	5	13	19	1	2	20
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	5	12·2	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	3
" 2 "	10,701	6	29·2	.	6	1	.	4	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1
" 3 "	9,978	3	5·2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 4 "	8,666	6	18·1	.	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 5 "	6,592	1	7·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 6 "	10,702	3	14·6	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
" 7 "	16,616	4	9·4	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Total,	76,122	33	13·7	.	20	5	1	10	4	.	.	.	.	.	.	.	.	.	6	4	.	.	8

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Mar. 1	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	Juiy 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered,	207	277	226	239	175	265	216	215	245	192	229	231	201	244	217	211	209	175	237	208	214	224	200	215	194	200
DEATHS registered.	188	136	161	154	151	158	168	149	153	119	149	142	152	139	131	113	144	114	147	118	116	107	128	121	108	112
Annual Death-rate per 1,000 of estimated Population,	27·3	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3
AGES, Under 1 year,	41	36	33	30	27	25	25	23	32	20	27	29	26	31	16	20	26	22	26	24	29	23	24	25	20	36
1-5 years,	17	16	13	22	21	22	21	22	23	12	24	16	25	24	20	14	22	20	27	23	19	19	22	13	21	17
5-60 years,	91	57	74	68	74	75	80	67	76	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62	44	43
60 years and upwards,	39	27	41	34	29	36	42	37	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21	23	16
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	1	.	2	1	2	4	2	3	4	3	4	3	4	3	2	7	6	6	7	7	8	5	3	3	2
,, Scarlet Fever,	.	.	.	.		.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	.	3	5	6	5	6	4	2	2	4	3	4	2	6		4	3	7	4	.	2	8	6	2	6
,, Diphtheria,	1	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.		.
,, Enteric Fever,	2	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4		7
,, Diarrhœa, Dysentery,	1	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1		5
,, Phthisis	28	24	18	19	30	30	26	31	25	29	32	29	26	26	26	21	30	22	18	19	23	17	16	30	14	13
,, Diseases of Respiratory System,	58	33	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18	16	29	15	19	19
Violent Deaths,	16	4	8	4	2	.	3	4	.	.	4	5	1	3	3		2	1	7	4	1	6	4	.	1	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd August, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	11	.	.	.	.	1	.	.	.	1	.	.	13
" " 1, West,	.	27	1	.	1	.	.	.	2	4	2	.	.	37
" " 2,	.	4	.	1	.	.	.	.	.	2	.	.	.	7
" " 3,	.	26	.	1	.	.	3	.	1	6	.	.	.	37
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	3	.	.	.	.	.	.	1	1	.	.	.	5
Finglas and Glasnevin (part of),	.	2	.	.	.	.	.	.	.	1	.	.	.	3
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	21	.	7	.	.	6	.	.	4	10	.	1	49
" " 2,	.	6	.	.	.	.	.	.	1	3	.	.	.	10
" " 3,	.	16	.	1	.	.	.	.	5	5	1	.	2	30
" " 4,	.	5	.	.	.	.	1	.	1	.	2	.	.	9
Palmerston (part of),	.	3	.	.	.	.	.	.	.	.	.	.	1	4
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	124	1	10	1	.	11	.	11	26	16	.	4	204
Total for week ended Aug. 16th, 1902,	.	132	.	11	.	.	6	.	10	30	14	.	1	204
Total for week ended Aug. 9th, 1902,	1	181	.	13	3	.	8	.	4	17	10	.	6	243
Total for week ended Aug. 2nd, 1902,	.	173	.	11	.	.	11	.	10	22	30	.	5	262

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd August, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd August.			
	August 2.	August 9.	August 16.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	1	1	1	.	.	2
Measles,	119	131	115	36	49	9	93
Scarlet Fever,	50	67	67	20	12	1	74*
Typhus "	1	3	3	.	1	.	2
Diphtheria,	21	25	25	12	3	1	33
Enteric Fever,	51	52	59	24	20	1	62
Pneumonia,	9	8	11	6	2	3	12

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Aug. 23,	2,568	1,269	14·5	3	31	14	15	27	12	116
EDINBURGH,	317,885	„ 23,	171	91	14·7	.	1	.	.	4	.	6
GLASGOW,	764,423	„ 23,	471	223	15·0	.	4	3	1	9	1	10
CALCUTTA,	847,796	June 28,	.	420	25·7	1	3	.	1	.	120§	60*
BOMBAY,	776,006	July 29,	379	643	43·1	8	9	?	?	1	74§	68*
MADRAS,	509,346	June 27,	270	326	33·2	1	5	?	?	?	110	46
PARIS,	2,660,559	Aug 2,	1,004	802	16·6	.	15	1	5†	8	5	67
BRUSSELS (with 8 Faubourgs).	562,893	„ 2,	212	172	15·9	.	2	.	1	3	3	21
AMSTERDAM,	535,260	„ 9,	283	112	10·9	.	3	.	1	1	1	13
ROTTERDAM	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	Aug. 2,	185	101	13·1	.	.	.	.	2	.	4
CHRISTIANIA,	224,909	„ 2,	114	50	11·5	.	.	.	.	1	.	2
ST. PETERSBURG,	1,248,643	„ 2,	523	484	20·2	.	28	2	10	2	14	73
BERLIN,	1,902,504	July 5,	846	587	16·0	.	17	.	5	11	1	56
HAMBURG,	724,835	Aug. 2,	.	174	12·5	.	1	10	3	5	2	15
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	Aug, 9,	.	210	21·6	.	2	.	.	9	.	33
VIENNA (with suburbs).	1,726,604	„ 2,	932	548	16·5	.	7	7	5†	4	1	80
BUDA-PESTH,	767,661	„ 2,	416	285	19·3	.	6	4	.	2	.	45
PRAGUE and Faubourgs	416,817	„ 2,	187	182	22·7	.	2	8	3†	1	2	17
ROME,	480,361	June 7,	216	242	26·2	1	14	1	1	2	4	24
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	July 19,	93	72	22·6	.	.	.	.	.	1	9
NEW YORK,	3,632,501	Aug. 2,	1,877	1,365	19·6	5	7	7	19†	18	10	381
PHILADELPHIA,	1,293,697	„ 2,	.	457	18·4	.	3	1	.	4	11	61*

* Including 26 deaths from cholera in Calcutta, 4 in Bombay, and one in Philadelphia.
† Including deaths from croup.
§ Exclusive of 37 from bubonic fever in Calcutta and 28 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 23rd August, 1902:—

"In regard only to an advance in temperature did this week differ from those immediately preceding it. The weather continued changeable with frequent clouds and showers, and the singular tendency of the present year to northwesterly winds. Sunday was very unsettled owing to the presence of a large though shallow area of low barometer—29·7 inches and less—over Ireland. In the morning the wind was light easterly, but it afterwards veered to S.W. Very heavy showers fell in Dublin at 11 a.m. and later, and a thunderstorm occurred at 2 p.m. in the Counties of Meath and Louth. Monday was chiefly fine and very warm in Dublin, but drenching showers fell in Co. Wicklow, accompanied by thunder and lightning at 5 p.m. A splendid double rainbow was seen at Greystones at 6 p.m., as the thundershower passed off over the sea. The barometer was at this time giving way all over the British Isles and North Sea, and by 8 a.m. of Tuesday a large depression had formed between Scotland and Norway with a V-shaped secondary over St. George's Channel. Heavy rains fell in Great Britain, but with the coming of N. and N.W. winds the weather became fine in Ireland, so continuing until Friday. On that day a new depression brought southerly winds, clouds and warm rain. Saturday was fair to showery with moderate westerly winds. In Dublin the mean height of the barometer was 29·812 inches, pressure ranging between 29·496 inches at 4 p.m. of Monday (wind, S.W.) and 30·114 inches at 9 a.m. of Thursday (wind, W.S.W.). The corrected mean temperature was 60·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59·8°. The screened thermometers rose to 71·2° on Monday and sank to 50·5° on Wednesday. Bright sunshine was estimated at 35 hours. S.W. and N.W. winds prevailed. Rain fell on five days to the amount of ·493 inch, ·350 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·822 inches. The highest reading (30·119) was on Thursday at 9 a.m., air calm, and the lowest (29·523) on Monday at 9 a.m., wind S.W.

The mean temperature for the week was 59·3°, being 1·4° above the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Monday, when the thermometer registered 70·2°, and was lowest on Thursday, the mercury having fallen to 46·1. The mean of the Dry Bulb for the week was 58·5°, and of the Wet Bulb 55·7°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 47·2 hours. The rainfall measured during the week was ·538 inch.

At Greenwich the mean temperature for the week was 60·7°, the maximum 73·9°, and the minimum 46·4°; at Glasgow the maximum was 69 8°, the minimum 46·2°, and the mean 56·7°; and at Edinburgh the maximum was 67·3°; the minimum 45·8°, and the mean 54·9°. The rainfall at Greenwich measured 1 43 inchs; at Glasgow 0·63 inch; and at Edinburgh 0·95 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, August 17,	29·651	63·2	54·8	59·0	57·9	57·2	·96	·6	0·1	.335	E.	Calm.
Monday, " 18,	29·539	70·2	54·8	62·5	62·7	59·6	·83	·3	10·2	·065	S.W.	Calm.
Tuesday, " 19,	29·765	62·6	48·9	55·8	52·2	49·3	·82	·3	10·5	—	W.N.W.	Calm.
Wednesday, " 20,	29·923	64·8	46·1	55·5	56·4	52·7	·77	·3	9·9	—	W.	Calm.
Thursday, " 21,	30·105	64·8	49·1	57·0	58·8	55·5	·80	·4	7·5	·010	Calm.	S.S.W.
Friday, " 22,	29·932	66·9	57·8	62·4	62·7	59·2	·80	·8	1·0	·098	S.S.W.	S.W.
Saturday, " 23,	29·836	68·7	56·8	62·8	58·4	56·3	·87	·3	8·0	·030	W.	W.
Mean, . .	29·822	65·9	52·6	59·3	58·5	55·7	·84	·4	Total 47·2	·538	Prevailing Wind, Calm.	

Sunday—Day overcast and cloudy at intervals; heavy showers; thunder 11.0 a.m. to 6.30 p.m.; night cloudy. *Monday*—A fine but cloudy day; light showers at intervals; night cloudy. *Tuesday*—A fine day; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A fine but cloudy day; night cloudy; light rain 12.30 to 2.0 a.m. *Friday*—A cloudy day; light rain 1.15 p.m. to 3.0 p.m., 6.30 p.m. to 10.15 p.m.; night cloudy; drizzling rain 4.0 to 5.15 a.m. *Saturday*—Bright and cloudy at intervals; showery 2.0 p.m. to 4.30 p.m.; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 30TH AUGUST, 1902. [No. 35.

General Register Office, Charlemont House, Dublin, 1st September, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 9.	Week ending Aug. 16.	Week ending Aug. 23.	Week ending Aug. 30.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 9.	Week ending Aug. 16.	Week ending Aug. 23.	Week ending Aug. 30.	Average Rate for 4 weeks.
22 Town Dists.	17·7	17·3	15·6	17·4	17·0	Lisburn, . .	4·5	13·6	9·1	13·2	11·4
Armagh, . .	13·7	6·9	6·9	0·0	6·9	Londonderry, .	6·4	15·4	9·0	17·9	12·2
Ballymena, . .	0·0	14·4	14·4	14·4	10·8	Lurgan, . .	13·3	26·6	17·7	17·7	18·8
Belfast, . .	17·6	15·7	16·3	16·3	16·5	Newry, . .	4·2	25·2	0·0	16·8	11·6
Clonmel, . .	35·9	20·5	20·5	20·5	24·3	Newtownards, .	22·9	11·4	17·2	11·4	15·7
Cork, . . .	17·8	17·8	13·7	22·6	18·0	Portadown, .	15·5	10·3	5·2	0·0	7·8
Drogheda, . .	8·2	28·6	12·3	12·3	15·4	Queenstown, .	13·2	26·4	13·2	0·0	13·2
Dublin Reg. Area,	20·2	19·5	19·5	20·7	20·0	Sligo, . . .	38·4	14·4	4·8	4·8	15·6
Dundalk, . .	12·0	16·0	8·0	8·0	11·0	Tralee, . .	10·6	15·9	5·3	26·4	14·6
Galway, . .	7·8	3·9	7·8	3·9	5·9	Waterford, .	13·6	11·7	11·7	7·8	11·2
Kilkenny, . .	44·2	34·4	14·7	19·7	28·2	Wexford, . .	14·0	14·0	9·3	14·0	12·8
Limerick, . .	16·4	12·3	8·2	15·0	13·0						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 2·6 per 1,000, the rates varying from 0·0 in twelve of the districts to 4·8 each in Ballymena and Sligo. Among the 112 deaths from all causes registered in Belfast are 5 from measles, 5 from whooping-cough, 4 from enteric fever, and 4 from diarrhœa; and the 33 deaths in Cork include 2 from measles, 2 from whooping-cough, and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 209—113 boys and 96 girls; and the deaths to 156—83 males and 73 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·5 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 20·7 per 1,000. During the thirty-five weeks ending with Saturday last the death-rate averaged 24·0, and was 3·1 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

The deaths from measles, which had been 18, 20, 20, and 16 in the 4 weeks ended 23rd August, fell to 11 last week, the latter representing an annual rate of 1·5 per 1,000. Eight deaths from measles are reported to have occurred in hospitals. Scarlatina, diphtheria, and enteric fever each caused 2 deaths, *diarrhœa* caused 6 deaths, and zymotic enteritis and influenza each caused one death.

The following deaths were registered from tuberculous diseases, viz. :—18 from *phthisis*, one from tuberculous phthisis, 2 from tuberculous meningitis, one from *tabes mesenterica*, and 3 deaths from other forms of the disease.

Carcinoma caused 3 deaths, and *malignant disease*, "*cancer*," 4 deaths.

Diseases of the nervous system caused 14 deaths, including 7 from *convulsions*—all under 5 years of age—6 being infants under one year, of whom 4 were under one month old.

The number of deaths from diseases of the heart and blood-vessels was 18, including 5 from "valvular disease, endocarditis," and 2 from *apoplexy, hemiplegia.*

Diseases of the respiratory system caused 16 deaths, corresponding to an annual rate of 2·1 per 1,000, against 1·8 for the 35th week of the preceding 10 years. They include 9 from bronchitis, 4 from *pneumonia*, and 2 from broncho-pneumonia.

Four accidental deaths (including 2 from burns or scalds) were registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the death of one person aged 74 years.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 8 were under one month old), and 29 were aged 60 years and upwards, including 12 persons aged 70 and upwards, of whom 3 were octogenarians.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·7 per 1,000 ; the rate in the City was 22·6 (21·3 on the North side, and 24·0 on the South), and in the Urban Districts 14·0.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 3·3 per 1,000 inhabitants, the rate for the City being 3·9 (4·5 in the North City Districts, and 3·3 in the South) and for the Urban Districts 1·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. One of the deaths was from measles, 2 from *phthisis*, 2 from diseases of the nervous system, 1 from broncho-pneumonia, and 1 death was caused by scalds.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 21·3 per 1,000. There was 1 death each from measles, scarlatina, and *diarrhœa.* Diseases of the nervous system caused 2 deaths, and diseases of the heart and blood-vessels 2 deaths. One death was attributed to erysipelas, 1 to carcinoma, and 1 to burns.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. Measles caused 2 deaths, diphtheria, erysipelas, and cancer 1 death each, and diseases of the heart and blood-vessels 2 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (16) represent an annual rate of 26·3 per 1,000. Four of the deaths were from measles, 3 from diseases of the respiratory system (including 1 from broncho-pneumonia and 1 from *pneumonia*). There was 1 death each from *phthisis* and *tabes mesenterica.*

North City Extension.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants ; Coolock and Drumcondra, No. 1, part of, 5·2 ; and Finglas and Glasnevin, part of, 0·0. The 1 death for Coolock and Drumcondra No. 1, part of, was from enteric fever ; and the 2 deaths in Blanchardstown and Castleknock, part of, consist of 1 from *diarrhœa* and 1 from influenza.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 19·1 per 1,000. Diphtheria caused 1 death, *diarrhœa* 4 deaths, diseases of the nervous system 2, and diseases of the heart and blood-vessels 2 deaths.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 30·5 per 1,000. One of the deaths was caused by zymotic enteritis, 5 by *phthisis*, 2 by other forms of tuberculosis, and 2 by diseases of the respiratory system, 1 of which was caused by *pneumonia.*

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·7 per 1,000. Measles caused 1 death. Phthisis, diseases of the heart and blood-vessels, and diseases of the respiratory organs each caused 4 deaths. Two deaths were attributed to carcinoma.

No. 4 *South City District* (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·9 per 1,000. There were 2 deaths from measles, 1 death each from tuberculous phthisis and tuberculous meningitis. Of the remaining deaths, 3 were caused by bronchitis. There was 1 accidental death.

South City Extension.—The annual death-rate represented by the deaths recorded last week is :—Palmerston, part of, 28·6 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines, 12·6 per 1,000 inhabitants ; Pembroke, 12·0 ; Blackrock, 17·9 ; and Kingstown, 18·0. The deaths from the principal epidemic diseases tabulated for these districts consist of 1 from scarlatina for Blackrock, and 1 from enteric fever for Kingstown. Among the 8 deaths from all causes tabulated for Rathmines are 2 from *phthisis* and 2 from diseases of the heart and blood-vessels.

NOTE.—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th August,	243 cases.
" "	16th August,	204 cases.
" "	23rd August,	204 cases.
" "	30th August,	191 cases.

Of the 191 cases notified, 21 were erysipelas, 36 enteric fever, 11 scarlatina, 102 measles, 8 diphtheria, 12 continued fever, and one meningitis.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th August,	7 cases.
" "	16th August,	2 cases.
" "	23rd August,	4 cases.
" "	30th August,	1 case.

The case notified was enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th August,	8 cases.
" "	16th August,	6 cases.
" "	23rd August,	3 cases.
" "	30th August,	6 cases.

Of the 6 cases notified, 2 were measles, 2 scarlet fever, one enteric fever, and one erysipelas.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th August,	46 cases.
" "	16th August,	49 cases.
" "	23rd August,	80 cases.
" "	30th August,	46 cases.

Of the 46 cases notified, 14 were enteric fever, 5 erysipelas, 6 diphtheria, 18 continued fever, and 3 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th August, 1902.

From this it appears that:—

There were 2 cases of small-pox under treatment at the close of the week.

Twenty-five cases of measles were admitted to hospital, 30 were discharged, there were 8 deaths, and 80 cases remained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital, 18 cases were discharged, there were 2 deaths, and 53 cases remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 16 cases were discharged, there was one death, and 68* cases remained under treatment at the close of the week.

One case of typhus fever was discharged from hospital, and one patient remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 4 were discharged, 3 died, and 33 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, one patient was discharged, there were 3 deaths, and 12 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·8), was equal to an average annual death-rate of 15·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·0 per 1,000, the rate for Glasgow being 14·5, and for Edinburgh 13·8.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th August, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 30th August, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,401	19·2	27·2	17·4	2·6	569	364	68	70	.	18	2	.	8	3	.	8	16	45	55	8	17	131
Dublin Registration Area:—																							
Total,‡	378,761	27·5	28·8	20·7	3·3	209	150	22	28	.	11	2	.	.	2	.	2	7	18	16	4	9	72
City	298,894	37·8	33·2	22·6	3·9	187	127	20	22	.	11	1	.	.	2	.	1	7	14	15	4	9	63
Registrars' Districts. Rathmines,‖	33,208	19·4	12·6	12·6	.	8	8	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	3
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	14·0	12·0	.	7	6	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Blackrock,‖	8,759	8·1	17·9	17·9	6·0	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2
Kingstown 1 & 2,‖	17,380	11·9	12·0	18·0	3·0	4	6	.	1	.	.	.	.	.	.	.	1	.	1	1	.	.	2
Urban Districts.																							
Belfast	358,693	21·8	25·3	16·3	2·6	176	112	22	20	.	5	.	.	5	.	.	4	4	13	26	1	4	30
Cork	76,122	33·6	26·0	22·6	3·4	38	33	7	2	.	2	.	.	2	.	.	.	1	5	3	1	2	18
Londonderry	40,729	18·8	19·2	17·9	2·6	15	14	3	3	.	.	.	.	.	.	.	.	2	1	2	.	.	4
Limerick	38,151	18·1	20·5	15·0	1·4	15	11	.	2	.	.	.	.	.	.	.	1	.	3	2	.	.	2
Waterford	26,769	18·7	23·4	7·8	.	12	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Galway	18,426	2·5	31·1	3·9	.	8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	18,076	9·4	31·9	8·0	.	8	2	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Drogheda	12,760	8·6	28·6	12·3	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	29·4	16·8	4·2	7	4	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	2
Lurgan	11,782	18·8	32·8	17·7	4·4	9	4	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Lisburn	11,461	10·1	22·7	18·2	.	5	4	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Wexford	11,168	23·2	37·4	14·0	4·7	8	3	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Ballymena	10,886	8·9	9·6	14·4	4·8	2	3	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Sligo	10,870	8·7	24·0	4·8	4·8	5	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Kilkenny	10,609	11·5	39·0	19·7	.	12	4	.	1	.	.	.	.	.	.	.	.	.	1	.	2	2	.
Clonmel	10,167	7·8	.	20·5	.	.	4	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Portadown	10,092	18·2	51·7	.	.	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Thurles	9,867	16·6	29·3	26·4	.	15	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Newtownards	9,110	18·9	.	11·4	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Queenstown	7,909	14·4	26·4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,588	22·2	27·5	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 30th August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§65·4	35·2	53·5	0·68	§70·2	46·1	59·3	0·51	§65·9	40·9	57·0	0·86
City	a66·9	44·9	56·9	0·42	a71·2	50·5	60·7	0·49	a67·7	44·8	58·4	0·40
Registrars' Districts. Rathmines,‖	b68·7	38·2	54·8	0·55	b72·8	46·0	59·6	0·61	b68·5	41·0	57·7	0·42
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	69	46	58·6	0·24	72	49	61·8	0·39	69	45·5	59·6	0·30
Urban Districts.												
Belfast	69·6	44·6	57·8	0·26	66·6	40·1	56·9	1·40	69·1	41·1	55·6	0·33
Cork	65	47	56·5	0·57	67	50	59·8	0·96	67	51	58·8	0·09
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	69	42	57	0·05	70	51	60	0·86	70	46	59	0·00
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	68·7	39·1	56·5	0·85	69·2	43·2	58·8	1·15	68·5	41·4	57·6	0·33
Lurgan	68·7	39·1	56·5	0·85	69·2	43·2	58·8	1·15	68·5	41·4	57·6	0·33
Lisburn	68·7	39·1	56·5	0·85	69·2	43·2	58·8	1·15	68·5	41·4	57·6	0·33
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	68·4	35·3	54·9	0·13	69·7	40·2	56·6	1·00	69·5	41·8	57·8	0·44
Kilkenny	67	41	55·5	0·12	70	45	58·2	1·16	69	45	59·5	0·22
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	68·7	39·1	56·5	0·85	69·2	43·2	58·8	1·15	68·5	41·4	57·6	0·33
Thurles	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	67	45	55·8	0·18	69	49	56·1	1·22	66	46	55·0	0·29
Queenstown	65	47	56·5	0·57	67	50	59·8	0·96	67	51	58·8	0·09
Armagh	68·7	39·1	56·5	0·85	69·2	43·2	58·8	1·15	68·5	41·4	57·6	0·33

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902

† It having been found impracticable [illegible] STATIONS. Those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

ABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 30th of August, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts.																Urban District of					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
A. General Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	1	1	2	4	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.		11	.
Scarlet Fever (Scarlatina),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.		2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diphtheria,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1		2	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	.	1	4	1	.	.	.	.	.	.	.	.	.		7	.
Phthisis,	2	.	.	1	1	.	.	.	.	5	4	1	.	.	.	2	1	.	1		18	1
Other General Diseases,	3	4	3	2	.	.	.	1	1	2	2	1	.	1	.	1	2	.	1		24	1
Total,	6	7	6	7	1	1	.	2	6	8	7	4	.	1	.	3	3	1	3		66	2
B. Local Diseases:																						
Diseases of Nervous System,	2	2	2	.	.	.	.	.	2	.	2	1	.	.	.	1	.	1	1		14	.
Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Heart and Blood Vessels,	.	2	2	1	.	.	.	.	2	.	4	1	.	.	1	2	1	.	.		16	2
Respiratory System,	1	1	1	3	.	.	.	.	.	2	4	3	.	.	.	.	.	.	1		16	.
Digestive System,	1	.	1	2	.	.	.	.	2	.	1	1	.	2	.	1	2	.	1		14	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	1
Urinary System,	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.		3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.		3	.
„ Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Total,	4	7	6	7	.	.	.	.	7	2	13	8	.	2	1	4	3	2	3		69	4
C. Other Specified Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
D. Ill-defined and Not Specified Diseases,	2	1	1	2	.	.	.	.	1	.	1	1	.	.	1	1	.	.	.		11	.
E. Violent Deaths,	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.		4	.
Deaths from all Causes,	13	16	13	16	1	1	.	2	14	10	21	14	.	4	2	8	6	3	6		150	6
Annual Rate of Mortality in every 1,000 of the population.	23·9	21·3	22·5	26·3	10·8	5·2	.	—	19·1	30·5	25·7	20·9	.	28·6	—	12·6	12·0	17·9	18·0		20·7	
	21·3								24·0							14·0						
	22·6																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	6	11	.	.	.	.	3	5	5	4	.	.	.	3	1	2	2		48	4
Workhouse Hospitals,	3	5	3	.	.	.	.	.	3	3	7	1	.	.	.	.	1	.	.		24	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re[illegible]tere[illegible] week of the ten years 1892-[illegible]

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 35th Week of the 10 years 1892-1901	In the Week ending Sa[illegible]rda[illegible] 30th August, 1902. Deaths of Persons of th[illegible] ages					
	Sept. 3, 1892.	Sept. 2, 1893.	Sept. 1, 1894	Aug. 31, 1895.	Aug. 29, 1896.	Sept. 4, 1897.	Sept. 3, 1898.	Sept. 2, 1899.	Sept. 1, 1900.	Aug. 31, 1901.		ALL AGES.	0 to 5.				
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	40 and under 60.
Mean Temperature.	° 55·5	° 56·1	° 55·3	° 59·1	° 56·1	° 53·8	° 58·3	° 59·1	° 55·9	° 54·8	° 56·4	° 53·5					
ALL CAUSES.	176	195	131	158	142	155	185	205	186	176	170·9	156	8	15	30	12	21
Small Pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	.	.	.	1	14	.	.	1·7	11	.	3	8	.	.
Scarlet Fever	2	.	1	.	2	1	.	.	1	2	·9	2	.	.	1	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	3	.	1	.	.	.	1	2	1	·8	1	.	.	.	.	1
Whooping Cough, ...	.	5	2	3	.	3	4	3	4	1	2·5	.	.	.	.	.	.
Diphtheria, ...	2	.	.	.	.	4	.	1	4	2	1·3	2	.	.	2	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	6	4	5	3	.	1	4	2	2	2·9	2	.	.	.	2	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	23	37	10	12	19	27	35	43	36	28	27·0	1 6	.	.	1 2	4	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	1	.	.	.	1	1	.	1	·4	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	2	.	.	.	1	1	.	.	.	·5	. . 1	.	.	.	1	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Erysipelas, ...	1	1	.	.	.	.	.	.	.	2	·4	3	.	1	.	.	1
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	.	.	.	.	1	1	.	1	·4	. .	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	25	23	25	12	19	16	29	22	32	20	22·3	1 18	.	.	.	.	8
Tuberculous Meningitis, (Acute Hydrocephalus).	3	3	5	2	1	3	4	6	2	2	3·1	2	.	.	2	.	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	7	5	1	5	5	7	2	10	5	10	5·7	. 1	.	.	.	1	.
Tuberculous Dis. (other), ... Scrofula, ...	2	2	3	1	4	2	3	2	2	3	2·4	2 1	.	1	.	.	1 1
Alcoholism	1	1	1	1	.	.	1	1	2	.	·8	1	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	3	.	1	.	1	1	.	·6	.	.	.	.	.	.
Gout	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.

* The figures for the years 1892-19[illegible] are

TY-FIFTH WEEK ending Saturday, 30th August, 1902, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Sept. 3, 1892.	Sept. 2, 1893.	Sept. 1, 1894.	Aug. 31, 1895.	Aug. 29, 1896.	Sept. 4, 1897.	Sept. 3, 1898.	Sept. 2, 1899.	Sept. 1, 1900.	Aug. 31, 1901.	Averages in 35th Week of the 10 years 1892-1901.	In the Week ending Saturday, 30th August, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 55·5	° 56·1	° 55·3	° 59·1	° 56·1	° 53·8	° 58·3	° 59·1	° 55·9	° 54·8	° 56·4	° Mean Temp. 53·5								
ma	4	7	2	3	8	7	4	6	7	7	5·5	3	.	.	.	.	1	2	.
a												.	.	.	.	.	.	.	.
nt Dis. "Cancer,"												4	.	.	.	.	2	2	.
es Mellitus	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
ure Birth	.	4	.	3	.	2	2	2	1	.	1·4	1	1	.	.	.	.	.	.
itis (not tuberc.)												3	.	.	1	2	.	.	.
y, G. P. of Insane												2	.	.	.	1	.	1	.
sy												1	.	.	.	1	.	.	.
sions												7	4	2	1	.	.	.	.
otor Ataxy												.	.	.	.	.	.	.	.
egia Dis. of Cord												1	.	.	.	.	1	.	.
is System (other Dis.) ...	23	44	27	39	31	30	32	32	35	40	33·8	.	.	.	.	.	.	.	.
Dis., Endocarditis												5	.	.	.	.	3	.	2	.
. Hæm. Thromb.												1	.	.	.	.	.	1	.	.
cy, Hemiplegia												2	.	.	.	.	.	.	2	.
ysm												1	.	.	.	.	1	.	.	.
ism, Thromb. (not cerebral)												1	.	.	.	.	1	.	.	.
and Blood Vessel Dis.												8	1	.	.	.	3	2	1	1
(not Spasm. or Memb.) ...	.	.	.	.	2	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
itis	13	5	6	8	8	6	13	7	3	7	7·6	9	.	.	3	.	.	4	1	.
ous Pneumonia												.	.	.	.	.	.	.	.	.
ıo-Pneumonia	5	5	7	2	2	2	5	6	2	4	4·0	2	.	.	1	.	1	.	.	.
nonia"												4	.	.	1	.	2	1	.	.
a, Emphysema												.	.	.	.	.	.	.	.	.
sy	1	1	1	3	1	1	.	.	1	.	·9	.	.	.	.	.	.	.	.	.
atory Dis. (other)												1	.	.	.	.	1	.	.	.
litis, Quinsy	.	2	.	.	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
tis (not Epid.)	.	1	1	1	1	.	3	1	3	3	1·4	3	.	2	.	1	.	.	.	.
Enteritis												3	.	.	1	.	.	.	2	.
nitis (not Puerp.)	.	.	1	.	1	.	2	1	.	1	·6	2	.	.	.	.	.	1	1	.
sis of Liver	3	4	2	1	3	5	.	1	3	.	2·2	.	.	.	.	.	.	.	.	.
Dis. (other)												4	.	.	.	.	.	.	4	.
ive Dis. (other)	8	2	5	10	.	2	4	9	4	4	4·8	3	.	1	.	.	.	2	.	.
itis, Acute												1	.	.	.	.	.	1	.	.
's Dis., Albuminuria ...	9	4	6	.	1	5	5	1	5	4	4·0	1	.	.	.	.	1	.	.	.
ry Sys. (Other Dis.) ...												1	.	.	.	.	.	.	.	1
ative Organs Dis.	2	1	1	1	.	.	.	.	.	.	·5	1	.	.	.	.	1	.	.	.
birth (Accid. of)	.	.	4	.	1	.	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
ge	11	6	3	15	12	11	7	8	13	11	9·7	4	.	.	.	.	.	.	4	.
Diseases	16	16	8	22	13	12	16	13	13	12	14·1	16	2	3	3	2	2	3	1	.
ACCIDENT.																				
tilways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
hicles and Horses	.	.	.	2	.	2	2	.	.	2	·8	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	1	.	.	.	.	.	1	·2	1	.	.	.	.	1	.	.	.
ilding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
nflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	.	.	.	.	.	1	.	1	1	2	·5	2	.	.	1	.	1	.	.	.
rowning	3	1	2	.	.	1	.	3	1	.	1·1	1	.	.	.	.	.	1	.	.
uffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
r Deaths by Accidents ...	2	.	1	1	2	2	4	1	.	1	1·4	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
icide	.	1	.	.	.	.	2	.	.	1	·4	.	.	.	.	.	.	.	.	.
de	1	.	1	1	1	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
ution	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered,	220	239	198	229	199	237	226	195	255	232	202	209	234	249	192	242	213	204	187	196	208	186	244	192	185	209
*Average Births in corresponding week of previous 10 years,**	196	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204
DEATHS registered,	222	151	167	211	203	206	174	199	191	178	186	149	165	156	155	139	149	149	129	155	150	165	154	145	146	156
Annual Death-rate per 1,000,	30·5	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5
*Average Deaths in corresponding week of previous 10 years,**	232	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171
AGES, Under 5 years,	59	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52	53
5—20 "	12	22	17	20	17	16	12	19	20	13	20	16	24	14	19	15	11	14	10	13	8	14	14	7	15	12
20—40 "	29	28	32	39	33	42	28	20	31	33	39	34	28	32	29	23	28	30	24	36	25	31	22	17	27	31
40—60 "	46	35	40	52	51	41	37	50	39	33	37	21	35	38	24	26	27	27	29	30	29	24	20	36	32	31
60—80 "	67	28	26	43	45	40	33	44	42	35	32	36	27	17	27	32	26	30	25	27	29	30	29	28	15	26
80 years and upwards,	9	9	7	8	8	11	7	6	13	7	9	8	8	7	6	5	5	7	3	5	13	7	4	2	5	3
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	4	1	1	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11
" Scarlet Fever,	1	3	1	2	.	.	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.	2
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	1	.
" Whooping-cough,	.	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.
" Diphtheria,	3	.	1	.	2	1	1	.	2	2	3	.	.	1	1	1	.	.	1	1	1	2	2	.	.	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" Enteric Fever,	2	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2
" Diarrhœa, Dysentery,	1	1	1	.	1	4	4	1	1	2	1	2	1	1	1	.	.	2	4	1	3	5	3	1	3	7
" Phthisis,	38	17	36	37	27	27	25	20	25	28	30	25	27	40	26	26	15	13	14	25	18	19	15	18	21	19
" Heart Diseases,	15	17	13	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18	9	18	21	17	18
" Diseases of Respiratory System,	65	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30	24	23	17	30	28	19	18	16
Violent Deaths,	4	2	8	1	4	8	1	4	6	4	3	4	4	6	10	.	4	7		3	2	7	2	3	5	4
Mean Temperature of the Air (Phœnix Park),	44·	44·9	44·4	43·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5
Average Mean Temperature in corresponding week of previous 10 years,	40·6	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4
Rainfall in inches,	·040	·145	·560	·785	·760	·050	·220	·240	·330	·090	·845	·195	·153	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·538	·083
Mean Humidity of the Air, complete Saturation 1·0,	·86	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th August, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death-Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	23·5	156	53	12	31	31	26	3	.	11	2	.	.	2	.	2	7	24	19	7	16	4	86
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	13·5	4	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
II.	Middle Class,	80,658	11·0	17	5	1	4	2	4	1	.	.	.	.	.	.	.	.	1	1	1	1	.	2	12
III.	Artisan Class and Petty Shopkeepers	98,374	17·0	32	6	1	10	8	7	.	.	.	.	.	.	.	.	.	1	1	6	.	1	2	22
IV.	General Service Class,	146,486	35·4	77	40	8	12	13	4	.	.	11	2	.	.	2	.	2	5	22	8	5	9	.	33
V.	Inmates of Workhouses,	5,191		26	2	2	3	8	10	1	.	.	.	.	.	.	.	.	.	.	4	1	6	.	15
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	13·2	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	8·1	4	1	1	.	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3
	6. Clerks and Commercial Assistants,	24,750	12·6	6	4	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	.	.	3	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,852	7·1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	9. Building and Furnishing Trades,	26,030	16·0	8	2	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
	10. Clothing Trades,	23,686	8·8	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1
	11. Food Supply Trades,	7,869	6·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	25·4	13	3	.	4	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	11
	13. Petty Shopkeepers,	6,771	38·5	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	7·7	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	15. Domestic Servants,	39,563	6·6	5	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	2	2	2	1	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,631	39·8	63	37	4	9	11	2	.	.	11	2	.	.	2	.	1	5	21	6	4	7	.	25
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	26	2	2	3	8	10	1	.	.	.	.	.	.	.	.	.	.	4	1	6	.	15

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Dtiseases: whi the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16))
City of Dublin (prior to extension)																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,338.	July 12,	14·7	3·7	8	.	1	.	.	.	.	.	1	.	2	2	.
	„ 19,	14·7	3·7	8	.	2	.	.	.	.	.	.	.	1	3	.
	„ 26,	27·6	3·7	15	.	.		.	1	.	.	.	1	2	2	.
	Aug. 2,	29·4	5·5	16	.	3	.	.	.	.	.	.	.	1	4	.
	„ 9,	28·9	7·4	13	.	3	.	.	1	.	.	.	.	.	.	.
	„ 16,	28·9	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	29·4	9·2	16	.	4	.	.	.	.	.	.	1	2	.	1
	„ 30,	28·9	1·8	13	.	1	.	.	.	.	.	.	.	2	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	July 12,	20·0	4·0	15	.	2	.	.	1	.	.	.	.	.	3	1
	„ 19,	26·6	5·3	20	.	2	.	1	.	.	.	1	.	2	4	.
	„ 26,	25·3	4·0	19	.	2	.	.	.	.	.	.	1	2	1	.
	Aug. 2,	21·3	2·7	16	.	2	.	.	.	.	.	.	.	1	2	2
	„ 9,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	2	6	.
	„ 16,	21·3	4·0	16	.	3	.	.	.	.	.	.	.	1	1	1
	„ 23,	17·3	2·7	13	.	1	.	.	.	.	.	1	.	1	4	.
	„ 30,	21·3	4·0	16	.	1	1	.	.	.	.	.	1	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	July 12,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	1	1	1
	„ 19,	38·1	1·7	22	.	1	.	.	.	.	.	.	.	3	1	1
	„ 26,	24·5	1·7	13	.	1	.	.	.	.	.	.	.	3	.	.
	Aug. 2,	24·2	5·2	14	.	2	1	.	.	.	.	.	.	3	2	1
	„ 9,	13·9	1·7	8	.	1	.	.	.	.	.	.	.	1	3	1
	„ 16,	19·1	1·7	11	.	.	.	1	.	.	.	.	.	2	2	.
	„ 23,	17·3	1·7	10	.	.	.	1	.	.	.	.	.	1	1	.
	„ 30,	22·5	5·2	13	.	2	.	.	.	1	.	.	.	.	1	.
North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,673.	July 12,	14·8	.	9	.	.	.	.	.	.	.	.	.	2	3	1
	„ 19,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.
	„ 26,	26·3	.	16	.	.	.	.	.	.	.	.	.	6	2	.
	Aug. 2,	24·7	13·2	15	.	7	.	.	.	.	.	.	1	1	2	.
	„ 9,	32·9	6·6	20	.	3	.	.	.	.	.	.	1	1	3	.
	„ 16,	37·9	14·8	23	.	9	.	.	.	.	.	.	.	3	3	.
	„ 23,	28·0	9·9	17	.	6	.	.	.	.	.	.	.	2	1	.
	„ 30,	26·3	6·6	16	.	4	.	.	.	.	.	.	.	1	3	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 32,818.	July 12,	20·0	1·3	15	.	.	.	.	.	.	.	1	.	4	1	.
	„ 19,	21·3	1·3	16	.	.	.	.	.	1	.	.	.	6	2	.
	„ 26,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	1	2	.
	Aug. 2,	25·3	1·3	19	.	.	.	.	.	.	.	.	1	1	5	.
	„ 9,	27·2	6·6	20	.	3	.	.	.	1	.	.	1	1	3	.
	„ 16,	19·1	5·4	14	.	3	.	.	.	.	.	.	1	.	1	.
	„ 23,	23·1	1·4	17	.	1	.	.	.	.	.	.	.	4	2	.
	„ 30,	19·1	6·8	14	.	.	.	.	.	1	.	.	4	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	July 12,	15·2	·0	5	.	.	.	.	.	.	.	.	1	1	.	.
	„ 19,	15·2	3.0	5	.	1	.	.	.	.	.	.	.	1	.	.
	„ 26,	27·4	.	9	.	.		.	.	.	.	.	.	1	1	.
	Aug. 2,	33·5	3·0	11	.	.	.	.	.	.	.	1	.	2	2	2
	„ 9,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	3	2	.
	„ 16,	45·7	12·2	15	.	3	1	.	.	.	.	.	.	3	1	2
	„ 23,	27·4	3·0	9	.	.	.	.	.	.	.	.	1	.	3	.
	„ 30,	30·5	3·0	10	.	.	.	.	.	.	.	.	1	5	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 42,575.	July 12,	15·0	2·5	12	.	.	.	.	.	1	.	1	.	.	2	.
	„ 19,	22·5	.	18	.	.	.	.	.	.	.	.	.	3	3	.
	„ 26,	18·7	1·2	11	.	1	.	.	.	.	.	.	.	.	2	.
	Aug. 2,	18·7	1·2	15	.	.	.	.	.	.	.	.	1	1	6	.
	„ 9,	24·5	8·5	20	.	3	.	.	.	.	.	4	.	2	6	.
	„ 16,	20·3	2·5	17	.	1	.	.	.	.	.	1	.	4	2	.
	„ 23,	25·7	4·9	21	.	2	.	.	1	.	.	.	1	3	4	1
	„ 30,	25·7	1·2	21	.	1	.	.	.	.	.	.	.	4	4	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	July 12,	17·9	1·5	12	.	1	.	.	.	.	.	.	.	2	2	.
	„ 19,	22·4	1·5	15	.	1	.	.	.	.	.	.	.	1	3	1
	„ 26,	23·9	4·5	16	.	2	.	.	.	1	.	.	.	1	2	.
	„ 23,	26·9	6·0	18	.	3	.	.	1	.	.	.	.	4	3	1
	Aug. 2,	26·9	6·0	18	.	3	.	.	.	.	.	.	1	.	1	1
	„ 9,	14·9	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	„ 16,	20·9	3·0	14	.	1	.	.	1	.	.	.	.	4	1	.
	„ 30,	20·9	3·0	14	.	2	.	.	.	.	.	.	.	1	3	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,208	July 12,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	1	2	.
	19,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	2	.
	„ 26,	25·1	3·1	16	.	.	1	.	.	.	.	1	.	1	2	1
	Aug. 2,	7·9	1·6	5	.	.	.	.	.	1	.	.	.	.	.	.
	„ 9,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	„ 16	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	.	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	July 12,	14·0	6·0	7	.	.	.	.	.	.	.	1	2	.	1	.
	„ 19,	18·0	6·0	9	.	1	.	.	.	.	.	1	1	.	.	.
	„ 26,	16·0	4·0	8	.	1	.	.	.	.	.	.	1	.	1	1
	Aug. 2,	23·0	6·0	14	.	1	.	1	.	.	.	.	1	3	2	.
	„ 9,	4·0	.	2	.	.	.	.	.	.	.	.	.	1	.	.
	„ 16,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 23,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	2	.	1
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
Kingstown. Pop. in 1902 (Est.) 17,880.	July 12,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 19,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 26,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	Aug. 2,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 9,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	.	.
	„ 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	18·0	3·0	6	.	.	.	.	.	.	.	1	.	1	1	.
Belfast. Pop. in 1902 (Est.) 358,693.	July 12,	17·2	2·9	118	.	7	.	.	4	2	.	4	3	19	22	4
	„ 19,	16·9	2·3	116	.	7	.	.	.	.	.	3	6	23	18	1
	„ 26,	15·6	3·3	107	.	8	.	.	2	.	.	7	6	17	16	6
	Aug. 2,	18·6	2·6	128	.	5	.	.	8	.	.	3	2	16	29	4
	„ 9,	17·6	2·0	121	.	3	.	.	6	.	.	4	1	30	15	.
	„ 16,	15·7	2·6	108	.	3	.	.	2	2	2	4	5	14	19	1
	„ 23,	16·3	3·1	112	.	2	.	.	6	1	.	7	5	13	19	1
	„ 30,	16·3	2·6	112	.	5	.	.	5	.	.	4	4	13	26	1
Cork. Pop (in 1901) 76,122.	July 12,	23·3	2·7	34	.	1	.	.	1	.	.	.	2	3	6	.
	„ 19,	17·2	0·7	25	.	.	.	.	.	.	.	1	.	4	3	1
	„ 26,	15·1	2·1	22	.	3	.	.	.	.	.	.	.	4	2	1
	Aug. 2,	30·8	2·1	27	.	2	.	.	.	.	.	.	1	5	2	.
	„ 9,	17·8	2·1	26	.	1	.	.	.	1	.	.	1	5	2	.
	„ 16,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	2	5	.
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	6	4	.
	„ 30,	22·6	3·4	33	.	2	.	.	2	.	.	.	1	5	3	1
Londonderry. Pop. in 1902 (Est.) 40,729.	July 12,	19·2	2·6	15	.	2	.	.	.	.	.	.	.	2	6	.
	„ 19,	21·8	1·3	17	.	.	.	.	.	.	.	.	1	2	2	.
	„ 26,	12·8	3·8	10	.	3	.	.	.	.	.	.	.	1	1	1
	Aug. 2,	20·5	5·1	16	.	3	.	.	.	.	.	.	1	4	2	.
	„ 9,	6·4	2·6	5	.	2	.	.	.	.	.	.	.	1	.	.
	„ 16,	15·4	1·3	12	.	1	.	.	.	.	.	.	.	1	2	.
	„ 23,	9·0		7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 30,	17·9	2·6	14	.	.	.	.	.	.	.	.	2	1	2	.
Limerick. Pop. in 1901) 38,151.	July 12,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	20·5	.	15	.	.	.	.	.	.	.	.	.	7	1	.
	„ 26,	17·8	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	Aug. 2,	20·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	„ 9,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	.	.
	„ 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 23,	8·2	.	6	.	.	.	.	.	.	.	.	.	3	1	1
	„ 30,	15·0	1·4	11	.	.	.	.	.	.	.	1	.	3	2	.
Waterford. Pop. (in 1901) 26,769.	July 12,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	1	.	1
	„ 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 26,	17·5	3·9	9	.	.	.	.	.	.	1	.	1	1	.	.
	Aug. 2,	35·1	.	6	.	.	.	.	.	.	.	.	.	.	.	2
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 16,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	„ 23,	11·7	3·9	6	.	.	.	.	.	.	.	.	2	.	.	.
	„ 30,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 30th August, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	6	21·2	14·2	6	4	1	1	.	.	1	.	.	.	.	.	.	3	.	2	.	.	1
" 2 "	47,959	17	21·7	7·6	20	4	5	10	1	.	2	.	.	2	.	.	2	1	1	6	.	1	5
" 3 "	47,214	23	15·5	3·3	14	4	4	2	4	.	2	.	.	1	.	.	.	.	1	3	.	.	3
" 4 "	40,911	20	25·5	.	20	2	3	10	5	.	.	.	.	.	.	.	.	.	3	2	.	.	7
" 5 "	17,387	10	30·0	.	10	2	1	4	3	.	.	.	.	.	.	.	.	.	1	5	.	.	4
" 6 "	48,122	22	9·8	.	9	2	.	6	1	.	.	.	.	.	.	.	.	.	1	1	.	1	1
" 7 "	1,524	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 8 "	5,060	2	10·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	19,569	11	10·8	.	5	1	.	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
" 10 "	28,064	16	15·8	2·3	7	2	2	3	.	.	.	.	.	1	.	.	.	.	2	1	.	.	3
" 11 "	34,802	19	16·5	1·5	11	.	2	6	3	.	.	.	.	1	.	.	.	.	2	1	.	1	3
" 12 "	33,588	19	9·3	3·1	6	1	1	4	.	.	.	.	.	.	.	.	2	.	1	1	1	1	1
" 13 "	15,006	9	6·9	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	176	16·7	2·7	112	22	19	51	20	.	5	.	.	5	.	.	4	4	13	26	1	4	30
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	4	44·6	8·1	11	3	1	7	.	.	2	.	.	.	.	.	.	.	3	.	.	.	8
" 2 "	10,701	5	29·2	9·7	6	1	3	2	.	.	.	.	.	2	.	.	.	.	.	.	1	1	1
" 3 "	9,978	7	20·9	.	4	.	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3
" 4 "	8,666	3	18·1	6·0	3	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 5 "	6,592	2	23·7	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
" 6 "	10,702	5	9·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	16,616	12	12·6	.	4	1	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Total,	76,122	38	22·6	3·4	33	7	5	19	2	.	2	.	.	2	.	.	.	1	5	3	1	2	13

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Mar. 8.	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered,	277	226	239	175	265	216	215	245	192	229	281	201	244	217	211	209	175	237	208	214	224	200	215	194	200	176
DEATHS registered,	136	161	154	151	158	168	149	153	119	149	142	152	189	181	113	144	114	147	118	116	107	128	121	108	112	112
Annual Death-rate per 1,000 of estimated Population,	19·8	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·8	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3
AGES, Under 1 year,	36	33	30	27	25	25	28	32	20	27	29	26	31	16	20	26	22	26	24	29	23	24	25	20	36	22
AGES, 1–5 years,	16	18	22	21	22	21	22	23	12	24	16	25	24	20	14	22	20	27	23	19	19	22	18	21	17	19
AGES, 5–60 years,	57	74	68	71	75	80	67	76	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62	44	43	51
AGES, 60 years and upwards,	27	41	34	29	36	42	37	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21	23	16	20
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	2	1	2	4	2	3	4	3	4	8	4	3	2	7	6	6	7	7	8	5	3	3	2	5
,, Scarlet Fever,	.	.	.		.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	3	5	6	5	6	4	2	2	4	3	4	2	6		4	3	7	4	.	2	8	6	2	6	5
,, Diphtheria,	1	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.		.	.
,, Enteric Fever,	.	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4		7	4
,, Diarrhœa, Dysentery,	.	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1		5	4
,, Phthisis	24	18	19	30	30	26	31	25	29	32	29	26	26	26	21	30	22	18	19	23	17	16	30	14	13	13
,, Diseases of Respiratory System,	33	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18	16	29	15	19	19	26
Violent Deaths,	4	8	4	2	.	3	4	.	.	4	5	1	3	3	2	2	1	7	4	1	6	4	.	1	1	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th August, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	12	.	.	.	.	.	.	1	2	.	.	.	15
" " 1, West,	.	23	.	3	.	.	1	.	6	11	.	.	.	44
" " 2,	.	11	.	1	.	.	3	.	.	6	.	.	.	21
" " 3,	.	16	.	2	.	.	1	.	.	3	.	.	.	22
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	2	.	.	1	4
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	14	.	3	.	.	1	.	.	4	9	.	.	31
" " 2,	.	6	.	.	.	.	.	.	.	2	2	.	.	10
" " 3,	.	17	.	2	.	.	1	.	4	3	9	.	.	36
" " 4,	.	2	.	.	.	.	.	.	.	1	1	.	.	4
Palmerston (part of),	.	.	.	.	.	.	1	.	.	1	.	.	.	2
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	102	.	11	.	.	8	.	12	36	21	.	1	191
Total for week ended Aug. 23rd, 1902,	.	124	1	10	1	.	11	.	11	26	16	.	4	204
Total for week ended Aug. 16th, 1902,	.	132	.	11	.	.	6	.	10	30	14	.	1	204
Total for week ended Aug. 9th, 1902,	1	181	.	13	3	.	8	.	4	17	10	.	6	243

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th August, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th August.			
	August 9.	August 16.	August 23.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	1	1	2	.	.	.	2
Measles,	131	115	93	25	30	8	80
Scarlet Fever,	67	67	74	11	16	1	68*
Typhus "	3	3	2	.	1	.	1
Diphtheria,	25	25	33	7	4	3	33
Enteric Fever,	52	59	62	11	18	2	53
Pneumonia,	8	11	12	4	1	3	12

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Aug. 30,	2,633	1,385	15·8	2	18	11	18	37	15	159
EDINBURGH,	317,885	„ 30,	167	86	13·8	.	1	2	.	3	1	.
GLASGOW,	764,423	„ 30,	474	216	14·5	.	1	2	1	10	1	9
CALCUTTA,	847,793	July 5,	.	347	21·2	2	.	.	1	.	83§	57*
BOMBAY,	776,006	Aug. 5.	321	650	43·6	5	12	?	?	1	87§	91*
MADRAS,	509,346	July 4,	287	342	34·9	3	.	?	?	?	111	47
PARIS,	2,660,559	Aug. 9,	1,097	798	16·5	.	5	9	11†	2	8	57
BRUSSELS (with 8 Faubourgs).	562,893	„ 9,	256	136	12·6	.	2	.	.	2	4	24
AMSTERDAM,	535,260	„ 16,	297	119	11·6	.	6	.	.	4	2	10
ROTTERDAM	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	Aug. 9,	227	85	11·0	.	4	.	1	1	.	7
CHRISTIANIA,	224,909	„ 9,	109	39	9·0	.	.	.	.	3	.	.
ST. PETERSBURG,	1,248,643	„ 9,	482	515	21·4	.	17	4	7	4	10	109
BERLIN,	1,902,504	July 12,	887	549	15·0	.	13	6	2	10	.	67
HAMBURG,	724,835	Aug. 9,	.	203	14·6	.	1	11	2†	3	1	10
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	506,000	Aug, 9,	.	210	21·6	.	2	.	.	9	.	33
VIENNA (with suburbs).	1,726,604	„ 9,	960	569	17·1	.	2	4	.	2	.	91
BUDA-PESTH,	767,661	„ 9,	441	299	20·3	.	2	7	.	2	.	58
PRAGUE and Faubourgs	416,817	„ 9,	187	152	19·0	.	.	1	5†	.	1	17
ROME,	480,361	June 14,	205	225	24·4	.	22	.	1	1	3	31
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	July 26,	83	70	22·0	.	.	.	1†	2	3	19
NEW YORK,	3,632,501	Aug. 9,	1,641	1,353	19·4	2	8	9	28†	14	19	316
PHILADELPHIA,	1,293,697	„ 2,	.	457	18·4	.	3	1	.	4	11	61*

* Including 27 deaths from cholera in Calcutta, one in Bombay, and one in Philadelphia.
† Including deaths from croup.
§ Exclusive of 27 deaths from bubonic fever in Calcutta and 32 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 30th August, 1902:—

"The most striking feature in this week's weather was the violent 'splashes' of rain which occurred very locally up to and including Wednesday. Thus, at Kingstown on Sunday 0·220 inch of rain fell in ten minutes between 12·40 p.m. and 12·50 p.m. On Tuesday two heavy, but singularly local, showers yielded ·317 inch in the gauge at Fitzwilliam-square, Dublin; and on Wednesday at 10 a.m. rain fell in torrents at Blackrock, while there was only a light shower (·010 inch) in Dublin, and no rain at all at Bray and Greystones, Co. Wicklow. The showers on Tuesday and Wednesday were brought about by the sudden ascensional movement of masses of warm, damp and cold air where a S.W. landwind met a cool S.E. seabreeze near, or on, the coast. From Wednesday onward the weather was extremely fine with cool S.E. to N.E. winds and much bright sunshine. On Friday evening sheet lightning was seen far away on the S.E. and S. horizon, connected with the presence of a shallow depression over the Bristol Channel and S.W. of England. Throughout the week atmospheric pressure was in very unstable equilibrium over North-Western Europe, and, as usual under such circumstances, electrical phenomena were prevalent. In the rainstorm on Tuesday large oval and jagged hailstones fell in Dublin. The mean height of the barometer was 29·903 inches, pressure ranging only from 30·038 inches at 9 p.m. of Monday (wind, W.) to 29·813 inches at 9 p.m. of Saturday (wind, S.E.) The corrected mean temperature was 56·9°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 55·8°. The screened thermometers rose to 66·9° on Monday and fell to 44·9° on Saturday, when the grass minimum registered 39·9°. The duration of bright sunshine was estimated at 64 hours. S.E. wind was the most prevalent. Rain fell on 3 days to the amount of ·424 inch, ·356 inch being measured on Tuesday. On Friday the thermometer rose to 81° in London, but at night fell to 38° at Birr, King's County."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·911 inches. The highest reading (30·047) was on Monday at 9 p.m., air calm, and the lowest (29·811) on Wednesday at 9 a.m., wind S.E.

The mean temperature for the week was 53·5°, being 2·9° under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Sunday, when the thermometer registered 65·4°, and was lowest no Saturday, the mercury having fallen to 35·.2 The mean of the Dry Bulb for the week was 54·6°, and of the Wet Bulb 52·2°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 57·8 hours. The rainfall measured during the week was ·083 inch.

At Greenwich the mean temperature for the week was 60·4°, the maximum 77·0°, and the minimum 48·2°; at Glasgow the maximum was 68·0°, the minimum 37·0°, and the mean 57·1°; and at Edinburgh the maximum was 67·2°; the minimum 44·2°, and the mean 56·5°. The rainfall at Greenwich measured 0 24 inch; and at Glasgow 0·58 inch. There was no rain at Edinburgh.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, August 24,	29·884	65·4	51·1	58·3	56·4	54·6	·89	·7	9·7	.063	W.S.W.	W.
Monday, " 25,	30·014	65·3	47·2	56·3	55·9	53·9	·87	·3	10·5	—	W.	Calm.
Tuesday, " 26,	29·953	64·8	44·0	54·4	58·3	54·1	·75	·0	6·0	·020	Calm.	S.W.
Wednesday, " 27,	29·859	64·4	42·4	53·4	55·2	52 2	·84	·0	7·4	—	S.E.	Calm.
Thursday, " 28,	29 905	64·8	38 2	51·5	56·0	53·5	·86	·2	6·8	—	S.E.	Calm.
Friday, " 29,	29·900	63·2	43·4	53·3	50·7	49·6	·93	·2	5·2	—	N.	Calm.
Saturday, " 30,	29·835	59·9	35·2	47·6	49·7	47·2	·85	·3	12·2	—	N.E.	Calm.
Mean,	29·911	64·0	43·1	53·5	54·6	52·2	·86	·2	Total 57·8	·083	Prevailing Wind, —	

Sunday—Bright and cloudy at intervals; showery 11.0 a.m. to 12.0 a.m.; heavy showers 6.15 p.m. to 6.45 p.m; night cloudy. *Monday*—A fine day; light rain 11.0 a.m. inappreciable; night cloudy from 11.30 p.m. *Tuesday*—A cloudy and showery day; night clear. *Wednesday*—A fine but cloudy day; night sky clear; fog 8.45 p m. to 5.0 a.m. *Thursday*—A fine but cloudy day; night clear to 1.0 a.m., then cloudy. *Friday*—Dull a.m.; bright, with cloudy intervals p.m.; night clear. *Saturday*—A beautiful day; night clear to 1.0 a m., then cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360.

OFFICIAL.

EEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

ONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

OL. XXXIX.] WEEK ENDING SATURDAY, 6TH SEPTEMBER, 1902. [No. 36.

General Register Office, Charlemont House, Dublin, 8th September, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in he Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 16.	Week ending Aug. 23.	Week ending Aug. 30.	Week ending Sept. 6.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 16.	Week ending Aug. 23.	Week ending Aug. 30.	Week ending Sept. 6.	Average Rate for 4 weeks
22 Town Dists.	17·3	15·6	17·4	19·6	17·5	Lisburn, . .	13·6	9·1	18·2	31·8	18·2
Armagh, . .	6·9	6·9	0·0	13·7	6·9	Londonderry, .	15·4	9·0	17·9	21·8	16·0
Ballymena, .	14·4	14·4	14·4	23·9	16·8	Lurgan, . .	26·6	17·7	17·7	13·3	18·8
Belfast, . .	15·7	16·3	16·3	17·9	16·6	Newry, . .	25·2	0·0	16·8	25·2	16·8
Clonmel, . .	20·5	20·5	20·5	41·0	25·6	Newtownards, .	11·4	17·2	11·4	11·4	12·9
Cork, . . .	17·8	13·7	22·6	9·6	15·9	Portadown, .	10·3	5·2	0·0	15·5	7·8
Drogheda, . .	28·6	12·3	12·3	28·6	20·4	Queenstown, .	26·4	13·2	0·0	19·8	14·9
Dublin Reg. Area,	19·5	19·5	20·7	22·7	20·6	Sligo, . . .	14·4	4·8	4·8	9·6	8·4
Dundalk, . .	16·0	8·0	8·0	16·0	12·0	Tralee, . .	15·9	5·3	26·4	10·6	14·6
Galway, . .	3·9	7·8	3·9	23·3	9·7	Waterford, .	11·7	11·7	7·8	31·2	15·6
Kilkenny, . .	34·4	14·7	19·7	14·7	20·9	Wexford, . .	14·0	9·3	14·0	4·7	10·5
Limerick, . .	12·3	8·2	15·0	16·4	13·0						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·0 per 1,000, the rates varying from 0·0 in thirteen of the districts to 9·8 in Kilkenny; the 3 deaths from all causes registered in that district including one from simple and ill-defined fever and one from diarrhœa. Among the 123 deaths from all causes registered in Belfast are 6 from measles, one from typhus fever, 6 from whooping-cough, one from diphtheria, one from simple fever, 4 from enteric fever, and 4 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 205—101 boys and 104 girls; and the deaths to 170—88 males and 82 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·4 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 22·7 per 1,000. During the thirty-six weeks ending with Saturday last the death-rate averaged 24·0, and was 3·0 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 11 deaths recorded from measles last week, against 20, 20, 16, and 11 respectively for the 4 weeks ending 30th August. Seven deaths from measles are reported to have occurred in hospitals. Scarlatina and enteric fever each caused 3 deaths; 2 deaths were attributed to diphtheria, 9 to *diarrhœa*, and one to epidemic enteritis.

The following deaths were registered from tuberculous diseases, viz.:—24 from *phthisis*, 3 from tuberculous meningitis, 2 from tuberculous peritonitis, one from *tabes mesenterica*, and one from general tuberculosis.

Carcinoma caused 3 deaths, and *malignant disease*, "*cancer*," 6.

Thirteen deaths were due to diseases of the nervous system, including 7 from *convulsions*—all of the latter being of children under 5 years of age, of whom 6 were infants under one year old.

Diseases of the heart and blood-vessels caused 24 deaths, including 4 from *apoplexy, hemiplegia.*

The number of deaths from diseases of the respiratory system was 20, equivalent to an annual rate of 2·8 per 1,000; the rate for the corresponding period of the preceding 10 years was 2·6. The 20 deaths consist of 13 from bronchitis, 3 from broncho-pneumonia, and 4 from *pneumonia.*

Three accidental deaths (2 being caused by drowning) and one case of suicide were registered.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year old and the deaths of 3 persons aged 60 years and upwards.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 8 were under one month old), and 29 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a woman) was stated to have been aged 103 years.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse and 5 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 22·7 per 1,000; the rate in the City was 25·4 (27·1 on the North side, and 23·6 on the South), and in the Urban Districts 13·4.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 3·9 per 1,000 inhabitants, the rate for the City being 4·4 (4·5 in the North City Districts, and 4·4 in the South) and for the Urban Districts 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000. There was 1 death each from measles and *diarrhœa.* Four deaths were caused by *phthisis*, and 1 by broncho-pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. Scarlatina, enteric fever, *diarrhœa*, and *cancer* each caused 1 death. Diseases of the respiratory system caused 4 deaths—the latter including 1 from *pneumonia.*

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. One death was attributed to measles, 2 to *phthisis*, 3 to diseases of the heart and blood-vessels, and 3 to diseases of the organs of respiration (including 1 from broncho-pneumonia and 1 from *pneumonia*).

No. 3 North City District (Blackhall-place).—The deaths (25) represent an annual rate of 41·2 per 1,000. Of the 25 deaths, 5 were caused by measles, 1 each by scarlatina and enteric fever, and 5 by phthisis. Of the remaining deaths 2 were due to *cancer*, 3 to diseases of the heart and blood-vessels, and 2 to diseases of the respiratory system (including 1 from *pneumonia*).

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 23·4.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 28·6 per 1,000. Measles, diphtheria, and enteric fever each caused 1 death, diarrhœa 2 deaths, *phthisis* 4, and bronchitis 2. There was 1 death from suicide.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 24·4 per 1,000. There was 1 death from *diarrhœa*, 2 from *phthisis*, 1 from tuberculous peritonitis, and 1 death was caused by drowning.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 17·1 per 1,000. There were 2 deaths registered from diarrhœa, and 1 from epidemic enteritis. Five of the remaining deaths were from diseases of the heart and blood-vessels.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·4 per 1,000. Measles and diphtheria each caused 1 death. There were 2 deaths from *phthisis*, and 4 from diseases of the respiratory system—the latter including 1 from broncho-pneumonia.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 28·6 per 1,000 inhabitants. There was 1 death from *diarrhœa* and 1 from *phthisis.*

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 15·7 per 1,000 inhabitants; Pembroke, 14·0; Blackrock, 6·0; and Kingstown, 12·0. The deaths from the principal epidemic diseases tabulated for these districts consist of 1 from measles and 1 from scarlatina for Rathmines, and 1 from *diarrhœa* for Pembroke. Of the 10 deaths from all causes tabulated for Rathmines, 1 was from carcinoma, 1 from *cancer*, and 1 from *pneumonia*; and the 4 deaths tabulated for Kingstown include 3 from diseases of the heart and blood-vessels.

NOTE.—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 16th August,	204 cases.
" " 23rd August,	204 cases.
" " 30th August,	191 cases.
" " 6th September,	169 cases.

Of the 169 cases notified, 24 were erysipelas, 22 enteric fever, 14 scarlatina, 92 measles, 3 diphtheria, 8 continued fever, 3 varicella, one typhus fever, one puerperal fever, and one fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 16th August,	2 cases.
" " 23rd August,	4 cases.
" " 30th August,	1 case.
" " 6th September,	10 cases.

Of the 10 cases notified, 3 were scarlatina, 3 diphtheria, 2 choleraic diarrhœa, one enteric fever, and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 16th August,	6 cases.
" " 23rd August,	3 cases.
" " 30th August,	6 cases.
" " 6th September,	4 cases.

Of the 4 cases notified, one was measles, one scarlet fever, and 2 enteric fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 16th August,	49 cases.
" " 23rd August,	80 cases.
" " 30th August,	46 cases.
" " 6th September,	91 cases.

Of the 91 cases notified, 33 were enteric fever, 12 erysipelas, 6 diphtheria, 35 continued fever, 2 scarlet fever, one puerperal fever, and 2 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th September, 1902.

From this it appears that:—

There were 2 cases of small-pox under treatment at the close of the week.

Twenty-nine cases of measles were admitted to hospital, 29 were discharged, there were 7 deaths, and 73 cases remained under treatment at the close of the week.

Twenty-four cases of enteric fever were admitted to hospital, 12 cases were discharged, and 65 cases remained under treatment at the close of the week.

Eighteen cases of scarlatina were admitted to hospital, 15 cases were discharged, there were 3 deaths, and 68* cases remained under treatment at the close of the week.

Two cases of typhus fever were admitted to hospital, one was discharged, and 2 patients remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 16 were discharged, one died, and 21 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 7 patients was discharged, and 10 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·8), was equal to an average annual death-rate of 15·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·9 per 1,000, the rate for Glasgow being 16·5, and for Edinburgh 12·4.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th September, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 6th September, 1902. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 6th Sept, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,401	19·2	26·4	19·6	3·0	554	411	81	88	.	18	3	1	7	3	2	9	19	55	57	8	22	128	○	○	○		○	○	○		○	○	○	
																								.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	378,761	27·5	28·2	22·7	3·9	205	165	34	28	.	10	3	.	.	2	.	3	10	24	20	4	11	61	a67·1	43·3	57·2	1·73	a65·4	35·2	53·5	0·08	a70·2	46·1	59·3	0·54
City	293,394	37·8	31·1	25·4	4·4	175	143	28	22	.	9	2	.	.	2	.	3	9	22	19	3	10	59	a68·0	49·2	58·7	2·34	a66·9	44·9	56·9	0·42	a71·2	50·5	60·7	0·49
																								b69·3	44·0	58·0	2·19	b68·7	38·2	54·8	0·55	b72·3	46·0	59·6	0·61
Registrars' Districts. Rathmines,‖	33,203	19·4	14·1	15·7	3·1	9	10	2	2	.	1	1	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	30·1	14·0	2·0	15	7	4	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	11·9	6·0	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	12·0	12·0	.	4	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	47	59·3	3·27	69	46	58·6	0·24	72	49	61·8	0·39
Urban Districts.																																			
Belfast,	358,693	21·8	30·4	17·9	3·3	209	123	28	25	.	6	.	1	6	1	1	4	4	18	27	1	6	37	66·6	40·6	56·1	2·91	69·6	44·6	57·8	0·26	66·6	40·1	56·9	1·40
Cork,	76,122	33·6	15·8	9·6	.	28	14	3	2	.	.	.	.	.	.	.	.	.	1	1	1	1	6	67	51	58·4	1·24	65	47	56·5	0·57	67	50	59·8	0·96
Londonderry,	40,729	18·8	28·2	21·8	2·6	22	17	3	4	.	1	.	.	.	.	.	.	1	2	1	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	20·5	16·4	.	15	12	2	4	.	.	.	.	.	.	.	.	.	3	1	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	15·6	31·2	5·8	8	16	3	6	.	.	.	.	1	.	.	.	2	2	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	11·7	23·3	.	3	6	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	70	48	59	1·17	69	42	57	0·05	70	51	60	0·86
Dundalk	13,076	9·4	39·9	16·0	.	10	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	8·2	28·6	.	2	7	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	25·2	25·2	.	6	6	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	69·0	39·0	57·2	1·68	68·7	39·1	56·5	0·85	69·2	43·2	58·3	1·15
Lurgan,	11,782	18·8	18·3	18·3	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	69·0	39·0	57·2	1·68	68·7	39·1	56·5	0·85	69·2	43·2	58·3	1·15
Lisburn,	11,461	10·1	18·2	31·8	4·5	4	7	2	2	.	.	.	.	.	.	.	1	.	1	2	.	1	1	69·0	39·0	57·2	1·68	68·7	39·1	56·5	0·85	69·2	43·2	58·3	1·15
Wexford,	11,168	28·2	23·3	4·7	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	62·3	28·9	4·8	13	5	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	14·4	9·6	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	67·5	35·3	56·3	1·22	68·4	35·3	54·9	0·43	69·7	40·2	56·6	1·00
Kilkenny	10,609	11·5	.	14·7	9·8	.	3	.	3	.	.	.	.	.	.	1	.	1	.	.	.	.	2	68	46	59·3	2·27	67	41	55·5	0·12	70	45	58·2	1·16
Clonmel,	10,167	7·8	20·5	41·0	5·1	4	8	2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	25·8	15·5	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·0	39·0	57·2	1·68	68·7	39·1	56·5	0·85	69·2	43·2	58·3	1·15
Tralee,	9,867	16·6	31·7	10·6	.	6	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	22·9	11·4	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	65	45	56·6	1·90	67	45	55·3	0·18	69	49	56·1	1·22
Queenstown,	7,909	14·4	13·2	19·8	6·6	2	3	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	67	51	58·4	1·24	65	47	56·5	0·57	67	50	59·8	0·96
Armagh,	7,588	22·2	13·7	13·7	.	2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	69·0	39·0	57·2	1·68	68·7	39·1	56·5	0·85	69·2	43·2	58·3	1·15

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of Deaths of Persons [illegible] by Mr. F. W. Moore taken at Fitzwilliam Square.

‖ Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 6th of September, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	1	5	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	10	1
Scarlet Fever (Scarlatina),	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	3	.
Diarrhœa, Dysentery,	1	1	.	.	.	.	.	.	2	1	3	.	.	1	.	.	1	.	.	.	10	.
Phthisis,	4	1	2	5	.	.	.	.	4	2	1	2	.	1	.	1	1	.	.	.	24	.
Other General Diseases,	1	1	3	3	1	2	1	.	2	2	1	1	.	.	.	4	3	.	.	.	25	1
Total,	7	5	6	15	1	2	1	.	11	5	5	5	.	2	.	7	5	.	.	.	77	2
B. LOCAL DISEASES:																						
Diseases of: Nervous System,	.	2	2	2	.	.	.	.	1	1	2	2	.	.	.	.	1	.	.	.	13	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	2	3	3	.	.	.	.	2	1	5	.	.	.	.	1	1	.	3	.	22	2
Respiratory System,	1	4	3	2	.	.	1	.	2	.	1	4	.	1	.	1	.	.	.	.	20	.
Digestive System,	2	3	1	1	.	1	.	.	1	.	1	4	.	.	.	1	.	.	.	.	15	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	3	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	11	9	8	.	1	2	.	8	2	9	11	.	1	.	3	2	.	3	.	74	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	2	2	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	10	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	4	.
Deaths from all Causes,	12	18	17	25	1	3	3	.	21	8	14	17	.	4	.	10	7	1	4	.	165	5
Annual Rate of Mortality in every 1,000 of the population.	1	24·0	29·4	41·2	10·8	15·6	23·4	—	28·6	24·4	17·1	25·4	.	28·6	—	15·7	14·0	6·0	12·0		22·7	
	27·1								23·6							13·4						
	25·4																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	2	2	7	.	1	.	.	8	.	3	5	.	1	.	2	.	.	.		35	5
Workhouse Hospitals,	3	8	.	9	.	.	1	.	4	.	.	1	.	.	.	.	.	.	.		26	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1892-1901	In the Week ending Satu 6th September, 1902. Deaths of Persons of the A					
	Sept. 10, 1892.	Sept. 9, 1893.	Sept. 8, 1894	Sept. 7, 1895.	Sept. 5, 1896.	Sept. 11, 1897.	Sept. 10, 1898.	Sept. 9, 1899.	Sept. 8, 1900.	Sept. 7, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 54·0	° 56·7	° 50·5	° 57·1	° 56·0	° 51·8	° 63·0	° 59·1	° 53·4	° 53·8	° 55·5	Mean Temp. ° 57·2					
ALL CAUSES.	190	147	175	149	156	150	206	251	154	154	173·2	170	8	25	24	16	25
Small Pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	2	.	.	.	.	1	17	.	.	2·3	11	.	3	6	.	1
Scarlet Fever ...	.	.	1	1	5	2	2	2	.	2	1·5	3	.	.	3	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	1	.	.	1	2	.	1	·6	.	.	.	.	.	.
Whooping Cough, ...	1	4	4	2	3	3	6	2	5	2	3·2	.	.	.	.	.	.
Diphtheria, ...	.	1	.	1	1	3	2	1	.	1	1·0	2	.	.	1	1	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	1	.	1	.	.	1	.	.	·3	.	.	.	.	.	.
Enteric Fever, ...	4	8	3	1	1	4	5	7	1	.	3·4	3	.	.	.	1	2
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	36	21	8	8	11	17	39	47	21	30	23·8	1	.	1	.	.	.
Diarrhœa, Dysentery, ...												9	1	4	3	1	.
Hydrophobia, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	.	.	.	1	1	2	.	1	·6	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	1	1	1	.	1	.	.	·5	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	1	.	2	.	.	.	.	.	·3	.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	23	18	29	27	25	24	16	31	22	25	24·0	24	.	.	1	3	8
Tuberculous Meningitis, (Acute Hydrocephalus).	2	5	1	3	2	1	4	6	1	3	2·8	3	1	.	.	2	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	7	1	4	3	4	4	8	7	7	4	4·9	2	.	1	.	1	.
Tuberculous Dis. (other), Scrofula, ...	.	3	.	6	6	3	4	5	8	2	3·7	1	.	.	1	.	.
Alcoholism ...	.	1	2	.	1	.	.	.	1	.	·5	1	.	.	.	.	.
Rheumatic Fever, ...	.	.	2	.	.	.	1	.	.	1	·4	.	.	.	.	.	.
Gout ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.

* The figures for the years 1892-1900 are

-SIXTH WEEK ending Saturday, 6th September, 1902, with the deaths from each cause in the corresponding erage for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Sept. 10, 1892.	Sept. 9, 1893.	Sept. 8, 1894.	Sept. 7, 1895.	Sept. 5, 1896.	Sept. 11, 1897.	Sept. 10, 1898.	Sept. 9, 1899.	Sept. 8, 1900.	Sept. 7, 1901.	Averages in 36th Week of the 10 years 1892-1901.	In the Week ending Saturday, 6th September, 1902. Deaths of Persons of the Ages of: All Ages.	Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
ean Temperature.	° 54·0	° 56·7	° 50·5	° 57·1	° 56·0	° 51·8	° 63·0	° 59·1	° 53·4	° 53·8	° 55·5		° 57·2								
a	7	2	5	9	6	10	6	12	1	6	6·4		3	.	.	.	.	.	2	.	1
... ...													.	.	.	.	.	.	.	.	.
t Dis. "Cancer,"													6	.	.	.	.	1	2	3	.
Mellitus	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
re Birth	4	1	.	3	4	4	6	4	2	1	2·9		2	2	.	.	.	.	.	.	.
is (not tuberc.)													4	.	.	.	2	.	2	.	.
G. P. of Insane													.	.	.	.	.	.	.	.	.
.. ..													2	.	.	.	1	.	1	.	.
ns													7	.	6	1	.	.	.	.	.
or Ataxy													.	.	.	.	.	.	.	.	.
ia Dis. of Cord													.	.	.	.	.	.	.	.	.
System (other Dis.) ...	41	26	38	35	35	24	35	22	29	29	31·4		.	.	.	.	.	.	.	.	.
., Endocarditis													4	.	.	.	1	.	3	.	.
Æm. Thromb.													2	.	.	.	.	1	.	1	.
Hemiplegia													4	.	.	.	.	1	1	1	1
n													.	.	.	.	.	.	.	.	.
a, Thromb. (not cerebral)													.	.	.	.	.	.	.	.	.
d Blood Vessel Dis.													14	.	.	.	.	2	5	6	1
ot Spasm. or Memb.) ...	1	.	2	.	1	1	1	.	1	.	·7		.	.	.	.	.	.	.	.	.
is	8	9	10	6	4	9	15	18	13	6	9·8		13	.	2	4	1	.	3	3	.
s Pneumonia													.	.	.	.	.	.	.	.	.
Pneumonia	8	4	12	3	1	8	9	13	4	5	6·7		3	.	1	1	.	.	.	1	.
nia"													4	.	.	1	.	2	1	.	.
Emphysema													.	.	.	.	.	.	.	.	.
... ...	.	.	2	1	3	2	2	.	1	1	1·2		.	.	.	.	.	.	.	.	.
ory Dis. (other)													.	.	.	.	.	.	.	.	.
s, Quinsy	.	.	.	.	.	1	.	.	.	1	·2		.	.	.	.	.	.	.	.	.
(not Epid.)	1	2	.	.	3	2	4	3	.	2	1·7		4	.	3	.	.	1	.	.	.
nteritis													.	.	.	.	.	.	.	.	.
is (not Puerp.)	.	1	.	1	1	.	.	.	.	1	·4		2	.	.	.	.	1	1	.	.
of Liver	3	4	.	.	2	5	1	4	2	1	2·2		1	.	.	.	.	1	.	.	.
s. (other)													1	.	.	.	.	.	1	.	.
Dis. (other)	6	4	4	5	2	5	5	8	9	2	5·0		7	1	2	.	1	.	2	1	.
s, Acute													.	.	.	.	.	.	.	.	.
Dis., Albuminuria ...	5	3	6	2	3	.	1	3	5	4	3·2		3	.	.	.	.	1	1	1	.
Sys. (Other Dis.) ...													1	.	.	.	.	.	1	.	.
ve Organs Dis.	.	.	.	1	.	.	.	.	.	1	·2		.	.	.	.	.	.	.	.	.
th (Accid. of)	.	.	.	2	.	.	1	.	1	.	·4		1	.	.	.	.	.	1	.	.
A	8	7	9	5	10	5	8	13	9	7	8·1		6	.	.	.	.	.	.	3	3
iseases	17	16	21	16	14	8	15	14	6	13	14·0		11	2	2	2	.	1	2	2	.
ACCIDENT.																					
ways	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
les and Horses	.	.	.	1	.	.	1	.	2	1	·5		.	.	.	.	.	.	.	.	.
Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
wning)																					
ing Operations	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
grations	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
s, Scalds, Explosions ...	.	1	2	.	.	.	.	.	.	.	·3		.	.	.	.	.	.	.	.	.
rning	1	.	2	1	.	.	1	2	.	.	·7		2	.	.	.	.	2	.	.	.
cation in Bed	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	.	.	.	1	2	1	.	·4		.	.	.	.	.	.	.	.	.
eaths by Accidents ...	2	.	1	4	2	2	2	2	2	.	1·7		1	1	.	.	.	.	.	.	.
LENCE OTHER THAN ACCIDENTAL.																					
e	.	.	.	.	1	.	2	.	.	.	·3		.	.	.	.	.	.	.	.	.
... ...	1	.	1	.	1	.	.	.	.	.	·3		1	.	.	.	.	.	1	.	.
on	.	1	.	.	.	.	.	.	.	.	·1		.	.	.	.	.	.	.	.	.

gistration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	Mar. 15.	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered,	239	198	229	199	237	226	195	255	232	202	209	234	249	192	242	213	204	187	196	203	186	244	192	185	209	205
*Average Births in corresponding week of previous 10 years,**	207	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198
DEATHS registered,	154	167	211	203	206	174	199	191	178	186	149	165	156	155	139	149	149	129	155	150	165	154	145	146	156	170
Annual Death-rate per 1,000,	21·2	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4
*Average Deaths in corresponding week of previous 10 years,**	224	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173
AGES, Under 5 years,	37	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52	53	57
5—20 „	22	17	20	17	16	12	19	20	13	20	16	24	14	19	15	11	14	10	18	8	14	14	7	15	12	16
20—40 „	28	32	39	33	42	28	20	31	33	39	34	23	32	29	23	23	30	24	36	25	31	22	17	27	31	25
40—60 „	35	40	52	51	41	37	50	39	33	37	21	35	38	24	26	27	27	29	30	29	24	20	36	22	31	43
60—80 „	28	26	43	45	40	33	44	42	35	32	36	27	17	27	32	26	30	25	27	29	30	29	28	15	26	23
80 years and upwards,	9	7	8	8	11	7	6	13	7	9	3	8	7	6	5	5	7	3	5	13	7	4	2	5	3	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	4	1	1	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11
„ Scarlet Fever,	3	1	2		.	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.	2	3
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	1	.	.
„ Whooping-cough,	.	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.
„ Diphtheria,	.	1	.	2	1	1	.	2	2	3	.		1	1	1	.	.	1	1	1	2	2	.	.	2	2
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
„ Enteric Fever,	1	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3
„ Diarrhœa, Dysentery,	1	1	.	1	4	4	1	1	2	1	2	1	1	1		.	2	4	1	3	5	3	1	3	7	10
„ Phthisis,	17	36	37	27	27	25	20	25	23	30	25	27	40	26	26	15	18	14	25	18	19	15	18	21	19	24
„ Heart Diseases,	17	13	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18	9	18	21	17	18	24
„ Diseases of Respiratory System,	41	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30	24	23	17	30	28	19	18	16	20
Violent Deaths,	2	8	1	4	8	1	4	6	4	3	4	4	6	10	.	4	7		3	2	7	2	3	5	4	4
Mean Temperature of the Air (Phœnix Park),	44·9	44·4	48·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	58·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2
Average Mean Temperature in corresponding week of previous 10 years,	43·3	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5
Rainfall in inches,	·145	·560	·785	·760	·050	·220	·240	·880	·090	·845	·195	·153	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·588	·083	1·725
Mean Humidity of the Air, complete Saturation 1·0,	·86	·84	·84	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th September, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 6th September, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols. 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	25·6	170	57	16	25	43	23	6	.	11	3	.	.	2	.	3	10	29	24	7	20	4	86
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	30·4	9	1	.	2	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
II.	MIDDLE CLASS,	80,653	15·5	24	5	4	1	9	4	1	.	1	.	.	.	1	.	.	1	3	1	2	3	.	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	18·0	34	10	4	7	8	3	2	.	.	2	.	.	.	.	1	3	6	3	2	3	1	19
IV.	GENERAL SERVICE CLASS,	146,486	35·4	77	38	6	8	16	8	1	.	10	1	.	.	1	.	2	6	20	11	2	9	3	32
V.	INMATES OF WORKHOUSES,	5,191		26	3	2	7	7	6	1	.	.	.	.	.	.	.	.	.	.	9	1	5	.	11
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	52·7	8	1	.	2	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	9·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	3
	6. Clerks and Commercial Assistants,	24,750	19·0	9	4	1	1	2	1	.	.	.	.	.	.	1	.	.	.	1	1	1	1	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,810	19·3	9	.	.	.	6	3	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	14·2	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	9. Building and Furnishing Trades,	26,030	20·0	10	2	1	2	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	8
	10. Clothing Trades,	23,686	6·6	3	2	.	.	.	1	.	.	.	2	.	.	.	.	.	.	2	.	.	.	.	1
	11. Food Supply Trades,	7,869	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	31·3	16	6	3	3	3	.	1	.	.	.	.	.	.	.	.	3	3	2	2	1	.	8
	13. Petty Shopkeepers,	6,771	15·4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	4	.	1	1	2	.	.	1	.	.	.	.	.	1	.	2	.	1	.	.	5
	15. Domestic Servants,	39,563	7·9	6	4	.	2	.	.	.	.	2	.	.	.	.	.	.	.	2	1	.	1	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	14·6	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	37·9	60	28	6	5	14	6	1	.	7	1	.	.	1	.	1	6	16	10	1	7	1	25
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	26	3	2	7	7	6	1	.	.	.	.	.	.	.	.	.	.	9	1	5	.	11

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Dtiseases; whi the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1902 (Est.) 28,383.	July 19,	14·7	8·7	8	.	2	.	.	.	.	.	.	.	1	3	.
		„ 26,	27·6	8·7	15	.	.		.	1	.	.	.	1	2	2	.
		Aug. 2,	29·4	5·5	16	.	3	.	.	.	.	.	.	.	1	4	.
		„ 9,	28·9	7·4	13	.	3	.	.	1	.	.	.	.	.	.	.
		„ 16,	23·9	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 23,	29·4	9·2	16	.	4	.	.	.	.	.	.	1	2	.	1
		„ 30,	23·9	1·8	13	.	1	.	.	.	.	.	.	.	2	1	1
		Sept. 6,	22·1	8·7	12	.	1	.	.	.	.	.	.	1	4	1	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 89,146.	July 19,	26·6	5·3	20	.	2	.	1	.	.	.	1	.	2	4	.
		„ 26,	25·3	4·0	19	.	2	.	.	.	.	.	.	1	2	1	.
		Aug. 2,	21·3	2·7	16	.	2	.	.	.	.	.	.	.	1	2	2
		„ 9,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	2	6	.
		„ 16,	21·3	4·0	16	.	3	.	.	.	.	.	.	.	1	1	1
		„ 23,	17·3	2·7	13	.	1	.	.	.	.	.	1	.	1	4	.
		„ 30,	21·3	4·0	16	.	1	1	.	.	.	.	.	1	.	1	1
		Sept. 6,	24·0	4·0	18	.	.	1	.	.	.	.	1	1	1	4	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 80,107.	July 19,	38·1	1·7	22	.	1	.	.	.	.	.	.	.	8	1	1
		„ 26,	22·5	1·7	13	.	1	.	.	.	.	.	.	.	3	.	.
		Aug. 2,	24·3	5·2	14	.	2	1	.	.	.	.	.	.	3	2	1
		„ 9,	18·9	1·7	8	.	1	.	.	.	.	.	.	.	1	3	1
		„ 16,	19·1	1·7	11	.	.	.	1	.	.	.	.	.	2	2	.
		„ 23,	17·3	1·7	10	.	.	.	1	.	.	.	.	.	1	1	.
		„ 30,	22·5	5·2	13	.	2	.	.	.	1	.	.	.	.	1	.
		Sept. 6,	29·4	1·7	17	.	1	.	.	.	.	.	.	.	2	3	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	July 19,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.
		„ 26,	26·3	.	16	.	.	.	.	.	.	.	.	.	6	2	.
		Aug. 2,	24·7	13·2	15	.	7	.	.	.	.	.	.	1	1	2	.
		„ 9,	32·9	6·6	20	.	3	.	.	.	.	.	.	1	1	3	.
		„ 16,	37·9	14·8	23	.	9	.	.	.	.	.	.	.	3	3	.
		„ 23,	28·6	9·9	17	.	6	.	.	.	.	.	.	.	2	1	.
		„ 30,	26·3	6·6	16	.	4	.	.	.	.	.	.	.	1	3	.
		Sept. 6,	41·2	11·5	25	.	5	1	.	.	.	.	.	1	.	5	2	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 38,313.	July 19,	21·3	1·3	16	.	.	.	.	.	1	.	.	.	6	2	.
		„ 26,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	1	2	.
		Aug. 2,	25·3	1·3	19	.	.	.	.	.	.	.	.	1	1	5	.
		„ 9,	27·2	6·6	20	.	3	.	.	.	1	.	.	1	1	3	.
		„ 16,	19·1	5·4	14	.	3	.	.	.	.	.	.	1	.	1	.
		„ 23,	23·1	1·4	17	.	1	.	.	.	.	.	.	.	4	2	.
		„ 30,	19·1	6·8	14	.	.	.	.	.	1	.	.	4	.	.	.
		Sept. 6,	28·6	6·8	21	.	1	.	.	.	1	.	1	2	4	2	1
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,118.	July 19,	15·2	3·0	5	.	1	.	.	.	.	.	.	.	1	.	.
		„ 26,	27·4	.	9	.	.		.	.	.	.	.	.	1	1	.
		Aug. 2,	33·5	3·0	11	.	.	.	.	.	.	.	1	.	2	2	2
		„ 9,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	3	2	.
		„ 16,	45·7	12·2	15	.	3	1	.	.	.	.	.	.	3	1	2
		„ 23,	27·4	3·0	9	.	.	.	.	.	.	.	.	1	.	3	.
		„ 30,	30·5	3·0	10	.	.	.	.	.	.	.	.	1	5	2	.
		Sept. 6,	24·4	3·0	8	.	.	.	.	.	.	.	.	1	2	.	1
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 42,575.	July 19,	22·5	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		„ 26,	13·7	1·2	11	.	1	.	.	.	.	.	.	.	.	2	.
		Aug. 2,	18·7	1·2	15	.	.	.	.	.	.	.	.	1	1	6	.
		„ 9,	24·5	8·5	20	.	3	.	.	.	.	.	4	.	2	6	.
		„ 16,	20·8	2·5	17	.	1	.	.	.	.	.	1	.	4	2	.
		„ 23,	25·7	4·9	21	.	2	.	.	1	.	.	.	1	3	4	1
		„ 30,	25·7	1·2	21	.	1	.	.	.	.	.	.	.	4	4	.
		Sept. 6,	17·1	3·7	14	.	.	.	.	.	.	.	.	3	1	1	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	July 19,	22·4	1·5	15	.	1	.	.	.	.	.	.	.	1	3	1
		„ 26,	22·9	4·5	16	.	2	.	.	.	1	.	.	.	1	2	.
		„ 23,	26·9	6·0	18	.	3	.	.	1	.	.	.	.	4	3	1
		Aug. 2,	26·9	6·0	18	.	3	.	.	.	.	.	.	1	.	1	1
		„ 9,	14·9	.	10	.	.	.	.	.	.	.	.	.	1	4	.
		„ 16,	20·9	3·0	14	.	1	.	.	1	.	.	.	.	4	1	.
		„ 30,	20·9	3·0	14	.	2	.	.	.	.	.	.	.	1	3	1
		Sept. 6,	25·4	3·0	17	.	1	.	.	.	1	.	.	.	2	4	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	July 19,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	2	.
	„ 26,	25·1	3·1	16	.	.	1	.	.	.	.	1	.	1	2	1
	Aug. 2,	7·9	1·6	5	.	.	.	.	.	1	.	.	.	.	.	.
	„ 9,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	„ 16	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	Sept. 6,	15·7	3·1	10	.	1	1	.	.	.	.	.	.	1	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	July 19,	18·0	6·0	9	.	1	.	.	.	.	.	1	1	.	.	.
	„ 26,	16·0	4·0	8	.	1	.	.	.	.	.	.	1	.	1	1
	Aug. 2,	28·0	6·0	14	.	1	.	1	.	.	.	.	1	3	2	.
	„ 9,	4·0	.	2	.	.	.	.	.	.	.	.	.	1	.	.
	„ 16,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 23,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	2	.	1
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 6,	14·0	2·0	7	.	.	.	.	.	.	.	.	1	1	.	.
Kingstown. Pop. in 1902 (Est.) 17,380.	July 19,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 26,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	Aug. 2,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 9,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	.	.
	„ 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	18·0	3·0	6	.	.	.	.	.	.	.	1	.	1	1	.
	Sept. 6,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	July 19,	16·9	2·3	116	.	7	.	.	.	.	.	3	6	23	18	1
	„ 26,	15·6	3·3	107	.	8	.	.	2	.	.	7	6	17	16	6
	Aug. 2,	18·6	2·6	128	.	5	.	.	8	.	.	3	2	16	29	4
	„ 9,	17·6	2·0	121	.	3	.	.	6	.	.	4	1	30	15	.
	„ 16,	15·7	2·6	108	.	3	.	.	2	2	2	4	5	14	19	1
	„ 23,	16·3	3·1	112	.	2	.	.	6	1	.	7	5	13	19	1
	„ 30,	16·3	2·6	112	.	5	.	.	5	.	.	4	4	13	26	1
	Sept. 6,	17·9	3·3	123	.	6	.	1	6	1	1	4	4	18	27	1
Cork. Pop (in 1901) 76,122.	July 19,	17·2	0·7	25	.	.	.	.	.	.	.	1	.	4	3	1
	„ 26,	15·1	2·1	22	.	3	.	.	.	.	.	.	.	4	2	1
	Aug. 2,	30·8	2·1	27	.	2	.	.	.	.	.	.	1	5	3	.
	„ 9,	17·8	2·1	26	.	1	.	.	.	1	.	.	1	5	2	.
	„ 16,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	2	5	.
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	6	4	.
	„ 30,	22·6	3·4	33	.	2	.	.	2	.	.	.	1	5	3	1
	Sept. 6,	9·6	.	14	.	.	.	.	.	.	.	.	.	1	1	1
Londonderry. Pop. in 1902 (Est.) 40,729.	July 19,	21·8	1·3	17	.	.	.	.	.	.	.	.	1	2	2	.
	„ 26,	12·8	3·8	10	.	3	.	.	.	.	.	.	.	1	1	1
	ug. 2,	20·5	5·1	16	.	3	.	.	.	.	.	.	1	4	2	.
	„ 9,	6·4	2·6	5	.	2	.	.	.	.	.	.	.	1	.	.
	„ 16,	15·4	1·3	12	.	1	.	.	.	.	.	.	.	1	2	.
	„ 23,	9·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 30,	17·9	2·6	14	.	.	.	.	.	.	.	.	2	1	2	.
	ept. 6,	1·8	2·6	17	.	1	.	.	.	.	.	.	1	2	1	1
Limerick. Pop. in 1901) 38,151.	July 19,	20·5	.	15	.	.	.	.	.	.	.	.	.	7	1	.
	„ 26,	17·8	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	Aug. 2,	20·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	„ 9,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	.	.
	„ 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	1	1
	„ 30,	15·0	1·4	11	.	.	.	.	.	.	.	1	.	3	2	.
	Sept. 6,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	1	.
Waterford. Pop. (in 1901) 26,769.	July 19,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 26,	17·5	3·9	9	.	.	.	.	.	.	1	.	1	1	.	.
	Aug. 2,	35·1	.	6	.	.	.	.	.	.	.	.	.	.	.	2
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 16,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	„ 23,	11·7	3·9	6	.	.	.	.	.	.	.	.	2	.	.	.
	„ 30,	7·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 6,	31·2	5·8	16	.	.	.	.	1	.	.	.	2	2	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 6th September, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	11	31·9	7·1	9	2	3	2	2	.	1	.	.	.	.	1	.	.	1	3	.	.	4
" 2 "	47,959	35	27·2	5·4	25	8	4	10	3	.	1	.	1	2	.	.	.	1	4	5	.	1	7
" 3 "	47,214	34	18·8	6·6	17	3	2	9	3	.	2	.	.	1	.	.	2	1	4	2	.	1	4
" 4 "	40,911	24	21·7	2·5	17	4	2	7	4	.	1	.	.	.	.	.	1	.	1	3	.	.	10
" 5 "	17,387	14	33·0	3·0	11	1	1	5	4	.	.	.	.	.	.	.	1	.	2	4	1	2	4
" 6 "	48,122	14	14·1	2·2	13	2	1	6	4	.	1	.	.	.	.	.	.	1	3	3	.	1	3
" 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	2	10·2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	19,569	10	19·4	.	9	1	2	4	2	.	.	.	.	.	.	.	.	.	.	3	.	.	3
" 10 "	23,064	16	18·1	4·5	8	3	.	5	.	.	.	.	.	1	.	.	.	1	2	.	.	1	.
" 11 "	34,802	19	10·5	1·5	7	3	1	1	2	.	.	.	.	.	1	.	.	.	.	2	.	.	2
" 12 "	33,588	20	7·8	3·1	5	1	.	3	1	.	.	.	.	2	.	.	.	.	1	1	.	.	.
" 13 "	15,006	9	3·5	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	209	18·4	3·4	123	28	16	54	25	.	6	.	1	6	1	1	4	4	18	27	1	6	37
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	3	8·1	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 2 "	10,701	3	4·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 3 "	9,978	1	15·7	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 4 "	8,666	2	12·0	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 5 "	6,592	3	15·8	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 6 "	10,702	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	16,616	6	12·6	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Total,	76,122	23	9·6	.	14	3	.	9	2	.	.	.	.	.	.	.	.	.	1	1	1	1	6

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Mar. 15.	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered,	226	239	175	265	216	215	245	192	229	231	201	244	217	211	209	175	237	208	214	224	200	215	194	200	176	209
DEATHS registered.	161	154	151	158	168	149	153	119	149	142	152	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123
Annual Death-rate per 1,000 of estimated Population,	23·4	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9
AGES, Under 1 year,	33	30	27	25	25	23	32	20	27	29	26	31	16	20	6	22	26	24	29	23	24	25	20	36	22	28
AGES, 1–5 years,	13	22	21	22	21	22	23	12	24	16	25	24	20	14	22	20	27	23	19	19	22	13	21	17	19	16
AGES, 5–60 years,	74	68	74	75	80	67	76	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62	44	43	51	54
AGES, 60 years and upwards,	41	34	29	36	42	37	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21	23	16	20	25
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	2	1	2	4	2	3	4	3	4	3	4	3	2	7	6	6	7	7	8	5	3	3	2	5	6
,, Scarlet Fever,	.	.		.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, Whooping-cough,	3	5	6	5	6	4	2	2	4	3	4	2	6		4	3	7	4	.	2	8	6	2	6	5	6
,, Diphtheria,	.	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1
,, Enteric Fever,	2	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4
,, Diarrhœa, Dysentery,	3	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1	5	5	4	4
,, Phthisis	18	19	30	30	26	31	25	29	32	29	26	26	26	21	30	22	18	19	23	17	16	30	14	13	13	18
,, Diseases of Respiratory System,	53	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18	16	29	15	19	19	26	27
Violent Deaths,	8	4	2	.	3	4	.	.	4	5	1	3	3	2	2	1	7	4	1	6	4	.	1	1	1	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th September, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Fever.	Total.
North City No. 1, East,	.	9	.	.	.	.	.	.	1	3	.	.	.	.	13
" " 1, West,	.	29	.	2	.	.	.	.	2	4	2	.	1	.	40
" " 2,	.	1	.	.	.	.	.	.	.	2	.	.	.	.	3
" " 3,	.	6	.	.	.	.	.	.	1	2	4	.	1	1	15
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2
Coolock and Drumcondra No. 1 (part of),	.	3	.	.	.	.	.	.	1	.	.	.	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	25	.	5	1	.	1	.	1	6	13	1	1	.	54
" " 2,	.	7	.	.	.	.	.	.	.	1	3	.	.	.	11
" " 3,	.	10	.	1	.	.	1	.	2	2	2	.	.	.	18
" " 4,	.	2	.	4	.	.	1	.	.	.	.	.	.	.	7
Palmerston (part of),	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	92	.	14	1	.	3	.	8	22	24	1	3	1	169
Total for week ended Aug. 30th, 1902,	.	102	.	11	.	.	8	.	12	36	21	.	1	.	191
Total for week ended Aug. 23rd, 1902,	.	124	1	10	1	.	11	.	11	26	16	.	4	.	204
Total for week ended Aug. 16th, 1902,	.	132	.	11	.	.	6	.	10	30	14	.	1	.	201

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th September, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th September.			
	August 16.	August 23.	August 30.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	1	2	2	.	.	.	2
Measles,	115	93	80	29	29	7	73
Scarlet Fever,	67	74	68	18	15	3	68*
Typhus "	3	2	1	2	1	.	2
Diphtheria,	25	33	33	5	16	1	21
Enteric Fever,	59	62	53	24	12	.	65
Pneumonia,	11	12	12	5	7	.	10

* Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Sept. 6,	2,515	1,477	16·8	2	22	9	14	35	11	244
EDINBURGH,	317,885	„ 6,	136	77	12·4	.	2	.	1	.	2	4
GLASGOW,	764,423	„ 6,	478	246	16·5	.	2	1	.	4	4	20
CALCUTTA,	847,793	July 12,	.	416	25·5	1	.	.	1	.	94§	73*
BOMBAY,	776,006	Aug. 5.	321	650	43·6	5	12	?	?	1	87§	91*
MADRAS,	509,346	July 11,	294	324	33·0	1	2	?	?	?	105	44
PARIS,	2,660,559	Aug. 16,	996	883	17·2	1	8	1	5†	9	5	74
BRUSSELS (with 8 Faubourgs).	562,893	„ 16,	216	148	13·7	.	3	1	1†	3	4	19
AMSTERDAM,	535,260	„ 23,	312	143	13·9	.	7	.	1	5	.	11
ROTTERDAM	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	Aug. 16,	172	89	11·6	.	2	.	.	1	.	7
CHRISTIANIA,	224,909	„ 16,	150	58	13·4	.	.	.	1	5	.	3
ST. PETERSBURG,	1,248,643	„ 16,	542	503	20·9	.	21	10	9	3	15	94
BERLIN,	1,902,504	July 19,	943	498	13·6	.	12	4	2	8	4	53
HAMBURG,	724,835	Aug. 16,	.	194	13·9	.	.	9	2†	7	.	20
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH,	506,000	Aug. 16,	.	183	18·8	.	1	.	.	4	.	46
VIENNA (with suburbs).	1,726,604	„ 16,	992	553	16·7	.	4	6	4†	7	.	85
BUDA-PESTH	767,661	„ 16,	466	271	18·3	.	2	2	2	2	.	68
PRAGUE and Faubourgs	416,817	„ 16,	227	171	21·3	.	.	6	3†	1	1	17
ROME,	480,361	June 21,	201	193	20·9	.	14	.	1	1	1	30
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Aug. 2,	84	71	22·3	.	1	.	.	.	2	19
		„ 9,	92	81	25·5	.	1	.	.	.	4	13
NEW YORK,	3,632,501	„ 16,	1,635	1,298	18·6	1	4	6	20†	10	16	316
PHILADELPHIA,	1,293,697	„ 9,	.	413	16·6	1	1	2	3	6	7	43

* Including 31 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
§ Exclusive of 20 deaths from bubonic fever in Calcutta and 32 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 6th September, 1902:—

"The noteworthy feature in this week's weather was the violent rainstorm of Tuesday night and Wednesday morning, which yielded between 2 and 3 inches of rain in the gauges near the East Coast of Ireland. On Sunday morning a small atmospheric depression lay over St. George's Channel. Owing to a consequent equalisation of pressure over Ireland the weather in this country, though hazy and dull, was fine. On Monday and Tuesday a progressive fall of the barometer in the North-West brought S.W. winds, warmth, and showers. About midday of Tuesday drenching showers passed over Dublin and its suburbs from S. In the evening the barometer began to fall fast as a new depression, hourly gaining energy, approached St. George's Channel from S.S.W. The centre of this cyclone (for such it proved to be) skirted the entire East Coast of Ireland during Tuesday night and Wednesday morning. It reached the North Channel by 8 a.m. of Wednesday and thence passed up the West Coast of Scotland to the Hebrides, where the barometer fell (at Stornoway) to 28·94 inches at 6 p.m. of Wednesday. Torrents of rain fell on the East Coast of Ireland—the measurements being: at Knockdolian, Greystones, 2·930 inches; Fassaroe, Bray, 2·640 inches; Kingstown, 2·830 inches; Leeson Park, Dublin, 2·100 inches; Fitzwilliam-square, Dublin, 2·075 inches; Lynton, Dundrum, Co. Dublin, 2·240 inches; Belfast, 2·750 inches. A fresh W. to N.W. gale blew for a few hours after the cyclonic centre had passed northwards. In Wales, the rainfall was only about ·800 inch at the coast stations. The weather remained showery to the end of the week. In Dublin the mean height of the barometer was 29·766 inches, presssure falling to 29·141 inches at 7.15 a.m. of Wednesday (wind, W.) and rising to 30·065 inches at 9 a.m. of Friday (wind, N.W.). The corrected mean temperature was 58·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·7°. The screened thermometers rose to 68·0° on Monday and fell to 49·2° on Friday. The rainfall was 2·337 inches on 6 days, 2·075 inches being measured on Tuesday. The duration of bright sunshine was estimated at 23 hours. N.W. and S. winds were the most prevalent."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·782 inches. The highest reading (30·081) was on Friday at 9 a.m., wind W., and Saturday at 9 p.m., air calm, and the lowest (29·301) on Wednesday at 9 a.m., wind W.S.W.

The mean temperature for the week was 57·2°, being 1·7° over the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Monday, when the thermometer registered 67·1°, and was lowest on Sunday, the mercury having fallen to 43·3 The mean of the Dry Bulb for the week was 57·2°, and of the Wet Bulb 55·2°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 22·6 hours. The rainfall measured during the week was 1·725 inch.

At Greenwich the mean temperature for the week was 60·8°, the maximum 73·0°, and the minimum 49·2°; at Glasgow the maximum was 70·2°, the minimum 37·2°, and the mean 57·4°; and at Edinburgh the maximum was 62·8°; the minimum 41·9°, and the mean 54·9°. The rainfall at Greenwich measured 0·68 inch; and at Glasgow 1·29 inches; and at Edinburgh 0·65 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)	9 A.M.	9 P.M.
Sunday, August 31,	29·800	64·3	43·3	53·8	56·8	55·9	·94	·0	2·2	—	E.	Calm.
Monday, Sept. 1,	29·711	67·1	47·8	57·5	59·7	56·6	·82	·9	1·4	·005	S.W.	S.
Tuesday, „ 2,	29·585	66·0	54·8	60·4	60·4	58·6	·90	·4	1·1	1·640	S.	Calm.
Wednesday, „ 3,	29·439	64·6	51·2	57·9	54·6	53·0	·90	1·0	4·3	·010	W.S.W.	S.S.W.
Thursday, „ 4,	29·861	65·2	48·7	57·0	54·4	52·6	·89	·6	6·2	—	W.	Calm.
Friday, „ 5,	30·041	64·9	44·0	54·5	56·6	54·4	·86	·5	5·7	·070	W.	Calm.
Saturday, „ 6,	30·040	65·7	52·4	59·1	57·6	55·6	·89	·2	1·7	—	S.W.	Calm.
Mean, . .	29·782	65·4	48·9	57·2	57·2	55·2	·89	·5	Total 22·6	1·725	—	

Sunday—A cloudy day; night cloudy. *Monday*—A cloudy day; light rain 6.0 p.m. to 6.45 p.m.; night cloudy. *Tuesday*—A cloudy day; light rain 11.30 a.m. to 1.30 p.m; night overcast; (heavy rain 7.30 to 9.0 a.m.). *Wednesday*—Dull a.m.; cloudy p.m.; light rain 9.0 a.m. to 9.30 a.m.; thunder and light rain 4.30 to 4.45 p.m.; night clear. *Thursday*—A fine but cloudy day; night clear. *Friday*—A fine but cloudy day; night overcast; showery 9.0 p.m. to 5.30 a.m. *Saturday*—A cloudy day; night clear 8.30 p.m. to 1.0 a.m., then cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

D 197—6 1902—360

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 13TH SEPTEMBER, 1902. [No. 37.

General Register Office, Charlemont House, Dublin, 15th September, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 23.	Week ending Aug. 30.	Week ending Sept. 6.	Week ending Sept. 13.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 23.	Week ending Aug. 30.	Week ending Sept. 6.	Week ending Sept. 13.	Average Rate for 4 weeks
22 Town Dists.	15·6	17·4	19·6	17·7	17·6	Lisburn, . .	9·1	13·2	31·8	4·5	15·9
Armagh, . .	6·9	0·0	13·7	6·9	6·9	Londonderry, .	9·0	17·9	21·8	16·6	16·3
Ballymena, .	14·4	14·4	23·9	38·3	22·7	Lurgan, . .	17·7	17·7	13·3	4·4	13·3
Belfast, . .	16·3	16·3	17·9	18·3	17·2	Newry, . .	0·0	16·8	25·2	0·0	10·5
Clonmel, . .	20·5	20·5	41·0	20·5	25·6	Newtownards, .	17·2	11·4	11·4	5·7	11·4
Cork, . . .	13·7	22·6	9·6	14·4	15·1	Portadown, .	5·2	0·0	15·5	5·2	6·5
Drogheda, . .	12·3	12·3	28·6	20·4	18·4	Queenstown, .	13·2	0·0	19·8	19·8	13·2
Dublin Reg. Area,	19·5	20·7	22·7	19·1	20·5	Sligo, . . .	4·8	4·8	9·6	24·0	10·8
Dundalk, . .	8·0	8·0	16·0	8·0	10·0	Tralee, . .	5·3	26·4	10·6	0·0	10·6
Galway, . .	7·8	3·9	23·3	15·5	12·6	Waterford, .	11·7	7·8	31·2	23·4	18·5
Kilkenny, . .	14·7	19·7	14·7	29·5	19·6	Wexford, . .	9·3	14·0	4·7	23·3	12·8
Limerick, . .	8·2	15·0	16·4	17·8	14·4						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·6 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·6 in Queenstown. The 126 deaths from all causes in Belfast include 4 from measles, 5 from whooping-cough, 3 from diphtheria, one from enteric fever, and 23 from diarrhœa. The 21 deaths from all causes in Cork include 2 from measles and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 219—120 boys and 99 girls; and the deaths to 142—68 males and 74 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 19·5 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 19·1 per 1,000. During the thirty-seven weeks ending with Saturday last the death-rate averaged 23·9, and was 3·1 under the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Deaths from measles, which numbered 20, 16, 11, and 11 respectively in the 4 weeks ended 6th instant, fell to 6 last week. There was one death from influenza, 2 from diphtheria, 3 from enteric fever, 5 from epidemic diarrhœa, and 14 from *diarrhœa*.

Of the 23 deaths from all forms of tuberculous disease, one death was from tuberculous phthisis, 13 deaths from *phthisis*, and 5 from "other tuberculous diseases."

Malignant disease, "cancer," caused 4 deaths.

Diseases of the nervous system caused 12 deaths, including 3 (children under one year old) from *convulsions*.

There were 17 deaths from diseases of the heart and blood-vessels, 4 of these having been caused by *apoplexy, hemiplegia*.

Deaths from diseases of the respiratory system numbered 14. Of these 7 were caused by bronchitis, one by croupous pneumonia, 3 by broncho-pneumonia, and 2 by *pneumonia*. The 14 deaths represent an annual rate of 1·9 per 1,000, the rate for the corresponding week of the preceding 10 years being 2·5.

There were 4 accidental deaths.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (48 being infants under one year, of whom 8 were under one month old), and 29 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 6 were octogenarians.

Forty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 19·1 per 1,000; the rate in the City was 21·0 (19·9 on the North side, and 22·1 on the South), and in the Urban Districts 12·8.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 4·1 per 1,000 inhabitants, the rate for the City being 4·8 (4·5 in the North City Districts, and 5·2 in the South) and for the Urban Districts 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·6 per 1,000. There was one death from epidemic diarrhœa and one from diarrhœa. *Phthisis*, tuberculous meningitis, and general tuberculosis each caused one death.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. One death from each of the following diseases was recorded, viz.:—measles, diphtheria, enteric fever, zymotic enteritis, and *diarrhœa*. Phthisis caused 2 deaths, and tuberculous meningitis, general tuberculosis, and broncho-pneumonia caused one death each.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·1 per 1,000. There was one death from *diarrhœa*, and one from *phthisis*, 2 each from general tuberculosis and diseases of the heart and blood-vessels, and one from broncho-pneumonia. Two deaths from violence (accidentally caused) were recorded.

No. 3 North City District (Blackhall-place).—The deaths (18) represent an annual rate of 29·6 per 1,000. Three of the deaths were due to measles, 1 to *diarrhœa*, and 3 to diseases of the respiratory system (including 1 from *pneumonia*).

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·4; and Finglas and Glasnevin, part of, 7·8.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 21·8 per 1,000. Measles and *diarrhœa* caused 2 deaths each, and diphtheria one. There were 2 deaths attributed to *phthisis*, 2 to diseases of the nervous system, and 3 to diseases of the heart and blood-vessels.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 30·5 per 1,000. There was one death each from enteric fever and *diarrhœa*, 2 deaths from *phthisis*, and 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·6 per 1,000. Epidemic enteritis, *diarrhœa*, and *malignant disease, "cancer,"* each caused 2 deaths.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·9 per 1,000. There were 2 deaths from *diarrhœa* and 1 from influenza. One of the deaths was from *phthisis*, one from lupus, and one from broncho-pneumonia. Diseases of the heart and blood-vessels caused 3 deaths.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 14·3 per 1,000 inhabitants. *Diarrhœa* caused 1 death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 9·4 per 1,000 inhabitants; Pembroke, 16·0; Blackrock, 0·0; and Kingstown, 21·0. The deaths from the principal epidemic diseases tabulated for these districts consist of 1 from enteric fever and 1 from *diarrhœa* for Rathmines, and 1 from *diarrhœa* for Pembroke. Among the 8 deaths from all causes tabulated for the last named district are 1 each from tuberculous phthisis and *malignant disease*, and 2 from diseases of the organs of respiration; and the 7 deaths tabulated for Kingstown include 1 from *phthisis* and 1 from heart disease.

NOTE.—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 23rd August,	204 cases.
" " 30th August,	191 cases.
" " 6th September,	169 cases.
" " 13th September,	169 cases.

Of the 169 cases notified, 15 were erysipelas, 33 enteric fever, 11 scarlatina, 87 measles, 9 diphtheria, 5 continued fever, 8 varicella, and one typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 23rd August,	4 cases.
" " 30th August,	1 case.
" " 6th September,	10 cases.
" " 13th September,	6 cases.

Of the 6 cases notified, 2 were scarlatina, one choleraic diarrhœa, 2 enteric fever, and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 23rd August,	3 cases.
" " 30th August,	6 cases.
" " 6th September,	4 cases.
" " 13th September,	12 cases.

Of the 12 cases notified, 6 were measles, one scarlet fever, 2 enteric fever, 2 erysipelas, and one diphtheria.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 23rd August,	80 cases.
" " 30th August,	46 cases.
" " 6th September,	91 cases.
" " 13th September,	71 cases.

Of the 71 cases notified, 19 were enteric fever, 7 erysipelas, 7 diphtheria, 34 continued fever, and 4 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th September, 1902.

From this it appears that:—

There were 2 cases of small-pox under treatment at the close of the week.

Forty cases of measles were admitted to hospital, 21 were discharged, there were 4 deaths, and 88 cases remained under treatment at the close of the week.

Eighteen cases of enteric fever were admitted to hospital, 5 cases were discharged, there was one death, and 77 cases remained under treatment at the close of the week.

Twelve cases of scarlatina were admitted to hospital, 9 cases were discharged, there was one death, and 70* cases remained under treatment at the close of the week.

Three cases of typhus fever were admitted to hospital, and 5 patients remained under treatment at the close of the week.

Ten cases of diphtheria were admitted to hospital, 3 were discharged, one died, and 27 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 4 patients were discharged, and 10 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·8), was equal to an average annual death-rate of 16·4 per 1,000 persons living; the rate for Glasgow was 16·1 per 1,000, and for Edinburgh 14·5.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th September, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Persons to an Acre	Registration—Week ending Saturday, 13th September, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 13th Sept., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th Sept., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th August, 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,401	19·2	31·2	17·7	3·6	653	371	116	71	.	12	.	.	6	6	.	6	46	43	42	6	14	85	° .	° .	° .	° .	° .	° .	° .		° .	° .	° .	
Dublin Registration Area:—																																			
Total,‡	878,761	27·5	30·1	19·1	4·1	219	139	48	26	.	6	.	.	.	2	.	3	19	14	13	4	6	42	§68·0	37·4	52·5	0·12	§67·1	43·3	57·2	1·73	§65·4	35·2	53·5	0·08
Registrars' Districts. City	293,394	37·8	31·8	21·0	4·8	179	118	43	18	.	6	.	.	.	2	.	2	17	12	10	4	6	40	a65·2 b66·3	41·7 37·6	54·6 53·7	0·03 0·09	a68·0 b69·3	49·2 44·0	58·7 58·0	2·34 2·19	a66·9 b68·7	44·9 38·2	56·9 54·8	0·42 0·55
Rathmines,‖	33,208	19·4	26·7	9·4	3·1	17	6	2	2	.	.	.	.	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	24·0	16·0	2·0	12	8	2	2	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	11·9	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	27·0	21·0	.	9	7	1	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	68·5	42·5	55·7	0·00	67	47	59·3	3·27	69	46	58·6	0·24
Urban Districts.																																			
Belfast,	358,693	21·8	31·8	18·3	5·2	219	126	49	15	.	4	.	.	5	3	.	1	23	13	15	2	6	10	67·1	43·1	56·3	0·05	66·6	40·6	56·1	2·91	69·6	44·6	57·8	0·26
Cork,	76,122	33·6	22·6	14·4	2·7	33	21	6	5	.	2	.	.	.	.	.	.	2	2	3	.	.	7	66	45	56·8	0·09	67	51	58·4	1·24	65	47	56·5	0·57
Londonderry,	40,729	18·8	29·4	16·6	1·3	28	13	1	3	.	.	.	.	.	1	.	.	.	3	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	88,151	18·1	49·2	17·8	.	36	13	2	4	.	.	.	.	.	.	.	.	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	25·3	23·4	5·8	18	12	6	1	.	.	.	.	1	.	.	1	1	1	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	27·2	15·5	.	7	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3	69	38	57·5	0·01	70	48	59	1·17	69	42	57	0·05
Dundalk	13,076	9·4	12·0	8·0	.	3	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	36·8	20·4	.	9	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	29·4	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·7	36·8	53·7	0·03	69·0	39·0	57·2	1·68	68·7	39·1	56·5	0·35
Lurgan,	11,782	13·8	35·4	4·4	.	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·7	36·8	53·7	0·03	69·0	39·0	57·2	1·68	68·7	39·1	56·5	0·35
Lisburn,	11,461	10·1	31·8	4·5	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	67·7	36·8	53·7	0·03	69·0	39·0	57·2	1·68	68·7	39·1	56·5	0·35
Wexford,	11,168	28·2	37·4	23·3	.	8	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	19·2	38·3	4·3	4	8	.	3	.	.	.	.	.	.	.	.	1	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	57·6	24·0	.	12	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4	69·9	35·1	54·0	0·22	67·5	35·3	56·3	1·22	68·4	35·3	54·9	0·43
Kilkenny	10,609	11·5	19·7	29·5	.	4	6	.	4	.	.	.	.	.	.	.	.	.	1	2	.	.	2	70	39	55·1	0·06	68	46	59·3	2·27	67	41	55·5	0·12
Clonmel,	10,167	7·8	46·2	20·5	.	9	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	46·5	5·2	.	9	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·7	36·8	53·7	0·03	69·0	39·0	57·2	1·68	68·7	39·1	56·5	0·35
Tralee,	9,867	16·6	26·4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	22·9	5·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	62	43	53·5	0·10	65	45	56·6	1·90	67	45	55·3	0·18
Queenstown,	7,909	14·4	52·7	19·8	6·6	8	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	66	45	56·8	0·09	67	51	58·4	1·24	65	47	56·5	0·57
Armagh,	7,588	22·2	41·2	6·9	.	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	67·7	36·8	53·7	0·03	69·0	39·0	57·2	1·68	68·7	39·1	56·5	0·35

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

BLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 13th of September, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.															URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																				
	North Side.								South Side.												
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	3	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	6	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	3	.
Diarrhœa, Dysentery,	2	2	1	1	.	.	1	.	2	1	4	2	.	1	.	1	1	.	.	19	.
Phthisis,	1	2	1	1	.	1	.	.	2	2	1	1	.	.	.	.	1	.	1	14	.
Other General Diseases,	2	2	2	2	.	.	.	.	3	1	2	3	.	.	.	.	1	.	1	19	.
Total,	5	9	4	7	.	1	1	.	10	5	7	6	.	1	.	2	3	.	2	63	.
B. LOCAL DISEASES:																					
Diseases of: Nervous System,	.	1	1	1	.	1	.	1	2	1	1	1	.	.	.	1	1	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	2	1	1	.	.	.	3	1	1	3	.	.	.	1	.	.	1	16	1
Respiratory System,	.	1	1	3	.	.	.	.	.	3	1	1	.	.	.	1	2	.	.	13	1
Digestive System,	2	1	.	1	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	7	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.
Urinary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Total,	3	4	5	6	1	1	.	1	6	5	5	7	.	.	.	3	5	.	2	54	2
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	1	.	5	.	.	.	1	.	.	4	1	.	1	.	1	.	.	3	18	1
E. VIOLENT DEATHS,	.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	4	.
Deaths from all Causes,	9	14	11	18	1	2	1	2	16	10	16	16	.	2	.	6	8	.	7	139	3
Annual Rate of Mortality in every 1,000 of the population.	16·6	18·6	19·1	29·6	10·8	10·4	7·8	—	21·8	30·5	19·6	23·9	.	14·3	.	9·4	16·0	.	21·0	19·1	
	19·9								22·1							12·8					
	21·0																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	3	3	3	.	.	.	.	3	.	2	2	.	.	.	.	1	.	1	18	2
Workhouse Hospitals,	2	2	1	7	.	.	.	.	4	2	3	2	.	1	.	.	.	.	.	24	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regi
week of the ten years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 37th Week of the 10 years 1892-1901	In the Week ending Sat 13th September, 190					
												Deaths of Persons of the					
												ALL AGES.	0 to 5.				
	Sept. 17, 1892.	Sept. 16, 1893.	Sept. 15, 1894	Sept. 14, 1895.	Sept. 12, 1896.	Sept. 18, 1897.	Sept. 17, 1898.	Sept. 16, 1899.	Sept. 15, 1900.	Sept. 14, 1901.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40
Mean Temperature.	° 53·7	° 54·4	° 51·8	° 56·5	° 56·7	° 55·6	° 60·6	° 57·4	° 54·2	° 56·8	° 55·8	° 52·5					
ALL CAUSES.	156	190	146	170	146	160	182	235	171	164	172·0	142	8	40	14	9	1
Small Pox, Vaccinated, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	.	.	.	1	23	.	.	2·6	6	.	3	3	.	.
Scarlet Fever ...	.	.	3	1	2	1	.	1	1	.	·9	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	3	.	.	.	.	2	.	·6	1	.	.	.	.	.
Whooping Cough, ...	1	2	.	3	6	5	4	1	7	1	3·0	.	.	.	.	.	.
Diphtheria, ...	.	.	.	.	.	3	1	1	2	.	·7	2	.	.	1	1	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	1	1	.	.	.	1	.	.	.	1	·4	.	.	.	.	.	.
Enteric Fever, ...	3	13	2	4	5	5	3	9	7	1	5·2	3	.	.	.	.	3
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	19	26	8	12	9	14	28	50	27	22	21·5	5 14	. .	5 10	. 3	. .	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	.	1	.	1	2	2	.	2	·9	1	.	1	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	1	.	.	.	.	1	.	.	·2	. . .	. . .	. . .	. . .	. . .	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	2	.	.	.	.	.	.	.	2	·5	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	.	.	1	.	1	.	1	1	·5	. .	. .	. .	. .	. .	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	29	20	21	18	13	22	23	29	20	20	21·8	1 13	. .	. .	. .	1 1	.
Tuberculous Meningitis, (Acute Hydrocephalus).	4	2	3	1	1	2	3	6	4	3	2·9	4	1	2	1	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	10	6	2	4	3	2	6	6	8	6	5·3	. .	. .	. .	. .	. .	.
Tuberculous Dis. (other), Scrofula, ...	4	1	4	1	4	2	7	6	4	4	3·7	5 .	. .	1 .	1 .	2 .	.
Alcoholism ...	1	.	.	1	.	.	.	.	1	.	·3	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	.	.	.	1	2	·4	.	.	.	.	.	.
Gout ...	.	.	.	1	1	.	1	.	.	.	·3	.	.	.	.	.	.

* The figures for the years 1892-1900 a

TY-SEVENTH WEEK ending Saturday, 13th September, 1902, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Sept. 17, 1892.	Sept. 16, 1893.	Sept. 15, 1894.	Sept. 14, 1895.	Sept. 12, 1896.	Sept. 18, 1897.	Sept. 17, 1898.	Sept. 16, 1899.	Sept. 15, 1900.	Sept. 14, 1901.	Averages in 37th Week of the 10 years 1892–1901.	In the Week ending Saturday, 13th September, 1902. Deaths of Persons of the Ages of: All Ages.	Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 53·7	° 54·4	° 51·8	° 56·5	° 56·7	° 55·6	° 60·6	° 57·4	° 54·5	° 56·8	° 55·8		° 52·5								
oma	5	11	5	10	6	8	4	3	7	7	6·6	.		.	.	.	.	.	.	.	.
a												4		.	.	.	.	1	2	1	.
nt Dis. "Cancer,"												.		.	.	.	.	.	.	.	.
es Mellitus	.	.	.	.	.	.	.	.	.	.	.	2		1	1	.	.	.	.	.	.
ture Birth	2	1	4	.	.	6	3	5	.	2	2·3	6		.	2	2	2	.	.	.	.
ritis (not tuberc.)												.		.	.	.	.	.	.	.	.
y, G. P. of Insane												2		1	.	.	.	1	.	.	.
sy												3		.	3	.	.	.	.	.	.
sions												.		.	.	.	.	.	.	.	.
otor Ataxy												1		.	.	.	.	.	.	1	.
egia Dis. of Cord												.		.	.	.	.	.	.	.	.
us System (other Dis.) ...	27	43	28	46	37	27	26	30	29	37	33·0										
Dis., Endocarditis												2		.	.	.	.	.	1	1	.
. Hæm. Thromb.												.		.	.	.	.	.	.	.	.
xy, Hemiplegia												4		.	.	.	.	2	2	2	.
ysm												.		.	.	.	.	.	.	.	.
lism, Thromb. (not cerebral) and Blood Vessel Dis.												11		.	.	.	.	.	6	4	1
(not Spasm. or Memb.) ...	1	.	1	2	.	2	.	.	.	.	·6	.		.	.	.	.	.	.	.	.
hitis	6	6	8	12	10	13	9	10	8	11	9·3	7		.	.	.	1	.	2	4	.
ous Pneumonia												1		.	.	.	.	.	.	1	.
ho-Pneumonia	3	3	7	3	3	5	7	10	7	11	5·9	3		.	2	1	.	.	.	.	.
monia"												2		.	.	.	.	1	1	.	.
a, Emphysema												.		.	.	.	.	.	.	.	.
sy	2	3	2	.	2	2	1	1	3	1	1·7	1		.	1	.	.	.	.	.	.
ratory Dis. (other)																					
litis, Quinsy	.	.	.	.	1	.	.	2	.	.	·3	.		.	.	.	.	.	.	.	.
itis (not Epid.)	1	1	2	2	1	3	3	5	1	2	2·1	1		.	1	.	.	.	.	.	.
Enteritis																					
nitis (not Puerp.)	.	.	1	1	.	.	1	.	1	1	·5	1		.	.	.	.	.	1	.	.
osis of Liver	5	4	2	4	5	2	5	3	1	1	3·2	2		.	.	.	.	2	.	.	.
Dis. (other)												.		.	.	.	.	.	.	.	.
tive Dis. (other)	4	4	4	7	3	1	6	5	4	.	3·8	3		.	1	1	.	1	.	.	.
ritis, Acute												.		.	.	.	.	.	.	.	.
t's Dis., Albuminuria ...	4	4	1	1	4	2	5	4	3	.	2·8	1		.	.	.	.	.	.	1	.
ry Sys. (Other Dis.) ...												.		.	.	.	.	.	.	.	.
rative Organs Dis.	.	.	2	.	1	2	.	.	.	.	·5	.		.	.	.	.	.	.	.	.
birth (Accid. of)	.	2	1	.	.	1	1	.	.	2	·7	2		.	.	.	.	2	.	.	.
ge	6	16	12	10	9	6	8	9	10	2	8·8	8		.	.	.	.	.	.	5	3
r Diseases	14	14	14	17	11	14	16	8	7	17	13·2	16		5	7	1	.	.	3	.	.
ACCIDENT.																					
ailways	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
ehicles and Horses	.	.	.	.	.	1	1	.	.	.	·2	.		.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	1	.	.	.	·1	.		.	.	.	.	.	.	.	.
uilding Operations	.	.	.	.	.	.	.	.	.	.	.	1		.	.	.	.	1	.	.	.
onflagrations	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	.	1	.	.	1	4	1	1	1	1	1·0	.		.	.	.	.	.	.	.	.
rowning	.	.	2	.	1	.	.	1	1	.	·5	1		.	.	.	.	.	1	.	.
uffocation in Bed	.	.	.	2	.	1	.	.	.	.	·3	.		.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	.	.	.	.	1	.	.	.	·1	.		.	.	.	.	.	.	.	.
r Deaths by Accidents ...	.	2	1	2	5	2	1	3	3	3	2·2	2		.	.	.	1	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																					
icide	.	.	.	.	.	.	1	.	.	.	·1	.		.	.	.	.	.	.	.	.
ide	.	.	.	.	.	.	1	.	.	1	·2	.		.	.	.	.	.	.	.	.
cution	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.

e Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	Mar. 22.	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered,	198	229	199	237	226	195	255	232	202	209	234	249	192	242	213	204	187	196	203	186	244	192	185	209	205	219
*Average Births in corresponding week of previous 10 years,**	201	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214
DEATHS registered,	167	211	208	206	174	199	191	178	186	149	165	156	155	139	149	149	129	155	150	165	154	145	146	156	170	142
Annual Death-rate per 1,000,	23·0	29·0	27·9	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5
*Average Deaths in corresponding week of previous 10 years,**	226	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172
AGES, Under 5 years,	45	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52	53	57	62
5—20 ,,	17	20	17	16	12	19	20	13	20	16	24	14	19	15	11	14	10	18	8	14	14	7	15	12	16	9
20—40 ,,	32	39	33	42	28	20	31	33	39	34	28	32	29	23	23	30	24	36	25	31	22	17	27	31	25	19
40—60 ,,	40	52	51	41	37	50	39	38	37	21	35	38	24	26	27	27	29	30	29	24	20	36	32	31	48	23
60—80 ,,	26	43	45	40	33	44	42	35	32	36	27	17	27	32	26	30	25	27	29	30	29	28	15	26	23	23
80 years and upwards,	7	8	8	11	7	6	13	7	9	3	8	7	6	5	5	7	3	5	13	7	4	2	5	3	6	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	1	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6
,, Scarlet Fever,	1	2	.	.	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.	2	3	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	1	.	.	.
,, Whooping-cough,	1	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.
,, Diphtheria,	1	.	2	1	1	.	2	2	3	.	.	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Enteric Fever,	1	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3
,, Diarrhœa, Dysentery,	1	.	1	4	4	1	1	2	1	2	1	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19
,, Phthisis,	36	37	27	27	25	20	25	23	30	25	27	40	26	26	15	18	14	25	18	19	15	18	21	19	24	14
,, Heart Diseases,	13	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18	9	18	21	17	18	24	17
,, Diseases of Respiratory System,	30	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30	24	23	17	30	28	19	18	16	20	14
Violent Deaths,	8	1	4	8	1	4	6	4	3	4	4	6	10	.	4	7		3	2	7	2	3	5	4	4	4
Mean Temperature of the Air (Phœnix Park),	44·4	43·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5
Average Mean Temperature in corresponding week of previous 10 years,	42·3	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8
Rainfall in inches,	·560	·785	·760	·050	·220	·240	·330	·090	·845	·195	·158	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·588	·088	1·725	·115
Mean Humidity of the Air, complete Saturation 1·0,	·84	·84	·84	·82	·79	·80	·79	75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose Deaths were registered in the Dublin Registration Area during the Week ending Saturday, 13th September, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH SEPTEMBER, 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	21·4	142	62	9	19	23	23	6	.	6	.	.	.	2	.	3	19	30	14	3	14	4	77
	CLASSES. Deaths in Families of—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	16·9	5	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
II.	MIDDLE CLASS,	80,653	12·3	19	5	.	3	4	7	.	.	.	.	.	.	.	.	2	1	3	.	.	3	.	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	15·4	29	13	5	4	2	4	1	.	1	.	.	.	1	.	1	5	8	2	.	5	2	12
IV.	GENERAL SERVICE CLASS,	146,486	30·6	64	39	4	6	9	5	1	.	4	.	.	.	1	.	.	13	18	7	3	3	2	31
V.	INMATES OF WORKHOUSES,	5,191		25	5	.	5	6	7	2	.	1	.	.	.	.	.	.	.	1	5	.	3	.		16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	13·2	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	44·8	5	1	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	3	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	6. Clerks and Commercial Assistants,	24,750	12·6	6	1	.	2	2	1	.	.	.	.	.	.	.	.	2	1	3	.	.	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	2·1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	3	1	1	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	3
	9. Building and Furnishing Trades,	26,030	16·0	8	5	1	1	.	1	.	.	1	.	.	.	.	.	.	1	2	.	.	1	1	4
	10. Clothing Trades,	23,686	13·2	6	1	1	2	1	.	1	.	.	.	.	.	.	.	1	1	2	1	.	.	1	2
	11. Food Supply Trades,	7,869	13·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	15·6	8	3	2	.	1	2	.	.	.	.	.	.	.	.	.	1	1	1	.	3	.	3
	13. Petty Shopkeepers,	6,771	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	19·2	5	4	.	1	.	.	.	.	.	.	.	.	.	.	.	3	3	1	1	.	.	.
	15. Domestic Servants,	39,563	6·6	5	2	1	.	.	1	1	.	.	.	.	.	.	.	.	1	1	1	.	1	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	19·5	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	31·6	50	32	2	4	8	4	.	.	4	.	.	.	1	.	.	8	13	4	2	2	1	28
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	25	5	.	5	6	7	2	.	1	.	.	.	.	.	.	.	1	5	.	3	.	16

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Dtiseases; whi the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

City of Dublin (prior to extension)																	
DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,333.	July 26,	27·6	3·7	15	.	.		.	1	.	.	.	1	2	2	.
	Aug. 2,	29·4	5·5	16	.	3	.	.	.	.	.	.	.	1	4	.
	„ 9,	23·9	7·4	13	.	3	.	.	1	.	.	.	.	.	.	.
	„ 16,	23·9	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	29·4	9·2	16	.	4	.	.	.	.	.	.	1	2	.	1
	„ 30,	23·9	1·8	13	.	1	.	.	.	.	.	.	.	2	1	1
	Sept. 6,	22·1	3·7	12	.	1	.	.	.	.	.	.	1	4	1	.
	„ 13,	16·6	3·7	9	.	.	.	.	.	.	.	.	2	1	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	July 26,	25·3	4·0	19	.	2	.	.	.	.	.	.	1	2	1	.
	Aug. 2,	21·3	2·7	16	.	2	.	.	.	.	.	.	.	1	2	2
	„ 9,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	2	6	.
	„ 16,	21·3	4·0	16	.	3	.	.	.	.	.	.	.	1	1	1
	„ 23,	17·3	2·7	13	.	1	.	.	.	.	.	1	.	1	4	.
	„ 30,	21·3	4·0	16	.	1	1	.	.	.	.	.	1	.	1	1
	Sept. 6,	24·0	4·0	18	.	.	1	.	.	.	.	1	1	1	4	.
	„ 13,	18·6	6·7	14	.	1	.	.	.	1	.	1	2	2	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	July 26,	22·5	1·7	13	.	1	.	.	.	.	.	.	.	3	.	.
	Aug. 2,	24·2	5·2	14	.	2	1	.	.	.	.	.	.	3	2	1
	„ 9,	13·9	1·7	8	.	1	.	.	.	.	.	.	.	1	3	1
	„ 16,	19·1	1·7	11	.	.	.	1	.	.	.	.	.	2	2	.
	„ 23,	17·3	1·7	10	.	.	.	1	.	.	.	.	.	1	1	.
	„ 30,	22·5	5·2	13	.	2	.	.	.	1	.	.	.	.	1	.
	Sept. 6,	29·4	1·7	17	.	1	.	.	.	.	.	.	.	2	3	.
	„ 13,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	1	1	2
North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,673.	July 26,	26·3	.	16	.	.	.	.	.	.	.	.	.	6	2	.
	Aug. 2,	24·7	13·2	15	.	7	.	.	.	.	.	.	1	1	2	.
	„ 9,	32·9	6·6	20	.	3	.	.	.	.	.	.	1	1	3	.
	„ 16,	37·9	14·8	23	.	9	.	.	.	.	.	.	.	3	3	.
	„ 23,	28·0	9·9	17	.	6	.	.	.	.	.	.	.	2	1	.
	„ 30,	26·3	6·6	16	.	4	.	.	.	.	.	.	.	1	3	.
	Sept. 6,	41·2	11·5	25	.	5	1	.	.	.	.	1	.	5	2	.
	„ 13,	29·6	6·6	18	.	3	.	.	.	.	.	.	1	1	3	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 32,313.	July 26,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	1	2	.
	Aug. 2,	25·3	1·3	19	.	.	.	.	.	.	.	.	1	1	5	.
	„ 9,	27·2	6·6	20	.	3	.	.	.	1	.	.	1	1	3	.
	„ 16,	19·1	5·4	14	.	3	.	.	.	.	.	.	1	.	1	.
	„ 23,	23·1	1·4	17	.	1	.	.	.	.	.	.	.	4	2	.
	„ 30,	19·1	6·8	14	.	.	.	.	.	1	.	.	4	.	.	.
	Sept. 6,	28·6	6·8	21	.	1	.	.	.	1	.	1	2	4	2	1
	„ 13,	21·8	6·8	16	.	2	.	.	.	1	.	.	2	2	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	July 26,	27·4	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	Aug. 2,	33·5	3·0	11	.	.	.	.	.	.	.	1	.	2	2	2
	„ 9,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	3	2	.
	„ 16,	45·7	12·2	15	.	3	1	.	.	.	.	.	.	3	1	2
	„ 23,	27·4	3·0	9	.	.	.	.	.	.	.	.	1	.	3	.
	„ 30,	30·5	3·0	10	.	.	.	.	.	.	.	.	1	5	2	.
	Sept. 6,	24·4	3·0	8	.	.	.	.	.	.	.	.	1	2	.	1
	„ 13,	30·5	6·1	10	.	.	.	.	.	.	.	1	1	2	3	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 42,575.	uly 26,	13·7	1·2	11	.	1	.	.	.	.	.	.	.	.	2	.
	Aug. 2,	18·7	1·2	15	.	.	.	.	.	.	.	.	1	1	6	.
	„ 9,	24·5	8·5	20	.	3	.	.	.	.	.	4	.	2	6	.
	„ 16,	20·3	2·5	17	.	1	.	.	.	.	.	1	.	4	2	.
	„ 23,	25·7	4·9	21	.	2	.	.	1	.	.	.	1	3	4	1
	„ 30,	25·7	1·2	21	.	1	.	.	.	.	.	.	.	4	4	.
	Sept. 6,	17·1	3·7	14	.	.	.	.	.	.	.	.	3	1	1	.
	„ 13,	19·6	4·9	16	.	.	.	.	.	.	.	.	4	1	1	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	y 6,	23·9	4·5	16	.	2	.	.	.	1	.	.	.	1	2	.
	Aug. 2,	26·9	6·0	18	.	3	.	.	1	.	.	.	.	4	3	1
	„ 9,	26·9	6·0	18	.	3	.	.	.	.	.	.	1	.	1	1
	„ 16,	14·9	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	„ 23,	20·9	3·0	14	.	1	.	.	1	.	.	.	.	4	1	.
	„ 30.	20·9	3·0	14	.	2	.	.	.	.	.	.	.	1	3	1
	Sept. 6,	25·4	3·0	17	.	1	.	.	.	1	.	.	.	2	4	1
	„ 13,	23·9	3·0	16	.	.	.	.	.	.	.	.	2	1	1	2

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 38,208.	July 26,	25·1	3·1	16	.	.	1	.	.	.	.	1	.	1	2	1
	Aug. 2,	7·9	1·6	5	.	.	.	.	.	1	.	.	.	.	.	.
	,, 9,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	,, 16	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	,, 23,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	,, 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	Sept. 6,	15·7	3·1	10	.	1	1	.	.	.	.	.	.	1	1	.
	,, 13,	9·4	3·1	6	.	.	.	.	.	.	.	1	1	.	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	July 26,	16·0	4·0	8	.	1	.	.	.	.	.	.	1	.	1	1
	Aug. 2,	23·0	6·0	14	.	1	.	1	.	.	.	.	1	3	2	.
	,, 9,	4·0	.	2	.	.	.	.	.	.	.	.	.	1	.	.
	,, 16,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	,, 23,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	2	.	1
	,, 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 6,	14·0	2·0	7	.	.	.	.	.	.	.	.	1	1	.	.
	,, 13,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
Kingstown. Pop. in 1902 (Est.) 17,380.	July 26,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	Aug. 2,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	,, 9,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	.	.
	,, 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	,, 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	,, 30	18·0	3·0	6	.	.	.	.	.	.	.	1	.	1	1	.
	Sept. 6,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	,, 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	July 26,	15·6	3·3	107	.	8	.	.	2	.	.	7	6	17	16	6
	Aug. 2,	18·6	2·6	128	.	5	.	.	8	.	.	3	2	16	29	4
	,, 9,	17·6	2·0	121	.	3	.	.	6	.	.	4	1	30	15	.
	,, 16,	15·7	2·6	108	.	3	.	.	2	2	2	4	5	14	19	1
	,, 23,	16·3	3·1	112	.	2	.	.	6	1	.	7	5	13	19	1
	,, 30,	16·3	2·6	112	.	5	.	.	5	.	.	4	4	13	26	1
	Sept. 6,	17·9	3·3	123	.	6	.	1	6	1	1	4	4	18	27	1
	,, 13,	18·3	5·2	126	.	4	.	.	5	3	.	1	23	13	15	2
Cork. Pop (in 1901) 76,122.	July 26,	15·1	2·1	22	.	3	.	.	.	.	.	.	.	4	2	1
	Aug. 2,	30·8	2·1	27	.	2	.	.	.	.	.	.	1	5	3	.
	,, 9,	17·8	2·1	26	.	1	.	.	.	1	.	.	1	5	2	.
	,, 16,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	2	5	.
	,, 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	6	4	.
	,, 30,	22·6	3·4	33	.	2	.	.	2	.	.	.	1	5	3	1
	Sept. 6,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	,, 13,	14·4	2·7	21	.	2	.	.	.	.	.	.	2	2	3	.
Londonderry. Pop. in 1902 (Est.) 40,729.	July 26,	12·8	3·8	10	.	3	.	.	.	.	.	.	.	1	1	1
	Aug. 2,	20·5	5·1	16	.	3	.	.	.	.	.	.	1	4	2	.
	,, 9,	6·4	2·6	5	.	2	.	.	.	.	.	.	.	1	.	.
	,, 16,	15·4	1·3	12	.	1	.	.	.	.	.	.	.	1	2	.
	,, 23,	9·0		7	.	.	.	.	.	.	.	.	.	2	2	.
	,, 30,	17·9	2·6	14	.	.	.	.	.	.	.	.	2	1	2	.
	Sept. 6,	21·8	2·6	17	.	1	.	.	.	.	.	.	1	2	1	1
	,, 13,	16·6	1·3	13	.	.	.	.	.	.	.	.	.	3	3	.
Limerick. Pop. in 1901) 38,151.	July 26,	17·8	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	Aug. 2,	20·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	,, 9,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	.	.
	,, 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	,, 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	1	1
	,, 30,	15·0	1·4	11	.	.	.	.	.	.	.	1	.	3	2	.
	Sept. 6,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	1	.
	,, 13,	17·8	.	13	.	.	.	.	.	.	.	.	.	4	.	.
Waterford. Pop. (in 1901) 26,769.	July 26,	17·5	5·9	9	.	.	.	.	.	.	1	.	1	1	.	.
	Aug. 2,	35·1	.	6	.	.	.	.	.	.	.	.	.	.	.	2
	,, 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	,, 16,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	,, 23,	11·7	3·9	6	.	.	.	.	.	.	.	.	2	.	.	.
	,, 30,	7·8	.		.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 6,	31·2	5·8	16	.	.	.	.	1	.	.	.	2	2	1	.
	,, 13,	23·4	5·8	12	.	.	.	.	1	.	.	1	1	1	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 13th September, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	6	17·7	.	5	1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
" 2 "	47,959	28	22·3	4·3	21	4	6	8	3	.	.	.	.	.	.	.	.	4	2	4	.	.	2
" 3 "	47,214	27	26·5	8·8	24	10	5	7	2	.	3	.	.	.	1	.	.	4	3	4	.	1	1
" 4 "	40,911	42	20·4	6·4	16	8	2	4	2	.	1	.	.	2	.	.	1	1	3	1	1	1	1
" 5 "	17,387	8	21·0	9·0	7	2	2	2	1	.	.	.	.	.	1	.	.	2	.	.	.	.	1
" 6 "	48,122	14	17·3	8·3	16	8	.	7	1	.	.	.	.	.	.	.	.	3	1	.	1	2	1
" 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	9	20·6	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" 9 "	19,569	12	8·6	4·3	4	.	2	1	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.
" 10 "	23,064	13	15·8	9·0	7	4	1	2	.	.	.	.	.	1	.	.	.	3	.	1	.	.	1
" 11 "	34,802	26	22·5	7·5	15	6	.	7	2	.	.	.	.	1	.	.	.	4	3	3	.	.	1
" 12 "	33,588	21	9·2	3·1	6	5	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.
" 13 "	15,006	12	10·4	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	219	18·4	5·4	126	49	20	42	15	.	4	.	.	5	3	.	1	23	13	15	2	6	10
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	4	16·2	.	4	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
" 2 "	10,701	6	4·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 3 "	9,978	4	5·2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 4 "	8,666	3	18·1	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 5 "	6,592	2	15·8	7·9	2	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
" 6 "	10,702	3	9·7	4.9	2	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	16,616	11	25·1	6·3	8	4	2	.	2	.	1	.	.	.	.	.	.	1	.	2	.	.	3
Total,	76,122	33	14·4	2·7	21	6	5	5	5	.	2	.	.	.	.	.	.	2	2	3	.	.	7

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Mar. 22.	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered,	239	175	265	216	215	245	192	229	231	201	244	217	211	209	175	237	208	214	224	200	215	194	200	176	209	219
DEATHS registered,	154	151	158	168	149	153	119	149	142	152	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126
Annual Death-rate per 1,000 of estimated Population,	22·4	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3
AGES, Under 1 year,	30	27	25	25	23	32	20	27	29	26	31	16	20	6	22	26	24	29	23	24	25	20	36	22	28	49
AGES, 1–5 years,	22	21	22	21	22	23	12	24	16	25	24	20	14	22	20	27	23	19	19	22	13	21	17	19	16	20
AGES, 5–60 years,	68	74	75	80	67	76	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62	44	43	51	54	42
AGES, 60 years and upwards,	34	29	36	42	37	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21	23	16	20	25	15
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	1	2	4	2	3	4	3	4	3	4	3	2	7	6	6	7	7	8	5	3	3	2	5	6	4
,, Scarlet Fever,	.		.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Whooping-cough,	5	6	5	6	4	2	2	4	3	4	2	6		4	3	7	4	.	2	8	6	2	6	5	6	5
,, Diphtheria,	1	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.
,, Enteric Fever,	1	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1
,, Diarrhœa, Dysentery,	1	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1	5	5	4	4	23
,, Phthisis	19	30	30	26	31	25	29	32	29	26	26	26	21	30	22	18	19	23	17	16	30	14	13	18	18	13
,, Diseases of Respiratory System,	50	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18	16	29	15	19	19	26	27	15
Violent Deaths,	4	2	.	3	4	.	.	4	5	1	3	3	2	2	1	7	4	1	6	4	.	1	1	1	1	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th September, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Fever.	Total.
North City No. 1, East,	.	6	.	.	.	.	.	.	.	.	.	.	.	.	6
" " 1, West,	.	31	.	3	.	.	1	.	1	11	1	.	2	.	50
" " 2,	.	5	.	.	1	.	.	.	.	11	1	.	.	.	18
" " 3,	.	20	.	5	.	.	.	.	1	3	4	.	3	.	36
Clontarf and Howth No. 1 (part of),	.	1	.	1	.	.	.	.	2	2	.	.	.	.	6
Coolock and Drumcondra No. 1 (part of),	.	5	.	.	.	.	.	.	.	.	.	.	.	.	5
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	10	.	.	.	.	3	.	1	2	7	.	.	.	23
" " 2,	.	5	.	.	.	.	.	.	.	.	1	.	.	.	6
" " 3,	.	1	.	1	.	.	2	.	.	.	1	.	3	.	8
" " 4,	.	2	.	1	.	.	3	.	.	1	.	.	.	.	7
Palmerston (part of),	.	.	.	.	.	.	.	.	.	3	.	.	.	.	3
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	87	.	11	1	.	9	.	5	33	15	.	8	.	169
Total for week ended Sept. 6th, 1902,	.	92	.	14	1	.	3	.	8	22	24	1	3	1	169
Total for week ended Aug. 30th, 1902,	.	102	.	11	.	.	8	.	12	36	21	.	1	.	191
Total for week ended Aug. 23rd, 1902,	.	124	1	10	1	.	11	.	11	26	16	.	4	.	204

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th September, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th September.			
	August 23.	August 30.	Sept. 6.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	2	2	2	.	.	.	2
Measles,	93	80	73	40	21	4	88
Scarlet Fever,	74	68	68	12	9	1	70*
Typhus "	2	1	2	3	.	.	5
Diphtheria,	33	33	21	10	3	1	27
Enteric Fever,	62	53	65	18	5	1	77
Pneumonia,	12	12	10	4	4	.	10

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn.)	Deaths (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Sept. 13,	2,370	1,471	16·8	2	16	14	23	35	17	252
EDINBURGH,	317,885	„ 13,	158	90	14·5	.	3	3	1	1	1	2
GLASGOW,	764,423	„ 13,	427	240	16·1	.	2	3	2	4	3	11
CALCUTTA,	847,793	July 19,	.	451	27·6	.	1	.	.	.	119§	121*
BOMBAY,	776,006	Aug. 12.	397	616	41·3	6	16	?	?	1	88§	88
MADRAS,	509,346	„ 1,	366	368	37·5	.	5	?	?	?	131	58
PARIS,	2,660,559	„ 23,	1,024	818	16·9	1	1	2	10†	6	4	109
BRUSSELS (with 8 Faubourgs).	562,893	„ 23,	252	148	13·7	1	2	.	2†	1	5	19
AMSTERDAM,	535,260	„ 30,	261	126	12·3	.	6	.	.	1	.	12
ROTTERDAM	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	Aug. 23,	202	79	10·3	.	1	1	.	2	.	5
CHRISTIANIA,	224,909	„ 23,	127	48	11·1	.	.	.	.	2	.	1
ST. PETERSBURG,	1,248,643	„ 23,	481	471	19·7	.	14	4	10	6	12	103
BERLIN,	1,902,504	July 26,	946	513	14·0	.	8	2	.	10	4	59
HAMBURG,	724,835	Aug. 23,	.	200	15·0	.	.	17	9†	5	1	14
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH,	506,000	Aug. 23,	.	210	21·6	.	.	.	1†	6	.	44
VIENNA (with suburbs).	1,726,604	„ 23,	935	511	15·4	.	3	3	4†	4	.	83
BUDA-PESTH	767,661	„ 23,	407	262	17·7	.	.	.	2	4	2	56
PRAGUE and Faubourgs	416,817	„ 23,	186	164	20·5	.	.	2	2†	.	2	14
ROME,	480,361	June 28,	179	200	21·7	..	8	.	1	.	4	28
TURIN,	344,203	—	.	.	.	.	.	.	.	.		.
VENICE,	165,350	Aug. 16,	81	69	21·8	.	.	.	2†	.	3	8
NEW YORK,	3,632,501	„ 23,	1,740	1,250	18·0	1	2	7	25†	22	20	270
PHILADELPHIA,	1,293,697	„ 16,	.	446	18·0	1	..	.	.	5	11	39

* Including 73 deaths from cholera in Calcutta.
† Including deaths from croup.
§ Exclusive of 19 deaths from bubonic fever in Calcutta and 27 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 13th September, 1902:—

"A preponderance of north-easterly winds, low temperatures, dense fogs, and cloudy skies were the leading features of this week's weather. In Ireland generally and especially near Dublin, the rainfall was insignificant, but in many parts of Great Britain heavy downpours occurred on Wednesday and Thursday. On Wednesday also thunderstorms of great violence raged over the South-east of England, Kent in particular experiencing destructive hailstorms. On Sunday atmospheric pressure was above average and its distribution was remarkably uniform. At 8 a.m. the extreme readings in the British Isles were—highest, 30·19 inches over central England; lowest, 30·09 inches at Nairn. Calms and fog or mist prevailed in consequence. On Monday a large baric depression appeared over Scandinavia, travelling eastwards. Pressure remained uniform and high over the British Isles, and the fog became denser except in Scotland. So thick was the fog in the Irish Sea and St. George's Channel that the Kish Light Ship off Dublin Bay was sunk in a collision with the R.M.S. "Leinster," while the Arklow Light Ship was also damaged in a collision. Thunderstorm depressions subsequently advanced northwards over France and the Bay of Biscay, seriously affecting the weather in the South of England. In London the rainfall measured at 8 a.m. of Thursday was ·79 inch, ·53 inch falling in addition in the subsequent 24 hours. Showers of sleet and snow fell off Tynemouth on Friday, and the thermometer sank to very near freezing point even in the screen at several stations. On Friday night 31° was recorded at Penrith, 34° at Birr, and 35° at Loughborough. In Dublin the mean height of the barometer was 30·064 inches, the range being from 30·273 inches at 9 a.m of Monday (wind, E.N.E.), to 29·800 inches at 1 p.m. of Friday (wind, N.W.). The corrected mean temperature was only 54·6°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 54·3°. The screened thermometers rose to 65·2° on Sunday and fell to 41·7° on Saturday, when the gross minimum was 37·7°. N.E. winds were prevalent. The duration of bright sunshine was estimated at 29 hours. The rainfall was ·027 inch on 2 days, ·015 inch being registered on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·084 inches. The highest reading (30·293) was on Monday at 9 a.m., wind N.E., and the lowest (29·861) on Friday at 9 a.m., wind S.W.

The mean temperature for the week was 52·5°, being 3·3° below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Sunday, when the thermometer registered 68·0°, and was lowest on Saturday, the mercury having fallen to 37·4 The mean of the Dry Bulb for the week was 53·2°, and of the Wet Bulb 51·7°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 27·1 hours. The rainfall measured during the week was ·115 inch.

At Greenwich the mean temperature for the week was 56·4°, the maximum 70·6°, and the minimum 41·2°; at Glasgow the maximum was 67·8°, the minimum 42·4°, and the mean 54·5°; and at Edinburgh the maximum was 67·2°; the minimum 35·7°, and the mean 50·4°. The rainfall at Greenwich measured 1·45 inches; and at Glasgow 0·02 inch; and at Edinburgh 0·24 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)	9 A.M.	9 P.M.
Sunday, Sept. 7,	30·253	68·0	46·0	57·0	55·0	54·8	·98	·2	5·5	—	Calm.	Calm.
Monday, „ 8,	30·250	62·2	47·3	54·8	53·8	53·7	1·00	·1	6·5	—	N.E.	Calm.
Tuesday, „ 9,	30·072	61·2	46·3	53·8	54·2	52·6	·90	·1	6·8	—	N.N.E.	Calm.
Wednesday, „ 10,	30·044	59·2	50·2	54·7	56·4	54·4	·89	·7	0·0	—	E.	E.N.E.
Thursday, „ 11,	29·969	55·6	49·9	52·8	51·7	50·1	·89	·6	0·0	·080	N.E.	N.E.
Friday, „ 12,	29·926	57·8	39·9	48·9	50·2	48·7	·90	·7	3·1	·015	S.W.	Calm.
Saturday, „ 13,	30·076	54·2	37·4	45·8	51·2	47·9	·78	·8	5·2	·020	N.W.	W.
Mean, . .	30·084	59·7	45·3	52·5	53·2	51·7	·91	·5	Total 27·1	·115	—	

Sunday—A fine but cloudy day; night clear to 5.0 a.m. *Monday*—A fine day from 9.30 a.m.; night overcast from 8.0 p.m.; fog 7.30 p.m. to 6.0 a.m. *Tuesday*—A fine but cloudy day; night overcast. *Wednesday*—A dull day; night overcast. *Thursday*—Day overcast; drizzling rain 10.30 a.m. to 6.30 p.m.; night overcast. *Friday*—A cloudy and showery day; night cloudy. *Saturday*—A cloudy day; night cloudy; drizzling rain 1.0 to 3.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 20TH SEPTEMBER, 1902. [No. 38.

General Register Office, Charlemont House, Dublin, 22nd September, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 30.	Week ending Sept. 6.	Week ending Sept. 13.	Week ending Sept. 20.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 30.	Week ending Sept. 6.	Week ending Sept. 13.	Week ending Sept. 20.	Average Rate for 4 weeks.
22 Town Dists.	17·4	19·6	17·7	20·7	18·8	Lisburn,	13·2	31·8	4·5	4·5	14·8
Armagh,	0·0	13·7	6·9	13·7	8·6	Londonderry,	17·9	21·8	16·6	20·5	19·2
Ballymena,	14·4	23·9	38·3	28·7	26·3	Lurgan,	17·7	13·3	4·4	26·6	15·5
Belfast,	16·3	17·9	18·3	20·9	18·3	Newry,	16·8	25·2	0·0	12·6	13·6
Clonmel,	20·5	41·0	20·5	20·5	25·6	Newtownards,	11·4	11·4	5·7	5·7	8·6
Cork,	22·6	9·6	14·4	19·2	16·4	Portadown,	0·0	15·5	5·2	10·3	7·7
Drogheda,	12·3	28·6	20·4	40·9	25·5	Queenstown,	0·0	19·8	19·8	0·0	9·9
Dublin Reg. Area,	20·7	22·7	19·1	22·3	21·2	Sligo,	4·8	9·6	24·0	9·6	12·0
Dundalk,	8·0	16·0	8·0	8·0	10·0	Tralee,	26·4	10·6	0·0	25·4	15·9
Galway,	3·9	23·3	15·5	11·7	13·6	Waterford,	7·8	31·2	23·4	25·3	21·9
Kilkenny,	19·7	14·7	29·5	14·7	19·6	Wexford,	14·0	4·7	23·3	28·0	17·5
Limerick,	15·0	16·4	17·8	20·5	17·4						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·9 per 1,000, the rates varying from 0·0 in twelve of the districts to 9·8 in Kilkenny; the 3 deaths from all causes registered in that district including 2 from diarrhœa. Among the 144 deaths registered in Belfast are 5 from measles, 2 from whooping-cough, 3 from enteric fever, and 13 from diarrhœa; the 16 deaths in Londonderry include one from enteric fever and 2 from diarrhœa; among the 15 deaths in Limerick are one from measles, 2 from enteric fever, and 2 from diarrhœa; and the 13 deaths in Waterford comprise 2 from whooping-cough and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 221—107 boys and 114 girls; and the deaths to 168—79 males and 89 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·1 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 22·3 per 1,000. During the thirty-eight weeks ending with Saturday last the death-rate averaged 23·9, and was 3·0 under the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Deaths from measles, which had fallen from 11 for the week ended the 6th instant to 6 for the following week, rose to 13 last week. Diphtheria caused 4 deaths, against 2 for each of the 3 weeks preceding. Two deaths from scarlet fever, one from whooping-cough, one from enteric fever, 9 (all children under 5 years of age) from epidemic diarrhœa, 10 (all children under 5 years of age) from *diarrhœa*, and one from dysentery were registered.

There were 21 deaths from tuberculous diseases, viz.:—15 from *phthisis*, one from tuberculous peritonitis, and 5 from "other tuberculous diseases."

Carcinoma caused 2 deaths, and 6 deaths were returned as from *malignant disease*, "*cancer*."

Diseases of the nervous system caused 14 deaths, including 10 (children under 5 years old) from *convulsions*.

Seventeen deaths from diseases of the heart and blood-vessels were registered, including 5 from *apoplexy, hemiplegia*.

The deaths from diseases of the respiratory system amount to 20, being 6 over the number for the preceding week: they comprise 8 from bronchitis, 5 from broncho-pneumonia, and 2 from *pneumonia*.

Two accidental deaths were registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 infants under one year old, and the death of a female aged 82 years.

Eighty-seven of the persons whose deaths were registered during the week were under 5 years of age (52 being infants under one year, of whom 9 were under one month old), and 28 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a woman) was stated to have been aged 95 years.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 22·3 per 1,000; the rate in the City was 25·6 (25·7 on the North side, and 25·5 on the South), and in the Urban Districts 11·0.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 5·6 per 1,000 inhabitants, the rate for the City being 6·4 (5·5 in the North City Districts, and 7·4 in the South) and for the Urban Districts 3·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000. They comprise one from enteric fever, 3 from diseases of the nervous system, and 3 from diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. Among them are one from measles, 2 from diphtheria, 2 from *phthisis*, 2 from *convulsions*, and 5 from diseases of the heart and blood-vessels.

No. 2 *North City District* (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 38·1 per 1,000. Three deaths were caused by *diarrhœa*, 5 by *phthisis*, and 2 by diseases of the respiratory system.

No. 3 *North City District* (Blackhall-place).—The deaths (20) represent an annual rate of 32·9 per 1,000. Among them are 3 from measles, 2 from *diarrhœa*, 3 from *malignant disease*, "*cancer*," and 2 from diseases of the respiratory system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 0·0.

No. 1 *South City District* (South Earl-street).—The deaths (11) represent an annual rate of 15·0 per 1,000. They comprise one from measles, one from whooping-cough, one from epidemic enteritis, and 2 from broncho-pneumonia.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 36·6 per 1,000. Measles caused 3 deaths.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·4 per 1,000. Among them are one from measles, one from diphtheria, 4 from epidemic enteritis, 4 from *phthisis*, 2 from *convulsions*, 3 from diseases of the heart and blood-vessels, and 4 from diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·4 per 1,000. Three deaths were caused by measles, 2 by scarlet fever (scarlatina), 2 by diseases of the heart and blood-vessels, and 2 by diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 28·6 per 1,000 inhabitants. *Diarrhœa* caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 6·3 per 1,000 inhabitants; Pembroke, 16·0; Blackrock, 29·8; and Kingstown, 3·0. The deaths from the principal epidemic diseases tabulated for these districts consist of one from diphtheria and 2 from epidemic enteritis for Rathmines, and one each from measles and *diarrhœa* for Blackrock. The 8 deaths from all causes tabulated for Pembroke comprise 2 from *convulsions*.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 30th August,	191 cases.
" " 6th September,	169 cases.
" " 13th September,	169 cases.
" " 20th September,	211 cases.

Of the 211 cases notified during last week, 23 were erysipelas, 33 enteric fever, 10 scarlatina, 124 measles, 9 diphtheria, 7 continued fever, 2 varicella (chicken-pox), 2 typhus and one membranous croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 30th August,	1 case.
" " 6th September,	10 cases.
" " 13th September,	6 cases.
" " 20th September,	6 cases.

Of the 6 cases notified last week, 2 were scarlatina, one measles, one enteric fever, one erysipelas, and one diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 30th August,	6 cases.
" " 6th September,	4 cases.
" " 13th September,	12 cases.
" " 20th September,	12 cases.

Of the 12 cases notified during last week, 9 were measles, one whooping-cough, one erysipelas, and one varicella (chicken-pox).

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 30th August,	46 cases.
" " 6th September,	91 cases.
" " 13th September,	71 cases.
" " 20th September,	74 cases.

Of the 74 cases notified during last week, 32 were enteric fever, 4 erysipelas, 3 diphtheria, 27 continued fever, 6 scarlet fever, and 2 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th September, 1902.

From this it appears that:—

There were 2 cases of small-pox under treatment at the close of the week.

Twenty-three cases of measles were admitted to hospital, being 17 under the admissions for the preceeding week, 17 were discharged, there were 6 deaths, and 88 cases remained under treatment at the close of the week.

Sixteen cases of enteric fever were admitted to hospital, 10 cases were discharged, there was one death, and 82 cases remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 11 cases were discharged, and 70* cases remained under treatment at the close of the week.

Five cases of typhus remained under treatment at the close of the week.

Thirteen cases of diphtheria were admitted to hospital, 5 were discharged, 4 died, and 31 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 2 patients were discharged, there was one death, and 13 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·3), was equal to an average annual death-rate of 17·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·1 per 1,000, the rate for Glasgow being 14·1, and for Edinburgh 13·7.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th September, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Persons to an Acre	Registration—Week ending Saturday, 20th September, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 20th Sept., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th Sept., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th Sept., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,401	19·2	28·0	20·7	3·9	587	434	123	70	.	20	3	.	5	4	.	7	43	54	49	8	20	128	° .	° .	° .	° .	° .	° .	° .	° .	° .	° .	° .	° .
Dublin Registration Area:—																																			
Total,‡	378,761	27·5	30·4	22·3	5·6	221	162	51	27	.	13	2	.	1	4	.	1	20	14	20	1	3	63	§61·9	37·9	52·9	0·18	§68·0	37·4	52·5	0·12	§67·1	43·3	57·2	1·73
Registrars' Districts. City	293,894	37·8	32·3	25·6	6·4	182	144	45	22	.	12	2	.	1	3	.	1	17	13	18	1	3	57	a61·8 b63·8	41·6 38·0	54·2 53·3	0·20 0·17	a65·2 b66·3	41·7 37·6	54·6 53·7	0·03 0·09	a68·0 b69·3	49·2 44·0	58·7 58·0	2·34 2·19
Rathmines,‖	33,208	19·4	11·0	6·3	4·7	7	4	2	1	.	.	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook (part of Pembroke Urban District.)	26,025	16·0	30·1	16·0	.	15	8	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	29·8	29·8	11·9	5	5	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	36·0	8·0	.	12	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	62	43	55·4	0·18	68·5	42·5	55·7	0·00	67	47	59·3	3·27
Urban Districts.																																			
Belfast,	358,693	21·8	29·1	20·9	3·3	200	144	46	21	.	5	.	.	2	.	.	3	13	24	15	6	14	33	59·6	39·6	51·9	0·34	67·1	43·1	56·3	0·05	66·6	40·6	56·1	2·91
Cork,	76,122	33·6	26·7	19·2	0·7	39	28	2	3	.	.	.	.	.	.	.	.	1	6	2	.	2	10	62	44	55·4	0·24	66	45	56·8	0·09	67	51	58·4	1·24
Londonderry,	40,729	18·8	21·8	20·5	3·8	17	16	5	2	.	.	.	.	.	.	.	1	2	2	4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	20·5	20·5	6·8	15	15	5	4	.	1	.	.	.	.	.	2	2	1	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	29·2	25·3	7·8	15	13	4	3	.	.	.	.	2	.	.	.	2	.	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	28·3	11·7	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	65	39	54	0·65	69	38	57·5	0·01	70	48	59	1·17
Dundalk	18,076	9·4	12·0	8·0	.	3	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	53·1	40·9	.	13	10	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	25·2	12·6	.	6	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61·3	40·0	52·8	0·65	67·7	36·8	53·7	0·03	69·0	39·0	57·2	1·68
Lurgan,	11,782	18·8	4·4	26·6	4·4	1	6	1	2	.	.	1	.	.	.	.	.	.	1	.	.	.	3	61·3	40·0	52·8	0·65	67·7	36·8	53·7	0·03	69·0	39·0	57·2	1·68
Lisburn,	11,461	10·1	27·3	4·5	.	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	61·3	40·0	52·8	0·65	67·7	36·8	53·7	0·03	69·0	39·0	57·2	1·68
Wexford,	11,168	28·2	14·0	28·0	4·7	3	6	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	38·3	28·7	.	8	6	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	19·2	9·6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	60·5	35·4	52·3	1·00	69·9	35·1	54·0	0·22	67·5	35·3	56·3	1·22
Kilkenny	10,609	11·5	39·3	14·7	9·8	8	3	2	1	.	.	.	.	.	.	.	.	2	1	.	.	.	3	62	32	52·6	0·34	70	39	55·1	0·06	68	46	59·3	2·27
Clonmel,	10,167	7·8	20·5	20·5	.	4	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	18·2	31·0	10·3	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	61·3	40·0	52·8	0·65	67·7	36·8	53·7	0·03	69·0	39·0	57·2	1·68
Tralee,	9,867	16·6	21·1	26·4	.	4	5	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	17·2	5·7	5·7	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	59	40	51·4	0·21	62	48	53·5	0·10	65	45	56·6	1·90
Queenstown,	7,909	14·4	6·6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62	44	55·4	0·24	66	45	56·8	0·09	67	51	58·4	1·24
Armagh,	7,588	22·2	27·5	13·7	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61·3	40·0	52·8	0·65	67·7	36·8	53·7	0·03	69·0	39·0	57·2	1·68

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast and Londonderry, the Population

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 20th of September, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts.																Urban District of					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
General Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	1	.	3	.	.	.	.	1	3	1	3	.	.	.	.	.	1	.		13	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.		2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
Diphtheria,	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.		4	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diarrhœa, Dysentery,	.	2	4	3	.	.	.	.	1	1	4	1	.	1	.	2	.	1	.		20	.
Phthisis,	.	2	5	1	.	.	.	.	.	1	4	.	.	.	.	.	.	1	.		14	1
Other General Diseases,	.	1	3	5	.	.	.	.	3	1	5	2	.	1	1	.	1	.	1		24	4
Total,	1	8	12	12	.	.	.	.	6	6	15	8	.	2	1	3	1	3	1		79	5
Local Diseases:																						
Nervous System,	3	2	2	.	.	.	.	.	.	1	2	2	.	.	.	.	2	.	.		14	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Heart and Blood Vessels,	.	5	1	.	1	1	.	.	.	1	3	2	.	1	.	1	.	1	.		17	.
Respiratory System,	3	1	2	2	.	.	.	.	3	1	4	2	.	.	.	.	1	1	.		20	.
Digestive System,	2	1	2	3	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.		11	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		2	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	8	9	8	6	1	1	.	.	3	5	9	6	.	1	.	1	4	2	.		64	.
Other Specified Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Ill-defined and Not Specified Diseases,	1	3	2	2	.	.	.	.	2	1	.	3	.	1		.	3	.	.		18	.
Violent Deaths,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	1
Deaths from all Causes,	11	20	22	20	1	1	.	.	11	12	24	17	.	4	1	4	8	5	1		162	6
Annual Rate of Mortality in every 1,000 of the population.	20·2	26·6	38·1	32·9	10·8	5·2	.	.	15·0	36·6	29·4	25·4	.	28·6	—	6·3	16·0	29·8	3·0		22·3	
	25·7								25·5							11·0						
	25·6																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	5	5	2	6	.	.	.	.	2	3	6	4	.	.	.	1	2	1	1		33	6
Workhouse Hospitals,	.	2	7	6	.	1	.	.	1	2	3	1	.	1	.	.	1	.	.		25	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Diseas week of the ten y

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 38th Week of the 10 years 1892-1901	In the Week endir 20th Septemb			
												Deaths of Persons			
												ALL AGES.	0 to 5.		
	Sept. 24, 1892.	Sept. 23, 1893.	Sept. 22, 1894	Sept. 21, 1895.	Sept. 19, 1896.	Sept. 25, 1897.	Sept. 24, 1898.	Sept. 23, 1899.	Sept. 22, 1900.	Sept. 21, 1901.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.
Mean Temperature.	° 53·1	° 49·3	° 52·9	° 54·9	° 56·0	° 53·7	° 54·9	° 52·4	° 56·2	° 54·7	° 53·8	° 52·9			
ALL CAUSES.	132	161	137	148	148	190	181	200	167	180	164·4	168	9	43	35
Small Pox, Vaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	1	23	.	.	2·4	13	.	1	12
Scarlet Fever	1	1	1	2	2	4	1	2	.	1	1·5	2	.	.	1
Typhus, ...	.	.	.	2	.	.	1	.	.	.	·3	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	.	1	1	2	.	1	.	·6	.	.	.	.
Whooping Cough, ...	1	2	2	1	3	4	4	1	3	4	2·5	1	.	.	1
Diphtheria, ...	.	1	.	.	.	1	.	.	1	2	·5	4	.	.	3
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.
Enteric Fever, ...	2	8	7	2	2	9	5	5	3	3	4·6	1	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	16	19	6	12	10	21	27	24	26	20	18·1	9	.	7	2
Diarrhœa, Dysentery, ...												11	.	7	4
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	1	.	.	.	1	.	2	3	·8	.	.	.	.
Puerperal Septicæmia, Sapræmia,												1	.	.	.
Puerperal Pyæmia, ...	.	.	.	.	1	1	.	1	.	.	·3	.		.	.
Puerperal Fever, ...												.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	1	.	.	1	1	.	1	1	·7	.	.	.	.
Septicæmia (not Puerperal),												1	.	1	.
Pyæmia (not Puerperal), ...	.	.	1	.	.	1	.	2	.	1	·5	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ...												.	.	.	.
"*Phthisis*,"	14	21	22	18	13	29	23	18	13	27	19·8	15	.	.	.
Tuberculous Meningitis, (Acute Hydrocephalus).	1	1	1	3	2	10	9	5	.	1	3·3	1	.	1	.
Tuberculous Peritonitis, ...												1	.	1	.
Tabes Mesenterica, ...	1	7	1	7	8	2	6	5	8	7	5·2	.	.	.	.
Tuberculous Dis. (other), ...												4	.	2	.
Scrofula, ...	1	1	3	1	7	4	6	8	8	9	4·8	.	.	.	.
Alcoholism	1	1	.	2	1	.	.	2	.	2	·9	3	.	.	.
Rheumatic Fever,...	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.
Gout	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* The figures for the years 1892-

Y-EIGHTH WEEK ending Saturday, 20th September, 1902, with the deaths from each cause in the corresponding erage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Sept. 24, 1892.	Sept. 23, 1893.	Sept. 22, 1894.	Sept. 21, 1895.	Sept. 19, 1896.	Sept. 25, 1897.	Sept. 24, 1898.	Sept. 23, 1899.	Sept. 22, 1900.	Sept. 21, 1901.	Averages in 38th Week of the 10 years 1892–1901.	In the Week ending Saturday, 20th September, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 53·1	49·3	52·9	54·9	56·0	53·7	54·9	52·4	56·2	54·7	° 53·8	° 52·9								
ia	5	7	5	7	5	6	8	6	7	10	6·6	2	.	.	.	.	.	2	.
t Dis. "Cancer,"												.	.	.	.	.	.	.	.
Mellitus	.	.	.	.	.	.	.	.	.	.	.	6	.	.	.	.	3	2	1
ire Birth	.	1	.	.	1	3	4	5	4	5	2·3	.	.	.	.	.	.	.	.
is (not tuberc.)												2	2	.	.	.	.	.	.
G. P. of Insane												3	.	1	.	2	.	.	.
.. ..												1	.	.	.	.	1	.	.
ms												.	.	.	.	.	.	.	.
or Ataxy												10	3	6	1	.	.	.	.
ria Dis. of Cord												.	.	.	.	.	.	.	.
System (other Dis.) ...	36	28	30	26	24	31	25	25	38	29	29·2	.	.	.	.	.	.	.	.
s., Endocarditis												2	.	.	.	1	.	1	.
Hæm. Thromb.												2	.	.	.	.	1	.	1
, Hemiplegia												5	.	.	.	.	.	.	5
m												.	.	.	.	.	.	.	.
m, Thromb. (not cerebral)												.	.	.	.	.	.	.	.
nd Blood Vessel Dis.												8	.	.	.	.	3	1	3	1
not Spasm. or Memb.) ...	2	.	1	1	.	1	.	1	1	1	·8	1	.	.	1	.	.	.	.	.
tis	8	8	18	9	12	10	9	14	9	9	10·6	8	.	2	1	.	.	3	2	.
s Pneumonia												.	.	.	.	.	.	.	.	.
-Pneumonia	1	6	1	12	4	8	6	8	5	9	6·0	5	.	.	5	.	.	.	.	.
onia"												2	.	.	.	.	1	.	1	.
Emphysema												.	.	.	.	.	.	.	.	.
... ...	.	1	3	.	2	2	1	1	.	2	1·2	.	.	.	.	.	.	.	.	.
ory Dis. (other)												4	.	1	.	.	1	1	1	.
is, Quinsy	.	1	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
(not Epid.)	1	1	1	.	4	.	3	2	1	1	1·4	2	.	2	.	.	.	.	.	.
nteritis												3	1	1	1	.	.	.	.	.
tis (not Puerp.)	.	1	1	1	.	.	1	1	.	2	·7	.	.	.	.	.	.	.	.	.
of Liver	2	2	4	7	6	3	2	1	5	2	3·4	2	.	.	.	.	2	.	.	.
s. (other)												.	.	.	.	.	.	.	.	.
e Dis. (other)	7	1	2	3	11	9	8	5	4	5	5·5	4	.	2	.	.	.	1	1	.
s, Acute												.	.	.	.	.	.	.	.	.
Dis., Albuminuria ...	4	6	3	3	3	5	2	5	3	3	3·7	2	.	.	.	.	1	.	1	.
Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
ive Organs Dis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
th (Accid. of)	1	1	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
... .	8	11	6	8	8	4	10	10	9	9	8·3	8	.	.	.	.	.	.	4	4
iseases	15	18	12	15	13	10	14	15	10	9	13·1	16	3	8	3	1	1	.	.	.
ACCIDENT.																				
vays	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
cles and Horses	.	1	.	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ing Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
agrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s, Scalds, Explosions ...	.	.	1	.	1	3	.	1	1	.	·7	.	.	.	.	.	.	.	.	.
wning	1	.	1	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
cation in Bed	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
eaths by Accidents ...	.	2	1	2	1	3	.	1	3	.	1·3	2	.	.	.	.	1	1	.	.
LENCE OTHER THAN ACCIDENTAL.																				
le	.	.	.	1	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
... ...	1	.	1	.	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

gistration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																									
	Mar. 29.	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
Births registered,	229	199	237	226	195	255	232	202	209	234	249	192	242	213	204	187	196	203	186	244	192	185	209	205	219	221
*Average Births in corresponding week of previous 10 years,**	225	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193
Deaths registered,	211	203	206	174	199	191	178	186	149	165	156	155	139	149	149	129	155	150	165	154	145	146	156	170	142	168
Annual Death-rate per 1,000,	29·0	27·9	28·3	23·9	27·4	26·3	26·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1
*Average Deaths in corresponding week of previous 10 years,**	233	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164
Ages, Under 5 years,	49	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52	53	57	62	87
5—20 "	20	17	16	12	19	20	18	20	16	24	14	19	15	11	14	10	18	8	14	14	7	15	12	16	9	9
20—40 "	39	33	42	28	20	31	33	39	34	23	32	29	23	23	30	24	36	25	31	22	17	27	31	25	19	26
40—60 "	52	51	41	37	50	39	38	37	21	35	38	24	26	27	27	29	30	29	24	20	36	32	31	48	23	18
60—80 "	43	45	40	33	44	42	35	32	36	27	17	27	32	26	30	25	27	29	30	29	28	15	26	23	23	23
80 years and upwards,	8	8	11	7	6	13	7	9	8	8	7	6	5	5	7	3	5	13	7	4	2	5	8	6	6	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13
" Scarlet Fever,	2	.	.	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.	2	3	.	2
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	1	.	.	.	.
" Whooping-cough,	2	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1
" Diphtheria,	.	2	1	1	.	2	2	3	.	2	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" Enteric Fever,	2	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1
" Diarrhœa, Dysentery,	.	1	4	4	1	1	2	1	2	1	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20
" Phthisis,	37	27	27	25	20	25	23	30	25	27	40	26	26	15	18	14	25	18	19	15	18	21	19	24	14	15
" Heart Diseases,	20	1	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18	9	18	21	17	18	24	17	17
" Diseases of Respiratory System,	53	49	4	33	1	32	29	30	23	32	25	16	10	25	30	24	23	17	30	28	19	18	16	20	14	20
Violent Deaths,	1	4	8	1	4	6	4	3	4	4	6	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2
Mean Temperature of the Air (Phœnix Park),	48·5	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9
Average Mean Temperature in corresponding week of previous 10 years,	41·9	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8
Rainfall in inches,	·785	·760	·050	·220	·240	·380	·090	·845	·195	·158	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·588	·083	1·725	·115	·180
Mean Humidity of the Air, complete Saturation 1·0,	·84	·84	·82	·79	·80	·79	75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th September, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Registration of Deaths, Week ending Saturday, 20th September, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	846,128	25·3	168	87	9	26	18	23	5	.	13	2	.	1	4	..	1	20	41	15	10	20	2	80
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	10·1	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
II.	MIDDLE CLASS,	80,653	11·0	17	3	2	4	1	4	3	.	.	.	.	.	1	.	1	1	3	3	.	1	.	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	20·1	38	20	3	8	3	4	.	.	2	.	.	.	1	.	.	9	12	2	2	4	.	18
IV.	GENERAL SERVICE CLASS,	146,486	37·8	85	54	4	11	10	5	1	.	10	2	.	1	2	.	.	9	24	7	8	11	2	33
V.	INMATES OF WORKHOUSES,	5,191		25	9	.	3	4	9	.	.	1	.	.	.	.	.	.	1	2	3	.	3	.	17
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	13·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	9·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	6·1	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	6. Clerks and Commercial Assistants,	24,750	16·9	8	2	2	3	.	.	1	.	.	.	.	.	1	.	1	.	2	1	.	1	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	10·7	5	1	.	.	1	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	4	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	2
	9. Building and Furnishing Trades,	26,030	26·0	13	7	2	2	1	1	.	.	1	.	.	.	1	.	.	3	5	1	1	.	.	6
	10. Clothing Trades,	23,686	19·8	9	5	.	1	.	3	.	.	.	.	.	.	.	.	.	3	3	.	.	1	.	5
	11. Food Supply Trades,	7,869	18·3	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	15·6	8	4	.	3	1	.	.	.	1	.	.	.	.	.	.	2	3	.	.	1	.	4
	13. Petty Shopkeepers,	6,771	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	2	.	1	3	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	5
	15. Domestic Servants,	39,563	11·9	9	3	.	4	2	.	.	.	.	.	.	.	.	.	.	1	1	1	1	3	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	43·8	9	5	1	2	1	.	.	.	.	.	.	.	.	.	.	2	2	2	2	.	1	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	37·2	59	44	3	4	4	4	.	.	10	2	.	1	2	.	.	6	21	3	4	7	1	23
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	25	9	.	3	4	9	.	.	1	.	.	.	.	.	.	1	2	3	.	3	.	17

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,333.	Aug. 2,	29·4	5·5	16	.	3	.	.	.	.	.	.	.	1	4	.
		„ 9,	28·9	7·4	13	.	3	.	.	1	.	.	.	.	.	.	.
		„ 16,	28·9	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		„ 23,	29·4	9·2	16	.	4	.	.	.	.	.	.	1	2	.	1
		„ 30,	28·9	1·8	13	.	1	.	.	.	.	.	.	.	2	1	1
		Sept. 6,	22·1	3·7	12	.	1	.	.	.	.	.	.	1	4	1	.
		„ 13,	16·6	3·7	9	.	.	.	.	.	.	.	.	2	1	.	.
		„ 20,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	3	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Aug. 2,	21·3	2·7	16	.	2	.	.	.	.	.	.	.	1	2	2
		„ 9,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	2	6	.
		„ 16,	21·3	4·0	16	.	3	.	.	.	.	.	.	.	1	1	1
		„ 23,	17·3	2·7	13	.	1	.	.	.	.	.	1	.	1	4	.
		„ 30,	21·3	4·0	16	.	1	1	.	.	.	.	.	1	.	1	1
		Sept. 6,	24·0	4·0	18	.	.	1	.	.	.	.	1	1	1	4	.
		„ 13,	18·6	6·7	14	.	1	.	.	.	1	.	1	2	2	1	.
		„ 20,	26·6	6·7	20	.	1	.	.	.	2	.	.	2	2	1	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Aug. 2,	24·2	5·2	14	.	2	1	.	.	.	.	.	.	3	2	1
		„ 9,	13·9	1·7	8	.	1	.	.	.	.	.	.	.	1	3	1
		„ 16,	19·1	1·7	11	.	.	.	1	.	.	.	.	.	2	2	.
		„ 23,	17·3	1·7	10	.	.	.	1	.	.	.	.	.	1	1	.
		„ 30,	22·5	5·2	13	.	2	.	.	.	1	.	.	.	.	1	.
		Sept. 6,	29·4	1·7	17	.	1	.	.	.	.	.	.	.	2	3	.
		„ 13,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	1	1	2
		„ 20,	38·1	6·9	22	.	.	.	.	.	.	.	.	4	5	2	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Aug. 2,	24·7	13·2	15	.	7	.	.	.	.	.	.	1	1	2	.
		„ 9,	32·9	6·6	20	.	3	.	.	.	.	.	.	1	1	3	.
		„ 16,	37·9	14·8	23	.	9	.	.	.	.	.	.	.	3	3	.
		„ 23,	28·0	9·9	17	.	6	.	.	.	.	.	.	.	2	1	.
		„ 30,	26·3	6·6	16	.	4	.	.	.	.	.	.	.	1	3	.
		Sept. 6,	41·2	11·5	25	.	5	1	.	.	.	.	1	.	5	2	.
		„ 13,	29·6	6·6	18	.	3	.	.	.	.	.	.	1	1	3	.
		„ 20,	32·9	9·9	20	.	3	.	.	.	.	.	.	3	1	2	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 32,313.	Aug. 2,	25·3	1·3	19	.	.	.	.	.	.	.	.	1	1	5	.
		„ 9,	27·2	6·6	20	.	3	.	.	.	1	.	.	1	1	3	.
		„ 16,	19·1	5·4	14	.	3	.	.	.	.	.	.	1	.	1	.
		„ 23,	23·1	1·4	17	.	1	.	.	.	.	.	.	.	4	2	.
		„ 30,	19·1	6·8	14	.	.	.	.	.	1	.	.	4	.	.	.
		Sept. 6,	28·6	6·8	21	.	1	.	.	.	1	.	1	2	4	2	1
		„ 13,	21·8	6·8	16	.	2	.	.	.	1	.	.	2	2	.	.
		„ 20,	15·0	4·1	11	.	1	.	.	1	.	.	.	1	.	3	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Aug. 2,	33·5	3·0	11	.	.	.	.	.	.	.	1	.	2	2	2
		„ 9,	21·4	3·0	8	.	.	1	.	.	.	.	.	.	3	2	.
		„ 16,	45·7	12·2	15	.	3	1	.	.	.	.	.	.	3	1	2
		„ 23,	27·4	3·0	9	.	.	.	.	.	.	.	.	1	.	3	.
		„ 30,	30·5	3·0	10	.	.	.	.	.	.	.	.	1	5	2	.
		Sept. 6,	24·4	3·0	8	.	.	.	.	.	.	.	.	1	2	.	1
		„ 13,	30·5	6·1	10	.	.	.	.	.	.	.	1	1	2	3	.
		„ 20,	36·6	12·2	12	.	3	.	.	.	.	.	.	1	1	1	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 42,575.	Aug. 2,	18·7	1·2	15	.	.	.	.	.	.	.	.	1	1	6	.
		„ 9,	24·5	8·5	20	.	3	.	.	.	.	.	4	.	2	6	.
		„ 16,	20·8	2·5	17	.	1	.	.	.	.	.	1	.	4	2	.
		„ 23,	25·7	4·9	21	.	2	.	.	1	.	.	.	.	3	4	1
		„ 30,	25·7	1·2	21	.	1	.	.	.	.	.	.	.	4	4	.
		Sept. 6,	17·1	3·7	14	.	.	.	.	.	.	.	.	3	1	1	.
		„ 13,	19·6	4·9	16	.	.	.	.	.	.	.	.	4	1	1	.
		„ 20,	29·4	7·3	24	.	1	.	.	.	1	.	.	4	4	4	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Aug. 2,	26·9	6·0	18	.	3	.	.	1	.	.	.	.	4	3	1
		„ 9,	26·9	6·0	18	.	3	.	.	.	.	.	.	1	.	1	1
		„ 16,	14·9	.	10	.	.	.	.	.	.	.	.	.	1	4	.
		„ 23,	20·9	3·0	14	.	1	.	.	1	.	.	.	.	4	1	.
		„ 30,	20·9	3·0	14	.	2	.	.	.	.	.	.	.	1	3	1
		Sept. 6,	25·4	3·0	17	.	1	.	.	.	1	.	.	.	2	4	1
		„ 13,	23·9	3·0	16	.	.	.	.	.	.	.	.	2	1	1	2
		„ 20,	25·4	9·0	17	.	3	2	.	.	.	.	.	1	.	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 38,208.	Aug. 2,	7·9	1·6	5	.	.	.	.	.	1	.	.	.	.	.	.
	,, 9,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	,, 16	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	,, 23,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	,, 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	Sept. 6,	15·7	3·1	10	.	1	1	.	.	.	.	.	.	1	1	.
	,, 13,	9·4	3·1	6	.	.	.	.	.	.	.	1	1	.	1	.
	,, 20,	6·3	4·7	4	.	.	.	.	.	1	.	.	2	.	.	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Aug. 2,	23·0	6·0	14	.	1	.	1	.	.	.	.	1	3	2	.
	,, 9.	4·0	.	2	.	.	.	.	.	.	.	.	.	1	.	.
	,, 16,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	,, 23,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	2	.	1
	,, 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 6,	14·0	2·0	7	.	.	.	.	.	.	.	.	1	1	.	.
	,, 13,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	,, 20,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.
Kingstown. Pop. in 1902 (Est.) 17,880.	Aug. 2,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	,, 9,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	.	.
	,, 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	,, 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	,, 30,	18·0	3·0	6	.	.	.	.	.	.	.	1	.	1	1	.
	Sept. 6,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	,, 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	,, 20,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1902 (Est.) 358,693.	Aug. 2,	18·6	2·6	128	.	5	.	.	8	.	.	3	2	16	29	4
	,, 9,	17·6	2·0	121	.	3	.	.	6	.	.	4	1	30	15	.
	,, 16,	15·7	2·6	108	.	3	.	.	2	2	2	4	5	14	19	1
	,, 23,	16·3	3·1	112	.	2	.	.	6	1	.	7	5	13	19	1
	,, 30,	16·3	2·6	112	.	5	.	.	5	.	.	4	4	13	26	1
	Sept. 6,	17·9	3·3	123	.	6	.	1	6	1	1	4	4	18	27	1
	,, 13,	18·3	5·2	126	.	4	.	.	5	3	.	1	23	13	15	2
	,, 20,	20·9	3·3	144	.	5	.	.	2	.	.	3	13	24	15	6
Cork. Pop. (in 1901) 76,122.	Aug. 2,	30·8	2·1	27	.	2	.	.	.	.	.	.	1	5	3	.
	,, 9,	17·8	2·1	26	.	1	.	.	.	1	.	.	1	5	2	.
	,, 16,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	2	5	.
	,, 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	6	4	.
	,, 30,	22·6	3·4	33	.	2	.	.	2	.	.	.	1	5	3	1
	Sept. 6,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	,, 13,	14·4	2·7	21	.	2	.	.	.	.	.	.	2	2	3	.
	,, 20,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	6	2	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Aug. 2,	20·5	5·1	16	.	3	.	.	.	.	.	.	1	4	2	.
	,, 9,	6·4	2·6	5	.	2	.	.	.	.	.	.	.	1	.	.
	,, 16,	15·4	1·3	12	.	1	.	.	.	.	.	.	.	1	2	.
	,, 23,	9·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	,, 30,	17·9	2·6	14	.	.	.	.	.	.	.	.	2	1	2	.
	Sept. 6,	21·8	2·6	17	.	1	.	.	.	.	.	.	1	2	1	1
	,, 13,	16·6	1·3	13	.	.	.	.	.	.	.	.	.	3	3	.
	,, 20,	20·5	3·3	16	.	.	.	.	.	.	.	1	2	2	4	.
Limerick. Pop. (in 1901) 38,151.	Aug. 2,	20·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	,, 9,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	.	.
	,, 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	,, 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	1	1
	,, 30,	15·0	1·4	11	.	.	.	.	.	.	.	1	.	3	2	.
	Sept. 6,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	1	.
	,, 13,	17·8	.	13	.	.	.	.	.	.	.	.	.	4	.	.
	,, 20,	20·5	6·8	15	.	1	.	.	.	.	.	2	2	1	2	.
Waterford. Pop. (in 1901) 26,769.	Aug. 2,	35·1	.	6	.	.	.	.	.	.	.	.	.	.	.	2
	,, 9,	18·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	,, 16,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	,, 23,	11·7	3·9	6	.	.	.	.	.	.	.	.	2	.	.	.
	,, 30,	7·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 6,	31·2	5·8	16	.	.	.	.	1	.	.	.	2	2	1	.
	,, 13,	28·4	5·8	12	.	.	.	.	1	.	.	1	1	1	.	.
	,, 20,	25·3	7·8	13	.	.	.	.	2	.	.	.	2	.	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 20th September, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	6	35·4	7·1	10	4	2	2	2	.	1	.	.	.	.	.	.	1	1	1	.	.	3
" 2 "	47,959	20	10·9	2·2	10	1	2	5	2	.	1	.	.	.	.	.	.	1	4	1	.	.	1
" 3 "	47,214	33	18·8	4·4	17	7	2	6	2	.	2	.	.	.	.	.	.	2	1	1	1	2	3
" 4 "	40,911	33	22·9	.	18	6	.	8	4	.	.	.	.	.	.	.	.	.	3	.	1	2	8
" 5 "	17,387	9	30·0	3·0	10	5	.	4	1	.	.	.	.	.	.	.	.	1	3	1	.	2	3
" 6 "	48,122	19	19·5	4·3	18	5	1	9	3	.	1	.	.	.	.	.	1	2	4	2	3	3	4
" 7 "	1,524	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	2	20·6	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 9 "	19,569	7	23·7	6·5	11	6	1	4	.	.	.	.	.	.	.	.	.	3	1	.	1	3	3
" 10 "	23,064	22	11·3	2·3	5	1	1	3	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
" 11 "	34,802	19	28·5	6·0	19	3	4	8	4	.	.	.	.	1	.	.	1	2	2	6	.	1	2
" 12 "	33,588	21	24·8	1·6	16	5	3	8	.	.	.	.	.	.	.	.	1	.	2	1	.	1	4
" 13 "	15,006	3	24·2	3·5	7	3	1	2	1	.	.	.	.	1	.	.	.	.	2	.	.	.	1
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	200	21·5	3·4	144	46	17	60	21	.	5	.	.	2	.	.	3	13	24	15	6	14	33
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	4	12·2	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 2 "	10,701	9	19·5	4·9	4	1	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	3
" 3 "	9,978	9	26·1	.	5	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	2
" 4 "	8,666	4	18·1	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	6,592	1	39·6	.	5	.	.	5	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
" 6 "	10,702	3	9·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	16,616	9	18·8	.	6	.	1	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Total,	76,122	39	19·2	0·7	28	2	2	21	3	.	.	.	.	.	.	.	.	1	6	2	.	2	10

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Mar. 29.	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered,	175	265	216	215	245	192	229	231	201	244	217	211	209	175	237	208	214	224	200	215	194	200	176	209	219	200
DEATHS registered.	151	158	168	149	153	119	149	142	152	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144
Annual Death-rate per 1,000 of estimated Population,	22·0	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	21·5
AGES, Under 1 year,	27	25	25	23	32	20	27	29	26	31	16	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46
AGES, 1–5 years,	21	22	21	22	23	12	24	16	25	24	20	14	22	20	27	23	19	19	22	13	21	17	19	16	20	17
AGES, 5–60 years,	74	75	80	67	76	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62	44	48	51	54	42	60
AGES, 60 years and upwards,	29	36	42	37	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21	23	16	20	25	15	21
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	2	4	2	3	4	3	4	3	4	3	2	7	6	6	7	7	8	5	3	3	2	5	6	4	5
,, Scarlet Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Whooping-cough,	6	5	6	4	2	2	4	3	4	2	6	1	4	3	7	4	.	2	8	6	2	6	5	6	5	2
,, Diphtheria,	1	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.
,, Enteric Fever,	.	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3
,, Diarrhœa, Dysentery,	2	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1	5	5	4	4	23	13
,, Phthisis	30	30	26	31	25	29	32	29	26	25	26	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24
,, Diseases of Respiratory System,	44	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18	16	29	15	19	19	26	27	15	15
Violent Deaths,	2	.	3	4	.	.	4	5	1	3	3	2	2	1	7	4	1	6	4	.	1	1	1	1	2	6

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th September, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Fever.	Total.
North City No. 1, East,	.	6	.	.	1	.	2	.	.	3	.	.	.	.	12
" " 1, West,	.	32	.	1	.	.	2	1	3	8	2	.	.	.	49
" " 2,	.	6	.	2	.	.	.	.	.	7	4	.	.	.	19
" " 3,	.	24	.	.	.	.	.	.	.	.	4	.	.	.	28
Clontarf and Howth No. 1 (part of),	.	6	.	.	.	.	.	.	.	.	.	.	.	.	6
Coolock and Drumcondra No. 1 (part of),	.	13	.	.	.	.	.	.	.	2	1	.	.	.	16
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	15	.	4	1	.	.	.	3	9	7	.	1	.	40
" " 2,	.	8	.	.	.	.	1	.	.	.	.	.	.	.	9
" " 3,	.	3	.	2	.	.	3	.	.	1	.	.	1	.	10
" " 4,	.	10	.	1	.	.	1	.	.	3	4	.	.	.	19
Palmerston (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	124	.	10	2	.	9	1	7	33	23	.	2	.	211
Total for week ended Sept. 13th, 1902,	.	87	.	11	1	.	9	.	5	33	15	.	8	.	169
Total for week ended Sept. 6th, 1902,	.	92	.	14	1	.	3	.	8	22	24	1	3	1	169
Total for week ended Aug. 30th, 1902,	.	102	.	11	.	.	8	.	12	36	21	.	1	.	191

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th September, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th September.			
	August 30.	Sept. 6.	Sept. 13.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	2	2	2	.	.	.	2
Measles,	80	73	88	23	17	6	88
Scarlet Fever,	68	68	70	11	11	.	70*
Typhus "	1	2	5	.	.	.	5
Diphtheria,	33	21	27	13	5	4	31
Enteric Fever,	53	65	77	16	10	1	82
Pneumonia,	12	10	10	6	2	1	13

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever	Diarrhœa. Diseases.
LONDON,	4,579,107	Sept. 20,	2,598	1,520	17·3	3	15	7	13	25	22	257
EDINBURGH,	317,885	„ 20,	133	85	13·7	.	2	1	1	2	.	2
GLASGOW,	764,423	„ 20,	477	211	14·1	.	.	1	1	4	2	11
CALCUTTA,	847,796	July 26,	.	390	23·9	1	.	.	.	.	103§	72*
BOMBAY,	776,006	Aug. 19.	340	649	43·5	4	10	?	?	2	78§	98*
MADRAS,	509,346	„ 8,	338	417	42·5	2	8	?	?	?	147	66
PARIS,	2,660,559	„ 30,	952	767	15·8	,	2	1	8†	9	3	101
		Sept. 6,	981	813	16·8	,	10	1	7†	1	6	99
BRUSSELS (with 8 Faubourgs).	562,893	Aug. 30,	237	176	16·3	.	3	.	1†	.	2	35
AMSTERDAM,	535,260	Sept. 6,	291	125	12·2	.	4	.	.	1	3	11
ROTTERDAM.	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE.	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN..	400,570	Aug. 30,	207	104	11·6	.	.	.	2	1	1	6
CHRISTIANIA.	224,909	„ 30,	142	50	11·6	.	.	.	.	3	.	.
ST. PETERSBURG,	1,248,643	„ 30,	551	465	19·4	.	11	5	11	4	9	96
BERLIN,	1,902,504	„ 2,	923	544	14·9	.	12	5	2	10	.	82
		„ 9,	894	501	13·7	.	9	6	3	8	.	69
HAMBURG,	724,835	„ 30,	.	185	13·3	.	5	7	2†	8	.	15
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH,	506,000	Aug. 30,	.	235	24·2	.	1	.	2†	6	.	49
VIENNA (with suburbs).	1,726,604	„ 30,	891	559	16·8	.	5	1	4†	1	3	101
BUDA-PESTH.	767,661	„ 30,	381	250	16·9	.	1	2	1	.	4	47
PRAGUE and Faubourgs	416,817	„ 30,	183	137	17·1	.	.	5	1†	1	.	11
ROME,	480,361	July 5,	214	172	18·6	.	6	.	1	1	.	21
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Aug. 23,	76	58	16·3	.	3	.	.	.	1	9
		„ 30,	65	60	17·3	.	3	.	.	1	2	10
NEW YORK,	3,632,501	„ 30,	1,650	1,316	18·9	1	2	6	23†	16	24	216
PHILADELPHIA,	1,293,697	„ 23,	.	379	15·2	.	.	5	2	7	10	27

* Including 34 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
§ Exclusive of 12 deaths from bubonic fever in Calcutta and 35 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 20th September, 1902:—

"Cool, autumnal weather prevailed, but conditions were generally favourable and the middle of the week was bright and sunny. On Sunday morning a very large and deep depression was central over Sweden and the Gulf of Bothnia—at 8 a.m. the barometer read only 28·67 inches at Heruösand. Gradients were rather decided for N.W. winds over the British Islands and cool, cloudy weather, with showers in many places, was reported. By Monday morning a fresh disturbance had already reached the North of Scotland, travelling eastwards. This system caused squally, showery, cold weather—moderate W. to N.W. gales being felt at exposed coast stations. Its centre reached Sweden early on Wednesday morning. No excessive rains accompanied the disturbance, but its northerly winds brought with them very low temperatures for the time of year, first to Ireland, afterwards to Great Britain. Early on Thursday the thermometer sank to 35° at Birr, and to 41·6° even in Dublin. Early on Friday the minima were 33° at Wick and Nairn, 34° at Stornoway, 35° at Oxford, 36° at Aberdeen and Loughborough, 37° at Dungeness and in London. On Friday a ridge of high baric pressure extended over Great Britain, while the barometer gave way in Ireland and over the Bay of Biscay. By Saturday a new depression was established over Ireland, where mild but dull and rainy weather brought the week to a close. In Dublin the mean height of the barometer was 30·031 inches, pressure varying from 29·661 inches at 9 a.m. of Tuesday (wind, W.N.W.) and 30·322 inches at 9 a.m. of Friday (wind, S.E.). The corrected mean temperature was 54·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·1°. The screened thermometers rose to 61·8° on Friday, having fallen to 41·6° on Thursday. Rain was measured on 4 days, the total amount being ·204 inch, of which ·088 inch was referred to Monday. The duration of bright sunshine was estimated at 39½ hours. The prevalent winds were at first W.N.W., afterwards S.E. Partial solar halos were seen on Friday. Snow fell in Norway on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·052 inches. The highest reading (30·347) was on Friday at 9 a.m., air calm, and the lowest (29·679) on Tuesday at 9 a.m., wind W.

The mean temperature for the week was 52·9°, being 0·9° below the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Friday, when the thermometer registered 61·9°, and was lowest on Thursday, the mercury having fallen to 37·9 The mean of the Dry Bulb for the week was 53·0°, and of the Wet Bulb 50·8°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 39·0 hours. The rainfall measured during the week was ·180 inch.

At Greenwich the mean temperature for the week was 52·9°, the maximum 66·2°, and the minimum 36·8°; at Glasgow the maximum was 61·8°, the minimum 34·1°, and the mean 51·8°; and at Edinburgh the maximum was 59·7°; the minimum 39·6°, and the mean 50·7°. The rainfall at Greenwich measured 0·06 inch; at Glasgow 0·42 inch; and at Edinburgh 0·14 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Sept. 14,	29·930	59·2	51·9	55·6	53·9	52·1	·88	1·0	0·9	·005	W.	W.
Monday, „ 15,	29·772	59·1	50·7	54·9	53·2	52·2	·94	·9	0·9	·080	W.S.W.	W.S.W.
Tuesday, „ 16,	29·778	60·1	48·0	54·1	52·1	49·2	·82	·5	10·1	·070	W.	W.
Wednesday, „ 17,	30·141	57·3	42·4	49·9	47·3	45·0	·84	·5	7·3	—	W.	N.W.
Thursday, „ 18,	30·315	59·9	37·9	48·9	52·4	49·5	·81	·1	11·3	—	W.	Calm.
Friday, „ 19,	30·306	61·9	39·7	50·8	55·4	52·4	·82	·6	8·5	·025	Calm.	Calm.
Saturday, „ 20,	30·123	59·5	52·0	55·8	56·8	54·9	·88	·2	0·0	—	S.	E.S.E.
Mean, . .	30·052	59·6	46·1	52·9	53·0	50·8	·86	·5	Total 39·0	·180	Prevailing Wind, W.	

Sunday—A cloudy day; night cloudy; light rain 8.30 to 9.0 a.m. *Monday*—A cloudy day; night cloudy; showery 7.30 p.m. to 3.0 a.m. *Tuesday*—A fine day; heavy shower 11.15 a.m. to 12.0 a.m.; night clear. *Wednesday*—A fine morning; cloudy p.m.; night clear. *Thursday*—A fine day; night cloudy. *Friday*—A fine day; night cloudy; showery 4.30 a.m. to 8.0 a.m. *Saturday*—Day overcast; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 27TH SEPTEMBER, 1902. [No. 39.

General Register Office, Charlemont House, Dublin, 29th September, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 6.	Week ending Sept. 13.	Week ending Sept. 20.	Week ending Sept. 27.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 6.	Week ending Sept. 13.	Week ending Sept. 20.	Week ending Sept. 27.	Average Rate for 4 weeks
22 Town Dists.	19·6	17·7	20·7	21·0	19·7	Lisburn,	31·8	4·5	4·5	4·5	11·3
Armagh,	13·7	6·9	13·7	13·7	12·0	Londonderry,	21·8	16·6	20·5	19·2	19·5
Ballymena,	23·9	38·3	28·7	0·0	22·7	Lurgan,	13·3	4·4	26·6	4·4	12·2
Belfast,	17·9	18·3	20·9	17·6	18·7	Newry,	25·2	0·0	12·6	8·4	11·6
Clonmel,	41·0	20·5	20·5	10·3	23·1	Newtownards,	11·4	5·7	5·7	11·4	8·6
Cork,	9·6	14·4	19·2	22·6	16·5	Portadown,	15·5	5·2	10·3	5·2	9·1
Drogheda,	28·6	20·4	40·9	16·3	26·5	Queenstown,	19·8	19·8	0·0	19·8	14·9
Dublin Reg. Area,	22·7	19·1	22·3	28·4	23·1	Sligo,	9·6	24·0	9·6	0·0	10·8
Dundalk,	16·0	8·0	8·0	12·0	11·0	Tralee,	10·6	0·0	26·4	37·0	18·5
Galway,	23·3	15·5	11·7	27·2	19·4	Waterford,	31·2	23·4	25·3	19·5	24·8
Kilkenny,	14·7	29·5	14·7	39·3	24·5	Wexford,	4·7	23·3	28·0	23·3	19·8
Limerick,	16·4	17·8	20·5	10·9	16·4						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·7 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·8 in Waterford; the 10 deaths from all causes registered in that district comprising 3 from diarrhœa. Among the 121 deaths in Belfast are 4 from measles, 4 from whooping-cough, 3 from enteric fever, and 12 from diarrhœa; and the 15 deaths in Londonderry include one from measles and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 222—117 boys and 105 girls; and the deaths to 213—99 males and 114 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 29·3 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 28·4 per 1,000. During the thirty-nine weeks ending with Saturday last the death-rate averaged 24·0, and was 2·8 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

The number of deaths from measles registered is 10, being 3 under the number for the preceding week, but 4 over that for the week ended the 13th instant. Diphtheria caused 5 deaths, against 4 for the preceding week and 2 for the week ended the 13th instant. Three deaths from scarlet fever, 2 each from influenza and cerebro-spinal meningitis, 8 from enteric fever, 4 (all children under 5 years of age) from epidemic diarrhœa, 14 from *diarrhœa* (13 being of children under 5 years of age), and one from dysentery were registered.

There were 32 deaths from tuberculous diseases, viz. :—19 from *phthisis*, one from tuberculous phthisis, 4 from tuberculous meningitis, and 8 from "other tuberculous diseases."

Carcinoma caused one death, and *malignant disease*, "*cancer*," 3 deaths.

There were 22 deaths from diseases of the nervous system, including 9 (children under 5 years old, of whom 8 were under one year) from *convulsions*.

Twenty-one deaths from diseases of the heart and blood-vessels were registered, including 3 from *apoplexy, hemiplegia*.

Diseases of the respiratory system caused 27 deaths, being 7 over the number for the preceding week: they comprise 16 from bronchitis, 2 from broncho-pneumonia, and 5 from *pneumonia*. The 27 deaths represent an annual rate of 3·7 per 1,000 of the population, against an average rate of 2·7 per 1,000 for the 39th week of the 10 years 1892–1901.

Five accidental deaths and one case of suicide were registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the death of one female aged 93 years.

Ninety-eight of the persons whose deaths were registered during the week were under 5 years of age (60 being infants under one year, of whom 10 were under one month old), and 34 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 7 were octogenarians, and 2 (a man and a woman) were stated to have been aged 97 and 93 years respectively.

Eighty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 28·4 per 1,000; the rate in the City was 31·6 (33·6 on the North side, and 29·5 on the South), and in the Urban Districts 17·1.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 6·2 per 1,000 inhabitants, the rate for the City being 7·1 (7·5 in the North City Districts, and 6·6 in the South) and for the Urban Districts 3·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (24) are equal to an annual rate of 44·2 per 1,000. They comprise 5 from measles, 2 each from *diarrhœa*, influenza, and diseases of the nervous system, 3 from diseases of the heart and blood-vessels, and 5 from diseases of the respiratory system, including 2 from *pneumonia*.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000. Measles, enteric fever, and *diarrhœa* each caused one death. There were 3 deaths from *phthisis*, 2 from *convulsions*, and 4 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (24) are equivalent to an annual rate of 41·6 per 1,000. There were 2 deaths from enteric fever, and one from each of the following:—measles, diphtheria, *diarrhœa*, and *phthisis*. Three deaths were attributed to diseases of the nervous system, and 7 to diseases of the respiratory system, including 2 deaths from broncho-pneumonia.

No. 3 *North City District* (Blackhall-place).—The deaths (21) represent an annual rate of 34·6 per 1,000. One death was caused by each of the following, viz. :—measles, scarlatina, whooping-cough, enteric fever, *diarrhœa*, and dysentery; 2 deaths were caused by *phthisis*, 2 by cerebro-spinal meningitis, and 4 by diseases of the heart and blood-vessels.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 15·6. One of the deaths tabulated for Clontarf and Howth, No. 1, part of, was from enteric fever.

No. 1 *South City District* (South Earl-street).—The deaths (29) represent an annual rate of 39·5 per 1,000. They include one from scarlatina, one from enteric fever, 2 from epidemic diarrhœa, 3 from *diarrhœa*, 4 from *phthisis*, 6 from diseases of the nervous system, and 2 from diseases of the heart and blood-vessels.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 18·3 per 1,000. Among them are 3 from diseases of the respiratory system.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·5 per 1,000. One of the deaths was from diphtheria, 2 were from epidemic diarrhœa, 2 from *diarrhœa*, 3 from *convulsions*, 2 from diseases of the heart and blood-vessels, and 2 from bronchitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·9 per 1,000. They comprise 2 from measles, 2 from diphtheria, 1 from *diarrhœa*, 3 from *phthisis*, and 3 from diseases of the heart and blood-vessels.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 21·4 per 1,000 inhabitants. *Diarrhœa* caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 18·8 per 1,000 inhabitants; Pembroke, 20·0; Blackrock, 6·0; and Kingstown, 15·0. The deaths from the principal epidemic diseases tabulated for these districts consist of one from scarlatina, one from enteric fever, and 2 from *diarrhœa* for Rathmines, and one from enteric fever for Kingstown. Among the 12 deaths from all causes tabulated for Rathmines, are one from "*cancer*" and 3 from diseases of the heart and blood-vessels.

NOTE.—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 6th September,	169 cases.
" " 13th September,	169 cases.
" " 20th September,	211 cases.
" " 27th September,	262 cases.

Of the 262 cases notified during last week, 15 were erysipelas, 28 enteric fever, 16 scarlatina, 175 measles, 14 diphtheria, 8 continued fever, 4 varicella (chicken-pox), one typhus, and one measles and diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 6th September,	10 cases.
" " 13th September,	6 cases.
" " 20th September,	6 cases.
" " 27th September,	7 cases.

Of the 7 cases notified last week, 3 were scarlatina, 3 enteric fever, and one diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 6th September,	4 cases.
" " 13th September,	12 cases.
" " 20th September,	12 cases.
" " 27th September,	3 cases.

Of the 3 cases notified during last week, 2 were scarlatina, and one diphtheria.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 6th September,	91 cases.
" " 13th September,	71 cases.
" " 20th September,	74 cases.
" " 27th September,	77 cases.

Of the 77 cases notified during last week, 34 were enteric fever, 5 erysipelas, 5 diphtheria, 24 continued fever, and 9 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th September, 1902.

From this it appears that:—

There were 2 cases of small-pox under treatment at the close of the week.

Forty-nine cases of measles were admitted to hospital, being 26 over the admissions for the preceding week; 25 were discharged, there was one death, and 111 cases remained under treatment at the close of the week.

Twenty-four cases of enteric fever were admitted to hospital, 16 cases were discharged, there were 3 deaths, and 87 cases remained under treatment at the close of the week.

Twenty-five cases of scarlatina were admitted to hospital, 13 cases were discharged, there were 2 deaths, and 80* cases remained under treatment at the close of the week.

Six cases of typhus remained under treatment at the close of the week.

Sixteen cases of diphtheria were admitted to hospital, 13 were discharged, 4 died, and 30 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 8 patients were discharged, and 9 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·0), was equal to an average annual death-rate of 17·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow being 16·4, and for Edinburgh 14·0.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th September, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 27th September, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,401	19·2	28·5	21·0	3·7	598	441	125	81	.	15	8	1	5	4	.	12	38	47	64	8	17	130
Dublin Registration Area:—																							
Total,†	378,761	27·5	30·6	28·4	6·2	222	206	59	32	.	10	3	.	1	4	.	8	19	18	27	6	10	78
Registrars' Districts. City	293,394	37·8	34·8	31·6	7·1	196	178	53	23	.	10	2	.	1	4	.	6	17	16	26	5	9	68
Rathmines,‖	33,203	19·4	9·4	18·8	6·3	6	12	2	5	.	.	1	.	.	.	.	1	2	1	1	.	.	5
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	30·1	20·0	.	15	10	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Blackrock,‖	8,759	8·1	6·0	6·0	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Kingstown 1 & 2,‖	17,380	11·9	12·0	15·0	3·0	4	5	.	1	.	.	.	.	.	.	.	1	.	1	.	1	1	1
Urban Districts.																							
Belfast,	358,693	21·8	31·7	17·6	3·3	218	121	46	15	.	4	.	.	4	.	.	3	12	8	24	.	5	12
Cork,	76,122	33·6	26·7	22·6	1·4	39	33	5	8	.	.	.	.	.	.	.	.	2	7	2	.	.	16
Londonderry,	40,729	18·8	28·2	19·2	3·8	22	15	3	2	.	1	.	.	.	.	.	.	2	4	1	1	1	4
Limerick,	38,151	18·1	23·2	10·9	1·4	17	8	.	2	.	.	.	.	.	.	.	1	.	2	2	.	.	3
Waterford	26,769	18·7	19·5	19·5	5·8	10	10	4	3	.	.	.	.	.	.	.	.	3	1	2	.	.	3
Galway,	18,426	2·5	27·2	27·2	.	7	7	1	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Dundalk	18,076	9·4	19·9	12·0	.	5	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Drogheda	12,760	8·6	20·4	16·3	4·1	5	4	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	3
Newry,	12,405	17·8	4·2	8·4	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,782	18·8	39·8	4·4	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	11,461	10·1	18·2	4·5	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	11,168	23·2	42·0	23·3	.	9	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Ballymena	10,886	8·9	4·8	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	9·6	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny,	10,609	11·5	29·5	39·3	.	6	8	2	5	.	.	.	.	.	.	.	.	.	3	3	.	.	5
Clonmel,	10,167	7·8	.	10·3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Portadown	10,092	18·2	36·2	5·2	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,867	16·6	21·1	37·0	.	4	7	.	2	.	.	.	.	.	.	.	.	.	4	.	.	.	5
Newtownards,	9,110	18·9	11·4	11·4	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown,	7,909	14·4	13·2	19·8	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,588	22·2	41·2	13·7	.	6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 27th Sept., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Sept., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th Sept., 1902.] Air Temperature. Absolute Highest.	Absolute Lowest.	Mean	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
	°	°	°		°	°	°		°	°	°	°
Total of 22 Town Districts	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—												
Total,†	§67·8	37·4	55·5	0·60	§61·9	37·9	52·9	0·18	§68·0	37·4	52·5	0·12
City	a69·0 b72·3	44·3 38·0	56·6 55·3	0·39 0·58	a61·8 b63·8	41·6 38·0	54·2 53·3	0·20 0·17	a65·2 b66·3	41·7 37·6	54·6 55·7	0·03 0·09
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	67·5	43·0	57·2	.	62	43	55·4	0·18	68·5	42·5	55·7	0·00
Belfast,	65·1	43·1	55·3	1·46	59·6	39·6	51·9	0·34	67·1	43·1	56·3	0·05
Cork,	64	46	56·5	0·58	62	44	55·4	0·24	66	45	56·8	0·09
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	70	43	58	0·49	65	39	54	0·65	69	38	57·5	0·01
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	69·0	44·2	57·0	0·62	61·3	40·0	52·8	0·65	67·7	36·8	53·7	0·03
Lurgan,	69·0	44·2	57·0	0·62	61·3	40·0	52·8	0·65	67·7	36·8	53·7	0·03
Lisburn,	69·0	44·2	57·0	0·62	61·3	40·0	52·8	0·65	67·7	36·8	53·7	0·03
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	68·7	36·0	56·6	0·49	60·5	35·4	52·3	1·00	69·9	35·1	54·0	0·22
Kilkenny,	67	37	54·5	0·74	62	32	52·6	0·34	70	39	55·1	0·06
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	69·0	44·2	57·0	0·62	61·3	40·0	52·8	0·65	67·7	36·8	53·7	0·03
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	64	45	55·4	1·27	59	40	51·4	0·21	62	43	53·5	0·10
Queenstown,	64	46	56·5	0·38	62	44	53·4	0·24	66	45	56·8	0·09
Armagh,	69·0	44·2	57·0	0·62	61·3	40·0	52·8	0·65	67·7	36·8	53·7	0·03

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 27th of September, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1E.	NORTH CITY No. 1W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of).	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROOK.	KINGSTOWN.		
GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	5	1	1	1	.	.	.	.	.	.	.	2	.	.	.		1	.	.	.	10	.
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.		.	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	1	2	.	.	.		.	.	.	.	4	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	.	1	2	1	1	.	.	.	1	.	.	.	.	.	.		1	.	.	1	8	.
Diarrhœa, Dysentery,	2	1	1	2	.	.	.	.	5	.	4	1	.	1	.		2	.	.	.	19	.
Phthisis,	1	3	1	2	.	1	.	.	4	1	.	3	.	.	.		1	.	.	1	18	2
Other General Diseases,	3	3	2	2	1	.	1	.	4	1	3	4	.	.	.		2	3	.	.	29	2
Total,	11	9	8	10	2	1	1	.	15	2	8	12	.	1	.		7	3	.	2	92	5
I. LOCAL DISEASES: Diseases of																						
Nervous System,	2	2	3	1	.	.	.	.	6	1	3	2	.	.	.		1	.	.	.	21	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Heart and Blood Vessels,	3	1	.	4	.	1	.	.	2	.	2	3	.	.	.		3	1	.	.	20	1
Respiratory System,	5	4	7	1	.	.	1	.	1	3	2	1	.	1	.		1	.	.	.	27	.
Digestive System,	.	4	4	2	.	.	.	.	1	.	1	2	.	.	.		.	3	1	2	20	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Generative System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.		.	.	.	.	3	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Total,	10	12	14	9	.	2	1	.	12	4	8	8	.	1	.		5	4	1	2	93	2
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	1	2	2	.	.	.	.	2	.	2	1	.	1	.		.	3	.	.	15	.
E. VIOLENT DEATHS,	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.		.	.	.	1	6	.
Deaths from all Causes,	24	22	24	21	2	3	2	.	29	6	20	22	.	3	.		12	10	1	5	206	7
Annual Rate of Mortality in every 1,000 of the population.	44·2	29·8	41·6	34·6	21·7	15·6	15·6	.	39·5	18·3	24·5	32·9	.	21·4	.		18·8	20·0	6·0	15·0	28·4	
	38·6								29·5								17·1					
	31·6																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	4	8	1	.	1	.	8	1	3	7	.	.	.		5	3	1	1	49	6
Workhouse Hospitals,	2	1	4	5	.	1	.	.	6	3	3	4	.	.	.		.	.	.	.	29	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re[illegible] week of the ten year[illegible]

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1892-1901	In the Week ending S[illegible] 27th September, 1[illegible] Deaths of Persons of th[illegible]				
	Oct. 1, 1892.	Sept. 30, 1893.	Sept. 29, 1894.	Sept. 28, 1895.	Sept. 26, 1896.	Oct. 2, 1897.	Oct. 1, 1898.	Sept. 30, 1899.	Sept. 29, 1900.	Sept. 28, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 49·6	° 53·3	° 49·5	° 59·4	° 51·2	° 53·0	° 50·0	° 47·5	° 54·1	° 57·0	° 52·5	Mean Temp. ° 55·5				
ALL CAUSES.	144	156	144	166	104	178	165	223	167	133	158·0	213	10	50	38	18
Small Pox, Vaccinated, ...	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	1	.	.	.	28	.	.	3·1	10	.	2	7	1
Scarlet Fever	1	.	.	2	4	2	1	.	.	1	1·1	3	.	.	1	2
Typhus, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	.	1	1	.	1	.	2	3	1·0	2	.	.	.	1
Whooping Cough, ...	1	1	2	4	2	1	5	2	3	1	2·2	1	.	.	1	.
Diphtheria, ...	.	.	.	.	.	3	.	1	.	.	·4	5	.	1	3	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	6	4	2	3	6	4	11	4	3	4·5	8	.	.	.	3
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	20	17	8	14	8	9	29	27	18	12	16·2	4 15	. .	3 12	1 2	. .
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	1	.	1	.	.	1	.	·3	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	.	.	.	1	.	1	·2	. . .	. . .	. . .	. . .	. . .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	1	.	1	1	1	.	·5	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	.	.	.	.	2	2	1	3	·9	. .	. .	. .	. .	. .
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	23	29	23	22	12	18	19	23	31	17	21·7	1 19	. .	. .	. .	. 6
Tuberculous Meningitis, (Acute Hydrocephalus).	7	3	3	6	2	5	3	3	2	3	3·7	4	.	3	.	1
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	7	5	3	11	.	6	10	8	6	11	6·7	. 1	. .	. 1	. .	. .
Tuberculous Dis. (other), ... Scrofula, ...	5	3	3	2	1	4	2	6	4	2	3·2	7 .	. .	2 .	1 .	2 .
Alcoholism	.	.	2	.	1	1	.	.	2	.	·6	1	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	1	1	.	.	1	·4	.	.	.	.	.
Gout	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.

* The figures for the years 1892-1900

TY-NINTH WEEK ending Saturday, 27th September, 1902, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Oct. 1, 1892.	Sept. 30, 1893.	Sept. 29, 1894.	Sept. 28, 1895.	Sept. 26, 1896.	Oct. 2, 1897.	Oct. 1, 1898.	Sept. 30, 1899.	Sept. 29, 1900.	Sept. 28, 1901.	Averages in 39th Week of the 10 years 1892-1901.	In the Week ending Saturday, 27th September, 1902. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 49·6	° 53·3	° 49·5	° 59·4	° 51·2	° 53·0	° 50·0	° 47·5	° 54·1	° 57·0	° 52·5	Mean Temp. ° 55·5			0 to 5.					
ma	1	4	4	5	3	5	8	7	5	4	4·6	1	.	.	.	.	1	.	.	.
a												.	.	.	.	.	.	.	.	.
nt Dis. "Cancer,"												2	.	.	.	.	1	1	.	.
s Mellitus	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	.	.	.
ure Birth	.	4	2	3	2	1	1	3	4	2	2·2	7	2	1	2	2	.	.	.	.
tis (not tuberc.)												3	.	.	.	.	1	2	.	.
, G. P. of Insane												.	.	.	.	.	.	.	.	.
y												9	2	6	1	.	.	.	.	.
ons												1	.	.	.	.	1	.	.	.
tor Ataxy												.	.	.	.	.	.	.	.	.
gia Dis. of Cord												2	.	.	.	.	.	.	.	2
s System (other Dis.) ...	26	28	32	40	27	37	26	34	33	21	30·4									
is., Endocarditis												3	.	.	1	.	.	1	1	.
Hæm. Thromb.												1	.	.	.	.	.	.	.	1
y, Hemiplegia												3	.	.	.	.	.	1	1	1
sm												.	.	.	.	.	.	.	.	.
bm, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis.												14	.	1	1	.	3	2	5	2
not Spasm. or Memb.) ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ttis	7	10	10	5	6	17	11	13	10	12	10·1	16	.	1	6	1	.	2	5	1
ia Pneumonia												.	.	.	.	.	.	.	.	.
o-Pneumonia	4	6	6	6	2	10	8	16	3	7	6·8	2	.	1	1	.	.	.	.	.
onia"												5	.	.	.	2	2	1	.	.
, Emphysema												1	.	.	.	.	.	1	.	.
y	1	1	4	3	3	2	3	1	1	1	2·0	.	.	.	.	.	.	.	.	.
tory Dis. (other)												3	.	1	.	.	.	2	.	.
tis, Quinsy	.	.	.	1	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
s (not Epid.)	2	.	.	1	.	2	.	1	.	1	·7	2	.	.	2	.	.	.	.	.
Enteritis												4	.	1	3	.	.	.	.	.
itis (not Puerp.)	.	.	1	1	.	1	.	1	2	.	·6	1	.	.	.	.	1	.	.	.
is of Liver	1	2	5	2	2	.	.	2	2	2	1·8	1	.	.	.	.	.	.	1	.
is. (other)												4	.	.	.	.	2	1	1	.
e Dis. (other)	2	6	4	1	3	4	2	5	10	4	4·1	8	1	2	2	.	1	1	1	.
is, Acute												.	.	.	.	.	.	.	.	.
Dis., Albuminuria ...	.	5	2	5	5	7	1	1	5	8	3·9	1	.	.	.	.	.	1	.	.
Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
ive Organs Dis.	.	1	.	.	1	3	.	.	.	1	·6	1	.	.	.	.	.	1	.	.
rth (Accid. of)	1	1	1	.	.	.	.	1	.	1	·5	.	.	.	.	.	.	.	.	.
... ...	12	6	7	9	4	10	11	8	5	4	7·6	2	.	.	.	.	.	.	.	2
Diseases	15	10	13	12	9	18	10	12	8	4	11·1	21	1	12	2	.	1	2	3	.
ACCIDENT.																				
ways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icles and Horses	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
ling Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
agrations	.	.	.	.	.	.	2	1	.	1	·8	2	.	.	.	.	2	.	.	.
ns, Scalds, Explosions ...	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
wning	1	1	.	.	.	1	1	2	1	.	·7	.	.	.	.	.	.	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	.	1	1	1	.	2	2	2	1	1	1·1	3	1	.	.	.	2	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
le	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
... ...	1	1	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	1	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ogistration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	Apr. 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 8.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered,	199	237	226	195	255	232	202	209	234	249	192	242	213	204	187	196	203	186	244	192	185	209	205	219	221	222
*Average Births in corresponding week of previous 10 years,**	179	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210
DEATHS registered,	203	206	174	199	191	173	186	149	165	156	155	139	149	149	129	155	150	165	154	145	146	156	170	142	168	213
Annual Death-rate per 1,000,	27·9	28·3	23·9	27·4	26·3	23·8	25·0	20·5	22·7	21·5	21·3	19·1	20·5	20·5	7·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3
*Average Deaths in corresponding week of previous 10 years,**	207	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158
AGES, Under 5 years,	49	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52	53	57	62	87	98
5—20 "	17	16	12	19	20	18	20	16	24	14	19	15	11	14	10	13	8	14	14	7	15	12	16	9	9	18
20—40 "	33	42	28	20	31	33	39	34	23	32	29	23	23	30	24	36	25	31	22	17	27	31	25	19	26	30
40—60 "	51	41	37	50	39	38	37	21	35	38	24	26	27	27	29	30	29	24	20	36	32	31	43	23	18	33
60—80 "	45	40	32	44	42	35	32	36	27	17	27	32	26	30	25	27	29	30	29	28	15	26	23	23	23	25
80 years and upwards,	8	11	7	6	13	7	9	8	8	7	6	5	5	7	8	5	13	7	4	2	5	8	6	6	5	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	3	2	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10
" Scarlet Fever,	.	.	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.	2	3	.	2	3
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	1	.	.	.	.	.
" Whooping-cough,	.	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1
" Diphtheria,	2	1	1	.	2	2	3	.	2	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8
" Diarrhœa, Dysentery,	1	4	4	1	1	2	1	2	1	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19
" Phthisis,	27	27	25	20	25	23	30	25	27	40	26	26	15	18	14	25	18	19	15	18	21	19	24	14	15	20
" Heart Diseases,	18	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18	9	18	21	17	18	24	17	17	21
" Diseases of Respiratory System,	49	44	33	41	32	29	30	23	32	25	16	10	25	30	24	23	17	30	28	19	18	16	20	14	20	27
Violent Deaths,	4	8	1	4	6	4	3	4	4	6	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2	6
Mean Temperature of the Air (Phœnix Park),	43·5	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	56·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5
Average Mean Temperature in corresponding week of previous 10 years,	45·1	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5
Rainfall in inches,	·760	·050	·220	·240	·330	·090	·345	·195	·153	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·538	·083	1·725	·115	·180	·595
Mean Humidity of the Air, complete Saturation 1·0,	·84	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the Occupations in the Dublin Registration Area during the Week ending Saturday, 27th September, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	32·1	213	98	18	60	33	25	9	.	10	3	.	1	5	.	8	19	46	20	9	27	6	105
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	20·3	6	.	1	1	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	4
II.	Middle Class,	80,653	12·3	19	7	.	4	3	5	.	.	.	.	.	.	1	.	1	2	4	2	.	1	1	11
III.	Artisan Class and Petty Shopkeepers	98,374	26·0	49	20	6	10	8	4	1	.	1	2	.	1	2	.	3	4	13	3	2	8	1	22
IV.	General Service Class,	146,486	47·8	109	62	10	12	12	10	3	.	8	1	.	.	2	.	4	12	27	10	6	14	3	49
V.	Inmates of Workhouses,	5,191		30	9	1	3	8	6	3	.	1	.	.	.	.	.	.	1	2	4	1	4	.	19
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	6·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	.	1	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	3
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	8·1	4	2	.	.	1	1	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	2
	6. Clerks and Commercial Assistants,	24,750	2·1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	23·6	11	3	.	3	1	4	.	.	.	.	.	.	1	.	.	1	2	1	.	.	.	8
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	1	1	1	3	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	2
	9. Building and Furnishing Trades,	26,030	34·1	17	9	.	5	2	1	.	.	1	.	.	.	2	.	.	1	4	2	2	1	1	7
	10. Clothing Trades,	23,686	8·8	4	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	11. Food Supply Trades,	7,869	19·9	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	29·3	15	5	2	3	3	2	.	.	.	2	.	1	.	.	1	1	5	1	.	3	.	6
	13. Petty Shopkeepers,	6,771	30·8	4	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	42·2	11	5	1	1	2	1	1	.	.	.	.	.	.	.	1	3	4	.	.	3	.	4
	15. Domestic Servants,	39,563	18·5	14	4	1	1	2	4	2	.	.	.	.	.	.	.	1	1	2	2	2	2	.	6
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	43·8	9	7	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	6
	17. Hawkers, Porters, Labourers, &c.,	82,681	47·3	75	46	8	9	8	4	.	.	8	1	.	.	2	.	2	7	20	8	3	9	2	33
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	30	9	1	3	8	6	3	.	1	.	.	.	.	.	.	1	2	4	1	4	.	19

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,333.	Aug. 9,	28·9	7·4	13	.	3	.	.	1	.	.	.	.	.	.	.
		" 16,	28·9	.	13	.	.	.	.	.	.	.	.	.	2	3	.
		" 23,	29·4	9·2	16	.	4	.	.	.	.	.	.	1	2	.	1
		" 30,	28·9	1·8	13	.	1	.	.	.	.	.	.	.	2	1	1
		Sept. 6,	22·1	8·7	12	.	1	.	.	.	.	.	.	1	4	1	.
		" 13,	16·6	8·7	9	.	.	.	.	.	.	.	.	2	1	.	.
		" 20,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	3	1
		" 27,	44·2	12·9	24	.	5	.	.	.	.	.	.	2	1	5	2
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	Aug. 9,	20·0	1·3	15	.	1	.	.	.	.	.	.	.	2	6	.
		" 16,	21·3	4·0	16	.	3	.	.	.	.	.	.	.	1	1	1
		" 23,	17·3	2·7	13	.	1	.	.	.	.	.	1	.	1	4	.
		" 30,	21·3	4·0	16	.	1	1	.	.	.	.	.	1	.	1	1
		Sept. 6,	24·0	4·0	18	.	.	1	.	.	.	.	1	1	1	4	.
		" 13,	18·6	6·7	14	.	1	.	.	.	1	.	1	2	2	1	.
		" 20,	26·6	6·7	20	.	1	.	.	.	2	.	.	2	2	1	.
		" 27,	29·3	4·0	22	.	1	.	.	.	.	.	1	1	3	4	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Aug. 9,	13·9	1·7	8	.	1	.	.	.	.	.	.	.	1	3	1
		" 16,	19·1	1·7	11	.	.	.	1	.	.	.	.	.	2	2	.
		" 23,	17·8	1·7	10	.	.	.	1	.	.	.	.	.	1	1	.
		" 30,	22·5	5·2	13	.	2	.	.	.	1	.	.	.	.	1	.
		Sept. 6,	29·4	1·7	17	.	1	.	.	.	.	.	.	.	2	3	.
		" 13,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	1	1	2
		" 20,	38·1	6·9	22	.	.	.	.	.	.	.	.	4	5	2	.
		" 27,	41·6	8·7	24	.	1	.	.	.	1	.	2	1	1	7	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,673.	Aug. 9,	32·9	6·6	20	.	3	.	.	.	.	.	.	1	1	3	.
		" 16,	37·9	14·8	23	.	9	.	.	.	.	.	.	.	3	3	.
		" 23,	28·0	9·9	17	.	6	.	.	.	.	.	.	.	2	1	.
		" 30,	26·3	6·6	16	.	4	.	.	.	.	.	.	.	1	3	.
		Sept. 6,	41·2	11·5	25	.	5	1	.	.	.	.	1	.	5	2	.
		" 13,	29·6	6·6	18	.	3	.	.	.	.	.	.	1	1	3	.
		" 20,	32·9	9·9	20	.	3	.	.	.	.	.	.	3	1	2	.
		" 27,	34·6	9·9	21	.	1	1	.	1	.	.	1	2	2	1	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 38,313.	Aug. 9,	27·2	6·6	20	.	3	.	.	.	1	.	.	1	1	3	.
		" 16,	19·1	5·4	14	.	3	.	.	.	.	.	.	1	.	1	.
		" 23,	23·1	1·4	17	.	1	.	.	.	.	.	.	.	4	2	.
		" 30,	19·1	6·8	14	.	.	.	.	.	1	.	.	4	.	.	.
		Sept. 6,	28·6	6·8	21	.	1	.	.	.	1	.	1	2	4	2	1
		" 13,	21·8	6·8	16	.	2	.	.	.	1	.	.	2	2	.	.
		" 20,	15·0	4·1	11	.	1	.	.	1	.	.	.	1	.	3	.
		" 27,	39·5	9·5	29	.	.	1	.	.	.	.	1	5	4	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	Aug. 9,	24·4	3·0	8	.	.	1	.	.	.	.	.	.	3	2	.
		" 16,	45·7	12·2	15	.	3	1	.	.	.	.	.	.	3	1	2
		" 23,	27·4	3·0	9	.	.	.	.	.	.	.	.	1	.	3	.
		" 30,	30·5	3·0	10	.	.	.	.	.	.	.	.	1	5	2	.
		Sept. 6,	24·4	3·0	8	.	.	.	.	.	.	.	.	1	2	.	1
		" 13,	30·5	6·1	10	.	.	.	.	.	.	.	1	1	2	3	.
		" 20,	36·6	12·2	12	.	3	.	.	.	.	.	.	1	1	1	.
		" 27,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 42,575.	Aug. 9,	24·5	8·5	20	.	3	.	.	.	.	.	4	.	2	6	.
		" 16,	20·8	2·5	17	.	1	.	.	.	.	.	1	.	4	2	.
		" 23,	25·7	4·9	21	.	2	.	.	1	.	.	.	1	3	4	1
		" 30,	25·7	1·2	21	.	1	.	.	.	.	.	.	.	4	4	.
		Sept. 6,	17·1	3·7	14	.	.	.	.	.	.	.	.	3	1	1	.
		" 13,	19·6	4·9	16	.	.	.	.	.	.	.	.	4	1	1	.
		" 20,	29·4	7·3	24	.	1	.	.	.	1	.	.	4	4	4	.
		" 27,	24·5	6·1	20	.	.	.	.	.	1	.	.	4	.	2	2
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	Aug. 9,	26·9	6·0	18	.	3	.	.	.	.	.	.	1	.	1	1
		" 16,	14·9	.	10	.	.	.	.	.	.	.	.	.	1	4	.
		" 23,	20·9	3·0	14	.	1	.	.	1	.	.	.	.	4	1	.
		" 30,	20·9	3·0	14	.	2	.	.	.	.	.	.	.	1	3	1
		Sept. 6,	25·4	3·0	17	.	1	.	.	.	1	.	.	.	2	4	1
		" 13,	23·9	3·0	16	.	.	.	.	.	.	.	.	2	1	1	2
		" 20,	25·4	9·0	17	.	3	2	.	.	.	.	.	1	.	2	.
		" 27,	32·9	7·5	22	.	2	.	.	.	2	.	.	1	3	1	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203	Aug. 9,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	„ 16	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	Sept. 6,	15·7	3·1	10	.	1	1	.	.	.	.	.	.	1	1	.
	„ 13	9·4	3·1	6	.	.	.	.	.	.	.	1	1	.	1	.
	„ 20,	6·3	4·7	4	.	.	.	.	.	1	.	.	2	.	.	.
	„ 27,	18·8	6·3	12	.	.	1	.	.	.	.	1	2	1	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Aug. 9.	4·0	.	2	.	.	.	.	.	.	.	.	.	1	.	.
	„ 16,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 23,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	2	.	1
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 6,	14·0	2·0	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 13,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 20,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown. Pop. in 1902 (Est.) 17,380.	Aug. 9,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	.	.
	„ 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	18·0	3·0	6	.	.	.	.	.	.	.	1	.	1	1	.
	Sept. 6,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 20,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	15·0	.	5	.	.	.	.	.	.	.	1	.	1	.	1
Belfast. Pop. in 1902 (Est.) 358,693.	Aug. 9,	17·6	2·0	121	.	3	.	.	6	.	.	4	1	30	15	.
	„ 16,	15·7	2·6	108	.	3	.	.	2	2	2	4	5	14	19	1
	„ 23,	16·3	3·1	112	.	2	.	.	6	1	.	7	5	13	19	1
	„ 30,	16·3	2·6	112	.	5	.	.	5	.	.	4	4	13	26	1
	Sept. 6,	17·9	3·3	123	.	6	.	1	6	1	1	4	4	18	27	1
	„ 13,	18·3	5·2	126	.	4	.	.	5	3	.	1	23	13	15	2
	„ 20,	20·9	3·3	144	.	5	.	.	2	.	.	5	13	21	15	6
	„ 27,	17·6	3·3	121	.	4	.	.	4	.	.	3	12	8	24	.
Cork. Pop. (in 1901) 76,122.	Aug. 9,	17·8	2·1	26	.	1	.	.	.	1	.	.	1	5	2	.
	„ 16,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	2	5	.
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	6	4	.
	„ 30,	22·6	3·4	33	.	2	.	.	2	.	.	.	1	5	3	1
	Sept. 6,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 13,	14·4	2·7	21	.	2	.	.	.	.	.	.	2	2	3	.
	„ 20,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	6	2	.
	„ 27,	22·6	1·4	33	.	.	.	.	.	.	.	.	2	7	2	.
Londonderry. Pop. in 1902 (Est.) 40,729	Aug. 9,	6·4	2·6	5	.	2	.	.	.	.	.	.	.	1	.	.
	„ 16,	15·4	1·3	12	.	1	.	.	.	.	.	.	.	1	2	.
	„ 23,	9·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 30,	17·9	2·6	14	.	.	.	.	.	.	.	.	.	1	2	.
	Sept. 6,	21·8	2·6	17	.	1	.	.	.	.	.	.	1	2	1	1
	„ 13,	16·6	1·3	13	.	.	.	.	.	.	.	.	.	3	3	.
	„ 20,	20·5	3·8	16	.	.	.	.	.	.	.	1	2	2	4	.
	„ 27,	19·2	3·8	15	.	1	.	.	.	.	.	.	2	4	1	1
Limerick. Pop. (in 1901) 38,151.	Aug. 9,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	.	.
	„ 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	1	1
	„ 30,	15·0	1·4	11	.	.	.	.	.	.	.	1	.	3	2	.
	Sept. 6,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	1	.
	„ 13,	17·8	.	13	.	.	.	.	.	.	.	.	.	4	.	.
	„ 20,	20·5	6·8	15	.	1	.	.	.	.	.	2	2	1	2	.
	„ 27,	10·9	1·4	8	.	.	.	.	.	.	.	1	.	2	2	.
Waterford. Pop. (in 1901) 26,769	Aug. 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 16,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	„ 23,	11·7	3·9	6	.	.	.	.	.	.	.	.	2	.	.	.
	„ 30,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 6,	31·2	5·8	16	.	.	.	.	1	.	.	.	2	2	1	.
	„ 13,	23·4	5·8	12	.	.	.	.	1	.	.	1	1	1	.	.
	„ 20,	25·3	7·8	13	.	.	.	.	2	.	.	.	2	.	1	.
	„ 27,	19·5	5·8	10	.	.	.	.	.	.	.	.	3	1	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 27th September, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	10	24·8	14·2	7	4	1	2	.	.	1	.	.	1	.	.	.	2	.	.	.	.	.
" 2 "	47,959	32	26·1	7·6	24	7	8	4	5	.	1	.	.	1	.	.	.	5	1	4	.	1	1
" 3 "	47,214	15	15·5	2·2	14	5	1	5	3	.	1	.	.	1	.	.	.	.	2	3	.	.	3
" 4 "	40,911	32	16·6	.	13	5	.	7	1	.	.	.	.	.	.	.	.	.	2	1	.	.	4
" 5 "	17,387	5	18·0	3·0	6	3	.	3	.	.	.	.	.	.	.	.	.	1	.	1	.	2	1
" 6 "	48,122	28	4·5	.	4	.	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" 7 "	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	19,569	11	8·6	4·3	4	1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
" 10 "	28,064	15	22·6	4·5	10	4	.	4	2	.	.	.	.	.	.	.	1	1	1	2	.	1	1
" 11 "	34,802	24	22·5	3·0	15	6	3	5	1	.	.	.	.	.	.	.	.	2	1	3	.	.	.
" 12 "	33,588	31	27·9	3·1	18	8	2	5	3	.	.	.	.	1	.	.	.	1	.	9	.	.	.
" 13 "	15,006	14	20·8	3·5	6	3	1	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	218	18·1	3·4	121	46	16	44	15	.	4	.	.	4	.	.	3	12	8	24	.	5	12
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	6	52·7	.	13	1	.	10	2	.	.	.	.	.	.	.	.	.	5	.	.	.	10
" 2 "	10,701	2	14·6	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1
" 3 "	9,978	7	10·5	5·2	2	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" 4 "	8,666	5	18·1	6·0	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 5 "	6,592	.	31·6	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 6 "	10,702	5	9·7	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 7 "	16,616	14	18·8	.	6	2	1	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Total,	76,122	39	22·6	1·4	33	5	5	15	8	.	.	.	.	.	.	.	.	2	7	2	.	.	16

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	April 5.	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered,	265	216	215	245	192	229	231	201	244	217	211	209	175	237	208	214	224	200	215	194	200	176	209	219	200	218
DEATHS registered.	158	168	149	153	119	149	142	152	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121
Annual Death-rate per 1,000 of estimated Population,	23·0	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	21·5	17·6
AGES, Under 1 year,	25	25	23	32	20	27	29	26	31	16	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46
AGES, 1-5 years,	22	21	22	23	12	24	16	25	24	20	14	22	20	27	23	19	19	22	13	21	17	19	16	20	17	16
AGES, 5-60 years,	75	80	67	76	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62	44	43	51	54	42	60	44
AGES, 60 years and upwards,	36	42	37	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21	23	16	20	25	15	21	15
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	4	2	3	4	3	4	3	4	3	2	7	6	6	7	7	8	5	3	3	2	5	6	4	5	4
" Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" Whooping-cough,	5	6	4	2	2	4	3	4	2	6	1	4	3	7	4	.	2	8	6	2	6	5	6	5	2	4
" Diphtheria,	2	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.
" Simple continued and Ill-defined Fever,	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.
" Enteric Fever,	5	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3
" Diarrhœa, Dysentery,	1	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1	5	5	4	4	23	13	12
" Phthisis	30	26	31	25	29	33	29	26	26	26	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8
" Diseases of Respiratory System,	36	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18	16	29	15	19	19	26	27	15	15	24
Violent Deaths,	.	3	4	.	.	4	5	1	3	3	2	2	1	7	4	1	6	4	.	1	1	1	1	2	6	.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th September, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Fever.	Total.
North City No. 1, East,	.	12	.	.	.	.	1	.	.	2	1	.	.	.	16
" " 1, West,	.	73	.	4	.	.	1	.	1	7	.	.	1	.	87
" " 2,	.	9	.	1	.	.	2	.	.	7	.	.	.	.	19
" " 3,	.	22	.	1	.	.	2	.	.	.	4	.	.	.	29
Clontarf and Howth No. 1 (part of),	.	8	.	.	.	.	.	.	1	.	.	.	.	.	9
Coolock and Drumcondra No. 1 (part of),	.	2	.	3	.	.	.	.	.	1	.	.	.	.	6
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	4	.	.	.	.	.	.	.	.	.	.	.	.	4
South City No. 1,	.	18	.	2	1	.	6	.	4	7	8	.	2	.	48
" " 2,	.	6	.	.	.	.	.	.	1	1	1	.	1	.	10
" " 3,	.	8	.	2	.	.	2	.	1	1	1	.	.	.	15
" " 4,	.	12	.	1	.	.	1	.	.	2	.	.	.	.	16
Palmerston (part of),	.	1	.	2	.	.	.	.	.	.	.	.	.	.	3
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	175	.	16	1	.	*15	.	8	28	15	.	4	.	262
Total for week ended Sept. 20th, 1902,	.	124	.	10	2	.	9	1	7	33	23	.	2	.	211
Total for week ended Sept. 13th, 1902,	.	87	.	11	1	.	9	.	5	33	15	.	8	.	169
Total for week ended Sept. 6th, 1902,	.	92	.	14	1	.	3	.	8	22	24	1	3	1	169

* Including one "measles and diphtheria."

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th September, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th September.			
	Sept. 6.	Sept. 13.	Sept. 20.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	2	2	2	.	.	.	2
Measles,	73	88	88	49	25	1	111
Scarlet Fever,	68	70	70	25	13	2	80†
Typhus "	2	5	5	2	1	.	6
Diphtheria,	21	27	31	16	13	4	30
Enteric Fever,	65	77	82	24	16	3	87
Pneumonia,	10	10	13	4	8	.	9

† Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn.)	Deaths (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Sept. 27,	2,457	1,489	17·0	.	8	8	16	27	16	178
EDINBURGH,	317,885	„ 27,	157	87	14·0	.	.	1	.	1	3	2
GLASGOW,	764,423	„ 27,	496	245	16·4	.	.	2	1	2	3	19
CALCUTTA,	847,796	Aug. 2,	.	404	24·7	.	1	.	.	.	98§	50*
BOMBAY,	776,006	„ 26.	386	671	45·0	3	6	?	?	1	80§	78*
MADRAS,	509,346	„ 15,	377	447	45·6	2	3	?	?	?	159§	63*
PARIS,	2,660,559	Sept. 13,	1,002	735	15·2	.	4	.	8†	6	5	82
		„ 20,	1,009	715	14·8	.	6	1	2†	6	3	72
BRUSSELS (with 8 Faubourgs).	562,893	„ 6,	213	174	16·1	1	.	.	1†	3	5	29
AMSTERDAM,	535,260	„ 13,	265	119	11·6	.	1	.	.	1	.	18
ROTTERDAM	530,778	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	Sept. 6,	185	76	9·9	.	2	.	.	.	.	7
		„ 13,	183	103	13·4	.	2	.	.	2	1	5
CHRISTIANIA,	224,909	„ 6,	114	58	13·4	.	.	.	.	2	.	2
		„ 13,	74	40	9·2	.	.	.	.	4	.	1
ST. PETERSBURG,	1,248,643	„ 6,	491	451	19·2	.	13	2	8	6	12	75
BERLIN,	1,902,504	Aug. 16,	888	555	15·2	.	12	4	1	8	2	90
		„ 23,	928	502	13·7	.	3	2	3	6	.	82
HAMBURG	724,835	Sept. 6,	.	206	14·8	.	2	13	4†	3	.	18
		„ 13,	.	195	14·0	.	1	12	3†	3	.	23
DRESDEN	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH	506,000	Sept. 6,	.	223	22·9	.	1	.	2†		.	71
VIENNA (with suburbs).	1,726,604	„ 6,	955	622	18·7	.	2	1	1†	6	.	164
		„ 13,	973	561	16·9	.	1	3	5†	3	1	124
BUDA PESTH	767,661	„ 6,	458	293	19·8	.	.	3	2	1	1	70
PRAGUE and Faubourgs	416,817	„ 6,	267	147	18·3	.	1	5	.	.	2	8
ROME,	480,361	July 12,	185	186	20·1	.	3	.	1	.	3	30
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Sept. 6,	71	67	21·1	.	4	.	.	1	4	8
		„ 13,	76	59	18·6	.	1	.	.	.	1	16
NEW YORK,	3,632,591	„ 6,	1,859	1,230	17·7	.	1	9	16†	18	29	225
PHILADELPHIA,	1,293,697	Aug. 30,	.	417	16·8	1	.	3	4	4	10	29
		Sept. 6.	.	426	17·1	1	.	3	5	6	9	17

* Including 12 deaths from cholera in Calcutta, 2 in Bombay, and one in Madras.
† Including deaths from croup.
§ Exclusive of 11 deaths from bubonic fever in Calcutta, 35 in Bombay, and 2 in Madras.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 27th September, 1902:—

"Anticyclonic conditions were dominant over North-Western Europe during the greater part of this week. At first the highest pressure was central over the South of Sweden and Denmark, while the barometer was relatively low off the west coast of Ireland. Gradients for southerly winds were very decided in this country, where cloudy, warm, and rather rainy weather prevailed. At 8 a.m. of Tuesday a strongly marked V-shaped depression lay over Ireland—on the east coast fresh S. winds, warmth and rain were reported; on the west coast, in the rear of the 'V', moderate N.W. winds, heavier rain and a much lower temperature. By Wednesday morning the disturbance had well-nigh disappeared, but rain had fallen generally over the British Isles—heavily in Ireland and Wales. A new anticyclone now formed over England, finally spreading to Ireland. It was accompanied by fine quiet weather, warm sunny days being followed by cold, damp and foggy nights, except at coast stations—at 8 a.m. of Thursday the thermometer was as low as 37° in the screen at Loughborough, Leicestershire, but as high as 57° at Holyhead and 58° at Blacksod Point, Co. Mayo. A very similar distribution of temperature was observed on Friday morning. The weather remained fine and still to the close of the week, a solar halo developing in cirrus cloud on Saturday afternoon. In Dublin the mean height of the barometer was 30·162 inches, pressure ranging from 29·659 inches at 4 p.m. of Tuesday (wind, S.S.E.) to 30·481 inches at 9 p.m. of Saturday (wind, calm). The corrected mean temperature was 56·6°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 55·3°. The screened thermometers rose to 69·0° on Monday and fell to 44·3° on Saturday. The prevailing wind was S.S.E. The duration of bright sunshine was estimated at 38 hours. Rain fell on the first 3 days to the amount of ·391 inch, ·241 inch being measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·185 inches. The highest reading (30·546) was on Saturday at 9 p.m., air calm, and the lowest (29·726) on Tuesday at 9 a.m., wind S.S.E.

The mean temperature for the week was 55·5°, being 3·0° over the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Monday, when the thermometer registered 67·8°, and was lowest on Saturday, the mercury having fallen to 37·4 The mean of the Dry Bulb for the week was 55·5°, and of the Wet Bulb 53·5°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 36·3 hours. The rainfall measured during the week was ·595 inch.

At Greenwich the mean temperature for the week was 55·9°, the maximum 75·1°, and the minimum 38·3°; at Glasgow the maximum was 64·9°, the minimum 39·5°, and the mean 54·3°; and at Edinburgh the maximum was 63·7°; the minimum 46·3°, and the mean 56·2°. The rainfall at Glasgow measured 0·51 inch; and at Edinburgh 0·12 inch. There was no rain at Greenwich.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Sept. 21,	30·033	65·4	55·5	60·5	61·1	58·3	·84	·6	5·7	·045	S.E.	S.
Monday, „ 22,	29·893	67·8	57·7	62·8	61·7	59·2	·85	·3	1·4	·140	S.	S.E.
Tuesday, „ 23,	29·780	63·2	47·3	55·3	55·3	53·5	·89	·6	0·8	·410	S.S.E.	W.
Wednesday, „ 24,	30·156	63·3	39·4	51·4	52·1	49·5	·85	·0	10·6	—	Calm.	Calm
Thursday, „ 25,	30·430	65·0	42·9	54·0	55·4	53·6	·89	·1	4·4	—	S.E.	Calm.
Friday, „ 26,	30·483	64·0	41·9	53·0	52·5	50·9	·90	·0	7·8	—	Calm.	Calm.
Saturday, „ 27,	30·519	65·9	37·4	51·7	50·7	49·2	·89	·2	5·6	—	Calm.	Calm.
Mean, . .	30·185	64·9	46·0	55·5	55·5	53·5	·87	·3	Total 36·3	·595	—	

Sunday—A fine but cloudy day; night cloudy; showery 11.30 p.m. to 1.0 a.m. *Monday*—A cloudy day; night overcast to 2.0 a.m.: heavy rain 11.0 p.m. to 1.30 a.m. *Tuesday*—Cloudy a.m.: overcast p.m.: light and heavy rain 12.0 a.m. to 6.30 p.m.: night cloudy. *Wednesday*—A fine day; light clouds p.m.; night clear. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A fine but cloudy day; night sky clear; ground fog. *Saturday*—A fine but cloudy day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS OF BIRTHS AND DEATHS IN THE DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] QUARTER ENDING SATURDAY, 27TH SEPTEMBER, 1902. [No. 39A

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines, Pembroke, Blackrock and Kingstown, the total area thereof being 13,757 statute acres, and the population estimated to the middle of 1902, 378,761, there were registered during the thirteen weeks ended on Saturday, 27th September, 1902, 2,673 births—1,392 boys and 1,281 girls—being equal to an annual ratio of 1 in 35·4, or 28·2 in every 1,000 of the population.

The number of births registered in the city was 2,270, equivalent to an annual rate of 30·9 in every 1,000 of the population; and in the urban districts named above, 403, equal to an annual rate of 18·9 in every 1,000 of the population.

There were registered in London during the same period 32,981 births—being equal to an annual birth-rate of 28·8 in every 1,000 of the estimated population; in Glasgow there were registered 6,137, being equal to 31·7 per 1,000; and in Edinburgh, 2,061—a number affording an annual birth-rate of 25·5 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,042—1,062 males and 980 females—affording an annual ratio of 1 in 46·4, or 21·6 in every 1,000 of the estimated population: omitting the deaths (79) of persons admitted into Public Institutions from localities outside the Area, the rate was 20·7 per 1,000. The annual mortality represented by the deaths registered during the third quarter of the ten years 1892–1901 in the Dublin Registration Area as then constituted, was 23·1 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of that portion of the City of Dublin north of the Liffey registered last quarter was 861, representing an annual mortality of 22·6 in every 1,000 of the population: and the number in that portion south of the river was 815, equivalent to a rate of 23·1 per 1,000. In the urban districts the number of deaths registered was 287, being equal to an annual death-rate of 13·4 in every 1,000.

The number of deaths registered in London during the quarter was 17,437—a number equal to an annual mortality of 15·2 in every 1,000 of the inhabitants; in Glasgow the number was 3,040, equal to 15·7 in every 1,000; and in Edinburgh, 1,213, affording an annual death-rate of 15·0 in every 1,000 of the estimated population.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

Diseases.—The number of deaths from the principal epidemic diseases registered in the Dublin Registration Area during last quarter was 339, being 216 above the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 3·6, being 2·3 over the rate for the preceding three months.

There was no death from small-pox registered during the quarter. It appears, however, from Table I., that 2 cases were under treatment for this disease in Hospital at the close of the quarter.

Measles.—One hundred and fifty-three deaths were caused by measles, equal to an annual rate of 1·6 per 1,000 of the population of the Registration Area; 92 of the total appertained to North Dublin, 42 belonging to the Registrar's District, North City, No. 3. Fifty-two deaths appertained to the South City, 22 of which were in No. 4 South City District. In the Urban Districts which constitute the remainder of the Dublin Registration Area there were 8 deaths from measles.

Scarlet Fever, which in the preceding quarter caused 11 deaths, in the period now under review caused 16 deaths: 6 of these appertained to North Dublin City, 5 to South Dublin City, 3 to Rathmines Urban District, and 1 to Kingstown; one death of a person admitted to an institution from without the area occurred.

Influenza, which caused 25 deaths in the preceding quarter, fell to 10 in the period under review. This number is also 3 below the average for the corresponding 13 weeks of the past ten years.

Whooping-cough, which had declined from 20 deaths in March quarter to 18 deaths in June quarter of present year, further declined to 11 deaths in the third or September quarter of the year 1902.

Diphtheria, which in the previous two quarters of the year had caused 14 and 16 deaths respectively, caused 22 deaths in the September quarter of the year. Of this number, 3 deaths appertained to North City No. 1 W., 2 to North City No. 2, 5 deaths to South City No. 1, 3 to South City No. 3, 4 to South City No. 4 District, and 2 appertained to Rathmines Urban District; 3 deaths occurred in institutions of persons admitted from without the Registration Area.

From Table 1 it may be seen that during the 13 weeks ended 27th September 115 cases of diphtheria were admitted to hospital, 78 were discharged, 24 deaths occurred, and 30 cases remained under treatment.

Cerebro-Spinal Fever.—Four deaths were registered as having occurred from this disease during the 13 weeks.

Enteric Fever.—The deaths (36) are 16 in excess of the preceding 13 weeks, and 21 in excess of the corresponding period of the year 1901, being equal to the average for the corresponding period of the past ten years; 13 appertained to the northern portion of the City, 13 to the southern, and 8 to the Urban Districts; two deaths took place in institutions of persons admitted from without the Dublin Registration Area.

Diarrhœal Diseases.—Twenty-five deaths were registered as epidemic diarrhœa or epidemic enteritis and 72 as *diarrhœa** or dysentery. Thirty-three occurred in North City and 50 in South City, and 14 occurred in the Urban Districts.

Erysipelas caused 8 deaths; epidemic pneumonia, 2 deaths; and tetanus, one death.

Tuberculous Disease.—Fourteen deaths were registered as tuberculous phthisis, and 226 as *phthisis*, making a total of 240. Tuberculous meningitis caused 37 deaths; tuberculous peritonitis caused 11 deaths; *tabes mesenterica* caused 10 deaths; other forms of the disease caused 42 deaths. One death was registered as scrofula. The total deaths from all forms of tuberculous diseases for the area equal an annual rate of 3·6 per 1,000. The rate for tuberculous phthisis and *phthisis* (240 deaths), equals 2·5 per 1,000. The annual rate for tuberculous phthisis and *phthisis* in the North City Districts was 2·6 per 1,000; in the South City Districts the annual rate was 3·0, and in the Urban Districts that constitute the remainder of the Registration Area the annual rate was 1·2 per 1,000.

Malignant Disease, "Cancer."—Twenty-one deaths were due to carcinoma, 1 to sarcoma, and 55 to *malignant disease, "cancer."*

Diseases of the Nervous System caused 186 deaths, including 92 deaths of children from convulsions. Of these 91 were under five years old, of whom 78 were infants under one year—28 of the latter being under one month old.

Diseases of the Heart and Blood Vessels caused 241 deaths, including 12 from cerebral hæmorrhage, and 49 from *apoplexy, hemiplegia.*

* Names of causes of death printed in italics in the body of the text on pages 642 and 643 should be avoided when possible in Medical Certificates.

Diseases of the Respiratory System caused 286 deaths. In this figure (which equals an annual rate of 3·0 per 1,000), there are included 145 deaths from bronchitis, 1 death from croupous pneumonia, 41 deaths from broncho-pneumonia, and 65 deaths from *pneumonia.*

Accidental Deaths.—Of 49 deaths, 8 were due to burns or scalds. Of these 4 were of children under five years of age.

Violence—other than Accidental,—There was 1 death from homicide, and 3 deaths from suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 27th September, 1902.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small Pox, . .	.	2	.	.	2
Measles, . . .	159	536	519	65	111 *
Scarlet Fever, . .	69	176	152	13	80
Typhus „ . .	.	12	5	1	6
Diphtheria, . .	17	115	78	24	30
Enteric Fever, . .	26	201	123	17	87
Pneumonia, . .	18	64	58	15	9

In 90 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 90 cases, 60, or 66·7 per cent., were deaths of children under 5 years of age: these 60 deaths form 7·9 per cent. of the total number of deaths of children of that age. Of the deaths of 110 infants under one month old registered, there were 36 (or 32·7 per cent.) regarding which the cause was uncertified.

From Table II., on page 644, it will be seen that, excluding 79 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,963, equal to an annual rate of 20·7 per 1,000 of the estimated population, and that 330 of these deaths, representing an annual rate of 3·5 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 22·8 per 1,000, and for the urban districts 13·4 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city is 4·0, and in the urban districts 1·8, the rates for the several districts varying from 0·0 in two of the districts to 7·1 in North City No. 3, the 228 deaths from all causes tabulated for the last-named district including 42 from measles, 3 from scarlet fever, 1 from whooping-cough, 2 from enteric fever, and 8 from *diarrhœa.*

Occupations.—Table III., on page 645, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 20·0 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 12·2 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 17·4; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 34·1.

Ages.—Of the 2,042 persons whose deaths were registered in the Dublin Registration Area during the quarter, 757 were under 5 years of age, this number being equal to an annual mortality of 79·4 in every 1,000 children at that age (according to the Census of 1901); 159 were between the ages of 5 and 20, representing an annual rate of 6·0 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 25·3 per 1,000 of the population at that age (according to the Census of 1901); 343 or 10·0 per 1,000 persons were between 20 and 40; 375 or 21·9 per 1,000 between 40 and 60; 333 or 54·9 per 1,000 between 60 and 80; 75 or 157·6 per 1,000 were aged 80 and upwards, including 8 persons aged 90 and upwards, of whom one was a woman whose age was stated to be 103.

*Exclusive of 19 patients in Beneavin, the convalescent home of Cork-street Fever Hospital. † See note (*) on page 646

Public Institutions.—Of the 2,042 deaths recorded during the quarter, 873, or 42·8 per cent., occurred in public institutions, viz., 523 in the various hospitals, prisons, and lunatic asylums; 179 in the North Dublin Union Workhouse; 167 in the South Dublin Union Workhouse; and 4 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 56·0°. At Greenwich, it was 59·1°; at Glasgow, 56·2°; and at Edinburgh, 54·2°.

The rainfall at Dublin during the thirteen weeks measured 7·746 inches; at Greenwich, 5·91 inches; at Glasgow, 5·86 inches; and at Edinburgh, 5·10 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 27th Sept., 1902**, the number of DEATHS Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual Rate p 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the princi Epidemic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions be assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS.		POPULATION, ESTIMATED TO MIDDLE OF 1902.†	QUARTER (13 WEEKS) ENDED 27TH SEPTEMBER, 1902. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES.	FROM DISEASES IN COLS. 6-14.	TOTAL DEATHS.	DEATHS CAUSED BY: Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal,
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17
NORTH CITY.	NORTH CITY, No. 1, E.,	28,333	23·9	4·7	169	.	21	.	.	2	.	.	2	8	20	25	5
	" " W.	39,146	22·4	3·8	219	.	17	2	1	1	3	.	5	8	18	37	6
	" 2, .	30,107	23·8	3·2	179	.	11	1	2	.	2	.	2	6	29	25	6
	" 3, .	31,673	28·8	7·1	228	.	42	3	.	1	.	.	2	8	29	31	2
	CLONTARF & HOWTH, No. 1, part of, .	4,806	11·6	0·8	14	.	.	.	.	.	.	.	1	.	2	1	2
	COOLOCK & DRUMCONDRA, No. 1, part of, .	10,017	10·4	0·4	26	.	.	.	.	.	.	.	1	.	2	4	.
	FINGLAS AND GLASNEVIN, part of, .	6,673	10·2	1·8	17	.	1	.	.	.	.	.	.	2	.	5	.
	BLANCHARDSTOWN AND CASTLEKNOCK, part of,	1,303	27·6	3·1	9	.	.	.	.	.	.	.	.	1	.	.	.
SOUTH CITY.	SOUTH CITY, No. 1, .	38,313	23·0	4·4	220	.	13	1	.	1	5	.	4	18	29	23	1
	" 2, .	17,113	27·6	4·0	118	.	7	2	.	.	.	.	2	6	24	21	7
	" 3, .	42,575	21·8	3·5	232	.	9	.	.	1	3	.	7	17	25	43	3
	" 4, .	34,893	23·6	4·0	206	.	22	2	.	2	4	.	.	5	24	29	8
	DONNYBROOK, part of,	245	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	PALMERSTON, part of,	7,298	18·6	2·7	34	.	1	.	.	.	.	.	.	4	3	9	2
	CRUMLIN, part of, .	899	17·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
URBAN DISTRICTS.	RATHMINES, . .	33,203	12·8	1·9	106	.	1	3	.	1	2	.	4	5	6	13	2
	PEMBROKE (DONNYBROOK, part of), .	26,025	14·8	2·0	96	.	4	.	.	.	.	.	2	7	10	7	2
	BLACKROCK, . .	8,759	13·7	2·3	30	.	2	1	.	1	.	.	.	1	4	5	1
	KINGSTOWN, Nos. 1 and 2, . . .	17,380	12·7	0·9	55	.	1	.	.	.	.	.	2	1	6	3	2
TOTAL CITY,	NORTH, .	152,058	22·6	4·1	861	.	92	6	3	4	5	.	13	33	100	128	21
	SOUTH, .	141,336	23·1	3·8	815	.	52	5	.	4	12	.	13	50	105	125	21
	N. & S., .	293,394	22·8	4·0	1,676	.	144	11	3	8	17	.	26	83	205	253	42
TOTAL URBAN DISTRICTS,		85,367	13·4	1·8	287	.	8	4	.	2	2	.	8	14	26	28	7
TOTAL REGISTRATION AREA, ...		378,761	20·7	3·5	1,963	.	152	15	3	10	19	.	34	97	231	281	49
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), . .					79	.	1	1	.	1	3	1	2	.	9	5	4

* See note, (*) page 646. † See note (*) on page 647.

Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, 13 WEEKS ENDING SATURDAY, 27TH SEPTEMBER, 1890.

Class.	Occupation or Social Position	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total. Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	23·6	2,042	757	159	313	375	333	75	.	153	16	3	11	22	1	36	97	339	240	92	286	53	1,032
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	20·0	77	4	2	12	17	21	21	.	.	.	.	.	.	.	1	.	1	3	.	6	2	65
II.	Middle Class,	80,653	12·2	245	62	21	48	44	59	11	.	5	2	1	4	3	.	5	10	30	26	8	32	7	142
III.	Artisan Class and Petty Shopkeepers,	98,374	17·4	427	142	45	97	76	60	7	.	27	4	.	2	6	.	11	24	74	47	19	57	16	214
IV.	General Service Class,	146,486	34·1	943	494	75	125	144	90	15	.	116	10	2	5	12	1	18	60	224	88	62	130	28	411
V.	Inmates of Workhouses,	5,191		350	55	16	61	94	103	21	.	5	.	.	.	1	.	1	3	10	76	3	61	.	200
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,910	18·7	37	3	1	6	8	9	10	.	.	.	.	.	.	.	.	.	.	2	.	4	1	30
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	28·2	40	1	1	6	9	12	11	.	.	.	.	.	.	.	1	.	1	1	.	2	1	35
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,818	17·2	25	5	1	5	4	9	1	.	.	.	.	.	.	.	.	.	.	5	.	3	.	17
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	25,775	9·8	63	17	9	7	10	14	6	.	.	1	.	2	.	.	1	4	8	4	3	10	.	38
	6. Clerks and Commercial Assistants,	24,750	12·8	79	30	6	20	13	9	1	.	3	1	.	2	2	.	4	3	15	7	4	9	5	39
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,310	12·8	78	10	5	16	17	27	3	.	2	.	1	.	1	.	.	3	7	10	1	10	2	48
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,352	25·6	47	19	7	11	8	2	.	.	2	.	.	.	1	.	5	3	11	6	2	8	1	19
	9. Building and Furnishing Trades,	26,030	19·7	128	51	15	25	21	13	3	.	11	.	.	.	5	.	2	6	24	10	7	13	6	68
	10. Clothing Trades,	23,686	10·0	59	16	4	16	7	14	2	.	6	2	.	.	.	.	1	4	13	9	1	7	1	28
	11. Food Supply Trades,	7,869	11·2	22	7	.	3	4	3	.	.	.	.	.	.	.	.	.	2	2	3	2	4	.	11
	12. Other Trades and Callings ranking with Trades,	26,666	21·4	143	43	17	33	26	22	2	.	7	2	.	1	.	.	2	8	20	16	7	20	5	75
	13. Petty Shopkeepers,	6,771	16·5	28	6	2	4	10	6	.	.	1	.	.	1	.	.	1	1	4	3	.	5	3	13
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	24·4	83	36	6	10	11	17	3	.	3	1	.	.	1	.	4	8	17	6	6	14	2	38
	15. Domestic Servants,	39,563	7·8	77	22	9	18	12	11	5	.	4	.	1	.	1	.	4	3	13	10	6	11	4	33
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	25·8	69	33	8	14	9	5	.	.	1	.	.	.	.	.	1	4	6	9	7	6	5	36
	17. Hawkers, Porters, Labourers, &c.,	82,631	34·6	714	403	52	83	112	57	7	.	108	9	1	5	10	1	9	45	188	63	43	99	17	304
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	5,191	–	350	55	16	61	94	103	21	.	5	.	.	.	1	.	1	3	10	76	3	61	.	200

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 18·2 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—

Portadown, 7·5 ; Dundalk, 9·5 ; Armagh, 11·1 ; Queenstown, 11·6 ; Sligo, 11·8 ; Newry, 11·9 ; Lisburn, 13·6 ; Newtownards, 15·8 ; Lurgan, 16·0 ; Limerick, 16·4 ; Tralee, 16·6 ; Galway, 16·7 ; Ballymena, 16·9 ; Waterford, 16·9 ; Londonderry, 17·6 ; Belfast, 17·7 ; Drogheda, 17·9 ; Cork, 18·1 ; Wexford, 18·3 ; Kilkenny, 20 7 ; Dublin Registration Area, 20·7 ; and Clonmel, 20·8.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 2·7 per 1,000 of the population, the rates varying from 0·0 in Dundalk, Portadown, Tralee, and Armagh to 3·5 in the Dublin Registration Area. Among the 1,583 deaths from all causes in Belfast are 57 from whooping-cough, 49 from enteric fever, 88 from diarrhœa, 9 from diphtheria, 65 from measles, 3 from simple continued and ill-defined fever, and one from typhus. Among the 179 deaths from all causes in Londonderry are 15 from measles, one from diphtheria, 2 from enteric fever, and 10 from diarrhœa.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Small-pox.—No death from this disease occurred.

Measles.—Of 99 deaths, 65 occurred in Belfast, and 15 deaths each in Cork and Londonderry.

Scarlet Fever.—One death occurred in Lurgan and one death occurred in Lisburn.

Typhus Fever.—A single death occurred in each of the following Urban Districts: —Belfast, Galway, Drogheda, and Sligo.

Whooping-cough.—Of the 74 deaths from this disease, 57 occurred in Belfast, 7 in Cork, 4 in Waterford, 3 in Sligo, and one each in Lisburn, Wexford, and Kilkenny.

Diphtheria.—Of 15 deaths, 9 occurred in Belfast, 3 in Cork, 2 in Lurgan, and one in Londonderry.

Simple, Continued, or Ill-defined Fever.—Six deaths were tabulated under this heading.

Enteric Fever.—Of the 65 deaths, 49 occurred in Belfast, 4 in Limerick, 3 in Newry, 2 each in Londonderry, Lisburn, and Queenstown, and 1 in each of the following Urban Districts :—Cork, Waterford, and Clonmel.

Diarrhœa, Dysentery.—One hundred and thirty-four deaths occurred ; of these 88 occurred in Belfast, 12 in Cork, 10 in Londonderry, 12 in Waterford.

Phthisis.—The number of deaths from this disease (659) for (22 Towns) population (1,092,401), was equal to an annual rate of 2·4 per 1,000 ; for the Dublin Registration Area, it was 2·4 per 1,000, for Belfast, 2·5 per 1,000, and the rate for the other 20 Urban Districts was 2·3 per 1,000 of their total population (354,947).

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery.

in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities) with the

TOWNS AND DISTRICTS	Census Statistics of Districts.*		REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 27TH SEPTEMBER, 1902.																				
			Annual Rate per 1,000 persons represented by			NUMBER REGISTERED.																	
				DEATHS from			DEATHS.																
										Caused by													
	Population.	Persons to an Acre.	BIRTHS.	All Causes.	Diseases, Cols. 11-19.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
TOTAL OF 22 TOWN DISTRICTS,	1,092,401	19·2	28·3	18·2	2·7	7,740	4,983	1,056	1,018	.	251	17	7	84	34	6	99	231	659	742	106	223	1 480
DUBLIN REGISTRATION AREA,	378,761	27·5	28·2	20·7	3·5	2,673	1,963	410	392	.	152	15	3	10	19	.	34	97	231	281	49	83	794
URBAN DISTRICTS.																							
BELFAST,	358,693	24·4	30·3	17·7	3·0	2,714	1,583	398	266	.	65	.	1	57	9	3	49	88	226	279	34	90	295
CORK,	76,122	33·6	25·0	18·1	2·0	475	345	56	68	.	15	.	.	7	3	.	1	12	53	39	4	13	127
LONDONDERRY,	40,729	18·8	26·7	17·6	2·7	272	179	33	32	.	15	.	.	.	1	.	2	10	30	34	3	6	29
LIMERICK,	38,151	18·1	29·4	16·4	0·7	280	156	28	34	.	1	.	.	.	.	.	4	2	36	18	2	6	59
WATERFORD,	26,769	18·7	22·7	16·9	2·7	152	113	29	31	.	.	.	.	4	.	1	1	12	11	8	4	5	39
GALWAY,	13,426	2·5	25·3	16·7	0·9	85	56	8	19	.	.	.	1	.	.	2	.	.	4	6	2	1	20
DUNDALK,	13,076	9·4	20·5	9·5	.	67	31	7	12	.	.	.	.	.	.	.	.	.	4	7	.	.	6
DROGHEDA,	12,760	8·6	21·3	17·9	0·6	68	57	3	9	.	.	.	1	.	.	.	.	1	.	.	.	2	10
NEWRY,	12,405	17·8	21·9	11·9	1·0	68	37	6	8	.	.	.	.	.	.	.	3	.	3	2	2	2	3
LURGAN,	11,782	13·8	30·9	16·0	1·4	91	47	6	15	.	1	1	.	.	2	.	.	.	4	4	.	.	11
LISBURN,	11,461	10·1	27·2	13·6	1·4	78	39	7	13	.	.	1	.	1	.	.	2	.	7	8	.	2	8
WEXFORD,	11,168	23·2	31·5	18·3	1·4	88	51	10	12	.	.	.	.	1	.	.	.	3	4	7	.	.	6
BALLYMENA,	10,886	8·9	28·7	16·9	1·1	78	46	5	8	.	1	.	.	.	.	.	.	2	9	5	1	2	6
SLIGO,	10,870	3·7	29·1	11·8	1·5	79	32	13	6	.	.	.	1	3	.	.	.	.	1	6	.	3	7
KILKENNY,	10,609	11·5	33·2	20·7	0·8	88	55	7	26	.	.	.	.	1	.	.	.	1	7	11	2	2	20
CLONMEL,	10,167	7·8	22·4	20·8	1·2	57	53	5	19	.	.	.	.	.	.	.	1	2	10	7	.	.	20
PORTADOWN,	10,092	13·2	31·3	7·5	.	79	19	2	8	.	.	.	.	.	.	.	.	.	2	1	1	1	.
TRALEE,	9,867	16·6	36·9	16·6	.	91	41	11	13	.	.	.	.	.	.	.	.	.	6	5	.	2	13
NEWTOWNARDS,	9,110	18·9	18·9	15·8	0·9	43	36	6	12	.	1	.	.	.	.	.	.	1	6	6	2	3	4
QUEENSTOWN,	7,909	14·4	27·8	11·6	1·0	55	23	3	8	.	.	.	.	.	.	.	2	.	2	4	.	.	.
ARMAGH,	7,588	22·2	31·1	11·1	.	59	21	3	7	.	.	.	.	.	.	.	.	.	3	4	.	.	3

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1902; that for each of the other districts is the population according to the Census of 1901.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 27th SEPTEMBER, 1902 Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 11-19.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Epidemic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	14,734	117	27·7	8·1	102	21	32	34	15	.	12	.	.	7	.	1	2	8	12	21	.	7	21
" 2 "	47,959	378	18·8	4·0	225	61	49	82	33	.	12	.	1	13	1	.	4	17	26	51	6	12	33
" 3 "	47,214	345	18·6	4·7	220	63	47	74	36	.	21	.	.	11	1	.	6	17	27	47	3	13	26
" 4 "	40,911	375	21·4	2·2	219	50	25	108	41	.	6	.	.	5	1	.	8	3	36	26	2	5	37
" 5 "	17,887	119	23·5	4·4	102	27	13	46	16	.	5	.	.	1	1	2	4	6	20	18	2	8	33
" 6 "	48,122	265	14·3	1·6	172	37	9	88	38	.	8	.	.	1	1	.	3	11	23	20	10	15	34
" 7 "	1,524	16	23·6	.	9	2	.	3	4	.	.	.	.	.	.	.	.	.	3	2	.	1	2
" 8 "	5,060	35	13·4	0·8	17	.	3	9	5	.	.	.	.	.	.	.	1	.	2	2	.	1	3
" 9 "	12,569	135	18·4	2·2	90	19	11	44	16		.	.	.	1	2	.	4	4	12	16	5	7	24
" 10 "	23,064	209	17·5	2·8	101	31	11	48	11		1	.	.	5	.	.	3	7	21	14	.	4	11
" 11 "	34,802	287	15·9	2.6	138	34	18	61	25	.	2	.	.	5	2	.	4	10	20	25	2	7	16
" 12 "	33,588	304	17·3	2·6	145	43	23	64	15	.	2	.	.	7	.	.	8	5	20	31	4	8	19
" 13 "	15,006	128	11·2	1·1	42	10	8	13	11	.	1	.	.	1	.	.	2	.	4	6	.	2	5
" 14 "	240	1	16·7	0·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	349,180	2,714	18·1	3·1	1,533	398	249	670	266	.	65	.	1	57	9	3	49	88	226	279	34	90	295
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	71	21·1	1·6	68	8	4	40	16	.	3	.	.	1	.	.	.	1	17	5	.	1	39
" 2 "	10,701	69	21·7	5·6	58	12	12	25	9	.	3	.	.	4	1	.	1	6	9	3	2	5	21
" 3 "	9,973	78	20·4	1·2	51	9	4	22	16	.	1	.	.	1	.	.	.	1	8	13	.	1	20
" 4 "	8,666	58	18·4	2·3	32	9	8	12	3	.	3	.	.	.	.	.	.	2	.	4	.	1	4
" 5 "	6,592	30	18·8	0·6	31	5	2	21	3	.	.	.	.	.	.	.	.	1	7	3	1	3	8
" 6 "	10,702	52	11·6	1·9	31	2	8	15	5	.	4	.	.	1	.	.	.	.	4	.	.	1	4
" 7 "	16,616	117	17·8	1·0	74	10	10	38	16	.	1	.	.	.	2	.	.	1	8	11	1	1	31
Total,	76,122	475	18·1	2·0	345	56	48	173	68	.	15	.	.	7	3	.	1	12	53	39	4	13	127

GENERAL REGISTER OFFICE,

ROBERT E. MATHESON,
Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & Co. (Limited), 87, 88, and 89, Abbey-street.

P. 127. 6. 1902. 360.

OFFICIAL.

'EEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

JONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

'WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

OL. XXXIX.] WEEK ENDING SATURDAY, 4TH OCTOBER, 1902. [No. 40.

General Register Office, Charlemont House, Dublin, 6th October, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in ıe Dublin Registration Area and the twenty-one principal provincial Urban Districts f Ireland was 20·2 per 1,000 of their aggregate population, which, for the purposes f these Returns, is estimated at 1,092,401.† The deaths registered in each of the ast four weeks, and during the whole of that period, in the several Districts, alphaetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 13.	Week ending Sept. 20	Week ending Sept. 27.	Week ending Oct. 4.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 13.	Week ending Sept. 20.	Week ending Sept. 27.	Week ending Oct. 4.	Average Rate for 4 weeks
2 Town Dists.	17·7	20·7	21·0	20·2	19·9	Lisburn,	4·5	4·5	4·5	4·5	4·5
rmagh,	6·9	13·7	13·7	6·9	10·3	Londonderry,	16·6	20·5	19·2	10·2	16·6
allymena,	38·3	28·7	0·0	4·8	18·0	Lurgan,	4·4	26·6	4·4	13·3	12·2
elfast,	18·3	20·9	17·6	19·9	19·2	Newry,	0·0	12·6	8·4	16·8	9·5
lonmel,	20·5	20·5	10·3	0·0	12·8	Newtownards,	5·7	5·7	11·4	40·1	15·7
ork,	14·4	19·2	22·6	24·0	20·0	Portadown,	5·2	10·3	5·2	0·0	5·2
rogheda,	20·4	40·9	16·3	16·3	23·5	Queenstown,	19·8	0·0	19·8	0·0	9·9
ublin Reg. Area,	19·1	22·3	28·4	22·7	23·1	Sligo,	24·0	9·6	0·0	43·2	19·2
undalk,	8·0	8·0	12·0	16·0	11·0	Tralee,	0·0	26·4	37·0	5·3	17·2
alway,	15·5	11·7	27·2	46·6	25·2	Waterford,	23·4	25·3	19·5	21·4	22·4
ilkenny,	29·5	14·7	39·3	14·7	24·5	Wexford,	23·3	28·0	23·3	28·0	25·6
imerick,	17·8	20·5	10·9	16·4	16·4						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·9 per 1,000, the rates varying from 0·0 in fourteen of the districts to 14·4 in Sligo; the 9 deaths from all causes registered in that district including one from typhus, one from whooping-cough, and one from diarrhœa. Among the 137 deaths from all causes registered in Belfast are 7 from measles, 2 from whooping-cough, 7 from enteric fever, and 14 from diarrhœa; the 35 deaths in Cork comprise one from measles and 2 from diarrhœa; of the 12 deaths in Limerick, one was caused by enteric fever, and one by diarrhœa, and the 11 deaths in Waterford also comprise one from each of these two diseases.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 192—95 boys and 97 girls; and the deaths to 169—86 males and 83 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·3 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public nstitutions from localities outside the Area, the rate was 22·7 per 1,000. During the forty weeks ending with Saturday last the death-rate averaged 24·0, and was 2·6 below he mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Deaths from measles, which had fallen from 13 for the week ended the 20th ultimo to 10 for the following week, further declined to 8 last week. Five deaths from diphtheria were registered during the week, being equal to the number for the preceding week. Six deaths from enteric fever, 7 (all children under 5 years of age) from epidemic diarrhœa, 9 (all children under 5 years of age) from *diarrhœa*, 3 from dysentery, one from whooping-cough, and one from influenza were registered.

The number of deaths from tuberculous diseases is 26, viz.:—2 from tuberculous phthisis, 16 from *phthisis*, 4 from tuberculous meningitis, 3 from "other tuberculous diseases," and one from scrofula.

Carcinoma caused 2 deaths, and 2 deaths were returned as from *malignant disease*, "*cancer*."

There were 19 deaths from diseases of the nervous system, including 13 (children) from *convulsions*.

Diseases of the heart and blood-vessels caused 14 deaths.

The number of deaths from diseases of the respiratory system is 19, being 8 under the number for the preceding week. The 19 deaths represent an annual rate of 2·6 per 1,000 of the population, as compared with an average rate of 3·2 for the corresponding week of the last 10 years: they comprise 11 from bronchitis and 6 from *pneumonia*.

Three accidental deaths were registered.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 infants under one year old.

Eighty of the persons whose deaths were registered during the week were under 5 years of age (47 being infants under one year, of whom 13 were under one month old), and 21 were aged 60 years and upwards, including 8 persons aged 70 and upwards, of whom one was an octogenarian, and one (a woman) was stated to have been aged 93 years.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 8 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 22·7 per 1,000; the rate in the City was 22·6 (18·9 on the North side, and 26·6 on the South), and in the Urban Districts 23·2.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 5·2 per 1,000 inhabitants, the rate for the City being 5·2 (4·1 in the North City Districts, and 6·3 in the South), and for the Urban Districts 5·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. Among them are 2 from measles, one from whooping-cough, one from *diarrhœa*, 2 from *convulsions*, and 3 from diseases of the heart and blood-vessels.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. They comprise 3 from *phthisis*, 2 from *convulsions*, and one from *pneumonia*.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·9 per 1,000. Among them are one from measles, one from enteric fever, and one from dysentery.

No. 3 North City District (Blackhall-place).—The deaths (12) represent an annual rate of 19·8 per 1,000. They include 3 from measles, one from dysentery, 3 from *phthisis*, and 3 from diseases of the respiratory system.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 7·8. One of the 3 deaths tabulated for Coolock and Drumcondra, No. 1, part of, was from enteric fever.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 31·3 per 1,000. They comprise 2 from measles, one from diphtheria, one from enteric fever, one from epidemic diarrhœa, 6 from *diarrhœa*, 3 from *convulsions*, and 2 from diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 36·6 per 1,000. Among them are one from diphtheria, 3 from *phthisis*, 3 from bronchitis, and 2 from *pneumonia*.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·9 per 1,000. Epidemic diarrhœa caused 4 deaths, and *phthisis* 2.

No. 4 South City District (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·4 per 1,000. They comprise one from enteric fever and 2 from diseases of the heart and blood-vessels.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 21·4 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 15·7 per 1,000 inhabitants; Pembroke, 16·0; Blackrock, 65·5; and Kingstown, 27·0. The deaths from the principal epidemic diseases tabulated for these districts consist of one from epidemic diarrhœa, and one from *diarrhœa* for Rathmines, one from diphtheria, one from epidemic dirrrhœa, and one from *diarrhœa* for Pembroke, one from diphtheria and 2 from enteric fever for Blackrock, and one from diphtheria for Kingstown. Two of the 10 deaths from all causes tabulated for Rathmines were from *phthisis*, and 2 from diseases of the nervous system; among the 11 deaths for Blackrock are 3 from diseases of the nervous system; and the 9 deaths for Kingstown comprise 3 from diseases of the heart and blood-vessels.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 13th September,	169 cases.
" " 20th September,	211 cases.
" " 27th September,	262 cases.
" " 4th October,	239 cases.

Of the 239 cases notified during last week, 14 were erysipelas, 38 enteric fever, 23 scarlatina, 141 measles, 9 diphtheria, 9 continued fever, 2 varicella (chicken-pox), one typhus, and 2 German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 13th September,	6 cases.
" " 20th September,	6 cases.
" " 27th September,	7 cases.
" " 4th October,	5 cases.

Of the 5 cases notified last week, 2 were measles, 2 enteric fever, and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 13th September,	12 cases.
" " 20th September,	12 cases.
" " 27th September,	3 cases.
" " 4th October,	5 cases.

Of the 5 cases notified during last week, 4 were measles, and one varicella (chicken-pox).

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 13th September,	71 cases.
" " 20th September,	74 cases.
" " 27th September,	77 cases.
" " 4th October,	75 cases.

Of the 75 cases notified during last week, 32 were enteric fever, 7 erysipelas, 3 diphtheria, 20 continued fever, 10 scarlet fever, and 3 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th October, 1902.

From this it appears that:—

The 2 cases of small-pox in hospital on Saturday, the 27th ultimo, were discharged during the week.

Fifty-three cases of measles were admitted to hospital, being 4 over the admissions for the preceding week; 20 were discharged, there were 7 deaths, and 137 cases remained under treatment at the close of the week.

Thirty-three cases of enteric fever were admitted to hospital, 15 cases were discharged, there were 2 deaths, and 103 cases remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 13 cases were discharged, there were 2 deaths, and 76* cases remained under treatment at the close of the week.

One case of typhus was discharged, and 5 remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 4 were discharged, 2 died, and 30 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 5 patients were discharged, there was one death, and 8 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·7), was equal to an average annual death-rate of 17·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·6 per 1,000, the rate for Glasgow being 18·5, and for Edinburgh 16·6.

* See note (†) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 4th October, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 4th October, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Numbers.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	In Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,401	19·2	28·2	20·2	3·9	591	424	111	70	.	17	.	1	4	5	.	15	39	52	55	13	21	119
Dublin Registration Area:—																							
Total,†	873,761	27·5	26·4	22·7	5·2	192	165	46	21	.	8	.	.	1	5	.	6	18	18	18	3	6	59
Registrars' Districts. City	293,394	37·8	30·4	22·6	5·2	171	127	34	17	.	8	.	.	1	2	.	4	14	14	16	2	4	51
Rathmines,‖	33,203	19·4	12·6	15·7	8·1	8	10	3	1	.	.	.	.	.	.	.	.	2	2	.	.	.	2
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	6·0	16·0	6·0	3	8	4	1	.	.	.	.	.	1	.	.	2	.	.	1	1	1
Blackrock,‖	8,759	8·1	6·0	65·5	17·9	1	11	3	.	.	.	.	.	.	1	.	2	.	1	1	.	.	1
Kingstown 1 & 2,‖	17,380	11·9	27·0	27·0	3·0	9	9	2	2	.	.	.	.	.	1	.	.	.	1	1	.	1	4
Urban Districts.																							
Belfast,	358,693	21·8	26·3	19·9	4·4	181	187	40	17	.	7	.	.	2	.	.	7	14	16	23	2	8	24
Cork,	76,122	33·6	36·3	24·0	2·1	53	35	9	12	.	1	.	.	.	.	.	.	2	9	4	3	3	14
Londonderry,	40,729	18·8	24·8	10·2	2·6	19	8	2	1	.	1	.	.	.	.	.	.	1	2	1	.	.	1
Limerick,	88,151	18·1	41·0	16·4	2·7	30	12	3	2	.	.	.	.	.	.	.	1	1	1	2	.	.	8
Waterford	26,769	18·7	25·3	21·4	3·9	13	11	2	2	.	.	.	.	.	.	.	1	1	.	1	.	.	4
Galway,	13,426	2·5	31·1	46·6	.	8	12	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3
Dundalk	13,076	9·4	28·9	16·0	.	6	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Drogheda	12,760	8·6	24·5	16·3	.	6	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	21·0	16·8	.	5	4	.	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.
Lurgan,	11,782	13·8	17·7	13·8	.	4	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lisburn,	11,461	10·1	51·6	4·5	.	12	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Wexford,	11,168	23·2	23·3	28·0	.	5	6	.	5	.	.	.	.	.	.	.	.	.	.	2	1	1	.
Ballymena	10,886	8·9	38·5	4·8	.	7	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Sligo,	10,870	8·7	38·4	43·2	14·4	8	9	3	3	.	.	.	1	1	.	.	.	1	.	2	.	.	1
Kilkenny,	10,609	11·5	14·7	14·7	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	2
Clonmel,	10,167	7·8	41·0	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	25·8	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,867	16·6	47·6	5·3	5·3	9	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Newtownards,	9,110	18·9	34·3	40·1	.	6	7	1	2	.	.	.	.	.	.	.	.	.	1	.	1	1	3
Queenstown,	7,909	14·4	39·6	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,588	22·2	34·4	6·9	.	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 4th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th Sept., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Sept., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	° .	° .	° .	° .		° .	° .	° .	
Dublin Registration Area:—												
Total,†	§61·0	37·6	51·1	0·61	§67·8	37·4	55·5	0·60	§61·9	37·9	52·9	0·18
City	a60·9	44·0	53·2	1·04	a69·0	44·3	56·6	0·39	a61·8	41·6	54·2	0·20
	b51·8	39·0	51·8	0·51	b72·3	38·0	55·3	0·58	b63·8	38·0	53·3	0·17
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	60	46	53·6	0·73	67·5	43·0	57·2	0·78	62	43	55·4	0·18
Urban Districts.												
Belfast,	63·6	39·1	52·3	0·01	65·1	43·1	55·3	1·46	59·6	39·6	51·9	0·34
Cork,	63	42	52·2	0·16	64	46	56·5	0·58	62	44	55·4	0·24
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	66	43	53	0·00	70	43	58	0·49	65	39	54	0·65
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	64·1	33·4	51·0	0·01	69·0	44·2	57·0	0·62	61·3	40·0	52·8	0·65
Lurgan,	64·1	33·4	51·0	0·01	69·0	44·2	57·0	0·62	61·3	40·0	52·8	0·65
Lisburn,	64·1	33·4	51·0	0·01	69·0	44·2	57·0	0·62	61·3	40·0	52·8	0·65
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	67·0	35·1	50·7	0·02	68·7	36·0	56·6	0·49	60·5	35·4	52·3	1·00
Kilkenny,	68	40	51·4	0·12	67	37	54·5	0·74	62	32	52·6	0·34
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	64·1	33·4	51·0	0·01	69·0	44·2	57·0	0·62	61·3	40·0	52·8	0·65
Newtownards,	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown,	63	46	53·1	0·02	64	45	55·4	1·27	59	40	51·4	0·21
Armagh,	68	42	52·2	0·16	64	46	56·5	0·58	62	44	55·4	0·24
	64·1	33·4	51·0	0·01	69·0	44·2	57·0	0·62	61·3	40·0	52·8	0·65

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Hemsdale have been adopted for Newtownards, [illegible]

§ Observations at Drumcondra Bridge, Phœnix Park.

‖ 4 of 8 Urban Districts.

a Observations by Sir J. W. Moore taken at Fitzwilliam Square.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 4th of October, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts.																Urban District of					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Goolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).		Rathmines.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	2	.	1	3	.	.	.	.	2	.	.	.	.	.	.		.	.	.	.	8	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Whooping Cough,	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.		.	1	1	1	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	2	.	6	.
Enteric Fever,	.	.	1	.	.	1	.	.	1	.	.	1	.	.	.		2	2	.	.	18	1
Diarrhœa, Dysentery,	1	.	1	1	.	.	.	.	7	.	4	.	.	.	.		2	.	1	1	18	.
Phthisis,	1	3	.	3	.	.	.	.	.	3	2	2	.	.	.		2	.	1	1	23	1
Other General Diseases,	4	2	2	.	.	.	.	.	3	1	4	3	.	.	.		1	1	1	1		
Total,	9	5	5	7	.	1	.	.	14	5	10	6	.	.	.		5	4	5	3	79	2
B. Local Diseases:																						
Diseases of: Nervous System,	2	2	.	.	.	.	.	.	4	.	1	1	.	2	.		2	2	3	.	19	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Heart and Blood Vessels,	3	1	1	.	.	.	1	.	.	1	1	2	.	.	.		1	.	.	3	14	.
Respiratory System,	.	2	1	3	.	1	.	.	2	5	1	1	.	.	.		.	.	1	1	18	1
Digestive System,	2	2	1	1	.	.	.	.	1	1	3	.	.	1	.		1	.	1	.	14	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.		.	.	.	.	2	1
Generative System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
" Integumentary System,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Total,	7	7	3	4	1	2	1	.	7	7	8	5	.	3	.		4	2	5	4	70	2
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	.	2	.	1	.	.	.	.	2	.	2	.	.	.	1		1	1	1	2	13	.
E. Violent Deaths,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.		.	1	.	.	3	.
Deaths from all Causes,	16	14	8	12	1	3	1	.	23	12	22	11	.	5	1		10	8	11	9	165	4
Annual Rate of Mortality in every 1,000 of the population.	29·4	18·6	13·9	19·8	10·8	15·6	7·8	.	31·3	36·6	26·9	16·4	.	21·4	.		15·7	16·0	65·5	27·0	22·7	
	18·9								26·6								23·2					
	22·6																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	3	3	3	.	1	.	.	5	3	5	6	.	.	.		2	1	1	.	35	3
Workhouse Hospitals,	1	6	3	3	.	.	.	.	2	2	3	.	.	.	.		.	.	.	4	24	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe
week of the ten years, 18 190

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years 1892–1901	In the Week ending Satur 4th October, 1902. Deaths of Persons of the A						
	Oct. 8, 1892.	Oct. 7, 1893.	Oct. 6, 1894.	Oct. 5, 1895.	Oct. 3, 1896.	Oct. 9, 1897.	Oct. 8, 1898.	Oct. 7, 1899.	Oct. 6, 1900.	Oct. 5, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 45·8	° 48·9	° 47·9	° 51·4	° 53·2	° 51·2	° 56·4	° 46·1	° 50·4	° 52·1	° 50·3	Mean Temp. ° 51·1						
ALL CAUSES.	134	156	158	143	135	147	155	196	182	149	155·5	169	13	34	33	12	22	3
Small Pox, Vaccinated,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	32	1	.	3·4	8	.	.	8	.	.	.
Scarlet Fever	.	.	1	2	3	3	.	.	.	.	·9	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	1	.	2	.	1	.	.	·5	1	.	.	.	.	.	1
Whooping Cough,	.	6	.	1	1	.	3	2	5	2	2·0	1	.	.	1	.	.	.
Diphtheria,	.	.	1	.	1	.	.	.	.	2	·4	5	.	.	3	1	.	1
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	7	1	.	6	4	2	4	3	8	3·8	6	1	.	1	.	3	1
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	9	14	10	8	3	11	15	17	28	9	12·4	7	.	4	3	.	.	.
												12	.	8	3	.	.	1
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	.	2	1	.	.	.	.	·3	1	.	1	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	1	2	.	.	.	.	.	.	.	1	·4	1	.	.	.	.	1	.
												.	.	.	.	.	.	.
												.	.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	1	2	1	.	.	.	.	.	1	1	·6	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.
												.	.	.	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	18	28	20	17	18	23	14	20	14	21	19·3	2	.	.	1	.	1	.
												16	.	.	.	.	9	7
Tuberculous Meningitis, (Acute Hydrocephalus).	2	1	4	5	2	3	10	6	3	1	3·7	4	.	1	.	3	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	5	4	3	3	4	1	7	8	7	11	5·3	.	.	.	.	.	.	.
												.	.	.	.	.	.	.
Tuberculous Dis. (other), Scrofula,	2	.	4	5	2	.	7	2	2	3	2·7	3	.	2	1	.	.	.
												1	.	.	1	.	.	.
Alcoholism	.	.	1	2	1	1	1	.	1	.	·7	.	.	.	.	.	.	.
Rheumatic Fever,	.	1	.	1	.	1	.	.	.	.	·3	1	.	.	.	.	1	.
Gout	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are f

ETH WEEK ending Saturday, 4th October, 1902, with the deaths from each cause in the corresponding
erage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Oct. 8, 1892.	Oct. 7, 1893.	Oct. 6, 1894.	Oct. 5, 1895.	Oct. 3, 1896.	Oct. 9, 1897.	Oct. 8, 1898.	Oct. 7, 1899.	Oct. 6, 1900.	Oct. 5, 1901.	Averages in 40th Week of the 10 years 1892–1901.	In the Week ending Saturday, 4th October, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 45·8	° 48·9	° 47·9	° 51·4	° 53·2	° 51·2	° 56·4	° 46·1	° 50·4	° 52·1	° 50·3	Mean Temp. ° 51·1								
ia	6	5	7	5	1	5	9	3	7	6	5·4	2	.	.	.	.	.	1	1	.
... ...												.	.	.	.	.	.	.	.	.
t Dis. "Cancer,"												2	.	.	.	.	2	.	.	.
Mellitus	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
ure Birth	3	.	5	5	.	4	3	.	7	1	2·8	5	4	1	.	.	.	.	.	.
tis (not tuberc.)												2	.	1	.	1	.	.	.	.
, G. P. of Insane												2	.	.	.	.	1	1	.	.
... ...												.	.	.	.	.	.	.	.	.
ons												13	5	7	.	1	.	.	.	.
or Ataxy												.	.	.	.	.	.	.	.	.
gia Dis. of Cord												1	.	.	.	1	.	.	.	.
System (other Dis.) ...	33	26	31	25	29	31	32	29	32	24	29·2	1	.	.	.	.	.	.	.	1
s., Endocarditis												5	.	.	.	.	.	4	1	.
Hæm. Thromb.												.	.	.	.	.	.	.	.	.
, Hemiplegia												3	.	.	.	.	.	3	.	.
m												.	.	.	.	.	.	.	.	.
m, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis.												6	.	.	.	.	1	4	1	.
not Spasm. or Memb.) ...	.	.	1	1	1	.	.	1	3	.	·7	.	.	.	.	.	.	.	.	.
tis	12	8	16	13	15	14	8	16	11	9	12·2	11	.	.	6	.	.	.	5	.
is Pneumonia												.	.	.	.	.	.	.	.	.
-Pneumonia	6	6	6	8	7	7	6	13	5	12	7·6	1	.	.	.	1	.	.	.	.
onia"												6	.	.	1	1	.	2	2	.
, Emphysema ...												1	.	.	.	.	.	1	.	.
... ...	4	2	2	5	1	1	1	1	4	1	2·2	.	.	.	.	.	.	.	.	.
tory Dis. (other)												.	.	.	.	.	.	.	.	.
is, Quinsy	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
s (not Epid.)	.	2	2	1	.	1	1	.	.	.	·7	4	.	1	2	.	.	1	.	.
Enteritis												2	.	2	.	.	.	.	.	.
tis (not Puerp.)	.	1	1	1	1	.	1	.	.	.	·5	1	.	.	.	.	1	.	.	.
s of Liver	1	3	.	4	1	3	.	5	2	.	1·9	.	.	.	.	.	.	.	.	.
is. (other)												2	.	.	.	.	.	1	1	.
e Dis. (other)	3	4	1	5	3	3	2	7	6	9	4·3	5	.	.	.	2	1	1	1	.
is, Acute												1	.	.	.	.	.	1	.	.
Dis., Albuminuria ...	3	8	3	3	3	4	4	3	3	2	3·6	1	.	.	.	.	.	.	1	.
Sys. (Other Dis.) ...												1	.	.	.	.	1	.	.	.
ive Organs Dis.	.	1	.	.	.	1	.	.	1	.	·3	1	.	.	.	.	.	.	1	.
th (Accid. of)	.	1	2	1	.	1	2	1	1	1	1·0	1	.	.	.	.	1	.	.	.
... ...	9	8	5	7	11	7	7	12	11	9	8·6	5	.	.	.	.	.	.	4	1
Diseases	11	11	14	6	13	9	15	9	17	12	11·7	11	3	6	1	.	1	.	.	.
ACCIDENT.																				
ways	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
icles and Horses	.	.	2	1	.	.	.	1	.	.	·4	2	.	.	1	1	.	.	.	.
s, Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
owning)																				
ling Operations	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
agrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	.	.	1	1	2	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
wning	.	1	1	2	.	1	2	.	1	.	·8	1	.	.	.	.	.	.	1	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	1	1	4	2	3	5	1	1	6	2	2·6	.	.	.	.	.	.	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
le	1	.	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ogistration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered,	237	226	195	255	232	202	209	234	249	192	242	213	204	187	196	203	186	244	192	185	209	205	219	221	222	192
*Average Births in corresponding week of previous 10 years,**	190	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210	185
DEATHS registered,	206	174	199	191	178	186	149	165	156	155	139	149	149	129	155	150	165	154	145	146	156	170	142	168	213	169
Annual Death-rate per 1,000,	28·3	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	7·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3
*Average Deaths in corresponding week of previous 10 years,**	196	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156
AGES, Under 5 years,	56	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52	53	57	62	87	98	80
5—20 ,,	16	12	19	20	13	20	16	24	14	19	15	11	14	10	18	8	14	14	7	15	12	16	9	9	18	12
20—40 ,,	42	28	20	31	33	39	34	23	32	29	23	23	30	24	36	25	31	22	17	27	31	25	19	26	30	22
40—60 ,,	41	37	50	39	33	37	21	35	38	24	26	27	27	29	30	29	24	20	36	32	31	43	23	18	33	34
60—80 ,,	40	33	44	42	35	32	36	27	17	27	32	26	20	25	27	29	30	29	28	15	26	23	23	23	25	19
80 years and upwards,	11	7	6	13	7	9	3	8	7	6	5	5	7	3	5	13	7	4	2	5	3	6	6	6	9	2
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	3	2	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8
,, Scarlet Fever,	.	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.
,, Whooping-cough,	2	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1
,, Diphtheria,	1	1	.	2	2	3	.	2	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	2	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6
,, Diarrhœa, Dysentery,	4	4	1	1	2	1	2	1	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19
,, Phthisis,	27	25	20	25	23	30	25	27	40	26	23	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18
,, Heart Diseases,	18	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18	10	18	21	17	18	24	17	17	21	14
,, Diseases of Respiratory System,	44	33	41	32	29	30	23	32	25	16	10	25	30	24	23	17	30	28	19	18	16	20	14	20	27	19
Violent Deaths,	8	1	4	6	4	3	4	4	6	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2	6	3
Mean Temperature of the Air (Phœnix Park),	38·4	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	56·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1
Average Mean Temperature in corresponding week of previous 10 years,	45·6	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3
Rainfall in inches,	·050	·220	·240	·330	·090	·845	·195	·158	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·538	·083	1·725	·115	·180	·595	·640
Mean Humidity of the Air, complete Saturation 1·0,	·82	·79	·80	·79	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·83

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th October, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Colds, 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH OCTOBER, 1902.																						
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	846,128	25·5	169	80	12	22	34	19	2	.	8	.	.	1	5	.	6	19	39	18	13	19	3	77
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	23·7	7	.	.	.	3	2	2	.	.	.	.	.	1	.	.	.	1	.	.	1	.	5
II.	MIDDLE CLASS,	80,653	11·6	18	8	2	3	5	.	.	.	.	.	.	1	1	.	1	1	4	2	3	1	.	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	21·2	40	13	4	9	8	6	.	.	2	.	.	.	.	.	3	5	10	4	1	7	1	17
IV.	GENERAL SERVICE CLASS,	146,486	35·8	79	53	6	5	10	5	.	.	6	.	.	.	3	.	2	11	22	5	8	6	2	36
V.	INMATES OF WORKHOUSES,	5,191		25	6	.	5	8	6	.	.	.	.	.	.	.	.	.	2	2	7	1	4	.	11
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	2. Merchants and Manufacturers, Higher Class,	1,868	28·4	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	27·6	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	1	2	1	1	.	.	.	.	.	.	.	1	.	1	.	2	.	.	1	.	2
	6. Clerks and Commercial Assistants,	24,750	19·0	9	6	.	2	1	.	.	.	.	.	.	1	.	.	.	1	2	2	3	.	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	4·3	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	28·4	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1
	9. Building and Furnishing Trades,	26,030	24·0	12	5	.	4	3	.	.	.	1	.	.	.	.	.	.	1	2	1	1	.	.	8
	10. Clothing Trades,	23,686	15·4	7	1	1	2	1	2	.	.	.	.	.	.	.	.	1	.	1	1	.	2	1	2
	11. Food Supply Trades,	7,869	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	27·4	14	4	2	2	3	3	.	.	.	.	.	.	.	.	2	3	5	.	.	3	.	6
	13. Petty Shopkeepers,	6,771	15·4	2	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	5	.	.	2	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	4
	15. Domestic Servants,	39,563	10·5	8	6	.	.	1	1	.	.	1	.	.	.	1	.	.	.	2	.	.	.	.	6
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	39·0	8	4	.	1	3	.	.	.	1	.	.	.	.	.	.	1	2	2	2	1	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	35·3	56	38	6	4	4	4	.	.	4	.	.	.	2	.	1	10	17	2	6	4	2	25
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	25	6	.	5	8	6	.	.	.	.	.	.	.	.	.	2	2	7	1	4	.	11

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate of Mortality per 1,000 Living Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

City of Dublin (prior to extension) — DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,333.	Aug. 16,	23·9	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	29·4	9·2	16	.	4	.	.	.	.	.	.	1	2	.	1
	„ 30,	23·9	1·8	13	.	1	.	.	.	.	.	.	.	2	1	1
	Sept. 6,	22·1	8·7	12	.	1	.	.	.	.	.	.	1	4	1	.
	„ 13,	16·6	8·7	9	.	.	.	.	.	.	.	.	2	1	.	.
	„ 20,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	3	1
	„ 27,	44·2	12·9	24	.	5	.	.	.	.	.	.	2	1	5	2
	Oct. 4,	29·4	7·4	16	.	2	.	.	1	.	.	.	1	1	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	Aug. 16,	21·3	4·0	16	.	3	.	.	.	.	.	.	.	1	1	1
	„ 23,	17·3	2·7	13	.	1	.	.	.	.	.	1	.	1	4	.
	„ 30,	21·3	4·0	16	.	1	1	.	.	.	.	.	1	.	1	1
	Sept. 6,	24·0	4·0	18	.	.	1	.	.	.	.	1	1	1	4	.
	„ 13,	18·6	6·7	14	.	1	.	.	.	1	.	1	2	2	1	.
	„ 20,	26·6	6·7	20	.	1	.	.	.	2	.	.	2	2	1	.
	„ 27,	29·3	4·0	22	.	1	.	.	.	.	.	1	1	3	4	.
	Oct. 4,	18·6	.	14	.	.	.	.	.	.	.	.	.	3	2	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Aug. 16,	19·1	1·7	11	.	.	.	1	.	.	.	.	.	2	2	.
	„ 23,	17·3	1·7	10	.	.	.	1	.	.	.	.	.	1	1	.
	„ 30,	22·5	5·2	18	.	2	.	.	.	1	.	.	.	.	1	.
	Sept. 6,	29·4	1·7	17	.	1	.	.	.	.	.	.	.	2	3	.
	„ 13,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	1	1	2
	„ 20,	38·1	6·9	22	.	.	.	.	.	.	.	.	4	5	2	.
	„ 27,	41·6	8·7	24	.	1	.	.	.	1	.	2	1	1	7	.
	Oct. 4,	13·9	5·2	8	.	1	.	.	.	.	.	1	1	.	1	.
North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,678.	Aug. 16,	37·9	14·8	23	.	9	.	.	.	.	.	.	.	3	3	.
	„ 23,	28·0	9·9	17	.	6	.	.	.	.	.	.	.	2	1	.
	„ 30,	26·3	6·6	16	.	4	.	.	.	.	.	.	.	1	3	.
	Sept. 6,	41·2	11·5	25	.	5	1	.	.	.	.	1	.	5	2	.
	„ 13,	29·6	6·6	18	.	3	.	.	.	.	.	.	1	1	3	.
	„ 20,	32·9	9·9	20	.	3	.	.	.	.	.	.	3	1	2	.
	„ 27,	34·6	9·9	21	.	1	1	.	1	.	.	1	2	2	1	.
	Oct. 4,	19·8	6·6	12	.	3	.	.	.	.	.	.	1	3	3	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 38,818.	Aug. 16,	19·1	5·4	14	.	3	.	.	.	.	.	.	1	.	1	.
	„ 23,	23·1	1·4	17	.	1	.	.	.	.	.	.	.	4	2	.
	„ 30,	19·1	6·8	14	.	.	.	.	.	1	.	.	4	.	.	.
	Sept. 6,	28·6	6·8	21	.	1	.	.	.	1	.	1	2	4	2	1
	„ 13,	21·8	6·8	16	.	2	.	.	.	1	.	.	2	2	.	.
	„ 20,	15·0	4·1	11	.	1	.	.	1	.	.	.	1	.	3	.
	„ 27,	39·5	9·5	29	.	.	1	.	.	.	.	1	5	4	1	.
	Oct. 4,	31·8	15·0	23	.	2	.	.	.	1	.	1	7	.	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,118.	Aug. 16,	45·7	12·2	15	.	3	1	.	.	.	.	.	.	3	1	2
	„ 23,	27·4	3·0	9	.	.	.	.	.	.	.	.	1	.	3	.
	„ 30,	30·5	3·0	10	.	.	.	.	.	.	.	.	1	5	2	.
	Sept. 6,	24·4	3·0	8	.	.	.	.	.	.	.	.	1	2	.	1
	„ 13,	30·5	6·1	10	.	.	.	.	.	.	.	1	1	2	3	.
	„ 20,	36·6	12·2	12	.	3	.	.	.	.	.	.	1	1	1	.
	„ 27,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	Oct. 4,	36·6	3·0	12	.	.	.	.	.	1	.	.	.	3	5	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 42,575.	Aug. 16,	20·8	2·5	17	.	1	.	.	.	.	.	1	.	4	2	.
	„ 23,	25·7	4·9	21	.	2	.	.	1	.	.	.	1	3	4	1
	„ 30,	25·7	1·2	21	.	1	.	.	.	.	.	.	.	4	4	.
	Sept. 6,	17·1	3·7	14	.	.	.	.	.	.	.	.	3	1	1	.
	„ 13,	19·3	4·9	16	.	.	.	.	.	.	.	.	4	1	1	.
	„ 20,	29·4	7·3	24	.	1	.	.	.	1	.	.	4	4	4	.
	„ 27,	24·5	6·1	20	.	.	.	.	.	1	.	.	4	.	2	2
	Oct. 4,	26·9	4·9	22	.	.	.	.	.	.	.	.	4	2	1	2
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	Aug. 16,	14·9	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	„ 23,	20·9	3·0	14	.	1	.	.	1	.	.	.	.	4	1	.
	„ 30,	20·9	3·0	14	.	2	.	.	.	.	.	.	.	1	3	1
	Sept. 6,	25·4	3·0	17	.	1	.	.	.	1	.	.	.	2	4	1
	„ 13,	28·9	3·0	16	.	.	.	.	.	.	.	.	2	1	1	2
	„ 20,	25·4	9·0	17	.	3	2	.	.	.	.	.	1	.	2	.
	„ 27,	32·9	7·5	22	.	2	.	.	.	2	.	.	1	3	1	1
	Oct. 4,	16·4	1·5	11	.	.	.	.	.	.	.	1	.	2	1	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	Aug. 16.	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	Sept. 6,	15·7	3·1	10	.	1	1	.	.	.	.	.	.	1	1	.
	„ 13	9·4	3·1	6	.	.	.	.	.	.	.	1	1	.	1	.
	„ 20,	6·3	4·7	4	.	.	.	.	.	1	.	.	2	.	.	.
	„ 27,	18·8	6·3	12	.	.	1	.	.	.	.	1	2	1	1	.
	Oct. 4,	15·7	3·1	10	.	.	.	.	.	.	.	.	2	2	.	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Aug. 16,	8·0	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 23,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	2	.	1
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 6,	14·0	2·0	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 13,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 20,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 4,	16·0	6·0	8	.	.	.	.	.	1	.	.	2	.	.	1
Kingstown. Pop. in 1902 (Est.) 17,880.	Aug. 16,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	18·0	3·0	6	.	.	.	.	.	.	.	1	.	1	1	.
	Sept. 6,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 20,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	15·0	.	5	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 4,	27·0	3·0	9	.	.	.	.	.	1	.	.	.	1	1	.
Belfast. Pop. in 1902 (Est.) 358,693.	Aug. 16,	15·7	2·6	108	.	3	.	.	2	2	2	4	5	14	19	1
	„ 23,	16·3	3·1	112	.	2	.	.	6	1	.	7	5	13	19	1
	„ 30,	16·3	2·6	112	.	5	.	.	5	.	.	4	4	18	26	1
	Sept. 6,	17·9	3·3	123	.	6	.	1	6	1	1	4	4	18	27	1
	„ 13,	18·3	5·2	126	.	4	.	.	5	3	.	1	23	13	15	2
	„ 20,	20·9	3·3	144	.	5	.	.	2	.	.	3	13	24	15	6
	„ 27,	17·6	3·3	121	.	4	.	.	4	.	.	3	12	8	24	.
	Oct. 4,	19·9	4·4	137	.	7	.	.	2	.	.	7	14	15	23	2
Cork. Pop. (in 1901) 76,122.	Aug. 16,	17·8	2·1	26	.	.	.	.	2	.	.	.	1	2	5	.
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	6	4	.
	„ 30,	22·6	3·4	33	.	2	.	.	2	.	.	.	1	5	3	1
	Sept. 6,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 13,	14·4	2·7	21	.	2	.	.	.	.	.	.	2	2	3	.
	„ 20,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	6	2	.
	„ 27,	22·6	1·4	33	.	.	.	.	.	.	.	.	2	7	2	.
	Oct. 4,	24·0	2·1	35	.	1	.	.	.	.	.	.	2	9	4	3
Londonderry. Pop. in 1902 (Est.) 40,729.	Aug. 16,	15·4	1·3	12	.	1	.	.	.	.	.	.	.	1	2	.
	„ 23,	9·0		7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 30,	17·9	2·6	14	.	.	.	.	.	.	.	.	2	1	2	.
	Sept. 6,	21·8	2·6	17	.	1	.	.	.	.	.	.	1	2	1	1
	„ 13,	16·6	1·3	13	.	.	.	.	.	.	.	.	.	3	3	.
	„ 20,	20·5	3·8	16	.	.	.	.	.	.	.	1	2	2	4	.
	„ 27,	19·2	3·8	15	.	1	.	.	.	.	.	.	2	4	1	1
	Oct. 4,	10·2	2·6	8	.	1	.	.	.	.	.	.	1	2	1	.
Limerick. Pop. (in 1901) 38,151.	Aug. 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 23,	8·2	.	6	.	.	.	.	.	.	.	.	.	3	1	1
	„ 30,	15·0	1·4	11	.	.	.	.	.	.	.	1	.	3	2	.
	Sept. 6,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	1	.
	„ 13,	17·8	.	13	.	.	.	.	.	.	.	.	.	4	.	.
	„ 20,	20·5	6·8	15	.	1	.	.	.	.	.	2	2	1	2	.
	„ 27,	10·9	1·4	8	.	.	.	.	.	.	.	1	.	2	2	.
	Oct. 4,	16·4	2·7	12	.	.	.	.	.	.	.	1	1	1	2	.
Waterford. Pop. (in 1901) 26,769.	Aug. 16,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	„ 23,	11·7	3·9	6	.	.	.	.	.	.	.	.	2	.	.	.
	„ 30,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 6,	31·3	5·8	16	.	.	.	.	1	.	.	.	2	2	1	.
	„ 13,	23·4	5·8	12	.	.	.	.	1	.	.	1	1	1	.	.
	„ 20,	25·3	7·8	13	.	.	.	.	2	.	.	.	2	.	1	.
	„ 27,	19·5	5·8	10	.	.	.	.	.	.	.	.	3	1	2	.
	Oct. 4,	21·4	3·9	11	.	.	.	.	.	.	.	1	1	.	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 4th October, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	10	38·9	10·6	11	4	3	4	.	.	1	.	.	.	.	.	1	1	2	2	1	1	2
" 2 "	47,959	26	19·6	2·2	18	10	.	7	1	.	1	.	.	.	.	.	.	1	2	3	.	1	.
" 3 "	47,214	24	37·5	14·4	34	9	7	13	5	.	3	.	.	2	.	.	.	8	3	6	.	3	3
" 4 "	40,911	14	24·2	5·1	19	4	4	7	4	.	1	.	.	.	.	.	3	.	1	3	.	1	6
" 5 "	17,887	9	24·0	.	8	2	1	5	.	.	.	.	.	.	.	.	.	.	1	2	.	.	3
" 6 "	48,122	13	2·2	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 7 "	1,524	.	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 8 "	5,060	.	41·2	.	4	1	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	3
" 9 "	19,569	11	8·6	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 10 "	23,064	18	11·3	2·3	5	.	2	2	1	.	1	.	.	.	.	.	.	.	1	1	.	.	.
" 11 "	34,802	25	18·0	9·0	12	2	3	5	2	.	.	.	.	.	.	.	3	3	.	2	.	.	2
" 12 "	33,588	23	18·6	1·6	12	4	2	6	.	.	.	.	.	.	.	.	.	1	3	1	.	.	2
" 13 "	15,006	8	20·8	.		1	3	.	2	.	.	.	.	.	.	.	.	.	.	2	1	1	1
" 14 "	240	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	181	20·5	4·5	137	40	26	54	17	.	7	.	.	2	.	.	7	14	16	23	2	8	24
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	12,867	7	16·2	.	4	1	.	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" 2 "	10,701	10	14·6	.	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	2	3
" 3 "	9,978	10	31·4	.	6	1	.	1	4	.	.	.	.	.	.	.	.	.	1	2	.	.	3
" 4 "	8,666	7	36·1	.	6	.	.	4	2	.	.	.	.	.	.	.	.	.	3	1	1	1	3
" 5 "	6,592	5	15·8	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	10,702	6	19·5	4·9	4	2	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1
" 7 "	16,616	8	31·4	6·3	10	4	1	3	2	.	1	.	.	.	.	.	.	1	2	1	.	.	2
Total,	76,122	53	24·0	2·1	35	9	3	11	12	.	1	.	.	.	.	.	.	2	9	4	3	3	14

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Apr. 12.	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered,	216	215	245	192	229	231	201	244	217	211	209	175	237	208	214	224	200	215	194	200	176	209	219	200	218	181
DEATHS registered.	168	149	153	119	149	142	152	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137
Annual Death-rate per 1,000 of estimated Population,	24·4	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	21·5	17·6	19·9
AGES, Under 1 year,	25	28	32	20	27	29	26	31	16	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40
AGES, 1-5 years,	21	22	23	12	24	16	25	24	20	14	22	20	27	23	19	19	22	13	21	17	19	16	20	17	16	26
AGES, 5-60 years,	80	67	76	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62	44	43	51	54	42	60	41	54
AGES, 60 years and upwards,	42	37	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21	23	16	20	25	15	21	15	17
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	2	3	4	3	4	3	4	3	2	7	6	6	7	7	8	5	3	3	2	5	6	4	5	4	7
,, Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	6	4	2	2	4	3	4	2	6	1	4	3	7	4	.	2	8	6	2	6	5	6	5	2	4	2
,, Diphtheria,	.	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.
,, Enteric Fever,	1	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7
,, Diarrhœa, Dysentery,	2	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1	5	5	4	4	23	13	12	14
,, Phthisis	26	31	25	29	32	29	26	26	26	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16
,, Diseases of Respiratory System,	40	34	44	26	32	27	32	23	22	20	25	18	34	22	18	16	29	15	19	19	26	27	15	15	24	23
Violent Deaths,	3	4	.	.	4	5	1	3	3	2	2	1	7	4	1	6	4	.	1	1	1	1	2	6	.	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th October, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	"Fever."	Total.
North City No. 1, East,	.	13	.	1	.	.	.	.	1	3	2	.	.	.	20
" " 1, West,	.	44	.	5	.	.	2	.	3	10	2	.	.	.	66
" " 2,	.	24	.	2	.	.	.	.	1	4	3	.	.	.	34
" " 3,	.	15	1	4	.	.	.	.	.	3	5	.	.	.	28
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra No. 1 (part of),	.	4	.	.	.	.	.	.	1	3	.	.	.	.	8
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	24	.	6	.	.	3	.	2	1	2	.	1	.	39
" " 2,	.	10	1	.	.	.	2	.	.	2	.	.	.	.	15
" " 3,	.	1	.	4	1	.	.	.	.	6	.	.	.	.	12
" " 4,	.	2	.	1	.	.	2	.	1	4	.	.	.	.	10
Palmerston (part of),	.	2	.	.	.	.	.	.	.	2	.	.	1	.	5
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	141	2	23	1	.	9	.	9	38	14	.	2	.	239
Total for week ended Sept. 27th, 1902,	.	175	.	16	1	.	*15	.	8	28	15	.	4	.	262
Total for week ended Sept. 20th, 1902,	.	124	.	10	2	.	9	1	7	33	23	.	2	.	211
Total for week ended Sept. 13th, 1902,	.	87	.	11	1	.	9	.	5	33	15	.	8	.	169

* Including one "measles and diphtheria."

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th October, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th October.			
	Sept. 13.	Sept. 20.	Sept. 27.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	2	2	2	.	2	.	.
Measles,	88	88	111	53	20	7	137
Scarlet Fever,	70	70	80	11	13	2	76†
Typhus "	5	5	6	.	1	.	5
Diphtheria,	27	31	30	6	4	2	30
Enteric Fever,	77	82	87	33	15	2	103
Pneumonia,	10	13	9	5	5	1	8

† Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Oct. 4,	2,335	1,381	15·7	.	17	9	27	26	29	126
EDINBURGH,	317,885	„ 4,	133	103	16·6	.	.	1	2	2	2	4
GLASGOW,	764,423	„ 4,	476	276	18·5	.	1	2	1	5	3	16
CALCUTTA,	847,793	Aug. 9,	.	378	23·1	1	2	.	.	.	95§	52*
BOMBAY,	776,006	Sept. 9.	343	124	48·5	3	13	?	?	2	78§	92*
MADRAS,	509,346	Aug. 22,	401	431	43·9	1	1	?	?	?	136§	80*
PARIS,	2,660,559	Sept. 27,	1,076	790	16·3	1	2	1	9†	6	6	69
BRUSSELS (with 8 Faubourgs).	562,893	„ 13,	234	174	16·1	.	.	.	1†	.	2	34
AMSTERDAM,	535,260	„ 20,	276	161	9·8	.	2	.	.	1	1	14
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	400,570	Sept. 20,	193	100	13·0	.	.	.	.	1	.	13
CHRISTIANIA	224,909	„ 26,	142	53	12·3	.	.	.	.	3	1	.
ST. PETERSBURG,	1,248,643	„ 6,	491	451	19·2	.	13	2	8	6	12	75
BERLIN,	1,902,504	„ 6,	940	626	17·1	.	3	1	5	15	2	121
HAMBURG,	724,825	„ 20,	.	193	13·8	.	1	10	1†	2	1	18
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH,	506,000	Sept. 13,	.	210	21·6	.	.	1	.	3	1	77
VIENNA (with suburbs).	1,726,604	„ 20,	923	561	16·9	.	.	.	1†	2	3	124
BUDA PESTH,	767,661	„ 13,	455	624	17·9	.	.	3	2	1	1	62
PRAGUE and Faubourgs	416,817	„ 13,	187	156	19·5	.	.	3	1†	1	3	26
ROME,	480,361	July 19,	220	185	20·0	.	4	.	.	1	3	30
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Sept. 20,	63	67	21·1	.	2	.	.	.	2	11
NEW YORK,	3,632,501	„ 13,	1,671	1,213	17·4	3	4	6	33†	22	18	226
PHILADELPHIA,	1,293,697	„ 13,	.	379	15·2	.	.	3	6	3	13	14

* Including 18 deaths from cholera in Calcutta, 1 in Bombay, and one in Madras.
† Including deaths from croup.
§ Exclusive of 15 deaths from bubonic fever in Calcutta, 41 in Bombay, and one in Madras.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 4th October, 1902:—

"This week brought premature winter, with fresh and strong N.E. and E. winds, dry weather at first, but afterwards showers of cold rain and hail. The barometer stood high throughout over the British Isles, but low pressures were prevalent in the Mediterranean Basin and at times over Northern Europe also. The week opened with an anticyclone central over Scotland, where the barometer exceeded 30·50 inches. Sunday morning broke hazy and foggy in Dublin, but after 9 a.m. a north-easterly wind set in, which continued to blow with increasing force throughout the week. Slight rain fell on the east coast of Ireland on the morning of Tuesday, September 30, but the weather though cloudy remained chiefly dry until Friday morning when there were heavy showers of cold rain and hail in and near Dublin. Rain also fell over the east and centre of England on and after Tuesday. A brisk decrease of temperature took place in Sweden on Tuesday and Wednesday when readings as low as 30° and 25° were reported from Haparanda, Gulf of Bothnia. The thermometer, however, again rose fast for a while on Friday as a depression swept eastward across Scandinavia. The weather did not improve, but quite the reverse, and heavy showers fell at times on Saturday. In Dublin the mean atmospheric pressure was 30·221 inches, the barometer ranging between 30·504 inches at 9 a.m. of Sunday (wind, W.) and 30·026 inches at 9 a.m. of Wednesday (wind, E.N.E.). The corrected mean temperature was 53·2°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 52·4°. The screened thermometers rose to 60·9°, having already fallen to 44·0°, on Sunday. The duration of bright sunshine was calculated to be only 11½ hours. North-easterly winds prevailed throughout. The rainfall was 1·035 inches on four days, ·809 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·242 inches. The highest reading (30·522) was on Sunday at 9 a.m., air calm, and the lowest (30·049) on Wednesday at 9 a.m., wind N.E.

The mean temperature for the week was 51·1°, being 0·8° above the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Sunday, when the thermometer registered 61·0°, and was also lowest on that day, the mercury having fallen to 37·6°. The mean of the Dry Bulb for the week was 52·5°, and of the Wet Bulb 49·9°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 19·4 hours. The rainfall measured ·640 inch.

At Greenwich the mean temperature for the week was 49·1°, the maximum 59·1°, and the minimum 41·0°; at Glasgow the maximum was 66·2°, the minimum 34·4°, and the mean 51·9°; and at Edinburgh the maximum was 57·7°; the minimum 39·3°, and the mean 48·9°. The rainfall at Greenwich measured 0·11 inch; and at Edinburgh 0·37 inch. There was no rain at Glasgow.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Sept. 28,	30·505	61·0	37·6	49·3	55·6	54·7	·94	·5	5·2	—	Calm.	Calm.
Monday, „ 29,	30·331	57·6	44·5	51·1	54·2	52·3	·87	·6	8·8	·015	N.E.	N.E.
Tuesday, „ 30,	30·102	58·6	51·9	55·3	55·0	53·3	·89	·8	0·1	·005	N.E.	N.E.
Wednesday, Oct, 1,	30·074	56·6	51·4	54·0	54·0	51·6	·85	·7	0·8	—	N.E.	E.S.E.
Thursday, „ 2,	30·212	54·7	49·6	52·2	51·5	47·3	·74	4	0·2	·065	S.E.	E.
Friday, „ 3,	30·260	51·6	43·4	47·5	47·9	44·1	·75	·6	1·3	.070	E.	E.
Saturday, „ 4,	30·209	51·8	44·6	48·2	49·1	46·2	·80	·9	3·0	·485	E.	E.
Mean, . .	30·242	56·0	46·1	51·1	52·5	49·9	·83	·6	Total 19·4	·640	Prevailing wind E.	

Sunday—A fine morning, dull from 1.30 p.m.; night overcast. *Monday*—A fine day; night overcast; light rain 12.15 a.m. to 1.30 a.m. *Tuesday*—Dull and showery a.m.; cloudy p.m.; night overcast from 10.0 p.m. *Wednesday*—Dull a.m.; cloudy p.m.: night cloudy. *Thursday*—Dull a.m.; cloudy p.m.; night cloudy; showery 4.15 a.m. to 6.30 a.m. *Friday*—A cloudy day; showery a.m.; night cloudy; showery 2.0 a.m. to 3.0 a.m. *Saturday*—A fine but cloudy day; night overcast; showery 9.30 p.m. to 11.30 p.m.: light and heavy rain 12 midnight to 9.0 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 11TH OCTOBER, 1902. [No. 41.

General Register Office, Charlemont House, Dublin, 13*th October,* 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 20.	Week ending Sept. 27.	Week ending Oct. 4.	Week ending Oct. 11.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 20.	Week ending Sept. 27.	Week ending Oct. 4.	Week ending Oct. 11.	Average Rate for 4 weeks.
22 Town Dists.	20·7	21·0	20·2	21·2	20·8	Lisburn, . .	4·5	4·5	4·5	0·0	3·4
Armagh, . .	13·7	13·7	6·9	13·7	12·0	Londonderry, .	20·5	19·2	10·2	7·7	14·4
Ballymena, .	28·7	0·0	4·8	9·6	10·8	Lurgan, . .	26·6	4·4	13·3	25·6	17·7
Belfast, . .	20·9	17·6	19·9	21·5	20·0	Newry, . .	12·6	8·4	16·8	16·8	13·7
Clonmel, . .	20·5	10·3	0·0	10·3	10·3	Newtownards, .	5·7	11·4	40·1	17·2	18·6
Cork, . . .	19·2	22·6	24·0	24·0	22·5	Portadown, .	10·3	5·2	0·0	10·3	6·5
Drogheda, . .	40·9	16·3	16·3	24·5	24·5	Queenstown, .	0·0	19·8	0·0	33·0	13·2
Dublin Reg. Area,	22·3	28·4	22·7	21·8	24·5	Sligo, . . .	9·6	0·0	43·2	33·6	21·6
Dundalk, . .	8·0	12·0	16·0	19·9	14·0	Tralee, . .	26·4	37·0	5·3	5·3	18·5
Galway, . .	11·7	27·2	46·6	7·8	23·3	Waterford, .	25·3	19·5	21·4	11·7	19·5
Kilkenny, . .	14·7	39·3	14·7	14·7	20·9	Wexford, . .	28·0	23·3	28·0	9·3	22·1
Limerick, . .	20·5	10·9	16·4	23·2	17·8						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·3 per 1,000, the rates varying from 0·0 in fourteen of the districts to 8·4 in Newry; the 4 deaths registered in that district including one each from enteric fever and diarrhœa. The 148 deaths in Belfast include 6 from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, one from enteric fever, and 10 from diarrhœa; the 35 deaths in Cork comprise 2 from diarrhœa; among the 17 deaths in Limerick are 3 from measles, one from enteric fever, and one from diarrhœa; and the 6 deaths in Waterford comprise 3 from whooping-cough.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 162—93 boys and 69 girls; and the deaths to 192—104 males and 88 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 26·4 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted into public

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

institutions from localities outside the Area, the rate was 24·8 per 1,000. During the forty-one weeks ending with Saturday last the death-rate averaged 24·0, and was 2·6 below the mean rate for the corresponding portions of the ten years 1892–1901.

There were 11 deaths from measles registered during the week, the numbers registered in the preceding 3 weeks being 13, 10, and 8 respectively. Diphtheria caused 2 deaths; 2 deaths were caused by scarlatina, 2 by enteric fever, and one by simple fever. Of the 17 deaths from diarrhœal diseases, 7 were due to epidemic diarrhœa, and 10 were registered as *diarrhœa.*

Tuberculous diseases caused 36 deaths, registered as follows:—One tuberculous phthisis, 25 *phthisis*, 2 tuberculous meningitis, one tuberculous peritonitis, one *tabes mesenterica*, and 6 other forms of the disease.

Malignant disease, "*cancer*," was the cause of 2 deaths.

There were 23 deaths from diseases of the nervous system, including 10 (children) from *convulsions.*

Diseases of the heart and blood-vessels caused 19 deaths.

Diseases of the respiratory system caused 25 deaths, equal to an average rate of 3·4 per 1,000, the average rate for the corresponding period of the past 10 years being 3·0 per 1,000. There were 13 deaths from bronchitis, 2 from croup, one from croupous pneumonia, 2 from broncho-pneumonia, and 5 from *pneumonia.*

Two accidental deaths were registered.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 10 children under 5 years of age (including 8 infants under one year old) and the death of one person aged 74 years.

Eighty-one of the persons whose deaths were registered during the week were under 5 years of age (47 being infants under one year, of whom 10 were under one month old), and 27 were aged 60 years and upwards, including 9 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a woman) was stated to have been aged 92 years.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 6 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·8 per 1,000; the rate in the City was 27·5 (25·4 on the North side, and 29·9 on the South), and in the Urban Districts 15·3.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 4·7 per 1,000 inhabitants, the rate for the City being 5·7 (4·8 in the North City Districts, and 6·6 in the South), and for the Urban Districts 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. There were 3 deaths from measles, one from epidemic enteritis, one from *diarrhœa*, and 2 from *phthisis.*

No. 1 North City District, West (Summer-hill).—The deaths (26) are equal to an annual rate of 34·6 per 1,000. They comprise one from measles, one from diphtheria, one from *diarrhœa*, 6 from *phthisis*, 5 from *convulsions*, and 3 from diseases of the respiratory system. There was one death from accidental violence.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. There were 3 deaths from measles, one from epidemic diarrhœa, 2 from phthisis, 3 from diseases of the nervous system, and 3 from diseases of the respiratory system.

No. 3 North City District (Blackhall-place).—The deaths (12) represent an annual rate of 19·8 per 1,000. Among them are one from measles, one from *phthisis*, 4 from diseases of the heart and blood-vessels, and 2 from bronchitis.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 43·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 7·8. One of the 4 deaths tabulated for Clontarf and Howth, No. 1, part of, was from simple-continued fever.

No. 1 South City District (South Earl-street).—The deaths (29) represent an annual rate of 39·5 per 1,000. Measles caused 2 deaths and scarlatina caused one death. There were 6 deaths from diarrhœal diseases, and 6 from *phthisis*; also 2 from diseases of the heart and blood-vessels, and 2 from *pneumonia.*

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 21·3 per 1,000. They comprise one from *diarrhœa*, one from *phthisis*, and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·2 per 1,000. Among these are one from measles, one from scarlatina, 3 from diarrhœal diseases, 3 from *phthisis*, one from croup, 2 from bronchitis, and one from *pneumonia.*

No. 4 South City District (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·4 per 1,000. Two deaths were caused by enteric fever, 2 by *phthisis*, 3 by diseases of the heart and blood-vessels, and 5 by bronchitis.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 21·4 per 1,000 inhabitants. One of the 3 deaths was from *diarrhœa.*

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 17·3 per 1,000 inhabitants; Pembroke, 10·0; Blackrock, 11·9; and Kingstown, 21·0. The deaths from the principal epidemic diseases tabulated for these districts consist of one from epidemic diarrhœa for Rathmines, and one from *diarrhœa* for Kingstown. Among the 11 deaths from all causes tabulated for Rathmines are 2 from diseases of the nervous system and 2 from diseases of the heart and blood-vessels; and the 7 deaths for Kingstown comprise 2 from tuberculosis.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	20th September,	211 cases.
" "	27th September,	262 cases.
" "	4th October,	239 cases.
" "	11th October,	280 cases.

Of the 280 cases notified during last week, 14 were erysipelas, 41 enteric fever, 28 scarlatina, 169 measles, 17 diphtheria, 5 continued fever, 4 varicella (chicken-pox), and 2 "fever."

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	20th September,	6 cases.
" "	27th September,	7 cases.
" "	4th October,	5 cases.
" "	11th October,	8 cases.

Of the 8 cases notified last week, 2 were measles, one enteric fever, one scarlet fever, one diphtheria, one choleraic diarrhœa, and 2 chicken-pox.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	20th September,	12 cases.
" "	27th September,	3 cases.
" "	4th October,	5 cases.
" "	11th October,	9 cases.

Of the 9 cases notified during last week, 8 were enteric fever, and one scarlet fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	20th September,	74 cases.
" "	27th September,	77 cases.
" "	4th October,	75 cases.
" "	11th October,	76 cases.

Of the 76 cases notified during last week, 21 were enteric fever, 8 erysipelas, 10 diphtheria, 16 continued fever, 20 scarlet fever, and one membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th October, 1902.

From this it appears that:—

Thirty-one cases of measles were admitted to hospital, being 22 under the admissions for the preceding week; 42 were discharged, there were 3 deaths, and 123 cases remained under treatment at the close of the week.

Twenty-four cases of enteric fever were admitted to hospital, 11 cases were discharged, there was one death, and 115 cases remained under treatment at the close of the week.

Twenty-five cases of scarlatina were admitted to hospital, 9 cases were discharged, there were 2 deaths, and 90* cases remained under treatment at the close of the week.

One case of typhus was discharged, and 4 remained under treatment at the close of the week.

Sixteen cases of diphtheria were admitted to hospital, 5 were discharged, one died, and 40 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, one patient was discharged, there were 3 deaths, and 9 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·7), was equal to an average annual death-rate of 18·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·4 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 13·2.

* See note (†) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 11th October, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 11th October, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,401	19·2	27·6	21·2	8·3	579	444	124	88	.	20	3	.	5	2	1	6	32	52	69	6	12	105
Dublin Registration Area:— Total,†	878,761	27·5	22·3	24·8	4·7	162	180	47	26	.	11	2	.	.	1	1	2	17	24	23	2	5	56
Registrars' Districts. City	293,394	37·8	24·3	27·5	5·7	137	155	36	20	.	11	2	.	.	1	1	2	15	23	21	2	5	51
Rathmines,‖	33,203	19·4	12·6	17·3	1·6	8	11	5	4	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	16·0	10·0	.	8	5	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Blackrock,‖	8,759	8·1	6·0	11·9	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Kingstown 1 & 2,‖	17,380	11·9	24·0	21·0	3·0	8	7	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1
Urban Districts. Belfast,	358,693	21·8	35·6	21·5	3·1	245	148	54	19	.	6	1	.	2	1	.	1	10	17	35	3	5	22
Cork,	76,122	33·6	34·2	24·0	1·4	50	35	7	8	.	.	.	.	.	.	.	.	2	3	5	.	.	8
Londonderry,	40,729	18·8	17·9	7·7	1·3	14	6	1	4	.	.	.	.	.	.	.	.	1	.	1	1	1	2
Limerick,	38,151	18·1	17·8	23·2	6·8	13	17	5	6	.	3	.	.	.	.	.	1	1	2	1	.	1	5
Waterford	26,769	18·7	17·5	11·7	5·8	9	6	2	1	.	.	.	.	3	.	.	.	.	.	.	.	.	1
Galway,	18,426	2·5	42·7	7·8	.	11	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	18,076	9·4	16·0	19·9	.	4	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Drogheda	12,760	8·6	28·6	24·5	4·1	7	6	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Newry,	12,405	17·8	29·4	16·8	8·4	7	4	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Lurgan,	11,782	13·8	13·3	26·6	.	3	6	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	11,461	10·1	27·3	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	11,168	23·2	14·0	9·3	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Ballymena	10,886	8·9	28·7	9·6	.	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Sligo,	10,870	8·7	19·2	33·6	.	4	7	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Kilkenny,	10,609	11·5	4·9	14·7	.	1	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Clonmel,	10,167	7·8	36·4	10·3	.	11	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Portadown	10,092	18·2	41·3	10·8	.	8	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Tralee,	9,867	16·6	21·1	5·3	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	17·2	17·2	.	3	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Queenstown,	7,909	14·4	33·0	33·0	.	5	5	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Armagh,	7,588	22·2	20·6	13·7	.	3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 11th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th Sept., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	° .	° .	° .	° .	.
Dublin Registration Area:— Total,†	§56·3	37·6	48·2	1·15	§61·0	37·6	51·1	0·64	§67·8	37·1	55·5	0·60
City	a55·8 b57·4	43·7 39·0	50·3 49·0	1·27 1·28	a60·9 b51·8	44·0 39·0	53·2 51·8	1·04 0·51	a69·0 b72·3	44·3 38·0	56·6 55·8	0·39 0·58
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	58	46	51·5	1·10	60	46	53·6	0·73	67·5	43·0	57·2	0·78
Belfast,	55·0	40·1	48·5	.	63·6	39·1	52·3	0·01	65·1	43·1	55·3	1·46
Cork,	59	44	50·5	0·49	68	42	52·2	0·16	64	46	56·5	0·58
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	58	38	48·5	0·00	66	43	53	0·00	70	42	58	0·49
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	57·2	37·0	46·7	0·00	64·1	33·4	51·0	0·01	69·0	44·2	57·0	0·62
Lurgan,	57·2	37·0	46·7	0·00	64·1	33·4	51·0	0·01	69·0	44·2	57·0	0·62
Lisburn,	57·2	37·0	46·7	0·00	64·1	33·4	51·0	0·01	69·0	44·2	57·0	0·62
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	58·6	27·9	46·2	0·01	67·0	35·1	50·7	0·02	68·7	36·0	56·6	0·49
Kilkenny,	57	42	49	0·75	68	40	51·4	0·12	67	37	54·5	0·74
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	57·2	37·0	46·7	0·00	64·1	33·4	51·0	0·01	69·0	44·2	57·0	0·62
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	55	46	50·2	0·01	63	46	53·1	0·02	64	45	55·4	1·27
Queenstown,	59	44	50·5	0·49	68	42	52·2	0·16	64	46	56·5	0·58
Armagh,	57·2	37·0	46·7	0·00	64·1	33·4	51·0	0·01	69·0	44·2	57·0	0·62

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings of the nearest [illegible] from districts outside the area.

ABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 11th of October, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.																Urban District of					
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).		Rathmines.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	3	1	3	1	.	.	.	.	2	.	1	.	.	.	.		.	.	.	.	11	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.		.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	1
Simple & Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.		.	.	.	.	2	.
Diarrhœa, Dysentery,	2	1	1	.	.	.	.	.	6	1	3	.	.	1	.		1	.	.	1	17	.
Phthisis,	2	6	2	1	.	.	.	.	6	1	3	2	.	.	.		.	1	.	.	24	2
Other General Diseases,	1	1	1	2	1	1	1	.	3	2	2	4	.	.	.		2	1	1	2	25	1
Total,	8	10	7	4	2	1	1	.	18	4	10	8	.	1	.		3	2	1	3	83	4
B. Local Diseases:																						
Diseases of: Nervous System,	2	5	3	1	1	.	.	.	1	.	2	1	.	.	.		2	1	1	2	22	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.	.	.	.	1	.
Heart and Blood Vessels,	2	1	2	4	.	.	.	.	2	1	1	3	.	.	.		2	1	.	.	19	.
Respiratory System,	1	3	3	2	.	.	.	.	2	1	4	5	.	.	.		1	.	.	1	23	2
Digestive System,	1	.	.	1	.	.	.	.	1	.	3	.	.	.	.		1	1	.	.	8	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	.	1	.	.	.	.	.	.	.	1	.	.	.	2	.		.	.	.	.	4	2
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	1
Total,	6	10	8	8	1	.	.	.	6	3	10	10	.	2	.		6	3	1	3	77	8
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	.	5	1	.	1	.	.	.	5	.	3	.	.	.	.		2	.	.	1	18	.
E. Violent Deaths,	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.		.	.	.	.	2	.
Deaths from all Causes,	14	26	16	12	4	1	1	.	29	7	23	19	.	3	.		11	5	2	7	180	12
Annual Rate of Mortality in every 1,000 of the population.	25·8	34·6	27·7	19·8	43·4	5·2	7·8	.	39·5	21·3	28·2	28·4	.	21·4	.		17·3	10·0	11·9	21·0	24·8	
	25·4								29·9								15·3					
	27·5																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	5	2	.	.	.	.	8	2	7	6	.	.	.	.	1	1	1	33	11
Workhouse Hospitals,	1	2	1	2	.	.	.	.	4	1	5	.	.	.	.	2	.	.	.	18	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg
week of the ten years, 92-

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years 1892-1901	In the Week ending Sa 11th October, 190					
												Deaths of Persons of the					
												ALL AGES.	0 to 5.				
	Oct. 15, 1892.	Oct. 14, 1893.	Oct. 13, 1894	Oct. 12, 1895.	Oct. 10, 1896.	Oct. 16, 1897.	Oct. 15, 1898.	Oct. 14, 1899.	Oct. 13, 1900.	Oct. 12, 1901.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 60.
Mean Temperature.	° 44·7	° 46·6	° 52 8	° 47·6	° 47·4	° 49·5	° 48 9	° 48·0	° 50·9	° 48·0	° 48·4	° 48·2					
ALL CAUSES.	139	164	144	180	158	161	167	225	183	146	166·7	192	10	37	34	16	34
Small Pox, Vaccinated, ...	.	.	2	1	.	.	.	.	.	.	·3	.	.	.	.	.	
Small Pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	.	1	.	.	.	.	1	44	.	.	4·6	11	.	4	5	2	
Scarlet Fever	.	.	.	1	4	1	2	2	.	.	1·0	2	.	.	1	1	
Typhus, ...	.	1	.	.	2	.	.	.	.	.	·3	.	.	.	.	.	
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	.	1	.	1	2	2	3	2	.	1	1·2	.	.	.	.	.	
Whooping Cough, ...	.	3	2	3	2	1	1	.	1	1	1·4	.	.	.	.	.	
Diphtheria, ...	.	.	1	1	.	2	.	1	1	.	·6	2	.	.	1	1	
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Continued Fever, ...	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	
Enteric Fever, ...	4	9	7	5	4	7	3	7	4	6	5·6	2	.	.	.	.	2
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	4	7	3	17	10	4	14	15	16	14	10·4	7 10	1 .	3 6	3 2	.	
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease, ...	.	1	1	2	.	2	3	2	.	.	1·1	.	.	.	.	.	
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	1	.	1	.	.	.	.	.	·3	. . .	. . .	. . .	. . .	.	
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	.	1	1	.	.	1	.	.	1	.	·4	.	.	.	.	.	
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	.	.	1	1	1	.	.	1	·4	1 .	. .	. .	. .	.	
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculous Phthisis, ... "*Phthisis*,"	16	32	22	18	19	24	20	22	26	21	22·0	1 25	. .	. .	. 1	. 6	1 11
Tuberculous Meningitis, (Acute Hydrocephalus).	1	3	3	3	2	4	4	7	2	.	2·9	2	.	1	1	.	
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	5	6	5	10	7	4	7	8	5	5	6·2	1 1	. .	. 1	. .	.	1
Tuberculous Dis. (other), ... Scrofula, ...	9	2	3	7	2	5	5	1	8	5	4·7	6 .	. .	2 .	1 .	1	2
Alcoholism	1	1	2	.	1	.	1	1	.	1	·8	1	.	.	.	.	1
Rheumatic Fever,...	1	2	1	.	.	.	.	.	1	.	·5	.	.	.	.	.	
Gout	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	

* The figures for the years 1892-1900 a

Y-FIRST WEEK ending Saturday, 11th October, 1902, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years 1892-1901.	In the Week ending Saturday, 11th October, 1902.							
												De aths of Persons of the Ages of							
	Oct. 15, 1892.	Oct. 14, 1893.	Oct. 13, 1894.	Oct. 12, 1895.	Oct. 10, 1896.	Oct. 16, 1897.	Oct. 15, 1898.	Oct. 14, 1899.	Oct. 13, 1900.	Oct. 12, 1901.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 44·7	° 46·6	° 52·8	° 47·6	° 47·4	° 49·5	° 48·9	° 48·0	° 50·9	° 48·0	° 48·4	Mean Temp. ° 48·2	Under 1 month.	1 month and under a year.	1 to 5.					
na	5	2	3	6	9	3	1	7	5	3	4·4	.	.	.	.	.	.	.	.
... ...												.	.	.	.	.	.	.	.
nt Dis. "Cancer,"												2	.	.	.	.	1	1	.
s Mellitus	.	.	.	.	.	.	.	.	.	.	.	5	5	.	.	.	.	.	.
are Birth	1	.	.	1	1	1	2	6	4	1	1·7	8	.	3	2	2	1	.	.
tis (not tuberc.)												.	.	.	.	.	.	.	.
, G. P. of Insane												.	.	.	.	.	1	.	.
y												10	.	6	4	.	.	.	.
ons												.	.	.	.	.	.	.	.
tor Ataxy												.	.	.	.	.	.	.	.
gia Dis. of Cord												4	.	.	1	.	2	.	1
s System (other Dis.) ...	35	31	39	33	33	23	29	32	37	37	32·9								
is., Endocarditis												4	.	.	.	.	3	.	1
Hæm. Thromb.												1	.	.	.	.	.	1	.
y, *Hemiplegia*												6	.	.	.	.	3	3	.
sm												.	.	.	.	.	.	.	.
m, Thromb. (not cerebral)												.	.	.	.	.	.	.	.
nd Blood Vessel Dis.												8	1	.	.	.	1	4	2
not Spasm. or Memb.) ...	.	.	.	1	1	2	.	.	.	.	·4	2	.	2	.	.	.	.	.
itis	9	9	9	12	10	17	14	15	22	9	12·6	13	.	1	5	.	.	3	4
is Pneumonia												1	.	.	.	.	1	.	.
-Pneumonia	9	5	5	6	3	7	7	13	7	7	6·9	2	.	1	1	.	.	.	.
onia"												5	.	.	1	.	2	1	1
, Emphysema												2	.	.	.	.	1	1	.
y	3	.	1	2	1	4	1	1	.	.	1·3	.	.	.	.	.	.	.	.
tory Dis. (other)												.	.	.	.	.	.	.	.
tis, Quinsy	1	.	.	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.
s (not Epid.)	.	1	.	2	1	1	2	2	3	.	1·2	3	.	2	1	.	.	.	.
Enteritis												1	.	1	.	.	.	.	.
tis (not Puerp.)	1	1	.	.	1	.	1	.	.	1	·5	1	.	.	.	.	1	.	.
s of Liver	1	3	3	5	3	4	6	.	3	3	3·1	1	.	.	.	1	.	.	.
is. (other)												2	.	.	.	.	1	1	.
e Dis. (other)	7	6	1	5	9	6	6	4	5	4	5·3	1	.	.	.	.	.	1	.
is, Acute												2	.	.	.	.	1	1	.
Dis., Albuminuria ...	.	4	4	5	8	5	1	3	3	3	3·6	3	.	.	1	.	.	2	.
Sys. (Other Dis.) ...												1	.	.	.	.	1	.	.
ive Organs Dis.	1	.	.	.	1	.	.	.	.	.	·2	1	.	.	.	.	.	1	.
rth (Accid. of)	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.
... ...	6	7	5	11	4	11	15	12	9	7	8·7	6	.	.	.	.	.	3	3
Diseases	14	21	16	12	12	11	15	15	13	10	13·9	20	3	4	2	2	2	6	1
ACCIDENT.																			
ways	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
icles and Horses	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
s, Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
owning)																			
ting Operations	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.
agrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	1	.	.	1	1	1	.	.	2	1	·7	1	.	.	1	.	.	.	.
wning	.	2	1	.	.	2	.	1	2	1	·9	.	.	.	.	.	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
eaths by Accidents ...	2	.	2	5	2	3	1	1	1	2	1·9	1	.	.	.	.	.	1	.
OLENCE OTHER THAN ACCIDENTAL.																			
le	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
... ...	.	1	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered,	226	195	255	232	202	209	234	249	192	242	213	204	187	196	203	186	244	192	185	209	205	219	221	222	192	162
*Average Births in corresponding week of previous 10 years,**	197	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210	185	175
DEATHS registered,	174	199	191	173	186	149	165	156	155	139	149	149	129	155	150	165	154	145	146	156	170	142	168	213	169	192
Annual Death-rate per 1,000,	23·9	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	7·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4
*Average Deaths in corresponding week of previous 10 years,**	196	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167
AGES, Under 5 years,	57	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52	53	57	62	87	98	80	81
5—20 "	12	19	20	13	20	16	24	14	19	15	11	14	10	18	8	14	14	7	15	12	16	9	9	18	12	16
20—40 "	28	20	31	33	39	34	23	32	29	23	23	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34
40—60 "	37	50	39	33	37	21	35	38	24	26	27	27	29	30	29	24	20	36	32	31	43	23	18	33	34	34
60—80 "	33	44	42	35	32	36	27	17	27	32	26	30	25	27	29	30	29	28	15	26	23	23	23	25	19	22
80 years and upwards,	7	6	13	7	9	3	8	7	6	5	5	7	3	5	13	7	4	2	5	3	6	6	5	9	2	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11
" Scarlet Fever,	2	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.
" Whooping-cough,	1	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.
" Diphtheria,	1	.	2	2	3	.	2	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" Enteric Fever,	.	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2
" Diarrhœa, Dysentery,	4	1	1	2	1	2	1	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17
" Phthisis,	25	20	25	23	30	25	27	40	26	23	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18	26
" Heart Diseases,	27	22	27	19	26	15	21	12	18	22	21	17	18	25	18	10	18	21	17	18	24	17	17	21	14	19
" Diseases of Respiratory System,	33	41	32	29	30	23	32	25	16	10	25	30	24	23	17	30	28	19	18	16	20	14	20	27	19	25
Violent Deaths,	1	4	6	4	3	4	4	6	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2	6	3	2
Mean Temperature of the Air (Phœnix Park),	45·9	49·8	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2
Average Mean Temperature in corresponding week of previous 10 years,	47·4	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4
Rainfall in inches,	·220	·240	·330	·090	·345	·195	·153	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·538	·083	1·725	·115	·180	·595	·640	1·150
Mean Humidity of the Air, complete Saturation 1·0,	·79	·80	·79	·75	·81	·79	·88	·83	·82	·86	·80	·88	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·83	·88

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th October, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH OCTOBER, 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	28·9	192	81	16	34	34	22	5	.	11	2	.	.	2	1	2	17	35	26	10	25	2	94
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	16·9	5	.	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2
II.	MIDDLE CLASS,	80,653	12·9	20	6	4	3	5	.	2	.	2	2	.	.	1	.	.	.	5	1	1	2	.	11
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	21·2	40	14	3	10	9	4	.	.	1	.	.	.	.	1	1	3	6	7	.	4	.	23
IV.	GENERAL SERVICE CLASS,	146,486	43·7	108	60	9	14	14	9	2	.	8	.	.	.	1	.	1	12	22	11	9	17	2	47
V.	INMATES OF WORKHOUSES,	5,191		19	1	.	5	5	8	.	.	.	.	.	.	.	.	.	2	2	5	.	1	.	11
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	.	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	3	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	3
	6. Clerks and Commercial Assistants,	24,750	12·6	6	.	1	2	3	.	.	.	.	1	.	.	.	.	.	.	1	1	.	2	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	15·0	7	2	2	.	1	.	2	.	2	.	.	.	1	.	.	.	3	.	.	.	.	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,852	42·6	6	3	.	1	.	2	.	.	.	.	.	.	.	.	1	2	3	.	.	1	.	2
	9. Building and Furnishing Trades,	26,030	26·0	13	5	1	3	3	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	10
	10. Clothing Trades,	23,686	22·0	10	4	1	2	3	.	.	.	1	.	.	.	.	.	.	.	1	2	.	1	.	6
	11. Food Supply Trades,	7,869	26·5	4	1	.	2	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	3
	12. Other Trades and Callings ranking with Trades,	26,666	9·8	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	1
	13. Petty Shopkeepers,	6,771	15·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	34·5	9	2	1	.	3	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	6
	15. Domestic Servants,	39,563	14·5	11	4	2	2	1	2	.	.	.	.	.	.	.	.	1	2	3	2	.	1	1	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	24·4	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	52·4	88	52	6	12	9	2	2	.	8	.	.	.	1	.	.	9	18	8	9	14	1	33
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	19	1	.	5	5	8	.	.	.	.	.	.	.	.	.	2	2	5	.	1	.	11

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	**North City, No. 1 (E.)** *(Office, Clarence-street, Nth.)* Pop. in 1902 (Est.) 28,383.	Aug. 23,	29·4	9·2	16	.	4	.	.	.	.	.	.	1	2	.	1
		„ 30,	23·9	1·8	13	.	1	.	.	.	.	.	.	.	2	1	1
		Sept. 6,	22·1	3·7	12	.	1	.	.	.	.	.	.	1	4	1	.
		„ 13,	16·6	3·7	9	.	.	.	.	.	.	.	.	2	1	.	.
		„ 20,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	3	1
		„ 27,	44·2	12·9	24	.	5	.	.	.	.	.	.	2	1	5	2
		Oct. 4,	29·4	7·4	16	.	2	.	.	1	.	.	.	1	1	.	.
		„ 11,	25·8	9·2	14	.	3	.	.	.	.	.	.	2	2	1	.
	North City, No. 1 (W.) *(Office, Summer-hill.)* Pop. in 1902 (Est.) 39,146.	Aug. 23,	17·3	2·7	13	.	1	.	.	.	.	.	1	.	1	4	.
		„ 30,	21·3	4·0	16	.	1	1	.	.	.	.	.	1	.	1	1
		Sept. 6,	24·0	4·0	18	.	.	1	.	.	.	.	1	1	1	4	.
		„ 13,	18·6	6·7	14	.	1	.	.	.	1	.	1	2	2	1	.
		„ 20,	26·6	6·7	20	.	1	.	.	.	2	.	.	2	2	1	.
		„ 27,	29·3	4·0	22	.	1	.	.	.	.	.	1	1	3	4	.
		Oct. 4,	18·6	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 11,	34·6	4·0	26	.	1	.	.	.	1	.	.	1	6	3	1
	North City, No. 2. *(Office, Lisburn-street.)* Pop. in 1902 (Est.) 30,107.	Aug. 23,	17·3	1·7	10	.	.	.	1	.	.	.	.	.	1	1	.
		„ 30,	22·5	5·2	13	.	2	.	.	.	1	.	.	.	.	1	.
		Sept. 6,	29·4	1·7	17	.	1	.	.	.	.	.	.	.	2	3	.
		„ 13,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	1	1	2
		„ 20,	38·1	6·9	22	.	.	.	.	.	.	.	.	4	5	2	.
		„ 27,	41·6	8·7	24	.	1	.	.	.	1	.	2	1	1	7	.
		Oct. 4,	13·9	5·2	8	.	1	.	.	.	.	.	1	1	.	1	.
		„ 11,	27·7	6·9	16	.	3	.	.	.	.	.	.	1	2	3	.
	North City, No. 3. *(Office, Blackhall-place.)* Pop. in 1902 (Est.) 31,673.	Aug. 23,	28·0	9·9	17	.	6	.	.	.	.	.	.	.	2	1	.
		„ 30,	26·3	6·6	16	.	4	.	.	.	.	.	.	.	1	3	.
		Sept. 6,	41·2	11·5	25	.	5	1	.	.	.	.	1	.	5	2	.
		„ 13,	29·6	6·6	18	.	3	.	.	.	.	.	.	1	1	3	.
		„ 20,	32·9	9·9	20	.	3	.	.	.	.	.	.	3	1	2	.
		„ 27,	34·6	9·9	21	.	1	1	.	1	.	.	1	2	2	1	.
		Oct. 4,	19·8	6·6	12	.	3	.	.	.	.	.	.	1	3	3	.
		„ 11,	19·8	1·6	12	.	1	.	.	.	.	.	.	.	1	2	.
	South City, No. 1. *(Office, South Earl-street.)* Pop. in 1902 (Est.) 38,313.	Aug. 23,	23·1	1·4	17	.	1	.	.	.	.	.	.	.	4	2	.
		„ 30,	19·1	6·8	14	.	.	.	.	.	1	.	.	4	.	.	.
		Sept. 6,	28·6	6·8	21	.	1	.	.	.	1	.	1	2	4	2	1
		„ 13,	21·8	6·8	16	.	2	.	.	.	1	.	.	2	2	.	.
		„ 20,	15·0	4·1	11	.	1	.	.	1	.	.	.	1	.	3	.
		„ 27,	32·5	9·5	29	.	.	1	.	.	.	.	1	5	4	1	.
		Oct. 4,	31·3	15·0	23	.	2	.	.	.	1	.	1	7	.	2	.
		„ 11,	33·5	12·2	29	.	2	1	.	.	.	.	.	6	6	2	.
	South City, No. 2. *(Office, Castle-street.)* Pop. in 1902 (Est.) 17,113.	Aug. 23,	27·4	3·0	9	.	.	.	.	.	.	.	.	1	.	3	.
		„ 30,	30·5	3·0	10	.	.	.	.	.	.	.	.	1	5	2	.
		Sept. 6,	24·4	3·0	8	.	.	.	.	.	.	.	.	1	2	.	1
		„ 13,	30·5	6·1	10	.	.	.	.	.	.	.	1	1	2	3	.
		„ 20,	36·6	12·2	12	.	3	.	.	.	.	.	.	1	1	1	.
		„ 27,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	3	.
		Oct. 4,	36·6	3·0	12	.	.	.	.	.	1	.	.	.	3	5	.
		„ 11,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.
	South City, No. 3. *(Office, Peter-street.)* Pop. in 1902 (Est.) 42,575.	Aug. 23,	25·7	4·9	21	.	2	.	.	1	.	.	.	1	3	4	1
		„ 30,	25·7	1·2	21	.	1	.	.	.	.	.	.	.	4	4	.
		Sept. 6,	17·1	3·7	14	.	.	.	.	.	.	.	.	3	1	1	.
		„ 13,	19·6	4·9	16	.	.	.	.	.	.	.	.	4	1	1	.
		„ 20,	29·4	7·3	24	.	1	.	.	.	1	.	.	4	4	4	.
		„ 27,	24·5	6·1	20	.	.	.	.	.	1	.	.	4	.	2	2
		Oct. 4,	26·9	4·9	22	.	.	.	.	.	.	.	.	4	2	1	2
		„ 11,	28·2	6·1	23	.	1	1	.	.	.	.	.	3	3	4	.
	South City, No. 4. *(Office, Grand Canal-street).* Pop. in 1902 (Est.) 34,893.	Aug. 23,	20·9	3·0	14	.	1	.	.	1	.	.	.	.	4	1	.
		„ 30,	20·9	3·0	14	.	2	.	.	.	.	.	.	.	1	3	1
		Sept. 6,	25·4	3·0	17	.	1	.	.	.	1	.	.	.	2	4	1
		„ 13,	28·9	3·0	16	.	.	.	.	.	.	.	.	2	1	1	2
		„ 20,	25·4	9·0	17	.	3	2	.	.	.	.	.	1	.	3	.
		„ 27,	32·9	7·5	22	.	2	.	.	.	2	.	.	1	3	1	1
		Oct. 4,	16·4	1·5	11	.	.	.	.	.	.	.	1	.	2	1	.
		„ 11,	28·4	3·0	19	.	.	.	.	.	.	.	2	.	2	5	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	Aug. 23,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	Sept. 6,	15·7	3·1	10	.	1	1	.	.	.	.	.	.	1	1	.
	„ 13	9·4	3·1	6	.	.	.	.	.	.	.	1	1	.	1	.
	„ 20,	6·3	4·7	4	.	.	.	.	.	1	.	.	2	.	.	.
	„ 27,	18·8	6·3	12	.	.	1	.	.	.	.	1	2	1	1	.
	Oct. 4,	15·7	3·1	10	.	.	.	.	.	.	.	.	2	2	.	.
	„ 11	17·3	1·6	11	.	.	.	.	.	.	.	.	1	.	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Aug. 23,	12·0	2·0	6	.	1	.	.	.	.	.	.	.	2	.	1
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 6,	14·0	2·0	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 13,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 20,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 4,	16·0	6·0	8	.	.	.	.	.	1	.	.	2	.	.	1
	„ 11,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
Kingstown. Pop. in 1902 (Est.) 17,880.	Aug. 23,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	18·0	3·0	6	.	.	.	.	.	.	.	1	.	1	1	.
	Sept. 6,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 20,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	15·0	.	5	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 4,	27·0	3·0	9	.	.	.	.	.	1	.	.	.	1	1	.
	„ 11,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	.	1	.
Belfast. Pop. in 1902 (Est.) 358,693.	Aug. 23,	16·3	3·1	112	.	2	.	.	6	1	.	7	5	13	19	1
	„ 30,	16·3	2·6	112	.	5	.	.	5	.	.	4	4	13	26	1
	Sept. 6,	17·9	3·3	123	.	6	.	1	6	1	1	4	4	18	27	1
	„ 13,	18·3	5·2	126	.	4	.	.	5	3	.	1	23	13	15	2
	„ 20,	20·9	3·3	144	.	5	.	.	2	.	.	5	13	24	15	6
	„ 27,	17·6	3·3	121	.	4	.	.	4	.	.	3	12	8	24	.
	Oct. 4,	19·9	4·4	137	.	7	.	.	2	.	.	7	14	15	23	2
	„ 11,	21·5	3·1	148	.	6	1	.	2	1	.	1	10	17	35	3
Cork. Pop. (in 1901) 76,122.	Aug. 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	6	4	.
	„ 30,	22·6	3·4	33	.	2	.	.	2	.	.	.	1	5	3	1
	Sept. 6,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 13,	14·4	2·7	21	.	2	.	.	.	.	.	.	2	2	3	.
	„ 20,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	6	2	.
	„ 27,	22·6	1·4	33	.	.	.	.	.	.	.	.	2	7	2	.
	Oct. 4,	24·0	2·1	35	.	1	.	.	.	.	.	.	2	9	4	3
	„ 11,	24·0	1·4	35	.	.	.	.	.	.	.	.	2	3	5	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Aug. 23,	9·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 30,	17·9	2·6	14	.	.	.	.	.	.	.	.	2	1	2	.
	Sept. 6,	21·8	2·6	17	.	1	.	.	.	.	.	.	1	2	1	1
	„ 13,	16·6	1·3	13	.	.	.	.	.	.	.	.	.	3	3	.
	„ 20,	20·5	3·8	16	.	.	.	.	.	.	.	1	2	2	4	.
	„ 27,	19·2	3·8	15	.	1	.	.	.	.	.	.	2	4	1	1
	Oct. 4,	10·2	2·6	8	.	1	.	.	.	.	.	1	1	2	1	.
	„ 11,	7·7	1·3	6	.	.	.	.	.	.	.	.	1	.	1	1
Limerick. Pop. (in 1901) 38,151.	Aug. 23,	8·2	.	6	.	.	.	.	.	.	.	.	.	3	1	1
	„ 30,	15·0	1·4	11	.	.	.	.	.	.	.	1	.	3	2	.
	Sept. 6,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	1	.
	„ 13,	17·8	.	13	.	.	.	.	.	.	.	.	.	4	.	.
	„ 20,	20·5	6·8	15	.	1	.	.	.	.	.	2	2	1	2	.
	„ 27,	10·9	1·4	8	.	.	.	.	.	.	.	1	.	2	2	.
	Oct. 4,	16·4	2·7	12	.	.	.	.	.	.	.	1	1	1	2	.
	„ 11,	23·2	6·8	17	.	3	.	.	.	.	.	1	1	2	1	.
Waterford. Pop. (in 1901) 26,769.	Aug. 23,	11·7	3·9	6	.	.	.	.	.	.	.	.	2	.	.	.
	„ 30,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 6,	31·2	5·8	16	.	.	.	.	1	.	.	.	2	2	1	.
	„ 13,	23·4	5·8	12	.	.	.	.	1	.	.	1	1	1	.	.
	„ 20,	25·3	7·8	13	.	.	.	.	2	.	.	.	2	.	1	.
	„ 27,	19·5	5·8	10	.	.	.	.	.	.	.	.	3	1	2	.
	Oct. 4,	21·4	3·9	11	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	11·7	5·8	6	.	.	.	.	3	.	.	.	.	.	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 11th October, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	11	42·5	.	12	4	2	5	1	.	.	.	.	.	.	.	.	.	3	2	2	3	1
" 2 "	47,959	28	20·7	1·1	19	7	.	9	3	.	.	1	.	.	.	.	.	.	2	7	.	1	3
" 3 "	47,214	29	17·7	5·5	16	7	3	5	1	.	2	.	.	.	.	.	.	3	1	3	.	.	2
" 4 "	40,911	42	26·8	5·1	21	8	2	7	4	.	2	.	.	.	.	.	.	2	2	4	.	.	4
" 5 "	17,387	8	30·0	3·0	10	2	2	4	2	.	1	.	.	.	.	.	.	.	2	2	.	.	2
" 6 "	48,122	24	16·3	5·4	15	6	2	6	1	.	1	.	.	.	.	.	1	3	.	4	.	.	1
" 7 "	1,524	2	1·6	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	2	20·6	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "	19,569	12	10·8	.	5	.	.	5	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
" 10 "	23,064	12	11·3	2·3	5	1	2	2	.	.	.	.	.	.	1	.	.	.	2	2	.	.	.
" 11 "	34,862	27	24·0	4·5	16	4	3	5	4	.	.	.	.	1	.	.	.	2	1	1	.	.	5
" 12 "	33,588	38	34·2	1·6	22	13	1	7	1	.	.	.	.	1	.	.	.	.	1	9	1	1	3
" 13 "	15,006	10	13·9	.	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	245	22·1	3·1	148	54	18	57	19	.	6	1	.	2	1	.	1	10	17	35	3	5	22
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	11	28·4	.	7	2	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1
" 2 "	10,701	6	29·2	4·9	6	.	2	3	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.
" 3 "	9,978	5	20·9	5·2	4	1	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
" 4 "	8,666	4	30·1	.	5	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 5 "	6,592	5	15·8	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	10,702	3	9·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 7 "	16,616	16	28·2	.	9	1	.	3	5	.	.	.	.	.	.	.	.	.	1	1	.	.	4
Total,	76,122	50	24·0	1·4	35	7	6	14	8	.	.	.	.	.	.	.	.	2	3	5	.	.	8

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Apr. 19.	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	Juiy 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered,	215	245	192	229	231	201	244	217	211	209	175	237	208	214	224	200	215	194	200	176	209	219	200	218	181	245
DEATHS registered.	149	158	119	149	142	152	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148
Annual Death-rate per 1,000 of estimated Population.	21·7	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	21·5	17·6	19·9	21·5
AGES, Under 1 year,	28	32	20	27	29	26	31	16	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54
AGES, 1-5 years,	22	23	12	24	16	25	24	20	14	22	20	27	28	19	19	22	13	21	17	19	16	20	17	16	26	18
AGES, 5-60 years,	67	76	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62	44	43	51	54	42	60	44	54	57
AGES, 60 years and upwards,	37	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21	23	16	20	25	15	21	15	17	19
Deaths from Small Pox,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	3	4	3	4	3	4	3	2	7	6	6	7	7	8	5	3	3	2	5	6	4	5	4	7	6
,, Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Whooping-cough,	4	2	2	4	3	4	2	6	1	4	3	7	4	.	2	8	6	2	6	5	6	5	2	4	2	2
,, Diphtheria,	1	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.
,, Enteric Fever,	1	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1
,, Diarrhœa, Dysentery,	2	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1	5	5	4	4	23	13	12	14	10
,, Phthisis	31	25	29	32	29	26	26	26	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17
,, Diseases of Respiratory System,	34	44	26	32	27	32	23	22	20	25	18	34	22	13	16	29	15	19	19	26	27	15	15	24	23	35
Violent Deaths,	4	.	.	4	5	1	3	3	2	2	1	7	4	1	6	4	.	1	1	1	1	2	6	.	2	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th October, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	"Fever."	Total.
North City No. 1, East,	.	6	.	1	.	.	1	.	1	.	1	.	.	.	10
" " 1, West,	.	56	.	4	.	.	3	.	3	9	4	.	.	.	79
" " 2,	.	30	.	.	.	.	3	.	.	8	.	.	2	.	43
" " 3,	.	22	.	1	.	.	.	.	.	2	1	.	1	2	29
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	3	.	.	1	.	5
Coolock and Drumcondra No. 1 (part of),	.	15	.	2	.	.	2	.	.	1	.	.	.	.	20
Finglas and Glasnevin (part of),	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
South City No. 1,	.	14	.	10	.	.	3	.	.	5	3	.	.	.	35
" " 2,	.	10	.	4	.	.	1	.	1	1	2	.	.	.	19
" " 3,	.	8	.	5	.	.	1	.	.	1	.	.	.	.	15
" " 4,	.	3	.	1	.	.	2	.	.	10	.	.	.	.	16
Palmerston (part of),	.	1	.	.	.	.	1	.	.	.	2	.	.	.	4
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	169	.	28	.	.	17	.	5	41	14	.	4	2	280
Total for week ended Oct. 4th, 1902,	.	141	2	23	1	.	9	.	9	38	14	.	2	.	239
Total for week ended Sept. 27th, 1902,	.	175	.	16	1	.	*15	.	8	28	15	.	4	.	262
Total for week ended Sept. 20th, 1902,	.	124	.	10	2	.	9	1	7	33	23	.	2	.	211

* Including one "measles and diphtheria."

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th October, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th October.			
	Sept. 20.	Sept. 27.	Oct. 4.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	2	2	.	.	.	.	.
Measles,	88	111	137	31	42	3	123
Scarlet Fever,	70	80	76	25	9	2	90†
Typhus "	5	6	5	.	1	.	4
Diphtheria,	31	30	30	16	5	1	40
Enteric Fever,	82	87	103	24	11	1	115
Pneumonia,	13	9	8	5	1	3	9

† Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON, . .	4,579,107	Oct. 11,	2,489	1,552	17·7	.	18	6	22	26	18	111
EDINBURGH, .	317,885	„ 11,	150	82	13·2	.	1	.	.	2	1	4
GLASGOW, . .	764,423	„ 11,	474	261	17·5	.	3	1	3	7	2	12
CALCUTTA, . .	847,793	Aug. 16,	.	394	24·1	2	1	.	1	.	117§	60*
BOMBAY, . .	776,006	Sept. 16.	299	700	46·9	5	17	?	?	.	91§	94
MADRAS, . .	509,346	Aug. 29,	427	376	38·3	.	1	?	?	?	126	68*
PARIS, . . .	2,660,559	Oct. 4,	1,116	771	15·9	.	.	1	7†	6	3	47
BRUSSELS (with 8 Faubourgs).	562,893	Sept. 20,	242	164	15·2	.	7	.	.	.	.	40
AMSTERDAM, .	535,260	„ 27,	296	136	13·2	.	2	.	.	.	1	15
ROTTERDAM, .	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	400,570	Sept. 27,	252	95	12·3	.	2	.	.	2	.	6
CHRISTIANIA .	224,909	„ 27,	128	51	11·8	.	.	.	.	1	.	1
ST. PETERSBURG,	1,248,643	„ 20,	581	456	19·0	.	5	3	8	2	12	83
BERLIN, . .	1,902,504	„ 13,	841	556	15·2	.	3	2	4	14	2	125
HAMBURG, . .	724,835	„ 27,	.	223	16·0	.	3	18	3†	2	1	20
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH . .	506,000	Sept. 20,	.	215	22·1	.	1	.	2†	3	.	80
VIENNA (with suburbs).	1,726,604	„ 27,	978	552	16·6	.	4	5	2†	3	2	91
BUDA PESTH, .	757,061	„ 20,	411	228	15·4	.	4	7	1	.	3	35
PRAGUE and Faubourgs	416,817	„ 20,	223	137	17·1	.	.	2	1†	.	2	19
ROME, . . .	480,361	July 19,	220	185	20·0	.	4	.	.	.	3	30
TURIN, . . .	344,293	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	165,350	Sept. 27,	86	57	17·9	.	2	.	.	1	.	9
NEW YORK, .	3,632,501	„ 20,	1,799	1,216	17·5	1	1	7	28†	13	20	211
PHILADELPHIA, .	1,293,697	„ 20,	.	336	13·5	.	.	.	6	6	12	8

* Including 4 deaths from cholera in Calcutta, and one in Madras.
† Including deaths from croup.
§ Exclusive of 9 deaths from bubonic fever in Calcutta, and 51 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 11th October, 1902:—

"Dublin and its immediate neighbourhood—the Counties of Dublin and Wicklow—were singularly unfortunate in the weather of this week. The sky was densely overcast until Saturday, and rain fell daily up to that day, while chilly easterly and north-easterly winds blew without intermission. Over the greater part of Ireland, in Scotland and Northern England, the weather was fine and dry up to Thursday, though the amount of cloud was large. The bad weather in the Dublin district was caused by the prevalent E. and N.E. winds, blowing on a weather shore with a neighbouring mountain chain to leeward. At first an area of high barometer lay over the South of Scandinavia, whereas the barometer was comparatively low over France and Spain—hence the easterly winds. On Wednesday morning a large area of low atmospheric pressure appeared over the Bay of Biscay. This system developed, as it travelled northwards to Cornwall, where it was central on Friday morning, with the barometer down to 29·18 inches at St. Mary's, Scilly. The disturbance subsequently moved up the English Channel, causing heavy rainfalls in many districts as it filled up. In Ireland the wind backed from E. to N., with a clear sky and fine, bright weather on Saturday. Some low temperatures were at times registered in Scotland and the North of England, the lowest of all being 25° early on Wednesday morning at Newton Reigny, near Penrith, where there was a thick hoar frost. In Dublin the mean height of the barometer was 29·845 inches, pressure ranging from 30·106 inches at 9 a.m. of Sunday (wind, E.) to 29·510 inches at noon of Friday (wind, N.N.E.). The corrected mean temperature was 50·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 49·3°. The screened thermometers fell to 43·7° on Thursday and rose to 55·8° on Saturday. Bright sunshine was estimated at only 9¾ hours, 9 hours falling on Saturday. N.E. and E. winds predominated. The rainfall was 1·274 inches on six days, ·561 inch being measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·868 inches. The highest reading (30·118) was on Sunday at 9 a.m., wind E.S.E., and the lowest (29·543) on Friday at 9 a.m., wind N.N.E.

The mean temperature for the week was 48·2°, being 0·2° under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Saturday, when the thermometer registered 56·3°, and was also lowest on that day, the mercury having fallen to 37·6°. The mean of the Dry Bulb for the week was 48·5°, and of the Wet Bulb 46·9°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 7·3 hours. The rainfall measured 1·150 inches.

At Greenwich the mean temperature for the week was 51·1°, the maximum 67·1°, and the minimum 42·8°; at Glasgow the maximum was 57·8°, the minimum 32·9°, and the mean 47·1°; and at Edinburgh the maximum was 52·4°; the minimum 38·7°, and the mean 40·8°. The rainfall at Greenwich measured 0·28 inch; at Glasgow 0·02 inch; and at Edinburgh 0·03 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Oct. 5,	30·081	52·0	45·9	49·0	49·5	47·2	·85	·5	0·0	·070	E.S.E.	N.E.
Monday, " 6,	29·928	53·4	45·4	49·9	50·4	48·2	·85	·3	0·0	·130	E.	N.E.
Tuesday, " 7,	29·896	52·0	46·4	49·2	49·5	48·3	·91	·2	0·0	·095	N.E.	N.E.
Wednesday, " 8,	29·912	50·3	46·4	48·4	48·7	47·5	·92	·0	0·0	005	E.	Calm.
Thursday, " 9,	29·778	52·1	38·9	45·5	50·2	47·6	·83	·6	0·0	·340	E.	N.E.
Friday, " 10,	29·573	50·4	46·5	48·5	47·8	47·1	·95	·6	0·0	·510	N.N.E.	N.
Saturday, " 11,	29·911	56·3	37·6	47·0	43·7	42·4	·86	·1	7·3	·000	N.W.	Calm.
Mean, . .	29·868	52·4	44·0	48·2	48·5	46·9	·88	·3	Total 7·3	1·150	Prevailing wind N.E.	

Sunday—Day overcast; heavy rain 9.0 a.m. to 10.30 a.m.; night overcast; showery 3.30 to 7.0 a.m. *Monday*—A dull day; night overcast; heavy rain 11.0 p.m. to 11.30 p.m.; light rain 5.0 to 7.30 a.m. *Tuesday*—A dull day; showery p.m.; night overcast and showery. *Wednesday*—A dull day, with light showers; night overcast. *Thursday*—A dull day; night overcast; heavy showers 7.0 p.m. to 9.0 a.m. *Friday*—A dull wet day; light rain 9.0 a.m. to 10.30 p.m.; night overcast to 6.0 a.m. *Saturday*—A fine day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 127. 6. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 18TH OCTOBER, 1902. [No. 42.

General Register Office, Charlemont House, Dublin, 20th October, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 27.	Week ending Oct. 4.	Week ending Oct. 11.	Week ending Oct. 18	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 27.	Week ending Oct. 4.	Week ending Oct. 11.	Week ending Oct. 18.	Average Rate for 4 weeks
22 Town Dists.	21·0	20·2	21·2	22·8	21·3	Lisburn, . .	4·5	4·5	0·0	18·2	6·8
Armagh, . .	13·7	6·9	13·7	6·9	10·3	Londonderry, .	19·2	10·2	7·7	10·2	11·8
Ballymena, .	0·0	4·8	9·6	9·6	6·0	Lurgan, . .	4·4	13·3	26·6	13·3	14·4
Belfast, . .	17·6	19·9	21·5	22·4	20·4	Newry, . .	8·4	16·8	16·8	16·8	14·7
Clonmel, . .	10·3	0·0	10·3	25·6	11·6	Newtownards, .	11·4	40·1	17·2	11·4	20·0
Cork, . . .	22·6	24·0	24·0	14·4	21·3	Portadown, .	5·2	0·0	10·3	15·5	7·8
Drogheda, . .	16·3	16·3	24·5	16·3	18·4	Queenstown, .	19·8	0·0	33·0	26·4	19·8
Dublin Reg. Area,	28·4	22·7	24·8	26·8	25·7	Sligo, . . .	0·0	43·2	33·6	19·2	24·0
Dundalk, . .	12·0	16·0	19·9	8·0	14·0	Tralee, . .	37·0	5·3	5·3	37·0	21·2
Galway, . .	27·2	46·6	7·8	35·0	29·1	Waterford, .	19·5	21·4	11·7	23·4	19·0
Kilkenny, . .	39·3	14·7	14·7	49·1	29·4	Wexford, . .	23·3	28·0	9·3	14·0	18·7
Limerick, . .	10·9	16·4	23·2	27·3	19·5						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·7 per 1,000, the rates varying from 0·0 in thirteen of the districts to 5·8 in Waterford; the 12 deaths from all causes registered in that district including one from measles and 2 from whooping-cough. Among the 154 deaths in Belfast are 8 from measles, 2 from scarlet fever, 6 from whooping-cough, 2 from diphtheria, 5 from enteric fever, and 7 from diarrhœa. The 21 deaths in Cork include 2 from diarrhœa; and among the 20 deaths in Limerick are 3 from measles and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 176—90 boys and 86 girls; and the deaths to 200—108 males and 92 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·5 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

institutions from localities outside the Area, the rate was 26·8 per 1,000. During the forty-two weeks ending with Saturday last the death-rate averaged 24·1, and was 2·4 below the mean rate for the corresponding portions of the ten years 1892–1901.

There were 19 deaths from measles registered; the numbers for the preceding 4 weeks were 13, 10, 8, and 11 respectively. Influenza caused 4 deaths; scarlet fever caused 2 deaths; whooping-cough, diphtheria, and enteric fever each caused one death; 11 deaths were caused by *diarrhœal* diseases.

Tuberculous disease caused 26 deaths, registered as follows:—From *phthisis* 18, from tuberculous meningitis 3, from tuberculous peritonitis 2, from other forms of the disease 2, and from *scrofula* one.

Two deaths from carcinoma, and 5 from *malignant disease*, "*cancer*," were registered.

There were 17 deaths from diseases of the nervous system, including 11 (children) from *convulsions*.

Diseases of the heart and blood-vessels caused 20 deaths.

There were 42 deaths from diseases of the respiratory system, equal to an average rate of 5·8 per 1,000 of the population, the average rate for the corresponding period of the past 10 years being 3·9 per 1,000. Bronchitis caused 27 deaths, broncho-pneumonia caused 5 deaths, and 7 deaths from *pneumonia* are included in the total.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under years of age (including 2 infants under one year old).

One hundred of the persons whose deaths were registered during the week were under 5 years of age (56 being infants under one year, of whom 9 were under one month old), and 39 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 6 were octogenarians.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·8 per 1,000; the rate in the City was 32·0 (28·8 on the North side, and 35·4 on the South), and in the Urban Districts 9·2.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 4·8 per 1,000 inhabitants, the rate for the City being 5·9 (6·5 in the North City Districts, and 5·2 in the South), and for the Urban Districts 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. They include 4 from measles, one from scarlatina, 3 from *convulsions*, and 3 from diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. Among them are one each from scarlatina and influenza, 2 from *phthisis*, 2 from diseases of the nervous system, 4 deaths from diseases of the heart and blood-vessels, and 4 from diseases of the respiratory system—the latter including 2 from broncho-pneumonia. One of the deaths was from accidental violence.

No. 2 North City District (Lisburn-street).—The deaths (27) are equivalent to an annual rate of 46·8 per 1,000. There were 4 deaths from measles, one from diphtheria, and one from *diarrhœa*, 3 from phthisis, 2 from *convulsions*, 8 from diseases of the respiratory system (including 2 deaths from broncho-pneumonia and 2 from *pneumonia*), and one from violence, accidentally caused.

No. 3 North City District (Blackhall-place).—The deaths (17) represent an annual rate of 28·0 per 1,000. Four of these were from measles, one was from *phthisis*, and one was suicidal.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 0·0. One of the deaths tabulated for Coolock and Drumcondra, No. 1, part of, was from measles and one from *diarrhœa*.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 31·0 per 1,000. They include 6 from measles, 2 from *diarrhœa*, one from zymotic enteritis, 4 from *phthisis*, 2 from diseases of the nervous system, and 2 from *pneumonia*.

No. 2 South City District (Castle-street).—The deaths (19) are equal to an annual rate of 57·9 per 1,000. One of these deaths was from *diarrhœa*, and one from influenza. There were 2 deaths from *phthisis*, 4 from diseases of the heart and blood-vessels, and 7 from diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 31·8 per 1,000. Among them are 2 from epidemic diarrhœa, and one each from *diarrhœa* and influenza, 3 from diseases of the nervous system, 9 from diseases of the respiratory system, and 2 from diseases of the heart and blood-vessels.

No. 4 South City District (Grand Canal-street).—The deaths (23) are equivalent to an annual rate of 34·4 per 1,000. Of these one was caused by epidemic enteritis, 4 by *phthisis*, 2 by carcinoma, 4 by diseases of the heart and blood-vessels, and 4 by diseases of the respiratory system. There were 2 deaths from violence, accidently caused.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 21·4 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 11·0 per 1,000 inhabitants; Pembroke, 4·0; Blackrock, 17·9; and Kingstown, 9·0. The deaths from the principal epidemic diseases tabulated for these districts consist of one from enteric fever for Blackrock, and one from *diarrhœa* for Kingstown. Among the 7 deaths from all causes tabulated for Rathmines are 2 from "*cancer*," and 2 from diseases of the heart and blood-vessels.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 27th September,	262 cases.
" " 4th October,	239 cases.
" " 11th October,	280 cases.
" " 18th October,	253 cases.

Of the 253 cases notified during last week, 14 were erysipelas, 17 enteric fever, 30 scarlatina, 169 measles, 9 diphtheria, 3 continued fever, 9 varicella (chicken-pox), one "measles and scarlatina," and one "scarlatina and diphtheria."

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 27th September,	7 cases.
" " 4th October,	5 cases.
" " 11th October,	8 cases.
" " 18th October,	6 cases.

Of the 6 cases notified last week, 2 were enteric fever, 2 scarlet fever, and 2 diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 27th September,	3 cases.
" " 4th October,	5 cases.
" " 11th October,	9 cases.
" " 18th October,	6 cases.

Of the 6 cases notified during last week, 3 were enteric fever, one scarlet fever, one measles, and one varicella (chicken-pox).

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 27th September,	77 cases.
" " 4th October,	75 cases.
" " 11th October,	76 cases.
" " 18th October,	93 cases.

Of the 93 cases notified during last week, 24 were enteric fever, 8 erysipelas, 9 diphtheria, 19 continued fever, 27 scarlet fever, and 6 membranous croup.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th October, 1902.

From this it appears that:—

Forty-two cases of measles were admitted to hospital, being 11 over the admissions for the preceding week; 38 were discharged, there were 5 deaths, and 122 cases remained under treatment at the close of the week.

Seventeen cases of enteric fever were admitted to hospital, 24 cases were discharged, and 108 cases remained under treatment at the close of the week.

Twenty-eight cases of scarlatina were admitted to hospital, 14 cases were discharged, there was one death, and 103* cases remained under treatment at the close of the week.

The four cases of typhus in hospital at the close of the week ended October 11th were still in hospital at the end of last week.

Eight cases of diphtheria were admitted to hospital, 5 were discharged, and 43 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 4 patients were discharged, there were 2 deaths, and 10 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·0), was equal to an average annual death-rate of 17·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·0 per 1,000, the rate for Glasgow being 19·3, and for Edinburgh 15·8.

* See note (†) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 18th October, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 18th October, 1902. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,401	19·2	27·5	22·8	3·7	576	477	124	92	.	31	1	.	9	3	.	6	25	57	94	8	16	107
Dublin Registration Area:— Total, ‡	373,761	27·5	24·2	26·8	4·8	176	195	53	39	.	19	2	.	1	1	.	1	11	18	42	5	8	57
City	293,394	37·8	26·5	32·0	5·9	149	180	47	34	.	19	2	.	1	1	.	.	10	18	40	5	7	53
Registrars' Districts. Rathmines,‖	33,203	19·4	15·7	11·0	.	10	7	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	3
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	20·0	4·0	.	10	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Blackrock,‖	8,759	8·1	6·0	17·9	6·0	1	3	.	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	18·0	9·0	3·0	6	3	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Urban Districts.																							
Belfast,	358,693	21·8	34·0	22·4	4·4	234	154	45	23	.	3	2	.	6	2	.	5	7	19	26	1	6	18
Cork,	76,122	33·6	15·8	14·4	1·4	23	21	3	5	.	.	.	.	.	.	.	.	2	4	4	.	.	5
Londonderry,	40,729	18·8	17·9	10·2	.	14	8	2	3	.	.	.	.	.	.	.	.	.	2	2	.	.	2
Limerick,	38,151	18·1	20·5	27·3	5·5	15	20	5	3	.	3	.	.	.	.	.	.	1	5	2	.	1	9
Waterford,	26,769	18·7	19·5	23·4	5·8	10	12	1	2	.	1	.	.	2	.	.	.	.	2	3	.	.	5
Galway,	18,426	2·5	27·2	35·0	.	7	9	3	3	.	.	.	.	.	.	.	.	.	1	3	.	.	3
Dundalk	18,076	9·4	19·9	8·0	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Drogheda	12,760	8·6	36·8	16·3	.	9	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	21·0	16·8	.	5	4	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Lurgan,	11,782	13·8	39·8	13·3	.	9	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Lisburn,	11,461	10·1	31·8	18·2	.	7	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	11,168	23·2	23·3	14·0	.	5	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	33·3	9·6	.	8	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	4·8	19·2	4·8	1	4	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Kilkenny,	10,609	11·5	54·1	49·1	4·9	11	10	1	1	.	.	.	.	.	.	.	.	1	2	2	1	1	5
Clonmel,	10,167	7·8	20·5	25·6	5·1	4	5	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Portadown	10,092	13·2	41·3	15·5	.	8	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Tralee,	9,867	16·6	63·4	37·0	5·3	12	7	3	1	.	.	.	.	.	.	.	.	1	1	1	.	.	1
Newtownards,	9,110	18·9	22·9	11·4	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Queenstown,	7,909	14·4	33·0	26·4	.	5	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Armagh,	7,588	22·2	27·5	6·9	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1

Towns and Districts.	Meteorology.† Week ending 18th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area: Total,	§62·0	34·3	49·4	0·60	§56·3	37·6	48·2	1·15	§61·0	37·6	51·1	0·64
City	a61·5	40·3	51·4	0·47	a55·8	43·7	50·3	1·27	a60·9	44·0	53·2	1·01
	b64·6	34·0	49·9	0·65	b57·4	39·0	49·0	1·28	b61·8	39·0	51·3	0·51
Registrars' Districts. Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	60	41	51·5	0·26	58	46	51·5	1·10	60	46	53·6	0·73
Urban Districts.												
Belfast,	58·1	35·5	49·4	0·87	55·0	40·1	48·5	.	63·6	39·1	52·3	0·01
Cork,	59	45	52·8	0·77	59	44	50·5	0·49	63	42	52·2	0·16
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	60	37	50·4	1·00	58	38	48·5	0·00	66	43	53	0·00
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	58·2	39·6	49·3	0·66	57·2	37·0	46·7	0·00	64·1	38·4	51·0	0·01
Lurgan,	58·2	39·6	49·3	0·66	57·2	37·0	46·7	0·00	64·1	38·4	51·0	0·01
Lisburn,	58·2	39·6	49·3	0·66	57·2	37·0	46·7	0·00	64·1	38·4	51·0	0·01
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	58·4	32·9	48·4	1·69	58·6	27·9	46·2	0·01	67·0	35·1	50·7	0·02
Kilkenny,	60	42	52·1	1·28	57	42	49	0·75	68	40	51·4	0·12
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	58·2	39·6	49·3	0·66	57·2	37·0	46·7	0·00	64·1	38·4	51·0	0·01
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	57	38	49·5	0·54	55	46	50·2	0·01	63	46	53·1	0·02
Queenstown,	59	45	52·8	0·77	59	44	50·5	0·49	63	42	52·2	0·16
Armagh,	58·2	39·6	49·3	0·66	57·2	37·0	46·7	0·00	64·1	38·4	51·0	0·01

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Report [illegible] middle of 1902.

E II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of iblin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, d Kingstown, registered during the week ending Saturday, the 18th of October, 1902. *The Deaths in iblic Institutions are assigned to the Districts from which the deceased were admitted.*

ES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																			Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts.															Urban District of					
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
General Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	4	.	4	4	.	1	.	.	6	.	.	.	.	.	.	.	.	.	.	19	.
Scarlet Fever (Scarlatina),	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Diarrhœa, Dysentery,	.	.	1	.	.	1	.	.	3	1	3	1	.	.	.	.	.	.	1	11	.
Phthisis,	.	2	3	1	.	.	.	.	4	2	2	4	.	.	.	.	.	.	.	18	.
Other General Diseases,	1	2	3	.	.	.	.	1	2	4	3	3	.	.	.	3	.	.	.	22	2
Total,	6	5	12	5	1	2	.	1	15	7	8	8	.	.	.	3	.	1	1	75	2
Local Diseases:																					
Nervous System,	3	2	2	1	.	.	.	.	2	.	3	.	.	.	.	.	.	1	1	15	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	4	.	1	.	.	.	.	1	4	2	4	.	1	.	2	.	.	.	19	1
Respiratory System,	3	4	8	1	.	1	.	.	3	7	9	4	.	.	.	.	.	1	1	42	.
Digestive System,	1	1	1	4	.	.	.	.	1	1	.	2	.	1	.	.	1	.	.	13	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
idents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
eases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Total,	7	12	11	7	.	1	.	.	8	12	16	10	.	2	.	2	2	2	2	94	3
Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined and Not Specified Diseases,	1	3	3	4	.	.	.	.	2	.	2	3	.	1	.	1	.	.	.	20	.
Violent Deaths,	.	1	1	1	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	6	.
aths from all Causes,	14	21	27	17	1	3	.	1	25	19	26	23	.	3	.	7	2	3	3	195	5
nnual Rate of Mortality in every 1,000 of the opulation.	25·8	28·0	46·8	28·0	10·8	15·6	.	.	34·0	57·9	31·8	34·4	.	21·4	.	11·0	4·0	17·9	9·0	26·8	.
	28·8								35·4							9·2					
	32·0																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS.

blic Hospitals, Prisons, and unatic Asylums,	.	4	6	2	.	.	.	.	2	2	3	4	.	.	.	2	1	.	.	28	3
rkhouse Hospitals,	1	6	5	3	.	.	.	.	3	3	5	2	.	.	.	1	.	.	.	29	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease in week of the ten years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years 1892-1901	In the Week ending 18th October, 2. Deaths of Persons of				
	Oct. 22, 1892.	Oct. 21, 1893.	Oct. 20, 1894	Oct. 19, 1895.	Oct. 17, 1896.	Oct. 23, 1897.	Oct. 22, 1898.	Oct. 21, 1899.	Oct. 20, 1900.	Oct. 19, 1901.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 40·9	° 51·0	° 43·1	° 48·0	° 42·8	° 51·7	° 50·2	° 49·5	° 46·4	° 46·5	° 47·3	° 49·4				
ALL CAUSES.	130	164	121	162	148	142	174	250	168	150	160·9	200	9	47	44	1
Small Pox, Vaccinated, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	
Small Pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	.	2	.	.	.	1	.	52	.	.	5·5	19	.	6	12	1
Scarlet Fever ...	.	.	1	3	2	2	1	1	.	.	1·0	2	.	.	1	
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	1	2	.	1	1	.	1	2	.	.	·8	4	.	.	.	
Whooping Cough, ...	1	4	.	.	3	1	7	1	2	1	2·0	1	.	1	.	
Diphtheria, ...	.	.	.	1	.	1	.	2	3	1	·8	1	.	.	1	
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Continued Fever, ...	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	
Enteric Fever, ...	2	9	4	4	7	6	4	4	4	3	4·7	1	.	.	.	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	4	7	9	12	5	3	11	4	9	5	6·9	4 7	. 1	3 4	1 2	
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease, ...	.	1	1	.	1	2	.	2	.	1	·8	.	.	.	.	
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	.	.	.	1	.	.	.	.	·1	. . .	.	.	.	
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	.	.	1	.	.	2	.	1	.	·5	. .	.	.	.	
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculous Phthisis, "*Phthisis*," ...	14	15	21	28	8	12	19	26	23	20	18·6	. 18	.	.	1	3
Tuberculous Meningitis, (Acute Hydrocephalus).	1	1	2	5	5	4	6	8	2	1	3·5	3	.	1	1	1
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	5	6	1	6	5	7	6	8	4	5	5·3	2 .	.	.	.	
Tuberculous Dis. (other), Scrofula, ...	4	5	2	2	4	2	1	5	5	5	3·5	2 1	. .	1 .	1 1	
Alcoholism ...	2	.	2	2	.	.	.	1	1	.	·8	.	.	.	.	
Rheumatic Fever, ...	.	1	.	.	1	.	.	2	.	.	·4	.	.	.	.	
Gout ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	

* The figures for the years 1892-190

TY-SECOND WEEK ending Saturday, 18th October, 1902, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Oct. 22, 1892.	Oct. 21, 1893.	Oct. 20, 1894.	Oct. 19, 1895.	Oct. 17, 1896.	Oct. 23, 1897.	Oct. 22, 1898.	Oct. 21, 1899.	Oct. 20, 1900.	Oct. 19, 1901.	Averages in 42nd Week of the 10 years 1892-1901.	In the Week ending Saturday, 18th October, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 40·9	° 54·0	° 43·1	° 48·0	° 42·8	° 51·7	° 50·2	° 49·5	° 46·4	° 46·5	° 47·3	° 49·4								
noma												2	.	.	.	.	.	2	.	.
ma	3	7	5	6	2	4	4	9	7	4	5·1	.	.	.	.	.	.	.	.	.
nant Dis. "*Cancer*,"												5	.	.	.	.	.	4	.	1
tes Mellitus	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
ature Birth	3	3	3	1	1	3	2	1	4	3	2·4	1	1	.	.	.	.	.	.	.
ngitis (not tuberc.)												3	.	.	1	1	1	.	.	.
ity, G. P. of Insane												1	.	.	.	.	.	1	.	.
psy												1	.	.	.	.	.	.	1	.
lsions												11	1	4	5	1	.	.	.	.
notor Ataxy												.	.	.	.	.	.	.	.	.
legia Dis. of Cord												.	.	.	.	.	.	.	.	.
ous System (other Dis.) ...	35	28	26	31	42	33	30	39	29	46	34·4	1	.	.	.	.	.	1	.	.
Dis., Endocarditis												4	.	.	.	1	1	1	1	.
r. Hæm. Thromb.												1	.	.	.	.	.	.	.	1
exy, Hemiplegia												4	.	.	.	.	.	.	4	.
ysm												.	.	.	.	.	.	.	.	.
lism, Thromb. (not cerebral)												1	.	1	.	.	.	.	.	.
and Blood Vessel Dis.												10	.	.	1	1	.	5	2	1
(not Spasm. or Memb.) ...	1	1	.	.	1	3	2	.	2	1	1·1	.	.	.	.	.	.	.	.	.
hitis	15	20	16	12	15	18	27	20	24	14	18·1	27	1	11	5	.	.	2	8	.
ous Pneumonia												.	.	.	.	.	.	.	.	.
ho-Pneumonia	9	4	3	7	1	7	10	17	7	6	7·1	5	.	1	4	.	.	.	.	.
monia"												7	.	1	1	.	.	1	4	.
aa, Emphysema												.	.	.	.	.	.	.	.	.
isy	.	5	.	2	1	3	1	2	.	.	1·4	.	.	.	.	.	.	.	.	.
ratory Dis. (other)												3	.	.	.	.	1	1	1	.
llitis, Quinsy	.	1	.	1	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
itis (not Epid.)	.	1	.	1	1	.	1	2	.	.	·6	3	.	2	.	1	.	.	.	.
Enteritis												3	2	1	.	.	.	.	.	.
nitis (not Puerp.)	.	2	2	1	1	.	1	.	1	.	·8	1	.	.	.	.	.	1	.	.
osis of Liver	3	3	2	2	1	1	3	3	7	.	2·5	1	.	.	.	.	1	.	.	.
Dis. (other)												.	.	.	.	.	.	.	.	.
tive Dis. (other)	2	2	1	5	4	2	3	6	4	7	3·6	5	.	1	.	1	1	2	.	.
ritis, Acute												1	.	.	.	.	.	1	.	.
t's Dis., Albuminuria ...	2	6	3	4	5	4	3	3	4	5	3·9	2	.	.	.	.	.	1	1	.
ry Sys. (Other Dis.) ...												1	.	.	.	.	.	.	1	.
ative Organs Dis.	.	3	.	.	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
birth (Accid. of)	.	1	.	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
ge	6	8	7	9	5	8	5	10	12	11	8·1	6	.	.	.	.	.	.	4	2
Diseases	14	7	7	12	17	4	18	13	9	6	10·7	19	3	9	6	.	.	.	1	.
ACCIDENT.																				
ailways	.	.	.	.	1	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.
hicles and Horses	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ilding Operations	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
nflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	.	1	.	.	3	1	1	.	.	2	·8	.	.	.	.	.	.	.	.	.
rowning	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
uffocation in Bed	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	2	5	.	.	2	2	3	5	.	2	2·1	4	.	.	.	.	.	3	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
cide	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ie	.	1	.	1	.	.	.	.	.	.	·2	1	.	.	.	.	.	1	.	.
ition	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																									
	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Births registered,	195	255	282	202	209	234	249	192	242	213	204	187	196	203	186	244	192	185	209	205	219	221	222	192	162	176
*Average Births in corresponding week of previous 10 years,**	211	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210	185	175	193
Deaths registered,	199	191	173	186	149	165	156	155	139	149	149	129	155	150	165	154	145	146	156	170	142	168	213	169	192	200
Annual Death-rate per 1,000,	27·4	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5
*Average Deaths in corresponding week of previous 10 years,**	191	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161
Ages, Under 5 years,	60	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52	53	57	62	87	98	80	81	100
5—20 "	19	20	13	20	16	24	14	19	15	11	14	10	18	8	14	14	7	15	12	16	9	9	18	12	16	12
20—40 "	20	31	33	39	34	23	32	29	23	23	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16
40—60 "	30	39	33	37	21	35	38	24	26	27	27	29	30	29	24	20	36	32	31	43	23	18	33	34	34	33
60—80 "	44	42	35	32	36	27	17	27	32	26	30	25	27	29	30	29	28	15	26	23	23	23	25	19	22	33
80 years and upwards,	6	13	7	9	8	8	7	6	5	5	7	3	5	13	7	4	2	5	3	6	6	5	9	2	5	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11	19
" Scarlet Fever,	.	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.
" Whooping-cough,	3	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1
" Diphtheria,	.	2	2	3	.	2	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
" Enteric Fever,	4	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2	1
" Diarrhœa, Dysentery,	1	1	2	1	2	1	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11
" Phthisis,	20	25	28	30	25	27	40	26	26	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18	26	18
" Heart Diseases,	22	27	19	26	15	21	12	18	22	21	17	18	25	18	10	18	21	17	18	24	17	17	21	14	19	20
" Diseases of Respiratory System,	41	32	29	30	28	32	25	16	10	25	30	24	23	17	30	28	19	18	16	20	14	20	27	19	25	42
Violent Deaths,	4	6	4	3	4	4	6	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6
Mean Temperature of the Air (Phœnix Park),	49·8	46·9	48·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·8	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4
Average Mean Temperature in corresponding week of previous 10 years,	48·3	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3
Rainfall in inches,	·240	·330	·090	·345	·195	·153	1·025	·725	·915	·065	·270	·200	·680	1·650	·105	1·300	·355	·538	·083	1·725	·115	·180	·595	·640	1·150	·600
Mean Humidity of the Air, complete Saturation 1·0,	·80	·79	75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	89	·91	·86	·87	·88	·88	·90

* See note at foot of Table III.

Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH OCTOBER, 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols. 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	30·1	200	100	12	16	33	33	6	.	19	2	.	1	1	.	1	11	35	18	11	42	6	88
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	20·3	6	.	.	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	4
II.	Middle Class,	80,653	18·6	21	10	.	2	5	4	.	.	1	1	.	.	.	.	.	.	2	3	1	3	.	12
III.	Artisan Class and Petty Shopkeepers	98,374	26·0	49	17	5	5	10	10	2	.	5	1	.	1	.	.	1	2	10	5	1	11	1	21
IV.	General Service Class,	146,486	42·6	93	63	7	7	8	8	.	.	10	.	.	.	1	.	.	9	20	8	8	20	3	34
V.	Inmates of Workhouses,	5,191		31	10	.	2	7	9	3	.	3	.	.	.	.	.	.	.	3	2	1	8	.	17
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
	2. Merchants and Manufacturers, Higher Class,	1,838	28·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	6·1	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	6. Clerks and Commercial Assistants,	24,750	25·3	12	7	.	2	3	.	.	.	1	1	.	.	.	.	.	.	2	2	1	1	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	12·9	6	2	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	35·5	5	4	1	.	.	.	.	.	.	.	.	1	.	.	1	1	3	.	.	2	.	.
	9. Building and Furnishing Trades,	26,030	26·0	13	5	1	1	4	2	.	.	3	.	.	.	.	.	.	.	3	1	.	4	1	4
	10. Clothing Trades,	28,686	26·4	12	.	1	2	2	6	1	.	.	.	.	.	.	.	.	.	.	4	.	2	.	6
	11. Food Supply Trades,	7,869	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	33·2	17	7	1	2	4	2	1	.	2	1	.	.	.	.	.	.	3	.	1	3	.	10
	13. Petty Shopkeepers,	6,771	15·4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	5	1	.	.	2	.	.	.	.	.	.	.	.	.	2	2	.	1	3	.	2
	15. Domestic Servants,	39,563	4·0	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	43·7	10	8	.	1	1	.	.	.	1	.	.	.	.	.	.	3	4	.	.	5	.	1
	17. Hawkers, Porters, Labourers, &c.,	82,631	45·4	72	47	6	6	7	6	.	.	9	.	.	.	1	.	.	3	13	8	7	11	3	30
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	31	10	.	2	7	9	3	.	3	.	.	.	.	.	.	.	3	2	1	8	.	17

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension) — Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,338.	Aug. 30,	23·9	1·8	13	.	1	.	.	.	.	.	.	.	2	1	1
	Sept. 6,	22·1	3·7	12	.	1	.	.	.	.	.	.	1	4	1	.
	„ 13,	16·6	3·7	9	.	.	.	.	.	.	.	.	2	1	.	.
	„ 20,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	3	1
	„ 27,	44·2	12·9	24	.	5	.	.	.	.	.	.	2	1	5	2
	Oct. 4,	29·4	7·4	16	.	2	.	.	1	.	.	.	1	1	.	.
	„ 11,	25·8	9·2	14	.	3	.	.	.	.	.	.	2	2	1	.
	„ 18,	25·8	9·2	14	.	4	1	.	.	.	.	.	.	.	3	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	Aug. 30,	21·3	4·0	16	.	1	1	.	.	.	.	.	1	.	1	1
	Sept. 6,	24·0	4·0	18	.	.	1	.	.	.	.	1	1	1	4	.
	„ 13,	18·6	6·7	14	.	1	.	.	.	1	.	1	2	2	1	.
	„ 20,	26·6	6·7	20	.	1	.	.	.	2	.	.	2	2	1	.
	„ 27,	29·3	4·0	22	.	1	.	.	.	.	.	1	1	3	4	.
	Oct. 4,	18·6	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	„ 11,	31·3	4·0	26	.	1	.	.	.	1	.	.	1	6	3	1
	„ 18,	28·0	1·3	21	.	.	1	.	.	.	.	.	.	2	4	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Aug. 30,	22·5	5·2	13	.	2	.	.	.	1	.	.	.	.	1	.
	Sept. 6,	29·4	1·7	17	.	1	.	.	.	.	.	.	.	2	3	.
	„ 13,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	1	1	2
	„ 20,	38·1	6·9	22	.	.	.	.	.	.	.	.	4	5	2	.
	„ 27,	41·6	8·7	24	.	1	.	.	.	1	.	2	1	1	7	.
	Oct. 4,	13·9	5·2	8	.	1	.	.	.	.	.	1	1	.	1	.
	„ 11,	27·7	6·9	16	.	3	.	.	.	.	.	.	1	2	3	.
	„ 18,	46·8	10·4	27	.	4	.	.	.	1	.	.	1	3	8	1
North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,673.	Aug. 30,	26·3	6·6	16	.	4	.	.	.	.	.	.	.	1	3	.
	Sept. 6,	41·2	11·5	25	.	5	1	.	.	.	.	1	.	5	2	.
	„ 13,	29·6	6·6	18	.	3	.	.	.	.	.	.	1	1	3	.
	„ 20,	32·9	9·9	20	.	3	.	.	.	.	.	.	3	1	2	.
	„ 27,	34·6	9·9	21	.	1	1	.	1	.	.	1	2	2	1	.
	Oct. 4,	19·8	6·6	12	.	3	.	.	.	.	.	.	1	3	3	.
	„ 11,	19·8	1·6	12	.	1	.	.	.	.	.	.	.	1	2	.
	„ 18,	28·0	6·6	17	.	4	.	.	.	.	.	.	.	1	1	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 38,313.	Aug. 30,	19·1	6·8	14	.	.	.	.	.	1	.	.	4	.	.	.
	Sept. 6,	28·6	6·8	21	.	1	.	.	.	1	.	1	2	4	2	1
	„ 13,	21·8	6·8	16	.	2	.	.	.	1	.	.	2	2	.	.
	„ 20,	15·0	4·1	11	.	1	.	.	1	.	.	.	1	.	3	.
	„ 27,	39·5	9·5	29	.	.	1	.	.	.	.	1	5	4	1	.
	Oct. 4,	31·3	15·0	23	.	2	.	.	.	1	.	1	7	.	2	.
	„ 11,	39·5	12·2	29	.	2	1	.	.	.	.	.	6	6	2	.
	„ 18,	34·0	12·2	25	.	6	.	.	.	.	.	.	3	4	5	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	Aug. 30,	30·5	3·0	10	.	.	.	.	.	.	.	.	1	5	2	.
	Sept. 6,	24·4	3·0	8	.	.	.	.	.	.	.	.	1	2	.	1
	„ 13,	30·5	6·1	10	.	.	.	.	.	.	.	1	1	2	3	.
	„ 20,	36·6	12·2	12	.	3	.	.	.	.	.	.	1	1	1	.
	„ 27,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	Oct. 4,	36·6	3·0	12	.	.	.	.	.	1	.	.	.	3	5	.
	„ 11,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.
	„ 18,	57·9	3·0	19	.	.	.	.	.	.	.	.	1	2	7	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 42,575.	Aug. 30,	25·7	1·2	21	.	1	.	.	.	.	.	.	.	4	4	.
	Sept. 6,	17·1	3·7	14	.	.	.	.	.	.	.	.	3	1	1	.
	„ 13,	19·6	4·9	16	.	.	.	.	.	.	.	.	4	1	1	.
	„ 20,	29·4	7·3	24	.	1	.	.	.	1	.	.	4	4	4	.
	„ 27,	24·5	6·1	20	.	.	.	.	.	1	.	.	4	.	2	2
	Oct. 4,	26·9	4·9	22	.	.	.	.	.	.	.	.	4	2	1	2
	„ 11,	28·2	6·1	23	.	1	1	.	.	.	.	.	3	3	4	.
	„ 18,	31·8	3·7	26	.	.	.	.	.	.	.	.	3	2	9	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	Aug. 30,	20·9	3·0	14	.	2	.	.	.	.	.	.	.	1	3	1
	Sept. 6,	25·4	3·0	17	.	1	.	.	.	1	.	.	.	2	4	1
	„ 13,	23·9	3·0	16	.	.	.	.	.	.	.	.	2	1	1	2
	„ 20,	25·4	9·0	17	.	3	2	.	.	.	.	.	1	.	2	.
	„ 27,	32·9	7·5	22	.	2	.	.	.	2	.	.	1	3	1	1
	Oct. 4,	16·4	1·5	11	.	.	.	.	.	.	.	1	.	2	1	.
	„ 11,	28·4	3·0	19	.	.	.	.	.	.	.	2	.	2	5	1
	„ 18,	34·4	1·5	23	.	.	.	.	.	.	.	.	1	4	4	2

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,208.	Aug. 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	2	.	.
	Sept. 6,	15·7	3·1	10	.	1	1	.	.	.	.	.	.	1	1	.
	„ 13	9·4	3·1	6	.	.	.	.	.	.	.	1	1	.	1	.
	„ 20,	6·3	4·7	4	.	.	.	.	.	1	.	.	2	.	.	.
	„ 27,	18·8	6·3	12	.	.	1	.	.	.	.	1	2	1	1	.
	Oct. 4.	15·7	3·1	10	.	.	.	.	.	.	.	.	2	2	.	.
	„ 11	17·3	1·6	11	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Aug. 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	Sept. 6,	14·0	2·0	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 13,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 20,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 4.	16·0	6·0	8	.	.	.	.	.	1	.	.	2	.	.	1
	„ 11,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown. Pop. in 1902 (Est.) 17,380.	Aug. 30	18·0	3·0	6	.	.	.	.	.	.	.	1	.	1	1	.
	Sept. 6,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 20,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	15·0	.	5	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 4,	27·0	3·0	9	.	.	.	.	.	1	.	.	.	1	1	.
	„ 11,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	9·0	3·0	3	.	.	.	.	.	.	.	.	1	.	1	.
Belfast. Pop. in 1902 (Est.) 358,693.	Aug. 30,	16·3	2·6	112	.	5	.	.	5	.	.	4	4	13	26	1
	Sept. 6,	17·9	3·3	123	.	6	.	1	6	1	1	4	4	18	27	1
	„ 13,	18·3	5·2	126	.	4	.	.	5	3	.	1	23	13	15	2
	„ 20,	20·9	3·3	144	.	5	.	.	2	.	.	3	13	24	15	6
	„ 27,	17·6	3·3	121	.	4	.	.	4	.	.	3	12	8	24	.
	Oct. 4,	19·9	4·4	137	.	7	.	.	2	.	.	7	14	15	23	2
	„ 11,	21·5	3·1	148	.	6	1	.	2	1	.	1	10	17	35	3
	„ 18,	22·4	4·4	154	.	8	2	.	6	2	.	5	7	19	26	1
Cork. Pop. (in 1901) 76,122.	Aug. 30,	22·6	3·4	33	.	2	.	.	2	.	.	.	1	5	3	1
	Sept. 6,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 13,	14·4	2·7	21	.	2	.	.	.	.	.	.	2	2	3	.
	„ 20,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	6	2	.
	„ 27,	22·6	1·4	33	.	.	.	.	.	.	.	.	2	7	2	.
	Oct. 4,	24·0	2·1	35	.	1	.	.	.	.	.	.	2	9	4	3
	„ 11,	24·0	1·4	35	.	.	.	.	.	.	.	.	2	3	5	.
	„ 18,	14·4	1·4	21	.	.	.	.	.	.	.	.	2	4	4	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Aug. 30,	17·9	2·6	14	.	.	.	.	.	.	.	.	2	1	2	.
	Sept. 6,	21·8	2·6	17	.	1	.	.	.	.	.	.	1	2	1	1
	„ 13,	16·6	1·3	13	.	.	.	.	.	.	.	.	.	3	3	.
	„ 20,	20·5	3·8	16	.	.	.	.	.	.	.	1	2	2	4	.
	„ 27,	19·2	3·8	15	.	1	.	.	.	.	.	.	2	4	1	1
	Oct. 4,	10·2	2·6	8	.	1	.	.	.	.	.	1	1	2	1	.
	„ 11,	7·7	1·3	6	.	.	.	.	.	.	.	.	1	.	1	1
	„ 18,	10 2	.	8	.	.	.	.	.	.	.	.	.	2	2	.
Limerick. Pop. (in 1901) 38,151.	Aug. 30,	15·0	1·4	11	.	.	.	.	.	.	.	1	.	3	2	.
	Sept. 6,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	1	.
	„ 13,	17·8	.	13	.	.	.	.	.	.	.	.	.	4	.	.
	„ 20,	20·5	6·8	15	.	1	.	.	.	.	.	2	2	1	2	.
	„ 27,	10·9	1·4	8	.	.	.	.	.	.	.	1	.	2	2	.
	Oct. 4,	16·4	2·7	12	.	.	.	.	.	.	.	1	1	1	2	.
	„ 11,	23·2	6·8	17	.	3	.	.	.	.	.	1	1	2	1	.
	„ 18,	27·3	5·5	20	.	3	.	.	.	.	.	.	1	5	2	.
Waterford. Pop. (in 1901) 26,769.	Aug. 30,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 6,	31·2	5·8	16	.	.	.	.	1	.	.	.	2	2	1	.
	„ 13,	23·4	5·8	12	.	.	.	.	1	.	.	1	1	1	.	.
	„ 20,	25·3	7·8	15	.	.	.	.	2	.	.	.	2	.	1	.
	„ 27,	19·5	5·8	10	.	.	.	.	.	.	.	.	3	1	2	.
	Oct. 4,	21·4	3·9	11	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	11·7	5·8	6	.	.	.	.	3	.	.	.	.	.	.	.
	„ 18,	23·4	5·8	12	.	1	.	.	2	.	.	.	.	2	3	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 18th October, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	11	28·3	.	8	4	2	1	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.
" 2 "	47,959	28	19·6	3·3	18	3	4	8	3	.	.	1	.	.	.	.	.	2	5	2	.	.	3
" 3 "	47,214	30	25·4	7·7	23	7	10	5	1	.	2	1	.	3	.	.	.	1	1	4	.	2	2
" 4 "	40,911	28	26·8	2·5	21	7	3	5	6	.	1	.	.	.	.	.	1	.	1	3	.	.	2
" 5 "	17,387	16	39·0	15·0	13	3	4	5	1	.	2	.	.	1	1	.	1	.	1	2	.	.	4
" 6 "	48,122	32	16·4	4·3	17	5	3	6	3	.	1	.	.	.	.	.	.	3	3	1	.	1	1
" 7 "	1,524	1	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 8 "	5,060	2	41·2	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" 9 "	19,569	5	19·4	2·2	9	3	1	4	1	.	1	.	.	.	.	.	.	.	1	1	.	.	1
" 10 "	28,064	16	24·9	6·8	11	2	3	4	2	.	1	.	.	.	1	.	1	.	1	3	.	.	1
" 11 "	34,802	31	16·5	3·0	11	4	.	5	2	.	.	.	.	1	.	.	.	1	2	2	.	.	1
" 12 "	33,588	23	18·6	1·6	12	5	1	4	2	.	.	.	.	1	.	.	.	.	.	3	1	3	1
" 13 "	15,006	10	17·4	6·9	5	1	.	4	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.
" 14 "	240	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	234	23·0	4·5	154	45	33	53	23	.	8	2	.	6	2	.	5	7	19	26	1	6	18
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	3	16·2	.	4	.	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 2 "	10,701	3	24·4	4·9	5	2	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1
" 3 "	9,978	3	20·9	5·2	4	1	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	2
" 4 "	8,666	6	18·1	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	6,592	1	23·7	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.
" 6 "	10,702	2	4·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 7 "	16,616	5	3·1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	76,122	23	14·4	1·4	21	3	1	12	5	.	.	.	.	.	.	.	.	2	4	4	.	.	5

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	Apr. 26.	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered,	245	192	229	231	201	244	217	211	209	175	287	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234
DEATHS registered,	158	119	149	142	152	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154
Annual Death-rate per 1,000 of estimated Population,	22·2	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	21·5	17·6	19·9	21·5	22·4
AGES, Under 1 year,	32	20	27	29	26	31	16	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45
AGES, 1–5 years,	23	12	24	16	25	24	20	14	22	20	27	23	19	19	22	13	21	17	19	16	20	17	16	26	18	33
AGES, 5–60 years,	76	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62	44	43	51	54	42	60	44	54	57	53
AGES, 60 years and upwards,	22	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21	23	16	20	25	15	21	15	17	19	23
Deaths from Small Pox,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	4	3	4	3	4	3	2	7	6	6	7	7	8	5	3	3	2	5	6	4	5	4	7	6	8
" Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
" Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" Whooping-cough,	2	2	4	3	4	2	6	1	4	3	7	4	.	2	8	6	2	6	5	6	5	2	4	2	2	6
" Diphtheria,	2	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2
" Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
" Enteric Fever,	3	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5
" Diarrhœa, Dysentery,	1	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1	5	5	4	4	23	13	12	14	10	7
" Phthisis	25	29	32	29	26	26	26	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17	19
" Diseases of Respiratory System,	44	26	32	27	32	23	22	20	25	18	34	22	18	16	29	15	19	19	26	27	15	15	24	23	35	26
Violent Deaths,	.	.	4	5	1		3	2	2	1	7	4	1	6	4	.	1	1	1	1	2	6	.	2	3	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th October, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Scarlatina and Diphtheria.	Measles and Scarlatina.	Total.
North City No. 1, East,	.	10	.	1	.	.	.	.	.	.	.	.	.	.	.	11
„ „ 1, West,	.	54	.	6	.	.	1	.	2	5	1	.	1	.	.	70
„ „ 2,	.	21	.	.	.	.	1	.	.	2	3	.	1	.	.	28
„ „ 3,	.	33	.	11	.	.	.	.	.	3	.	.	.	.	.	47
Clontarf and Howth No. 1 (part of),	.	4	.	.	.	.	.	.	.	1	.	.	.	.	.	5
Coolock and Drumcondra No. 1 (part of),	.	2	.	.	.	.	.	.	1	1	1	.	.	.	.	5
Finglas and Glasnevin (part of),	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	4
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	19	.	3	.	.	.	.	.	4	5	.	1	1	.	33
„ „ 2,	.	11	.	2	.	.	3	.	.	.	.	.	.	.	.	16
„ „ 3,	.	2	.	4	.	.	2	.	.	.	3	.	3	.	.	14
„ „ 4,	.	2	.	1	.	.	2	.	.	1	1	.	.	.	1	8
Palmerston (part of),	.	8	.	1	.	.	.	.	.	.	.	.	3	.	.	12
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	169	.	30	.	.	9	.	3	17	14	.	9	1	1	253
Total for week ended Oct. 11th, 1902,	.	169	.	28	.	.	17	.	7	41	14	.	4	.	.	280
Total for week ended Oct. 4th, 1902,	.	141	2	23	1	.	9	.	9	38	14	.	2	.	.	239
Total for week ended Sept. 27th, 1902,	.	175	.	16	1	.	*15	.	8	28	15	.	4	.	.	262

* Including one "measles and diphtheria."

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th October, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th October.			
	Sept. 27.	Oct. 4.	Oct. 11.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	2	.	.	.	.	.	.
Measles.	111	137	123	42	38	5	122
Scarlet Fever,	80	76	90	28	14	1	103†
Typhus „	6	5	4	.	.	.	4
Diphtheria,	30	30	40	8	5	.	43
Enteric Fever,	87	103	115	17	24	.	108
Pneumonia,	9	8	9	7	4	2	10

† Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa (Diseases.
LONDON, . .	4,579,107	Oct. 18,	2,486	1,496	17·0	.	31	10	21	25	24	60
EDINBURGH,	317,885	„ 18,	145	98	15·8	.	1	1	1	3	.	2
GLASGOW, . .	764,423	„ 18,	465	268	19·3	.	.	4	5	5	2	13
CALCUTTA, . .	847,793	Aug. 16,	.	394	24·1	2	1	.	1	.	117§	60*
BOMBAY, . .	776,006	Sept. 23.	418	688	46·1	5	12	?	?	.	79§	91
MADRAS, . .	509,346	„ 5,	432	417	42·5	2	2	?	?	?	141	59*
PARIS, ...	2,660,559	Oct. 11,	1,062	852	18·2	.	1	.	9†	6	5	46
BRUSSELS (with 8 Faubourgs).	562,893	Sept. 27,	256	178	16·4	5	3	.	1	1	1	30
AMSTERDAM, .	535,260	Oct. 4,	262	153	15·8	.	2	.	.	3	.	7
ROTTERDAM, .	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN .	400,570	Oct. 4,	178	100	12·9	.	3	.	.	3	.	8
CHRISTIANIA, .	224,909	„ 4,	179	54	12·4	.	.	.	.	3	.	2
ST. PETERSBURG,	1,248,643	Sept. 27,	592	490	20·4	.	13	6	8	3	16	63
BERLIN, . .	1,907,163	„ 20,	921	531	14·5	.	2	2	3	12	1	94
HAMBURG, . .	724,835	Oct. 4,	.	207	14·9	.	3	16	1†	3	1	18
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH, . .	506,000	Sept. 20,	.	215	22·1	.	1	.	2†	3	.	80
VIENNA (with suburbs).	1,726,604	Oct. 4,	911	576	17·2	.	3	1	6†	6	3	59
BUDA PESTH .	767,061	Sept. 27,	437	260	17·6	.	4	10	1	2	2	34
PRAGUE and Faubourgs	416,817	„ 27,	200	160	19·9	.	.	3	2†	.	2	14
ROME, . . .	478,790	Aug. 2,	208	180	19·5	.	1	2	.	.	5	29
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	165,350	Oct. 4,	87	48	15·1	.	.	.	.	.	3	4
NEW YORK, .	3,632,591	Sept. 27,	1,741	1,112	15·9	1	.	4	25†	10	29	145
PHILADELPHIA, .	1,293,697	„ 27,	.	422	16·9	.	.	1	6	3	12	13

* Including 4 deaths from cholera in Calcutta, and one in Madras.
† Including deaths from croup.
§ Exclusive of 9 deaths from bubonic fever in Calcutta, and 55 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday 18th October, 1902:—

"At first quiet but changeable, the weather became very stormy and rough on Wednesday, when a large and deep atmospheric depression of the first importance passed over the British Isles in an easterly direction. This system was followed by a 'secondary' of moderate energy on Friday, so that the weather remained unsettled. On Sunday a ridge of high atmospheric pressure (30·2 inches) was found over the S.W. of England—in Ireland the barometer fell slowly and the weather, though mild, was dull and damp. After a slight recovery of pressure on Monday, the barometer again began to fall, the change becoming very rapid on Tuesday evening as the serious disturbance above referred to approached the N. of Ireland and W. of Scotland from the Atlantic. At 8 a.m. of Wednesday the barometer read 28·79 inches at Malin Head and 28·78 inches in the Hebrides: by 6 p.m. the mercury had slipped back to 28·59 inches at Nairn, where the system was at that time central and the air was calm, while all around fresh or strong gales from various quarters were raging. As usual, the heaviest rains fell to the northward of the centre, Stornoway recording 3·26 inches in the 72 hours ended 8 a.m. of Friday. Early on the morning of that day a total eclipse of the moon was splendidly seen in a cloudless sky. But a sheet of cirriform cloud spread rapidly across the sky later on and another considerable rainfall ensued. The depression which caused these disturbances travelled south-eastwards, bringing a shift of wind to N.E. and E. in its wake. Winter became fully established in Northern Europe this week, the 8 a.m. temperatures at Haparanda being 25°, 20°, 15°, 14°, —, 11° and 10° respectively (the report for Thursday is missing). In Dublin the mean atmospheric pressure was 29·742 inches, the barometer ranging from 30·070 inches at 9 a.m. of Sunday (wind, E.S.E.) to 29·180 inches at 9 p.m. of Wednesday (wind, W.). The corrected mean temperature was 51·4°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 50·1°. The screened thermometers rose to 61·5° on Sunday and fell to 40·3° on Friday. Bright sunshine was estimated at 27¼ hours. S.W. to N.W. winds prevailed. The rainfall was ·474 inch on seven days, ·204 inch being recorded on Friday. Hail fell on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·766 inches. The highest reading (30·101) was on Sunday at 9 a.m., air calm, and the lowest (29·213) on Wednesday at 9 p.m., wind W.S.W.

The mean temperature for the week was 49·4°, being 2·1° over the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Sunday, when the thermometer registered 62·0°, and was also lowest on that day, the mercury having fallen to 34·3°. The mean of the Dry Bulb for the week was 49·4°, and of the Wet Bulb 47·9°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 25·2 hours. The rainfall measured ·600 inch.

At Greenwich the mean temperature for the week was 50·9°, the maximum 61·7°, and the minimum 48·9°; at Glasgow the maximum was 59·2°, the minimum 38·0°, and the mean 50·0°; and at Edinburgh the maximum was 56 6°; the minimum 37·7°, and the mean 48·1°. The rainfall at Greenwich measured 0·62 inch; at Glasgow 0·83 inch; and at Edinburgh 0·52 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Oct. 12,	30·053	62·0	34·3	48·2	54·3	53·6	·95	·9	1·9	·040	Calm.	S.W.
Monday, „ 13,	30·000	59·2	49·2	54·2	53·0	51·8	·92	·5	0·0	·030	Calm.	Calm.
Tuesday, „ 14,	29·822	57·7	47·9	52·8	50·4	48·2	·85	1·0	7·0	·130	W.	S.W.
Wednesday, „ 15,	29·253	56·1	48·4	52·3	51·6	48·4	·79	·9	6·6	·100	S.W.	W.S.W.
Thursday, „ 16,	29·656	51·4	43·2	47·3	43·9	42·4	·89	·5	5·2	·030	W.	W.
Friday, „ 17,	29·698	51·2	38·8	45·0	47·2	45·7	·90	·4	4·3	·210	W.	S.E.
Saturday, „ 18,	29·875	52·8	38·9	45·9	45·5	45·0	·97	·1	0·2	·060	N.	Calm.
Mean, . .	29·766	55·8	43·0	49·4	49·4	47·9	·90	·6	Total 25·2	·600	Prevailing wind W.	

Sunday—A cloudy day; showery 2.30 p.m. to 11.0 p.m.; night cloudy; showery 4.0 a.m. to 5.30 a.m. *Monday*—A dull day; night overcast to 7.0 a.m.; showery 12 30 a.m. to 7.0 a.m. *Tuesday*—A fine day; night cloudy, squally and showery 12.0 a.m. to 6.0 a.m. *Wednesday*—A fine but cloudy day; night cloudy; showery 5.30 p.m. to 12.0 a.m. *Thursday*—A cloudy day; light showers p.m.; night cloudy p.m.; clear a.m.: heavy showers 9.0 p.m. *Friday*—Bright a.m.; cloudy and showery p.m.; night cloudy and showery. *Saturday*—A cloudy day; night cloudy; Gd. fog; showery 4.30 a.m. to 7.30. a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 299. 9. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 25TH OCTOBER, 1902. [No. 43.

General Register Office, Charlemont House, Dublin, 27th October, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Oct. 4.	Week ending Oct. 11.	Week ending Oct. 18.	Week ending Oct. 25.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 4.	Week ending Oct. 11.	Week ending Oct. 18.	Week ending Oct. 25.	Average Rate for 4 weeks
22 Town Dists.	20·2	21·2	22·8	23·4	21·9	Lisburn,	4·5	0·0	18·2	4·5	6·8
Armagh,	6·9	13·7	6·9	34·4	15·5	Londonderry,	10·2	7·7	10·2	12·8	10·2
Ballymena,	4·8	9·6	9·6	19·2	10·8	Lurgan,	13·3	26·6	13·3	17·7	17·7
Belfast,	19·9	21·5	22·4	21·2	21·3	Newry,	16·8	16·8	16·8	12·6	15·8
Clonmel,	0·0	10·3	25·6	20·5	14·1	Newtownards,	40·1	17·2	11·4	17·2	21·5
Cork,	24·0	24·0	14·4	22·6	21·3	Portadown,	0·0	10·3	15·5	10·3	9·0
Drogheda,	16·3	24·5	16·3	20·4	19·4	Queenstown,	0·0	33·0	26·4	19·8	19·8
Dublin Reg. Area,	22·7	24·8	26·8	30·0	26·1	Sligo,	43·2	33·6	19·2	9·6	26·4
Dundalk,	16·0	19·9	8·0	16·0	15·0	Tralee,	5·3	5·3	37·0	15·9	15·9
Galway,	46·6	7·8	35·0	23·3	28·2	Waterford,	21·4	11·7	23·4	23·4	20·0
Kilkenny,	14·7	14·7	49·1	9·8	22·1	Wexford,	28·0	9·3	14·0	23·3	18·7
Limerick,	16·4	23·2	27·3	21·9	22·2						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 4·2 per 1,000, the rates varying from 0·0 in thirteen of the districts to 11·7 per 1,000 in Waterford; the 12 deaths from all causes registered in that district including 5 from whooping-cough and one from diarrhœa. Among the 146 deaths from all causes registered in Belfast are 14 from measles, 3 from whooping-cough, 2 from diphtheria, 6 from enteric fever, and 5 from diarrhœa. The 33 deaths from all causes in Cork include one from measles and one from diarrhœa; and of the 16 deaths registered in Limerick 2 were from measles, one from enteric fever, and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 259—124 boys and 135 girls; and the deaths to 223—109 males and 114 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 30·7 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

institutions from localities outside the Area, the rate was 30·0 per 1,000. During the forty-three weeks ending with Saturday last the death-rate averaged 24·3, and was 2·1 below the mean rate for the corresponding portions of the ten years 1892–1901.

There were 20 deaths from measles registered during the week; in the preceding 4 weeks the numbers were 10, 8, 11, and 19, respectively. Influenza caused 3 deaths; scarlet fever and diphtheria each caused 2 deaths; one death was due to whooping-cough and one death to enteric fever; diarrhœal diseases caused 14 deaths, including 11 children under one year of age.

Tuberculous disease caused 28 deaths, registered as follows:—From *phthisis* 15, from tuberculous phthisis 2, from tuberculous meningitis 5, from tuberculous peritonitis 2, and from other forms of the disease 4 deaths.

One death from carcinoma, and 5 from *malignant disease*, "*cancer*," were registered.

Diseases of the nervous system caused 17 deaths, including 13 children under 5 years old who died from *convulsions*.

Diseases of the heart and blood-vessels caused 25 deaths.

There were 49 deaths from diseases of the respiratory system, equal to an annual rate of 6·7 per 1,000 of the population, the average rate for the corresponding period of the past 10 years being 4·1 per 1,000. There were 23 deaths from bronchitis, 14 from broncho-pneumonia, and 8 from *pneumonia*.

There were 3 deaths from accidental causes.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

One hundred and twelve of the persons whose deaths were registered during the week were under 5 years of age (63 being infants under one year, of whom 13 were under one month old), and 38 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 6 were octogenarians.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 30·0 per 1,000; the rate in the City was 32·5 (36·7 on the North side, and 28·0 on the South), and in the Urban Districts 21·4.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 5·5 per 1,000 inhabitants, the rate for the City being 6·4 (6·9 in the North City Districts, and 5·9 in the South), and for the Urban Districts 2·4 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 31·3 per 1,000. There were 3 deaths from measles, one from influenza, one from epidemic enteritis, and one from tuberculous meningitis; there were 8 deaths from diseases of the respiratory system, including 3 from broncho-pneumonia and 2 from *pneumonia*.

No. 2 North City District, West (Summer-hill).—The deaths (31) are equal to an annual rate of 41·3 per 1,000. There were 4 deaths from measles, one each from whooping-cough, diphtheria, and dysentery; there was also one death from tuberculous meningitis; there were 4 deaths from diseases of the organs of respiration.

No. 2 North City District (Lisburn-street).—The deaths (30) are equivalent to an annual rate of 52·0 per 1,000. There were 4 deaths from measles, and 2 from tuberculous meningitis; there were 10 deaths from diseases of the respiratory system (including 4 from broncho-pneumonia, and 2 from pneumonia; there was one death from accidental violence.

No. 3 North City District (Blacknall-place).—The deaths (19) represent an annual rate of 31·3 per 1,000. There were 3 deaths from measles, one death from dysentery, and one death from *diarrhœa*. There were 4 deaths from diseases of the respiratory system, including one from *pneumonia*.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 46·9. One of the deaths tabulated for Finglas and Glasnevin, part of, was from *phthisis*, and one from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 31·3 per 1,000. There were 5 deaths from measles, and one death each from scarlet fever, enteric fever, and epidemic diarrhœa. There were 3 deaths from diseases of the respiratory system, including 2 deaths from broncho-pneumonia.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 39·6 per 1,000. There was one death from measles and 3 deaths from *diarrhœa*; there was one death each from *phthisis* and influenza; there were 4 deaths from diseases of the respiratory system, including one from broncho-pneumonia and 2 from *pneumonia*.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 29·4 per 1,000. There was one death from diphtheria and 2 deaths from epidemic diarrhœa, 2 deaths from *phthisis*, one from tuberculous phthisis, and 2 deaths from general tuberculosis. There were 3 deaths from broncho-pneumnia and one accidental death.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·9 per 1,000. There was one death from *diarrhœa* and 2 from *phthisis*. There were 5 deaths from diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 14·3 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 20·4 per 1,000 inhabitants; Pembroke, 16·0; Blackrock, 23·8; and Kingstown, 30·0. The deaths from the principal epidemic diseases tabulated for these districts include 2 from *diarrhœa* for Rathmines, and one each from scarlatina, *diarrhœa*, and influenza for Pembroke. Among the 13 deaths from all causes tabulated for Rathmines are 2 from "*cancer*," 3 from diseases of the heart and blood-vessels, and 2 from bronchitis; the 8 deaths from all causes for Pembroke include 3 deaths from *convulsions* and one from broncho-pneumonia; and of the 10 deaths from all causes for Kingstown, 2 were from diseases of the heart and blood-vessels.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be, avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	4th October,	239 cases.
" "	11th October,	280 cases.
" "	18th October,	253 cases.
" "	25th October,	278 cases.

Of the 278 cases notified during last week, 21 were erysipelas, 21 enteric fever, 31 scarlatina, 191 measles, 5 diphtheria, 3 continued fever, 3 varicella (chicken-pox), 2 typhus fever, and one "measles and diphtheria."

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	4th October,	5 cases.
" "	11th October,	8 cases.
" "	18th October,	6 cases.
" "	25th October,	5 cases.

Of the 5 cases notified last week, 2 were enteric fever, 2 scarlet fever, and one diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	4th October,	5 cases.
" "	11th October,	9 cases.
" "	18th October,	6 cases.
" "	25th October,	10 cases.

Of the 10 cases notified during last week, 4 were scarlet fever, 5 measles, and one varicella (chicken-pox).

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	4th October,	75 cases.
" "	11th October,	76 cases.
" "	18th October,	93 cases.
" "	25th October,	83 cases.

Of the 83 cases notified during last week, 30 were enteric fever, 9 erysipelas, 6 diphtheria, 15 continued fever, 21 scarlet fever, one membranous croup, and one puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th October, 1902.

From this it appears that :—

Twenty-six cases of measles were admitted to hospital, being 16 under the admissions for the preceding week; 44 were discharged, there were 9 deaths, and 95 cases remained under treatment at the close of the week.

Eighteen cases of enteric fever were admitted to hospital, 18 cases were discharged, there were 2 deaths, and 106 cases remained under treatment at the close of the week.

Thirty cases of scarlatina were admitted to hospital, 14 cases were discharged, and 119* cases remained under treatment at the close of the week.

Four cases of typhus were admitted to hospital, 2 were discharged, and 6 cases remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital, 10 were discharged, there were 3 deaths, and 39 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 5 patients were discharged, there was one death, and 10 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·0), was equal to an average annual death-rate of 16·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·8 per 1,000, the rate for Glasgow being 19·0, and for Edinburgh 14·8.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 25th October, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 25th October, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 25th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,401	19·2	31·9	23·4	4·2	668	491	127	96	.	37	3	.	9	4	1	8	25	52	99	7	25	128	°	°	°	°	°	°	°	°	°	°	°	°
																								.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	878,761	27·5	35·7	30·0	5·5	259	218	63	88	.	20	2	.	1	2	.	1	14	15	48	3	9	71	§59·3	35·5	50·7	0·30	§62·0	34·3	49·4	0·60	§56·3	37·6	48·2	1·15
City	298,394	37·8	36·8	32·5	6·4	207	183	49	27	.	20	1	.	1	2	.	1	11	13	43	2	7	65	a60·9	41·7	52·2	0·22	a61·5	40·3	51·4	0·47	a55·8	43·7	50·3	1·27
																								b59·8	35·0	50·7	0·24	b64·6	34·0	49·9	0·65	b57·4	39·0	49·0	1·28
Registrars' Districts. Rathmines,‖	33,208	19·4	25·1	20·4	3·1	16	13	5	4	.	.	.	.	.	.	.	.	2	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	34·1	16·0	4·0	17	8	5	2	.	.	1	.	.	.	.	.	1	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	6·1	29·8	23·8	.	5	4	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	42·0	30·0	.	14	10	1	5	.	.	.	.	.	.	.	.	.	1	1	1	2	1	62·5	40·0	53·7	0·22	60	41	51·5	0·26	58	46	51·5	1·10
Urban Districts.																																			
Belfast	358,693	21·8	34·9	21·2	4·4	240	146	38	26	.	14	.	.	3	2	.	6	5	19	36	3	11	30	55·8	34·5	.	0·49	58·1	35·5	49·4	0·87	55·0	40·1	48·5	.
Cork	76,122	33·6	24·0	22·6	1·4	35	33	6	8	.	1	.	.	.	.	.	.	1	3	2	1	5	9	59	39	52·5	0·53	59	45	52·8	0·77	59	44	50·5	0·49
Londonderry	40,729	18·8	26·9	12·8	1·3	21	10	1	5	.	.	.	.	.	.	.	.	1	1	5	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	88,151	18·1	20·5	21·9	5·5	15	16	4	4	.	2	.	.	.	.	.	1	1	2	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	21·4	23·4	11·7	11	12	4	2	.	.	.	.	5	.	.	.	1	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway	13,426	2·5	50·5	23·3	7·8	13	6	3	1	.	.	.	.	.	.	1	.	1	.	1	.	.	3	59	53	51·7	0·74	60	37	50·4	1·00	58	38	48·5	0·00
Dundalk	13,076	9·4	‡31·9	16·0	.	8	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	20·4	20·4	.	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	29·4	12·6	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8·2	37·5	49·9	0·77	58·2	39·6	49·3	0·66	57·2	37·0	46·7	0·00
Lurgan	11,782	13·8	31·0	17·7	.	7	4	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	58·2	37·5	49·9	0·77	58·2	39·6	49·3	0·66	57·2	37·0	46·7	0·00
Lisburn	11,461	10·1	40·9	4·5	4·5	9	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	58·2	37·5	49·9	0·77	58·2	39·6	49·3	0·66	57·2	37·0	6·7	0·00
Wexford	11,168	28·2	32·7	28·3	.	7	5	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	28·9	19·2	.	5	4	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	19·2	9·6	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60·1	38·1	50·3	1·17	58·4	32·9	48·4	1·69	58·6	27·9	46·2	0·01
Kilkenny	10,609	11·5	9·8	9·8	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	59	38	51·1	0·59	60	42	52·1	1·23	57	42	49	0·75
Clonmel	10,167	7·8	10·3	20·5	.	2	4	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	25·8	10·3	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·2	37·5	49·9	0·77	58·2	39·6	49·3	0·66	57·2	37·0	46·7	0·00
Tralee	9,867	16·6	37·0	15·9	.	7	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	11·4	17·2	.	2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	58	37	49·0	0·53	57	38	49·5	0·54	55	46	50·2	0·01
Queenstown	7,909	14·4	13·2	19·8	6·6	2	3	2	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	59	9	52·5	0·53	59	45	52·8	0·77	59	44	50·5	0·49
Armagh	7,588	22·2	13·7	34·4	.	2	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	58·2	37·5	49·9	0·77	58·2	39·6	49·3	0·66	57·2	37·0	46·7	0·00

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 25th of October, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CROMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
1. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	3	4	4	3	.	.	.	.	5	1	.	.	.	.	.		.	.	.	.	20	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.	1	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.	.	.	.	1	.
Diarrhœa, Dysentery,	1	1	.	2	.	.	.	.	1	3	2	1	.	.	.		2	1	.	.	14	.
Phthisis,	.	.	.	3	1	1	2	.	.	1	3	2	.	.	.		.	1	.	1	15	2
Other General Diseases,	2	2	3	4	.	.	.	.	5	1	4	1	.	1	.		4	1	2	1	31	2
Total,	6	9	7	12	1	1	2	.	13	6	10	4	.	1	.		6	4	2	2	86	4
2. LOCAL DISEASES:																						
Diseases of Nervous System,	1	4	3	.	.	2	1	.	2	.	2	1	.	.	.		1	3	.	.	20	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Heart and Blood Vessels,	.	5	4	.	.	.	.	.	4	3	2	2	.	.	.		3	.	.	2	25	.
Respiratory System,	8	4	10	4	.	.	1	.	3	4	3	5	.	1	.		2	1	1	1	48	1
Digestive System,	1	4	1	1	.	.	2	.	.	.	1	.	.	.	.		1	.	.	3	14	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.	.	.	.
" Integumentary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Total,	11	18	20	6	.	2	4	.	9	7	9	8	.	1	.		7	4	1	6	113	1
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	4	2	1	.	.	.	.	1	.	4	2	.	.	.		.	.	1	1	16	.
E. VIOLENT DEATHS,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.	1	3	.
Deaths from all Causes,	17	31	30	19	1	3	6	.	23	13	24	14	.	2	.		13	8	4	10	218	5
Annual Rate of Mortality in every 1,000 of the population.	31·3	41·3	52·0	31·3	10·8	15·6	46·9	.	31·3	39·6	29·4	20·9	.	14·3	.		20·4	16·0	23·8	30·0	30·0	.
	36·7								28·0								21·4					
	32·5																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS

Public Hospitals, Prisons, and Lunatic Asylums,	.	4	7	9	.	1	.	.	8	2	7	2	.	.	.		3	1	.	.	44	4
Workhouse Hospitals,	.	5	2	4	1	.	1	.	4	3	5	.	.	.	.		.	1	.	1	27	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re[illegible] week of the ten years 189[illegible]

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 43rd Week of the 10 years 1892-1901	In the Week ending S[illegible] 25th October, 19[illegible]				
												Deaths of Persons of th[illegible]				
	Oct. 29, 1892.	Oct. 28, 1893.	Oct. 27, 1894	Oct. 26, 1895.	Oct. 24, 1896.	Oct. 30, 1897.	Oct. 29, 1898.	Oct. 28, 1899.	Oct. 27, 1900.	Oct. 26, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 43·5	° 48·1	° 46·1	° 39·1	° 40·5	° 53·5	° 50·5	° 48·9	° 47·0	° 44·2	° 46·1	Mean Temp. ° 50·7				
ALL CAUSES.	173	138	150	139	190	189	177	244	141	146	168·7	223	13	50	49	15
Small Pox, Vaccinated, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	.	.	.	.	.	44	.	.	4·6	20	.	3	14	1
Scarlet Fever ...	.	.	.	1	9	2	1	1	2	1	1·7	2	.	.	1	1
Typhus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	3	.	.	.	.	3	2	5	.	1·4	3	.	.	.	.
Whooping Cough, ...	1	2	1	2	3	.	1	.	2	2	1·4	1	.	1	.	.
Diphtheria, ...	.	1	1	.	.	1	3	2	.	1	·9	2	.	.	.	2
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	1	1	1	.	.	.	·3	.	.	.	.	.
Enteric Fever, ...	6	8	3	5	8	9	3	6	4	.	5·2	1	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	4	7	6	5	5	5	9	6	5	5·3	4	.	4	.	.
												10	1	6	2	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Venereal Disease, ...	1	.	1	.	.	1	3	.	1	2	·9	1	.	1	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	1	2	.	.	.	.	.	.	.	·3	.	.	.	.	.
												.	.	.	.	.
												.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	3	1	.	.	2	1	.	1	.	.	·8	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	.	1	1	4	.	.	2	.	1	1·0	1	1	.	.	.
												.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	27	21	20	20	20	19	20	29	15	19	21·0	2	.	.	.	1
												15	.	.	.	.
Tuberculous Meningitis, (Acute Hydrocephalus).	2	1	3	5	6	2	5	.	4	1	2·9	5	.	1	3	1
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	6	3	5	5	5	5	4	8	4	2	4·7	2	.	.	1	1
												.	.	.	.	.
Tuberculous Dis. (other), Scrofula, ...	2	2	3	4	3	5	3	2	1	4	2·9	4	.	.	3	.
												.	.	.	.	.
Alcoholism ...	1	1	1	1	1	.	2	1	.	3	1·1	.	.	.	.	.
Rheumatic Fever, ...	.	2	.	.	.	1	1	.	.	.	·4	.	.	.	.	.
Gout ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* The figures for the years 1892-19[illegible]

TY-THIRD WEEK ending Saturday, 25th October, 1902, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Oct. 29, 1892.	Oct. 28, 1893.	Oct. 27, 1894.	Oct. 26, 1895.	Oct. 24, 1896.	Oct. 30, 1897.	Oct. 29, 1898.	Oct. 28, 1899.	Oct. 27, 1900.	Oct. 26, 1901.	Averages in 43rd Week of the 10 years 1892–1901.	In the Week ending Saturday, 25th October, 1902. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	43·5	48·1	46·1	39·1	40·5	53·5	50·5	48·9	47·0	44·2	46·1	50·7								
oma	5	5	9	3	6	6	5	9	7	8	6·3	1	.	.	.	.	.	.	1	.
na												.	.	.	.	.	.	.	.	.
ant Dis. "Cancer,"												5	.	.	.	.	2	2	1	.
es Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ture Birth	2	1	1	1	6	7	2	2	7	2	3·1	4	3	1	.	.	.	.	.	.
gitis (not tuberc.)												3	.	1	1	.	1	.	.	.
y, G. P. of Insane												.	.	.	.	.	.	.	.	.
sy												1	.	.	.	.	1	.	.	.
sions												13	3	8	2	.	.	.	.	.
otor Ataxy												.	.	.	.	.	.	.	.	.
egia Dis. of Cord												3	.	.	.	.	1	1	1	.
us System (other Dis.) ...	40	17	25	31	31	36	35	41	24	36	32·2	.	.	.	.	.	.	.	.	.
Dis., Endocarditis												5	.	.	.	.	1	2	2	.
r. Hæm. Thromb.												2	.	.	.	.	1	.	1	.
xy, *Hemiplegia*												7	.	.	.	.	1	3	2	1
ysm												.	.	.	.	.	.	.	.	.
lism, Thromb. (not cerebral) and Blood Vessel Dis.												.	.	.	.	.	.	.	.	.
												11	1	.	.	1	2	.	7	.
(not Spasm. or Memb.) ...	1	.	1	1	1	.	.	.	1	.	·5	1	.	.	1	.	.	.	.	.
hitis	25	9	9	11	15	23	22	20	17	19	17·0	23	.	7	4	1	.	5	6	.
ous Pneumonia												.	.	.	.	.	.	.	.	.
ho-Pneumonia	11	11	8	7	4	15	8	19	9	7	9·9	14	.	2	4	2	2	2	1	1
monia"												8	.	2	4	.	1	1	.	.
na, Emphysema												.	.	.	.	.	.	.	.	.
sy	4	1	.	2	1	2	2	1	2	1	1·6	1	.	.	.	.	1	.	.	.
ratory Dis. (other)												2	.	.	1	.	.	1	.	.
litis, Quinsy	.	.	1	.	1	1	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
itis (not Epid.)	.	2	2	1	2	2	2	.	.	1	1·2	1	.	.	.	.	.	.	.	1
Enteritis												3	.	2	.	1	.	.	.	.
nitis (not Puerp.)	.	.	1	1	2	1	.	.	1	1	·7	1	.	.	.	.	1	.	.	.
osis of Liver	2	3	4	2	2	2	1	2	2	.	2·0	.	.	.	.	.	.	.	.	.
Dis. (other)												4	.	.	.	1	.	1	1	1
tive Dis. (other)	1	7	7	3	6	5	3	5	8	1	4·6	5	.	3	2	.	.	.	.	.
ritis, Acute												2	.	.	.	1	1	.	.	.
t's Dis., Albuminuria ...	5	6	1	3	5	4	4	5	4	1	3·8	1	.	.	.	.	1	.	.	.
ry Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
ative Organs Dis.	1	3	.	.	.	1	1	1	.	.	·7	.	.	.	.	.	.	.	.	.
birth (Accid. of)	2	.	1	.	1	.	2	.	.	1	·7	1	.	.	.	.	1	.	.	.
ge	5	11	10	4	12	7	16	14	7	5	9·1	5	.	.	.	.	.	.	4	1
Diseases	14	7	14	9	18	16	13	9	4	19	12·3	19	3	8	5	1	1	.	1	.
ACCIDENT.																				
ailways	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
ehicles and Horses	.	.	.	.	.	2	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ilding Operations	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
nflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	1	.	2	.	1	2	.	.	.	1	·7	1	.	.	1	.	.	.	.	.
rowning	1	1	.	2	1	2	2	3	1	1	1·4	1	.	.	.	.	.	1	.	.
uffocation in Bed	.	.	1	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
r Deaths by Accidents ...	.	.	1	3	4	2	2	2	2	.	1·6	1	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
icide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
de	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered,	255	232	202	209	234	249	192	242	213	204	187	196	203	186	244	192	185	209	205	219	221	222	192	162	176	259
*Average Births in corresponding week of previous 10 years,**	232	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210	185	175	193	181
DEATHS registered,	191	178	186	149	165	156	155	139	149	149	129	155	150	165	151	145	146	156	170	142	168	213	169	192	200	228
Annual Death-rate per 1,000,	26·3	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5	30·7
*Average Deaths in corresponding week of previous 10 years,**	182	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161	169
AGES, Under 5 years,	46	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52	53	57	62	87	98	80	81	100	112
5—20 ,,	20	13	20	16	24	14	19	15	11	14	10	13	8	14	14	7	15	12	16	9	9	18	12	16	12	15
20—40 ,,	31	33	39	34	23	32	29	23	23	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16	32
40—60 ,,	39	33	37	21	35	38	24	26	27	27	29	30	29	24	20	36	32	31	48	23	18	33	34	34	33	26
60—80 ,,	42	35	32	36	27	17	27	32	26	30	25	27	29	30	29	28	15	26	23	23	23	25	19	22	33	32
80 years and upwards,	13	7	9	8	8	7	6	5	5	7	3	5	13	7	4	2	5	3	6	6	5	9	2	5	6	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	3	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11	19	20
,, Scarlet Fever,	.	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2	2
,, Typhus,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1	1
,, Diphtheria,	2	2	3	.	2	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Enteric Fever,	1	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2	1	1
,, Diarrhœa, Dysentery,	1	2	1	2	1	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11	14
,, Phthisis,	25	28	30	25	27	40	26	23	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18	26	18	17
,, Heart Diseases,	27	19	26	15	21	12	18	22	21	17	18	25	18	10	18	21	17	18	24	17	17	21	14	19	20	25
,, Diseases of Respiratory System,	32	29	30	23	32	25	16	10	25	30	24	23	17	30	28	19	18	16	20	14	20	27	19	25	42	49
Violent Deaths,	6	4	3	4	4	6	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6	3
Mean Temperature of the Air (Phœnix Park),	46·9	43·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4	50·7
Average Mean Temperature in corresponding week of previous 10 years,	47·5	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3	46·1
Rainfall in inches,	·330	·090	·845	·195	·158	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·538	·083	1·725	·115	·180	·595	·640	1·150	·600	·298
Mean Humidity of the Air, complete Saturation 1·0,	·79	75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·83	·88	·90	·87

* See note at foot of Table III.

Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH OCTOBER, 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.*	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	846,128	33·6	223	112	15	32	26	32	6	.	20	2	.	1	2	.	1	14	40	17	13	49	3	101
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	30·4	9	1	1	1	1	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	8
II.	Middle Class,	80,653	21·3	33	13	4	8	3	5	.	.	2	1	.	.	.	.	1	1	5	4	.	4	1	19
III.	Artisan Class and Petty Shopkeepers	98,374	26·0	49	24	3	6	6	9	1	.	2	.	.	1	.	.	.	3	6	2	4	16	.	21
IV.	General Service Class,	146,486	45·4	104	65	5	12	11	11	.	.	14	1	.	.	2	.	.	8	25	6	9	24	2	38
V.	Inmates of Workhouses,	5,191		28	9	2	5	5	3	4	.	2	.	.	.	.	.	.	2	4	4	.	5	.	15
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	1	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	20·2	10	2	2	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	8
	6. Clerks and Commercial Assistants,	24,750	19·0	9	7	1	1	.	.	.	.	1	1	.	.	.	.	.	1	3	1	.	1	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	25·7	12	2	1	4	1	4	.	.	1	.	.	.	.	.	1	.	2	3	.	2	.	5
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
	9. Building and Furnishing Trades,	26,030	40·0	20	11	2	1	3	2	1	.	1	.	.	1	.	.	.	2	4	1	1	7	.	7
	10. Clothing Trades,	23,686	19·8	9	2	.	1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
	11. Food Stuffs Trades,	7,869	13·3	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	23·5	12	6	1	4	1	.	.	.	1	.	.	.	.	.	.	1	2	1	.	4	.	5
	13. Petty Shopkeepers,	6,771	23·1	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	19·2	5	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	2
	15. Domestic Servants,	39,563	5·3	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	48·7	10	4	2	.	2	2	.	.	.	1	.	.	1	.	.	3	5	.	.	2	.	3
	17. Hawkers, Porters, Labourers, &c.,	82,681	53·6	85	55	3	10	8	9	.	.	14	.	.	.	1	.	.	5	20	5	9	19	2	30
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	28	9	2	5	5	3	4	.	2	.	.	.	.	.	.	2	4	4	.	5	.	15

* Occupation Statistics for 1901 not yet available.

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

City of Dublin (prior to extension) — DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,333.	Sept. 6,	22·1	3·7	12	.	1	.	.	.	.	.	.	1	4	1	.
	„ 13,	16·6	3·7	9	.	.	.	.	.	.	.	.	2	1	.	.
	„ 20,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	3	1
	„ 27,	44·2	12·9	24	.	5	.	.	.	.	.	.	2	1	5	2
	Oct. 4,	29·4	7·4	16	.	2	.	.	1	.	.	.	1	1	.	.
	„ 11,	25·8	9·2	14	.	3	.	.	.	.	.	.	2	2	1	.
	„ 18,	25·8	9·2	14	.	4	1	.	.	.	.	.	.	.	3	.
	„ 25	31·3	7·4	17	.	3	.	.	.	.	.	.	1	.	8	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	Sept. 6,	24·0	4·0	18	.	.	1	.	.	.	.	1	1	1	4	.
	„ 13,	18·6	6·7	14	.	1	.	.	.	1	.	1	2	2	1	.
	„ 20,	26·6	6·7	20	.	1	.	.	.	2	.	.	2	2	1	.
	„ 27,	29·3	4·0	22	.	1	.	.	.	.	.	1	1	3	4	.
	Oct. 4,	18·6	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	„ 11,	31·6	4·0	26	.	1	.	.	.	1	.	.	1	6	3	1
	„ 18,	28·0	1·3	21	.	.	1	.	.	.	.	.	.	2	4	1
	„ 25,	41·3	9·3	31	.	4	.	.	1	1	.	.	1	.	4	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Sept. 6,	29·4	1·7	17	.	1	.	.	.	.	.	.	.	2	3	.
	„ 13,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	1	1	2
	„ 20,	38·1	6·9	22	.	.	.	.	.	.	.	.	4	5	2	.
	„ 27,	41·6	8·7	24	.	1	.	.	.	1	.	2	1	1	7	.
	Oct. 4,	13·9	5·2	8	.	1	.	.	.	.	.	1	1	.	1	.
	„ 11,	27·7	6·9	16	.	3	.	.	.	.	.	.	1	2	3	.
	„ 18,	46·8	10·4	27	.	4	.	.	.	1	.	.	1	3	8	1
	„ 25,	52·0	6·9	30	.	4	.	.	.	.	.	.	.	.	10	1
North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,678.	Sept. 6,	41·2	11·5	25	.	5	1	.	.	.	.	1	.	5	2	.
	„ 13,	29·6	6·6	18	.	3	.	.	.	.	.	.	1	1	3	.
	„ 20,	32·9	9·9	20	.	3	.	.	.	.	.	.	3	1	2	.
	„ 27,	34·6	9·9	21	.	1	1	.	1	.	.	1	2	2	1	.
	Oct. 4,	19·8	6·6	12	.	3	.	.	.	.	.	.	1	3	3	.
	„ 11,	19·8	1·6	12	.	1	.	.	.	.	.	.	.	1	2	.
	„ 18,	28·0	6·6	17	.	4	.	.	.	.	.	.	.	1	1	1
	„ 25,	31·3	8·2	19	.	3	.	.	.	.	.	.	2	3	4	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 38,313.	Sept. 6,	28·6	6·8	21	.	1	.	.	.	1	.	1	2	4	2	1
	„ 13,	21·8	6·8	16	.	2	.	.	.	1	.	.	2	2	.	.
	„ 20,	15·0	4·1	11	.	1	.	.	1	.	.	.	1	.	3	.
	„ 27,	39·5	9·5	29	.	.	1	.	.	.	.	1	5	4	1	.
	Oct. 4,	31·3	15·0	23	.	2	.	.	.	1	.	1	7	.	2	.
	„ 11,	39·5	12·2	29	.	2	1	.	.	.	.	.	6	6	2	.
	„ 18,	34·0	12·2	25	.	6	.	.	.	.	.	.	3	4	3	.
	„ 25,	31·3	10·9	23	.	5	1	.	.	.	.	1	1	.	3	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	Sept. 6,	24·4	3·0	8	.	.	.	.	.	.	.	.	1	2	.	1
	„ 13,	30·5	6·1	10	.	.	.	.	.	.	.	1	1	2	3	.
	„ 20,	36·6	12·2	12	.	3	.	.	.	.	.	.	1	1	1	.
	„ 27,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	Oct. 4,	36·6	3·0	12	.	.	.	.	.	1	.	.	.	3	5	.
	„ 11,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.
	„ 18,	57·9	3·0	19	.	.	.	.	.	.	.	.	1	2	7	.
	„ 25,	35·6	12·2	18	.	1	.	.	.	.	.	.	3	1	4	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 42,575.	Sept. 6,	17·1	3·7	14	.	.	.	.	.	.	.	.	3	1	1	.
	„ 13,	19·6	4·9	16	.	.	.	.	.	.	.	.	4	1	1	.
	„ 20,	29·4	7·3	24	.	1	.	.	.	1	.	.	4	4	4	.
	„ 27,	24·5	6·1	20	.	.	.	.	.	1	.	.	4	.	2	2
	Oct. 4,	26·9	4·9	22	.	.	.	.	.	.	.	.	4	2	1	2
	„ 11,	28·2	6·1	23	.	1	1	.	.	.	.	.	3	3	4	.
	„ 18,	31·8	3·7	26	.	.	.	.	.	.	.	.	3	2	9	.
	„ 25,	29·4	3·7	24	.	.	.	.	.	1	.	.	2	3	3	1
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	Sept. 6,	25·4	3·0	17	.	1	.	.	.	1	.	.	.	2	4	1
	„ 13,	23·9	3·0	16	.	.	.	.	.	.	.	.	2	1	1	2
	„ 20,	25·4	9·0	17	.	3	2	.	.	.	.	.	1	.	2	.
	„ 27,	32·9	7·5	22	.	2	.	.	.	2	.	.	1	3	1	1
	Oct. 4,	16·4	1·5	11	.	.	.	.	.	.	.	1	.	2	1	.
	„ 11,	28·4	3·0	19	.	.	.	.	.	.	.	2	.	2	5	1
	„ 18,	34·4	1·5	23	.	.	.	.	.	.	.	.	1	4	4	2
	„ 25,	20·9	1·5	14	.	.	.	.	.	.	.	.	1	2	5	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	Sept. 6,	15·7	3·1	10	.	1	1	.	.	.	.	.	.	1	1	.
	„ 13,	9·4	3·1	6	.	.	.	.	.	.	.	1	1	.	1	.
	„ 20,	6·3	4·7	4	.	.	.	.	.	1	.	.	2	.	.	.
	„ 27,	18·8	6·3	12	.	.	1	.	.	.	.	1	2	1	1	.
	Oct. 4,	15·7	3·1	10	.	.	.	.	.	.	.	.	2	2	.	.
	„ 11	17·3	1·6	11	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
	„ 25,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	.	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Sept. 6,	14·0	2·0	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 13,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 20,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 4,	16·0	6·0	8	.	.	.	.	.	1	.	.	2	.	.	1
	„ 11,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	16·0	4·0	8	.	.	1	.	.	.	.	.	1	1	1	.
Kingstown. Pop. in 1902 (Est.) 17,380.	Sept. 6,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 20,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	15·0	.	5	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 4,	27·0	3·0	9	.	.	.	.	.	1	.	.	.	1	1	.
	„ 11,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	9·0	3·0	3	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	30·0	.	10	.	.	.	.	.	.	.	.	.	1	1	1
Belfast. Pop. in 1902 (Est.) 358,693.	Sept. 6,	17·9	3·3	128	.	6	.	1	6	1	1	4	4	18	27	1
	„ 13,	18·3	5·2	126	.	4	.	.	5	3	.	1	23	13	15	2
	„ 20,	20·9	3·3	144	.	5	.	.	2	.	.	5	13	24	15	6
	„ 27,	17·6	3·3	121	.	4	.	.	4	.	.	3	12	8	24	.
	Oct. 4,	19·9	4·4	137	.	7	.	.	2	.	.	7	14	15	23	2
	„ 11,	21·5	3·1	148	.	6	1	.	2	1	.	1	10	17	35	3
	„ 18,	22·4	4·4	154	.	8	2	.	6	2	.	5	7	19	26	1
	„ 25,	21·2	4·4	146	.	14	.	.	3	2	.	6	5	19	36	3
Cork. Pop. (in 1901) 76,122.	Sept. 6,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 13,	14·4	2·7	21	.	2	.	.	.	.	.	.	2	2	3	.
	„ 20,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	6	2	.
	„ 27,	22·6	1·4	33	.	.	.	.	.	.	.	.	2	7	2	.
	Oct. 4,	24·0	2·1	35	.	1	.	.	.	.	.	.	2	9	4	3
	„ 11,	24·0	1·4	35	.	.	.	.	.	.	.	.	2	3	5	.
	„ 18,	14·4	1·4	21	.	.	.	.	.	.	.	.	2	4	4	.
	„ 25,	22·6	1·4	33	.	1	.	.	.	.	.	.	1	3	2	1
Londonderry. Pop. in 1902 (Est.) 40,729.	Sept. 6,	21·8	2·6	17	.	1	.	.	.	.	.	.	1	2	1	1
	„ 13,	16·6	1·3	13	.	.	.	.	.	.	.	.	.	3	3	.
	„ 20,	20·5	3·8	16	.	.	.	.	.	.	.	1	2	2	4	.
	„ 27,	19·2	3·8	15	.	1	.	.	.	.	.	.	2	4	1	1
	Oct. 4,	10·2	2·6	8	.	1	.	.	.	.	.	1	1	2	1	.
	„ 11,	7·7	1·3	6	.	.	.	.	.	.	.	.	1	.	1	1
	„ 18,	10·2	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	„ 25,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	5	.
Limerick. Pop. (in 1901) 38,151.	Sept. 6,	16·4	.	12	.	.	.	.	.	.	.	.	.	3	1	.
	„ 13,	17·8	.	13	.	.	.	.	.	.	.	.	.	4	.	.
	„ 20,	20·5	6·8	15	.	1	.	.	.	.	.	2	2	1	2	.
	„ 27,	10·9	1·4	8	.	.	.	.	.	.	.	1	.	2	2	.
	Oct. 4,	16·4	2·7	12	.	.	.	.	.	.	.	1	1	1	2	.
	„ 11,	23·2	6·8	17	.	3	.	.	.	.	.	1	1	2	1	.
	„ 18,	27·3	5·5	20	.	3	.	.	.	.	.	.	1	5	2	.
	„ 25,	21·9	5·5	16	.	2	.	.	.	.	.	1	1	2	2	.
Waterford. Pop. (in 1901) 26,769.	Sept. 6,	31·2	5·8	16	.	.	.	.	1	.	.	.	2	2	1	.
	„ 13,	23·4	5·8	12	.	.	.	.	1	.	.	1	1	1	.	.
	„ 20,	25·3	7·8	13	.	.	.	.	2	.	.	.	2	.	1	.
	„ 27,	19·5	5·8	10	.	.	.	.	.	.	.	.	3	1	2	.
	Oct. 4,	21·4	3·9	11	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	11·7	5·8	6	.	.	.	.	3	.	.	.	.	.	.	.
	„ 18,	23·4	5·8	12	.	1	.	.	2	.	.	.	.	2	3	.
	„ 25,	23·4	11·7	12	.	.	.	.	5	.	.	.	1	1	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 25th October, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions, distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	9	24·8	7·1	7	4	1	2	.	.	1	.	.	.	.	.	1	.	.	1	2	2	4
" 2 "	47,959	20	18·5	4·3	17	1	7	8	1	.	4	.	.	.	.	.	.	.	3	9	.	.	.
" 3 "	47,214	27	22·1	6·6	20	1	7	7	5	.	4	.	.	.	.	.	1	1	3	5	.	1	3
" 4 "	40,911	40	29·3	6·4	23	7	3	7	6	.	1	.	.	1	.	.	1	2	2	4	.	3	7
" 5 "	17,387	8	18·0	.	·6	1	1	2	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1
" 6 "	48,122	30	20·6	5·4	19	5	1	8	5	.	3	.	.	1	.	.	.	1	3	1	1	1	4
" 7 "	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	19,569	14	17·2	.	8	3	..	4	1	.	.	.	.	.	.	.	.	.	2	1	.	.	3
" 10 "	28,064	18	29·4	6·8	18	5	4	3	1	.	1	.	.	.	2	.	.	.	.	3	.	1	2
" 11 "	34,802	28	22·5	4·5	15	6	3	5	1	.	.	.	.	1	.	.	1	1	3	3	.	2	4
" 12 "	33,588	29	17·1	3·1	11	3	.	7	1	.	.	.	.	.	.	.	2	.	1	4	.	1	2
" 13 "	15,006	15	24·3	.	7	2	.	2	3	.	.	.	.	.	.	.	.	.	1	3	.	.	.
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	240	21·8	4·5	146	38	27	55	26	.	14	.	.	3	2	.	6	5	19	36	3	11	30
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	4	16·2	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" 2 "	10,701	6	19·5	4·9	4	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" 3 "	9,978	7	41·8	5·2	8	2	1	4	1	.	1	.	.	.	.	.	.	.	2	1	.	.	2
" 4 "	8,666	3	24·1	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" 5 "	6,592	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	10,702	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	16,616	7	40·8	.	13	4	.	7	2	.	.	.	.	.	.	.	.	.	1	1	1	3	5
Total,	76,122	32	22·6	1·4	33	6	2	17	8	.	1	.	.	.	.	.	.	1	3	2	1	5	9

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	May 3.	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered,	192	229	231	201	244	217	211	209	175	237	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234	240
DEATHS registered.	119	149	142	152	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154	146
Annual Death-rate per 1,000 of estimated Population.	17·3	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	21·5	17·6	19·9	21·5	22·4	21·2
AGES, Under 1 year,	20	27	29	26	31	16	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45	38
AGES, 1-5 years,	12	24	16	25	24	20	14	22	20	27	23	19	19	22	13	21	17	19	16	20	17	16	26	18	33	27
AGES, 5-60 years,	57	67	71	67	63	61	52	69	50	64	55	45	48	58	62	44	43	51	54	42	60	41	54	57	58	55
AGES, 60 years and upwards,	30	31	26	34	21	34	27	27	22	30	16	23	17	24	21	23	16	20	25	15	21	15	17	19	23	26
Deaths from Small Pox,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	3	4	3	4	3	2	7	6	6	7	7	8	5	3	3	2	5	6	4	5	4	7	6	8	14
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
,, Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
,, Whooping-cough,	2	4	3	4	2	6	1	4	3	7	4	.	2	8	6	2	6	5	6	5	2	4	2	2	6	8
,, Diphtheria,	2	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2	2
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.
,, Enteric Fever,	2	4	.	3	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5	6
,, Diarrhœa, Dysentery,	3	4	2	1	5	1	4	1	3	4	3	6	6	2	1	5	5	4	4	23	13	12	14	10	7	5
,, Phthisis	29	32	29	26	26	26	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17	19	19
,, Diseases of Respiratory System,	26	32	27	32	23	22	20	25	18	34	22	18	16	29	15		9	26	27	15	15	24	23	35	26	36
Violent Deaths,	.	4	5	1	.	3	2	2	1	7	4	1	6	4	.		1	1	1	2	6	.	2	3	1	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th October, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Scarlatina and Diphtheria.	Measles and Scarlatina.	Measles and Diphtheria.	Total.
North City No. 1, East,	.	12	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3
" " 1, West,	.	52	.	14	.	.	.	.	1	3	2	.	.	.	.	.	2
" " 2,	.	25	.	.	.	.	.	.	.	4	.	.	.	.	.	.	9
" " 3,	.	43	.	4	.	.	.	.	.	2	1	.	2	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	4	.	.	.	.	1	.	.	2	1	.	.	.	.	.	3
Coolock and Drumcondra No. 1 (part of),	.	9	.	1	.	.	.	.	.	.	.	.	.	.	.	.	0
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
South City No. 1,	.	19	.	4	2	.	1	.	2	6	7	.	.	.	.	.	
" " 2,	.	10	.	2	.	.	1	.	.	.	4	.	.	.	.	.	
" " 3,	.	4	.	4	.	.	2	.	.	3	2	.	.	.	.	1	
" " 4,	.	3	.	1	.	.	.	.	.	1	4	.	1	.	.	.	
Palmerston (part of),	.	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Total,	.	191	.	31	2	.	5	.	3	21	21	.	3	.	.	1	
Total for week ended Oct. 18th, 1902,	.	169	.	30	.	.	9	.	3	17	14	.	9	1	1	.	
Total for week ended Oct. 11th, 1902,	.	169	.	28	.	.	17	.	7	41	14	.	4	.	.	.	
Total for week ended Oct. 4th, 1902,	.	141	2	23	1	.	9	.	9	38	14	.	2	.	.	.	

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th October, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th October.			
	Oct. 4.	Oct. 11.	Oct. 18.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	137	123	122	26	44	9	95
Scarlet Fever,	76	90	103	30	14	.	119*
Typhus "	5	4	4	4	2	.	6
Diphtheria,	30	40	43	9	10	3	39
Enteric Fever,	103	115	108	18	18	2	106
Pneumonia,	8	9	10	6	5	1	10

* Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Oct. 25,	2,469	1,407	16·0	1	32	14	18	14	7	53
EDINBURGH,	317,885	„ 25,	178	92	14·8	.	.	1	.	1	.	3
GLASGOW,	764,423	„ 25,	461	284	19·0	.	.	3	3	5	.	8
CALCUTTA,	847,796	Aug. 16,	.	394	24·1	2	1	.	1	.	117§	60*
BOMBAY,	776,006	Sept. 30,	403	702	47·0	1	14	?	?	1	87§	83*
MADRAS,	509,346	„ 12,	466	405	41·3	.	.	?	?	?	141§	57
PARIS,	2,660,559	Oct. 18,	941	772	15·9	1	3	.	7†	4	7	41
BRUSSELS (with 8 Faubourgs).	562,893	„ 4,	240	179	16·5	.	1	.	1	2	1	25
AMSTERDAM,	537,023	„ 11,	320	158	15·3	.	2	.	1	.	1	11
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.		.
COPENHAGEN,	400,570	Oct. 11,	196	98	12·7	.	2	2	1†	1	.	7
CHRISTIANIA,	224,909	„ 11,	136	53	12·3	.	1	.	.	3	.	4
ST. PETERSBURG,	1,248,643	„ 4,	479	491	20·4	1	10	6	13	6	6	50
BERLIN,	1,908,381	„ 7,	981	555	15·2	.	4	1	2	7	1	100
HAMBURG,	724,835	„ 11,	.	273	19·6	.	2	21	5†	3	1	20
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH,	506,000	Sept. 20,	.	215	22·1	.	1	.	2†	3	.	80
VIENNA (with suburbs).	1,744,177	Oct. 11,	976	579	17·8	.	2	1	4†	3	.	48
BUDA PESTH,	767,661	„ 4,	450	267	18·1	.	.	3	1	5	2	35
PRAGUE and Faubourgs.	421,545	„ 4,	187	183	22·5	.	.	6	1†	.	.	18
ROME,	478,790	Aug. 9,	229	157	17·0	.	2	.	1	.	6	17
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Oct. 11,	71	53	16·6	.	3	.	.	1	1	6
NEW YORK,	3,632,501	„ 4,	1,784	1,142	16·4	.	1	8	26†	9	26	148
PHILADELPHIA,	1,293,697	Sept. 27,	.	422	16·9	.	.	1	6	3	12	13

* Including 4 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
§ Exclusive of 9 deaths from bubonic fever in Calcutta, 76 in Bombay, and one in Madras.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 25th October, 1902:—

"To a cool, rather showery period at the beginning succeeded a mild, dry and breezy spell towards the close of the week. Sunday was unsettled—at first cold, dull and rainy, afterwards finer with S.S.W. winds—at night a V-shaped depression passed eastwards across Ireland, N.W. winds, a clearing sky and a much lower temperature following the trough of low atmospheric pressure. Monday was fair and sunny in Ireland, Tuesday was the same in England but showery in Ireland owing to the a lvance of a new, though not deep, depression from the Atlantic. On Wednesday, notwithstanding a steadily rising barometer, close rain fell at frequent intervals. This anomaly was apparently due to the chilling of a warm oceanic air by the cold land over which it streamed. With the full establishment of the warm current, the weather became drier and finer, but the sky remained heavily clouded in most districts and rain fell rather heavily in Ireland on Saturday night. In Dublin the mean height of the barometer was 30·121 inches, the range of atmospheric pressure being from 29·680 inches at 7.15 a.m. of Monday (wind, N.W.), to 30·410 inches at 9 p.m. of Thursday (wind, S.W.). The reading at 9 a.m, of Saturday was 30·404 inches. The corrected mean temperature was 52·2°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 51·5°. The screened thermometers fell to 41·7° on Sunday and rose to 60·9° on Friday. Bright sunshine was estimated at 23½ hours. Rain fell on four days to the amount of ·224 inch, just half the quantity being measured on Saturday (·112 inch). The prevalent wind was S.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·158 inches. The highest reading (30·437) was on Thursday at 9 p.m., wind S.W., and the lowest (29·742) on Monday at 9 a.m., wind W.

The mean temperature for the week was 50·7°, being 4·6° over the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Friday, when the thermometer registered 59·3°, and was lowest on Sunday, the mercury having fallen to 35·5°. The mean of the Dry Bulb for the week was 50·8°, and of the Wet Bulb 48·8°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 17·9 hours. The rainfall measured ·298 inch.

At Glasgow the maximum temperature for the week was 58·0°, the minimum 31·0°, and the mean 48·5°; and at Edinburgh the maximum was 58·1°, the minimum 36·9°, and the mean 48·2°. The rainfall at Glasgow measured 0·26 inch, and at Edinburgh 0·26 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Oct, 19,	29·854	53·8	35·5	44·7	48·1	47·5	·96	·4	0·2	·055	Calm.	S.W.
Monday, „ 20,	29·801	54·3	40·8	47·6	45·1	43·9	·92	·5	5·1	—	W.	W.
Tuesday, „ 21,	30·019	54·7	40·2	47·5	47·8	44·8	·80	·8	7·8	·068	W.	S.W.
Wednesday, „ 22,	30·246	55·0	44·6	49·8	51·7	50·2	·90	·8	3·0	·015	W.	W.
Thursday, „ 23,	30·422	57·9	50·9	54·4	54·5	52·1	·84	·7	0·5	—	S.W.	S.W.
Friday, „ 24,	30·397	59·3	53·1	56·2	55·0	53·2	·89	·6	0·0	—	S.W.	S.W.
Saturday, „ 25,	30·365	57·3	52·2	54·8	53·5	50·1	·78	·9	1·3	·160	S.W.	S.
Mean, . .	30·158	56·0	45·3	50·7	50·8	48·8	·87	·7	Total 17·9	·298	Prevailing wind S.W.	

Sunday—Cloudy a.m.; dull p.m.; showers a.m. and p.m.; night overcast; showery. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A fine day; cloudy p.m.; night cloudy; showery 9.0 p.m. to 11.30 p.m. *Wednesday*—A cloudy day; light showers p.m.; night cloudy. *Thursday*—A cloudy day; night cloudy. *Friday*—A dull day; night overcast p.m.; cloudy a.m. *Saturday*—A fine but cloudy day; night overcast p.m.; cloudy a.m.; light, heavy rain 10.30 p.m. to 12.0 m.n.; showery to 3.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrar-General of Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 299. 9. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 1ST NOVEMBER, 1902. [No. 44.

General Register Office, Charlemont House, Dublin, 3rd November, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Oct. 11.	Week ending Oct. 18.	Week ending Oct. 25.	Week ending Nov. 1.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 11.	Week ending Oct. 18.	Week ending Oct. 25.	Week ending Nov. 1.	Average Rate for 4 weeks
22 Town Dists.	21·2	22·8	23·4	21·1	22·1	Lisburn,	0·0	18·2	4·5	0·0	5·7
Armagh,	13·7	6·9	34·4	13·7	17·2	Londonderry,	7·7	10·2	12·8	15·4	11·5
Ballymena,	9·6	9·6	19·2	9·6	12·0	Lurgan,	26·6	13·3	17·7	26·6	21·1
Belfast,	21·5	22·4	21·2	21·7	21·7	Newry,	16·8	16·8	12·6	8·4	13·7
Clonmel,	10·3	25·6	20·5	15·4	18·0	Newtownards,	17·2	11·4	17·2	28·6	18·6
Cork,	24·0	14·4	22·6	21·9	20·7	Portadown,	10·3	15·5	10·3	20·7	14·2
Drogheda,	24·5	16·3	20·4	12·3	18·4	Queenstown,	33·0	26·4	19·8	19·8	24·7
Dublin Reg. Area,	24·8	26·8	30·0	24·0	26·4	Sligo,	33·6	19·2	9·6	4·8	16·8
Dundalk,	19·9	8·0	16·0	12·0	14·0	Tralee,	5·3	37·0	15·9	5·3	15·9
Galway,	7·8	35·0	23·3	3·9	17·5	Waterford,	11·7	23·4	23·4	35·1	23·4
Kilkenny,	14·7	49·1	9·8	14·7	22·1	Wexford,	9·3	14·0	23·3	28·0	18·7
Limerick,	23·2	27·3	21·9	17·8	22·5						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·2 per 1,000, the rates varying from 0·0 in fourteen of the districts to 13·6 per 1,000 in Waterford; the 18 deaths from all causes registered in that district including 2 from measles, 3 from whooping-cough, and 2 from diarrhœa. Among the 149 deaths registered in Belfast are 8 from measles, one from scarlet fever, 3 from whooping-cough, 3 from diphtheria, 3 from enteric fever, and 4 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 183—88 boys and 95 girls; and the deaths to 183—92 males and 91 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·2 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 24·0 per 1,000. During the forty-four weeks ending with Saturday last the death-rate averaged 24·3, and was 2·1 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

Sixteen deaths from measles were registered during the week; in the preceding 4 weeks 8, 11, 19, and 20 deaths were respectively registered. Three deaths from scarlet fever were registered; 3 deaths from *diarrhœa* and one death each from influenza, whooping-cough, diphtheria, and continued fever were registered; also 2 deaths from enteric fever.

Tuberculous disease caused 33 deaths, namely:—One from tuberculous phthisis, 20 from *phthisis*, 4 deaths from tuberculous meningitis, and 8 deaths from other forms of the disease.

One death from carcinoma, and 6 deaths from *malignant disease*, "*cancer*," were registered.

There were 20 deaths from diseases of the nervous system, including 8 (children) from *convulsions*.

There were 18 deaths from diseases of the heart and blood-vessels.

Thirty-seven deaths were registered as being due to diseases of the respiratory system, equal to an annual rate of 5·1 per 1,000 of the population; this rate is the same for the corresponding period of the past 10 years. There were 23 deaths from bronchitis, 5 from broncho-pneumonia, and 7 registered as *pneumonia*.

There was one accidental death.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the death of one man aged 61 years.

Eighty-six of the persons whose deaths were registered during the week were under 5 years of age (45 being infants under one year, of whom 12 were under one month old), and 29 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 5 were octogenarians, and 3 (2 males and a female) were stated to have been aged 90, 90, and 91 years respectively.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, 7 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·0 per 1,000; the rate in the City was 27·4 (29·1 on the North side, and 25·5 on the South), and in the Urban Districts 12·2.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 3·7 per 1,000 inhabitants, the rate for the City being 4·4 (5·5 in the North City Districts, and 3·3 in the South), and for the Urban Districts 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 33·1 per 1,000. There were 5 deaths from measles, one from whooping-cough, 2 from *phthisis*, and 2 deaths from bronchitis registered.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. Two deaths from measles, one from scarlet fever, one from enteric fever, and one from bronchitis were registered.

No. 2 North City District (Lisburn-street).—The deaths (27) are equivalent to an annual rate of 46·8 per 1,000. One death from measles, 4 deaths from *phthisis*, one death from tuberculous meningitis, and 6 deaths from diseases of the respiratory system, including one death from broncho-pneumonia and one death from *pneumonia*, were registered.

No. 3 North City District (Blacknall-place).—The deaths (15) represent an annual rate of 24·7 per 1,000. Three deaths from measles, one death from *diarrhœa*, one death from *phthisis*, also 3 deaths from diseases of the respiratory system, including one death from *pneumonia*, were registered.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 36·4 per 1,000 inhabitants; and Finglas and Glasnevin, part of, 23·4. One of the 7 deaths tabulated for Coolock and Drumcondra, No. 1, part of, was from enteric fever. Among the 3 deaths tabulated for Finglas and Glasnevin, part of, one was from *pneumonia*, and one from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (27) represent an annual rate of 36·7 per 1,000. Three deaths from measles, one death from scarlet fever, one death from diphtheria, and 5 deaths from *phthisis* were registered; also 3 deaths from diseases of the respiratory system, including one death from *pneumonia* and one death from broncho-pneumonia, were registered.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 33·5 per 1,000. There were registered one death from *phthisis* and 5 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 20·8 per 1,000. Two deaths from measles, one death from scarlet fever, one death from tuberculous phthisis, 6 deaths from *phthisis*, and 5 deaths from diseases of the respiratory system were registered.

No. 4 South City District (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·4 per 1,000. There were 2 deaths from "*cancer*," 2 deaths from tuberculous disease, one death from bronchitis, one death from *pneumonia*, and one accidental death registered.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 21·4 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 7·9 per 1,000 inhabitants; Pembroke, 16·0; Blackrock, 6·0; and Kingstown, 18·0. The deaths from the principal epidemic diseases tabulated for these districts comprise one from *diarrhœa*, dysentery, for each of Rathmines and Pembroke.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 11th October,	280 cases.
" " 18th October,	253 cases.
" " 25th October,	278 cases.
" " 1st November,	271 cases.

Of the 271 cases notified during last week, 17 were erysipelas, 24 enteric fever, 42 scarlatina, 159 measles, 16 diphtheria, 2 continued fever, 8 varicella (chicken-pox), one typhus fever, one German measles, and one puerperal fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 11th October,	8 cases.
" " 18th October,	6 cases.
" " 25th October,	5 cases.
" " 1st November,	15 cases.

Of the 15 cases notified last week, 3 were enteric fever, 6 scarlet fever, 4 measles, one typhus fever, and one varicella (chicken-pox).

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 11th October,	9 cases.
" " 18th October,	6 cases.
" " 25th October,	10 cases.
" " 1st November,	8 cases.

Of the 8 cases notified during last week, 5 were scarlet fever, one measles, one enteric fever, and one varicella (chicken-pox).

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 11th October,	76 cases.
" " 18th October,	93 cases.
" " 25th October,	83 cases.
" " 1st November,	104 cases.

Of the 104 cases notified during last week, 25 were enteric fever, 16 erysipelas, 8 diphtheria, 17 continued fever, 33 scarlet fever, 3 membranous croup, and 2 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st November, 1902.

From this it appears that:—

Forty-eight cases of measles were admitted to hospital, being 22 over the admissions for the preceding week; 29 were discharged, there were 5 deaths, and 109 cases remained under treatment at the close of the week.

Twenty cases of enteric fever were admitted to hospital, 19 cases were discharged, and 107 cases remained under treatment at the close of the week.

Forty-two cases of scarlatina were admitted to hospital, 20 cases were discharged, there were 2 deaths, and 139* cases remained under treatment at the close of the week.

Three cases of typhus were discharged from hospital, and 3 cases remained under treatment at the close of the week.

Sixteen cases of diphtheria were admitted to hospital, 5 were discharged, there were 2 deaths, and 48 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 8 patients were discharged, and 7 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in London was equal to an average annual death-rate of 16·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·9 per 1,000, the rate for Glasgow being 19·8, and for Edinburgh 17·7.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 1st November, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 1st November, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Numbers.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Deaths. Caused by Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No in Public Institutions.	Meteorology.† Week ending 1st Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,401	19·2	25·5	21·1	3·2	535	443	115	92	.	28	4	1	7	5	1	5	16	41	107	4	8	104	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,†	373,761	27·5	25·2	24·0	3·7	183	174	45	29	.	16	3	.	1	1	1	2	3	18	37	1	2	56	§59·3	40·5	50·1	0·07	§59·8	35·5	50·7	0·30	§62·0	34·3	49·4	0·60
Registrars' Districts. City	293,394	37·8	27·2	27·4	4·4	153	154	40	22	.	16	3	.	1	1	1	2	1	16	31	1	2	50	a61·0	43·1	51·9	0·07	a60·9	41·7	52·2	0·22	a61·5	40·3	51·4	0·47
																								b60·4	39·0	50·2	0·09	b59·8	35·0	50·7	0·24	b64·6	34·0	49·9	0·65
Rathmines,‖	33,208	19·4	17·3	7·9	1·6	11	5	1	1	.	.	.	.	.	.	.	.	1	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	12·0	16·0	2·0	6	8	2	4	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	23·8	6·0	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	27·0	18·0	.	9	6	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2	63	44	52·7	0·01	62·5	40·0	53·7	0·22	60	41	51·5	0·26
Urban Districts.																																			
Belfast	358,693	24·4	27·6	21·7	3·2	190	149	42	25	.	8	1	.	3	3	.	3	4	14	52	2	4	27	58·1	39·1	50·2	0·51	55·8	34·5	47·7	0·49	58·1	35·5	49·4	0·87
Cork	76,122	33·6	18·5	21·9	2·1	27	32	12	6	.	.	.	.	.	.	.	.	3	2	2	.	1	5	64	46	52·9	0·68	59	39	52·5	0·53	59	45	52·8	0·77
Londonderry	40,729	18·8	35·8	15·4	2·6	28	12	2	3	.	1	.	.	.	.	.	.	1	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	21·9	17·8	4·1	16	13	2	3	.	1	.	1	.	.	.	.	1	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	9·7	35·1	13·6	5	18	3	8	.	2	.	.	3	.	.	.	2	2	1	.	.	10	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	23·3	3·9	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	59	40	51·1	0·57	59	53	51·7	0·74	60	37	50·4	1·00
Dundalk	18,076	9·4	19·9	12·0	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	28·6	12·3	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	37·8	8·4	.	9	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	57·2	38·0	49·2	0·14	58·2	37·5	49·9	0·77	58·2	39·6	49·3	0·66
Lurgan	11,792	13·8	8·9	26·6	8·9	2	6	2	2	.	.	.	.	.	1	.	.	1	.	2	1	.	1	57·2	38·0	49·2	0·14	58·2	37·5	49·9	0·77	58·2	39·6	49·3	0·66
Lisburn	11,461	10·1	40·9	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·2	38·0	49·2	0·14	58·2	37·5	49·9	0·77	58·2	39·6	49·3	0·66
Wexford	11,168	23·2	9·8	28·0	.	2	6	.	4	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	14·4	9·6	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	28·8	4·8	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	59·3	38·7	50·6	0·30	60·1	38·1	50·3	1·17	58·4	32·9	48·4	1·69
Kilkenny	10,609	11·5	24·6	14·7	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58	31	49·0	0·09	59	38	51·1	0·59	60	42	52·1	1·23
Clonmel	10,167	7·8	30·	15·4	.	6	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	36·2	20·7	.	7	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	57·2	38·0	49·2	0·14	58·2	37·5	49·9	0·77	58·2	39·6	49·3	0·66
Tralee	9,867	16·6	10·6	5·3	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	51·5	28·6	.	9	5	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	57	38	49·5	0·12	58	37	49·0	0·53	57	38	49·5	0·54
Queenstown	7,909	14·4	33·0	19·8	6·6	5	3	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	64	46	52·9	0·08	59	39	52·5	0·53	59	45	52·8	0·77
Armagh	7,588	22·2	20·6	13·7	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·2	38·0	49·2	0·14	58·2	37·5	49·9	0·77	58·2	39·6	49·3	0·66

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at [illegible]

‖ The Urban District.

a Observations by Sir J. W. Moore taken at Fitzwilliam Square.

ABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 1st of November, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts.																Urban District of					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
A. General Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	5	2	1	3	.	.	.	.	3	.	2	.	.	.	.	.	.	.	.	.	16	.
Scarlet Fever (Scarlatina),	.	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Enteric Fever,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
Phthisis,	2	2	4	1	.	.	.	.	5	1	1	.	.	.	.	1	1	.	.	.	18	3
Other General Diseases,	3	2	3	2	.	1	.	.	4	.	6	4	.	1	.	.	.	.	.	.	26	3
Total,	11	8	8	7	.	2	.	.	14	1	10	4	.	2	.	2	2	.	.	.	71	6
B. Local Diseases:																						
Diseases of: Nervous System,	1	.	5	1	.	1	1	.	4	3	.	1	.	.	.	.	.	.	1	.	18	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	.	2	2	.	1	.	.	4	1	1	1	.	.	.	1	1	.	1	.	17	1
Respiratory System,	2	2	6	3	.	.	2	.	3	5	5	2	.	1	.	2	2	.	2	.	37	.
Digestive System,	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	6	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Generative System,	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	5	16	6	.	2	3	.	11	10	7	6	.	1	.	3	4	1	4		84	3
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
D. Ill-defined and Not Specified Diseases,	2	2	3	2	.	3	.	.	2	.	.	.	.	.	.	.	2	.	2		18	.
E. Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1	.
Deaths from all Causes,	18	15	27	15	.	7	3	.	27	11	17	11	.	3	.	5	8	1	6		174	9
Annual Rate of Mortality in every 1,000 of the population.	33·1	20·0	46·8	24·7	.	36·4	23·4	.	36·7	33·5	20·8	16·4	.	21·4	.	7·9	16·0	6·0	18·0		24·0	.
	29·1								25·5							12·2						
	27·4																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS

Public Hospitals, Prisons, and Lunatic Asylums,	.	3	3	3	.	2	1	.	9	2	5	4	.	.	.	2	.	.	.		34	8
Workhouse Hospitals,	1	2	5	7	.	.	.	.	1	.	1	1	.	.	.	1	1	.	2		22	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis ed f week of the ten years, 1 -190

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 44th Week of the 10 years 1892-1901	In the Week ending Satu ay, 1st November, 1902. Deaths of Persons of the A s of						
	Nov. 5, 1892.	Nov. 4, 1893.	Nov. 3, 1894	Nov. 2, 1895.	Oct. 31, 1896.	Nov. 6, 1897.	Nov. 5, 1898.	Nov. 4, 1899.	Nov. 3, 1900.	Nov. 2, 1901.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	60 and under 80. 80 and upwards
Mean Temperature.	° 46·2	° 42·5	° 51·5	° 40·2	° 38·3	° 48·5	° 48·4	° 50·0	° 50·8	° 51·0	° 46·7	° 50·1						
ALL CAUSES.	191	180	160	211	159	144	166	216	152	168	174·7	183	12	33	41	8	30	21 8
Small Pox, Vaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	4	.	.	.	.	1	38	1	.	4·4	16	.	4	12	.	.	.
Scarlet Fever ...	3	2	1	5	3	.	2	.	1	1	1·8	3	.	.	2	1	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Plague, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	2	1	2	1	1	1	1	1	.	1·0	1	.	.	.	.	.	1
Whooping Cough, ...	.	2	1	1	2	1	3	2	3	4	1·9	1	.	.	1	.	.	.
Diphtheria, ...	.	2	.	1	.	2	3	3	.	1	1·2	1	.	.	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	1	.
Enteric Fever, ...	9	10	3	2	3	8	3	2	3	5	4·8	2	.	.	.	.	2	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	.	7	5	4	1	1	6	6	5	9	4·4	3	1	2	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	1	1	1	.	2	.	1	1	·8	1	.	1	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	2	1	.	1	.	.	.	1	.	.	·5	1	.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	25	16	36	20	19	23	24	15	16	11	20·5	1 20	.	.	.	4	9	1 6
Tuberculous Meningitis, (Acute Hydrocephalus).	4	1	.	8	3	6	5	7	3	1	3·8	4	.	2	1	.	1	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	2	7	2	8	4	6	3	4	4	5	4·5	.	.	.	.	.	.	.
Tuberculous Dis. (other), Scrofula, ...	8	6	3	1	2	.	2	7	2	2	3·3	8	.	2	3	1	2	.
Alcoholism ...	1	.	2	2	1	1	.	.	3	.	1·0	1	.	.	.	.	1	.
Rheumatic Fever, ...	1	.	1	.	1	.	.	1	1	.	·5	.	.	.	.	.	.	.
Gout ...	.	1	2	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are

Y-FOURTH WEEK ending Saturday, 1st November, 1902, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Nov. 5, 1892.	Nov. 4, 1893.	Nov. 3, 1894.	Nov. 2, 1895.	Oct. 31, 1896.	Nov. 6, 1897.	Nov. 5, 1898.	Nov. 4, 1899.	Nov. 3, 1900.	Nov. 2, 1901.	Averages in 44th Week of the 10 years 1892-1901.	In the Week ending Saturday, 1st November, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 46·2	° 42·5	° 51·5	° 40·2	° 38·3	° 48·5	° 48·4	° 50·0	° 50·8	° 51·0	° 46·7	Mean Temp. ° 50·1								
ma												1	.	.	.	.	.	1	.	.
a	6	5	6	8	2	11	4	3	10	7	6·2	.	.	.	.	.	.	.	.	.
nt Dis. "Cancer,"												6	.	.	.	.	1	2	3	.
s Mellitus ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ure Birth	1	.	2	3	5	1	2	5	.	5	2·4	3	3	.	.	.	.	.	.	.
itis (not tuberc.)												6	1	1	4	.	.	.	.	.
, G. P. of Insane												1	.	.	.	.	1	.	.	.
y												2	.	.	.	.	1	1	.	.
ions												8	2	4	2	.	.	.	.	.
tor Ataxy												.	.	.	.	.	.	.	.	.
gia. Dis. of Cord												1	.	.	.	.	1	.	.	.
s System (other Dis.) ...	37	34	31	45	36	27	33	31	26	41	31·1	2	.	1	.	.	.	1	.	.
is., Endocarditis												2	.	.	.	.	.	1	1	.
Hæm. Thromb.												1	.	.	.	.	.	1	.	.
y, *Hemiplegia*												2	.	.	.	.	.	1	1	.
sm												1	.	.	.	.	1	.	.	.
sm, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis.												12	1	.	.	1	2	5	2	1
not Spasm. or Memb.) ...	1	.	.	.	.	4	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
itis	21	22	14	34	18	13	27	36	27	18	23·0	23	.	10	5	.	.	4	3	1
us Pneumonia												.	.	.	.	.	.	.	.	.
o-Pneumonia	8	4	13	14	11	16	8	16	7	8	10·5	5	.	1	2	.	.	1	.	1
onia"												7	.	.	2	.	2	1	1	1
, Emphysema												.	.	.	.	.	.	.	.	.
y	5	4	2	3	1	.	.	1	2	3	2·1	.	.	.	.	.	.	.	.	.
atory Dis. (other)												2	.	.	.	.	1	.	1	.
tis, Quinsy	.	.	.	.	.	.	.	.	.	3	·3	.	.	.	.	.	.	.	.	.
is (not Epid.)	.	.	1	1	2	2	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
Enteritis												1	.	.	.	.	.	.	1	.
itis (not Puerp.)	2	1	1	1	3	.	.	.	.	1	·9	.	.	.	.	.	.	.	.	.
is of Liver	3	2	1	1	.	3	4	2	2	1	1·9	.	.	.	.	.	.	.	.	.
is. (other)												1	.	.	.	.	.	.	.	1
ve Dis. (other)	6	2	3	5	5	1	3	6	.	3	3·4	4	.	1	.	.	.	1	1	1
tis, Acute												.	.	.	.	.	.	.	.	.
s Dis., Albuminuria ...	5	11	2	6	3	2	3	6	4	6	4·8	3	.	.	.	.	2	1	.	.
y Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
tive Organs Dis.	3	.	.	.	.	.	1	.	.	2	·6	2	.	.	1	.	.	1	.	.
irth (Accid. of)	3	1	.	.	2	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
e	11	7	11	8	8	5	10	6	14	8	8·8	3	.	.	.	.	.	.	2	1
Diseases	17	19	12	18	17	6	11	12	9	14	13·5	19	4	4	5	1	2	.	2	1
ACCIDENT.																				
lways	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
icles and Horses	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s, Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rowning)																				
ding Operations	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
flagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ens, Scalds, Explosions ...	1	3	1	5	2	1	3	2	1	2	2·1	.	.	.	.	.	.	.	.	.
owning	.	.	.	.	.	.	1	.	1	2	·4	.	.	.	.	.	.	.	.	.
focation in Bed ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
son or Poisonous Vapours...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	1	1	1	.	2	1	1	1	4	1	1·3	1	.	.	.	.	.	1	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
ide	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
e	.	.	.	1	.	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
tion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug 9.	Aug. 16.	Aug. 23	Aug. 30.	Sept. 6.	Sept. 13.	Sept 20.	Sept 27	Oct 4	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered,	232	202	209	234	249	192	242	213	204	187	196	203	186	244	192	185	209	205	219	221	222	192	162	176	259	183
*Average Births in corresponding week of previous 10 years,**	214	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210	185	175	193	181	181
DEATHS registered,	173	186	149	165	156	155	139	149	149	129	155	150	165	154	145	146	156	170	142	168	213	169	192	200	228	183
Annual Death-rate per 1,000,	23·8	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5	30·7	25·2
*Average Deaths in corresponding week of previous 10 years,**	174	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161	169	175
AGES,— Under 5 years,	52	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52	53	57	62	87	98	80	81	100	112	86
5—20 "	18	20	16	24	14	19	15	11	14	10	18	8	14	14	7	15	12	16	9	9	18	12	16	12	15	8
20—40 "	33	39	34	23	32	29	23	23	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16	32	30
40—60 "	33	37	21	35	38	24	26	27	27	29	30	29	24	20	36	32	31	43	23	18	33	34	34	33	26	30
60—80 "	35	32	36	27	17	27	32	26	30	25	27	29	30	29	28	15	26	23	23	23	25	19	22	33	32	21
80 years and upwards,	7	9	3	8	7	6	5	5	7	3	5	13	7	4	2	5	3	6	6	5	9	2	5	6	6	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	6	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11	19	20	16
" Scarlet Fever,	.	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2	2	3
" Typhus,	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	.	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1	1	1
" Diphtheria,	2	3	.	2	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1	2	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" Enteric Fever,	2	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2	1	1	2
" Diarrhœa, Dysentery,	2	1	2	1	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11	14	3
" Phthisis,	23	30	25	27	40	26	26	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18	26	18	17	21
" Heart Diseases,	19	26	15	21	12	18	22	21	17	18	25	18	10	18	21	17	18	24	17	17	21	14	19	20	25	18
" Diseases of Respiratory System,	29	30	23	32	25	16	10	25	30	24	23	17	30	28	19	18	16	20	14	20	27	19	25	42	49	37
Violent Deaths,	4	3	4	4	6	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6	3	1
Mean Temperature of the Air (Phœnix Park),	48·3	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4	50·7	50·1
Average Mean Temperature in corresponding week of previous 10 years,	48·8	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3	46·1	46·7
Rainfall in inches,	·090	·845	·195	·158	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·538	·083	1·725	·115	·180	·595	·640	1·150	·600	·298	·068
Mean Humidity of the Air, complete Saturation 1·0,	·75	·81	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·83	·88	·90	·87	·89

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st November, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST NOVEMBER, 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	27·6	183	86	8	30	30	21	8	.	16	3	.	1	1	1	2	3	27	21	8	37	1	89
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	13·5	4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
II.	MIDDLE CLASS,	80,653	16·2	25	3	2	7	8	4	1	.	.	1	.	.	.	.	.	.	1	5	.	3	.	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	21·7	41	20	.	8	7	3	3	.	5	1	.	1	.	1	.	1	9	4	2	9	.	17
IV.	GENERAL SERVICE CLASS,	146,486	38·8	90	60	5	9	7	8	1	.	11	1	.	.	1	.	1	2	16	6	6	20	1	41
V.	INMATES OF WORKHOUSES,	5,191		23	3	1	6	7	6	.	.	.	.	.	.	.	.	1	.	1	6	.	4	.	12
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	13·2	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	14·2	7	1	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	3
	6. Clerks and Commercial Assistants,	24,750	19·0	9	1	2	.	4	1	1	.	.	1	.	.	.	.	.	.	1	2	.	2	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	17·2	8	1	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	2
	9. Building and Furnishing Trades,	26,080	24·0	12	6	.	2	2	1	1	.	2	.	.	.	.	.	.	1	3	1	1	2	.	5
	10. Clothing Trades,	23,686	11·0	5	2	.	1	1	.	1	.	1	1	.	.	.	.	.	.	2	.	.	2	.	1
	11. Food Supply Trades,	7,869	33·1	5	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	31·3	16	7	.	3	3	2	1	.	1	.	.	.	1	.	1	.	.	2	1	3	.	7
	13. Petty Shopkeepers,	6,771		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·4	10	3	1	1	2	2	1	.	1	.	.	.	.	.	.	.	1	.	1	1	.	7
	15. Domestic Servants,	39,563	5·3	4	1	1	2	.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	43·9	9	5	1	1	1	1	.	.	1	.	.	.	.	.	.	.	1	1	.	1	.	6
	17. Hawkers, Porters, Labourers, &c.,	82,631	42·3	67	51	2	5	4	5	.	.	9	1	.	.	1	.	.	1	12	4	5	18	1	27
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	23	3	1	6	7	6	.	.	.	.	.	.	.	.	1	.	1	6	.	4	.	12

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)																
North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,388.	Sept. 13,	16·6	3·7	9	.	.	.	.	.	.	.	.	2	1	.	.
	" 20,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	3	1
	" 27,	44·2	12·9	24	.	5	.	.	.	.	.	.	2	1	5	2
	Oct. 4,	29·4	7·4	16	.	2	.	.	1	.	.	.	1	1	.	.
	" 11,	25·8	9·2	14	.	3	.	.	.	.	.	.	2	2	1	.
	" 18,	25·8	9·2	14	.	4	1	.	.	.	.	.	.	.	3	.
	" 25	31·3	7·4	17	.	3	.	.	.	.	.	.	1	.	8	.
	Nov. 1,	33·1	11·0	18	.	5	.	.	1	.	.	.	.	2	2	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Sept. 13,	18·6	6·7	14	.	1	.	.	.	1	.	1	2	2	1	.
	" 20,	26·6	6·7	20	.	1	.	.	.	2	.	.	2	2	1	.
	" 27,	29·8	4·0	22	.	1	.	.	.	.	.	1	1	3	4	.
	Oct. 4,	18·6	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	" 11,	34·6	4·0	26	.	1	.	.	.	1	.	.	1	6	3	1
	" 18,	28·0	1·3	21	.	.	1	.	.	.	.	.	.	2	4	1
	" 25,	41·3	9·3	31	.	4	.	.	1	1	.	.	1	.	4	.
	Nov. 1,	20·0	5·3	15	.	2	1	.	.	.	.	1	.	2	2	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Sept. 13,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	1	1	2
	" 20,	38·1	6·9	22	.	.	.	.	.	.	.	.	4	5	2	.
	" 27,	41·6	8·7	24	.	1	.	.	.	1	.	2	1	1	7	.
	Oct. 4,	13·9	5·2	8	.	1	.	.	.	.	.	1	1	.	1	.
	" 11,	27·7	6·9	16	.	3	.	.	.	.	.	.	1	2	3	.
	" 18,	46·8	10·4	27	.	4	.	.	.	1	.	.	1	3	8	1
	" 25,	52·0	6·9	30	.	4	.	.	.	.	.	.	.	.	10	1
	Nov. 1,	46·8	1·7	27	.	1	.	.	.	.	.	.	.	4	6	.
North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Sept. 13,	29·6	6·6	18	.	3	.	.	.	.	.	.	1	1	3	.
	" 20,	32·9	9·9	20	.	3	.	.	.	.	.	.	3	1	2	.
	" 27,	34·6	9·9	21	.	1	1	.	1	.	.	1	2	2	1	.
	Oct. 4,	19·8	6·6	12	.	3	.	.	.	.	.	.	1	3	3	.
	" 11,	19·8	1·6	12	.	1	.	.	.	.	.	.	.	1	2	.
	" 18,	28·0	6·6	17	.	4	.	.	.	.	.	.	.	1	1	1
	" 25,	31·3	8·2	19	.	3	.	.	.	.	.	.	2	3	4	.
	Nov. 1,	24·7	6·6	15	.	3	.	.	.	.	.	.	1	1	3	.
South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 38,313.	Sept. 13,	21·8	6·8	16	.	2	.	.	.	1	.	.	2	2	.	.
	" 20,	15·0	4·1	11	.	1	.	.	1	.	.	.	1	.	3	.
	" 27,	39·5	9·5	29	.	.	1	.	.	.	.	1	5	4	1	.
	Oct. 4,	31·3	15·0	23	.	2	.	.	.	1	.	1	7	.	2	.
	" 11,	39·5	12·2	29	.	2	1	.	.	.	.	.	6	6	2	.
	" 18,	34·0	12·2	25	.	6	.	.	.	.	.	.	3	4	3	.
	" 25,	31·3	10·9	23	.	5	1	.	.	.	.	1	1	.	3	.
	Nov. 1,	36·7	6·8	27	.	3	1	.	.	1	.	.	.	5	3	.
South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Sept. 13,	30·5	6·1	10	.	.	.	.	.	.	.	1	1	2	3	.
	" 20,	36·6	12·2	12	.	3	.	.	.	.	.	.	1	1	1	.
	" 27,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	Oct. 4,	36·6	3·0	12	.	.	.	.	.	1	.	.	.	3	5	.
	" 11,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.
	" 18,	57·9	3·0	19	.	.	.	.	.	.	.	.	1	2	7	.
	" 25,	39·6	12·2	13	.	1	.	.	.	.	.	.	3	1	4	.
	Nov. 1,	33·5	.	11	.	.	.	.	.	.	.	.	.	1	5	.
South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 42,575.	Sept. 13,	19·6	4·9	16	.	.	.	.	.	.	.	.	4	1	1	.
	" 20,	29·4	7·3	24	.	1	.	.	.	1	.	.	4	4	4	.
	" 27,	24·5	6·1	20	.	.	.	.	.	1	.	.	4	.	2	2
	Oct. 4,	26·9	4·9	22	.	.	.	.	.	.	.	.	4	2	1	2
	" 11,	28·2	6·1	23	.	1	1	.	.	.	.	.	3	3	4	.
	" 18,	31·8	3·7	26	.	.	.	.	.	.	.	.	3	2	9	.
	" 25,	29·4	3·7	24	.	.	.	.	.	1	.	.	2	3	3	1
	Nov. 1,	20·8	3·7	17	.	2	1	.	.	.	.	.	.	1	5	.
South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Sept. 13,	23·9	3·0	16	.	.	.	.	.	.	.	.	2	1	1	2
	" 20,	25·4	9·0	17	.	3	2	.	.	.	.	.	1	.	2	.
	" 27,	32·9	7·5	22	.	2	.	.	.	2	.	.	1	3	1	1
	Oct. 4,	16·4	1·5	11	.	.	.	.	.	.	.	1	.	2	1	.
	" 11,	28·4	3·0	19	.	.	.	.	.	.	.	2	.	2	5	1
	" 18,	34·4	1·5	23	.	.	.	.	.	.	.	.	1	4	4	2
	" 25,	20·9	1·5	14	.	.	.	.	.	.	.	.	1	2	5	.
	Nov. 1,	16·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 38,208.	Sept. 13,	9·4	3·1	6	.	.	.	.	.	.	.	1	1	.	1	.
	„ 20,	6·3	4·7	4	.	.	.	.	.	1	.	.	2	.	.	.
	„ 27,	18·8	6·3	12	.	.	1	.	.	.	.	1	2	1	1	.
	Oct. 4,	15·7	3·1	10	.	.	.	.	.	.	.	.	2	2	.	.
	„ 11	17·3	1·6	11	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
	„ 25,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	.	2	.
	Nov. 1,	7·9	1·6	5	.	.	.	.	.	.	.	.	1	1	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Sept. 13,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 20,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 4,	16·0	6·0	8	.	.	.	.	.	1	.	.	2	.	.	1
	„ 11,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	16·0	4·0	8	.	.	1	.	.	.	.	.	1	1	1	.
	Nov. 1,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
Kingstown. Pop. in 1902 (Est.) 17,280.	Sept. 13,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 20,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	15·0	.	5	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 4,	27·0	3·0	9	.	.	.	.	.	1	.	.	.	1	1	.
	„ 11,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	9·0	3·0	3	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	30·0	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	Nov. 1,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
Belfast. Pop. in 1902 (Est.) 358,693.	Sept. 13,	18·3	5·2	126	.	4	.	.	5	3	.	1	23	13	15	2
	„ 20,	20·9	3·3	144	.	5	.	.	2	.	.	3	18	24	15	6
	„ 27,	17·6	3·3	121	.	4	.	.	4	.	.	3	12	8	24	.
	Oct. 4,	19·9	4·4	137	.	7	.	.	2	.	.	7	14	15	23	2
	„ 11,	21·5	3·1	148	.	6	1	.	2	1	.	1	10	17	35	3
	„ 18,	22·4	4·4	154	.	8	2	.	6	2	.	5	7	19	26	1
	„ 25,	21·2	4·4	146	.	14	.	.	3	2	.	6	5	19	36	3
	Nov. 1,	21·7	3·2	149	.	8	1	.	3	3	.	3	4	14	52	2
Cork. Pop. (in 1901) 76,122.	Sept. 13,	14·4	2·7	21	.	2	.	.	.	.	.	.	2	2	3	.
	„ 20,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	6	2	.
	„ 27,	22·6	1·4	33	.	.	.	.	.	.	.	.	2	7	2	.
	Oct. 4,	24·0	2·1	35	.	1	.	.	.	.	.	.	2	9	4	3
	„ 11,	24·0	1·4	35	.	.	.	.	.	.	.	.	2	3	5	.
	„ 18,	14·4	1·4	21	.	.	.	.	.	.	.	.	2	4	4	.
	„ 25,	22·6	1·4	33	.	1	.	.	.	.	.	.	1	3	2	1
	Nov. 1,	21·9	2·1	32	.	.	.	.	.	.	.	.	3	2	2	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Sept. 13,	16·6	1·3	13	.	.	.	.	.	.	.	.	.	3	3	.
	„ 20,	20·5	3·8	16	.	.	.	.	.	.	.	1	2	2	4	.
	„ 27,	19·2	3·8	15	.	1	.	.	.	.	.	.	2	4	1	1
	Oct. 4,	10·2	2·6	8	.	1	.	.	.	.	.	1	1	2	1	.
	„ 11,	7·7	1·3	6	.	.	.	.	.	.	.	.	1	.	1	1
	„ 18,	10·2	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	„ 25,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	5	.
	Nov 1,	15·4	2·6	12	.	1	.	.	.	.	.	.	1	2	4	.
Limerick. Pop. (in 1901) 38,151.	Sept. 13,	17·8	.	13	.	.	.	.	.	.	.	.	.	4	.	.
	„ 20,	20·5	6·8	15	.	1	.	.	.	.	.	2	2	1	2	.
	„ 27,	10·9	1·4	8	.	.	.	.	.	.	.	1	.	2	2	.
	Oct. 4,	16·4	2·7	12	.	.	.	.	.	.	.	1	1	1	2	.
	„ 11,	23·2	6·8	17	.	3	.	.	.	.	.	1	1	2	1	.
	„ 18,	27·3	5·5	20	.	3	.	.	.	.	.	.	1	5	2	.
	„ 25,	21·9	5·5	16	.	2	.	.	.	.	.	1	1	2	2	.
	Nov. 1,	17·8	4·1	13	.	1	.	1	.	.	.	.	1	.	1	.
Waterford. Pop. (in 1901) 26,769.	Sept. 13,	23·4	5·8	12	.	.	.	.	1	.	.	1	1	1	.	.
	„ 20,	25·3	7·8	18	.	.	.	.	2	.	.	.	2	.	1	.
	„ 27,	19·5	5·8	10	.	.	.	.	.	.	.	.	3	1	2	.
	Oct. 4,	21·4	3·9	11	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	11·7	5·8	6	.	.	.	.	3	.	.	.	.	.	.	.
	„ 18,	23·4	5·8	12	.	1	.	.	2	.	.	.	.	2	3	.
	„ 25,	23·4	11·7	12	.	.	.	.	5	.	.	.	1	1	.	.
	Nov. 1,	35·1	13·6	18	.	2	.	.	3	.	.	.	2	2	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 1st November, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	13	24·8	3·5	7	2	2	1	2	.	1	.	.	.	.	.	.	.	1	.	1	1	3
" 2 "	47,959	19	25·0	4·3	23	3	8	9	3	.	2	1	.	.	.	.	1	.	1	10	.	.	2
" 3 "	47,214	26	28·7	6·6	26	5	6	10	5	.	4	.	.	1	.	.	.	1	3	7	.	.	5
" 4 "	40,911	23	29·3	1·3	23	6	4	10	3	.	.	.	.	1	.	.	.	.	2	7	.	.	6
" 5 "	17,387	9	27·0	.	9	6	1	1	1	.	.	.	.	.	.	.	.	.	.	5	.	1	1
" 6 "	48,122	15	11·9	3·3	11	3	1	4	3	.	.	.	.	.	1	.	.	2	4	2	.	.	3
" 7 "	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	4	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	19,569	11	28·7	2·2	11	3	1	6	1	.	1	.	.	.	.	.	.	.	2	2	.	.	4
" 10 "	23,064	14	29·4	2·3	13	6	2	3	2	.	.	.	.	.	1	.	.	.	1	8	.	1	.
" 11 "	34,802	23	12·0	4·5	8	2	3	3	.	.	.	.	.	1	1	.	.	1	.	4	.	.	.
" 12 "	33,588	23	18·6	3·1	12	3	1	5	3	.	.	.	.	.	.	.	2	.	.	3	1	1	3
" 13 "	15,006	10	17·4	.	5	2	.	1	2	.	.	.	.	.	.	.	.	.	.	4	.	.	.
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	190	22·3	3·3	149	42	29	53	25	.	8	1	.	3	3	.	3	4	14	52	2	4	27
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	4	16·2	.	4	2	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	2
" 2 "	10,701	7	19·5	4·9	4	2	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
" 3 "	9,978	2	20·9	5·2	4	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" 4 "	8,686	4	42·1	.	7	2	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	6,592	3	7·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	10,702	1	19·5	4·9	4	2	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 7 "	16,616	6	25·1	.	8	3	.	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	76,122	27	21·9	2·1	32	12	3	11	6	.	.	.	.	.	.	.	.	3	2	2	.	1	5

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																								
	May 10.	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sep. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.	Nov. 1.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered,	229	231	201	244	217	211	209	175	237	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234	240	190
DEATHS registered.	149	142	152	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154	146	149
Annual Death-rate per 1,000 of estimated Population.	21·7	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	21·5	17·6	19·9	21·5	22·4	21·2	21·7
AGES, Under 1 year,	27	29	26	31	16	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45	38	42
AGES, 1-5 years,	24	16	25	24	20	14	22	20	27	28	19	19	22	18	21	17	19	16	20	17	16	26	18	33	27	29
AGES, 5-60 years,	67	71	67	68	61	52	69	50	64	55	45	48	58	62	44	48	51	54	42	60	41	54	57	58	55	53
AGES, 60 years and upwards,	31	26	34	21	34	27	27	22	30	16	23	17	24	[illegible]	23	16	20	25	15	21	15	17	19	23	26	25
Deaths from Small Pox,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	3	4	3	4	3	2	7	6	6	7	7	8	5	3	3	2	5	6	4	5	4	7	6	8	14	8
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
,, Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Whooping-cough,	4	3	4	2	6	1	4	3	7	4	.	2	8	6	2	6	5	6	5	2	4	2	2	6	3	3
,, Diphtheria,	2	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2	2	3
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.
,, Enteric Fever,	4	.	3	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5	6	3
,, Diarrhœa, Dysentery,	4	2	1	5	1	4	1	3	4	3	6	6	2	1	5	5	4	4	22	13	12	14	10	7	5	4
,, Phthisis	32	29	26	26	26	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17	19	19	14
,, Diseases of Respiratory System,	32	27	32	28	22	20	25	18	34	22	18	16	29	15	19	9	26	27	15	15	24	28	35	26	36	52
Violent Deaths,	4	5	1	2	3	2	2	1	7	4	1	6	4	.	1	1	1	1	2	6	.	2	3	1	3	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st November, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Scarlatina and Diphtheria.	Measles and Scarlatina.	Measles and Diphtheria.	
North City No. 1, East,	.	5	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
" " 1, West,	.	40	.	13	.	.	3	.	1	3	2	.	.	.	.	.	
" " 2,	.	23	.	3	.	.	.	.	.	1	2	.	1	.	.	.	
" " 3,	.	45	.	6	.	.	.	.	1	3	6	.	2	.	.	.	
Clontarf and Howth No. 1 (part of),	.	10	.	.	.	.	1	.	.	1	.	1	.	.	.	.	
Coolock and Drumcondra No. 1 (part of),	.	4	.	.	.	.	.	.	.	2	.	.	.	.	.	.	
Finglas and Glasnevin (part of),	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	
Blanchardstown and Castleknock (part of),	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	
South City No. 1,	.	10	.	8	.	.	1	.	.	3	2	.	3	.	.	.	
" " 2,	.	7	.	1	.	.	.	.	.	3	1	.	.	.	.	.	
" " 3,	.	4	.	4	1	.	3	.	.	1	3	.	.	.	.	.	
" " 4,	.	4	.	2	.	.	7	.	.	2	1	.	.	.	.	.	
Palmerston (part of),	.	6	.	2	.	.	.	.	.	4	.	.	1	.	.	.	
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Total,	.	159	1	42	1	.	16	.	2	24	17	1	8	.	.	.	27
Total for week ended Oct. 25th, 1902,	.	191	.	31	2	.	5	.	3	21	21	.	3	.	.	1	27
Total for week ended Oct. 18th, 1902,	.	169	.	30	.	.	9	.	3	17	14	.	9	1	1	.	23
Total for week ended Oct. 11th, 1902,	.	169	.	28	.	.	17	.	7	41	14	.	4	.	.	.	28

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st November, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st November.			
	Oct. 11.	Oct. 18.	Oct. 25.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	123	122	95	48	29	5	109
Scarlet Fever,	90	103	119	42	20	2	139*
Typhus "	4	4	6	.	3	.	3
Diphtheria,	40	43	39	16	5	2	48
Enteric Fever,	115	108	106	20	19	.	107
Pneumonia,	9	10	10	5	8	.	7

* Exclusive of 27 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Nov. 1,	2,712	1,433	16·3	.	41	13	24	21	20	32
EDINBURGH,	317,885	„ 1,	136	110	17·7	.	.	4	.	2	1	2
GLASGOW,	764,423	„ 1,	446	295	19·8	.	4	2	4	8	1	4
CALCUTTA,	847,793	Aug. 23,	.	395	24·2	.	3	.	.	.	115§	59*
BOMBAY,	776,006	Oct. 7,	415	783	52·5	1	15	?	?	3	81§	79*
MADRAS,	509,346	Sept. 19,	417	415	42·3	1	2	?	?	?	149	61*
PARIS,	2,660,559	Oct. 25,	1,006	808	16·7	.	.	2	7†	5	8	47
BRUSSELS (with 8 Faubourgs).	562,893	„ 11,	210	170	15·7	.	3	1	2†	.	1	16
AMSTERDAM,	537,023	„ 18,	261	150	14·6	.	4	.	2	.	1	6
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.		.
COPENHAGEN,	400,570	Oct. 18,	184	108	14·1	.	3	.	1†	1	.	3
CHRISTIANIA,	224,909	„ 18,	181	62	14·3	.	1	.	.	.	.	4
ST. PETERSBURG,	1,248,643	„ 11,	603	481	20·1	1	16	5	9	1	11	56
BERLIN,	1,908,381	Sept. 27,	981	555	15·2	.	4	1	2	7	1	100
HAMBURG,	724,825	Oct. 18,	.	211	15·1	.	1	7	5†	8	.	8
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH,	506,000	Oct. 4,	.	242	24·9	.	4	.	1†	3	.	52
VIENNA (with suburbs).	1,744,177	„ 18,	974	486	14·5	.	1	3	2†	1	1	52
BUDA PESTH,	767,661	„ 11,	432	244	16·5	.	1	6	1	1	2	26
PRAGUE and Faubourgs.	421,545	„ 11,	195	195	24·1	.	.	6	1†	.	1	14
ROME,	478,790	Aug. 16,	216	141	15·4	.	.	.	.	.	3	19
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Oct. 18,	70	59	18·6	.	1	.	1†	1	1	7
NEW YORK,	3,632,501	„ 11,	1,755	1,080	15·5	1	.	7	25†	9	36	115
PHILADELPHIA,	1,293,697	Sept. 27,	.	422	16·9	.	.	1	6	3	12	13

* Including 12 deaths from cholera in Calcutta, one in Madras, and two in Bombay.
† Including deaths from croup.
§ Exclusive of 10 deaths from bubonic fever in Calcutta, and 112 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 1st November, 1902:—

"Although the amount of cloud was excessive except on Sunday and Thursday, which were bright sunny days, the weather was favourable, mild and genial, with winds from westerly points throughout. Sunday was a lovely autumn day in Ireland. During the previous night rain had fallen in connection with a primary depression, which was central near the Hebrides at 8 a.m., travelling north-eastwards, and a shallow secondary over St. George's Channel, moving in an easterly direction. A beautiful 'afterglow' was seen at Queenstown at 5.15 p.m. A brisk dip in temperature occurred at night. Monday was cloudy, rather rainy and milder. Tuesday also proved showery owing to some local irregularities in atmospheric pressure. On Wednesday a large and deep depression approached Scandinavia from the Norwegian Sea, and as a V-shaped shallow secondary passed eastwards across the British Isles cloudy showery weather was felt in most districts. By Friday morning another first-class disturbance appeared off the North of Scotland making for the Norwegian coast. In this depressure the barometer sank to 28·39 inches at Bodö on Saturday morning. Beyond some showers, no bad weather resulted in the British Islands, and the week closed and November opened with a day of extreme mildness. In Dublin the mean height of the barometer was 30·109 inches, atmospheric pressure ranging from 29·975 inches at 9 a.m. of Wednesday (wind, S.W.) to 30·276 inches at 9 p.m. of Thursday (wind, N.W.). The corrected mean temperature was 51·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·7°. The screened thermometers fell to 43·1° on Monday and rose to 61·0° on Wednesday. The most prevalent winds were W.N.W. and W.S.W. The rainfall was only ·069 inch, but it was distributed over 4 days, ·030 inch falling on Monday. The duration of bright sunshine was estimated at 23½ hours, of which 9 fell on Sunday and 7½ on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·134 inches. The highest reading (30·304) was on Saturday at 9 p.m., air calm, and the lowest (29·996) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 50·1°, being 3·4° over the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Wednesday, when the thermometer registered 59·3°, and was lowest on Monday, the mercury having fallen to 40·5°. The mean of the Dry Bulb for the week was 49·6°, and of the Wet Bulb 48·3°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 17·3 hours. The rainfall measured ·068 inch.

At Greenwich the mean temperature for the week was 48·6°, the maximum 57·7°, and the minimum 36·2°; at Glasgow the maximum was 61·0°, the minimum 36·0°, and the mean 50·3°; and at Edinburgh the maximum was 60·7°, the minimum 39·3°, and the mean 49·3°. The rainfall at Greenwich measured 0·04 inch; at Glasgow 0·44 inch; and at Edinburgh 0·03 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Oct. 26,	30·116	56·4	44·2	50·3	47·5	45·6	·87	·4	7·8	—	W.	W.
Monday, „ 27,	30·079	53·6	40·5	47·1	49·4	48·4	·88	·4	0·0	·025	W.	S.W.
Tuesday, „ 28,	30·032	58·8	49·6	54·2	54·6	53·5	·93	·2	0·3	·014	W.	W.S.W.
Wednesday, „ 29,	30·010	59·3	49·6	54·5	53·2	52·6	·90	·6	1·3	·025	S.W.	W.
Thursday, „ 30,	30·250	53·0	40·9	47·0	45·1	43·8	·90	·3	6·7	—	W.	W.
Friday, „ 31,	30·190	54·5	43·8	49·2	50·2	48·3	·87	·8	0·1	—	S.W.	W.
Saturday, Nov. 1,	30·230	56·3	40·9	48·6	47·0	45·8	·91	·4	1·1	·004	W.	Calm.
Mean, . .	30·134	56·0	44·2	50·1	49·6	48·3	·89	·4	Total 17·3	·068	Prevailing wind W.	

Sunday—A fine day; cloudy at intervals; night clear to 6 a.m. *Monday*—A cloudy day; showery p.m.; night cloudy. *Tuesday*—A cloudy day; light showers p.m.; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy; light rain 6.30 p.m. to 8.30 p.m. *Thursday*—A fine day; cloudy at intervals; night cloudy. *Friday*—A cloudy day; night cloudy. *Saturday*—A cloudy day; showers at 9.30 a.m. and 2.30 p.m.; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

P. 299. 9. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 8TH NOVEMBER, 1902. [No. 45.

General Register Office, Charlemont House, Dublin, 10*th November,* 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Oct. 18.	Week ending Oct. 25.	Week ending Nov. 1.	Week ending Nov. 8.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 18.	Week ending Oct. 25.	Week ending Nov. 1.	Week ending Nov. 8.	Average Rate for 4 weeks
22 Town Dists.	22·8	23·4	21·1	23·8	22·8	Lisburn, . .	18·2	4·5	0·0	13·6	9·1
Armagh, . .	6·9	34·4	13·7	27·5	20·6	Londonderry, .	10·2	12·8	15·4	17·9	14·1
Ballymena, .	9·6	19·2	9·6	4·8	10·8	Lurgan, . .	13·3	17·7	26·6	31·0	22·2
Belfast, . .	22·4	21·2	21·7	19·8	21·3	Newry, . .	16·8	12·6	8·4	16·8	13·7
Clonmel, . .	25·6	20·5	15·4	25·6	21·8	Newtownards, .	11·4	17·2	28·6	57·2	28·6
Cork, . . .	14·4	22·6	21·9	21·2	20·0	Portadown, .	15·5	10·3	20·7	15·5	15·5
Drogheda, . .	16·3	20·4	12·3	8·2	14·3	Queenstown, .	26·4	19·8	19·8	26·4	23·1
Dublin Reg. Area,	26·8	30·0	24·0	30·3	27·8	Sligo, . . .	19·2	9·6	4·8	43·2	19·2
Dundalk, . .	8·0	16·0	12·0	31·9	17·0	Tralee, . .	37·0	15·9	5·3	21·1	19·8
Galway, . .	35·0	23·3	3·9	23·3	21·4	Waterford, .	23·4	23·4	35·1	17·5	24·8
Kilkenny, . .	49·1	9·8	14·7	19·7	23·3	Wexford, . .	14·0	23·3	28·0	23·3	22·2
Limerick, . .	27·3	21·9	17·8	13·7	20·2						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·2 per 1,000, the rates varying from 0·0 in eleven of the districts to 8·9 in Lurgan; the 7 deaths from all causes registered in that district including 2 from scarlet fever. Among the 136 deaths registered in Belfast are 14 from measles, one from scarlet fever, 4 from whooping-cough, 2 from diphtheria, 3 from enteric fever, and one from diarrhœa; and the 31 deaths in Cork include 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 166—101 boys and 65 girls; and the deaths to 228—105 males and 123 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 31·4 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 30·3 per 1,000. During the forty-five weeks ending with Saturday last the death-rate averaged 24·4, and was 1·9 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

As in the week preceding, 16 deaths were registered from measles; in the 3 weeks before these the deaths registered were 11, 19, and 20 respectively. Five deaths from enteric fever, 4 deaths from each of scarlatina and influenza, 3 deaths from diphtheria, and 2 deaths from *diarrhœa* were registered.

Thirty-eight deaths from tuberculous diseases were registered, as following:—One from tuberculous phthisis and 23 deaths from *phthisis*, 6 deaths from tuberculous meningitis, 2 deaths from tuberculous peritonitis, and 6 deaths from other forms of the disease.

One death from carcinoma, and 4 deaths from *malignant disease*, "*cancer*," were registered.

Eleven deaths from diseases of the nervous system were registered; these include the deaths of 6 children from *convulsions*.

Diseases of the heart and blood-vessels caused 27 deaths.

In the preceding week 37 deaths from diseases of the respiratory organs were registered; in the week under review the registration from this group is 57, which figure is equal to an annual rate of 7·8 per 1,000 of the population; the rate for the corresponding period of the past 10 years was 4·9 per 1,000. Included in the total there were 35 deaths from bronchitis, 8 deaths from broncho-pneumonia, and 9 deaths from *pneumonia*.

There were also registered 3 deaths from accident and one death by suicide.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under 5 years of age and the deaths of 3 persons aged 60 years and upwards.

Ninety-six of the persons whose deaths were registered during the week were under 5 years of age (45 being infants under one year, of whom 7 were under one month old), and 47 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 6 were octogenarians.

Ninety-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 31 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 39·3 per 1,000; the rate in the City was 35·0 (35·7 on the North side, and 34·3 on the South), and in the Urban Districts 14·0.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 4·1 per 1,000 inhabitants, the rate for the City being 4·8 (5·8 in the North City Districts, and 3·7 in the South), and for the Urban Districts 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (20) are equal to an annual rate of 36·8 per 1,000. Three deaths from measles, one death from enteric fever, and 3 deaths from *phthisis* were registered; moreover, 6 deaths from diseases of the respiratory organs, including 2 deaths each from broncho-pneumonia, and *pneumonia* were registered.

No. 1 North City District, West (Summer-hill).—The deaths (27) are equal to an annual rate of 36·0 per 1,000. Two deaths each from measles and enteric fever and 4 deaths from *phthisis* were registered; also 7 deaths from diseases of the respiratory organs, including one death from *pneumonia*, were registered.

No. 2 North City District (Lisburn-street).—The deaths (24) are equivalent to an annual rate of 41·6 per 1,000. Three deaths from measles, and one death each from diphtheria and enteric fever were registered; also 2 deaths from *phthisis* and 3 deaths from diseases of the respiratory organs, including one death from broncho-pneumonia and one death from *pneumonia*.

No. 3 North City District (Blackhall-place).—The deaths (23) represent an annual rate of 37·9 per 1,000. Four deaths from measles, one death from *phthisis*, and 5 deaths from diseases of the respiratory organs, including 2 deaths from broncho-pneumonia, were registered.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 26·0 per 1,000 inhabitants; and Finglas and Glasnevin, part of, 23·4. One of the 5 deaths tabulated for Coolock and Drumcondra, No. 1, part of, was from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (28) represent an annual rate of 38·1 per 1,000. Two deaths each from measles and diphtheria were registered. There was one death from *phthisis* registered; also 8 deaths from diseases of the respiratory system, including one from broncho-pneumonia, and 3 from *pneumonia*. Two deaths from accidental violence were also registered.

No. 2 South City District (Castle-street).—The deaths (17) are equal to an annual rate of 51·8 per 1,000. Measles and *diarrhœa* each caused one death; there were 2 deaths from *phthisis*, and 6 deaths from diseases of the respiratory organs registered.

No. 3 South City District (Peter-street).—The deaths (31) are equal to an annual rate of 38·0 per 1,000. One death from measles, 2 deaths from scarlatina, and 3 deaths from *phthisis*, were registered; also 11 deaths from diseases of the respiratory organs.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·9 per 1,000. One death from scarlatina and 2 deaths from *phthisis* were registered, and 4 deaths from diseases of the respiratory system; also one death by accident was registered.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 35·7 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 22·0 per 1,000 inhabitants; Pembroke, 12·0; Blackrock, 0·0; and Kingstown, 9·0. The deaths from the principal epidemic diseases tabulated for these districts include one from scarlet fever for Pembroke, and one each from enteric fever and *diarrhœa* for Rathmines. Three deaths from diseases of the respiratory system, including 2 from "*pneumonia*," were tabulated for the latter district.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 18th October,	253 cases.
" " 25th October,	278 cases.
" " 1st November,	271 cases.
" " 8th November,	267 cases.

Of the 267 cases notified during last week, 15 were erysipelas, 27 enteric fever, 41 scarlatina, 161 measles, 13 diphtheria, 3 membranous croup, 2 continued fever, 3 varicella (chicken-pox), and 2 typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 18th October,	6 cases.
" " 25th October,	5 cases.
" " 1st November,	15 cases.
" " 8th November,	8 cases.

Of the 8 cases notified last week, 3 were enteric fever, one scarlet fever, and 4 measles.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 18th October,	6 cases.
" " 25th October,	10 cases.
" " 1st November,	8 cases.
" " 8th November,	10 cases.

Of the 10 cases notified during last week, 3 were scarlet fever, one erysipelas, and 6 varicella (chicken-pox).

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending 18th October,	93 cases.
" " 25th October,	83 cases.
" " 1st November,	104 cases.
" " 8th November,	80 cases.

Of the 80 cases notified during last week, 17 were enteric fever, 11 erysipelas, 6 diphtheria, 7 membranous croup, 10 continued fever, and 29 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th November, 1902.

From this it appears that :—

Forty-two cases of measles were admitted to hospital, being 6 below the admissions for the preceding week; 39 were discharged, there were 9 deaths, and 103 cases remained under treatment at the close of the week.

Ten cases of enteric fever were admitted to hospital, 18 cases were discharged, there was one death, and 98 cases remained under treatment at the close of the week.

Forty cases of scarlatina were admitted to hospital, 22 cases were discharged, there were 2 deaths, and 155* cases remained under treatment at the close of the week.

Two cases of typhus were admitted to hospital, there was one death, and 4 cases remained under treatment at the close of the week.

Eleven cases of diphtheria were admitted to hospital, 10 were discharged, and 49 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 2 patients were discharged, and 8 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·1), was equal to an average annual death-rate of 17·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·1 per 1,000, the rate for Glasgow being 19·3, and for Edinburgh 14·8.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th November, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by BIRTHS.	Annual Rate: DEATHS. From all Causes.	Annual Rate: DEATHS. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 8th November, 1902. Numbers Registered. BIRTHS.	DEATHS. Total Number.	DEATHS. Under 1 year of Age.	DEATHS. At 60 years & upwards.	Caused by Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 8th Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean	Rainfall in Inches.	Week ending 25th Oct., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 22 TOWN DISTRICTS	1,092,401	19·2	24·1	23·8	3·2	504	499	100	101	.	33	8	.	5	6	.	9	6	58	113	6	18	136	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	° .
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	873,761	27·5	22·9	30·3	4·1	166	220	45	44	.	16	4	.	.	3	.	5	2	28	57	4	7	84	§56·5	31·0	47·7	1·34	§59·3	40·5	50·1	0·07	§59·8	35·5	50·7	0·30
Registrars' Districts. City.	293,894	37·8	24·9	35·0	4·8	140	197	48	34	.	16	3	.	.	3	.	4	1	19	54	3	5	78	a57·0 b55·8	39·1 33·4	50·2 48·2	1·36 1·23	a61·0 b60·4	43·1 39·0	51·9 50·2	0·07 0·09	a60·9 b59·8	41·7 35·0	52·2 50·7	0·22 0·24
Rathmines,‖	33,208	19·4	12·6	22·0	3·1	8	14	2	7	.	.	.	.	.	.	.	1	1	2	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	16·0	12·0	2·0	8	6	.	2	.	.	1	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	17·9	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	21·0	9·0	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	61	41	50·2	1·09	63	44	52·7	0·01	62·5	40·0	53·7	0·22
URBAN DISTRICTS.																																			
BELFAST,	358,693	24·4	27·0	19·8	3·6	186	136	36	11	.	14	1	.	4	2	.	3	1	20	27	.	9	18	56·5	35·5	49·1	0·98	58·1	39·1	50·2	0·51	55·8	34·5	47·7	0·49
CORK,	76,122	33·6	20·5	21·2	1·4	30	31	4	11	.	.	.	.	.	.	.	.	2	4	4	1	1	12	58	45	51·5	1·87	64	46	52·9	0·08	59	39	52·5	0·53
LONDONDERRY,	40,729	18·8	30·7	17·9	1·3	24	14	1	6	.	.	.	.	.	.	.	1	.	2	6	1	1	7	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	20·5	13·7	1·4	15	10	2	2	.	1	.	.	.	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,769	18·7	17·5	17·5	3·9	9	9	1	2	.	.	1	.	1	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	23·3	23·3	.	6	6	.	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2	58	34	49	1·39	59	40	51·1	0·57	59	53	51·7	0·74
DUNDALK	18,076	9·4	12·0	31·9	4·0	8	8	.	2	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,760	8·6	16·3	8·2	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	38·6	16·8	.	8	4	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	55·4	40·0	47·5	1·23	57·2	38·0	49·2	0·14	58·2	37·5	49·9	0·77
LURGAN,	11,782	18·8	31·0	31·0	3·9	7	7	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	4	55·4	40·0	47·5	1·23	57·2	38·0	49·2	0·14	58·2	37·5	49·9	0·77
LISBURN,	11,461	10·1	18·6	13·6	.	3	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	55·4	40·0	47·5	1·23	57·2	38·0	49·2	0·14	58·2	37·5	49·9	0·77
WEXFORD,	11,168	28·2	18·7	23·8	.	4	5	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,886	8·9	23·9	4·8	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	33·6	43·2	4·8	7	9	1	4	.	.	.	.	.	.	.	.	1	2	.	.	.	3	58·3	35·1	47·8	2·22	59·3	38·7	50·6	0·30	60·1	38·1	50·3	1·17
KILKENNY,	10,609	11·5	14·7	19·7	.	8	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55	37	50·1	2·36	58	31	49·0	0·09	59	38	51·1	0·59
CLONMEL,	10,167	7·8	25·6	25·6	.	5	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,092	18·2	25·8	15·5	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	55·4	40·0	47·5	1·23	57·2	38·0	49·2	0·14	58·2	37·5	49·9	0·77
TRALEE,	9,867	16·6	26·4	21·1	5·3	5	4	.		.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	34·3	57·2	.	6	10	2	6	.	.	.	.	.	.	.	.	.	1	3	.	.	2	55	37	49·4	0·97	57	38	49·3	0·12	58	37	49·0	0·53
QUEENSTOWN,	7,909	14·4	13·2	26·4	.	2	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	58	45	51·5	1·87	64	46	52·9	0·08	59	39	52·5	0·53
ARMAGH,	7,588	22·2	6·9	27·5	6·9	1	4	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	55·4	40·0	47·5	1·28	57·2	38·0	49·2	0·14	58·2	37·5	49·9	0·77

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

†It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at ... Point for Cork and Queenstown. ‡ Exclusive of 8 deaths of persons (including

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 8th of November, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CROMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	3	2	3	4	.	.	.	.	2	1	1	.	.	.	.		.	.	.	.	16	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.		.	1	.	.	4	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diphtheria,	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.		.	.	.	.	3	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.		1	.	.	.	5	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1	.	.	.	2	.
Phthisis,	3	4	2	1	.	.	.	.	1	2	3	2	.	1	.		2	2	.	.	23	1
Other General Diseases,	2	3	2	7	.	1	.	1	5	3	4	2	.	1	.		2	1	.	1	35	3
Total,	9	11	9	12	.	1	.	1	10	5	10	5	.	2	.		6	4	.	1	88	4
B. LOCAL DISEASES:																						
Diseases of: Nervous System,	.	.	3	1	.	.	1	.	.	1	4	.	.	.	.		1	.	.	.	11	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Heart and Blood Vessels,	2	5	2	1	.	2	.	.	3	2	2	1	.	.	.		3	2	.	.	25	2
Respiratory System,	6	7	3	5	.	1	.	1	8	6	11	4	.	2	.		3	.	.	.	57	.
Digestive System,	1	.	2	1	.	1	1	.	3	.	1	.	.	1	.		.	.	.	.	11	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	2	2	1	.	.	.	.	.	1	.	2	.	.	.	.		.	.	.	.	8	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	1	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1	.	.	.	2	.
Total,	11	14	11	8	.	4	2	1	15	9	21	6	.	3	.		8	2	.	1	116	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	2	4	3	.	.	1	.	1	1	.	.	.	.	.		.	.	.	.	12	1
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.		.	.	.	1	4	.
Deaths from all Causes,	20	27	24	28	.	5	3	2	28	17	31	12	.	5	.		14	6	.	3	220	8
Annual Rate of Mortality in every 1,000 of the population.	36·8	36·0	41·6	37·9	.	26·0	23·4	.	38·1	51·8	38·0	17·9	.	35·7	.		22·0	12·0	.	9·0	30·3	.
	35·7								34·3								14·0					
	35·0																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS

Public Hospitals, Prisons, and Lunatic Asylums,	3	5	3	9	.	.	.	1	6	3	9	1	.	2	.		2	2	.	.	46	6
Workhouse Hospitals,	4	10	8	5	.	1	.	.	3	3	1	1	.	.	.		2	.	.	.	33	2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg
week of the ten years 1892

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years 1892-1901	In the Week ending Sa 8th November, 19					
												Deaths of Persons of the					
	Nov. 12, 1892.	Nov. 11, 1893.	Nov. 10, 1894	Nov. 9, 1895.	Nov. 7, 1896.	Nov. 13, 1897.	Nov. 12, 1898.	Nov. 11, 1899.	Nov. 10, 1900.	Nov. 9, 1901.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 60.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.		
Mean Temperature.	° 45·6	° 40·6	° 48·4	° 45·7	° 38·3	° 52·5	° 48·4	° 47·7	° 45·1	° 43·2	° 45·6	° 47·7					
ALL CAUSES.	160	179	153	163	172	133	201	249	154	171	173·5	228	7	38	51	17	9
Small Pox, Vaccinated, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	
Small Pox, Unvaccinated, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	2	.	.	.	.	.	.	39	.	.	4·1	16	.	1	15	.	
Scarlet Fever	.	2	1	.	5	8	3	1	.	.	2·0	4	.	.	2	2	
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	.	.	.	2	.	2	1	1	1	.	·7	4	.	1	.	.	
Whooping Cough, ...	.	8	3	1	3	2	4	1	1	1	2·4	.	.	.	.	.	
Diphtheria, ...	.	.	.	1	.	1	2	3	.	.	·7	3	.	1	2	.	
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Continued Fever, ...	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	
Enteric Fever, ...	4	4	2	4	7	9	5	5	4	2	4·6	5	.	.	.	1	3
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	2	5	2	2	2	3	8	6	6	2	3·8	.	.	.	.	.	
												2	.	2	.	.	
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Venereal Disease, ...	.	.	.	.	.	1	1	.	1	.	·3	1	.	1	.	.	
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	1	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	
												.	.	.	.	.	
												1	.	.	.	.	1
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	.	1	.	.	1	.	.	.	.	.	·2	2	.	.	.	1	
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	
												2	.	.	1	.	1
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
Tuberculous Phthisis, ... "*Phthisis*,"	26	19	27	20	15	13	17	21	26	19	20·3	1	.	.	.	1	.
												23	.	1	.	4	12
Tuberculous Meningitis, (Acute Hydrocephalus).	5	.	6	5	3	3	10	5	.	5	4·2	6	.	1	3	1	1
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	4	.	3	3	6	3	10	5	5	3	4·2	2	.	.	1	1	.
												.	.	.	.	.	.
Tuberculous Dis. (other), ... Scrofula, ...	4	6	2	3	3	2	5	3	4	3	3·5	6	.	.	4	2	.
												.	.	.	.	.	.
Alcoholism	.	.	.	.	.	.	1	1	.	1	·3	4	.	.	.	.	3
Rheumatic Fever, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.
Gout	1	1	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.

* The figures for the years 1892-1900 are

FORTY-FIFTH WEEK ending Saturday, 8th November, 1902, with the deaths from each cause in the corresponding
the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Nov. 12, 1892.	Nov. 11, 1893.	Nov. 10, 1894.	Nov. 9, 1895.	Nov. 7, 1896.	Nov. 13, 1897.	Nov. 12, 1898.	Nov. 11, 1899.	Nov. 10, 1900.	Nov. 9, 1901.	Averages in 45th Week of the 10 years 1892-1901.	In the Week ending Saturday, 8th November, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 45·6	° 40·6	° 48·4	° 45·7	° 38·3	° 52·5	° 48·4	° 47·7	° 45·1	° 43·2	° 45·6	° 47·7								
rcinoma	5	7	5	7	3	5	6	9	9	1	5·7	1	.	.	.	.	.	1	.
rcoma												.	.	.	.	.	.	.	.
alignant Dis. "Cancer,"												4	.	.	.	.	2	2	.
abetes Mellitus	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
emature Birth	1	.	2	1	2	1	6	4	6	7	3·0	1	1	.	.	.	.	.	.
eningitis (not tuberc.)												4	.	1	2	1	.	.	.
sanity, G. P. of Insane												.	.	.	.	.	.	.	.
pilepsy												.	.	.	.	.	.	.	.
nvulsions												6	.	5	1	.	.	.	.
comotor Ataxy												.	.	.	.	.	.	.	.
raplegia Dis. of Cord												.	.	.	.	.	.	.	.
ervous System (other Dis.) ...	29	29	21	43	35	26	30	37	28	52	33·0	1	.	.	.	.	.	1	.
lv. Dis., Endocarditis												5	.	.	.	.	1	3	1	.
rebr. Hæm. Thromb.												.	.	.	.	.	.	.	.
oplexy, Hemiplegia												8	.	.	.	.	.	2	5	1
ieurysm												2	.	.	.	.	.	1	1	.
nbolism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
eart and Blood Vessel Dis.												12	.	.	.	.	3	2	6	1
oup (not Spasm. or Memb.) ...	.	1	.	.	2	2	.	.	1	2	·8	.	.	.	.	.	.	.	.	.
onchitis	21	22	14	23	29	11	25	37	15	19	21·6	35	3	10	9	1	1	3	8	.
oupous Pneumonia												.	.	.	.	.	.	.	.	.
oncho-Pneumonia	10	12	9	6	10	7	9	20	4	10	9·7	8	.	3	3	1	1	.	.	.
Pneumonia"												9	.	1	1	1	2	4	.	.
sthma, Emphysema												1	.	.	.	.	.	1	.	.
eurisy	4	6	2	1	2	3	.	.	3	3	2·4	.	.	.	.	.	.	.	.	.
espiratory Dis. (other)												4	1	1	1	.	.	1	.	.
nsillitis, Quinsy	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
nteritis (not Epid.)	.	1	.	.	1	2	1	2	1	.	·8	3	.	2	1	.	.	.	.	.
astro Enteritis												.	.	.	.	.	.	.	.	.
ritonitis (not Puerp.)	.	4	5	.	2	.	1	1	.	1	1·4	.	.	.	.	.	.	.	.	.
rrhosis of Liver	1	1	3	.	3	3	4	1	1	2	1·9	1	.	.	.	.	.	1	.	.
ver Dis. (other)												.	.	.	.	.	.	.	.	.
gestive Dis. (other)	3	6	7	7	3	1	4	6	9	4	5·0	7	.	2	2	.	1	1	.	1
ephritis, Acute												4	.	.	.	.	1	1	2	.
ight's Dis., Albuminuria ...	2	4	9	4	6	1	5	7	3	7	4·8	4	.	.	.	.	3	.	1	.
rinary Sys. (Other Dis.) ...												1	.	.	.	.	.	.	1	.
enerative Organs Dis.	.	.	.	1	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of)	1	.	.	.	.	1	1	1	1	.	·5	1	.	.	.	.	1	.	.	.
d Age	17	11	5	13	13	12	16	11	11	13	12·2	6	.	.	.	.	.	.	5	1
her Diseases	10	19	17	14	10	9	17	14	7	6	12·3	11	2	4	2	.	.	1	1	1
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses	.	.	.	1	.	.	1	.	.	.	·2	1	.	.	.	1	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions ...	.	4	1	1	2	.	5	.	3	2	1·8	.	.	.	.	.	.	.	.	.
Drowning	1	.	3	.	.	.	.	4	.	.	·8	1	.	.	.	.	1	.	.	.
Suffocation in Bed	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
her Deaths by Accidents ...	.	4	.	.	2	.	2	1	1	4	1·4	1	.	1	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	1	1	1	.	·3	.	.	.	.	.	.	.	.	.
icide	2	.	.	.	.	.	.	1	1	.	·4	1	.	.	.	.	.	1	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																									
	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug 9.	Aug. 16.	Aug. 23	Aug. 30.	Sept. 6.	Sept. 13.	Sept 20.	Sept. 27.	Oct 4	Oct 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Births registered,	232	209	234	249	192	242	213	204	187	196	203	186	244	192	185	209	205	219	221	222	192	162	176	259	183	166
*Average Births in corresponding week of previous 10 years,**	195	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210	185	175	193	181	181	184
Deaths registered,	186	149	165	156	155	139	149	149	129	155	150	165	154	145	146	156	170	142	168	213	169	192	200	228	183	228
Annual Death-rate per 1,000,	25·6	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5	30·7	25·2	31·4
*Average Deaths in corresponding week of previous 10 years,**	180	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161	169	175	174
Ages, Under 5 years,	49	39	48	48	50	38	57	41	38	44	46	59	65	55	52	58	57	62	87	98	80	81	100	112	86	96
5—20 "	20	16	24	14	19	15	11	14	10	18	8	14	14	7	15	12	16	9	9	18	12	16	12	15	8	17
20—40 "	39	34	23	32	29	23	23	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16	32	30	39
40—60 "	37	21	35	38	24	26	27	27	29	30	29	24	20	36	32	31	43	23	18	33	34	34	33	26	30	29
60—80 "	32	36	27	17	27	32	26	30	25	27	29	30	29	28	15	26	23	23	23	25	19	22	33	32	21	41
80 years and upwards,	9	8	8	7	6	5	5	7	3	5	13	7	4	2	5	8	6	6	5	9	2	5	6	6	8	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11	19	20	16	16
" Scarlet Fever,	1	2	1	1	.	1	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2	2	3	4
" Typhus,	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	3	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1	1	1	.
" Diphtheria,	3	.	2	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1	2	1	3
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" Enteric Fever,	2	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2	1	1	2	5
" Diarrhœa, Dysentery,	1	2	1	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11	14	3	2
" Phthisis,	30	25	27	40	26	23	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18	26	18	17	21	24
" Heart Diseases,	26	15	21	12	18	22	21	17	18	25	18	10	18	21	17	18	24	17	17	21	14	19	20	25	18	27
" Diseases of Respiratory System,	30	23	32	25	16	10	25	30	24	23	17	30	28	19	18	16	20	14	20	27	19	25	42	49	37	57
Violent Deaths,	3	4	4	6	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6	3	1	4
Mean Temperature of the Air (Phœnix Park),	47·2	49·7	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4	50·7	50·1	47·7
Average Mean Temperature in corresponding week of previous 10 years,	50·5	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3	46·1	46·7	45·6
Rainfall in inches,	·845	·195	·158	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·588	·088	1·725	·115	·180	·595	·640	1·150	·600	·298	·068	1·337
Mean Humidity of the Air, complete Saturation 1·0,	·81	·79	·88	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·83	·88	·90	·87	·89	·90

* See note at foot of Table III.

in the Dublin Registration Area during the Week ending Saturday, 8th November, 1902; the Annual Death-Rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH NOVEMBER, 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	846,128	34·3	228	96	17	39	29	41	6	.	16	4	.	.	3	.	5	2	30	24	6	57	4	107
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	23·7	7	.	1	.	2	3	1	.	.	1	.	.	.	.	.	.	1	.	.	.	1	5
II.	Middle Class,	80,653	28·3	36	10	3	8	6	8	1	.	.	1	.	.	.	.	1	1	3	6	.	6	.	21
III.	Artisan Class and Petty Shopkeepers	98,374	29·7	56	28	6	7	7	7	1	.	3	.	.	.	2	.	.	1	6	6	4	16	3	21
IV.	General Service Class,	146,486	44·3	89	51	6	14	9	8	1	.	13	2	.	.	1	.	3	.	19	7	2	26	.	35
V.	Inmates of Workhouses,	5,191		40	7	1	10	5	15	2	.	.	.	.	.	.	.	1	.	1	5	.	9	.	25
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	.	1	.	2	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	3
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	18·4	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	24·3	12	5	1	2	1	2	1	.	.	1	.	.	.	.	1	1	3	1	.	1	.	7
	6. Clerks and Commercial Assistants,	24,750	27·4	13	3	1	4	2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.	8
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	19·3	9	2	1	1	2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	5
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,852	35·5	5	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	1
	9. Building and Furnishing Trades,	26,030	30·0	15	8	2	1	1	3	.	.	1	.	.	.	1	.	.	.	2	1	1	5	.	6
	10. Clothing Trades,	28,686	24·2	11	5	1	2	2	1	.	.	1	.	.	.	.	.	.	.	1	2	.	4	.	4
	11. Food Supply Trades,	7,869	46·4	7	.	1	.	3	2	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	4
	12. Other Trades and Callings ranking with Trades,	26,666	29·3	15	12	.	2	.	1	.	.	1	.	.	.	1	.	.	1	3	.	1	4	3	4
	13. Petty Shopkeepers,	6,771	23·1	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	3	.	.	2	3	.	.	.	1	.	.	.	.	.	.	1	.	.	3	.	4
	15. Domestic Servants,	39,563	2·6	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	9·7	2	.	1	.	1	.	.	.	.	1	.	.	.	.	1	.	2	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c.,	82,631	48·6	77	47	5	13	6	5	1	.	13	.	.	.	1	.	2	.	16	6	1	23	.	31
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	40	7	1	10	5	15	2	.	.	.	.	.	.	.	1	.	1	5	.	9	.	25

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,333.	Sept. 20,	20·2	1·8	11	.	.	.	.	.	.	.	1	.	.	3	1
		„ 27,	44·2	12·9	21	.	5	.	.	.	.	.	.	2	1	5	2
		Oct. 4,	29·4	7·4	16	.	2	.	.	1	.	.	.	1	1	.	.
		„ 11,	25·8	9·2	14	.	3	.	.	.	.	.	.	2	2	1	.
		„ 18,	25·8	9·2	14	.	4	1	.	.	.	.	.	.	.	3	.
		„ 25	31·3	7·4	17	.	3	.	.	.	.	.	.	1	.	3	.
		Nov. 1,	53·1	11·0	18	.	5	.	.	1	.	.	.	.	2	2	.
		„ 8,	36·8	7·4	20	.	3	.	.	.	.	.	1	.	3	6	.
	North City, No. 1 (W.) (Office, Summer-hill. Pop. in 1902 (Est.) 39,146.	Sept. 20,	26·6	6·7	20	.	1	.	.	.	2	.	.	2	2	1	.
		„ 27,	29·3	4·0	22	.	1	.	.	.	.	.	1	1	3	4	.
		Oct. 4,	18·6	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 11,	34·6	4·0	26	.	1	.	.	.	1	.	.	1	6	3	1
		„ 18,	28·0	1·3	21	.	.	1	.	.	.	.	.	.	2	4	1
		„ 25,	41·3	9·3	31	.	4	.	.	1	1	.	.	1	.	4	.
		Nov. 1,	20·0	5·3	15	.	2	1	.	.	.	.	1	.	2	2	.
		„ 8,	36·0	5·3	27	.	2	.	.	.	.	.	2	.	4	7	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Sept. 20,	38·1	6·9	22	.	.	.	.	.	.	.	.	4	5	2	.
		„ 27,	41·6	8·7	24	.	1	.	.	.	1	.	2	1	1	7	.
		Oct. 4,	18·9	5·2	8	.	1	.	.	.	.	.	1	1	.	1	.
		„ 11,	27·7	6·9	16	.	3	.	.	.	.	.	.	1	2	3	.
		„ 18,	46·6	10·4	27	.	4	.	.	.	1	.	.	1	3	8	1
		„ 25,	52·0	6·9	30	.	4	.	.	.	.	.	.	.	.	10	1
		Nov. 1,	46·8	1·7	27	.	1	.	.	.	.	.	.	.	4	6	.
		„ 8,	41·6	8·7	24	.	3	.	.	.	1	.	1	.	2	3	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Sept. 20,	32·9	9·9	20	.	3	.	.	.	.	.	.	3	1	2	.
		„ 27,	31·6	9·9	21	.	1	1	.	1	.	.	1	2	2	1	.
		Oct. 4,	19·8	6·6	12	.	3	.	.	.	.	.	.	1	3	3	.
		„ 11,	19·8	1·6	12	.	1	.	.	.	.	.	.	.	1	2	.
		„ 18,	28·0	6·6	17	.	4	.	.	.	.	.	.	.	1	1	1
		„ 25,	31·3	8·2	19	.	3	.	.	.	.	.	.	2	3	4	.
		Nov. 1,	24·7	6·6	15	.	3	.	.	.	.	.	.	1	1	3	.
		„ 8,	37·9	6·6	23	.	4	.	.	.	.	.	.	.	1	5	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 32,313.	Sept. 20,	15·0	4·1	11	.	1	.	.	1	.	.	.	1	.	3	.
		„ 27,	39·5	9·5	29	.	.	1	.	.	.	.	1	5	4	1	.
		Oct. 4,	31·3	15·0	23	.	2	.	.	.	1	.	1	7	.	2	.
		„ 11,	39·5	12·2	29	.	2	1	.	.	.	.	.	6	6	2	.
		„ 18,	34·0	12·2	25	.	6	.	.	.	.	.	.	3	4	3	.
		„ 25,	31·3	10·9	23	.	5	1	.	.	.	.	1	1	.	3	.
		Nov. 1,	36·7	6·8	27	.	3	1	.	.	1	.	.	.	5	3	.
		„ 8,	38·1	5·4	28	.	2	.	.	.	2	.	.	.	1	8	2
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Sept. 20,	36·6	12·2	12	.	3	.	.	.	.	.	.	1	1	1	.
		„ 27,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	3	.
		Oct. 4,	36·6	3·0	12	.	.	.	.	.	1	.	.	.	3	5	.
		„ 11,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.
		„ 18,	57·9	3·0	19	.	.	.	.	.	.	.	.	1	2	7	.
		„ 25,	35·6	12·2	18	.	1	.	.	.	.	.	.	3	1	4	.
		Nov. 1,	33·5	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 8,	51·8	6·1	17	.	1	.	.	.	.	.	.	1	2	6	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 42,575.	Sept. 20,	29·4	7·3	24	.	1	.	.	.	1	.	.	4	4	4	.
		„ 27,	24·5	6·1	20	.	.	.	.	.	1	.	.	4	.	2	2
		Oct. 4,	26·9	4·9	22	.	.	.	.	.	.	.	.	4	2	1	2
		„ 11,	28·2	6·1	23	.	1	1	.	.	.	.	.	3	3	4	.
		„ 18,	31·8	3·7	26	.	.	.	.	.	.	.	.	3	2	9	.
		„ 25,	29·4	3·7	24	.	.	.	.	.	1	.	.	2	3	3	1
		Nov. 1,	20·8	3·7	17	.	2	1	.	.	.	.	.	.	1	5	.
		„ 8,	38·0	3·7	31	.	1	2	.	.	.	.	.	.	3	11	.
	South City, No. 4. (Office, Grand Canal-street). Pop. in 1902 (Est.) 34,893.	Sept. 20,	25·4	9·0	17	.	3	2	.	.	.	.	.	1	.	2	.
		„ 27,	34·9	7·5	22	.	2	.	.	.	2	.	.	1	3	1	1
		Oct. 4,	16·4	1·5	11	.	.	.	.	.	.	.	1	.	2	1	.
		„ 11,	28·4	3·0	19	.	.	.	.	.	.	.	2	.	2	5	1
		„ 18,	34·4	1·5	23	.	.	.	.	.	.	.	.	1	4	4	2
		„ 25,	20·9	1·5	14	.	.	.	.	.	.	.	.	1	2	5	.
		Nov. 1,	16·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1
		„ 8,	17·9	1·5	12	.	.	1	.	.	.	.	.	.	2	4	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 38,208.	Sept. 20,	6·3	4·7	4	.	.	.	.	.	1	.	.	2	.	.	.
	„ 27,	18·8	6·3	12	.	.	1	.	.	.	.	1	2	1	1	.
	Oct. 4,	15·7	3·1	10	.	.	.	.	.	.	.	.	2	2	.	.
	„ 11	17·3	1·6	11	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
	„ 25,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	.	2	.
	Nov. 1,	7·9	1·6	5	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	22·0	3·1	14	.	.	.	.	.	.	.	1	1	2	3	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Sept. 20,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 4,	16·0	6·0	8	.	.	.	.	.	1	.	.	2	.	.	1
	„ 11,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	16·0	4·0	8	.	.	1	.	.	.	.	.	1	1	1	.
	Nov. 1,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	12·0	2·0	6	.	.	1	.	.	.	.	.	.	2	.	.
Kingstown. Pop. in 1902 (Est.) 17,880.	Sept. 20,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	15·0	.	5	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 4,	27·0	3·0	9	.	.	.	.	.	1	.	.	.	1	1	.
	„ 11,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	9·0	3·0	3	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	30·0	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	Nov. 1,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1902 (Est.) 358,693.	Sept. 20,	20·9	8·3	144	.	5	.	.	2	.	.	3	13	24	15	6
	„ 27,	17·6	8·3	121	.	4	.	.	4	.	.	3	12	8	24	.
	Oct. 4,	19·9	4·4	137	.	7	.	.	2	.	.	7	14	15	23	2
	„ 11,	21·5	3·1	148	.	6	1	.	2	1	.	1	10	17	35	3
	„ 18,	22·4	4·4	154	.	8	2	.	6	2	.	5	7	19	26	1
	„ 25,	21·2	4·4	146	.	14	.	.	3	2	.	6	5	19	36	3
	Nov. 1,	21·7	3·2	149	.	8	1	.	3	3	.	3	4	14	52	2
	„ 8,	19·8	3·6	136	.	14	1	.	4	2	.	3	1	20	27	.
Cork. Pop. (in 1901) 76,122.	Sept. 20,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	6	2	.
	„ 27,	22·6	1·4	33	.	.	.	.	.	.	.	.	2	7	2	.
	Oct. 4,	24·0	2·1	35	.	1	.	.	.	.	.	.	2	9	4	3
	„ 11,	24·0	1·4	35	.	.	.	.	.	.	.	.	2	3	5	.
	„ 18,	14·4	1·4	21	.	.	.	.	.	.	.	.	2	4	4	.
	„ 25,	22·6	1·4	33	.	1	.	.	.	.	.	.	1	3	2	1
	Nov. 1,	21·9	2·1	32	.	.	.	.	.	.	.	.	3	2	2	.
	„ 8,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	4	4	1
Londonderry. Pop. in 1902 (Est.) 40,729.	Sept. 20,	20·5	3·8	16	.	.	.	.	.	.	.	1	2	2	4	.
	„ 27,	19·2	3·8	15	.	1	.	.	.	.	.	.	2	4	1	1
	Oct. 4,	10·2	2·6	8	.	1	.	.	.	.	.	1	1	2	1	.
	„ 11,	7·7	1·3	6	.	.	.	.	.	.	.	.	1	.	1	1
	„ 18,	10·2	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	„ 25,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	5	.
	Nov 1,	15·4	2·6	12	.	1	.	.	.	.	.	.	1	2	4	.
	„ 8,	17·9	1·3	14	.	.	.	.	.	.	.	1	.	2	6	1
Limerick. Pop. (in 1901) 38,151.	Sept. 20,	20·5	6·8	15	.	1	.	.	.	.	.	2	2	1	2	.
	„ 27,	10·9	1·4	8	.	.	.	.	.	.	.	1	.	2	2	.
	Oct. 4,	16·4	2·7	12	.	.	.	.	.	.	.	1	1	1	2	.
	„ 11,	23·2	6·8	17	.	3	.	.	.	.	.	1	1	2	1	.
	„ 18,	27·3	5·5	20	.	3	.	.	.	.	.	.	1	5	2	.
	„ 25,	21·9	5·5	16	.	2	.	.	.	.	.	1	1	2	2	.
	Nov. 1,	17·8	4·1	13	.	1	.	1	.	.	.	.	1	.	1	.
	„ 8,	13·7	1·4	10	.	1	.	.	.	.	.	.	.	1	4	.
Waterford. Pop. (in 1901) 26,769.	Sept. 20,	25·3	7·8	13	.	.	.	.	2	.	.	.	2	.	1	.
	„ 27,	19·5	5·8	10	.	.	.	.	.	.	.	.	3	1	2	.
	Oct. 4,	21·4	8·9	11	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	11·7	5·8	6	.	.	.	.	3	.	.	.	.	.	.	.
	„ 18,	23·4	5·8	12	.	1	.	.	2	.	.	.	.	2	3	.
	„ 25,	23·4	11·7	12	.	.	.	.	5	.	.	.	1	1	.	.
	Nov. 1,	35·1	15·6	18	.	2	.	.	3	.	.	.	2	2	1	.
	„ 8,	17·5	3·9	9	.	.	1	.	1	.	.	.	.	.	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 8th November, 1902, Deaths in Public Institutions of persons *admitted, from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	7	17·7	7·1	5	.	2	2	1	.	2	.	.	.	.	.	.	.	1	.	.	2	.
" 2 "	47,959	32	13·0	5·4	12	1	4	5	2	.	2	1	.	1	.	.	1	.	3	1	.	.	1
" 3 "	47,214	26	13·3	2·2	12	2	1	7	2	.	2	.	.	.	.	.	.	.	2	2	.	.	1
" 4 "	40,911	25	26·8	1·3	21	6	6	8	1	.	.	.	.	.	1	.	.	.	2	5	.	2	5
" 5 "	17,387	8	51·0	9·0	17	6	4	7	.	.	1	.	.	1	.	.	1	.	4	3	.	2	6
" 6 "	48,122	20	17·3	2·2	16	3	3	8	2	.	2	.	.	.	.	.	.	.	2	2	.	1	2
" 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	.	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "	19,569	9	10·8	2·2	5	.	3	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
" 10 "	23,064	9	27·1	9·0	12	4	3	3	2	.	3	.	.	.	.	.	.	1	.	5	.	1	.
" 11 "	34,862	16	21·0	1·5	14	8	.	6	.	.	.	.	.	.	.	.	1	.	2	5	.	.	2
" 12 "	33,588	19	20·2	3·1	13	1	5	7	.	.	2	.	.	.	.	.	.	.	2	2	.	1	1
" 13 "	15,006	14	27·8	6·9	8	4	1	3	.	.	.	.	.	2	.	.	.	.	2	1	.	.	.
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	186	20·3	3·7	186	36	32	57	11	.	14	1	.	4	2	.	3	1	20	27	.	9	18
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	6	32·4		8	2	.	4	2	.	.	.	.	.	.	.	.	.	1	2	.	.	3
" 2 "	10,701	7	24·4	9·7	5	1	1	2	1	.	.	.	.	.	.	.	.	2	.	1	.	.	1
" 3 "	9,978	2	15·7	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 4 "	8,666	2	12·0	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 5 "	6,592	2	31·6	.	4	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	1	1	1
" 6 "	10,702	3	14·6	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 7 "	16,616	8	18·8	.	6	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Total,	76,122	30	21·2	1·4	31	4	2	14	11	.	.	.	.	.	.	.	.	2	4	4	1	1	12

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	May 17.	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sep. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.	Nov. 1.	Nov. 8.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered,	231	201	244	217	211	209	175	237	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234	240	190	186
DEATHS registered.	142	152	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154	146	149	136
Annual Death-rate per 1,000 of estimated Population.	20·6	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·8	16·3	17·9	18·3	21·5	17·6	19·9	21·5	22·4	21·2	21·7	19·8
AGES, Under 1 year,	29	26	31	16	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45	38	42	36
AGES, 1-5 years,	16	25	24	20	14	22	20	27	23	19	19	22	13	21	17	19	16	20	17	16	26	18	33	27	29	32
AGES, 5-60 years,	71	67	63	61	52	69	50	64	55	45	48	58	62	44	43	51	54	42	60	41	54	57	53	55	53	57
AGES, 60 years and upwards,	26	34	21	34	27	27	22	30	16	23	17	24	21	23	16	20	25	15	21	15	17	19	23	26	25	11
Deaths from Small Pox,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	3	4	3	2	7	6	6	7	7	8	5	3	3	2	5	6	4	5	4	7	6	8	14	8	14
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1
,, Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	4	2	6	1	4	3	7	4	.	2	8	6	2	6	5	6	5	2	4	2	2	6	3	3	4
,, Diphtheria,	1	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2	2	3	2
,, Simple continued and Ill-defined Fever,	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	.	3	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5	6	3	3
,, Diarrhœa, Dysentery,	2	1	5	1	4	1	3	4	3	6	6	2	1	5	5	4	4	23	13	12	14	10	7	5	4	1
,, Phthisis	29	26	26	26	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17	19	19	14	10
,, Diseases of Respiratory System,	27	32	23	22	20	25	18	34	22	18	16	29	15	19	9	26	27	15	15	24	23	35	26	36	32	27
Violent Deaths,	5	1	3	3	2	2	1	7	4	1	6	4	.	1	1	1	1	2	6	.	2	3	1	3	2	.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th November, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	5	.	.	.	.	.	.	.	2	.	.	.	7
" " 1, West,	.	44	.	4	.	.	3	.	.	5	4	.	.	60
" " 2,	.	20	.	4	2	.	1	1	2	4	1	.	1	36
" " 3,	.	32	.	4	.	.	2	.	.	6	1	.	.	45
Clontarf and Howth No. 1 (part of),	.	5	.	1	.	.	.	.	.	3	.	.	.	9
Coolock and Drumcondra No. 1 (part of),	.	3	.	.	.	.	.	.	.	1	.	.	.	4
Finglas and Glasnevin (part of),	.	1	.	1	.	.	.	.	.	.	.	.	.	2
Blanchardstown and Castleknock (part of),	.	2	.	2	.	.	.	.	.	1	.	.	.	5
South City No. 1,	.	27	.	13	.	.	2	.	.	2	4	.	2	50
" " 2,	.	6	.	3	.	.	.	.	.	.	3	.	.	12
" " 3,	.	6	.	3	.	.	2	2	.	2	.	.	.	15
" " 4,	.	9	.	6	.	.	3	.	.	.	1	.	.	19
Palmerston (part of),	.	1	.	.	.	.	.	.	.	1	1	.	.	3
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	161	.	41	2	.	13	3	2	27	15	.	3	267
Total for week ended Nov. 1st, 1902.	.	159	1	42	1	.	16	.	2	24	17	1	8	271
Total for week ended Oct. 25th, 1902,	.	192	.	31	2	.	5	.	3	21	21	.	3	278
Total for week ended Oct. 18th, 1902,	.	170	.	31	.	.	9	.	3	17	14	.	9	253

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th November, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th November.			
	Oct. 18.	Oct. 25.	Nov. 1.	No. admitted.	Discharged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	122	95	109	42	39	9	103
Scarlet Fever,	103	119	139	40	22	2	155*
Typhus "	4	6	3	2	.	1	4
Diphtheria,	43	39	48	11	10	.	49
Enteric Fever,	108	106	107	10	18	1	98
Pneumonia,	10	10	7	3	2	.	8

* Exclusive of 30 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn.)	Deaths (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Nov. 8,	2,680	1,501	17·1	.	44	8	21	17	14	25
EDINBURGH,	317,885	„ 8,	135	92	14·8	.	3	.	1	4	1	3
GLASGOW,	764,423	„ 8,	432	288	19·3	.	.	1	1	9	4	11
CALCUTTA,	847,795	Sept. 13,	.	452	27·7	1	1	.	1	.	147§	65*
BOMBAY,	776,006	Oct. 14,	362	830	55·6	5	24	?	?	2	92§	79
MADRAS,	509,346	Sept. 26,	457	451	46·0	.	1	?	?	?	163	79*
PARIS,	2,660,559	Nov. 1,	1,004	780	16·1	.	.	1	8†	3	10	34
BRUSSELS (with 8 Faubourgs).	562,893	Oct. 18,	254	177	16·3	.	.	.	.	1	.	11
AMSTERDAM,	537,023	„ 25,	287	142	13·8	.	5	.	.	2	1	6
ROTTERDAM.	320,991	—	.	.	.	.	.	.	.	.	.	
THE HAGUE.	205,328	—	.	.	.	.	.	.	.	.		.
COPENHAGEN.	400,570	Oct. 25,	261	121	15·7	.	2	1	.	.	.	8
CHRISTIANIA,	224,909	„ 25,	133	65	15·0	.	2	.	.	3	.	4
ST. PETERSBURG,	1,248,643	„ 18,	787	454	19·0	.	13	5	4	4	12	43
BERLIN,	1,908,767	„ 4,	944	568	15·5	.	.	1	5	10	2	77
HAMBURG,	724,835	„ 25,	.	242	17·4	.	2	15	8†	5	1	8
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH.	506,000	Oct. 25,	.	179	18·4	.	.	.	1†	.	.	43
VIENNA (with suburbs).	1,744,177	„ 25,	976	547	16·3	.	5	2	9†	2	1	44
BUDA-PESTH.	767,061	„ 18,	455	207	14·0	.	4	3	1	.	1	11
PRAGUE and Faubourgs.	421,545	„ 18,	180	179	22·1	.	.	8	1†	1	.	10
ROME,	478,790	Aug. 23,	247	142	15·5	.	.	.	.	1	7	17
TURIN,	344,293	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Oct. 25,	75	60	18·9	.	2	.	.	1	1	4
NEW YORK,	3,632,301	„ 18,	1,528	1,139	16·4	.	2	8	31†	9	22	83
PHILADELPHIA,	1,293,697	„ 11,	.	352	14·2	.	.	.	6	1	9	7

* Including 10 deaths from cholera in Calcutta, and two in Madras.
† Including deaths from croup.
§ Exclusive of 6 deaths from bubonic fever in Calcutta, and 108 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, M.D., F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 8th November, 1902:—

"The week opened with a beautiful day after a cold night, during which the screened thermometer fell to 31° at Birr and 39° in the City of Dublin. After sunset there was a splendid 'afterglow.' At this time a large anticyclone lay over the British Isles, while an equally large depression was travelling away over the Baltic in a south-easterly direction. After Sunday the anticyclone withdrew eastwards, causing a warm southerly air-current to blow over our islands. Soon the condition of things became reversed—high atmospheric pressure ruled over Scandinavia, whereas a series of deep depressions of increasing energy began to pass northwards or north-eastwards across Western Europe. Both baric and thermic gradients became steep, and extremely unsettled weather set in. On Thursday heavy rains fell over Ireland in connection with a deep V-shaped depression which was central off the N. of Ireland and W. of Scotland on Friday morning. The largest rainfalls were 1·46 inches at Birr, 1·08 inches at Bath, 1·01 inch at Roche's Point, Cork Harbour, and ·88 inch in Dublin. A brief spell of fair weather on Friday was followed by another and deeper depression on Saturday, the barometer falling to 29·069 inches in Dublin. The weather closed with showers and squalls and a lower temperature. In Dublin the mean height of the barometer was 29·629 inches, the range being between 30·287 inches at 9 a.m. of Sunday (wind, calm) and 29·060 inches at 3 p.m. of Saturday (wind, S.W.). The corrected mean temperature was 50·2°, the mean dry bulb reading being 49·3°. The screened thermometers rose to 57·0° on Monday, having fallen to 39·1° on Sunday. The prevalent winds were S. and S.W. Bright sunshine was estimated at 12 hours. Rain fell on five days to the amount of 1·358 inches, ·880 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·653 inches. The highest reading (30·308) was on Sunday at 9 a.m., air calm, and the lowest (29·126) on Saturday at 9 a.m., wind S.W.

The mean temperature for the week was 47·7°, being 2·1° over the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Thursday, when the thermometer registered 56·5°, and was lowest on Sunday, the mercury having fallen to 31·0°. The mean of the Dry Bulb for the week was 48·0°, and of the Wet Bulb 46·7°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 5·0 hours. The rainfall measured 1·337 inches.

At Greenwich the mean temperature for the week was 49·5°, the maximum 57·9°, and the minimum 40·2°; at Glasgow the maximum was 59·8°, the minimum 31·0°, and the mean 49·5°; and at Edinburgh the maximum was 58·5°, the minimum 36·8°, and the mean 47·9°. The rainfall at Greenwich measured 0·46 inch; at Glasgow 0·13 inch; and at Edinburgh 0·22 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)	9 A.M.	9 P.M.
Sunday, Nov. 2,	30·253	51·4	31·0	41·2	40·3	40·0	·98	·3	1·5	—	Calm.	Calm.
Monday, " 3,	30·099	54·3	35·0	44·7	50·7	49·9	·95	·0	0·0	·017	W.	Calm.
Tuesday, " 4,	29·897	52·3	46·1	49·2	50·6	47·7	·81	·1	0·2	—	S.E.	E.
Wednesday, " 5,	29·474	54·5	47·2	50·9	52·4	50·5	·87	·3	0·0	—	S.E.	Calm.
Thursday, " 6,	29·341	56·5	51·9	54·2	53·8	52·7	·93	·5	0·1	·915	S.E.	E.
Friday, " 7,	29·383	55·4	40·9	48·2	43·7	42·0	·88	1·0	0·6	·210	S.W.	S.W.
Saturday, " 8,	29·127	51·1	40·5	45·8	44·2	43·8	·90	·9	2·6	·195	S.S.W.	S.W.
Mean, . .	29·653	53·6	41·8	47·7	48·0	46·7	·90	·4	Total 5·0	1·337	Prevailing wind S.W. & S.E,	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A dull day; light rain 3.0 p.m, to 3.30 p.m.; night overcast and foggy. *Tuesday*—A dull day from 10.0 a.m.; night overcast. *Wednesday*—A dull day; night overcast p.m.; cloudy a m. *Thursday*—Day overcast and showery from 9.30 a.m.; heavy rain 3.30 p.m. to 8.30 p.m.; night overcast; showery 8.30 p.m. to 7.0 a.m. *Friday*—A cloudy day; heavy showers p.m.; night cloudy p.m.; overcast a.m.; light and heavy rain 4.0 a.m. to 9.0 a.m. *Saturday*—dull a.m.; cloudy p.m.; light rain 9.0 a.m. to 10.0 a.m.; showery 2.30 p.m. to 8.30 p.m.; night cloudy; showery 9.30 p.m. to 7.0 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 299. 9. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND,

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 15TH NOVEMBER, 1902. [No. 46.

General Register Office, Charlemont House, Dublin, 17th November, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Oct. 25.	Week ending Nov. 1.	Week ending Nov. 8.	Week ending Nov. 15.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 25.	Week ending Nov. 1.	Week ending Nov. 8.	Week ending Nov. 15.	Average Rate for 4 weeks
22 Town Dists.	23·4	21·1	23·8	22·8	22·8	Lisburn,	4·5	0·0	13·6	13·6	7·9
Armagh,	34·4	13·7	27·5	27·5	25·8	Londonderry,	12·8	15·4	17·9	17·9	16·0
Ballymena,	19·2	9·6	4·8	4·8	9·6	Lurgan,	17·7	26·6	31·0	22·1	24·3
Belfast,	21·2	21·7	19·8	23·0	21·4	Newry,	12·6	8·4	16·8	12·6	12·6
Clonmel,	20·5	15·4	25·6	35·9	24·3	Newtownards,	17·2	28·6	57·2	11·4	28·6
Cork,	22·6	21·9	21·2	17·1	20·7	Portadown,	10·3	20·7	15·5	0·0	11·6
Drogheda,	20·4	12·3	8·2	20·4	15·3	Queenstown,	19·8	19·8	26·4	6·6	18·2
Dublin Reg. Area,	30·0	24·0	30·3	26·7	27·8	Sligo,	9·6	4·8	43·2	14·4	18·0
Dundalk,	16·0	12·0	31·9	23·9	21·0	Tralee,	15·9	5·3	21·1	21·1	15·9
Galway,	28·3	3·9	23·3	3·9	13·6	Waterford,	23·4	35·1	17·5	27·3	25·8
Kilkenny,	9·8	14·7	19·7	29·5	18·4	Wexford,	23·3	28·0	23·3	32·7	26·8
Limerick,	21·9	17·8	13·7	20·5	18·5						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·3 per 1,000, the rates varying from 0·0 in fourteen of the districts to 13·7 in Armagh. Among the 158 deaths from all causes registered in Belfast are 16 from measles, one from scarlet fever, 5 from whooping-cough, one from diphtheria, 5 from enteric fever, and 4 from diarrhœa. The 15 deaths in Limerick include 4 from measles, one from typhus, and one from enteric fever; and the 14 deaths in Waterford include one from measles, 2 from whooping-cough, and one from enteric fever.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 275—136 boys and 139 girls; and the deaths to 202—83 males and 109 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·8 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 26·7 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

forty-six weeks ending with Saturday last the death-rate averaged 24·5, and was 1·8 below the mean rate for the corresponding portions of the ten years 1892–1901.

The deaths registered from measles, which in the preceding 4 weeks had been respectively 19, 20, 16, and 16, fell in the week now under review to 10 deaths. Four deaths were registered from enteric fever, and 2 deaths each from scarlet fever and from typhus fever; one death was registered from each of the following diseases:—Influenza, whooping-cough, and diphtheria; moreover, 3 deaths from *diarrhœa* were registered.

Twenty-six deaths from tuberculous diseases were registered, comprising 19 deaths from *phthisis*, 2 deaths each from tuberculous meningitis and tuberculous peritonitis, and 3 deaths from other forms of the disease.

One death from sarcoma, and 5 deaths from *malignant disease*, "*cancer*," were registered.

Fourteen deaths from diseases of the nervous system were registered, including 7 deaths (of children under 5 years) from *convulsions*.

There were 39 deaths from diseases of the heart and blood-vessels registered.

There were 37 deaths from diseases of the respiratory organs registered, as compared with 57 deaths in the preceding week; this former number is equal to an annual rate of 5·1 per 1,000 of the population of the Dublin Registration Area, the average rate for the corresponding period of the past 10 years being 5·5 per 1,000. The 37 deaths include 26 deaths from bronchitis, 2 deaths from broncho-pneumonia, and 7 from *pneumonia*.

Two deaths from accidental causes were registered.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under 5 years of age (including one infant under one year old) and the death of one person aged 73 years.

Seventy-two of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 16 were under one month old), and 53 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 11 were octogenarians, and 2 (females) were both stated to have been aged 90 years.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·7 per 1,000; the rate in the City was 29·7 (34·6 on the North side, and 24·3 on the South), and in the Urban Districts 16·5.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 3·2 per 1,000 inhabitants, the rate for the City being 3·9 (4·8 in the North City Districts, and 3·0 in the South), and for the Urban Districts 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (21) are equal to an annual rate of 38·6 per 1,000. There was one death from enteric fever, one death from *diarrhœa*, and one death from *phthisis* registered, also 6 deaths from diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (25) are equal to an annual rate of 33·3 per 1,000. Two deaths from measles, one death from enteric fever, and 5 deaths from *phthisis* were registered; also 4 deaths from diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (27) are equivalent to an annual rate of 46·8 per 1,000. Three deaths from measles, one death from scarlet fever, one death from typhus fever, and one death from diphtheria; also 2 deaths from *phthisis* and 6 deaths from diseases of the respiratory organs, including 2 deaths from *pneumonia*, appertained to this district.

No. 3 North City District (Blackhall-place).—The deaths (23) represent an annual rate of 37·9 per 1,000. There were 3 deaths from measles, 2 deaths from *phthisis*, 4 deaths from diseases of the respiratory system, including one death from broncho-pneumonia; also one accidental death.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7; Coolock and Drumcondra, No. 1, part of, 10·4 per 1,000 inhabitants; and Finglas and Glasnevin, part of, 7·8.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 23·1 per 1,000. There were 2 deaths from measles, one death from typhus fever, 2 deaths from *phthisis*, and 2 deaths from diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 27·4 per 1,000. Enteric fever, *diarrhœa*, and *phthisis* each caused one death; there were 2 deaths from diseases of the respiratory system, including one from *pneumonia*.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 30·6 per 1,000. Whooping-cough caused one death, *phthisis* caused one death: diseases of the respiratory organs caused 5 deaths, including 2 from *pneumonia*. There was one accidental death.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·9 per 1,000. There was one death from enteric fever and one death from *phthisis*, one death from sarcoma, and one death from *cancer*.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 21·4 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 17·3 per 1,000 inhabitants; Pembroke, 16·0; Blackrock, 6·0; and Kingstown, 21·0. The only death from any of the principal epidemic diseases tabulated for these districts was one from scarlet fever for Pembroke.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 25th October,	278 cases.
" " 1st November,	271 cases.
" " 8th November,	267 cases.
" " 15th November,	247 cases.

Of the 247 cases notified during last week, 15 were erysipelas, 21 enteric fever, 31 scarlatina, 156 measles, 13 diphtheria, one German measles, 5 continued fever, 4 varicella (chicken-pox), and one typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 25th October,	5 cases.
" " 1st November,	15 cases.
" " 8th November,	8 cases.
" " 15th November,	13 cases.

Of the 13 cases notified last week, 8 were scarlet fever, 3 measles, and 2 diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 25th October,	10 cases.
" " 1st November,	8 cases.
" " 8th November,	10 cases.
" " 15th November,	16 cases.

Of the 16 cases notified during last week, 3 were scarlet fever, 10 measles, 2 diphtheria, and one varicella (chicken-pox).

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 25th October,	83 cases.
" " 1st November,	104 cases.
" " 8th November,	80 cases.
" " 15th November,	63 cases.

Of the 63 cases notified during last week, 10 were enteric fever, 10 erysipelas, 2 diphtheria, 3 membranous croup, 8 continued fever, and 30 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th November, 1902.

From this it appears that:—

Forty-three cases of measles were admitted to hospital, being one above the admissions for the preceding week; 35 were discharged, there were 3 deaths, and 108 cases remained under treatment at the close of the week.

Fourteen cases of enteric fever were admitted to hospital, 20 cases were discharged, there were 3 deaths, and 89 cases remained under treatment at the close of the week.

Thirty-one cases of scarlatina were admitted to hospital, 13 cases were discharged, there were 3 deaths, and 170* cases remained under treatment at the close of the week.

Four cases of typhus remained under treatment in hospital at the close of the week.

Twelve cases of diphtheria were admitted to hospital, 7 were discharged, there were 2 deaths, and 52 cases remained under treatment at the close of the week.

In addition to the above-named diseases, one case of pneumonia was admitted to hospital, 2 patients were discharged, there was one death, and 6 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·7), was equal to an average annual death-rate of 17·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·4 per 1,000, the rate for Glasgow being 18·0, and for Edinburgh 14·5.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th November, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 15th November, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Numbers.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,401	19·2	30·2	22·8	3·3	682	478	101	118	.	3	3	3	8	2	.	11	9	49	99	10	25	119
Dublin Registration Area:—																							
Total,‡	878,761	27·5	37·9	26·7	3·2	275	194	40	51	.	10	2	2	1	1	.	4	3	17	37	2	11	69
Registrars' Districts. City	293,394	37·8	42·1	29·7	3·9	237	167	38	37	.	10	1	2	1	1	.	4	3	15	31	2	9	63
Rathmines,‖	33,203	19·4	18·8	17·3	.	12	11	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	3
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	20·0	16·0	2·0	10	8	.	4	.	.	1	.	.	.	.	.	.	2	2	.	1	2
Blackrock,‖	8,759	8·1	28·8	6·0	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	36·0	21·0	.	12	7	1	3	.	.	.	.	.	.	.	.	.	.	2	.	1	1
Urban Districts.																							
Belfast,	358,693	24·4	28·8	23·0	4·7	198	158	42	25	.	16	1	.	5	1	.	5	4	22	44	3	8	26
Cork,	76,122	33·6	28·1	17·1	0·7	41	25	6	10	.	.	.	.	.	.	.	.	1	3	6	1	1	7
Londonderry,	40,729	18·8	16·6	17·9	1·3	18	14	2	2	.	1	.	.	.	.	.	.	.	3	3	1	1	.
Limerick,	38,151	18·1	26·0	20·5	3·2	19	15	1	5	.	4	.	1	.	.	.	1	.	1	1	.	.	4
Waterford	26,769	18·7	17·5	27·3	7·8	9	14	2	2	.	1	.	.	2	.	.	1	.	.	1	1	1	5
Galway,	18,426	2·5	19·4	3·9	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	18,076	9·4	27·9	23·9	.	7	6	.	3	.	.	.	.	.	.	.	.	.	1	1	1	1	.
Drogheda	12,760	8·6	20·4	20·4	.	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Newry,	12,405	17·8	29·4	12·6	.	7	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Lurgan,	11,782	18·8	18·3	22·1	.	3	5	.	2	.	.	.	.	.	.	.	.	.	.	1	1	1	3
Lisburn,	11,461	10·1	9·1	.	·5	2	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Wexford,	11,168	28·2	42·0	32·7	.	9	7	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Ballymena	10,886	8·9	23·9	4·8	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	38·4	14·4	.	8	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny,	10,609	11·5	9·8	29·5	.	2	6	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,167	7·8	15·4	35·9	.	3	7	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Portadown	10,092	13·2	25·8	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,867	16·6	5·3	21·1	.	1	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Newtownards,	9,110	18·9	34·3	11·4	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Queenstown,	7,909	14·4	39·6	6·6	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,588	22·2	20·6	27·5	13·7	3	4	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 15th Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§55·7	35·3	47·9	0·21	§56·5	31·0	47·7	1·34	§59·3	40·5	50·1	0·07
City	a57·6 b56·6	40·9 34·6	49·7 48·0	0·41 0·27	a57·0 b55·8	39·1 33·4	50·2 48·2	1·36 1·23	a61·0 b60·4	43·1 39·0	51·9 50·2	0·07 0·09
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	54	42·5	49·9	0·74	61	41	50·2	1·09	63	44	52·7	0·01
Urban Districts.												
Belfast	55·5	36·8	47·6	1·37	56·5	35·5	49·1	0·98	58·1	39·1	50·2	0·51
Cork	55	42	49·8	1·04	58	45	51·5	1·87	64	46	52·9	0·08
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	56	36	48	1·38	58	34	49	1·39	59	40	51·1	0·57
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	54·8	34·8	47·3	0·35	55·4	40·0	47·5	1·23	57·2	38·0	49·2	0·14
Lurgan	54·8	34·8	47·3	0·35	55·4	40·0	47·5	1·23	57·2	38·0	49·2	0·14
Lisburn	54·8	34·8	47·3	0·35	55·4	40·0	47·5	1·23	57·2	38·0	49·2	0·14
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	55·0	5·4	47·3	1·14	58·3	35·1	47·8	2·22	59·3	38·7	50·6	0·30
Kilkenny	54	36	46·6	1·04	55	37	50·1	2·36	58	31	49·0	0·09
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	54·8	34·8	47·3	0·35	55·4	40·0	47·5	1·23	57·2	38·0	49·2	0·14
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	54	38	46·9	1·04	55	37	49·4	0·97	57	38	49·5	0·12
Queenstown	55	42	49·8	1·04	58	45	51·5	1·87	64	46	52·9	0·08
Armagh	54·8	34·8	47·3	0·35	55·4	40·0	47·5	1·23	57·2	38·0	49·2	0·14

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the City of Dublin, [illegible] some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been middle of 1902.

[illegible] these cases, thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche'

Point for Cork and Queenstown. [illegible]

LE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 15th of November, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

MES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																URBAN DISTRICT OF					
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMGONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).	RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	8	8	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	10	.
Scarlet Fever (Scarlatina),	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Typhus,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	4	.
Diarrhœa, Dysentery,	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	3	.
Phthisis,	1	5	2	2	.	.	1	.	2	1	.	1	.	.	.	.	.	2	.	.	17	2
Other General Diseases,	1	1	2	5	.	.	.	.	3	2	1	4	.	.	.	2	.	.	1	2	24	3
Total,	4	9	10	10	.	.	1	.	8	5	2	6	.	1	.	2	3	1	2		64	5
LOCAL DISEASES:																						
Nervous System	2	1	5	1	.	1	.	.	1	.	.	.	.	.	.	2	.	.	1		14	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Heart and Blood Vessels,	3	6	8	3	1	1	.	.	1	1	2	1	.	.	.	3	3	.	1		36	3
Respiratory System,	6	4	6	4	.	.	.	.	2	2	5	1	.	1	.	2	2	.	2		37	.
Digestive System,	2	2	3	1	.	.	.	.	1	.	1	1	.	.	.	1	.	.	.		12	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	3	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1	.	.	1		8	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
cidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.		2	.
eases of Locomotive System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Total,	16	13	17	9	2	2	.	.	6	4	10	4	.	2	.	9	5	.	5		110	3
OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	3	.	3	.	.	.	.	3	.	6	2	.	.	.	.	.	.	.		18	.
VIOLENT DEATHS,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		2	.
eaths from all Causes,	21	25	27	23	2	2	1	.	17	9	25	12	.	3	.	11	8	1	7		194	8
nnual Rate of Mortality in every 1,000 of the opulation.	38·6	33·3	46·8	37·9	21·7	10·4	7·8	.	23·1	27·4	30·6	17·9	.	21·4	.	17·3	16·0	6·0	21·0		26·7	.
	34·6								24·3							16·5						
	29·7																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS

lic Hospitals, Prisons, and nnatic Asylums,	7	5	6	6	.	.	.	.	4	3	6	3	.	.	.	2	2	.	1		45	5
khouse Hospitals,	1	3	3		.	.	.	.	5	2	4	1	.	.	.	1	.	.	.		24	3

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re[illegible]ter[illegible] week of the ten years 1892[illegible]

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years 1892-1901	In the Week ending S[illegible]rd 15th November, [illegible]2. Deaths of Persons of th[illegible]ge					
	Nov. 19, 1892.	Nov. 18, 1893.	Nov. 17, 1894	Nov. 16, 1895.	Nov. 14, 1896.	Nov. 20, 1897.	Nov. 19, 1898.	Nov. 18, 1899.	Nov. 17, 1900.	Nov. 16, 1901.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	40 and under 60.
Mean Temperature.	43·7	41·2	44·2	45·9	42·4	46·3	43·6	48·0	44·4	40·2	44·0	47·9					
ALL CAUSES.	160	185	15[illegible]	155	190	156	186	248	179	180	179·5	202	16	25	31	13	29
Small Pox, Vaccinated, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Cowpox, ...	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	.	.	.	.	.	51	1	.	5·5	10	.	1	9	.	.
Scarlet Fever ...	.	.	.	.	5	1	.	2	1	.	·9	2	.	.	2	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1
Plague, ...		.		.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	.	3	2	.	3	2	.	3	1·5	1	.	.	.	.	1
Whooping Cough, ...	1	6	1	.	4	.	2	2	2	1	1·9	1	.	.	1	.	.
Diphtheria, ...	.	2	1	.	1	1	1	3	1	3	1·3	1	.	.	1	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.
Enteric Fever, ...	2	3	2	2	2	6	3	9	3	.	3·2	4	.	1	.	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	5	3	2	2	1	2	2	5	4	2	2·8	.	.	.	.	.	.
												3	.	2	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Venereal Disease, ...	.	.	.	2	.	1	.	2	2	.	·7	2	1	1	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	2	3	1	.	.	1	.	.	·7	.	.	.	.	.	.
												.	.	.	.	.	.
												.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	1	.	.	1	.	.	.	1	1	·6	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	1	.	.	.	1		.	.	·3	.	.	.	.	.	.
												.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*," ...	24	29	12	19	24	16	22	17	30	36	22·9	.	.	.	.	.	.
												19	1	1	.	2	8
Tuberculous Meningitis, (Acute Hydrocephalus).	2	1	4	6	.	6	3	6	3	3	3·4	2	.	.	1	1	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	3	4	3	6	3	6	6	5	2	4	4·2	2	.	.	2	.	.
												.	.	.	.	.	.
Tuberculous Dis. (other), ... Scrofula, ...	3	2	7	6	8	5	4	4	.	3	4·2	3	.	.	.	2	1
												.	.	.	.	.	.
Alcoholism ...	1	.	1	1	1	1	.	.	.	2	·7	.	.	.	.	.	.
Rheumatic Fever, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.
Gout ...	.	1	1	.	.	.	1	.	.	.	·3	.	.	.	.	.	.

* The figures for the years 1892-1900 a[illegible]

RTY-SIXTH WEEK ending Saturday, 15th November, 1902, with the deaths from each cause in the corresponding
e average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Nov. 19, 1892.	Nov. 18, 1893.	Nov. 17, 1894.	Nov. 16, 1895.	Nov. 14, 1896.	Nov. 20, 1897.	Nov. 19, 1898.	Nov. 18, 1899.	Nov. 17, 1900.	Nov. 16, 1901.	Averages in 46th Week of the 10 years 1892-1901.	In the Week ending Saturday, 15th November, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 43·7	° 41·2	° 44·2	° 45·9	° 42·4	° 46·3	° 43·6	° 48·0	° 44·4	° 40·2	° 44·0	° 47·9								
noma												.	.	.	.	.	.	.	.	.
oma	4	6	5	4	4	6	4	10	6	9	5·8	1	.	.	.	.	1	.	.	.
nant Dis. "Cancer,"												5	.	.	.	1	2	2	.	.
etes Mellitus	.	.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
ature Birth	1	.	1	5	2	1	5	4	3	8	3·0	2	2	.	.	.	.	.	.	.
ngitis (not tuberc.)												2	.	.	2	.	.	.	.	.
ity, G. P. of Insane												1	.	.	.	.	1	.	.	.
psy												.	.	.	.	.	.	.	.	.
ulsions												7	2	3	2	.	.	.	.	.
notor Ataxy												.	.	.	.	.	.	.	.	.
plegia Dis. of Cord												.	.	.	.	.	.	.	.	.
ous System (other Dis.) ...	34	30	40	36	37	28	30	31	37	36	33·9	4	.	.	.	1	.	3	.	.
Dis., Endocarditis												6	.	.	.	.	3	1	2	.
or. Hæm. Thromb.												2	.	.	.	.	.	.	2	.
exy, *Hemiplegia*												9	.	.	.	.	.	2	6	1
rysm												1	.	.	.	.	.	.	1	.
olism, Thromb. (not cerebral)												1	.	.	.	.	1	.	.	.
and Blood Vessel Dis.												20	1	.	.	.	2	6	7	4
(not Spasm. or Memb.) ...	.	2	2	.	.	.	.	1	.	1	·6	.	.	.	.	.	.	.	.	.
chitis	28	31	7	24	24	26	26	26	22	15	22·9	26	5	5	4	.	2	3	5	2
ous Pneumonia												.	.	.	.	.	.	.	.	.
cho-Pneumonia	8	5	11	19	12	5	23	22	9	8	12·2	2	.	1	.	.	.	.	.	1
umonia"												7	.	.	2	1	3	1	.	.
na, Emphysema												.	.	.	.	.	.	.	.	.
isy	3	4	5	1	2	4	4	1	5	2	3·1	.	.	.	.	.	.	.	.	.
ratory Dis. (other)												2	.	.	.	.	1	1	.	.
llitis, Quinsy	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
itis (not Epid.)	1	.	.	.	2	1	1	.	1	1	·7	.	.	.	.	.	.	.	.	.
Enteritis												.	.	.	.	.	.	.	.	.
nitis (not Puerp.)	1	.	2	.	1	1	2	2	.	.	·9	1	.	.	.	.	1	.	.	.
osis of Liver	1	3	2	.	4	4	3	1	1	2	2·1	2	.	.	.	.	1	.	1	.
Dis. (other)												1	.	.	.	.	1	.	.	.
tive Dis. (other)	8	6	5	2	1	3	4	7	7	4	4·7	8	.	.	1	2	.	2	2	1
ritis, Acute												4	.	.	.	2	2	.	.	.
t's Dis., Albuminuria ...	4	5	6	2	5	6	4	2	7	2	4·3	2	.	.	1	1	.	.	.	.
ry Sys. (Other Dis.) ...												2	.	.	.	.	1	.	1	.
rative Organs Dis.	1	1	.	.	.	1	1	1	.	.	·5	.	.	.	.	.	.	.	.	.
birth (Accid. of)	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.
ge	10	18	9	3	14	8	10	12	14	12	11·0	6	.	.	.	.	.	.	2	4
Diseases	8	14	11	7	22	8	15	13	10	16	12·4	20	4	10	2	.	1	1	2	.
ACCIDENT.																				
ilways	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
hicles and Horses	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
ps, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ilding Operations	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
nflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions ...	1	.	2	.	2	1	3	3	2	.	1·4	.	.	.	.	.	.	.	.	.
owning	2	.	.	.	1	1	.	1	2	2	·9	.	.	.	.	.	.	.	.	.
ffocation in Bed	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ison or Poisonous Vapours...	.	.	.	.	1	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	.	2	5	.	2	4	.	.	2	1	1·6	2	.	.	.	.	1	.	1	.
IOLENCE OTHER THAN ACCIDENTAL.																				
cide	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
le	.	.	1	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
tion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																										
	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug 9.	Aug. 16.	Aug. 23	Aug. 30.	Sept. 6.	Sept. 13.	Sept 20.	Sept 27	Oct 4	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov 8.	Nov. 15.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered,	209	231	249	192	242	218	204	187	196	203	186	244	192	185	209	205	219	221	222	192	162	176	259	188	166	275
*Average Births in corresponding week of previous 10 years,**	195	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210	185	175	193	181	181	184	192
DEATHS registered,	149	165	156	155	189	149	149	129	155	150	165	154	145	146	156	170	142	168	213	169	192	200	228	183	228	202
Annual Death-rate per 1,000,	20·5	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5	30·7	25·2	31·4	27·8
*Average Deaths in corresponding week of previous 10 years,**	174	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161	169	175	174	180
AGES, Under 5 years,	39	48	48	50	38	57	41	38	44	46	59	65	55	52	53	57	62	87	98	80	81	100	112	86	96	72
5—20 ,,	16	24	14	19	15	11	14	10	13	8	14	14	7	15	12	16	9	9	18	12	16	12	15	8	17	13
20—40 ,,	34	23	32	29	23	28	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16	32	30	39	35
40—60 ,,	21	35	38	24	26	27	27	29	30	29	24	20	36	32	31	43	23	18	33	34	34	33	26	30	29	29
60—80 ,,	36	27	17	27	32	26	30	25	27	29	30	29	28	15	26	23	23	23	25	19	22	32	32	21	41	40
80 years and upwards,	3	8	7	6	5	5	7	3	5	13	7	4	2	5	3	6	6	5	9	2	5	6	6	8	6	13
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11	19	20	16	16	10
,, Scarlet Fever,	2	1	1		1	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2	2	3	4	2
,, Typhus,	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2
,, Whooping-cough,	.	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1	1	1	.	1
,, Diphtheria,	.	2	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1	2	1	3	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
,, Enteric Fever,	1	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2	1	1	2	5	4
,, Diarrhœa, Dysentery,	2	1	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11	14	3	2	3
,, Phthisis,	25	27	40	26	26	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18	26	18	17	21	24	19
,, Heart Diseases,	15	21	12	18	22	21	17	18	25	18	10	18	21	17	18	24	17	17	21	14	19	20	25	18	27	39
,, Diseases of Respiratory System,	28	32	25	16	10	25	30	24	28	17	30	28	19	18	16	20	14	20	27	19	25	42	49	37	57	37
Violent Deaths,	4	4	6	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6	3	1	4	2
Mean Temperature of the Air (Phœnix Park),	49·7	50·0	53·5	48·5	53·5	60·6	53·9	53·2	53·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4	50·7	50·1	47·7	47·9
Average Mean Temperature in corresponding week of previous 10 years,	50·8	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3	46·1	46·7	45·6	44·0
Rainfall in inches,	·195	·153	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·538	·083	1·725	·115	·180	·595	·640	1·150	·600	·298	·068	1·337	0·212
Mean Humidity of the Air, complete Saturation 1·0,	·79	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·88	·88	·90	·87	·89	·90	·85

* See note at foot of Table III.

Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH NOVEMBER, 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Colic, 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	30·4	202	72	13	35	29	40	13	.	10	2	2	1	1	.	4	3	23	19	7	37	2	114
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	37·2	11	.	.	2	3	3	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.	3
II.	Middle Class,	80,653	12·3	19	5	2	3	3	4	2	.	.	.	.	.	.	.	1	.	1	2	.	5	.	11
III.	Artisan Class and Petty Shopkeepers	98,874	28·6	54	24	2	12	4	10	2	.	3	1	.	.	.	.	2	1	7	4	2	11	.	30
IV.	General Service Class,	146,486	40·6	91	42	9	11	9	17	3	.	7	1	2	1	1	.	1	2	15	7	5	16	2	46
V.	Inmates of Workhouses,	5,191		27	1	.	7	10	6	3	.	.	.	.	.	.	.	.	.	.	4	.	4	.	19
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	64·3	7	.	.	1	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	8·1	4	3	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	2
	6. Clerks and Commercial Assistants,	24,750	16·9	8	2	1	3	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,810	8·6	4	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,652	14·2	2	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.
	9. Building and Furnishing Trades,	26,030	28·0	14	6	.	3	.	4	1	.	1	.	.	.	.	.	1	.	2	1	.	5	.	6
	10. Clothing Trades,	28,686	24·2	11	3	2	1	3	1	1	.	.	.	.	.	.	.	.	.	.	1	1	3	.	6
	11. Food Supply Trades,	7,869	19·9		3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	37·1	19	5	.	8	1	5	.	.	.	1	.	.	.	.	1	1	3	2	.	.	.	14
	13. Petty Shopkeepers,	6,771	38·5	5	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	38·4	10	5	1	1	1	2	.	.	1	.	.	1	.	.	1	.	3	.	.	4	.	3
	15. Domestic Servants,	39,563	9·2	7	2	.	2	1	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	63·3	13	5	1	3	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	9
	17. Hawkers, Porters, Labourers, &c.,	82,631	38·5	61	30	7	5	6	10	3	.	6	1	2	.	1	.	.	1	11	5	5	8	2	30
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	27	1	.	7	10	6	3	.	.	.	.	.	.	.	.	.	.	4	.	4	.	19

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,333.	Sept. 27,	44·2	12·9	24	.	5	.	.	.	.	.	.	2	1	5	2
		Oct. 4,	29·4	7·4	16	.	2	.	.	1	.	.	.	1	1	.	.
		„ 11,	25·8	9·2	14	.	3	.	.	.	.	.	.	2	2	1	.
		„ 18,	25·8	9·2	14	.	4	1	.	.	.	.	.	.	.	3	.
		„ 25	31·3	7·4	17	.	3	.	.	.	.	.	.	1	.	8	.
		Nov. 1,	33·1	11·0	18	.	5	.	.	1	.	.	.	.	2	2	.
		„ 8,	36·8	7·4	20	.	3	.	.	.	.	.	1	.	3	6	.
		„ 15,	38·6	3·7	21	.	.	.	.	.	.	.	1	1	1	6	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Sept 27,	29·3	4·0	22	.	1	.	.	.	.	.	1	1	3	4	.
		Oct. 4,	18·6	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 11,	34·6	4·0	26	.	1	.	.	.	1	.	.	1	6	3	1
		„ 18,	28·0	1·3	21	.	.	1	.	.	.	.	.	.	2	4	1
		„ 25,	41·3	9·3	31	.	4	.	.	1	1	.	.	1	.	4	.
		Nov. 1,	20·0	5·3	15	.	2	1	.	.	.	.	1	.	2	2	.
		„ 8,	36·0	5·3	27	.	2	.	.	.	.	.	2	.	4	7	.
		„ 15,	33·3	4·0	25	.	2	.	.	.	.	.	1	.	5	4	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Sept. 27,	41·6	8·7	24	.	1	.	.	.	1	.	2	1	1	7	.
		Oct. 4,	18·9	5·2	8	.	1	.	.	.	.	.	1	1	.	1	.
		„ 11,	27·7	6·9	16	.	3	.	.	.	.	.	.	1	2	3	.
		„ 18,	46·8	10·4	27	.	4	.	.	.	1	.	.	1	3	8	1
		„ 25,	52·0	6·9	30	.	4	.	.	.	.	.	.	.	.	10	1
		Nov. 1,	46·8	1·7	27	.	1	.	.	.	.	.	.	.	4	6	.
		„ 8,	41·6	8·7	24	.	3	.	.	.	1	.	1	.	2	3	.
		„ 15,	46·8	10·4	27	.	3	1	1	.	1	.	.	.	2	6	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Sept. 27,	34·6	9·9	21	.	1	1	.	1	.	.	1	2	2	1	.
		Oct. 4,	19·8	6·6	12	.	3	.	.	.	.	.	.	1	3	3	.
		„ 11,	19·8	1·6	12	.	1	.	.	.	.	.	.	.	1	2	.
		„ 18,	28·0	6·6	17	.	4	.	.	.	.	.	.	.	1	1	1
		„ 25,	31·3	8·2	19	.	3	.	.	.	.	.	.	2	3	4	.
		Nov. 1,	24·7	6·6	15	.	3	.	.	.	.	.	.	1	1	3	.
		„ 8,	37·9	6·6	23	.	4	.	.	.	.	.	.	.	1	5	.
		„ 15,	37·9	4·9	23	.	3	.	.	.	.	.	.	.	2	4	1
	South City, No. 1. (Office, South Earl-street.) Pop. in 1902 (Est.) 38,318.	Sept. 27,	39·5	9·5	29	.	.	1	.	.	.	.	1	5	4	1	.
		Oct. 4,	31·3	15·0	23	.	2	.	.	.	1	.	1	7	.	2	.
		„ 11,	39·5	12·2	29	.	2	1	.	.	.	.	.	6	6	2	.
		„ 18,	34·0	12·2	25	.	6	.	.	.	.	.	.	3	4	3	.
		„ 25,	31·3	10·9	23	.	5	1	.	.	.	.	1	1	.	3	.
		Nov. 1,	36·7	6·8	27	.	3	1	.	.	1	.	.	.	5	3	.
		„ 8,	38·1	5·4	28	.	2	.	.	.	2	.	.	.	1	8	2
		„ 15,	23·1	4·1	17	.	2	.	1	.	.	.	.	.	2	2	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Sept. 27,	18·3	.	6	.	.	.	.	.	.	.	.	.	1	3	.
		Oct. 4,	36·6	3·0	12	.	.	.	.	.	1	.	.	.	3	5	.
		„ 11,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.
		„ 18,	57·9	3·0	19	.	.	.	.	.	.	.	.	1	2	7	.
		„ 25,	39·6	12·2	18	.	1	.	.	.	.	.	.	3	1	4	.
		Nov. 1,	33·5	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 8,	51·8	6·1	17	.	1	.	.	.	.	.	.	1	2	6	.
		„ 15,	27·4	6·1	9	.	.	.	.	.	.	.	1	1	1	2	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 42,573.	Sept. 27,	24·5	6·1	20	.	.	.	.	.	1	.	.	4	.	2	2
		Oct. 4,	26·9	4·9	22	.	.	.	.	.	.	.	.	4	2	1	2
		„ 11,	28·2	6·1	23	.	1	1	.	.	.	.	.	3	3	4	.
		„ 18,	31·8	3·7	26	.	.	.	.	.	.	.	.	3	2	9	.
		„ 25,	29·4	3·7	24	.	.	.	.	.	1	.	.	2	3	3	1
		Nov. 1,	20·8	3·7	17	.	2	1	.	.	.	.	.	.	1	5	.
		„ 8,	38·0	3·7	31	.	1	2	.	.	.	.	.	.	3	11	.
		„ 15,	30·6	1·2	25	.	.	.	.	1	.	.	.	.	.	5	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Sept. 27,	32·9	7·5	22	.	2	.	.	.	2	.	.	1	3	1	1
		Oct. 4,	16·4	1·5	11	.	.	.	.	.	.	.	1	.	2	1	.
		„ 11,	28·4	3·0	19	.	.	.	.	.	.	.	2	.	2	5	1
		„ 18,	34·4	1·5	23	.	.	.	.	.	.	.	.	1	4	4	2
		„ 25,	20·9	1·5	14	.	.	.	.	.	.	.	.	1	2	5	.
		Nov. 1,	16·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1
		„ 8,	17·9	1·5	12	.	.	1	.	.	.	.	.	.	2	4	1
		„ 15,	17·9	1·5	12	.	.	.	.	.	.	.	1	.	1	1	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	Sept. 27,	18·8	6·3	13	.	.	1	.	.	.	.	1	2	1	1	.
	Oct. 4,	15·7	3·1	10	.	.	.	.	.	.	.	.	2	2	.	.
	„ 11	17·3	1·6	11	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
	„ 25,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	.	2	.
	Nov. 1,	7·9	1·6	5	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	22·0	3·1	14	.	.	.	.	.	.	.	1	1	2	3	.
	„ 15,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	2	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Sept. 27,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 4,	16·0	6·0	8	.	.	.	.	.	1	.	.	2	.	.	1
	„ 11,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	16·0	4·0	8	.	.	1	.	.	.	.	.	1	1	1	.
	Nov. 1,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	12·0	2·0	6	.	.	1	.	.	.	.	.	.	2	.	.
	„ 15,	16·0	2·0	8	.	.	1	.	.	.	.	.	.	2	2	.
Kingstown. Pop. in 1902 (Est.) 17,380.	Sept. 27,	15·0	.	5	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 4,	27·0	3·0	9	.	.	.	.	.	1	.	.	.	1	1	.
	„ 11,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	9·0	3·0	3	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	30·0	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	Nov. 1,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 15,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
Belfast. Pop. in 1902 (Est.) 358,693.	Sept. 27,	17·6	3·3	121	.	4	.	.	4	.	.	3	12	8	24	.
	Oct. 4,	19·9	4·4	137	.	7	.	.	2	.	.	7	14	15	23	2
	„ 11,	21·5	3·1	148	.	6	1	.	2	1	.	1	10	17	35	3
	„ 18,	22·4	4·4	154	.	8	2	.	6	2	.	5	7	19	26	1
	„ 25,	21·2	4·4	146	.	14	.	.	3	2	.	6	5	19	36	3
	Nov. 1,	21·7	3·2	149	.	8	1	.	3	3	.	3	4	14	52	2
	„ 8,	19·8	3·5	136	.	14	1	.	4	2	.	3	1	20	27	.
	„ 15,	23·0	4·7	158	.	16	1	.	5	1	.	5	4	22	44	3
Cork. Pop. (in 1901) 76,122.	Sept. 27,	22·6	1·4	33	.	.	.	.	.	.	.	.	2	7	2	.
	Oct. 4,	24·0	2·1	35	.	1	.	.	.	.	.	.	2	9	4	3
	„ 11,	24·0	1·4	35	.	.	.	.	.	.	.	.	2	3	5	.
	„ 18,	14·4	1·4	21	.	.	.	.	.	.	.	.	2	4	4	.
	„ 25,	22·6	1·4	33	.	1	.	.	.	.	.	.	1	3	2	1
	Nov. 1,	21·9	2·1	32	.	.	.	.	.	.	.	.	3	2	2	.
	„ 8,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	4	4	1
	„ 15,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	3	6	1
Londonderry. Pop. in 1902 (Est.) 40,729.	Sept. 27,	19·2	3·8	15	.	1	.	.	.	.	.	.	2	4	1	1
	Oct. 4,	10·2	2·6	8	.	1	.	.	.	.	.	1	1	2	1	.
	„ 11,	7·7	1·3	6	.	.	.	.	.	.	.	.	1	.	1	1
	„ 18,	10·2	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	„ 25,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	5	.
	Nov 1,	15·4	2·6	12	.	1	.	.	.	.	.	.	1	2	4	.
	„ 8,	17·9	1·3	14	.	.	.	.	.	.	.	1	.	2	6	1
	„ 15,	17·9	1·3	14	.	1	.	.	.	.	.	.	.	3	3	1
Limerick. Pop. (in 1901) 38,151.	Sept. 27,	10·9	1·4	8	.	.	.	.	.	.	.	1	.	2	2	.
	Oct. 4,	16·4	2·7	12	.	.	.	.	.	.	.	1	1	1	2	.
	„ 11,	23·2	6·8	17	.	3	.	.	.	.	.	1	1	2	1	.
	„ 18,	27·3	5·5	20	.	3	.	.	.	.	.	.	1	5	2	.
	„ 25,	21·9	5·5	16	.	2	.	.	.	.	.	1	1	2	2	.
	Nov. 1,	17·8	4·1	13	.	1	.	1	.	.	.	.	1	.	1	.
	„ 8,	13·7	1·4	10	.	1	.	.	.	.	.	.	.	1	4	.
	„ 15,	20·5	3·2	15	.	4	.	1	.	.	.	1	.	1	1	.
Waterford. Pop. (in 1901) 26,769.	Sept. 27,	19·5	5·8	10	.	.	.	.	.	.	.	.	3	1	2	.
	Oct. 4,	21·4	3·9	11	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	11·7	5·8	6	.	.	.	.	3	.	.	.	.	.	.	.
	„ 18,	23·4	5·8	12	.	1	.	.	2	.	.	.	.	2	3	.
	„ 25,	23·4	11·7	12	.	.	.	.	5	.	.	.	1	1	.	.
	Nov. 1,	35·1	13·6	18	.	2	.	.	3	.	.	.	2	2	1	.
	„ 8,	17·5	3·9	9	.	.	1	.	1	.	.	.	.	.	2	.
	„ 15,	27·3	7·8	14	.	1	.	.	2	.	.	1	.	.	1	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 15th November, 1902, Deaths in Public Institutions of persons *admitted, from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	6	17·7	7·1	5	1	1	3	.	.	1	.	.	.	1	.	.	.	1	2	.	.	.
" 2 "	47,959	31	29·4	1·1	27	6	4	14	3	.	.	1	.	.	.	.	.	.	7	8	1	1	9
" 3 "	47,214	28	29·8	7·7	27	7	9	8	3	.	4	.	.	.	.	.	2	1	1	8	1	1	5
" 4 "	40,911	33	30·6	6·4	24	8	5	9	2	.	2	.	.	.	.	.	2	1	3	7	.	.	2
" 5 "	17,387	11	45·0	18·0	15	2	6	4	3	.	6	.	.	.	.	.	.	.	3	2	.	.	2
" 6 "	48,122	14	19·5	1·1	18	4	2	5	7	.	.	.	.	1	.	.	.	.	2	8	.	3	2
" 7 "	1,524	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	19,569	8	4·3	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 10 "	23,064	18	38·4	11·3	17	6	3	5	3	.	3	.	.	2	.	.	.	.	2	4	.	1	1
" 11 "	34,802	15	16·5	3·0	11	3	2	3	3	.	.	.	.	1	.	.	.	1	2	3	.	1	4
" 12 "	33,588	23	17·1	4·7	11	4	4	2	1	.	.	.	.	1	.	.	1	1	1	2	1	1	1
" 13 "	15,006	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	198	23·6	4·8	158	42	36	55	25	.	16	1	.	5	1	.	5	4	22	44	3	8	26
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	3	20·3	.	5	.	.	2	3	.	.	.	.	.	.	.	.	.	1	.	1	1	3
" 2 "	10,701	7	14·6	4·9	3	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" 3 "	9,978	6	10·5	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 4 "	8,666	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	6,592	1	23·7	.	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.
" 6 "	10,702	11	19·5	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 7 "	16,616	9	25·1	.	8	2	.	3	3	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Total,	76,122	41	17·1	0·7	25	6	3	6	10	.	.	.	.	.	.	.	.	1	3	6	1	1	7

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	May 24.	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sep. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered,	201	244	217	211	209	175	237	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234	240	190	186	198
DEATHS registered.	152	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154	146	149	136	158
Annual Death-rate per 1,000 of estimated Population,	22·1	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	21·5	17·6	19·9	21·5	22·4	21·2	21·7	19·8	23·0
AGES, Under 1 year,	26	31	16	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45	38	42	36	42
AGES, 1-5 years,	25	24	20	14	22	20	27	23	19	19	22	18	21	17	19	16	20	17	16	26	18	33	27	29	32	36
AGES, 5-60 years,	67	63	61	52	69	50	64	55	45	48	58	62	44	43	51	54	42	60	41	54	57	53	55	53	57	55
AGES, 60 years and upwards,	34	21	34	27	27	22	30	16	23	17	24	21	23	16	20	25	15	21	15	17	19	23	26	25	11	25
Deaths from Small Pox,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	3	4	3	2	7	6	6	7	7	8	5		3	2	5	6	4	5	4	7	6	8	14	8	14	16
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1
,, Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	4	2	6	1	4	3	7	4	.	2		6	2	6	5	6	5	2	4	2	2	6	3	3	4	5
,, Diphtheria,	1	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2	2	3	2	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	.	.		.	.	1	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	3	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5	6	3	3	5
,, Diarrhœa, Dysentery,	1	5	1	4	1	3	4	3	6		2	1	5	5	4	4	23	13	12	14	10	7	5	4	1	4
,, Phthisis	26	26	26	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17	19	19	14	20	22
,, Diseases of Respiratory System,	32	23	22	20	25	18	34	22	18	16	29	15	19	9	26	27	15	15	24	23	35	26	36	52	27	44
Violent Deaths,	1	3	3	2	2	1	7	4	1	6	4	.	1	1	1	1	2	6	.	2	3	1	3	2	.	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th November, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 1, West,	.	34	1	4	.	.	.	.	2	6	.	.	.	47
" " 2,	.	24	.	2	.	.	2	.	.	2	.	.	1	31
" " 3,	.	44	.	10	.	.	2	.	.	3	3	.	3	65
Clontarf and Howth No. 1 (part of),	.	17	.	1	.	.	.	.	.	1	.	.	.	19
Coolock and Drumcondra No. 1 (part of),	.	3	.	1	1	.	1	.	.	1	.	.	.	7
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	11	.	10	.	.	4	.	2	3	8	.	.	38
" " 2,	.	8	.	1	.	.	1	.	.	.	1	.	.	11
" " 3,	.	5	.	1	.	.	1	.	1	.	.	.	.	8
" " 4,	.	5	.	.	.	.	2	.	.	1	1	.	.	9
Palmerston (part of),	.	5	.	.	.	.	.	.	.	4	2	.	.	11
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	156	1	31	1	.	13	.	5	21	15	.	4	247
Total for week ended Nov. 8th, 1902,	.	161	.	41	2	.	13	3	2	27	15	.	3	267
Total for week ended Nov. 1st, 1902,	.	159	1	42	1	.	16	.	2	24	17	1	8	271
Total for week ended Oct. 25th, 1902,	.	192	.	31	2	.	5	.	3	21	21	.	3	278

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th November, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th November.			
	Oct. 25.	Nov. 1.	Nov. 8.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	95	109	103	43	35	3	108
Scarlet Fever,	119	139	155	31	13	3	170*
Typhus "	6	3	4	.	.	.	4
Diphtheria,	39	48	49	12	7	2	52
Enteric Fever,	106	107	98	14	20	3	89
Pneumonia,	10	7	8	1	2	1	6

* Exclusive of 29 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON, . .	4,579,107	Nov. 15,	2,679	1,558	17·7	.	37	9	23	21	15	23
EDINBURGH, .	317,885	„ 15,	159	90	14·5	.	1	.	.	1	1	3
GLASGOW, . .	764,423	„ 15,	454	269	18·0	.	.	.	2	1	3	12
CALCUTTA, . .	847,796	Sept. 20,	.	419	25·6	2	1	.	.	.	125§	61*
BOMBAY, . .	776,006	Oct. 21,	413	705	47·2	1	21	?	?	1	49§	59*
MADRAS, . .	509,346	„ 3,	455	477	48·6	.	1	?	?	?	156	76*
PARIS, . . .	2,660,559	Nov. 8,	982	787	16·2	.	2	1	5†	2	11	26
BRUSSELS (with 8 Faubourgs).	562,893	Oct. 25,	236	144	13·3	.	4	1	.	.	1	13
AMSTERDAM, .	537,023	Nov. 1,	263	132	12·8	.	.	.	.	1	1	5
ROTTERDAM, .	320,991	—	.	.	.	.	.	.	.	.	.	
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.		.
COPENHAGEN, .	400,570	Nov. 1,	200	99	12·9	.	2	1	.	2	.	4
CHRISTIANIA, .	224,909	„ 1,	148	44	10·2	.	1	.	.	3	.	.
ST. PETERSBURG,	1,248,643	Oct. 25,	496	483	20·1	.	19	9	17	3	9	53
BERLIN, . .	1,908,767	„ 18,	847	547	15·4	.	3	7	2	3	2	51
HAMBURG, . .	724,835	Nov. 1,	.	223	16·0	.	2	24	3†	7	1	5
DRESDEN, . .	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU, . .	427,505	—		.	.		.	.	.	.	.	.
MUNICH, . .	506,000	Nov. 1,	.	182	18·7	.	2	.	1†	1	.	25
VIENNA (with suburbs).	1,744,177	„ 1,	901	573	17·1	.	14	3	12†	2	.	36
BUDA-PESTH, .	767,661	Oct. 25,	453	243	16·5	.	1	4	2	1	1	15
PRAGUE and Faubourgs.	421,545	„ 25,	178	166	20·5	.	.	9	1†	1	2	11
ROME, . . .	478,790	Aug. 30,	194	123	13·4	.	.	.	.	1	2	19
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	165,350	Nov. 1,	55	72	23·4	.	1	.	.	.	2	2
NEW YORK, .	3,632,501	Oct. 25,	1,658	1,150	16·5	.	3	8	32†	7	26	65
PHILADELPHIA, .	1,293,697	„ 18,	.	369	14·8	.	.	3†	6†	1	8	4

* Including 12 deaths from cholera in Calcutta, two in Bombay, and four in Madras.
† Including deaths from croup.
§ Exclusive of 8 deaths from bubonic fever in Calcutta, and 134 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 15th November, 1902:—

"The season so far has remained very open all over Western Europe and even in Scandinavia and Lapland. This week opened with a moderate or fresh westerly (S.W. to N.W.) gale blowing over the British Isles. At 8 a.m. of Sunday the centre of a large and deep atmospheric depression lay off Cape Wrath, in Caithness-shire, the barometer being down to 28·78 inches at Stornoway, in the Hebrides. This disturbance passed away across the Norwegian Sea and filled up in part, but it was quickly followed by other depressions. One of these brought heavy rains on Monday night and Tuesday to the Irish and Welsh stations. At Valentia, 1·46 inches were measured on Tuesday morning; at Donaghadee, the measurement on Wednesday morning was ·95 inch. At this time (Wednesday) a large area of high atmospheric pressure (anticyclone) was developing over Central Europe and Russia. This system surged westwards and by Saturday had embraced within its sphere of influence the greater part of the British Isles. As the anticyclone advanced, temperature became very unsteady and variable, the warm southerly winds on the western face of the high-pressure system raising the thermometer above 60° in France and nearly to that figure in the British Isles. But at times the wind fell, and with the resultant calm the thermometer sank many degrees, causing a wide diurnal range—in the 24 hours ended with 8 a.m. of Thursday the thermometer ranged in London from 57° to 31°, at Dungeness from 55° to 31°. In Dublin the mean height of the barometer was 29·824 inches, the range being from 29·276 inches at 4 p.m. of Tuesday (wind, S.E.) to 30·243 inches at 9 a.m. of Friday (wind E.). The mean temperature was 49·7°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 49·0°. The screened thermometers rose to 57·6° on Thursday and fell to 40·9° on Friday. Southerly winds predominated. The estimated duration of bright sunshine was 20 hours. Rain fell on 3 days to the amount of ·410 inch, ·247 inch being measured on Tuesday. Lunar halos and coronæ were seen on Sunday evening, also lightning the same night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·851 inches. The highest reading (30·268) was on Friday at 9 a.m., air calm, and the lowest (29·351) on Saturday at 9 a.m., wind W.

The mean temperature for the week was 47·9°, being 3·9° over the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Thursday and Saturday, on which days the thermometer registered 55·7°, and was lowest on Friday, the mercury having fallen to 35·3°. The mean of the Dry Bulb for the week was 48·4°, and of the Wet Bulb 46·1°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 19·6 hours. The rainfall measured ·212 inch.

At Greenwich the mean temperature for the week was 47·4°, the maximum 55·9°, and the minimum 34·7°; at Glasgow the maximum was 56·2°, the minimum 40·2°, and the mean 48·7°; and at Edinburgh the maximum was 54·3°, the minimum 39·6°, and the mean 47·3°. The rainfall at Greenwich measured 0·01 inch; at Glasgow 0·82 inch; and at Edinburgh 0·09 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Nov. 9,	29·517	52·1	43·8	48·0	45·8	44·3	·89	1·0	3·3	—	S.W.	S.W.
Monday, „ 10,	29·690	55·2	39·1	47·2	49·3	46·0	·78	1·0	2·4	·065	S.W.	S.S.E.
Tuesday, „ 11,	29·436	53·0	46·2	49·6	47·8	46·3	·90	1·0	0·3	·111	S.E.	S.W.
Wednesday, „ 12,	29·861	52·9	42·7	47·8	49·7	46·6	·79	·8	7·3	—	S.W.	S.W.
Thursday, „ 13,	29·995	55·7	39·9	47·8	47·4	45·7	·88	·6	0·0	·033	S.W.	Calm.
Friday, „ 14,	30·254	55·4	35·3	45·4	48·5	47·3	·93	·3	0·4	—	Calm.	S.E.
Saturday, „ 15,	30·202	55·7	42·9	49·3	50·0	46·7	·78	·6	5·9	—	S.E.	S.E.
Mean, .	29·851	54·3	41·4	47·9	48·4	46·1	·85	·8	Total 19·6	·212	Prevailing wind S.W.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A fine but cloudy day; night cloudy; light rain 10.0 p.m. to 12.0 a.m., and 3.0 a.m. to 7.0 a.m. *Tuesday*—A dull day to 3.0 p.m.; light rain 9.30 a.m. to 2.30 p.m.; night cloudy. *Wednesday*—A fine day; night cloudy. *Thursday*—A dull day; light rain 3.0 p.m. to 4.0 p.m.: night cloudy. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A fine day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 299. 9. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 22ND NOVEMBER, 1902. [No. 47.

General Register Office, Charlemont House, Dublin, 24th November, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 1.	Week ending Nov. 8.	Week ending Nov. 15.	Week ending Nov. 22.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 1.	Week ending Nov. 8.	Week ending Nov. 15.	Week ending Nov. 22.	Average Rate for 4 weeks
22 Town Dists.	21·1	23·8	22·8	22·8	22·6	Lisburn, . .	0·0	13·6	13·6	4·5	7·9
Armagh, . .	13·7	27·5	27·5	41·2	27·5	Londonderry, .	15·4	17·9	17·9	23·0	18·6
Ballymena, .	9·6	4·8	4·8	4·8	6·0	Lurgan, . .	26·6	31·0	22·1	13·3	23·2
Belfast, . .	21·7	19·8	23·0	20·8	21·3	Newry, . .	8·4	16·8	12·6	16·8	13·7
Clonmel, . .	15·4	25·6	35·9	25·6	25·6	Newtownards, .	28·6	57·2	11·4	17·2	28·6
Cork, . . .	21·9	21·2	17·1	15·1	18·8	Portadown, .	20·7	15·5	0·0	10·3	11·6
Drogheda, . .	12·3	8·2	20·4	28·6	17·4	Queenstown, .	19·8	26·4	6·6	13·2	16·5
Dublin Reg. Area,	24·0	30·3	26·7	31·1	28·0	Sligo, . .	4·8	43·2	14·4	0·0	15·6
Dundalk, . .	12·0	31·9	23·9	16·0	21·0	Tralee, . .	5·3	21·1	21·1	26·4	18·5
Galway, . .	3·9	23·3	3·9	11·7	10·7	Waterford, .	35·1	17·5	27·3	3·9	21·0
Kilkenny, . .	14·7	19·7	29·5	9·8	18·4	Wexford, . .	28·0	23·3	32·7	23·3	26·3
Limerick, . .	17·8	13·7	20·5	19·1	17·8						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 4·3 per 1,000, the rates varying from 0·0 in thirteen of the districts to 27·5 in Armagh; the 6 deaths from all causes registered in that district including 4 from measles. Among the 143 deaths in Belfast are 17 from measles, 2 from scarlet fever, 9 from whooping-cough, 2 from diphtheria, 2 from simple continued and ill-defined fever, 3 from enteric fever, and 3 from diarrhœa; and the 14 deaths in Limerick include 7 from measles.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 184—88 boys and 96 girls; and the deaths to 237—146 males and 91 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 32·6 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 31·1 per 1,000. During the

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

forty-seven weeks ending with Saturday last the death-rate averaged 24·7, and was 1·6 below the mean rate for the corresponding portions of the ten years 1892–1901.

The deaths from measles rose from 10 deaths in the preceding week to 19; in the 3 weeks previous the deaths registered were respectively 20, 16, and 16. Five deaths from scarlatina, one death from influenza, 4 deaths from diphtheria, 2 deaths from enteric fever, 2 deaths from epidemic diarrhœa, and 5 deaths from *diarrhœa* were also registered.

The deaths, 32 in number, from tuberculous disease, include 3 from tuberculous phthisis, 18 deaths from *phthisis*, 2 deaths from tuberculous meningitis, 2 deaths from tuberculous peritonitis, and 7 deaths from other forms of the disease.

There were 2 deaths from carcinoma, and 7 deaths from *malignant disease*, "*cancer*."

There were 32 deaths from diseases of the nervous system, including 19 deaths of children under 5 years of age from *convulsions*.

Diseases of the heart and blood-vessels caused 23 deaths.

There were 52 deaths from diseases of the respiratory system, equal to an annual rate of 7·2 per 1,000 of the population of the Dublin Registration Area; the rate for the corresponding period of the past 10 years was 5·6 per 1,000. Bronchitis caused 33 deaths, broncho-pneumonia 7 deaths, and *pneumonia* 9 deaths.

Two deaths were due to accidental causes.

In 17 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 16 children under 5 years of age (including 12 infants under one year old).

One hundred and nineteen of the persons whose deaths were registered during the week were under 5 years of age (68 being infants under one year, of whom 16 were under one month old), and 39 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 7 were octogenarians.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 31·1 per 1,000; the rate in the City was 34·1 (33·6 on the North side, and 34·7 on the South), and in the Urban Districts 20·3.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 4·5 per 1,000 inhabitants, the rate for the City being 5·2 (6·5 in the North City Districts, and 3·7 in the South), and for the Urban Districts 2·4 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (21) are equal to an annual rate of 38·6 per 1,000. Two deaths from measles, 2 deaths from *phthisis*, and 9 deaths from diseases of the respiratory system were registered; the latter figure includes one death from broncho-pneumonia and one death from *pneumonia*.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. One death from *diarrhœa*, 4 deaths from *phthisis*, and 5 deaths from diseases of the respiratory system, including two deaths from broncho-pneumonia and one death from *pneumonia*, were registered.

No. 2 *North City District* (Lisburn-street).—The deaths (24) are equivalent to an annual rate of 41·6 per 1,000. There were 2 deaths from measles, one death from diphtheria, 2 deaths from *diarrhœa*, and 2 deaths from *phthisis*; also one death from broncho-pneumonia and one death from *pneumonia*.

No. 3 *North City District* (Blackhall-place).—The deaths (28) represent an annual rate of 46·1 per 1,000. Seven deaths from measles, one death from scarlet fever, one death from diphtheria, one death from *diarrhœa*, one death from *phthisis*, and 4 deaths from diseases of the respiratory system including one death from broncho-pneumonia and one death from *pneumonia* are included in above total.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 31·3. There was one death from scarlet fever in the last-named district.

No. 1 *South City District* (South Earl-street).—The deaths (23) represent an annual rate of 31·3 per 1,000. There were 3 deaths from measles, one death from *diarrhœa*, 2 deaths from *phthisis*, and 5 deaths from diseases of the respiratory system registered.

No. 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 39·6 per 1,000. Measles caused one death, *phthisis* caused one death, and diseases of the respiratory system caused 2 deaths.

No. 3 *South City District* (Peter-street).—The deaths (39) are equal to an annual rate of 47·8 per 1,000. Measles caused 2 deaths, epidemic diarrhœa caused one death, *phthisis* caused 2 deaths, and 7 deaths were due to diseases of the respiratory system, including one death from broncho-pneumonia and 2 deaths from *pneumonia*.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·4 per 1,000. Scarlet fever and enteric fever each caused one death; there was one death from *phthisis*, and 4 deaths from diseases of the respiratory system.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 28·6 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 14·1 per 1,000 inhabitants; Pembroke, 26·0; Blackrock, 23·8; and Kingstown, 24·0. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Rathmines, one from measles and one from diphtheria for Pembroke, and one from zymotic enteritis for Kingstown.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st November,	271 cases.
" "	8th November,	267 cases.
" "	15th November,	247 cases.
" "	22nd November,	170 cases.

Of the 170 cases notified during last week, 12 were erysipelas, 19 enteric fever, 35 scarlatina, 94 measles, 7 diphtheria, 2 continued fever, and one varicella (chicken-pox).

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st November,	15 cases.
" "	8th November,	8 cases.
" "	15th November,	13 cases.
" "	22nd November,	4 cases.

Of the 4 cases notified last week, 2 were measles, one typhoid fever, and one choleraic diarrhœa.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st November,	8 cases.
" "	8th November,	10 cases.
" "	15th November,	16 cases.
" "	22nd November,	9 cases.

The 9 cases notified during last week were scarlet fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st November,	104 cases.
" "	8th November,	80 cases.
" "	15th November,	63 cases.
" "	22nd November,	69 cases.

Of the 69 cases notified during last week, 13 were enteric fever, 15 erysipelas, 8 diphtheria, 2 membranous croup, 14 continued fever, and 17 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd November, 1902.

From this it appears that:—

Twenty-four cases of measles were admitted to hospital, being 19 below the admissions for the preceding week; 36 were discharged, there were 6 deaths, and 90 cases remained under treatment at the close of the week.

Twenty-six cases of enteric fever were admitted to hospital, 19 cases were discharged, there were 4 deaths, and 92 cases remained under treatment at the close of the week.

Twenty-seven cases of scarlatina were admitted to hospital, 20 cases were discharged, there were 3 deaths, and 174* cases remained under treatment at the close of the week.

Four cases of typhus remained under treatment in hospital at the close of the week.

Eleven cases of diphtheria were admitted to hospital, 11 were discharged, there was one death, and 51 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 4 patients were discharged, and 4 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·4), was equal to an average annual death-rate of 16·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow being 15·6, and for Edinburgh 16·6.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 22nd November, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 22nd November, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,401	19·2	25·9	22·8	4·3	542	478	129	85	.	49	6	.	10	7	2	4	12	42	107	5	22	115
Dublin Registration Area:—																							
Total,‡	373,761	27·5	25·3	31·1	4·5	184	226	67	39	.	18	3	.	.	4	.	1	7	19	51	2	4	72
City	298,394	37·8	26·5	34·1	5·2	149	192	61	26	.	17	3	.	.	2	.	1	6	17	41	.	1	65
Registrars' Districts. Rathmines,‖	33,208	19·4	14·1	14·1	1·6	9	9	1	3	.	.	.	.	.	1	.	.	.	.	3	.	1	2
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	24·0	26·0	4·0	12	13	1	6	.	1	.	.	.	1	.	.	.	2	3	2	2	4
Blackrock,§	8,759	8·1	17·9	23·8	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	33·0	24·0	8·0	11	8	4	2	.	.	.	.	.	.	.	.	1	.	3	.	.	1
Urban Districts.																							
Belfast,	358,693	24·4	26·2	20·8	5·5	180	143	41	18	.	17	2	.	9	2	2	3	3	13	39	3	12	25
Cork,	76,122	33·6	22·6	15·1	.	33	22	1	6	.	.	.	.	.	.	.	.	.	4	4	.	2	7
Londonderry,	40,729	18·8	24·3	23·0	3·8	19	18	7	5	.	1	.	.	.	.	.	.	2	.	4	.	.	.
Limerick,	38,151	18·1	13·7	19·1	9·6	10	14	2	2	.	7	.	.	.	.	.	.	.	1	3	.	.	3
Waterford	26,769	18·7	21·4	3·9	3·9	11	2	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	31·1	11·7	.	8	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Dundalk	13,076	9·4	8·0	16·0	4·0	2	4	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	53·1	28·6	4·1	13	7	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	33·6	16·8	.	8	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lurgan,	11,782	13·8	17·7	13·3	.	4	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Lisburn,	11,461	10·1	31·8	4·5	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	11,168	23·2	9·3	23·3	4·7	2	5	1	2	.	.	1	.	.	.	.	.	.	1	1	.	.	2
Ballymena	10,886	8·9	33·5	4·8	.	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	19·2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny,	10,609	11·5	19·1	9·8	.	10	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Clonmel,	10,167	7·8	41·0	25·6	.	8	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Portadown	10,092	13·2	56·8	10·3	.	11	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Tralee,	9,867	16·6	42·3	26·4	.	8	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Newtownards,	9,110	18·9	40·1	17·2	.	7	3	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Queenstown,	7,909	14·4	13·2	13·2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Armagh,	7,588	22·2	27·5	41·2	27·5	4	6	1	2	.	4	.	.	.	.	.	.	.	.	.	.	3	.

Towns and Districts.	Meteorology.† Week ending 22nd Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean	Rainfall in Inches.	Week ending 15th Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§50·6	33·9	42·4	0·14	§55·7	35·8	47·9	0·21	§56·5	31·0	47·7	1·34
City	a52·2	35·9	43·9	0·37	a57·6	40·9	49·7	0·41	a57·0	39·1	50·2	1·36
	b50·9	35·0	43·4	0·27	b56·6	34·6	48·0	0·27	b55·8	33·4	48·2	1·23
Registrars' Districts. Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,§	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	50	36	44·0	0·35	54	42·5	49·9	0·74	61	41	50·2	1·09
Urban Districts.												
Belfast,	55·0	36·5	.	0·05	55·5	36·8	47·6	1·37	56·5	35·5	49·1	0·98
Cork,	54	37	47·4	1·16	55	42	49·8	1·04	58	45	51·5	1·87
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	56	27	42·5	1·11	56	36	48	1·38	58	34	49	1·39
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	50·3	36·2	43·3	0·17	54·8	34·8	47·3	0·35	55·4	40·0	47·5	1·23
Lurgan,	50·3	36·2	43·8	0·17	54·8	34·8	47·3	0·35	55·4	40·0	47·5	1·23
Lisburn,	50·3	36·2	43·3	0·17	54·8	34·8	47·3	0·35	55·4	40·0	47·5	1·23
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	50·2	32·5	41·2	0·76	55·0	35·4	47·3	1·14	58·3	35·1	47·3	2·22
Kilkenny,	50	24	39·5	0·39	54	36	46·6	1·04	55	37	50·1	2·36
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	50·3	36·2	43·3	0·17	54·8	34·8	47·3	0·35	55·4	40·0	47·5	1·23
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	53	38	44·0	0·39	54	38	46·9	1·04	55	37	49·4	0·97
Queenstown,	54	37	47·4	1·16	55	42	49·8	1·04	58	45	51·5	1·87
Armagh,	50·3	36·2	43·3	0·17	54·8	34·8	47·3	0·35	55·4	40·0	47·5	1·23

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the [illegible] Sligo, and those at Roche's adopted in several cases [illegible] (including one under one year old) admitted to hospital from localities outside the area.

BLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 22nd of November, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROOK.	KINGSTOWN.		
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	2	.	2	7	.	.	.	.	3	1	2	.	.	.	.		.	1	.	.	18	1
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.		.	.	.	.	3	2
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diphtheria,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.		1	1	.	.	4	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.	.	.	.	1	1
Diarrhœa, Dysentery,	.	1	2	1	.	.	.	.	1	.	1	.	.	.	.		.	.	.	1	7	.
Phthisis,	2	4	2	1	.	1	.	.	2	1	2	1	.	1	.		.	2	.	.	19	2
Other General Diseases,	2	2	3	3	.	.	1	.	2	3	7	2	.	2	.		2	1	.	1	31	1
Total,	6	7	10	14	.	1	2	.	8	5	12	5	.	3	.		3	5	.	2	83	7
B. LOCAL DISEASES:																						
Diseases of: Nervous System	2	.	3	3	.	.	.	.	4	3	13	1	.	.	.		1	.	.	.	30	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Heart and Blood Vessels,	.	1	3	3	.	.	.	.	2	2	3	2	.	.	.		2	1	2	1	22	1
Respiratory System,	9	5	3	4	1	.	1	.	5	2	7	4	.	.	.		3	3	1	3	51	1
Digestive System,	1	5	2	1	1	.	1	.	.	.	2	1	.	.	.		.	1	1	1	17	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.		.	1	.	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.	.	.	.	1	.
" Integumentary System,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	2	.
Total,	12	11	13	12	2	.	2	.	12	8	26	9	.	.	.		6	6	4	5	128	4
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	3	.	1	2	.	.	.	.	3	.	1	1	.	1	.		.	.	.	1	13	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	2	.	.	2	.
Deaths from all Causes,	21	18	24	28	2	1	4	.	23	13	39	15	.	4	.		9	13	4	8	226	11
Annual Rate of Mortality in every 1,000 of the population.	38·6	24·0	41·6	46·1	21·7	5·2	31·3	.	31·3	39·6	47·8	22·4	.	28·6	.		14·1	26·0	23·8	24·0	31·1	.
	33·6								34·7								20·8					
	34·1																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	5	11	1	.	1	.	4	1	4	2	.	1	.		2	3	.	1	42	10
Workhouse Hospitals,	2	1	8	1	.	.	1	.	8	3	3	2	.	.	.		.	1	.	.	30	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 2-

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 47th Week of the 10 years 1892-1901	In the Week ending Sat 22nd November, 190					
												Deaths of Persons of the					
	Nov. 26, 1892.	Nov. 25, 1893.	Nov. 24, 1894.	Nov. 23, 1895.	Nov. 21, 1896.	Nov. 27, 1897.	Nov. 26, 1898.	Nov. 25, 1899.	Nov. 24, 1900.	Nov. 23, 1901.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 58·5	° 39·7	° 44·4	° 45·5	° 42·6	° 43·0	° 40·7	° 48·2	° 37·4	° 44·9	° 44·5	° 42·4					
ALL CAUSES.	153	192	163	160	198	170	208	220	187	176	182·7	237	16	52	51	12	29
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	4	.	.	.	.	.	38	.	.	4·2	19	.	7	11	1	.
Scarlet Fever	.	.	1	2	7	3	4	1	.	.	1·8	5	.	1	4	.	.
Typhus,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	1	1	2	1	5	1	.	.	1·3	1	.	.	.	.	.
Whooping Cough,	1	5	3	.	3	1	5	.	5	1	2·4	.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	.	.	2	1	4	·8	4	.	1	2	.	1
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	1	1	.	.	.	.	1	·3	.	.	.	.	.	.
Enteric Fever,	4	5	5	2	1	12	2	4	9	3	4·7	2	.	.	.	2	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	2	2	4	5	3	5	6	3	5	2	3·7	2	.	1	1	.	.
Diarrhœa, Dysentery,												5	.	3	2	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	1	.	.	2	.	1	1	·5	1	.	1	.	.	.
Puerperal Septicæmia, Sapræmia,												.	.	.	.	.	.
Puerperal Pyæmia,	.	1	.	.	.	1	.	.	.	1	·3	.	.	.	.	.	.
Puerperal Fever,												.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	4	.	1	1	.	2	.	1	1	1·0	.	.	.	.	.	.
Septicæmia (not Puerperal),	.	2	2	1	1	.	.	.	1	.	·7	1	.	.	.	.	1
Pyæmia (not Puerperal),												.	.	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculous Phthisis,	24	21	20	11	28	16	27	20	31	23	22·1	3	.	.	.	1	2
"*Phthisis*,"												18	.	.	.	.	10
Tuberculous Meningitis, (Acute Hydrocephalus).	2	1	4	6	1	3	8	3	.	1	2·9	2	.	.	2	.	.
Tuberculous Peritonitis,	3	8	3	2	3	3	4	7	3	4	4·0	2	.	.	.	1	.
Tabes Mesenterica,												.	.	.	.	.	.
Tuberculous Dis. (other),	1	3	4	2	4	4	5	3	6	8	4·0	6	.	.	2	2	1
Scrofula,												1	.	.	1	.	.
Alcoholism	1	.	1	1	.	1	1	.	.	1	·6	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	.	2	1	.	1	1	.	·5	.	.	.	.	.	.
Gout	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.

* The figures for the years 1892-1900 are

(-SEVENTH WEEK ending Saturday, 22nd November, 1902, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Nov. 26, 1892.	Nov. 25, 1893.	Nov. 24, 1894.	Nov. 23, 1895.	Nov. 21, 1896.	Nov. 27, 1897.	Nov. 26, 1898.	Nov. 25, 1899.	Nov. 24, 1900.	Nov. 23, 1901.	Averages in 47th Week of the 10 years 1892–1901.	In the Week ending Saturday, 22nd November, 1902. Deaths of Persons of the Ages of: All Ages.	Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 58·5	° 39·7	° 44·4	° 45·5	° 42·6	° 43·0	° 40·7	° 48·2	° 37·4	° 44·9	° 44·5		° 42·4								
na	4	6	2	6	6	4	11	7	4	2	5·2	2		.	.	.	.	1	1	.
, ...												.		.	.	.	.	.	.	.
nt Dis. "*Cancer*,"												7		.	.	.	.	1	4	1	1
Mellitus	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
ure Birth	.	1	2	7	3	7	3	.	2	7	3·2	4		3	1	.	.	.	.	.	.
tis (not tuberc.)												5		.	1	3	1	.	.	.	.
, G. P. of Insane												4		.	.	.	.	2	1	1	.
... ...												1		.	.	.	.	1	.	.	.
ms												19		7	10	2	.	.	.	.	.
or Ataxy												.		.	.	.	.	.	.	.	.
ria Dis. of Cord												1		.	.	.	.	.	.	1	.
System (other Dis.) ...	32	39	38	30	32	30	35	35	39	48	35·8	2		.	.	.	.	.	1	.	1
s., Endocarditis												3		.	.	.	.	.	2	1	.
Hæm. Thromb.												.		.	.	.	.	.	.	.	.
, *Hemiplegia*												9		.	.	.	.	.	4	5	.
m												.		.	.	.	.	.	.	.	.
m, Thromb. (not cerebral)												.		.	.	.	.	.	.	.	.
nd Blood Vessel Dis.												11		.	.	.	.	1	4	6	.
ot Spasm. or Memb.) ...	.	.	2	1	1	.	1	2	.	.	·7	.		.	.	.	.	.	.	.	.
is	26	28	9	25	31	19	28	27	21	21	23·5	33		3	8	10	.	2	3	5	2
s Pneumonia												.		.	.	.	.	.	.	.	.
-Pneumonia	9	8	12	6	18	10	15	20	11	11	12·0	7		.	3	3	1	.	.	.	.
onia"												9		.	3	2	1	2	.	1	.
Emphysema												.		.	.	.	.	.	.	.	.
... ...	6	7	2	1	5	2	2	2	4	3	3·4	.		.	.	.	.	.	.	.	.
ory Dis. (other)												3		.	1	2	.	.	.	.	.
is, Quinsy	.	.	.	.	.	1	.	.	.	.	·1	.		.	.	.	.	.	.	.	.
(not Epid.)	.	.	.	2	1	1	.	.	2	.	·6	1		.	.	.	.	1	.	.	.
nteritis												2		.	1	.	.	.	1	.	.
is (not Puerp.)	.	.	3	1	1	.	1	.	.	.	·6	2		.	.	.	1	1	.	.	.
s of Liver	4	5	2	1	3	1	3	2	2	2	2·5	1		.	.	.	.	.	1	.	.
s. (other)												2		.	.	.	.	.	1	1	.
e Dis. (other)	3	7	3	6	4	7	1	2	4	4	4·1	9		1	1	1	.	2	1	2	1
s, Acute												1		.	.	.	.	.	1	.	.
Dis., Albuminuria ...	2	3	8	2	4	6	5	5	7	3	4·5	4		.	.	.	.	1	2	1	.
Sys. (Other Dis.) ...												.		.	.	.	.	.	.	.	.
ve Organs Dis.	.	1	.	1	1	.	.	.	1	.	·4	.		.	.	.	.	.	.	.	.
th (Accid. of)	2	.	.	.	.	1	1	.	.	.	·4	.		.	.	.	.	.	.	.	.
... ...	10	11	10	11	13	12	10	12	12	8	10·9	2		.	.	.	.	.	1	1	
iseases	13	12	14	21	10	13	14	16	11	13	13·7	18		2	9	3	.	1	1	2	.
ACCIDENT.																					
ways	.	1	.	.	.	.	.	1	.	.	·2	.		.	.	.	.	.	.	.	.
les and Horses	.	.	1	.	.	.	.	.	.	.	·1	1		.	.	.	1	.	.	.	.
Boats, Docks (exclusive	.	.	.	.	.	.	.	1	.	.	·1	.		.	.	.	.	.	.	.	.
wning)																					
ng Operations	.	.	.	.	.	2	.	1	.	.	·3	.		.	.	.	.	.	.	.	.
grations	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
s, Scalds, Explosions ...	1	1	3	1	2	1	2	2	1	1	1·5	.		.	.	.	.	.	.	.	.
ning	.	1	.	.	1	.	.	.	1	.	·3	.		.	.	.	.	.	.	.	.
cation in Bed	.	.	1	.	.	.	1	.	.	.	·2	.		.	.	.	.	.	.	.	.
n or Poisonous Vapours...	1	.	.	.	.	1	.	.	.	1	·3	.		.	.	.	.	.	.	.	.
eaths by Accidents ...	2	1	2	2	3	.	3	2	1	1	1·7	1		.	.	.	.	.	.	1	.
LENCE OTHER THAN ACCIDENTAL.																					
e	.	.	.	.	1	.	.	.	.	.	·1	.		.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	.	1	.	.	.	·1	.		.	.	.	.	.	.	.	.
n	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.

gistration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																									
	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct 4	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov 8.	Nov. 15.	Nov. 22.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
Births registered,	234	249	192	242	213	204	187	196	203	186	244	192	185	209	205	219	221	222	192	162	176	259	183	166	275	184
*Average Births in corresponding week of previous 10 years,**	206	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210	185	175	193	181	181	184	192	181
Deaths registered,	165	156	155	139	149	149	129	155	150	165	154	145	146	156	170	142	168	213	169	192	200	223	183	228	202	237
Annual Death-rate per 1,000,	22·7	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5	30·7	25·2	31·4	27·8	32·6
*Average Deaths in corresponding week of previous 10 years,**	165	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161	169	175	174	180	183
Ages, Under 5 years,	48	48	50	38	57	41	38	44	46	59	65	55	52	53	57	62	87	98	80	81	100	112	86	96	72	119
5—20 ,,	24	14	19	15	11	14	10	18	8	14	14	7	15	12	16	9	9	18	12	16	12	15	8	17	13	12
20—40 ,,	28	32	29	23	23	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16	32	30	39	35	29
40—60 ,,	35	38	24	26	27	27	29	30	29	24	20	36	32	31	43	23	18	33	34	34	33	26	30	29	29	38
60—80 ,,	27	17	27	32	26	30	25	27	29	30	29	28	15	26	23	23	23	25	19	22	33	32	21	41	40	32
80 years and upwards,	8	7	6	5	5	7	3	5	13	7	4	2	5	3	6	6	5	9	2	5	6	6	8	6	13	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11	19	20	16	16	10	19
,, Scarlet Fever,	1	1	.	1	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2	2	3	4	2	5
,, Typhus,	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.
,, Whooping-cough,	1	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1	1	1	.	1	.
,, Diphtheria,	2	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1	2	1	3	1	4
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
,, Enteric Fever,	1	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2	1	1	2	5	4	2
,, Diarrhœa, Dysentery,	1	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11	14	3	2	3	7
,, Phthisis,	27	40	26	26	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18	26	18	17	21	24	19	21
,, Heart Diseases,	21	12	18	22	21	17	18	25	18	10	18	21	17	18	24	17	17	21	14	19	20	25	18	27	39	23
,, Diseases of Respiratory System,	32	25	16	10	25	30	24	28	17	30	28	19	18	16	20	14	20	27	19	25	42	49	37	57	37	52
Violent Deaths,	4	6	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6	3	1	4	2	2
Mean Temperature of the Air (Phœnix Park),	50·0	53·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4	50·7	50·1	47·7	47·9	42·4
Average Mean Temperature in corresponding week of previous 10 years,	53·1	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3	46·1	46·7	45·6	44·0	44·5
Rainfall in inches,	·158	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·588	·083	1·725	·115	·180	·595	·640	1·150	·600	·298	·068	1·337	0·212	·140
Mean Humidity of the Air, complete Saturation 1·0,	·83	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·83	·88	·90	·87	·89	·90	·85	·77

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd November, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 22nd November, 1902. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	35·7	237	119	12	29	38	32	7	.	19	5	.	.	4	.	2	7	37	21	19	52	2	106
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	27·0	8	1	.	.	2	2	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	5
II.	MIDDLE CLASS,	80,653	15·5	24	10	2	7	3	2	.	.	2	2	.	.	.	.	.	.	4	2	1	5	1	11
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	29·2	55	27	4	4	12	7	1	.	6	2	.	.	.	.	.	3	11	3	4	11	.	26
IV.	GENERAL SERVICE CLASS,	146,486	51·6	119	76	6	12	14	10	1	.	11	1	.	.	4	.	2	4	22	9	14	27	1	46
V.	INMATES OF WORKHOUSES,	5,191		31	5	.	6	7	11	2	.	.	.	.	.	.	.	.	.	.	6	.	7	.	18
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	36·7	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	1	.	1	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	22·3	11	7	.	2	1	1	.	.	.	2	.	.	.	.	.	.	2	1	1	1	.	6
	6. Clerks and Commercial Assistants,	24,750	16·9	8	1	2	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	4·3	2	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	49·6	7	3	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	2
	9. Building and Furnishing Trades,	26,030	34·0	17	10	2	1	2	2	.	.	3	1	.	.	.	.	.	.	4	1	1	4	.	6
	10. Clothing Trades,	23,686	28·6	13	8	.	.	3	2	.	.	1	1	.	.	.	.	.	1	3	.	3	1	.	6
	11. Food Supply Trades,	7,869	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	21·5	11	3	1	1	2	3	1	.	1	.	.	.	.	.	.	1	2	.	.	3	.	6
	13. Petty Shopkeepers,	6,771	46·2	6	3	.	.	3	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	5
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	46·0	12	5	.	.	3	4	.	.	2	.	.	.	.	.	.	.	2	1	.	2	1	6
	15. Domestic Servants,	39,563	4·0	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	63·3	13	8	1	1	.	3	.	.	2	.	.	.	.	.	.	.	2	2	1	4	.	4
	17. Hawkers, Porters, Labourers, &c.,	82,631	57·4	91	62	5	11	9	3	1	.	7	1	.	.	4	.	2	4	18	6	12	21	.	34
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	31	5	.	6	7	11	2	.	.	.	.	.	.	.	.	.	.	6	.	7	.	18

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

City of Dublin (prior to extension)		Annual Rate of Mortality per 1,000 Living				Number of Deaths from											
Districts.	1902 Week ending	From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simples and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,338.	Oct. 4,	29·4	7·4	16	.	2	.	.	1	.	.	.	1	1	.	.
	„ 11,	25·8	9·2	14	.	3	.	.	.	.	.	.	2	2	1	.
	„ 18,	25·8	9·2	14	.	4	1	.	.	.	.	.	.	.	3	.
	„ 25	31·3	7·4	17	.	3	.	.	.	.	.	.	1	.	3	.
	Nov. 1,	38·1	11·0	18	.	5	.	.	1	.	.	.	.	2	2	.
	„ 8,	36·8	7·4	20	.	3	.	.	.	.	.	1	.	3	6	.
	„ 15,	38·6	3·7	21	.	.	.	.	.	.	.	1	1	1	6	.
	„ 22,	38·6	3·7	21	.	2	.	.	.	.	.	.	.	2	9	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Oct. 4,	18·6	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	„ 11,	31·6	4·0	26	.	1	.	.	.	1	.	.	1	6	3	1
	„ 18,	28·0	1·3	21	.	.	1	.	.	.	.	.	.	2	4	1
	„ 25,	41·3	9·3	31	.	4	.	.	1	1	.	.	1	.	4	.
	Nov. 1,	20·0	5·3	15	.	2	1	.	.	.	.	1	.	2	2	.
	„ 8,	36·0	5·3	27	.	2	.	.	.	.	.	2	.	4	7	.
	„ 15,	33·3	4·0	25	.	2	.	.	.	.	.	1	.	5	4	.
	„ 22,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	4	5	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Oct. 4,	15·9	5·2	8	.	1	.	.	.	.	.	1	1	.	1	.
	„ 11,	27·7	6·9	16	.	3	.	.	.	.	.	.	1	2	3	.
	„ 18,	46·8	10·4	27	.	4	.	.	.	1	.	.	1	3	8	1
	„ 25,	52·0	6·9	30	.	4	.	.	.	.	.	.	.	.	10	1
	Nov. 1,	46·8	1·7	27	.	1	.	.	.	.	.	.	.	4	6	.
	„ 8,	41·6	8·7	24	.	3	.	.	.	1	.	1	.	2	3	.
	„ 15,	46·8	10·4	27	.	3	1	1	.	1	.	.	.	2	6	.
	„ 22,	41·6	8·7	24	.	2	.	.	.	1	.	.	2	2	3	.
North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,673.	Oct. 4,	19·8	6·6	12	.	3	.	.	.	.	.	.	1	3	3	.
	„ 11,	19·8	1·6	12	.	1	.	.	.	.	.	.	.	1	2	.
	„ 18,	28·0	6·6	17	.	4	.	.	.	.	.	.	.	1	1	1
	„ 25,	31·3	8·2	19	.	3	.	.	.	.	.	.	2	3	4	.
	Nov. 1,	24·7	6·6	15	.	3	.	.	.	.	.	.	1	1	3	.
	„ 8,	37·9	6·6	23	.	4	.	.	.	.	.	.	.	1	5	.
	„ 15,	37·9	4·9	23	.	3	.	.	.	.	.	.	.	2	4	1
	„ 22,	46·1	16·5	28	.	7	1	.	.	1	.	.	1	1	4	.
South City, No. 1. (Office, South Earl-street. Pop. in 1902 (Est.) 38,318.	Oct. 4,	31·3	15·0	23	.	2	.	.	.	1	.	1	7	.	2	.
	„ 11,	39·5	12·2	29	.	2	1	.	.	.	.	.	6	6	2	.
	„ 18,	34·0	12·2	25	.	6	.	.	.	.	.	.	3	4	3	.
	„ 25,	31·3	10·9	23	.	5	1	.	.	.	.	1	1	.	3	.
	Nov. 1,	36·7	6·8	27	.	3	1	.	.	1	.	.	.	5	3	.
	„ 8,	38·1	5·4	28	.	2	.	.	.	2	.	.	.	1	8	2
	„ 15,	28·1	4·1	17	.	2	.	1	.	.	.	.	.	2	2	.
	„ 22,	31·3	5·4	23	.	3	.	.	.	.	.	.	1	2	5	.
South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,118.	Oct. 4,	36·6	3·0	13	.	.	.	.	.	1	.	.	.	3	5	.
	„ 11,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.
	„ 18,	57·9	3·0	19	.	.	.	.	.	.	.	.	1	2	7	.
	„ 25,	39·6	12·2	13	.	1	.	.	.	.	.	.	3	1	4	.
	Nov. 1,	33·5	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	„ 8,	51·8	6·1	17	.	1	.	.	.	.	.	.	1	2	6	.
	„ 15,	27·4	6·1	9	.	.	.	.	.	.	.	1	1	1	2	.
	„ 22,	39·6	3·0	13	.	1	.	.	.	.	.	.	.	1	2	.
South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 42,575.	Oct. 4,	26·9	4·9	22	.	.	.	.	.	.	.	.	4	2	1	2
	„ 11,	28·2	6·1	23	.	1	1	.	.	.	.	.	3	3	4	.
	„ 18,	31·8	3·7	26	.	.	.	.	.	.	.	.	3	2	9	.
	„ 25,	29·4	3·7	24	.	.	.	.	.	1	.	.	2	3	3	1
	Nov. 1,	20·8	3·7	17	.	2	1	.	.	.	.	.	.	1	5	.
	„ 8,	38·0	3·7	31	.	1	2	.	.	.	.	.	.	3	11	.
	„ 15,	30·6	1·2	25	.	.	.	.	1	.	.	.	.	.	5	1
	„ 22,	47·8	3·7	39	.	2	.	.	.	.	.	.	1	2	7	.
South City, No. 4. (Office, Grand Canal-street). Pop. in 1902 (Est.) 34,898.	Oct. 4,	16·4	1·5	11	.	.	.	.	.	.	.	1	.	2	1	.
	„ 11,	28·4	3·0	19	.	.	.	.	.	.	.	2	.	2	5	1
	„ 18,	34·4	1·5	23	.	.	.	.	.	.	.	.	1	4	4	2
	„ 25,	20·9	1·5	14	.	.	.	.	.	.	.	.	1	2	5	.
	Nov. 1,	16·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1
	„ 8,	17·9	1·5	12	.	.	1	.	.	.	.	.	.	2	4	1
	„ 15,	17·9	1·5	12	.	.	.	.	.	.	.	1	.	1	1	.
	„ 22,	22·4	3·0	15	.	.	1	.	.	.	.	1	.	1	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,208.	Oct. 4,	15·7	3·1	10	.	.	.	.	.	.	.	.	2	2	.	.
	„ 11	17·3	1·6	11	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	11·0	.	7	.	.	.	.	.	.	.	.	.		.	1
	„ 25,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	.	2	.
	Nov. 1,	7·9	1·6	5	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	22·0	3·1	14	.	.	.	.	.	.	.	1	1	2	3	.
	„ 15,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	14·1	1·6	9	.	.	.	.	.	1	.	.	.	.	3	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Oct. 4,	16·0	6·0	8	.	.	.	.	.	1	.	.	2	.	.	1
	„ 11,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	16·0	4·0	8	.	.	1	.	.	.	.	.	1	1	1	.
	Nov. 1,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	12·0	2·0	6	.	.	1	.	.	.	.	.	.	2	.	.
	„ 15,	16·0	2·0	8	.	.	1	.	.	.	.	.	.	2	2	.
	„ 22,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	2	3	2
Kingstown. Pop. in 1902 (Est.) 17,880.	Oct. 4,	27·0	3·0	9	.	.	.	.	.	1	.	.	.	1	1	.
	„ 11,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	9·0	3·0	3	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	30·0	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	Nov. 1,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 15,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
Belfast. Pop. in 1902 (Est.) 358,693.	Oct. 4,	19·9	4·4	137	.	7	.	.	2	.	.	7	14	15	23	2
	„ 11,	21·5	3·1	148	.	6	1	.	2	1	.	1	10	17	35	3
	„ 18,	22·4	4·4	154	.	8	2	.	6	2	.	5	7	19	26	1
	„ 25,	21·2	4·4	146	.	14	.	.	3	2	.	6	5	19	36	3
	Nov. 1,	21·7	3·2	149	.	8	1	.	3	3	.	3	4	14	52	2
	„ 8,	19·8	3·6	136	.	14	1	.	4	2	.	3	1	20	27	.
	„ 15,	23·0	4·7	158	.	16	1	.	5	1	.	5	4	22	44	3
	„ 22,	20·8	5·5	143	.	17	2	.	9	2	2	5	3	13	39	3
Cork. Pop. (in 1901) 76,122.	Oct. 4,	24·0	2·1	35	.	1	.	.	.	.	.	.	2	9	4	3
	„ 11,	24·0	1·4	35	.	.	.	.	.	.	.	.	2	3	5	.
	„ 18,	14·4	1·4	21	.	.	.	.	.	.	.	.	2	4	4	.
	„ 25,	22·6	1·4	33	.	1	.	.	.	.	.	.	1	3	2	1
	Nov. 1,	21·9	2·1	32	.	.	.	.	.	.	.	.	3	2	2	.
	„ 8,	21·3	1·4	31	.	.	.	.	.	.	.	.	2	4	4	1
	„ 15,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	3	6	1
	„ 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	4	4	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Oct. 4,	10·2	2·6	8	.	1	.	.	.	.	.	1	1	2	1	.
	„ 11,	7·7	1·3	6	.	.	.	.	.	.	.	.	1	.	1	1
	„ 18,	10·2	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	„ 25,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	5	.
	Nov 1,	15·4	2·6	12	.	1	.	.	.	.	.	.	1	2	4	.
	„ 8,	17·9	1·3	14	.	.	.	.	.	.	.	1	.	2	6	1
	„ 15,	17·9	1·3	14	.	1	.	.	.	.	.	.	.	3	3	1
	„ 22,	23·0	3·8	18	.	1	.	.	.	.	.	.	2	.	4	.
Limerick. Pop. (in 1901) 38,151.	Oct. 4,	16·4	2·7	12	.	.	.	.	.	.	.	1	1	1	2	.
	„ 11,	23·2	6·8	17	.	3	.	.	.	.	.	1	1	2	1	.
	„ 18,	27·3	5·5	20	.	3	.	.	.	.	.	.	1	5	2	.
	„ 25,	21·9	5·5	16	.	2	.	.	.	.	.	1	1	2	2	.
	Nov. 1,	17·3	4·1	13	.	1	.	1	.	.	.	.	1	.	1	.
	„ 8,	13·7	1·4	10	.	1	.	.	.	.	.	.	.	1	4	.
	„ 15,	20·5	3·2	15	.	4	.	1	.	.	.	1	.	1	1	.
	„ 22,	19·1	9·6	14	.	7	.	.	.	.	.	.	.	1	3	.
Waterford. Pop. (in 1901) 26,769.	Oct. 4,	21·4	3·9	11	.	.	.	.	.	.	.	1	1	.	1	.
	„ 11,	11·7	5·8	6	.	.	.	.	3	.	.	.	.	.	.	.
	„ 18,	23·4	5·8	12	.	1	.	.	2	.	.	.	.	2	3	.
	„ 25,	23·4	11·7	12	.	.	.	.	5	.	.	.	1	1	.	.
	Nov. 1,	35·1	13·6	18	.	2	.	.	3	.	.	.	2	2	1	.
	„ 8,	17·5	3·9	9	.	.	1	.	1	.	.	.	.	.	2	.
	„ 15,	27·3	7·8	14	.	1	.	.	2	.	.	1	.	.	1	.
	„ 22,	3·9	3·9	2	.	1	.	.	1	.	.	.	.	.	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 22nd November, 1902, Deaths in Public Institutions of persons *admitted, from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	8	28·3	10·6	8	2	3	2	1	.	.	1	.	1	.	.	1	.	1	2	.	.	1
" 2 "	47,959	15	19·6	4·3	18	2	6	7	3	.	1	.	.	1	.	1	.	1	2	4	1	1	3
" 3 "	47,214	26	18·8	7·7	17	7	7	3	.	.	5	.	.	1	.	.	1	.	1	4	.	.	.
" 4 "	40,911	23	19·1	2·5	15	6	3	4	2	.	1	1	.	.	.	.	.	.	1	3	.	1	6
" 5 "	17,387	17	27·0	18·0	9	4	4	.	1	.	6	.	.	.	.	.	.	.	.	2	.	1	.
" 6 "	48,122	12	19·5	3·3	18	4	1	9	4	.	1	.	.	.	.	1	.	1	2	3	.	2	3
" 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	.	10·3	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	19,569	10	17·2	4·3	8	2	3	1	2	.	1	.	.	.	1	.	.	.	.	4	.	1	1
" 10 "	23,064	15	24·9	9·0	11	3	5	3	.	.	1	.	.	2	1	.	.	.	.	4	.	1	.
" 11 "	34,862	15	25·5	6·0	17	6	5	5	1	.	1	.	.	2	.	.	1	.	2	6	1	2	1
" 12 "	33,588	25	24·8	4·7	16	5	1	8	2	.	.	.	.	2	.	.	.	1	3	6	1	2	4
" 13 "	15,006	13	17·4	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	1	1
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	180	21·4	5·7	148	41	39	45	18	.	17	2	.	9	2	2	3	3	13	39	3	12	25
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	5	20·3	.	5	.	1	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 2 "	10,701	10	14·6	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" 3 "	9,978	7	20·9	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
" 4 "	8,666	5	18·1	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 5 "	6,592	1	7·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" 6 "	10,702	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	16,616	3	18·8	.	6	.	.	5	1	.	.	.	.	.	.	.	.	.	2	2	.	1	1
Total,	76,122	33	15·1	.	22	1	1	11	6	.	.	.	.	.	.	.	.	.	4	4	.	2	7

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	May 31.	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sep. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered,	244	217	211	209	175	237	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234	240	190	186	198	180
DEATHS registered.	139	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154	146	149	136	158	148
Annual Death-rate per 1,000 of estimated Population,	20·2	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	26·9	17·6	19·9	21·5	22·4	21·2	21·7	19·8	23·0	20·8
AGES, Under 1 year,	31	16	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45	38	42	36	42	41
AGES, 1-5 years,	24	20	14	22	20	27	28	19	19	22	13	21	17	19	16	20	17	16	26	18	33	27	29	32	36	39
AGES, 5-60 years,	63	61	52	69	50	64	55	45	48	58	62	44	43	51	54	42	60	41	54	57	53	55	53	57	55	45
AGES, 60 years and upwards,	21	34	27	27	22	30	16	23	17	24	21	23	16	20	25	15	21	15	17	19	23	26	25	11	25	18
Deaths from Small Pox,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	8	2	7	6	6	7	7	8	5		3	2	5	6	4	5	4	7	6	8	14	8	14	16	17
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	2
,, Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	6	1	4	3	7	4	.	2	8	6	2	6	5	6	5	2	4	2	2	6	3	3	4	5	9
,, Diphtheria,	.	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2	2	3	2	1	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	2
,, Enteric Fever,	3	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5	6	3	3	5	3
,, Diarrhœa, Dysentery,	5	1	4	1	3	4	3	6	6	2	1	5	5	4	4	23	13	12	14	10	7	5	4	1	4	3
,, Phthisis	26	26	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17	19	19	14	20	22	18
,, Diseases of Respiratory System,	23	22	20	25	18	34	22	18	16	29	15	19	9	26	27	15	15	24	23	35	26	36	52	27	44	39
Violent Deaths,	3	3	2	2	1	7	4	1	6	4	.	1	1	1	1	2	6	.	2	3	1	3	2	.	3	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd November, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	1	.	2	.	.	.	.	.	2	.	.	.	5
" " 1, West,	.	11	.	3	.	.	3	.	1	5	3	.	.	26
" " 2,	.	8	.	3	.	.	2	.	.	2	1	.	.	16
" " 3,	.	28	.	8	.	.	.	.	1	2	.	.	1	40
Clontarf and Howth No. 1 (part of),	.	9	.	1	.	.	.	.	.	.	.	.	.	10
Coolock and Drumcondra No. 1 (part of),	.	2	.	2	.	.	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of),	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	15	.	2	.	.	.	.	.	3	4	.	.	24
" " 2,	.	5	.	3	.	.	.	.	.	2	2	.	.	12
" " 3,	.	5	.	2	.	.	1	.	.	1	.	.	.	9
" " 4,	.	3	.	7	.	.	1	.	.	2	1	.	.	14
Palmerston (part of),	.	4	.	2	.	.	.	.	.	.	1	.	.	7
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	94	.	35	.	.	7	.	2	19	12	.	1	170
Total for week ended Nov. 15th, 1902,	.	156	1	31	1	.	13	.	5	21	15	.	4	247
Total for week ended Nov. 8th, 1902,	.	161	.	41	2	.	13	3	2	27	15	.	3	267
Total for week ended Nov. 1st, 1902,	.	159	1	42	1	.	16	.	2	24	17	1	8	271

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd November, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd November.			
	Nov. 1.	Nov. 8.	Nov. 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	109	103	108	24	36	6	90
Scarlet Fever,	139	155	170	27	20	3	174*
Typhus "	3	4	4	.	.	.	4
Diphtheria,	48	49	52	11	11	1	51
Enteric Fever,	107	98	89	26	19	4	92
Pneumonia,	7	8	6	2	4	.	4

* Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever	Diarrhœa Diseases.
LONDON,	4,579,107	Nov. 22,	2,410	1,532	17·4	.	44	8	29	32	19	19
EDINBURGH,	317,885	„ 22,	175	103	16·6	.	.	.	.	.	.	5
GLASGOW,	764,423	„ 22,	429	232	15·6	.	.	3	1	6	1	11
CALCUTTA,	847,795	Sept. 27,	.	452	27·7	.	1	.	1	1	135§	58*
BOMBAY,	776,006	Oct. 28,	368	708	47·4	3	21	?	?	1	57§	52
MADRAS,	509,346	„ 10,	467	471	48·0	1	1	?	?	?	186	57
PARIS,	2,660,559	Nov. 15,	1,005	823	17·0	1	4	.	6†	1	11	25
BRUSSELS (with 8 Faubourgs).	562,893	„ 1,	237	177	16·3	.	5	1	1†	.	.	14
AMSTERDAM,	537,798	„ 8,	275	148	14·4	.	2	.	1	1	1	7
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.		.
COPENHAGEN,	400,570	Nov. 8,	219	100	13·0	.	1	1	.	1	1	10
CHRISTIANIA,	224,909	„ 8,	116	68	15·7	.	7	.	.	3	.	2
ST. PETERSBURG,	1,248,643	„ 1,	566	441	18·4	3	17	7	5	4	8	39
BERLIN,	1,915,799	Oct. 25,	805	521	14·1	.	2	14	3	6	2	48
HAMBURG,	724,835	Nov. 8,	.	205	14·7	.	.	14	3†	10	1	6
DRESDEN	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—		.	.		.	.	.	.	.	.
MUNICH,	506,000	Nov. 1,	.	182	18·7	.	2	.	1†	1	.	25
VIENNA (with suburbs).	1,744,177	„ 8,	844	584	17·4	.	7	.	10†	2	.	51
BUDA-PESTH,	767,661	„ 1,	421	237	16·1	.	5	7	1	2	.	17
PRAGUE and Faubourgs.	421,545	„ 1,	197	157	19·4	.	.	11	.	1	2	11
ROME,	478,790	Sept. 6,	203	138	15·0	.	.	.	.	1	5	12
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Nov. 8,	58	51	16·0	.	1	.	1†	1	.	.
NEW YORK,	3,632,501	„ 1,	1,600	1,087	15·6	1	1	7	26†	2	33	59
PHILADELPHIA,	1,293,697	Oct. 25,	.	416	16·7	.	.	3	15	3	5	2

* Including 11 deaths from cholera in Calcutta.
† Including deaths from croup.
§ Exclusive of 15 deaths from bubonic fever in Calcutta, and 142 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 22nd November, 1902:—

"A spell of severe winterly weather held Central and Eastern Europe in its icy grasp throughout this week. Except at the beginning and close also the cold area included England and Ireland and to a less extent Scotland. Along the west coast of Norway the weather remained tolerably mild and open. The 'cold snap' was connected with a large anticyclone, which was for the most part central over the southern half of Scandinavia, whence it spread slowly westward after Tuesday, showing at the same time a gradually lessening energy. At 7 p.m. (Greenwich time) of Monday, the barometer read 30·96 inches at Stockholm and 30·97 inches at Wisby in the Island of Gothland. From those places pressure diminished to about 30 inches off the S.W. of Ireland and to 29·9 inches and less over the Mediterranean. Hence gradients for easterly winds were steep on the Continent and for south-easterly winds in the British Isles. With these conditions, bitter cold set in, the thermometer falling in Berlin to 14° in the screen at 8 a.m. of Wednesday. At the same moment of time, the thermometer stood at 44°, or 30° higher, at Bodö, on the extreme N.W. coast of Norway (67 deg. N.L.), where a S.W. wind was blowing. On the east coast of Ireland very strong, cold and dry S.E. winds prevailed, and inland there was sharp frost, the screened thermometer falling to 26° at Birr on Thursday morning. On Friday a large depression spread in over Ireland from the Atlantic, the wind rising to a fresh gale from S.E. Rain and a rise of temperature followed and the week closed with the re-establishment of a mild S.W. current. In Dublin the mean height of the barometer was 30·127 inches, the baric pressure ranging between 30·261 inches at 9 a.m. of Tuesday (wind, S.E.) and 29·760 inches about 2 p.m. of Saturday (wind, S.). The corrected mean temperature was 43·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·4°. The screened thermometers rose to 52·2° on Sunday and fell to 35·9° on Thursday, when the grass minimum marked 30·0° in the city. S.E. winds prevailed. The duration of bright sunshine was estimated at 18¼ hours, 8 hours of sunshine prevailing on Tuesday. Rain fell on the last 2 days to the amount of ·367 inch, of which ·189 inch was measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·143 inches. The highest reading (30·288) was on Tuesday at 9 a.m., wind S.E., and the lowest (29·815) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 42·4°, being 2·1° under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Saturday, on which day the thermometer registered 50·6°, and was lowest on Thursday, the mercury having fallen to 33·9°. The mean of the Dry Bulb for the week was 42·6°, and of the Wet Bulb 39·4°. The mean humidity of the air was ·77, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 16·3 hours. The rainfall measured ·140 inch.

At Greenwich the mean temperature for the week was 35·4°, the maximum 44·6°, and the minimum 27·2°; at Glasgow the maximum was 51·4°, the minimum 30·2°, and the mean 38·3°; and at Edinburgh the maximum was 48·9°, the minimum 29·8°, and the mean 38·8°. The rainfall at Greenwich measured 0·00 inch; at Glasgow 0·00 inch; and at Edinburgh 0·02 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Nov. 16,	30·215	50·1	45·8	48·0	47·4	45·4	·87	·2	0·0	—	S.E.	S.E.
Monday, „ 17,	30·268	47·8	41·5	44·7	43·3	39·9	·75	·1	4·7	—	S.E.	S.E.
Tuesday, „ 18,	30·270	45·7	37·4	41·6	41·9	37·0	·65	·1	6·7	—	S.E.	S.E.
Wednesday, „ 19,	30·206	41·3	36·2	38·8	38·7	34·6	·68	·0	4·3	—	S.E.	E.
Thursday, „ 20,	30·227	42·2	33·9	38·1	40·6	36·7	·72	·1	0·0	—	E.	S.E.
Friday, „ 21,	29·993	42·6	37·6	40·1	41·4	38·9	·82	·9	0·2	·005	S.E.	S.E.
Saturday, „ 22,	29·824	50·6	40·0	45·3	44·8	43·6	·91	·8	0·4	·135	S.E.	S.W.
Mean, . .	30·143	45·8	38·9	42·4	42·6	39·4	·77	·3	Total 16·3	·140	Prevailing wind S.E.	

Sunday—A cloudy day; night cloudy. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A fine day; night clear. *Wednesday*—A fine but cloudy day; night cloudy p.m.; overcast a.m. *Thursday*—A dull day; night overcast. *Friday*—A cloudy day; night overcast; light rain 8.30 to 9.30 p.m. *Saturday*—A cloudy day; showery 11.0 a.m. to 4.30 p.m.; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 299. 9. 1902. 360.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 29TH NOVEMBER, 1902. [No. 48.

General Register Office, Charlemont House, Dublin, 1st December, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 8.	Week ending Nov. 15.	Week ending Nov. 22.	Week ending Nov. 29.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 8.	Week ending Nov. 15.	Week ending Nov. 22.	Week ending Nov. 29.	Average Rate for 4 weeks
22 Town Dists.	23·8	22·8	22·8	24·2	23·4	Lisburn, . .	13·6	13·6	4·5	13·6	11·3
Armagh, . .	27·5	27·5	41·2	27·5	30·9	Londonderry, .	17·9	17·9	23·0	15·4	18·6
Ballymena, .	4·8	4·8	4·8	14·4	7·2	Lurgan, . .	31·0	22·1	13·3	31·0	24·3
Belfast, . .	19·8	23·0	20·8	21·1	21·2	Newry, . .	16·8	12·6	16·8	12·6	14·7
Clonmel, . .	25·6	35·9	25·6	15·4	25·6	Newtownards, .	57·2	11·4	17·2	51·5	34·3
Cork, . . .	21·2	17·1	15·1	15·1	17·1	Portadown, .	15·5	0·0	10·3	15·5	10·3
Drogheda, . .	8·2	20·4	28·6	36·8	23·5	Queenstown, .	26·4	6·6	13·2	13·2	14·9
Dublin Reg. Area,	30·3	26·7	31·1	30·6	29·7	Sligo, . .	43·2	14·4	0·0	9·6	16·8
Dundalk, . .	31·9	23·9	16·0	23·9	23·9	Tralee, . .	21·1	21·1	26·4	21·1	22·4
Galway, . .	23·3	3·9	11·7	15·5	13·6	Waterford, .	17·5	27·3	3·9	37·0	21·4
Kilkenny, . .	19·7	29·5	9·8	0·0	14·8	Wexford, . .	23·3	32·7	23·3	32·7	28·0
Limerick, . .	13·7	20·5	19·1	26·0	19·8						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·8 per 1,000, the rates varying from 0·0 in fifteen of the districts to 20·6 in Armagh; the 4 deaths from all causes registered in that district including 2 from measles and one from diarrhœa. Among the 145 deaths from all causes in Belfast are 14 from measles, 4 from whooping-cough, one from diphtheria, 6 from enteric fever, and 5 from diarrhœa; and the 19 deaths in Limerick include 9 from measles.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 158—86 boys and 72 girls; and the deaths to 230—119 males and 111 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 31·7 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 30·6 per 1,000. During the forty-eight weeks ending with Saturday last the death-rate averaged 24·8, and was 1·5 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 14 deaths from measles; in the preceding 4 weeks the deaths registered were respectively 16, 16, 10, and 19. Deaths from scarlet fever rose from 5 in the preceding week to 8 in the week under review. Influenza caused 3 deaths, diphtheria 4 deaths, and enteric fever 4 deaths. There were 2 deaths from epidemic diarrhœa and 5 deaths from *diarrhœa.*

Of 34 deaths from tuberculous diseases, tuberculous phthisis and *phthisis* caused 22 deaths, tuberculous meningitis 3 deaths, tuberculous peritonitis one death, and 8 deaths were due to other forms of the disease.

Three deaths were registered from carcinoma, and 6 deaths as *malignant disease,* "*cancer.*"

There were 17 deaths from diseases of the nervous system, including 10 deaths of children under 5 years of age from *convulsions.*

Diseases of the heart and blood-vessels caused 22 deaths.

Diseases of the respiratory organs caused 53 deaths, equal to an annual rate of 7·3 per 1,000 of the population of the Dublin Registration Area; the annual rate for the corresponding period of the past 10 years was 6·2 per 1,000. In the above total, 36 deaths from bronchitis, 9 deaths from broncho-pneumonia, and 5 deaths from *pneumonia,* are included.

There was one death from accidental drowning and one death by suicide.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 9 children under 5 years of age (including 6 infants under one year old) and the death of one female aged 78 years.

Ninety-five of the persons whose deaths were registered during the week were under 5 years of age (49 being infants under one year, of whom 12 were under one month old), and 46 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 5 were octogenarians.

Eighty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 30·6 per 1,000; the rate in the City was 34·3 (31·5 on the North side, and 37·3 on the South), and in the Urban Districts 17·7.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 4·8 per 1,000 inhabitants, the rate for the City being 5·7 (6·2 in the North City Districts, and 5·2 in the South), and for the Urban Districts 1·8 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (19) are equal to an annual rate of 35·0 per 1,000. Two deaths from measles, one death from scarlet fever, 2 deaths from diphtheria were registered; also 3 deaths from *phthisis,* one death from tuberculous phthisis, and 3 deaths from diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. Measles and enteric fever each caused one death, tuberculous diseases caused 3 deaths, and diseases of the respiratory system caused 3 deaths, including 2 deaths from broncho-pneumonia and one death from *pneumonia.*

No. 2 *North City District* (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 39·8 per 1,000. There were 3 deaths from measles, one death from scarlet fever, and one death from diphtheria, tuberculous diseases caused 5 deaths, and diseases of the respiratory system caused 5 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (23) represent an annual rate of 37·9 per 1,000. There were 5 deaths from measles, and 2 deaths from *phthisis,* and 7 deaths from diseases of the respiratory system, including 2 deaths from broncho-pneumonia and 2 deaths from *pneumonia.*

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 15·6. There was one death from measles tabulated for Coolock and Drumcondra, No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (29) represent an annual rate of 39·5 per 1,000. There was one death from measles, scarlet fever caused 2 deaths, diphtheria caused one death, diarrhœal diseases caused 2 deaths, and *phthisis* caused 4 deaths. There were 4 deaths from diseases of the respiratory system, including 2 deaths from broncho-pneumonia.

No. 2 *South City District* (Castle-street).—The deaths (15) are equal to an annual rate of 45·7 per 1,000. There was one death from enteric fever, one death from *diarrhœa,* and one death from *phthisis,* and one death from tuberculous meningitis. Diseases of the respiratory system caused 5 deaths.

No. 3 *South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 28·2 per 1,000. There was one death from enteric fever, diarrhœal diseases caused 2 deaths, tuberculous diseases caused 4 deaths, *malignant disease, cancer,* caused 2 deaths, and diseases of the respiratory organs caused 9 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (29) are equivalent to an annual rate of 43·3 per 1,000. Scarlet fever caused one death, *diarrhœa* also caused one death; there were 5 deaths from diseases of the nervous system, and 8 deaths from diseases of the respiratory system, including 2 deaths from broncho-pneumonia and one death from *pneumonia.*

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 28·6 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 18·8 per 1,000 inhabitants; Pembroke, 16·0; Blackrock, 23·8; and Kingstown, 15·0. The deaths from the principal epidemic diseases tabulated for these districts consist of 2 from scarlatina for Rathmines, and one from measles for Pembroke. Among the 12 deaths from all causes tabulated for Rathmines are one from "*cancer,*" *malignant disease,* one from carcinoma, and 2 from diseases of the respiratory system; and the 8 deaths from all causes for Pembroke include 3 from diseases of the respiratory system.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th November,	267 cases.
" "	15th November,	247 cases.
" "	22nd November,	170 cases.
" "	29th November,	236 cases.

Of the 236 cases notified during last week, 22 were erysipelas, 26 enteric fever, 31 scarlatina, 135 measles, 14 diphtheria, 3 continued fever, one varicella (chicken-pox), 3 German measles, and one puerperal fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th November,	8 cases.
" "	15th November,	13 cases.
" "	22nd November,	4 cases.
" "	29th November,	4 cases.

Of the 4 cases notified last week, 3 were measles, and one scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th November,	10 cases.
" "	15th November,	16 cases.
" "	22nd November,	9 cases.
" "	29th November,	5 cases.

Of the 5 cases notified during last week, one was erysipelas, 2 were measles and 2 whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th November,	80 cases.
" "	15th November,	63 cases.
" "	22nd November,	69 cases.
" "	29th November,	59 cases.

Of the 59 cases notified during last week, 20 were enteric fever, 13 erysipelas, 7 diphtheria, 2 puerperal fever, 10 continued fever, and 7 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th November, 1902.

From this it appears that:—

Forty-seven cases of measles were admitted to hospital, being 23 above the admissions for the preceding week; 32 were discharged, there were 6 deaths, and 99 cases remained under treatment at the close of the week.

Fourteen cases of enteric fever were admitted to hospital, 19 cases were discharged, there were 3 deaths, and 84 cases remained under treatment at the close of the week.

Thirty-two cases of scarlatina were admitted to hospital, 22 cases were discharged, there were 7 deaths, and 177* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital, 3 cases were discharged, and 2 remained under treatment at the close of the week.

Eighteen cases of diphtheria were admitted to hospital, 12 were discharged, there were 3 deaths, and 54 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 2 patients were discharged, and 5 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 19·4), was equal to an average annual death-rate of 19·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·0 per 1,000, the rate for Glasgow being 19·6, and for Edinburgh 21·9.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 29th November, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 29th November, 1902. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 29th Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rinfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,401	19·2	25·8	24·2	3·8	540	508	113	97	.	39	7	.	5	5	.	9	15	62	113	10	23	133	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	378,761	27·5	21·8	30·6	4·8	158	222	49	44	.	14	7	.	.	4	.	3	7	22	53	1	3	81	§54·5	29·2	43·5	0·83	§50·6	38·9	42·4	0·14	§55·7	35·3	47·9	0·21
Registrars' Districts. City,	293,894	37·8	24·0	34·3	5·7	135	193	41	36	.	13	5	.	.	4	.	3	7	20	46	.	2	74	a54·0 b52·9	35·2 29·0	45·8 42·8	1·11 0·92	a52·2 b50·9	35·9 36·0	48·9 43·4	0·87 0·27	a57·6 b56·6	40·9 34·6	49·7 48·0	0·41 0·27
Rathmines,‖	33,208	19·4	14·1	18·8	3·1	9	12	3	3	.	.	2	.	.	.	.	.	.	1	2	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	8·0	16·0	2·0	4	8	2	4	.	1	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	17·9	23·8	.	3	4	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	21·0	15·0	.	7	5	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	53	34·5	46·0	1·38	50	36	44·0	0·35	54	42·5	49·9	0·74
Urban Districts.																																			
Belfast,	358,693	24·4	27·0	21·1	4·4	186	145	40	19	.	14	.	.	4	1	.	6	5	20	39	6	15	30	50·0	30·8	42·3	1·64	55·0	36·5	44·1	0·05	55·5	36·8	47·6	1·37
Cork,	76,122	33·6	49·3	15·1	.	72	22	.	6	.	.	.	.	.	.	.	.	.	9	1	1	1	5	54	37	46·8	1·12	54	37	47·4	1·16	55	42	49·8	1·04
Londonderry,	40,729	18·8	25·6	15·4	.	20	12	.	3	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	16·4	26·0	12·3	12	19	3	5	.	9	.	.	.	.	.	.	.	1	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	17·5	37·0	1·9	9	19	6	5	.	.	.	.	1	.	.	.	.	2	4	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	15·5	15·5	.	4	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	57	42	45	0·55	56	27	42·5	1·11	56	36	48	1·38
Dundalk	18,076	9·4	12·0	28·9	.	3	6	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	4·1	36·8	.	1	9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	46·2	12·6	.	11	3	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	50·8	29·8	43·0	0·70	50·3	36·2	43·8	0·17	54·8	34·8	47·3	0·35
Lurgan,	11,782	18·8	17·7	31·0	.	4	7	2	2	.	.	.	.	.	.	.	.	.	.	2	.	1	2	50·8	29·8	43·0	0·70	50·3	36·2	43·8	0·17	54·8	34·8	47·3	0·35
Lisburn,	11,461	10·1	27·3	13·6	.	6	3	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	50·8	29·8	43·0	0·70	50·3	36·2	43·8	0·17	54·8	34·8	47·3	0·35
Wexford,	11,168	28·2	23·3	32·7	.	5	7	4	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	9·6	14·4	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	33·6	9·6	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51·6	25·6	41·8	0·48	50·2	32·5	41·2	0·76	55·0	35·4	47·8	1·14
Kilkenny,	10,609	11·5	14·7	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53	28	43·1	1·21	50	24	39·5	0·89	54	36	46·6	1·04
Clonmel,	10,167	7·8	.	15·4	5·1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	18·2	31·0	15·5	.	6	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	50·8	29·8	43·0	0·70	50·3	36·2	43·8	0·17	54·8	34·8	47·3	0·35
Tralee,	9,867	16·6	74·0	21·1	5·3	14	4	1	2	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	57·2	51·5	.	10	9	2	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	54	34	44·9	2·05	53	38	44·0	0·39	54	38	46·9	1·04
Queenstown,	7,909	14·4	26·4	18·2	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54	37	46·8	1·12	54	37	47·4	1·16	55	42	49·8	1·04
Armagh,	7,588	22·2	20·6	27·5	20·6	3	4	2	1	.	2	.	.	.	.	.	.	1	.	.	.	.	.	50·8	29·8	43·0	0·70	50·3	36·2	43·8	0·17	54·8	34·8	47·3	0·35

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 8 deaths of persons (including 2 at 60 years or upwards) admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 29th of November, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	City of Dublin.																Urban District of				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Registration Districts.																					
	North Side.									South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Glontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
A. General Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	2	1	3	5	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.		14	.
Scarlet Fever (Scarlatina),	1	.	1	.	.	.	.	.	2	.	.	1	.	.	.	2	.	.	.		7	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diphtheria,	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		4	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.		3	1
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	2	1	2	1	.	1	.	.	.	.	.		7	.
Phthisis,	4	2	4	2	.	1	1	.	4	1	1	.	.	.	.	1	.	1	.		22	.
Other General Diseases,	1	5	3	1	1	1	.	.	6	2	5	3	.	.	.	3	1	1	.		33	1
Total,	10	9	12	8	1	3	1	.	16	5	9	5	.	1	.	6	2	2	.		90	3
B. Local Diseases:																						
Diseases of: Nervous System	1	1	2	.	.	.	.	.	2	1	3	5	.	.	.	.	1	1	.		17	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Heart and Blood Vessels,	2	3	2	4	.	.	.	.	4	2	.	2	.	.	.	.	1	.	.		20	2
Respiratory System,	3	3	5	7	.	.	.	.	4	5	9	8	.	2	.	2	3	1	1		58	.
Digestive System,	1	2	1	.	.	.	.	.	3	.	.	2	.	1	.	1	1	.	1		13	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	1	.	.	1	.	.	1	.	.	.	.	2	.	.	.	1	.	.	1		7	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
" Integumentary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Total,	8	10	10	12	.	.	1	.	13	8	12	19	.	3	.	4	6	2	3		111	4
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
D. Ill-defined and Not Specified Diseases,	1	1	1	3	.	1	.	.	.	2	2	5	.	.	1	1	.	.	2		20	.
E. Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1	1
Deaths from all Causes,	19	20	23	23	1	4	2	.	29	15	23	29	.	4	1	12	8	4	5		229	8
Annual Rate of Mortality in every 1,000 of the population.	35·0	26·6	39·8	37·9	10·8	20·8	15·6	.	39·5	45·7	28·2	43·8	.	28·6	.	18·8	16·0	23·8	15·0		30·6	.
	31·5								37·8							17·7						
	34·3																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS

Public Hospitals, Prisons, and Lunatic Asylums,	4	4	6	4	.	1	.	.	9	3	4	7	.	1	.	3	2	.	.		48	3
Workhouse Hospitals,	.	5	3	6	.	.	.	.	5	3	5	3	.	1	.	2	.	.	.		33	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regi re
week of the ten years, 92–

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 48th Week of the 10 years 1892–1901	In the Week ending Sat dn 29th November, 19					
												Deaths of Persons of the e					
												ALL AGES.	0 to 5.				
	Dec. 3, 1892.	Dec. 2, 1893.	Dec. 1, 1894	Nov. 30, 1895.	Nov. 28, 1896.	Dec. 4, 1897.	Dec. 3, 1898.	Dec. 2, 1899.	Dec. 1, 1900.	Nov. 30, 1901.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 41·0	° 41·2	° 41·0	° 44·7	° 45·0	° 40·3	° 41·7	° 47·1	° 43·4	° 42·1	° 42·8	° 43·5					
ALL CAUSES.	156	182	142	168	212	170	212	259	167	141	180·9	230	12	37	46	22	24
Small Pox, Vaccinated, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	4	.	1	1	.	1	29	.	.	3·6	14	.	2	10	2	.
Scarlet Fever	1	.	1	1	5	3	4	2	.	1	1·8	8	.	1	2	5	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	.	1	1	1	2	1	1	1	.	1·1	3	.	.	.	1	.
Whooping Cough, ...	.	5	1	2	7	2	3	1	6	1	2·8	.	.	.	.	.	.
Diphtheria, ...	.	.	.	1	.	2	1	2	1	.	·7	4	.	1	3	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.
Enteric Fever, ...	5	7	2	4	2	11	2	6	4	2	4·5	4	.	.	.	2	2
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	2	1	3	1	5	.	.	4	1	4	2·1	2	.	2	.	.	.
												5	.	3	2	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	.	.	2	2	.	2	.	·6	2	.	2	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
												.	.	.	.	.	.
												.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	.	.	1	.	1	·3	1	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.
												.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	16	24	24	26	15	19	34	35	14	23	23·0	4	.	.	1	1	2
												18	.	.	1	4	9
Tuberculous Meningitis, (Acute Hydrocephalus).	4	.	1	3	6	4	7	4	2	1	3·2	3	1	.	1	1	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	4	7	4	3	4	4	2	4	4	.	3·6	1	.	.	.	1	.
												.	.	.	.	.	.
Tuberculous Dis. (other), ... Scrofula, ...	8	.	1	5	3	1	4	7	7	3	3·9	8	.	3	1	2	1
												.	.	.	.	.	.
Alcoholism	.	.	2	2	1	.	1	.	.	1	·7	2	.	.	.	.	2
Rheumatic Fever,...	.	.	.	.	1	.	.	1	.	1	·3	1	.	.	.	1	.
Gout	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.

* The figures for the years 1892–1900 ar

ORTY-EIGHTH WEEK ending Saturday, 29th November, 1902, with the deaths from each cause in the corresponding e average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 3, 1892.	Dec. 2, 1893.	Dec. 1, 1894.	Nov. 30, 1895.	Nov. 28, 1896.	Dec. 4, 1897.	Dec. 3, 1898.	Dec. 2, 1899.	Dec. 1, 1900.	Nov. 30, 1901.	Averages in 48th Week of the 10 years 1892–1901.	In the Week ending Saturday, 29th November, 1902. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 41·0	° 41·2	° 41·0	° 44·7	° 45·0	° 40·3	° 41·7	° 47·1	° 43·4	° 42·1	° 42·8	° 43·5								
noma												3	.	.	.	.	.	2	1	.
oma	5	3	6	6	5	5	8	9	13	5	6·5	.	.	.	.	.	.	.	.	.
nant Dis. "Cancer,"												6	.	.	.	.	.	2	4	.
etes Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ature Birth	.	1	2	1	6	6	2	2	.	3	2·3	1	1	.	.	.	.	.	.	.
ngitis (not tuberc.)												2	.	.	1	.	1	.	.	.
ity, G. P. of Insane												2	.	.	.	.	.	.	2	.
psy												1	.	.	.	.	1	.	.	.
ulsions												10	2	7	1	.	.	.	.	.
notor Ataxy												.	.	.	.	.	.	.	.	.
plegia Dis. of Cord												.	.	.	.	.	.	.	.	.
ous System (other Dis.) ...	30	39	33	25	43	38	42	38	38	25	35·1	2	.	.	.	.	.	1	1	.
Dis., Endocarditis												2	.	.	.	.	.	1	1	.
or. Hæm. Thromb.												4	.	.	.	.	.	2	2	.
exy, Hemiplegia												5	.	.	.	.	1	2	2	.
rysm												.	.	.	.	.	.	.	.	.
olism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
t and Blood Vessel Dis.												11	.	.	.	.	2	6	3	.
o (not Spasm. or Memb.) ...	.	.	1	.	1	.	.	.	2	1	·5	1	.	.	1	.	.	.	.	.
chitis	26	35	15	25	30	24	44	48	32	11	29·0	36	3	7	9	.	1	5	10	1
oous Pneumonia												.	.	.	.	.	.	.	.	.
cho-Pneumonia	7	14	8	15	18	11	10	17	9	8	11·7	9	.	1	6	.	.	.	2	.
umonia"												5	.	.	2	.	1	2	.	.
na, Emphysema												.	.	.	.	.	.	.	.	.
isy	2	2	4	2	9	.	3	1	2	2	2·7	.	.	.	.	.	.	.	.	.
ratory Dis. (other)												2	.	.	.	.	.	.	1	1
llitis, Quinsy	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
itis (not Epid.)	1	.	.	2	.	1	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Enteritis												2	.	1	.	.	.	1	.	.
nitis (not Puerp.)	1	1	1	1	.	1	1	1	2	.	·9	1	.	.	.	.	.	1	.	.
osis of Liver	1	1	1	4	2	1	1	3	1	4	1·9	.	.	.	.	.	.	.	.	.
Dis. (other)												5	2	.	.	.	.	3	.	.
tive Dis. (other)	6	2	1	2	6	5	6	5	3	2	3·8	6	.	.	.	1	.	2	3	.
ritis, Acute												3	.	.	.	.	2	.	1	.
t's Dis., Albuminuria ...	1	3	2	2	3	2	3	3	4	3	2·6	2	.	.	.	.	.	1	1	.
ry Sys. (Other Dis.) ...												3	.	.	.	.	.	1	2	.
ative Organs Dis.	.	1	.	1	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
birth (Accid. of)	.	1	.	1	.	.	.	2	.	.	·4	.	.	.	.	.	.	.	.	.
ge	11	15	9	12	13	7	13	14	10	16	12·0	5	.	.	.	.	.	.	2	3
Diseases	15	11	13	11	18	15	14	14	7	19	13·7	19	3	7	5	1	1	.	2	.
ACCIDENT.																				
llways	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
hicles and Horses	.	.	1	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
ps, Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rowning)																				
lding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
nflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions ...	.	.	.	2	2	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
owning	.	.	1	.	.	.	.	1	.	1	·3	1	.	.	.	.	.	.	1	.
ffocation in Bed	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
ison or Poisonous Vapours...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	3	2	1	5	4	.	1	1	1	.	1·8	.	.	.	.	.	.	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
ide	.	2	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
e	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
tion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																									
	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct 4	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov 8.	Nov. 15.	Nov. 22.	Nov. 29.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
Births registered,	249	192	242	213	204	187	196	208	186	244	192	185	209	205	219	221	222	192	162	176	259	183	166	275	184	158
*Average Births in corresponding week of previous 10 years,**	209	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210	184	175	193	181	181	184	192	181	189
Deaths registered,	156	155	139	149	149	129	155	150	165	154	145	146	156	170	142	168	213	169	192	200	223	183	228	202	237	230
Annual Death-rate per 1,000,	21·5	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5	30·7	25·2	31·4	27·8	32·6	31·7
*Average Deaths in corresponding week of previous 10 years,**	155	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161	169	175	174	180	183	181
Ages, Under 5 years,	48	50	38	57	41	38	44	46	59	65	55	52	53	57	62	87	98	80	81	100	112	86	96	72	119	95
5—20 "	14	19	15	11	14	10	18	8	14	14	7	15	12	16	9	9	13	12	16	12	15	8	17	13	12	22
20—40 "	32	29	23	28	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16	32	30	39	35	29	26
40—60 "	38	24	26	27	27	29	30	29	24	20	36	32	31	43	23	18	33	34	34	33	26	30	29	29	38	41
60—80 "	17	27	32	26	30	25	27	29	30	29	28	15	26	23	23	23	25	19	22	32	32	21	41	40	32	41
80 years and upwards,	7	6	5	5	7	3	5	13	7	4	2	5	3	6	6	5	9	2	5	6	6	8	6	18	7	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11	19	20	16	16	10	19	14
" Scarlet Fever,	1	.	1	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2	2	3	4	2	5	8
" Typhus,	.	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.
" Whooping-cough,	2	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1	1	1	.	1	.	.
" Diphtheria,	1	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1	2	1	3	1	4	4
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
" Enteric Fever,	.	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2	1	1	2	5	4	2	4
" Diarrhœa, Dysentery,	1	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11	14	3	2	3	7	7
" Phthisis,	40	26	26	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18	26	18	17	21	24	19	21	22
" Heart Diseases,	12	18	22	21	17	18	25	18	10	18	21	17	18	24	17	17	21	14	19	20	25	18	27	39	28	22
" Diseases of Respiratory System,	25	16	10	25	30	24	23	17	30	28	19	18	16	20	14	20	27	19	25	42	49	37	57	37	52	53
Violent Deaths,	6	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6	3	1	4	2	2	2
Mean Temperature of the Air (Phœnix Park),	58·5	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4	50·7	50·1	47·7	47·9	42·4	48·5
Average Mean Temperature in corresponding week of previous 10 years,	56·1	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3	46·1	46·7	45·6	44·0	44·5	42·8
Rainfall in inches,	1·025	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·538	·083	1·725	·115	·180	·595	·640	1·150	·600	·298	·068	1·337	0·212	·140	·880
Mean Humidity of the Air, complete Saturation 1·0,	·83	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·83	·88	·90	·87	·89	·90	·85	·77	·93

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th November, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols. 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Registration of Deaths, Week ending Saturday, 29th November, 1902.																								
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	34·6	230	95	22	26	41	41	5	.	14	8	.	.	4	.	4	7	37	22	10	53	2	106
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	30·4	9	.	.	.	3	4	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
II.	Middle Class,	80,658	20·7	32	7	5	8	8	3	1	.	1	1	.	.	1	.	1	.	4	5	1	5	1	16
III.	Artisan Class and Petty Shopkeepers	98,374	27·0	51	18	7	6	11	9	.	.	3	2	.	.	1	.	1	1	8	7	2	16	1	17
IV.	General Service Class,	146,486	47·4	105	62	10	9	11	13	.	.	9	5	.	.	2	.	2	5	23	7	7	24	.	44
V.	Inmates of Workhouses,	5,191		33	8	.	3	8	12	2	.	1	.	.	.	.	.	.	1	2	3	.	6	.	22
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	55·1	6	.	.	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	10·1	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	6. Clerks and Commercial Assistants,	24,750	25·3	12	5	1	4	1	.	1	.	1	.	.	.	1	.	.	.	2	2	1	3	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	27·9	13	1	4	3	3	2	.	.	.	1	.	.	.	.	1	.	2	3	.	.	1	7
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	56·7	8	4	.	1	2	1	.	.	.	1	.	.	.	.	.	.	1	1	1	2	.	3
	9. Building and Furnishing Trades,	26,030	22·0	11	6	2	.	2	1	.	.	1	.	.	.	.	.	.	.	1	1	1	3	.	5
	10. Clothing Trades,	28,686	17·6	8	2	2	2	1	1	.	.	.	1	.	.	.	.	1	.	2	2	.	4	.	.
	11. Food Supply Trades,	7,869	19·9	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.
	12. Other Trades and Callings ranking with Trades,	26,666	39·1	20	4	3	3	4	6	.	.	2	.	.	.	1	.	.	.	3	3	.	5	.	9
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	18,590	30·7	8	3	1	1	1	2	.	.	1	2	.	.	.	.	.	.	3	1	.	4	.	.
	15. Domestic Servants,	39,568	2·6	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	68·2	14	8	2	3	.	1	.	.	2	.	.	.	.	.	.	.	2	.	1	3	.	8
	17. Hawkers, Porters, Labourers, &c.,	82,631	51·1	81	50	7	5	10	9	.	.	6	3	.	.	2	.	2	5	18	6	6	16	.	35
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	33	8	.	3	8	12	2	.	1	.	.	.	.	.	.	1	2	3	.	6	.	22

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1902 (Est.) 28,333.	Oct. 11,	25·8	9·2	14	.	3	.	.	.	.	.	.	2	2	1	.
		„ 18,	25·8	9·2	14	.	4	1	.	.	.	.	.	.	.	3	.
		„ 25	31·3	7·4	17	.	8	.	.	.	.	.	.	1	.	8	.
		Nov. 1,	33·1	11·0	18	.	5	.	.	1	.	.	.	.	2	2	.
		„ 8,	36·8	7·4	20	.	3	.	.	.	.	.	1	.	3	6	.
		„ 15,	38·6	8·7	21	.	.	.	.	.	.	.	1	1	1	6	.
		„ 22,	38·6	8·7	21	.	2	.	.	.	.	.	.	.	2	9	.
		„ 29,	35·0	9·2	19	.	2	1	.	.	2	.	.	.	4	3	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1902 (Est.) 39,146.	Oct. 11,	34·6	4·0	26	.	1	.	.	.	1	.	.	1	6	3	1
		„ 18,	28·0	1·3	21	.	.	1	.	.	.	.	.	.	2	4	1
		„ 25,	41·3	9·3	31	.	4	.	.	1	1	.	.	1	.	4	.
		Nov. 1,	20·0	5·3	15	.	2	1	.	.	.	.	1	.	2	2	.
		„ 8,	36·0	5·3	27	.	2	.	.	.	.	.	2	.	4	7	.
		„ 15,	33·3	4·0	25	.	2	.	.	.	.	.	1	.	5	4	.
		„ 22,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	4	5	.
		„ 29,	26·6	2·7	20	.	1	.	.	.	.	.	1	.	2	3	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1902 (Est.) 30,107.	Oct. 11,	27·7	6·9	16	.	3	.	.	.	.	.	.	1	2	3	.
		„ 18,	46·8	10·4	27	.	4	.	.	.	1	.	.	1	3	8	1
		„ 25,	52·0	6·9	30	.	4	.	.	.	.	.	.	.	.	10	1
		Nov. 1,	46·8	1·7	27	.	1	.	.	.	.	.	.	.	4	6	.
		„ 8,	41·6	8·7	24	.	3	.	.	.	1	.	1	.	2	3	.
		„ 15,	46·8	10·4	27	.	3	1	1	.	1	.	.	.	2	6	.
		„ 22,	41·6	8·7	24	.	2	.	.	.	1	.	.	2	2	3	.
		„ 29,	39·8	8·7	23	.	3	1	.	.	1	.	.	.	4	5	.
	North City, No. 3. (Office, Blackhall-place.) Pop. in 1902 (Est.) 31,678.	Oct. 11,	19·8	1·6	12	.	1	.	.	.	.	.	.	.	1	2	.
		„ 18,	28·0	6·6	17	.	4	.	.	.	.	.	.	.	1	1	1
		„ 25,	31·3	8·2	19	.	3	.	.	.	.	.	.	2	3	4	.
		Nov. 1,	24·7	6·6	15	.	3	.	.	.	.	.	1	1	1	3	.
		„ 8,	37·9	6·6	23	.	4	.	.	.	.	.	.	.	1	5	.
		„ 15,	37·9	4·9	23	.	3	.	.	.	.	.	.	.	2	4	1
		„ 22,	46·1	16·5	28	.	7	1	.	.	1	.	.	1	1	4	.
		„ 29,	37·9	8·2	23	.	5	.	.	.	.	.	.	.	2	7	.
	South City, No. 1. (Office, South Earl-street. Pop. in 1902 (Est.) 33,813.	Oct. 11,	39·5	12·2	29	.	2	1	.	.	.	.	.	6	6	2	.
		„ 18,	34·0	12·2	25	.	6	.	.	.	.	.	.	3	4	3	.
		„ 25,	31·3	10·9	23	.	5	1	.	.	.	.	1	1	.	3	.
		Nov. 1,	36·7	6·8	27	.	3	1	.	.	1	.	.	.	5	3	.
		„ 8,	38·1	5·4	28	.	2	.	.	.	2	.	.	.	1	8	2
		„ 15,	28·1	4·1	17	.	2	.	1	.	.	.	.	.	2	2	.
		„ 22,	31·3	5·4	23	.	3	.	.	.	.	.	.	1	2	5	.
		„ 29,	39·5	8·2	29	.	1	2	.	.	1	.	.	2	4	4	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1902 (Est.) 17,113.	Oct. 11,	21·3	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.
		„ 18,	37·9	3·0	19	.	.	.	.	.	.	.	.	1	2	7	.
		„ 25,	39·6	12·2	13	.	1	.	.	.	.	.	.	3	1	4	.
		Nov. 1,	33·5	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 8,	51·8	6·1	17	.	1	.	.	.	.	.	.	1	2	6	.
		„ 15,	27·4	6·1	9	.	.	.	.	.	.	.	1	1	1	2	.
		„ 22,	39·6	3·0	13	.	1	.	.	.	.	.	.	.	1	2	.
		„ 29,	45·7	6·1	15	.	.	.	.	.	.	.	1	1	1	5	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1902 (Est.) 42,575.	Oct. 11,	28·2	6·1	23	.	1	1	.	.	.	.	.	3	3	4	.
		„ 18,	31·8	3·7	26	.	.	.	.	.	.	.	.	3	2	9	.
		„ 25,	29·4	3·7	24	.	.	.	.	.	1	.	.	2	3	3	1
		Nov. 1,	20·8	3·7	17	.	2	1	.	.	.	.	.	.	1	5	.
		„ 8,	38·0	3·7	31	.	1	2	.	.	.	.	.	.	3	11	.
		„ 15,	30·6	1·2	25	.	.	.	.	1	.	.	.	.	.	5	1
		„ 22,	47·8	3·7	39	.	2	.	.	.	.	.	.	1	2	7	.
		„ 29,	28·2	3·7	23	.	.	.	.	.	.	.	1	2	1	9	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1902 (Est.) 34,893.	Oct. 11,	28·4	3·0	19	.	.	.	.	.	.	.	2	.	2	5	1
		„ 18,	34·4	1·5	23	.	.	.	.	.	.	.	.	1	4	4	2
		„ 25,	20·9	1·5	14	.	.	.	.	.	.	.	.	1	2	5	.
		Nov. 1,	16·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1
		„ 8,	17·9	1·5	12	.	.	1	.	.	.	.	.	.	2	4	1
		„ 15,	17·9	1·5	12	.	.	.	.	.	.	.	1	.	1	1	.
		„ 22,	22·4	3·0	15	.	.	1	.	.	.	.	1	.	1	4	.
		„ 29,	43·3	3·0	29	.	.	1	.	.	.	.	.	1	.	3	.

The several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	Oct. 11	17·3	1·6	11	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
	„ 25,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	.	2	.
	Nov. 1,	7·9	1·6	5	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	22·0	3·1	14	.	.	.	.	.	.	.	1	1	2	3	.
	„ 15,	17·3		11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	14·1	1·6	9	.	.	.	.	.	1	.	.	.	.	3	.
	„ 29,	18·8	3·1	12	.	.	2	.	.	.	.	.	.	1	2	1
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Oct. 11,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	16·0	4·0	8	.	.	1	.	.	.	.	.	1	1	1	.
	Nov. 1,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	12·0	2·0	6	.	.	1	.	.	.	.	.	.	2	.	.
	„ 15,	16·0	2·0	8	.	.	1	.	.	.	.	.	.	2	2	.
	„ 22,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	2	3	2
	„ 29,	16·0	2·0	8	.	1	.	.	.	.	.	.	.	.	3	.
Kingstown. Pop. in 1902 (Est.) 17,380.	Oct. 11,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	.	1	.
	„ 18,	9·0	3·0	3	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	30·0	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	Nov. 1,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 15,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	„ 29,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1902 (Est.) 358,693.	Oct. 11,	21·5	3·1	148	.	6	1	.	2	1	.	1	10	17	35	3
	„ 18,	22·4	4·4	154	.	8	2	.	6	2	.	5	7	19	26	1
	„ 25,	21·2	4·4	146	.	14	.	.	3	2	.	6	5	19	36	3
	Nov. 1,	21·7	3·2	149	.	8	1	.	3	3	.	3	4	14	52	2
	„ 8,	19·8	3·6	136	.	14	1	.	4	2	.	3	1	20	27	.
	„ 15,	23·0	4·7	158	.	16	1	.	5	1	.	5	4	22	44	3
	„ 22,	20·8	5·5	143	.	17	2	.	9	2	2	3	3	13	39	3
	„ 29,	21·1	4·4	145	.	14	.	.	4	1	.	6	5	20	39	6
Cork. Pop. (in 1901) 76,122.	Oct. 11,	24·0	1·4	35	.	.	.	.	.	.	.	.	2	3	5	.
	„ 18,	14·4	1·4	21	.	.	.	.	.	.	.	.	2	4	4	.
	„ 25,	22·6	1·4	33	.	1	.	.	.	.	.	.	1	3	2	1
	Nov. 1,	21·9	2·1	32	.	.	.	.	.	.	.	.	3	2	2	.
	„ 8,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	4	4	1
	„ 15,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	3	6	1
	„ 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	„ 29,	15·1	.	22	.	.	.	.	.	.	.	.	.	9	1	1
Londonderry. Pop. in 1902 (Est.) 40,729.	Oct. 11,	7·7	1·3	6	.	.	.	.	.	.	.	.	1	.	1	1
	„ 18,	10·2	.	8	.	.	.	.	.	.	.	.	.	3	2	.
	„ 25,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	5	.
	Nov 1,	15·4	2·6	12	.	1	.	.	.	.	.	.	1	2	4	.
	„ 8,	17·9	1·3	14	.	.	.	.	.	.	.	1	.	3	6	1
	„ 15,	17·9	1·3	14	.	1	.	.	.	.	.	.	.	3	3	1
	„ 22,	23·0	3·8	18	.	1	.	.	.	.	.	.	2	.	4	.
	„ 29,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	.	1
Limerick. Pop. (in 1901) 38,151.	Oct. 11,	23·2	6·8	17	.	3	.	.	.	.	.	1	1	2	1	.
	„ 18,	27·3	5·5	20	.	3	.	.	.	.	.	.	1	5	2	.
	„ 25,	21·9	5·5	16	.	2	.	.	.	.	.	1	1	2	2	.
	Nov. 1,	17·8	4·1	13	.	1	.	1	.	.	.	.	1	.	1	.
	„ 8,	13·7	1·4	10	.	1	.	.	.	.	.	.	.	1	4	.
	„ 15,	20·5	8·2	15	.	4	.	1	.	.	.	1	.	1	1	.
	„ 22,	19·1	9·6	14	.	7	.	.	.	.	.	.	.	1	3	.
	„ 29,	26·0	12·3	19	.	9	.	.	.	.	.	.	.	1	3	1
Waterford. Pop. (in 1901) 26,769.	Oct. 11,	11·7	5·8	6	.	.	.	.	3	.	.	.	.	.	.	.
	„ 18,	23·4	5·8	12	.	1	.	.	2	.	.	.	.	2	3	.
	„ 25,	23·4	11·7	12	.	.	.	.	5	.	.	.	1	1	.	.
	Nov. 1,	35·1	15·6	18	.	2	.	.	3	.	.	.	2	2	1	.
	„ 8,	17·5	3·9	9	.	.	1	.	1	.	.	.	.	.	2	.
	„ 15,	27·3	7·8	14	.	1	.	.	2	.	.	1	.	.	1	.
	„ 22,	8·9	3·9	2	.	1	.	.	1	.	.	.	.	.	.	.
	„ 29,	37·0	1·9	19	.	.	.	.	1	.	.	.	.	2		.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 29th November, 1902, Deaths in Public Institutions of persons *admitted, from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	6	24·8	7·1	7	3	2	2	.	.	.	.	.	1	.	.	1	.	2	1	.	.	3
" 2 "	47,959	23	19·6	1·1	18	4	1		4	.	1	.	.	.	.	.	.	.	2	2	2	5	7
" 3 "	47,214	26	18·8	4·4	17	6	5	3	3	.	2	.	.	.	1	.	.	1	2	3	.	2	1
" 4 "	40,911	31	25·5	6·4	20	7	5	4	4	.	3	.	.	.	.	.	.	2	2	5	1	1	3
" "	17,387	6	42·0	6·0	14	4	3	6	1	.	2	.	.	.	.	.	.	.	2	6	2	3	2
" 6 "	48,122	17	10·8	1·1	10	2	2	5	1	.	.	.	.	1	.	.	.	.	1	3	.	.	2
" 7 "	1,524	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 8 "	5,060	2	30·9	10·3	3	.	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.
" 9 "	19,569	9	19·4	2·2	9	.	3	5	1	.	.	.	.	.	.	.	1	.	2	2	.	.	3
" 10 "	23,064	15	27·1	18·1	12	4	4	3	1	.	5	.	.	1	.	.	2	.	.	4	.	1	2
" 11	34,802	15	28·5	4·5	19	6	4	8	1	.	1	.	.	.	.	.	.	2	4	6	1	2	3
" 12 "	33,588	29	18·6	1·6	12	1	1	7	3	.	.	.	.	.	.	.	1	.	1	7	.	.	3
" 13 "	15,006	7	10·4	3·5	3	3	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	186	21·7	4·5	145	40	30	56	19	.	14	.	.	4	1	.	6	5	20	39	6	15	30
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	7	12·2	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	2	.	1	1	1
" 2 "	10,701	18	9·7	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 3 "	9,978	8	15·7	.	3	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 4 "	8,666	8	18·1	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
" 5 "	6,592	6	15·8	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 6 "	10,702	12	19·5	.	4	.	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 7 "	16,616	18	15·7	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Total,	76,122	72	15·1	.	22	.	2	14	6	.	.	.	.	.	.	.	.	.	9	1	1	1	5

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	June 7.	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sep. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered,	217	211	209	175	237	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234	240	190	186	198	180	186
DEATHS registered.	131	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154	146	149	136	158	148	145
Annual Death-rate per 1,000 of estimated Population,	19·0	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	20·9	17·6	19·9	21·5	22·4	21·2	21·7	19·8	23·0	20·8	21·1
AGES, Under 1 year,	16	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45	38	42	36	42	41	40
AGES, 1–5 years,	20	14	22	20	27	23	19	19	22	13	21	17	19	16	20	17	16	26	18	33	27	29	32	36	39	30
AGES, 5–60 years,	61	52	69	50	64	55	45	48	58	62	44	43	51	54	42	60	41	54	57	53	55	53	57	55	45	56
AGES, 60 years and upwards,	34	27	27	22	30	16	23	17	24	21	23	16	20	25	15	21	15	17	19	23	26	25	11	25	18	19
Deaths from Small Pox,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	3	2	7	6	6	7	7	8	5		8	2	5	6	4	5	4	7	6	8	14	8	14	16	17	14
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	2	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	6	1	4	3	7	4	.	2	8	6	2	6	5	6	5	2	4	2	2	6	3	3	4	5	9	4
,, Diphtheria,	1	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2	2	3	2	1	2	1
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
,, Enteric Fever,	2	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5	6	3	3	5	3	6
,, Diarrhœa, Dysentery,	1	4	1	3	4	3	6	6	2	1	5	5	4	4	23	13	12	14	10	7	5	4	1	4	3	5
,, Phthisis	26	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17	19	19	14	10	22	13	20
,, Diseases of Respiratory System,	22	20	25	18	34	22	18	16	29	15	19	9	26	27	15	15	24	23	35	26	36	52	27	44	39	39
Violent Deaths,		2	2	1	7	4	1	6	4	.	1	1	1	1	2	6	.	2	3	1	3	2	.	3	3	6

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th November, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	2	.	1	.	.	.	.	.	.	.	1	.	4
" " 1, West,	.	39	.	9	.	.	2	.	.	6	7	.	.	63
" " 2,	.	7	.	.	.	.	1	.	2	2	2	.	.	14
" " 3,	.	44	.	6	.	.	.	.	1	7	3	.	.	61
Clontarf and Howth No. 1 (part of),	.	20	.	.	.	.	1	.	.	.	.	.	.	21
Coolock and Drumcondra No. 1 (part of),	.	7	3	2	.	.	1	.	.	1	1	.	.	15
Finglas and Glasnevin (part of),	.	3	.	.	.	.	1	.	.	.	3	.	.	7
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	7	.	4	.	.	4	.	.	1	5	.	.	21
" " 2,	.	1	.	1	.	.	.	.	.	2	.	.	.	4
" " 3,	.	5	.	5	.	.	1	.	.	3	.	.	1	15
" " 4,	.	.	.	3	.	.	2	.	.	2	.	.	.	7
Palmerston (part of),	.	.	.	.	.	.	1	.	.	2	1	.	.	4
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	135	3	31	.	.	14	.	3	26	22	1	1	236
Total for week ended Nov. 22nd, 1902,	.	94	.	35	.	.	7	.	2	19	12	.	1	170
Total for week ended Nov. 15th, 1902,	.	156	1	31	1	.	13	.	5	21	15	.	4	247
Total for week ended Nov. 8th, 1902,	.	161	.	41	2	.	13	3	2	27	15	.	3	267

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th November, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th November.			
	Nov. 8.	Nov. 15.	Nov. 22.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	103	108	90	47	32	6	99
Scarlet Fever,	155	170	174	32	22	7	177*
Typhus "	4	4	4	1	3	.	2
Diphtheria,	49	52	51	18	12	3	54
Enteric Fever,	98	89	92	14	19	3	84
Pneumonia,	8	6	4	3	2	.	5

* Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
			Exclusive of Stillborn.									
LONDON,	4,579,107	Nov. 29,	2,373	1,708	19·4	.	46	5	15	27	10	23
EDINBURGH,	317,885	„ 29,	148	136	21·9	.	2	1	1	2	1	3
GLASGOW,	764,423	„ 29,	435	293	19·6	.	1	1	1	10	2	11
CALCUTTA,	847,796	Oct. 4,	.	422	25·8	.	.	.	.	.	114§	66*
BOMBAY,	776,006	Nov. 4,	357	695	46·6	.	21	?	?	1	59§	52*
MADRAS,	509,346	Oct. 17,	440	471	48·0	.	2	?	?	?	148§	76
PARIS,	2,660,559	Nov. 22,	1,034	855	17·6	1	2	1	3†	4	6	33
BRUSSELS (with 8 Faubourgs).	562,893	„ 8,	235	179	16·5	.	2	.	2†	.	2	14
AMSTERDAM,	537,798	„ 15,	280	136	13·2	.	1	.	1	.	2	8
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.		.
COPENHAGEN,	400,570	Nov. 15,	151	117	15·1	.	1	2	1	2	1	7
CHRISTIANIA,	224,909	„ 15,	160	54	12·5	.	6	.	.	1	.	2
ST. PETERSBURG,	1,248,643	„ 8,	705	477	19·9	.	9	11	9	3	15	44
BERLIN,	1,918,497	„ 1,	836	511	13·9	.	3	8	.	8	1	31
HAMBURG,	724,835	„ 15,	.	215	15·4	.	4	17	5†	4	2	4
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—		.	.		.	.	.	.	.	.
MUNICH,	506,000	Nov. 8,	.	192	19·7	.	.	.	1†	2	.	26
VIENNA (with suburbs).	1,744,177	„ 15,	1,061	592	17·7	.	7	1	9†	7	1	43
BUDA-PESTH,	767,661	„ 8,	476	244	16·5	.	2	6	2	1	1	12
PRAGUE and Faubourgs.	421,545	„ 8,	206	158	19·5	.	1	9	3†	.	1	14
ROME,	478,790	Sept. 13,	244	153	16·6	.	.	.	.	1	4	16
TURIN,	344,293	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Nov. 15,	85	62	19·5	.	1	.	.	.	.	2
NEW YORK,	3,632,501	„ 8,	1,703	1,171	16·8	1	1	9	46†	10	29	45
PHILADELPHIA,	1,293,697	„ 8,	.	339	13·6	.	.	1	9	.	6	.

* Including 11 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
§ Exclusive of 9 deaths from bubonic fever in Calcutta, 125 in Bombay, and one in Madras.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 29th November, 1902:—

"Exceedingly unsettled and broken weather prevailed during this week—heavy rains alternating with fine, bright intervals, and the ranges of temperature being sudden and wide. Atmospheric pressure was in a very disturbed and unstable condition over Western Europe, and large depressions came in from the Atlantic at frequent intervals. Sunday, indeed, was fine, but at night the barometer fell fast, so that on Monday morning it was as low as 29·11 inches at Valentia in Kerry. Twenty hours later the centre of another and still deeper depression had reached the Scilly Isles from W.N.W., the barometer being down to 28·53 inches at St. Mary's at 8 a.m. Rain fell in nearly all parts of the United Kingdom, and strong winds or gales blew at many coast stations. Wednesday morning found this disturbance central near Paris, but quickly filling up. This was the only day of the week without measurable rainfall in Dublin. At night temperature fell fast and there was a light ground frost on Thursday morning. The fine weather was of brief duration, for a new and complex depression passed over Ireland in the course of Thursday night, bringing with it squalls and rain. Friday evening was fair and cold, but early on Saturday there was a downpour of cold rain and hail. After a few hours of fair weather rain again fell on Saturday evening, which was also foggy and damp. In Dublin the mean height of the barometer was 29·361 inches, pressure ranging between 29·863 inches at 9 a.m. of Sunday (wind, W.S.W.) and 29·069 inches at 9 a.m. of Friday (wind, W. by N.). The mean temperature was 45·8°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 44·9°. The screened thermometers rose to 54·0° on Monday and fell to 35·2° on Thursday. Bright sunshine was estimated at 13½ hours, 6 hours falling on Sunday. The predominant wind was S.S.E. The rainfall was 1·107 inches on six days, ·440 inch being recorded on Friday. Hail fell on Saturday morning."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·357 inches. The highest reading (29·884) was on Sunday at 9 a.m., wind S.W., and the lowest (29·087) on Friday at 9 a.m., wind W.

The mean temperature for the week was 43·5°, being 0·7° over the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Monday, on which day the thermometer registered 54·5°, and was lowest on Saturday, the mercury having fallen to 29·2°. The mean of the Dry Bulb for the week was 43·6°, and of the Wet Bulb 42·6°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 12·9 hours. The rainfall measured ·830 inch.

At Greenwich the mean temperature for the week was 46·0°, the maximum 52·3°, and the minimum 36·9°; at Glasgow the maximum was 54·2°, the minimum 33·4°, and the mean 46·2°; and at Edinburgh the maximum was 48·6°, the minimum 33·6°, and the mean 42·7°. The rainfall at Greenwich measured 0·42 inch; at Glasgow 0·71 inch; and at Edinburgh 0·26 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Nov. 23,	29·689	49·8	38·9	44·4	42·3	40·8	·90	·5	5·4	·065	S.W.	Calm.
Monday, „ 24,	29·246	54·5	35·0	44·8	50·4	49·0	·91	·6	1·1	·200	S.E.	S.E.
Tuesday, „ 25,	29·235	52·2	46·4	49·3	48·5	48·0	·97	·0	0·0	·060	E.N.E.	Calm.
Wednesday, „ 26,	29·522	48·2	37·6	42·9	41·8	41·6	·98	·3	0·0	—	W.	W.
Thursday, „ 27,	29·349	52·2	29·4	40·8	41·9	40·6	·89	·7	0·6	·060	Calm.	S.W.
Friday, „ 28,	29·135	53·4	32·8	43·1	39·2	37·8	·90	·3	0·5	·380	W.	Calm.
Saturday, „ 29,	29·320	49·1	29·2	39·2	40·9	40·6	·98	·5	5·3	·065	E.N.E.	Calm.
Mean, . .	29·357	51·3	35·6	43·5	43·6	42·6	·93	·4	Total 12·9	·830	--	

Sunday—A fine but cloudy day; night cloudy; overcast from 4.0 a.m.; light rain 4.30 a.m. to 9.0 a.m. *Monday*—Dull a.m.; cloudy p.m.; light rain 9.0 a.m. to 11.0 a.m.; night cloudy p.m.; overcast a.m.; showery 5.30 p.m to 8.30 a.m. *Tuesday*—Day overcast; night overcast; light rain 3.30 a.m. to 7.15 a.m. *Wednesday*—A dull day; night cloudy. *Thursday*—Cloudy a.m.; overcast p.m.; night overcast; light rain 11.30 p.m. to 2.30 a.m. *Friday*—Overcast a.m.; cloudy p.m.; night clear p.m.; cloudy a.m.; heavy rain 4.0 a.m. to 7.30 a.m, *Saturday*—A fine but cloudy day; night overcast; showery 11.0 p.m. to 3.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 299. 9. 1902. 360

OFFICIAL.

VEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 6TH DECEMBER, 1902. [No. 49.

General Register Office, Charlemont House, Dublin, 8th December, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in he Dublin Registration Area and the twenty-one principal provincial Urban Districts f Ireland was 24·8 per 1,000 of their aggregate population, which, for the purposes f these Returns, is estimated at 1,092,401.† The deaths registered in each of the ast four weeks, and during the whole of that period, in the several Districts, alpha-eticallv arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 15.	Week ending Nov. 22.	Week ending Nov. 29.	Week ending Dec. 6.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 15.	Week ending Nov. 22.	Week ending Nov. 29.	Week ending Dec. 6.	Average Rate for 4 weeks
2 Town Dists.	22·8	22·8	24·2	24·8	23·7	Lisburn,	13·6	4·5	13·6	18·2	12·5
rmagh,	27·5	41·2	27·5	61·8	39·5	Londonderry,	17·9	23·0	15·4	21·8	19·5
allymena,	4·8	4·8	14·4	23·9	12·0	Lurgan,	22·1	13·3	31·0	4·4	17·7
elfast,	23·0	20·8	21·1	26·6	22·9	Newry,	12·6	16·8	12·6	4·2	11·6
lonmel,	35·9	25·6	15·4	10·3	21·8	Newtownards,	11·4	17·2	51·5	40·1	30·0
ork,	17·1	15·1	15·1	11·0	14·6	Portadown,	0·0	10·3	15·5	15·5	10·3
rogheda,	20·4	28·6	36·8	45·0	32·7	Queenstown,	6·6	13·2	13·2	13·2	11·6
ublin Reg. Area,	26·7	31·1	30·6	25·9	28·6	Sligo,	14·4	0·0	9·6	19·2	10·8
undalk,	23·9	16·0	23·9	27·9	22·9	Tralee,	21·1	26·4	21·1	21·1	22·4
alway,	3·9	11·7	15·5	15·5	11·7	Waterford,	27·3	3·9	37·0	42·9	27·8
ilkenny,	29·5	9·8	0·0	14·7	13·5	Wexford,	32·7	23·3	32·7	14·0	25·7
imerick,	20·5	19·1	26·0	31·4	24·2						

The deaths from certain epidemic diseases registered* in the 22 districts during last eek were equal to an annual rate of 3·6 per 1,000, the rates varying from 0·0 in hirteen of the districts to 27·5 in Armagh; the 9 deaths from all causes registered in that istrict including 4 from measles. Among the 183 deaths from all causes registered in Belfast are 22 from measles, one from scarlet fever, 4 from whooping-cough, 3 from iphtheria, 5 from enteric fever, and one from diarrhœa; the 23 deaths in Limerick nclude 10 from measles and 2 from diarrhœa; and the 22 deaths from all causes in Vaterford include one from measles, 2 from whooping-cough, and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 53—87 boys and 66 girls; and the deaths to 196—104 males and 92 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·0 in every 1,000 f the population; omitting the deaths (numbering 8) of persons admitted into public nstitutions from localities outside the Area, the rate was 25·9 per 1,000. During the orty-nine weeks ending with Saturday last the death-rate averaged 24·9, and was 1·4 elow the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective istricts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin orporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and ingstown.

Deaths from measles fell from 14 in the week preceding to 9 deaths in the week under review; in 3 previous weeks the deaths were respectively 16, 10, and 19. There were 2 deaths from scarlet fever, as compared with 8 deaths in the week preceding. There was one death from influenza; there were 2 deaths from diphtheria, one death from continued fever, 2 deaths from enteric fever, and one death from *diarrhœa* registered.

The 33 deaths which were registered as caused by tuberculous diseases include one death from tuberculous phthisis, 25 deaths from *phthisis*, 3 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and 3 deaths from other forms of tuberculous disease.

Three deaths from carcinoma, one death from sarcoma, and 5 deaths from *malignant disease*, "*cancer*," were registered.

Of 15 deaths from diseases of the nervous system 11 were registered as *convulsions*; 10 of the latter were children under 5 years of age.

Twenty-six deaths were due to diseases of the heart and blood-vessels.

Diseases of the respiratory system caused 53 deaths, equal to a rate of 7·3 per 1,000 of the population of the Dublin Registration Area; the rate for the corresponding period of the past 10 years was 6·0 per 1,000. The total deaths (53) include 38 deaths from bronchitis, 8 from broncho-pneumonia, and 4 deaths from *pneumonia*.

One death was caused by accidental burns and one death was caused by inhalation of a poisonous vapour.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 9 children under 5 years of age (including 6 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 6 were under one month old), and 46 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a woman) was stated to have been aged 93 years.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 25·9 per 1,000; the rate in the City was 28·1 (28·1 on the North side, and 28·0 on the South), and in the Urban Districts 18·3.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·5 (3·1 in the North City Districts, and 1·8 in the South), and for the Urban Districts 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. There was one death from measles, one death from *phthisis*, and 3 deaths from diseases of the respiratory system registered.

No. 1 North City District, West (Summer-hill).—The deaths (29) are equal to an annual rate of 38·6 per 1,000. There were 2 deaths from measles, one death from diphtheria, one death from continued fever, and 4 deaths from *phthisis* registered; also 11 deaths from diseases of the respiratory system, including 2 deaths from broncho-pneumonia, and one death from *pneumonia*.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. There were 2 deaths from tuberculous meningitis, and one death from tuberculous peritonitis; also one death from broncho-pneumonia registered.

No. 3 North City District (Blackhall-place).—The deaths (18) represent an annual rate of 29·6 per 1,000. Three deaths were due to measles, 3 deaths were also caused by *phthisis*; there were 6 deaths from diseases of the respiratory system, including one death from *pneumonia*.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 0·0. Of the 4 deaths tabulated for Coolock and Drumcondra, No. 1, part of, one was from measles, 2 were from *phthisis*, and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (11) represent an annual rate of 15·0 per 1,000. Measles and scarlet fever each caused one death, *phthisis* caused one death, and bronchitis caused one death.

No. 2 South City District (Castle-street).—The deaths (17) are equal to an annual rate of 51·8 per 1,000. One death each was caused by measles, enteric fever, and diarrhœa; there were 6 deaths due to diseases of the respiratory system; tuberculous diseases also caused 4 deaths.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 30·6 per 1,000. There were 5 deaths due to *phthisis*, and 3 deaths due to other forms of tuberculous disease; there were 8 deaths from diseases of the respiratory system, including 2 deaths from broncho-pneumonia, and one death from *pneumonia*.

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·9 per 1,000. There were 4 deaths from *phthisis*, and 6 deaths from diseases of the respiratory system, including one death from broncho-pneumonia; there was also a death from accidental causes.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 21·4 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 25·1 per 1,000 inhabitants; Pembroke, 6·0; Blackrock, 11·9; and Kingstown, 27·0. The deaths from the principal epidemic diseases tabulated for these districts consist of one each from scarlatina and enteric fever for Rathmines. Among the 16 deaths from all causes tabulated for the last-named district are 2 from *phthisis*, 2 from diseases of the heart and blood-vessels, and 5 from diseases of the respiratory system; and of the 9 deaths from all causes for Kingstown 3 were from diseases of the heart and blood-vessels, one from bronchitis, and one from broncho-pneumonia.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	15th November,	247 cases.
" "	22nd November,	170 cases.
" "	29th November,	236 cases.
" "	6th December,	162 cases.

Of the 162 cases notified during last week, 10 were erysipelas, 40 enteric fever, 30 scarlatina, 58 measles, 21 diphtheria, one varicella (chicken-pox), and 2 typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	15th November,	13 cases.
" "	22nd November,	4 cases.
" "	29th November,	4 cases.
" "	6th December,	8 cases.

Of the 8 cases notified last week, 4 were measles, and 4 scarlet fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	15th November,	16 cases.
" "	22nd November,	9 cases.
" "	29th November,	5 cases.
" "	6th December,	12 cases.

Of the 12 cases notified during last week, 3 were measles, one scarlet fever, one enteric fever, and 7 varicella.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	15th November,	63 cases.
" "	22nd November,	69 cases.
" "	29th November,	59 cases.
" "	6th December,	76 cases.

Of the 76 cases notified during last week, 25 were enteric fever, 10 erysipelas, 12 diphtheria, one membranous croup, one puerperal fever, 6 continued fever, and 21 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th December, 1902.

From this it appears that:—

Eighteen cases of measles were admitted to hospital, being 29 under the admissions for the preceding week; 27 were discharged, there were 8 deaths, and 82 cases remained under treatment at the close of the week.

Thirteen cases of enteric fever were admitted to hospital, 15 cases were discharged, there was one death, and 81 cases remained under treatment at the close of the week.

Thirty-five cases of scarlatina were admitted to hospital, 26 cases were discharged, there were 2 deaths, and 184* cases remained under treatment at the close of the week.

Three cases of typhus were admitted to hospital, one case was discharged, and 4 remained under treatment at the close of the week.

Ten cases of diphtheria were admitted to hospital, 24 were discharged, there was one death, and 39 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, one patient was discharged, and 11 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·1), was equal to an average annual death-rate of 17·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·5 per 1,000, the rate for Glasgow being 19·0, and for Edinburgh 17·7.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th December, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 6th December, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,401	19·2	25·9	24·8	3·6	543	519	90	111	.	46	4	.	7	4	1	7	7	64	121	10	20	148
Dublin Registration Area:—																							
Total,‡	378,761	27·5	21·1	25·9	2·2	153	188	22	45	.	9	2	.	.	1	1	2	1	26	53	2	7	68
Registrars' Districts. City	293,394	37·8	22·9	28·1	2·5	129	158	21	34	.	9	1	.	.	1	1	1	1	24	46	1	4	58
Rathmines,‖	33,208	19·4	9·4	25·1	3·1	6	16	.	7	.	.	1	.	.	.	.	1	.	2	5	1	2	6
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	14·0	6·0	.	7	8	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Blackrock,‖	8,759	8·1	35·7	11·9	.	6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Kingstown 1 & 2,‖	17,880	11·9	15·0	27·0	.	5	9	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3
Urban Districts.																							
Belfast,	358,693	24·4	27·2	26·6	5·2	187	183	38	29	.	22	1	.	4	3	.	5	1	23	46	6	10	43
Cork,	76,122	33·6	17·1	11·0	.	25	16	3	6	.	.	.	.	.	.	.	.	.	.	2	.	.	7
Londonderry,	40,729	18·8	20·5	21·8	.	16	17	4	4	.	.	.	.	.	.	.	.	.	3	2	.	1	8
Limerick,	38,151	18·1	65·6	31·4	16·4	48	23	5	2	.	10	.	.	.	.	.	.	2	2	6	.	.	3
Waterford,	26,769	18·7	21·4	42·9	7·8	11	22	4	4	.	1	.	.	2	.	.	.	1	2	6	1	1	3
Galway,	18,426	2·5	27·2	15·5	.	7	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Dundalk	18,076	9·4	23·9	27·9	.	6	7	.	4	.	.	.	.	.	.	.	.	.	1	2	.	.	1
Drogheda	12,760	8·6	28·6	45·0	4·1	7	11	3	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
Newry,	12,405	17·8	30·4	4·2	.	12	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,782	18·8	31·0	4·4	4·4	7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Lisburn,	11,461	10·1	68·2	18·2	.	15	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Wexford,	11,168	23·2	23·3	14·0	.	5	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Ballymena	10,886	8·9	19·2	23·9	.	4	5	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Sligo,	10,870	3·7	19·2	19·2	.	4	4	1	2	.	.	.	.	.	.	.	.	.	3	.	1	.	3
Kilkenny	10,609	11·5	29·5	14·7	.	6	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,167	7·8	56·4	10·3	5·1	11	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Portadown	10,092	13·2	31·0	15·5	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,867	16·6	21·1	21·1	.	4	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Newtownards	9,110	18·9	17·2	40·1	.	3	7	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Queenstown,	7,909	14·4	38·0	18·2	6·6	5	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Armagh,	7,588	22·2	6·9	61·8	27·5	1	9	1	1	.	4	.	.	.	.	.	.	.	1	.	.	.	3

Towns and Districts.	Meteorology.† Week ending 6th Dec., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§49·9	26·5	38·5	0·14	§54·5	29·2	43·5	0·83	§50·6	33·9	42·4	0·14
City	a50·9 b48·9	32·9 28·2	41·0 39·4	0·27 0·15	a54·0 b52·9	35·2 29·0	45·8 42·8	1·11 0·92	a52·2 b50·9	35·9 35·0	43·9 43·4	0·37 0·27
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	49·5	34·5	41·7	0·49	53	34·5	46·0	1·33	50	36	44·0	0·35
Urban Districts.												
Belfast,	48·0	32·0	40·3	1·05	50·0	30·8	42·3	1·64	55·0	36·5	44·1	0·05
Cork,	53	38	44·3	0·66	54	37	46·8	1·12	54	37	47·4	1·16
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	52	30	39	0·61	57	42	45	0·55	53	27	42·5	1·11
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	48·0	27·6	38·5	0·41	50·8	29·8	43·0	0·70	50·3	36·2	43·3	0·17
Lurgan,	48·0	27·6	38·5	0·41	50·8	29·8	43·0	0·70	50·3	36·2	43·3	0·17
Lisburn,	48·0	27·6	38·5	0·41	50·8	29·8	43·0	0·70	50·3	36·2	43·3	0·17
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	48·3	27·5	37·5	1·05	51·6	25·6	41·8	0·48	50·2	32·5	41·2	0·76
Kilkenny	53	29	38·3	0·45	53	28	43·1	1·21	50	24	39·5	0·39
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	48·0	27·6	38·5	0·41	50·8	29·8	43·0	0·70	50·3	36·2	43·3	0·17
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	49	33	41·8	0·91	54	34	44·9	2·05	53	38	44·0	0·39
Queenstown,	53	38	44·3	0·66	54	37	46·8	1·12	54	37	47·4	1·16
Armagh,	48·0	27·6	38·5	0·41	50·8	29·8	43·0	0·70	50·3	36·2	43·3	0·17

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 8 deaths of persons (including one at 62 years) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 6th of December, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																					
	CITY OF DUBLIN.																URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS.																					
	North Side.								South Side.													
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONTRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	BLANCHARDSTOWN & CASTLEKNOCK (pt. of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	DONNYBROOK (pt. of).	PALMERSTON (pt. of).	CRUMLIN (part of).		RATHMINES.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	1	2	.	3	.	1	.	.	1	1	.	.	.	.	.		.	.	.	.	9	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.		1	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	1
Simple & Ill-defined Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.	.	.	.	1	.
Phthisis,	1	4	.	3	.	2	.	.	1	4	5	4	.	.	.		2	.	.	.	26	.
Other General Diseases,	1	.	7	2	1	.	.	.	1	2	5	2	.	2	.		2	1	.	.	26	1
Total,	3	8	7	8	1	3	.	.	4	9	10	6	.	2	.		6	1	.	.	68	2
B. LOCAL DISEASES:																						
Diseases of: Nervous System	2	3	1	2	.	.	.	1	.	.	2	2	.	.	.		.	.	1	1	15	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Heart and Blood Vessels,	2	4	3	1	.	.	.	.	1	1	4	2	.	.	.		2	2	.	3	25	1
Respiratory System,	3	11	1	6	2	1	.	.	1	6	8	6	.	1	.		5	.	.	2	53	.
Digestive System,	1	1	.	.	.	.	.	.	1	1	.	1	.	.	.		2	.	.	2	9	3
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.	.	.	.	1	.
Urinary System,	1	1	1	.	.	.	.	.	3	.	.	.	.	.	.		.	.	.	1	7	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Total,	9	20	6	9	2	1	.	1	6	8	15	11	.	1	.		9	2	1	9	110	5
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
D. ILL DEFINED AND NOT SPECIFIED DISEASES,	1	1	1	1	.	.	.	.	1	.	.	2	.	.	.		.	.	1	.	8	1
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1	.	.	.	2	.
Deaths from all Causes,	13	29	14	18	3	4	.	1	11	17	25	20	.	3	.		16	3	2	9	188	8
Annual Rate of Mortality in every 1,000 of the population.	23·9	38·6	24·2	29·6	32·5	20·8	.	.	15·0	51·8	30·6	29·9	.	21·4	.		25·1	6·0	11·9	27·0	25·9	.
	28·1								28·0								18·3					
	28·1																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS

Public Hospitals, Prisons, and Lunatic Asylums,	2	5	2	4	.	1	.	.	3	2	3	7	.	.	.		5	.	.	3	42	8
Workhouse Hospitals,	1	5	2	4	1	.	.	.	3	4	1	3	.	.	.		1	1	.	.	26	.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years 1892-1901	In the Week ending Satu 6th December, 1902. Deaths of Persons of the A					
	Dec. 10, 1892.	Dec. 9, 1893.	Dec. 8, 1894	Dec. 7, 1895.	Dec. 5, 1896.	Dec. 11, 1897.	Dec. 10, 1898.	Dec. 9, 1899.	Dec. 8, 1900.	Dec. 7, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	33·1	43·3	36·8	42·4	40·9	42·8	48·1	41·3	45·8	45·4	42·3	Mean Temp. 38·5					
ALL CAUSES.	161	20	170	135	198	171	170	253	189	153	181·0	196	6	16	41	11	34
Small Pox, Vaccinated, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	6	.	.	.	.	.	.	.	·6	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	5	.	.	.	.	.	30	.	.	3·5	9	.	1	8	.	.
Scarlet Fever ...	1	1	1	.	4	4	.	1	1	1	1·4	2	.	.	1	1	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	4	6	4	1	1	2	2	2	3	2·6	1	.	.	.	.	.
Whooping Cough, ...	1	6	1	2	7	.	3	1	4	.	2·5	.	.	.	.	.	.
Diphtheria, ...	.	.	1	.	.	1	.	3	.	2	·7	2	.	.	1	1	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Enteric Fever, ...	2	9	2	1	4	7	4	2	3	1	3·5	2	.	.	.	.	2
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	3	2	3	2	.	3	1	4	3	4	2·5	.	.	.	.	.	.
												1	.	1	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	.	.	1	1	2	1	.	.	·6	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	.	1	.	.	.	1	.	.	.	·3	.	.	.	.	.	.
												.	.	.	.	.	.
												1	.	.	.	.	1
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	2	1	.	2	.	.	1	.	.	·7	1	.	.	.	.	1
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	1	.	1	1	2	.	1	.	2	·9	2	.	.	.	1	.
												.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	16	25	25	16	28	18	17	27	18	22	22·2	1	.	.	.	.	1
												25	.	.	2	3	11
Tuberculous Meningitis, (Acute Hydrocephalus).	4	3	2	4	3	1	1	5	7	1	3·1	3	.	.	3	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	3	2	3	5	3	4	6	8	5	2	4·1	1	.	1	.	.	.
												.	.	.	.	.	.
Tuberculous Dis. (other), Scrofula, ...	1	.	4	.	1	2	8	7	7	4	3·4	3	.	.	2	.	1
												.	.	.	.	.	.
Alcoholism ...	.	1	2	.	.	1	1	.	1	1	·7	1	.	.	.	.	1
Rheumatic Fever, ...	1	1	.	.	1	1	.	.	2	.	·6	.	.	.	.	.	.
Gout ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.

* The figures for the years 1892-1900 are

Y-NINTH WEEK ending Saturday, 6th December, 1902, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 10, 1892.	Dec. 9, 1893.	Dec. 8, 1894.	Dec. 7, 1895.	Dec. 5, 1896.	Dec. 11, 1897.	Dec. 10, 1898.	Dec. 9, 1899.	Dec. 8, 1900.	Dec. 7, 1901.	Averages in 49th Week of the 10 years 1892-1901.	In the Week ending Saturday, 6th December, 1902. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 33·1	° 43·3	° 36·8	° 42·4	° 40·9	° 42·8	° 48·1	° 44·3	° 45·8	° 45·4	° 42·3	Mean Temp. ° 38·5								
ma	11	6	1	6	1	4	8	12	6	5	6·0	3	.	.	.	.	.	3	.
a												1	.	.	.	.	.	1	.
nt Dis. "Cancer,"												5	.	.	.	.	2	3	.
s Mellitus	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
ure Birth	1	.	2	3	7	4	1	4	4	2	2·8	2	2	.	.	.	.	.	.
tis (not tuberc.)												1	.	.	.	.	1	.	.
, G. P. of Insane												.	.	.	.	.	.	.	.
y												.	.	.	.	.	.	.	.
ons												11	3	4	3	1	.		
tor Ataxy												.	.	.	.	.	.	.	.
gia Dis. of Cord												2	.	.	.	.	1	1	.
s System (other Dis.) ...	33	28	38	27	42	31	28	40	47	29	34·3	1	.	.	.	.	1	1	.
s., Endocarditis												3	.	.	.	.	.	1	2	.
Hæm. Thromb.												1	.	.	.	.	.	1	.	.
, *Hemiplegia*												7	.	.	.	.	.	4	3	.
sm												2	.	.	.	.	.	2	.	.
m, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis.												13	.	.	.	.	4	2	7	.
not Spasm. or Memb.) ...	1	1	.	1	2	1	2	2	.	.	1·0	1	.	.	1	.	.	.	.	.
tis	23	40	24	13	29	27	31	38	19	18	26·2	38	.	6	12	.	4	6	7	3
is Pneumonia												.	.	.	.	.	.	.	.	.
-Pneumonia	12	11	8	13	12	5	9	25	15	5	11·5	8	.	1	3	1	.	2	1	.
onia"												4	.	.	.	.	2	2	.	.
, Emphysema												1	.	.	.	.	.	.	1	.
... ...	3	8	4	4	5	3	1	5	2	2	3·7	.	.	.	.	.	.	.	.	.
tory Dis. (other)												1	.	.	.	1	.	.	.	.
is, Quinsy	.	.	.	1	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
s (not Epid.)	.	.	.	1	1	1	.	.	.	2	·5	2	.	1	.	.	.	1	.	.
nteritis												.	.	.	.	.	.	.	.	.
tis (not Puerp.)	.	1	.	1	.	.	1	.	.	.	·3	1	.	.	.	.	1	.	.	.
s of Liver	2	2	.	2	2	2	4	5	2	4	2·5	2	.	.	.	.	.	1	1	.
s. (other)												3	.	.	.	.	.	1	2	.
e Dis. (other)	3	5	4	4	3	5	6	2	8	5	4·5	4	.	1	1	1	.	1	.	.
is, Acute												3	.	.	.	.	1	1	1	.
Dis., Albuminuria ...	3	4	4	4	5	7	2	4	4	7	4·4	5	.	.	.	.	1	2	2	.
Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
ive Organs Dis.	1	1	.	.	.	.	.	1	2	.	·5	.	.	.	.	.	.	.	.	.
th (Accid. of)	.	.	1	1	.	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
... ...	9	16	11	5	11	18	8	12	8	6	10·4	3	.	.	.	.	.	.	.	3
iseases	16	14	12	9	16	11	14	8	14	11	12·3	9	1	.	2	1	2	2	1	.
ACCIDENT.																				
ways	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
cles and Horses	.	1	.	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
, Boats, Docks (exclusive wning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ing Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
agration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s, Scalds, Explosions ...	3	1	.	2	4	2	6	.	1	2	2·1	1	.	.	1	.	.	.	.	.
vning	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
cation in Bed	1	1	1	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
n or Poisonous Vapours...	.	2	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	.	.	1
eaths by Accidents ...	1	2	2	.	.	2	1	2	1	1	1·2	.	.	.	.	.	.	.	.	.
LENCE OTHER THAN ACCIDENTAL.																				
e	.	.	.	.	.	.	.	2	1	.	·3	.	.	.	.	.	.	.	.	.
... ...	.	1	.	1	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct 4	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered,	192	242	213	204	187	196	203	186	244	192	185	209	205	219	221	222	192	162	176	259	183	166	275	184	158	153
*Average Births in corresponding week of previous 10 years,**	204	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210	184	175	193	181	181	184	192	181	189	194
DEATHS registered,	155	189	149	149	129	155	150	165	154	145	146	156	170	142	168	213	169	192	200	223	183	228	202	237	230	196
Annual Death-rate per 1,000,	21·3	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5	30·7	25·2	31·4	27·8	32·6	31·7	27·0
*Average Deaths in corresponding week of previous 10 years,**	162	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161	169	175	174	180	183	181	181
AGES, Under 5 years,	50	38	57	41	38	44	46	59	65	55	52	53	57	62	87	98	80	81	100	112	86	96	72	119	95	68
5—20 ,,	19	15	11	14	10	13	8	14	14	7	15	12	16	9	9	18	12	16	12	15	8	17	13	12	22	11
20—40 ,,	29	28	23	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16	32	30	39	35	29	26	34
40—60 ,,	24	26	27	27	29	30	29	24	20	36	32	31	43	23	18	33	34	34	33	26	30	29	29	38	41	42
60—80 ,,	27	32	26	30	25	27	29	30	29	28	15	26	23	28	23	25	19	22	32	32	21	41	40	32	41	39
80 years and upwards,	6	5	5	7	3	5	13	7	4	2	5	3	6	6	5	9	2	5	6	6	8	6	13	7	5	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11	19	20	16	16	10	19	14	9
,, Scarlet Fever,	.	1	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2	2	3	4	2	5	8	2
,, Typhus,	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
,, Whooping-cough,	3	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1	1	1	.	1	.	.	.
,, Diphtheria,	1	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1	2	1	3	1	4	4	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1
,, Enteric Fever,	1	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2	1	1	2	5	4	2	4	2
,, Diarrhœa, Dysentery,	1	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11	14	3	2	3	7	7	1
,, Phthisis,	26	26	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18	16	18	17	21	24	19	21	22	26
,, Heart Diseases,	18	22	21	17	18	25	18	10	18	21	17	18	24	17	17	21	14	19	20	25	18	27	39	23	22	26
,, Diseases of Respiratory System,	16	10	25	30	24	23	17	30	28	19	18	16	20	14	20	27	19	25	42	49	37	57	37	52	53	53
Violent Deaths,	10	.	4	7	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6	3	.	4	2	2	2	2
Mean Temperature of the Air (Phœnix Park),	48·5	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4	50·7	50·1	47·7	47·9	42·4	43·5	38·5
Average Mean Temperature in corresponding week of previous 10 years,	54·8	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3	46·1	46·7	45·6	44·0	44·5	42·8	42·3
Rainfall in inches,	·725	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·588	·083	1·725	·115	·180	·595	·640	1·150	·600	·298	·068	1·337	0·212	·140	·830	·140
Mean Humidity of the Air, complete Saturation 1·0,	·82	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·83	·88	·90	·87	·89	·90	·85	·77	·93	·81

* See note at foot of Table III.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th December, 1902: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	846,128	29·5	196	63	11	34	42	39	7	.	9	2	.	.	2	1	2	1	17	26	11	53	2	87
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	40·6	12	.	.	2	2	5	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	10
II.	MIDDLE CLASS,	80,653	14·2	22	5	3	4	2	6	2	.	1	2	.	.	1	.	.	.	4	2	1	6	1	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	22·3	42	17	.	6	9	9	1	.	1	.	.	.	.	.	.	.	1	5	4	14	.	18
IV.	GENERAL SERVICE CLASS,	146,486	41·3	94	40	8	16	19	10	1	.	7	.	.	.	1	1	1	1	11	10	6	25	1	41
V.	INMATES OF WORKHOUSES,	5,191		26	1	.	6	10	9	.	.	.	.	.	.	.	.	1	.	1	8	.	7	.	10
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	46·1	7	.	.	1	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
	2. Merchants and Manufacturers, Higher Class,	1,888	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	45·9	5	.	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	1	.	.	2	6	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.
	6. Clerks and Commercial Assistants,	24,750	16·9	8	3	3	2	.	.	.	.	1	2	.	.	1	.	.	.	4	2	1	.	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	10·7	5	1	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	1	2
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	21·3	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.
	9. Building and Furnishing Trades,	26,030	20·0	10	3	.	1	3	3	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	5
	10. Clothing Trades,	23,686	15·4	7	2	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	2	.	3
	11. Food Supply Trades,	7,869	13·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	31·3	16	10	.	2	3	1	.	.	1	.	.	.	.	.	.	.	1	.	3	6	.	6
	13. Petty Shopkeepers,	6,771	30·8	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	42·2	11	2	2	3	.	4	.	.	.	.	.	.	.	.	.	.	.	3	.	4	.	4
	15. Domestic Servants,	39,563	4·0	3	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	34·1	7	1	2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	5
	17. Hawkers, Porters, Labourers, &c.,	82,681	46·1	73	36	4	10	17	6	.	.	7	.	.	.	1	.	1	1	10	7	6	18	1	31
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	26	1	.	6	10	9	.	.	.	.	.	.	.	.	1	.	1	8	.	7	.	10

TABLE VII—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate of Diseases; with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

	DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (prior to extension)	North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,333.	Oct. 18,	25·8	9·2	14	.	4	1	.	.	.	.	.	.	.	3	.
		„ 25	31·3	7·4	17	.	3	.	.	.	.	.	.	1	.	8	.
		Nov. 1,	33·1	11·0	18	.	5	.	.	1	.	.	.	.	2	2	.
		„ 8,	36·8	7·4	20	.	3	.	.	.	.	.	1	.	3	6	.
		„ 15,	38·6	3·7	21	.	.	.	.	.	.	.	1	1	1	6	.
		„ 22,	38·6	3·7	21	.	2	.	.	.	.	.	.	.	2	9	.
		„ 29,	35·0	9·2	19	.	2	1	.	.	2	.	.	.	4	3	.
		Dec. 6,	23·9	1·8	13	.	1	.	.	.	.	.	.	.	1	3	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,140.	Oct. 18,	28·0	1·3	21	.	.	1	.	.	.	.	.	.	2	4	1
		„ 25,	41·3	9·3	31	.	4	.	.	1	1	.	.	1	.	4	.
		Nov. 1,	20·0	5·3	15	.	2	1	.	.	.	.	1	.	2	2	.
		„ 8,	36·0	5·3	27	.	2	.	.	.	.	.	2	.	4	7	.
		„ 15,	33·3	4·0	25	.	2	.	.	.	.	.	1	.	5	4	.
		„ 22,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	4	5	.
		„ 29,	26·6	2·7	20	.	1	.	.	.	.	.	1	.	2	3	.
		Dec. 6,	33·6	5·3	29	.	2	.	.	.	1	1	.	.	4	11	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Oct. 18,	43·8	10·4	27	.	4	.	.	.	1	.	.	1	3	8	1
		„ 25,	52·0	6·9	30	.	4	.	.	.	.	.	.	.	.	10	1
		Nov. 1,	46·8	1·7	27	.	1	.	.	.	.	.	.	.	4	6	.
		„ 8,	41·6	8·7	24	.	3	.	.	.	1	.	1	.	2	3	.
		„ 15,	46·8	10·4	27	.	3	1	1	.	1	.	.	.	2	6	.
		„ 22,	41·6	8·7	24	.	2	.	.	.	1	.	.	2	2	3	.
		„ 29,	39·8	8·7	23	.	3	1	.	.	1	.	.	.	4	5	.
		Dec. 6,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,673.	Oct. 18,	28·0	6·6	17	.	4	.	.	.	.	.	.	.	1	1	1
		„ 25,	31·3	3·2	19	.	3	.	.	.	.	.	.	2	3	4	.
		Nov. 1,	24·7	6·6	15	.	3	.	.	.	.	.	.	1	1	3	.
		„ 8,	37·9	6·6	23	.	4	.	.	.	.	.	.	.	1	5	.
		„ 15,	37·9	4·9	23	.	3	.	.	.	.	.	.	.	2	4	1
		„ 22,	46·1	16·5	28	.	7	1	.	.	1	.	.	1	1	4	.
		„ 29,	37·9	8·2	23	.	5	.	.	.	.	.	.	.	2	7	.
		Dec. 6,	29·6	4·9	18	.	3	.	.	.	.	.	.	.	3	6	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 33,313.	Oct. 18,	34·0	12·2	25	.	6	.	.	.	.	.	.	3	4	3	.
		„ 25,	31·3	10·9	23	.	5	1	.	.	.	.	1	1	.	3	.
		Nov. 1,	36·7	6·8	27	.	3	1	.	.	1	.	.	.	5	3	.
		„ 8,	38·1	5·4	28	.	2	.	.	.	2	.	.	.	1	8	2
		„ 15,	23·1	4·1	17	.	2	.	1	.	.	.	.	.	2	2	.
		„ 22,	31·3	5·4	23	.	3	.	.	.	.	.	.	1	2	5	.
		„ 29,	39·5	8·2	29	.	1	2	.	.	1	.	.	2	4	4	.
		Dec. 6,	15·0	2·7	11	.	1	1	.	.	.	.	.	.	1	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 Est.) 17,113.	Oct. 18,	57·9	3·0	19	.	.	.	.	.	.	.	.	1	2	7	.
		„ 25,	39·6	12·2	13	.	1	.	.	.	.	.	.	3	1	4	.
		Nov. 1,	33·5	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 8,	51·8	6·1	17	.	1	.	.	.	.	.	.	1	2	6	.
		„ 15,	27·4	6·1	9	.	.	.	.	.	.	.	1	1	1	2	.
		„ 22,	32·6	3·0	18	.	1	.	.	.	.	.	.	.	1	2	.
		„ 29,	45·7	6·1	15	.	.	.	.	.	.	.	1	1	1	5	.
		Dec. 6,	31·8	9·1	17	.	1	.	.	.	.	.	1	1	4	6	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 42,573.	Oct. 18,	31·8	3·7	26	.	.	.	.	.	.	.	.	3	2	9	.
		„ 25,	29·4	3·7	24	.	.	.	.	.	1	.	.	2	3	3	1
		Nov. 1,	20·8	3·7	17	.	2	1	.	.	.	.	.	.	1	5	.
		„ 8,	38·0	3·7	31	.	1	2	.	.	.	.	.	.	3	11	.
		„ 15,	30·6	1·2	25	.	.	.	.	1	.	.	.	.	.	5	1
		„ 22,	47·8	3·7	39	.	2	.	.	.	.	.	.	1	2	7	.
		„ 29,	28·2	3·7	23	.	.	.	.	.	.	.	1	2	1	9	.
		Dec. 6,	30·6	.	25	.	.	.	.	.	.	.	.	.	5	8	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	Oct. 18,	34·4	1·5	23	.	.	.	.	.	.	.	.	1	4	4	2
		„ 25,	20·9	1·5	14	.	.	.	.	.	.	.	.	1	2	5	.
		Nov. 1,	16·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1
		„ 8,	17·9	1·5	12	.	.	1	.	.	.	.	.	.	2	4	1
		„ 15,	17·9	1·5	12	.	.	.	.	.	.	.	1	.	1	1	.
		„ 22,	22·4	3·0	15	.	.	1	.	.	.	.	1	.	1	4	.
		„ 29,	43·3	3·0	29	.	.	1	.	.	.	.	.	1	.	8	.
		Dec. 6,	29·9	.	20	.	.	.	.	.	.	.	.	.	4	6	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 83,208.	Oct. 18,	11·0	.	7	.	.	.	.	.	.	.	.	.		.	1
	„ 25,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	.	2	.
	Nov. 1,	7·9	1·6	5	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8	22·0	3·1	14	.	.	.	.	.	.	.	1	1	2	3	.
	„ 15,	17·3		11	.	.		.	.	.	.	.	.	.	2	.
	„ 22,	14·1	1·6	9	.	.	.	.	.	1	.	.	.	.	3	.
	„ 29,	18·8	3·1	12	.	.	2	.	.	.	.	.	.	1	2	1
	Dec. 6	25·1	3·1	16	.	.	1	.	.	.	.	1	.	2	5	1
Pembroke Urban District. Pop. in 1902 (Est.) 26,095.	Oct. 18,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	16·0	4·0	8	.	.	1	.	.	.	.	.	1	1	1	.
	Nov. 1,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	12·0	2·0	6	.	.	1	.	.	.	.	.	.	2	.	.
	„ 15,	16·0	2·0	8	.	.	1	.	.	.	.	.	.	2	2	.
	„ 22,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	2	3	2
	„ 29,	16·0	2·0	8	.	1	.	.	.	.	.	.	.	.	3	.
	Dec. 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown. Pop. in 1902 (Est.) 17,380.	Oct. 18,	9·0	3·0	3	.	.	.	.	.	.	.	.	1	.	1	.
	„ 25,	30·0	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	Nov. 1,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 15,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	„ 29	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 6,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	.
Belfast. Pop. in 1902 (Est.) 358,693.	Oct. 18,	23·4	4·4	154	.	8	2	.	6	2	.	5	7	19	26	1
	„ 25,	21·2	4·4	146	.	14	.	.	3	2	.	6	5	19	36	3
	Nov. 1,	21·7	3·2	149	.	8	1	.	3	3	.	3	4	14	52	2
	„ 8,	19·8	3·6	136	.	14	1	.	4	2	.	3	1	20	27	.
	„ 15,	23·0	4·7	158	.	16	1	.	5	1	.	5	4	22	44	3
	„ 22,	20·8	5·5	143	.	17	2	.	9	2	2	3	3	18	33	3
	„ 29,	21·1	4·4	145	.	14	.	.	4	1	.	6	5	20	39	6
	Dec. 6,	26·6	5·2	183	.	22	1	.	4	3	.	5	1	23	46	6
Cork. Pop. (in 1901) 76,122.	Oct. 18,	14·4	1·4	21	.	.	.	.	.	.	.	.	2	4	4	.
	„ 25,	22·6	1·4	33	.	1	.	.	.	.	.	.	1	3	2	1
	Nov. 1,	21·9	2·1	32	.	.	.	.	.	.	.	.	3	2	2	.
	„ 8,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	4	4	1
	„ 15,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	3	6	1
	„ 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	„ 29,	15·1	.	22	.	.	.	.	.	.	.	.		9	1	1
	Dec. 6,	11·0	.	16	.	.	.	.	.	.	.	.	.	.	2	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Oct. 18,	10·2	.	8	.	.	.	.	.	.	.	.	.	2	2	.
	„ 25,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	5	.
	Nov. 1,	15·4	2·6	12	.	1	.	.	.	.	.	.	1	2	4	.
	„ 8,	17·9	1·3	14	.	.	.	.	.	.	.	1	.	2	6	1
	„ 15,	17·9	1·3	14	.	1	.	.	.	.	.	.	.	3	3	1
	„ 22,	23·0	3·8	18	.	1	.	.	.	.	.	.	2	.	4	.
	„ 29,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	.	1
	Dec. 6,	21·8	.	17	.	.	.	.	.	.	.	.	.	3	2	.
Limerick. Pop. (in 1901) 38,151.	Oct. 18,	27·3	5·5	20	.	3	.	.	.	.	.	.	1	5	2	.
	„ 25,	21·9	5·5	16	.	2	.	.	.	.	.	1	1	2	2	.
	Nov. 1,	17·8	4·1	13	.	1	.	1	.	.	.	.	1	.	1	.
	„ 8,	18·7	1·4	10	.	1	.	.	.	.	.	.	.	1	4	.
	„ 15,	20·5	8·2	15	.	4	.	1	.	.	.	1	.	1	1	.
	„ 22,	19·1	9·6	14	.	7	.	.	.	.	.	.	.	1	3	.
	„ 29,	26·0	12·3	19	.	9	.	.	.	.	.	.	.	1	3	1
	Dec. 6,	31·4	16·4	23	.	10	.	.	.	.	.	.	2	2	6	.
Waterford. Pop. (in 1901) 26,769.	Oct. 18,	23·4	5·8	12	.	1	.	.	2	.	.	.	.	2	3	.
	„ 25,	23·4	11·7	12	.	.	.	.	5	.	.	.	1	1	.	.
	Nov. 1,	35·1	13·6	18	.	2	.	.	3	.	.	.	2	2	1	.
	„ 8,	17·5	3·9	9	.	.	1	.	1	.	.	.	.	.	2	.
	„ 15,	27·3	7·8	14	.	1	.	.	2	.	.	1	.	.	1	.
	„ 22,	3·9	3·9	2	.	1	.	.	1	.	.	.	.	.	.	.
	„ 29,	37·0	1·9	19	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 6,	42·9	7·8	22	.	1	.	.	2	.	.	.	1	2	6	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 6th December, 1902, Deaths in Public Institutions of persons *admitted, from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	8	28·3	7·1	8	.	3	5	.	.	.	1	.	1	.	.	.	.	.	2	.	1	2
" 2 "	47,959	32	23·9	5·4	22	9	2	8	3	.	3	.	.	1	.	.	1	.	4	6	.	.	4
" 3 "	47,214	27	24·3	6·6	22	6	7	7	2	.	3	.	.	1	2	.	.	.	4	5	1	1	5
" 4 "	40,911	25	39·5	5·1	31	6	5	16	4	.	2	.	.	.	.	.	2	.	4	7	1	2	9
" 5 "	17,387	10	51·0	12·0	17	2	5	5	5	.	4	.	.	.	.	.	.	.	1	4	.	2	6
" 6 "	48,122	12	22·3	3·3	21	1	6	7	7	.	3	.	.	.	.	.	.	.	2	6	.	.	5
" 7 "	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	2	10·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	19,569	7	45·3	18·3	17	1	3	10	3	.	3	.	.	.	.	.	1	1	5	1	.	.	3
" 10 "	8,064	15	24·9	9·0	11	3	4	4	.	.	3	.	.	.	1	.	.	.	1	3	1	1	3
" 11 "	34,802	24	22·5	3·0	15	4	1	6	4	.	1	.	.	.	.	.	1	.	.	7	1	1	4
" 12 "	33,588	16	23·3	.	15	5	2	7	1	.	.	.	.	.	.	.	.	.	2	6	2	2	1
" 13 "	15,006	9	10·4	3·5	3	1	1	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	187	27·3	5·4	183	38	31	77	29	.	22	1	.	4	3	.	5	1	23	46	6	10	43
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	1	20·3	.	5	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
" 2 "	10,701	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 3 "	9,978	4	10·5	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 4 "	8,666	4	6·0	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	6,592	.	7·9	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	10,702	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	16,616	8	22·0	.	7	1	.	2	4	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Total,	76,122	25	11·0	.	16	3	1	6	6	.	.	.	.	.	.	.	.	.	.	2	.	.	7

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	June 14.	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sep. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered,	211	209	175	237	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234	240	190	186	198	180	186	187
DEATHS registered.	113	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154	146	149	136	158	143	145	133
Annual Death-rate per 1,000 of estimated Population,	16·4	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	20·9	17·6	19·9	21·5	22·4	21·2	21·7	19·8	23·0	20·8	21·1	26·6
AGES, Under 1 year,	20	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45	38	42	36	42	41	40	38
AGES, 1-5 years,	14	22	20	27	28	19	19	22	18	21	17	19	16	20	17	16	26	18	33	27	29	32	36	39	30	39
AGES, 5-60 years,	52	69	50	64	55	45	48	58	62	44	43	51	54	42	60	41	54	57	53	55	58	57	55	45	56	77
AGES, 60 years and upwards,	27	27	22	30	16	23	17	24	21	23	16	20	25	15	21	15	17	19	23	26	25	11	25	18	19	29
Deaths from Small Pox,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	7	6	6	7	7	8	5	.	8	2	5	6	4	5	4	7	6	8	14	8	14	16	17	14	22
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	2	.	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	4	3	7	4	.	2	8	6	2	6	5	6	5	2	4	2	2	6	3	3	4	5	9	4	4
,, Diphtheria,	3	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2	2	3	2	1	2	1	3
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.
,, Enteric Fever,	6	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5	6	3	3	5	3	6	5
,, Diarrhœa, Dysentery,	4	1	3	4	3	6	6	2	1	5	5	4	4	23	13	12	14	10	7	5	4	1	4	3	5	1
,, Phthisis	21	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17	19	19	14	20	22	13	20	23
,, Diseases of Respiratory System,	20	25	18	34	22	18	16	29	15	19	9	26	27	15	15	24	23	35	26	36	52	27	44	39	39	46
Violent Deaths,	2	2	1	7	4	1	6	4	.	1	1	1	1	2	6	.	2	3	1	3	2	.	3	3	6	6

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th December, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	8	.	3	.	.	.	.	.	9	.	.	.	20
" " 1, West,	.	7	.	4	.	.	7	.	.	1	.	.	.	19
" " 2,	.	6	.	2	2	.	2	.	.	.	.	.	.	12
" " 3,	.	7	.	8	.	.	1	.	.	10	4	.	.	30
Clontarf and Howth No. 1 (part of),	.	4	.	.	.	.	.	.	.	1	.	.	.	5
Coolock and Drumcondra No. 1 (part of),	.	2	.	1	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	10	.	5	.	.	2	.	.	3	3	.	.	23
" " 2,	.	5	.	.	.	.	.	.	.	1	1	.	.	7
" " 3,	.	1	.	1	.	.	2	.	.	6	1	.	1	12
" " 4,	.	4	.	2	.	.	5	.	.	5	1	.	.	17
Palmerston (part of),	.	4	.	3	.	.	2	.	.	4	.	.	.	13
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	58	.	30	2	.	21	.	.	40	10	.	1	162
Total for week ended Nov. 29th, 1902,	.	135	3	31	.	.	14	.	3	26	22	1	1	236
Total for week ended Nov. 22nd, 1902,	.	94	.	35	.	.	7	.	2	19	12	.	1	170
Total for week ended Nov. 15th, 1902,	.	156	1	31	1	.	13	.	5	21	15	.	4	247

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th December, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th December.			
	Nov. 15.	Nov. 22.	Nov. 29.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	108	90	99	18	27	8	82
Scarlet Fever,	170	174	177	35	26	2	184*
Typhus ,,	4	4	2	3	1	.	4
Diphtheria,	52	51	54	10	24	1	39
Enteric Fever,	89	92	84	13	15	1	81
Pneumonia,	6	4	5	7	1	.	11

* Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Birth. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Dec. 6,	2,225	1,506	17·1	.	38	7	14	41	12	16
EDINBURGH,	317,885	„ 6,	147	110	17·7	.	1	1	2	.	.	2
GLASGOW,	764,423	„ 6,	456	283	19·0	.	2	4	7	11	7	10
CALCUTTA,	847,793	Oct. 11,	.	391	23·9	.	.	.	1	1	110§	41*
BOMBAY,	776,006	Nov. 11,	392	728	48·8	4	27	?	?	.	51§	73
MADRAS,	509,346	Oct. 24,	426	470	47·9	.	3	?	?	?	185	65
PARIS,	2,660,559	Nov. 29,	1,059	995	20·4	.	6	2	20†	1	10	32
BRUSSELS (with 8 Faubourgs).	562,893	„ 15,	221	176	16·3	.	4	.	3†	.	1	11
AMSTERDAM,	537,798	„ 22,	280	151	14·6	.	1	.	2	1	.	4
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.		.
COPENHAGEN	400,570	Nov. 22,	303	94	12·2	.	2	.	.	1	.	3
CHRISTIANIA,	224,909	„ 22,	95	63	14·6	.	12	..	.	3	.	1
ST. PETERSBURG,	1,248,643	„ 15,	559	493	20·5	1	3	10	11†	1	11	5
BERLIN,	1,918,980	„ 8,	880	541	14·7	.	4	6	4	5	.	31
HAMBURG,	724,835	„ 22,	.	217	15·6	.	6	7	5†	5	.	5
DRESDEN	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU	427,505	—		.	.		.	.	.	.	.	.
MUNICH	506,000	Nov. 15,	.	202	20·8	.	1	.	2†	2	.	22
VIENNA (with suburbs).	1,744,177	„ 22,	909	621	18·5	.	11	4	6†	3	1	33
BUDA-PESTH,	767,661	„ 15,	470	240	16·3	.	2	10	3	.	1	13
PRAGUE and Faubourgs.	421,545	„ 15,	171	164	20·2	.	2	9	3†	.	3	11
ROME,	478,790	Sept. 20,	231	132	14·3	.	.	.	.	.	5	18
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Nov. 22,	71	65	20·4	.	1	.	.	.	.	4
NEW YORK,	3,632,501	„ 15,	1,517	1,141	16·4	.	6	6	43†	6	29	35
PHILADELPHIA,	1,293,697	„ 8,	.	403	16·2	.	1	1	4	3	8	.

* Including 12 deaths from cholera.
† Including deaths from croup.
§ Exclusive of 7 deaths from bubonic fever in Calcutta, and 113 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 6th December, 1902:—

"Mild at its opening, this week witnessed the establishment of winter throughout Europe. As in the week ended November 22nd, the cold was of anticyclonic origin and spread westwards and south-westwards on the wings of biting easterly and south-easterly winds. An anticyclone was throughout central over Scandinavia, and it increased in energy from Sunday morning when the highest reading of the barometer was 30·18 inches at Christiansund near Bergen in Norway, to Friday morning when the exceptionally high reading of 31·01 inches was reported from Karlstad, an inland town in Sweden, where the thermometer read 5° F. at the same time. Sunday was fine but dull. At night a deep depression approached the West of Ireland from the Atlantic, so that on Monday morning the barometer was down to 29·08 inches at Blacksod Point, in Mayo. This disturbance caused S.E. to S. gales, heavy rains, and high temperatures. On Tuesday morning the depression had partially filled up and stretched as a trough of low pressure across the North of Ireland and England to Holland. Strong S.E. gales blew on the east coast of Scotland, accompanied by low temperatures, heavy rain and sleet. In Ireland fair weather and westerly winds prevailed at this time, and there was slight frost on Wednesday. The northern anticyclone now rapidly increased in energy, and biting easterly winds set in, curving into S.E. over Ireland. Snow fell in England and Scotland, followed by keen frost in some localities—even at Holyhead the thermometer fell to 26° on Friday morning, the minimum in Dublin being nearly 10° higher (35·7°). At Haparanda on the Gulf of Bothnia the cold was very severe up to Friday, the minimum being -29° on Thursday. In Dublin the mean height of the barometer was 29·989 inches, pressure ranging from 29·137 inches at 3 p.m. of Monday (wind, S.S.E.) to 30·533 inches at 9 p.m. of Thursday (wind, S.E.). The corrected mean temperature was 41·0°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 40·0°. The screened thermometers rose to 50·9° on Monday and fell to 32·9° on Wednesday. The duration of bright sunshine was estimated at 12 hours. South-easterly winds prevailed. Rain fell on the first two days to the amount of ·267 inch, ·188 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·021 inches. The highest reading (30·551) was on Thursday at 9 p.m., wind S.E., and the lowest (29·226) on Monday at 9 p.m., wind W.

The mean temperature for the week was 38·5°, being 3·8° under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Monday, on which day the thermometer registered 49·9°, and was lowest on Wednesday, the mercury having fallen to 26·5°. The mean of the Dry Bulb for the week was 38·5°, and of the Wet Bulb 36·3°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 13·1 hours. The rainfall measured ·140 inch.

At Greenwich the mean temperature for the week was 37·2°, the maximum 49·6°, and the minimum 25·4°; at Glasgow the maximum was 47·5°, the minimum 23·2°, and the mean 36·6°; and at Edinburgh the maximum was 46·1°, the minimum 27·8°, and the mean 36·2°. The rainfall at Greenwich measured 0·56 inch; at Glasgow 0·82 inch; and at Edinburgh 0·27 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer: Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer: Maximum.	Thermometer: Minimum.	Thermometer: Mean.	Hygrometer: Dry Bulb.	Hygrometer: Wet Bulb.	Hygrometer: Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Nov. 30,	29·614	47·8	39·2	43·5	45·3	43·6	·88	·6	0·0	·030	S.E.	S.E.
Monday, Dec. 1,	29·266	49·9	44·2	47·1	45·4	44·4	·93	·4	0·1	·110	S.E.	W.
Tuesday, „ 2,	29·692	47·3	30·5	38·9	36·4	35·6	·90	·3	6·5	—	W.	Calm.
Wednesday, „ 3,	30·245	40·5	26·5	33·5	36·1	34·2	·85	·2	2·9	—	S.W.	E.
Thursday, „ 4,	30·535	40·8	34·8	37·8	37·6	33·3	·67	·1	0·3	—	S.E.	S.E.
Friday, „ 5,	30·439	37·6	34·3	36·0	35·5	31·6	·66	·2	3·3	—	S.E.	S.E.
Saturday, „ 6,	30·356	37·1	28·7	32·9	33·5	31·2	·75	·0	0·0	—	S.E.	S.E.
Mean,	30·021	43·0	34·0	38·5	38·5	36·3	·81	·3	Total 13·1	·140	Prevailing wind S.E.	

Sunday—A dull day; night overcast; showery p.m. *Monday*—A dull day; light rain 9.30 a.m. to 11.30 a.m.; night cloudy p.m.; clear a.m.; showers 6.0 p.m. to 11.0 p.m. *Tuesday*—A fine day; night clear. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A cloudy day; night cloudy. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A cloudy day; night clear and frosty.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 299. 9. 1902. 360

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 13TH DECEMBER, 1902. [No. 50.

General Register Office, Charlemont House, Dublin, 15th December, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 25·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 22.	Week ending Nov. 29.	Week ending Dec. 6.	Week ending Dec. 13.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 22.	Week ending Nov. 29.	Week ending Dec. 6.	Week ending Dec. 13.	Average Rate for 4 weeks
22 Town Dists.	22·8	24·2	24·8	25·8	24·4	Lisburn,	4·5	13·6	18·2	18·2	13·6
Armagh,	41·2	27·5	61·8	34·4	41·2	Londonderry,	23·0	15·4	21·8	16·6	19·2
Ballymena,	4·8	14·4	23·9	14·4	14·4	Lurgan,	13·3	31·0	4·4	8·9	14·4
Belfast,	20·8	21·1	26·6	26·2	23·7	Newry,	16·8	12·6	4·2	33·6	16·3
Clonmel,	25·6	15·4	10·3	15·4	16·7	Newtownards,	17·2	51·5	40·1	5·7	28·6
Cork,	15·1	15·1	11·0	12·3	13·4	Portadown,	10·3	15·5	15·5	10·3	12·9
Drogheda,	28·6	36·8	45·0	45·0	38·8	Queenstown,	13·2	13·2	13·2	13·2	13·2
Dublin Reg. Area,	31·1	30·6	25·9	29·2	29·2	Sligo,	0·0	9·6	19·2	19·2	12·0
Dundalk,	16·0	23·9	27·9	19·9	21·9	Tralee,	26·4	21·1	21·1	21·1	22·4
Galway,	11·7	15·5	15·5	42·7	21·4	Waterford,	3·9	37·0	42·9	11·7	23·9
Kilkenny,	9·8	0·0	14·7	29·5	13·5	Wexford,	23·3	32·7	14·0	28·0	24·5
Limerick,	19·1	26·0	31·4	47·8	31·1						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 4·0 per 1,000, the rates varying from 0·0 in fourteen of the districts to 13·7 in Armagh; the 5 deaths from all causes registered in that district including 2 from measles. Among the 180 deaths from all causes registered in Belfast are 24 from measles, 9 from whooping-cough, one from diphtheria, 7 from enteric fever, and 3 from diarrhœa; the 35 deaths in Limerick include 8 from measles; and the 6 deaths from all causes in Waterford include one from whooping-cough and one from diphtheria.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 253—127 boys and 126 girls; and the deaths to 219—103 males and 116 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 30·1 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 29·2 per 1,000. During the fifty weeks ending with Saturday last the death-rate averaged 25·0, and was 1·3 below the mean rate for the corresponding portions of the ten years 1892–1901.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note(*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

There were 10 deaths from measles registered during the week; in the 4 weeks preceding the deaths from this disease numbered 10, 19, 14, and 9. There was one death from scarlet fever. Influenza and diphtheria each caused one death; 5 deaths were due to enteric fever and 5 deaths to *diarrhœa.*

There was a total of 30 deaths from tuberculous diseases, comprising 18 deaths from *phthisis,* 6 deaths from tuberculous meningitis, one death from tuberculous peritonitis, one death from *tabes mesenterica*, and 4 deaths from other forms of the disease.

Three deaths were due to carcinoma, and 6 deaths to *malignant disease*, "*cancer.*"

Diseases of the nervous system caused 23 deaths, including 9 deaths of children under 5 years of age from *convulsions.*

There were 19 deaths from diseases of the heart and blood-vessels.

There were 65 deaths from diseases of the organs of respiration, equal to an annual rate of 8·9 per 1,000 of the population of the Registration Area; the annual rate for the corresponding period of the past 10 years was 6·3 per 1,000. There were 37 deaths from bronchitis, 11 deaths from broncho-pneumonia, and 11 deaths from *pneumonia.*

There was one accidental death.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the death of one man aged 65 years.

Seventy-nine of the persons whose deaths were registered during the week were under 5 years of age (45 being infants under one year, of whom 3 were under one month old), and 49 were aged 60 years and upwards, including 29 persons aged 70 and upwards, of whom 9 were octogenarians, and 4 (one man and 3 women) were stated to have been aged 90, 92, 92, and 95 years respectively.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 29·2 per 1,000; the rate in the City was 32·2 (32·9 on the North side, and 31·4 on the South), and in the Urban Districts 18·9.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 3·0 per 1,000 inhabitants, the rate for the City being 3·2 (3·8 in the North City Districts, and 2·6 in the South), and for the Urban Districts 2·4 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·6 per 1,000. There was one death from *phthisis,* and one death from tuberculous meningitis; a death from *malignant disease*, "*cancer,*" was also registered; there was one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (30) are equal to an annual rate of 40·0 per 1,000. There was one death from enteric fever, 2 deaths from diarrhœa, 3 deaths from *phthisis,* and one death from tuberculous peritonitis, and 6 deaths from diseases of the respiratory system, including 3 deaths from broncho-pneumonia,

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 36·4 per 1,000. There were 2 deaths from measles, and 3 deaths from *phthisis*; also 5 deaths from diseases of the respiratory system, including one death from broncho-pneumonia.

No. 3 North City District (Blackhall-place).—The deaths (23) represent an annual rate of 37·9 per 1,000. There were 4 deaths from measles, one death from enteric fever, one death from *phthisis,* 2 deaths from carcinoma, and 5 deaths from diseases of the respiratory system, including 2 deaths from *pneumonia*; also one death from accidental causes.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 43·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·2; and Finglas and Glasnevin, part of, 23·4. Of the 6 deaths tabulated for Coolock and Drumcondra, No. 1, part of, one was from *phthisis,* and 3 from broncho-pneumonia. One of the 3 deaths in Finglas and Glasnevin, part of, was from scarlet fever.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 32·7 per 1,000. There were 3 deaths from measles, one death from influenza, 2 deaths from *phthisis,* 2 deaths from tuberculous meningitis, and 5 deaths from diseases of the respiratory system,

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 36·6 per 1,000. There was one death from *diarrhœa*, and one death from *phthisis,* and one death from *malignant disease*, "*cancer,*" and 3 deaths from diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 29·4 per 1,000. There was one death from *phthisis,* and 14 deaths from diseases of the respiratory system, including 3 deaths from broncho-pneumonia, and 3 deaths from *pneumonia.*

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 31·4 per 1,000. There was one death from enteric fever, and 4 deaths from *phthisis,* and 7 deaths from diseases of the respiratory system, including one death from *pneumonia.*

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 28·6 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 11·0 per 1,000 inhabitants; Pembroke, 28·0; Blackrock, 23·8; and Kingstown, 18·0. The deaths from the principal epidemic diseases tabulated for these districts are one from enteric fever, and one from *diarrhœa* in Pembroke; one from *diarrhœa* in Blackrock, and one from measles in Kingstown.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd November,	170 cases.
" " 29th November,	236 cases.
" " 6th December,	162 cases.
" " 13th December,	191 cases.

Of the 191 cases notified during last week, 16 were erysipelas, 20 enteric fever, 40 scarlatina, 87 measles, 13 diphtheria, 8 varicella (chicken-pox), one typhus fever, and 6 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd November,	4 cases.
" " 29th November,	4 cases.
" " 6th December,	8 cases.
" " 13th December,	12 cases.

Of the 12 cases notified last week, 4 were measles, 7 scarlet fever, and one diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd November,	9 cases.
" " 29th November,	5 cases.
" " 6th December,	12 cases.
" " 13th December,	6 cases.

Of the 6 cases notified during last week, one was measles, one scarlet fever, one erysipelas, one whooping-cough, and 2 varicella. (chicken-pox).

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 22nd November,	69 cases.
" " 29th November,	59 cases.
" " 6th December,	76 cases.
" " 13th December,	71 cases.

Of the 71 cases notified during last week, 27 were enteric fever, 12 erysipelas, 7 diphtheria, 2 puerperal fever, 14 continued fever, and 9 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th December, 1902.

From this it appears that:—

Twenty-three cases of measles were admitted to hospital, being 5 over the admissions for the preceding week; 21 were discharged, there were 9 deaths, and 75 cases remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, 9 cases were discharged, there were 4 deaths, and 75 cases remained under treatment at the close of the week.

Twenty-three cases of scarlatina were admitted to hospital, 31 cases were discharged, and 176* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital, one case was discharged, there was one death, and 3 cases remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 10 were discharged, there was one death, and 36 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, one patient was discharged, there were 2 deaths, and 13 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 19·2), was equal to an average annual death-rate of 19·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·9 per 1,000, the rate for Glasgow being 22·6, and for Edinburgh 17·2.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th December, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 13th December, 1902. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 13th Dec., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th Dec., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th Nov., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,401	19·2	29·8	25·8	4·0	624	541	106	113	.	45	1	.	11	4	.	12	10	52	144	8	20	139	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	373,761	27·5	34·8	29·2	3·0	253	212	45	47	.	10	1	.	.	1	.	5	5	18	64	1	4	70	§52·2	23·9	40·0	0·13	§49·9	26·5	38·5	0·14	§54·5	29·2	43·5	0·83
City	293,394	37·8	38·9	32·2	3·2	219	181	38	37	.	9	1	.	.	1	.	4	3	17	50	1	4	64	a53·1	29·6	41·8	0·09	a50·9	32·9	41·0	0·27	a54·0	35·2	45·8	1·11
																								b54·1	27·4	41·0	0·10	b48·9	28·2	39·4	0·15	b52·9	29·0	42·8	0·92
Registrars' Districts. Rathmines,‖	33,208	19·4	15·7	11·0	.	10	7	.	4	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.) Blackrock,‖	26,025	16·0	20·0	28·0	4·0	10	14	4	2	.	.	.	.	.	.	.	1	1	1	8	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	8,759	8·1	29·8	23·8	6·0	5	4	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	27·0	18·0	3·0	9	6	1	3	.	1	.	.	.	.	.	.	.	.	3	.	.	2	54·5	35·5	43·1	0·10	49·5	34·5	41·7	0·49	53	34·5	46·0	1·33
Urban Districts.																																			
Belfast,	358,693	24·4	26·2	26·2	6·4	180	180	35	27	.	24	.	.	9	1	.	7	3	15	50	6	13	38	49·0	29·4	38·6	0·06	48·0	32·0	40·8	1·05	50·0	30·8	42·3	1·64
Cork,	76,122	33·6	37·7	12·3	.	55	18	3	7	.	.	.	.	.	.	.	.	.	2	2	1	2	3	53	38	43·6	0·68	53	38	44·3	0·66	54	37	46·8	1·12
Londonderry,	40,729	18·8	25·6	16·6	2·6	20	13	1	3	.	.	.	.	.	1	.	.	1	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	21·9	47·8	10·9	16	35	5	4	.	8	.	.	.	.	.	.	.	6	10	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	23·4	11·7	3·9	12	6	2	1	.	.	.	.	1	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	31·1	42·7	.	8	11	3	4	.	.	.	.	.	.	.	.	.	1	2	.	.	3	50	22	37	0·12	52	30	39	0·61	57	42	45	0·55
Dundalk	18,076	9·4	12·0	19·9	.	3	5	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	24·5	45·0	8·2	6	11	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	46·2	33·6	.	11	8	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	49·2	25·2	38·2	0·16	48·0	27·6	38·5	0·41	50·8	29·8	43·0	0·70
Lurgan,	11,782	13·8	17·7	8·9	.	4	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	49·2	25·2	38·2	0·16	48·0	27·6	38·5	0·41	50·8	29·8	43·0	0·70
Lisburn,	11,461	10·1	27·3	18·2	.	6	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	49·2	25·2	38·2	0·16	48·0	27·6	38·5	0·41	50·8	29·8	43·0	0·70
Wexford,	11,168	28·2	28·3	28·0	.	5	6	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	23·9	14·4	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	14·4	19·2	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	47·9	20·5	36·9	0·58	48·3	27·5	37·5	1·05	51·6	25·6	41·8	0·48
Kilkenny,	10,609	11·5	34·3	29·5	.	7	6	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	4	53	22	41·2	0·40	53	29	38·3	0·45	53	28	43·1	1·21
Clonmel,	10,167	7·8	25·6	15·4	.	5	3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	20·7	10·3	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	49·2	25·2	38·2	0·16	48·0	27·6	38·5	0·41	50·8	29·8	43·0	0·70
Tralee,	9,867	16·6	31·7	21·1	5·3	6	4	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	45·8	5·7	.	8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51	35	41·4	0·18	49	33	41·8	0·91	54	34	44·9	2·05
Queenstown,	7,909	14·4	26·4	18·2	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53	38	43·6	0·68	53	38	44·3	0·66	54	37	46·8	1·12
Armagh,	7,588	22·2	20·6	34·4	13·7	3	5	1	3	.	2	.	.	.	.	.	.	.	1	.	.	.	2	49·2	25·2	38·2	0·16	48·0	27·6	38·5	0·41	50·8	29·8	43·0	0·70

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the Observations at Kew Observatory, Richmond, Surrey, are substituted.

BLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 13th of December, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

AMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.															Urban District of				Total for Dublin Registration Area.	
	Registration Districts.																				
	North Side.								South Side.												
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	2	4	.	.	.	.	3	.	.	.	.	.	.	.	.	.	1	10	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	1	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	5	.
Diarrhœa, Dysentery,	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	5	.
Phthisis,	1	3	3	1	.	1	.	.	2	1	1	4	.	.	.	.	1	.	.	18	.
Other General Diseases,	2	4	.	4	2	.	.	.	6	2	2	2	.	.	.	1	2	1	1	29	1
Total,	3	10	5	10	2	1	1	.	11	4	3	7	.	2	.	1	5	2	2	69	1
B. Local Diseases:																					
Diseases of: Nervous System	1	4	6	8	.	.	.	.	1	1	3	2	.	1	.	.	.	1	.	23	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	4	1	2	.	.	.	.	1	1	1	2	.	1	.	2	.	1	1	18	1
Respiratory System,	1	6	5	5	.	3	1	.	5	3	14	7	.	.	.	3	8	.	3	64	1
Digestive System,	.	2	1	1	1	2	1	.	2	.	2	1	.	.	.	.	.	.	.	13	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	5	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	19	13	11	2	5	2	.	10	5	20	12	.	2	.	5	8	2	4	124	5
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	2	1	3	1	.	.	.	.	3	3	1	2	.	.	.	1	1	.	.	13	1
E. Violent Deaths,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Deaths from all Causes,	9	30	21	23	4	6	3	.	24	12	24	21	.	4	.	7	14	4	6	212	7
Annual Rate of Mortality in every 1,000 of the population.	16·6	40·0	36·4	37·9	43·4	31·3	23·4	.	32·7	36·6	29·4	31·4	.	28·6	.	11·0	28·0	23·8	18·0	29·2	.
	32·9								31·4							18·9					
	32·2																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS

ublic Hospitals, Prisons, and Lunatic Asylums,	1	6	3	10	.	2	1	.	4	.	4	3	.	2	.	.	2	.	1	39	4
Vorkhouse Hospitals,	2	5	5	1	1	.	.	.	6	3	2	2	.	1	.	1	1	.	1	31	3

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regi[illegible]red week of the ten years, 1[illegible]2-19[illegible]

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years 1892-1901	In the Week ending Sat[illegible]day, 13th December, 190[illegible]							
												Deaths of Persons of the [illegible]es o[illegible]							
	Dec. 17, 1892.	Dec. 16, 1893.	Dec. 15, 1894	Dec. 14, 1895.	Dec. 12, 1896.	Dec. 18, 1897.	Dec. 17, 1898.	Dec. 16, 1899.	Dec. 15, 1900.	Dec. 14, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	60 and under 80.	[illegible]
Mean Temperature.	° 42·8	° 41·5	° 45·8	° 38·4	° 39·9	° 45·2	° 46·4	° 38·9	° 48·1	° 37·6	° 42·5	Mean Temp. ° 40·0							
ALL CAUSES.	167	189	182	153	173	191	169	256	184	138	180·2	219	3	42	34	18	32	36	[illegible]
Small Pox, Vaccinated, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	1	.	.	.	.	23	1	.	2·7	10	.	4	5	1	.	.	.
Scarlet Fever	3	1	1	.	10	4	1	1	1	.	2·2	1	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	5	3	1	1	1	.	6	.	1*	1·8	1	.	.	.	.	.	1	.
Whooping Cough, ...	.	3	4	1	4	2	5	3	7	1	3·0	.	.	.	.	.	.	.	.
Diphtheria, ...	1	.	.	1	2	2	3	2	.	.	1·1	1	.	.	1	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Enteric Fever, ...	4	6	4	2	2	10	6	2	1	.	3·7	5	.	.	.	1	3	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	2	2	3	3	3	2	.	3	2	.	2·0	.	.	.	.	.	.	.	.
												5	.	1	1	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	.	.	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
												.	.	.	.	.	.	.	.
												.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	1	.	.	.	2	.	·4	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	1	.	.	.	1	.	.	2	1	·6	1	.	.	.	1	.	.	.
												.	.	.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	27	25	16	18	24	22	21	36	19	15	22·3	.	.	.	.	.	.	.	.
												18	.	.	1	1	12	4	.
Tuberculous Meningitis, (Acute Hydrocephalus).	2	2	5	1	1	5	2	6	3	.	2·7	6	.	1	1	2	2	.	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	2	3	2	5	5	.	4	3	3	2	2·9	1	.	.	.	1	.	.	.
												1	.	.	1	.	.	.	.
Tuberculous Dis. (other), ... Scrofula, ...	5	3	4	3	2	3	.	5	3	2	3·0	4	.	1	.	1	1	1	.
												.	.	.	.	.	.	.	.
Alcoholism	1	.	1	2	.	1	.	.	.	.	·5	1	.	.	.	.	.	1	.
Rheumatic Fever, ...	.	1	1	.	.	.	.	2	1	1	·6	.	.	.	.	.	.	.	.
Gout	1	.	.	.	.	.	1	.	3	.	·5	.	.	.	.	.	.	.	.

* The figures for the years 1892-1900 are

ETH WEEK ending Saturday, 13th December, 1902, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 17, 1892.	Dec. 16, 1893.	Dec. 15, 1894.	Dec. 14, 1895.	Dec. 12, 1896.	Dec. 18, 1897.	Dec. 17, 1898.	Dec. 16, 1899.	Dec. 15, 1900.	Dec. 14, 1901.	Averages in 50th Week of the 10 years 1892–1901.	In the Week ending Saturday, 13th December, 1902. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 42·8	° 41·5	° 45·8	° 38·4	° 39·9	° 45·2	° 46·4	° 38·9	° 48·1	° 37·6	° 42·5	° 40·0								
na												3	.	.	.	.	1	1	1	.
... ...	3	3	9	5	3	11	7	3	8	6	5·8	.	.	.	.	.	.	.	.	.
it Dis. "Cancer,"												6	.	.	.	.	4	2	.	.
Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ire Birth	2	1	2	3	2	2	1	7	2	3	2·5	1	.	1	.	.	.	.	.	.
tis (not tuberc.)												3	.	.	2	.	1	.	.	.
, G. P. of Insane												2	.	.	.	.	.	1	1	.
... ...												3	.	.	1	1	1	.	.	.
ons												9	2	6	1	.	.	.	.	.
or Ataxy												.	.	.	.	.	.	.	.	.
ria Dis. of Cord												.	.	.	.	.	.	.	.	.
System (other Dis.) ...	31	31	46	35	33	31	32	41	34	37	35·7	6	.	.	1	1	.	.	2	2
s., Endocarditis												3	.	.	.	.	.	2	1	.
Hæm. Thromb.												3	.	.	.	1	.	.	1	1
, Hemiplegia												4	.	.	.	.	.	1	2	1
m												.	.	.	.	.	.	.	.	.
m, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis.												9	.	.	.	1	.	3	4	1
not Spasm. or Memb.) ...	1	2	.	1	.	.	.	1	.	1	·6	1	.	.	1	.	.	.	.	.
tis	20	39	30	16	23	21	29	42	36	19	27·5	37	1	11	6	.	3	5	8	3
is Pneumonia												.	.	.	.	.	.	.	.	.
-Pneumonia	13	17	12	14	12	9	14	21	7	12	13·1	11	.	7	3	1	.	.	.	.
onia"												11	.	1	5	.	1	3	1	.
Emphysema												1	.	.	.	.	.	1	.	.
... ...	2	4	6	2	4	4	1	2	3	1	2·9	1	.	.	.	.	.	.	1	.
tory Dis. (other)												3	.	.	.	.	1	1	1	.
is, Quinsy	.	.	.	.	.	2	.	.	.	.	·2	1	.	1	.	.	.	.	.	.
s (not Epid.)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis												1	.	.	.	.	1	.	.	.
tis (not Puerp.)	1	2	.	2	1	2	1	.	.	1	1·0	1	.	.	.	1	.	.	.	.
s of Liver	1	1	.	3	2	6	2	3	5	3	2·6	3	.	.	.	.	1	1	1	.
s. (other)												2	.	.	.	.	.	2	.	.
e Dis. (other)	5	9	2	1	3	3	4	9	10	2	4·8	7	.	1	2	1	.	3	.	.
is, Acute												4	.	.	.	2	1	1	.	.
Dis., Albuminuria ...	3	2	3	9	6	8	2	3	3	6	4·5	1	.	.	.	.	1	.	.	.
Sys. (Other Dis.) ...												1	.	.	.	.	.	1	.	.
ive Organs Dis.	.	.	1	.	1	4	.	1	2	.	·9	.	.	.	.	.	.	.	.	.
th (Accid. of)	.	1	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
... ...	13	9	8	7	9	14	13	11	9	4	9·7	9	.	.	.	.	.	.	4	5
iseases	15	10	9	14	14	15	15	13	13	17	13·5	15	.	7	2	.	.	3	3	.
ACCIDENT.																				
ways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
cles and Horses	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ing Operations	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
agrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s, Scalds, Explosions ...	2	.	1	2	1	1	3	2	.	1	1·3	.	.	.	.	.	.	.	.	.
vning	.	.	.	.	.	.	1	2	2	1	·6	.	.	.	.	.	.	.	.	.
ocation in Bed	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
eaths by Accidents ...	2	.	2	.	2	1	1	1	1	.	1·0	1	.	.	.	1	.	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
le	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
... ...	.	1	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																									
	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct 4	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
Births registered,	242	213	204	187	196	203	186	244	192	185	209	205	219	221	222	192	162	176	259	188	166	275	184	158	153	253
*Average Births in corresponding week of previous 10 years,**	202	224	186	195	188	195	210	190	200	188	204	198	214	193	210	184	175	193	181	181	184	192	181	189	194	173
Deaths registered,	139	149	149	129	155	150	165	154	145	146	156	170	142	168	213	169	192	200	223	183	228	202	237	230	196	219
Annual Death-rate per 1,000,	19·1	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5	30·7	25·2	31·4	27·8	32·6	31·7	27·0	30·1
*Average Deaths in corresponding week of previous 10 years,**	151	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161	169	175	174	180	183	181	181	180
Ages, Under 5 years,	38	57	41	38	44	46	59	65	55	52	53	57	62	87	98	80	81	100	112	86	96	72	119	95	63	79
5—20 „	15	11	14	10	13	8	14	14	7	15	12	16	9	9	18	12	16	12	15	8	17	13	12	22	11	18
20—40 „	23	23	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16	32	30	39	35	29	26	34	32
40—60 „	26	27	27	29	30	29	24	20	36	32	31	43	23	18	33	34	34	33	26	30	29	29	38	41	42	41
60—80 „	32	26	30	25	27	29	30	29	28	15	26	23	28	28	25	19	22	33	32	21	41	40	32	41	39	36
80 years and upwards,	5	5	7	3	5	13	7	4	2	5	3	6	6	5	9	2	5	6	6	8	6	13	7	5	7	13
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	5	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11	19	20	16	16	10	19	14	9	10
„ Scarlet Fever,	1	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2	2	3	4	2	5	8	2	1
„ Typhus,	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
„ Whooping-cough,	.	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1	1	1	.	1	.	.	.	.
„ Diphtheria,	1	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1	2	1	3	1	4	4	2	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
„ Enteric Fever,	1	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2	1	1	2	5	4	2	4	2	5
„ Diarrhœa, Dysentery,	.	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11	14	3	2	3	7	7	1	5
„ Phthisis,	26	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18	26	18	17	21	24	19	21	22	26	18
„ Heart Diseases,	22	21	1	18	25	16	10	18	21	17	18	24	17	17	21	14	19	20	25	18	27	39	23	22	26	19
„ Diseases of Respiratory System,	10	25	30	24	23	17	30	28	19	18	16	20	14	20	27	19	25	42	49	37	57	37	52	53	53	65
Violent Deaths,	.		7	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6	3	1	4	2	2	2	2	1
Mean Temperature of the Air (Phœnix Park),	53·5	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4	50·7	50·1	47·7	47·9	42·4	48·5	38·5	40·0
Average Mean Temperature in corresponding week of previous 10 years,	56·3	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3	46·1	46·7	45·6	44·0	44·5	42·8	42·3	42·5
Rainfall in inches,	·915	·065	·270	·200	·630	1·650	·105	1·300	·355	·538	·083	1·725	·115	·180	·595	·640	1·150	·600	·298	·068	1·337	·212	·140	·880	·140	·180
Mean Humidity of the Air, complete Saturation 1·0,	·86	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·88	·88	·90	·87	·89	·90	·85	·77	·93	·81	·79

* See note at foot of Table III.

in the Dublin Registration Area during the Week ending Saturday, 13th December, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH DECEMBER 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols. 10-18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	846,128	33·0	219	79	18	32	41	36	13	.	10	1	.	.	1	.	5	5	22	18	9	65	1	104
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	30·4	9	.	1	.	2	3	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	6
II.	Middle Class,	80,653	21·3	33	7	5	7	7	6	1	.	1	.	.	.	.	.	.	.	1	4	1	11	.	16
III.	Artisan Class and Petty Shopkeepers	98,374	28·6	54	23	.	7	14	8	2	.	1	1	.	.	1	.	2	2	7	2	3	20	.	22
IV.	General Service Class,	146,486	42·3	89	43	11	15	9	9	2	.	7	.	.	.	.	.	3	2	12	10	5	23	1	38
V.	Inmates of Workhouses,	5,191		34	6	1	3	9	10	5	.	1	.	.	.	.	.	.	1	2	2	.	8	.	22
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	33·0	5	.	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	36·7	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	28·3	14	3	2	2	3	4	.	.	.	.	.	.	.	.	.	.	.	1	.	7	.	6
	6. Clerks and Commercial Assistants,	24,750	16·9	8	2	2	4	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.	1	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	19·3	9	1	.	1	4	2	1	.	.	.	.	.	.	.	.	.	.	1	1	2	.	5
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	49·6	7	3	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	4	.	1
	9. Building and Furnishing Trades,	26,030	34·0	17	12	.	1	2	1	1	.	1	.	.	.	.	.	.	.	1	.	1	8	.	7
	10. Clothing Trades,	23,686	17·6	8	2	.	1	3	2	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.	4
	11. Food Supply Trades,	7,869	39·8	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	2
	12. Other Trades and Callings ranking with Trades,	26,666	29·3	15	4	.	4	4	2	1	.	.	1	.	.	1	.	1	.	3	1	1	3	.	7
	13. Petty Shopkeepers,	6,771	7·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	3	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1	3
	15. Domestic Servants,	39,563	6·6	5	2	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	29·2	6	2	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	17. Hawkers, Porters, Labourers, &c.,	82,631	44·2	70	36	8	11	6	7	2	.	7	.	.	.	.	.	2	2	11	7	5	18	.	29
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	.	34	6	1	3	9	10	5	.	1	.	.	.	.	.	.	1	2	2	.	8	.	22

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

City of Dublin (prior to extension) — DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,383.	Oct. 25	31·3	7·4	17	.	3	.	.	.	.	.	.	1	.	8	.
	Nov. 1,	33·1	11·0	18	.	5	.	.	1	.	.	.	.	2	2	.
	„ 8,	36·8	7·4	20	.	3	.	.	.	.	.	1	.	3	6	.
	„ 15,	38·6	3·7	21	.	.	.	.	.	.	.	1	1	1	6	.
	„ 22,	38·6	3·7	21	.	2	.	.	.	.	.	.	.	2	9	.
	„ 29,	35·0	9·2	19	.	2	1	.	.	2	.	.	.	4	3	.
	Dec. 6,	28·9	1·8	18	.	1	.	.	.	.	.	.	.	1	3	.
	„ 13,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	Oct. 25,	41·3	9·3	31	.	4	.	.	1	1	.	.	1	.	4	.
	Nov. 1,	20·0	5·3	15	.	2	1	.	.	.	.	1	.	2	2	.
	„ 8,	36·0	5·3	27	.	2	.	.	.	.	.	2	.	4	7	.
	„ 15,	33·3	4·0	25	.	2	.	.	.	.	.	1	.	5	4	.
	„ 22,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	4	5	.
	„ 29,	26·6	2·7	20	.	1	.	.	.	.	.	1	.	2	3	.
	Dec. 6,	38·6	5·3	29	.	2	.	.	.	1	1	.	.	4	11	.
	„ 13,	40·0	4·0	30	.	.	.	.	.	.	.	1	2	3	6	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Oct. 25,	52·0	6·9	30	.	4	.	.	.	.	.	.	.	.	10	1
	Nov. 1,	46·8	1·7	27	.	1	.	.	.	.	.	.	.	4	6	.
	„ 8,	41·6	8·7	24	.	3	.	.	.	1	.	1	.	2	3	.
	„ 15,	46·8	10·4	27	.	3	1	1	.	1	.	.	.	2	6	.
	„ 22,	41·6	8·7	24	.	2	.	.	.	1	.	.	2	2	3	.
	„ 29,	39·8	8·7	23	.	3	1	.	.	1	.	.	.	4	5	.
	Dec. 6,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	.
	„ 13,	36·4	3·5	21	.	2	.	.	.	.	.	.	.	3	5	.
North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,678.	Oct. 25,	31·3	8·2	19	.	3	.	.	.	.	.	.	2	3	4	.
	Nov. 1,	24·7	6·6	15	.	3	.	.	.	.	.	.	1	1	3	.
	„ 8,	37·9	6·6	23	.	4	.	.	.	.	.	.	.	1	5	.
	„ 15,	37·9	4·9	23	.	3	.	.	.	.	.	.	.	2	4	1
	„ 22,	46·1	16·5	28	.	7	1	.	.	1	.	.	1	1	4	.
	„ 29,	37·9	8·2	23	.	5	.	.	.	.	.	.	.	2	7	.
	Dec. 6,	29·6	4·9	18	.	3	.	.	.	.	.	.	.	3	6	.
	„ 13,	37·9	8·2	23	.	4	.	.	.	.	.	1	.	1	5	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 38,318.	Oct. 25,	31·3	10·9	23	.	5	1	.	.	.	.	1	1	.	3	.
	Nov. 1,	36·7	6·3	27	.	3	1	.	.	1	.	.	.	5	3	.
	„ 8,	38·1	5·4	28	.	2	.	.	.	2	.	.	.	1	8	2
	„ 15,	23·1	4·1	17	.	2	.	1	.	.	.	.	.	2	2	.
	„ 22,	31·3	5·4	23	.	3	.	.	.	.	.	.	1	2	5	.
	„ 29,	39·5	8·2	29	.	1	2	.	.	1	.	.	2	4	4	.
	Dec. 6,	15·0	2·7	11	.	1	1	.	.	.	.	.	.	1	1	.
	„ 13,	32·7	4·1	24	.	3	.	.	.	.	.	.	.	2	5	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	Oct. 25,	35·6	12·2	13	.	1	.	.	.	.	.	.	3	1	4	.
	Nov. 1,	33·5	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	„ 8,	51·8	6·1	17	.	1	.	.	.	.	.	.	1	2	6	.
	„ 15,	27·4	6·1	9	.	.	.	.	.	.	.	1	1	1	2	.
	„ 22,	39·6	3·0	13	.	1	.	.	.	.	.	.	.	1	2	.
	„ 29,	45·7	6·1	15	.	.	.	.	.	.	.	1	1	1	5	.
	Dec. 6,	51·8	9·1	17	.	1	.	.	.	.	.	1	1	4	6	.
	„ 13,	36·6	3·0	12	.	.	.	.	.	.	.	.	1	1	3	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 42,575.	Oct. 25,	29·4	3·7	24	.	.	.	.	.	1	.	.	2	3	3	1
	Nov. 1,	20·8	3·7	17	2	1	.	.	.	.	.	.	.	1	5	.
	„ 8,	38·0	3·7	31	1	2	.	.	.	.	.	.	.	3	11	.
	„ 15,	30·6	1·2	25	.	.	.	.	1	.	.	.	.	.	5	1
	„ 22,	47·8	3·7	39	.	2	.	.	.	.	.	.	1	2	7	.
	„ 29,	28·2	3·7	23	.	.	.	.	.	.	.	1	2	1	9	.
	Dec. 6,	30·6	.	25	.	.	.	.	.	.	.	.	.	5	8	.
	„ 13,	29·4	.	24	.	.	.	.	.	.	.	.	.	1	14	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	Oct. 25,	20·9	1·5	14	.	.	.	.	.	.	.	.	1	2	5	.
	Nov. 1,	16·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1
	„ 8,	17·9	1·5	12	.	.	1	.	.	.	.	.	.	2	4	1
	„ 15,	17·9	1·5	12	.	.	.	.	.	.	.	1	.	1	1	.
	„ 22,	22·4	3·0	15	.	.	1	.	.	.	.	1	.	1	4	.
	„ 29,	43·3	3·0	29	.	.	1	.	.	.	.	.	1	.	8	.
	Dec. 6,	29·9	.	20	.	.	.	.	.	.	.	.	.	4	6	1
	„ 13,	31·4	1·5	21	.	.	.	.	.	.	.	1	.	4	7	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,208.	Oct. 25,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	.	2	.
	Nov. 1,	7·9	1·6	5	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	22·0	3·1	14	.	.	.	.	.	.	.	1	1	2	3	.
	„ 15,	17·3		11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	14·1	1·6	9	.	.	.	.	.	1	.	.	.	.	3	.
	„ 29,	18·8	3·1	12	.	.	2	.	.	.	.	.	.	1	2	1
	Dec. 6,	25·1	3·1	16	.	.	1	.	.	.	.	1	.	2	5	1
	„ 13,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Oct. 25,	16·0	4·0	8	.	.	1	.	.	.	.	.	1	1	1	.
	Nov. 1,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	12·0	2·0	6	.	.	1	.	.	.	.	.	.	2	.	.
	„ 15,	16·0	2·0	8	.	.	1	.	.	.	.	.	.	2	2	.
	„ 22,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	2	3	2
	„ 29,	16·0	2·0	8	.	1	.	.	.	.	.	.	.	.	3	.
	Dec. 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	28·0	4·0	14	.	.	.	.	.	.	.	1	1	1	3	.
Kingstown. Pop. in 1902 (Est.) 17,380.	Oct. 25,	30·0	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	Nov. 1,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 15,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	„ 29,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 6,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	3	.
Belfast. Pop. in 1902 (Est.) 358,693.	Oct. 25,	21·2	4·4	146	.	14	.	.	3	2	.	6	5	19	36	3
	Nov. 1,	21·7	3·2	149	.	8	1	.	3	3	.	3	4	14	52	2
	„ 8,	19·8	3·6	136	.	14	1	.	4	2	.	3	1	20	27	.
	„ 15,	23·0	4·7	158	.	16	1	.	5	1	.	5	4	22	44	3
	„ 22,	20·8	5·5	143	.	17	2	.	9	2	2	8	3	13	39	3
	„ 29,	21·1	4·4	145	.	14	.	.	4	1	.	6	5	20	39	6
	Dec. 6,	26·6	5·2	183	.	22	1	.	4	3	.	5	1	23	46	6
	„ 13,	26·2	6·4	180	.	24	.	.	9	1	.	7	3	15	50	6
Cork. Pop. (in 1901) 76,122.	Oct. 25,	22·6	1·4	33	.	1	.	.	.	.	.	.	1	3	2	1
	Nov. 1,	21·9	2·1	32	.	.	.	.	.	.	.	.	3	2	2	.
	„ 8,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	4	4	1
	„ 15,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	3	6	1
	„ 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	„ 29,	15·1	.	22	.	.	.	.	.	.	.	.	.	9	1	1
	Dec. 6,	11·0	.	16	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13	12·3	.	18	.	.	.	.	.	.	.	.	.	2	2	1
Londonderry. Pop. in 1902 (Est.) 40,729.	Oct. 25,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	5	.
	Nov. 1,	15·4	2·6	12	.	1	.	.	.	.	.	.	1	2	4	.
	„ 8,	17·9	1·3	14	.	.	.	.	.	.	.	1	.	2	6	1
	„ 15,	17·9	1·3	14	.	1	.	.	.	.	.	.	.	3	3	1
	„ 22,	23·0	3·8	18	.	1	.	.	.	.	.	.	2	.	4	.
	„ 29,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	.	1
	Dec. 6,	21·8	.	17	.	.	.	.	.	.	.	.	.	3	2	.
	„ 13,	16·6	2·6	13	.	.	.	.	.	1	.	.	1	4	3	.
Limerick. Pop. (in 1901) 38,151.	Oct. 25,	21·9	5·5	16	.	2	.	.	.	.	.	1	1	2	2	.
	Nov. 1,	17·8	4·1	13	.	1	.	1	.	.	.	.	1	.	1	.
	„ 8,	18·7	1·4	10	.	1	.	.	.	.	.	.	.	1	4	.
	„ 15,	20·5	8·2	15	.	4	.	1	.	.	.	1	.	1	1	.
	„ 22,	19·1	9·6	14	.	7	.	.	.	.	.	.	.	1	3	.
	„ 29,	26·0	12·3	19	.	9	.	.	.	.	.	.	.	1	3	1
	Dec. 6,	31·4	16·4	23	.	10	.	.	.	.	.	.	2	2	6	.
	„ 13,	47·8	10·9	35	.	8	.	.	.	.	.	.	.	6	10	.
Waterford. Pop. (in 1901) 26,769.	Oct. 25,	23·4	11·7	12	.	.	.	.	5	.	.	.	1	1	.	.
	Nov. 1,	35·1	13·6	18	.	2	.	.	3	.	.	.	2	2	1	.
	„ 8,	17·5	3·9	9	.	.	1	.	1	.	.	.	.	.	2	.
	„ 15,	27·3	7·8	14	.	1	.	.	2	.	.	1	.	.	1	.
	„ 22,	3·9	3·9	2	.	1	.	.	1	.	.	.	.	.	.	.
	„ 29,	37·0	1·9	19	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 6,	42·9	7·8	22	.	1	.	.	2	.	.	.	1	2	6	1
	„ 13,	11·7	3·9	6	.	.	.	.	1	1	.	.	.	3	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 13th December, 1902, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	11	24·8	.	7	2	1	4	.	.	.	.	.	.	.	.	.	.	2	2	.	.	1
" 2 "	47,959	14	22·8	3·3	21	6	4	8	3	.	2	.	.	.	.	.	.	1	1	5	3	4	4
" 3 "	47,214	33	29·8	12·1	27	2	10	9	6	.	7	.	.	1	.	.	1	2	2	9	.	2	2
" 4 "	40,911	29	31·9	5·1	25	6	6	10	3	.	2	.	.	.	.	.	2	.	.	8	.	1	12
" 5 "	17,387	13	51·0	21·0	17	4	7	4	2	.	4	.	.	2	.	.	1	.	1	4	.	.	3
" 6 "	48,122	19	17·3	3·3	16	1	4	5	6	.	3	.	.	.	.	.	.	.	.	4	.	.	2
" 7 "	1,524	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 8 "	5,060	.	20·6	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 9 "	19,569	7	50·6	16·0	19	4	3	11	1	.	3	.	.	2	1	.	.	.	1	5	.	1	3
" 10 "	3,064	9	24·9	2·3	11	2	1	6	2	.	1	.	.	.	.	.	.	.	2	3	1	3	4
" 11 "	34,802	21	25·5	7·5	17	4	4	7	2	.	1	.	.	3	.	.	1	.	4	1	1	1	3
" 12 "	33,588	18	17·1	3·1	11	4	.	6	1	.	1	.	.	.	.	.	1	.	1	5	1	1	3
" 13 "	15,006	6	20·8	6·9	6	.	4	1	1	.	.	.	.	1	.	.	1	.	.	2	.	.	.
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	180	26·9	6·6	180	35	44	74	27	.	24	.	.	9	1	.	7	3	15	50	6	13	38
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	8	20·3	.	5	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	3
" 2 "	10,701	4	9.7	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 3 "	9,978	10	10·5	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 4 "	8,666	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	6,592	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	10,702	10	9.7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "	16,616	9	22·0	.	7	1	.	3	3	.	.	.	.	.	.	.	.	.	1	1	1	1	.
Total,	76,122	55	12·3	.	18	3	1	7	7	.	.	.	.	.	.	.	.	.	2	2	1	2	3

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	June 21.	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sep . 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered,	209	175	287	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234	240	190	186	198	180	186	187	180
DEATHS registered,	144	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154	146	149	136	158	148	145	188	180
Annual Death-rate per 1,000 of estimated Population,	20·9	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	20·9	17·6	19·9	21·5	22·4	21·2	21·7	19·8	23·0	20·8	21·1	26·6	26·2
AGES, Under 1 year,	26	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45	38	42	36	42	41	40	38	35
AGES, 1–5 years,	22	20	27	23	19	19	22	13	21	17	19	16	20	17	16	26	18	33	27	29	32	36	39	30	39	44
AGES, 5–60 years,	69	50	64	55	45	48	58	62	44	43	51	54	42	60	44	54	57	58	55	53	57	55	45	56	77	74
AGES, 60 years and upwards,	27	22	30	16	23	17	24	21	23	16	20	25	15	21	15	17	19	23	26	25	11	25	18	19	29	27
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	7	6	6	7	7	8	5		3	2	5	6	4	5	4	7	6	8	14	8	14	16	17	14	22	24
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	2	.	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	4	3	7	4	.	2	8	6	2	6	5	6	5	2	4	2	2	6	3	3	4	5	9	4	4	9
,, Diphtheria,	1	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2	2	3	2	1	2	1	3	1
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
,, Enteric Fever,	5	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5	6	3	3	5	3	6	5	7
,, Diarrhœa, Dysentery,	1	3	4	3	6	6	2	1	5	5	4	4	23	13	12	14	10	7	5	4	1	4	3	5	1	
,, Phthisis	30	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17	19	19	14	20	22	13	20	23	15
,, Diseases of Respiratory System,	25	18	24	22	18	16	29	15	19	9	26	27	15	15	24	23	35	26	36	52	27	44	39	39	46	50
Violent Deaths,	2	1	7	4	1	6	4	.	1	1	1	1	2	6	.	2	3	1	3	2	.	3	3	6	6	6

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th December, 1902.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	6	.	.	.	.	.	.	.	4	.	.	.	10
" " 1, West,	.	17	.	8	.	.	4	.	1	1	.	.	1	32
" " 2,	.	1	.	.	.	.	.	.	4	1	1	.	.	7
" " 3,	.	27	.	7	.	.	1	.	.	6	3	.	.	44
Clontarf and Howth No. 1 (part of),	.	6	.	.	.	.	.	.	.	.	.	.	.	6
Coolock and Drumcondra No. 1 (part of),	.	8	.	2	1	.	3	.	.	1	1	.	3	19
Finglas and Glasnevin (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	8	.	6	.	.	.	.	.	4	4	.	1	23
" " 2,	.	3	.	6	.	.	.	.	.	.	3	.	.	12
" " 3,	.	5	.	6	.	.	1	.	.	.	1	.	2	15
" " 4,	.	1	.	5	.	.	1	.	1	2	1	.	1	12
Palmerston (part of),	.	3	.	.	.	.	3	.	.	1	2	.	.	9
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	87	.	40	1	.	13	.	6	20	16	.	8	191
Total for week ended Dec. 6th, 1902,	.	58	.	30	2	.	21	.	.	40	10	.	1	162
Total for week ended Nov. 29th, 1902,	.	135	3	31	.	.	14	.	3	26	22	1	1	236
Total for week ended Nov. 22nd, 1902,	.	94	.	35	.	.	7	.	2	19	12	.	1	170

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th December, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th December.			
	Nov. 22.	Nov. 29.	Dec. 6.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	90	99	82	23	21	9	75
Scarlet Fever,	174	177	184	23	31	.	176*
Typhus "	4	2	4	1	1	1	3
Diphtheria,	51	54	39	8	10	1	36
Enteric Fever,	92	84	81	7	9	4	75
Pneumonia,	4	5	11	5	1	2	13

* Exclusive of 25 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Dec. 13,	2,339	1,682	19·2	.	60	10	27	31	12	12
EDINBURGH,	317,885	„ 13,	168	107	17·2	.	2	.	1	2	.	1
GLASGOW,	764,423	„ 13,	449	337	22·6	.	4	.	6	20	2	12
CALCUTTA,	847,793	Oct. 18,	.	473	29·0	1	3	.	1	.	133§	89*
BOMBAY,	776,006	Nov. 18,	420	686	46·0	1	30	?	?	.	50§	52
MADRAS,	509,346	Oct. 31,	423	469	47·8	.	1	?	?	?	164	60
PARIS,	2,660,559	Dec. 6,	978	909	18·8	.	3	2	6†	2	8	38
BRUSSELS (with 8 Faubourgs).	562,893	Nov. 22,	239	172	15·9	.	3	.	4†	1	.	8
AMSTERDAM,	537,798	„ 29,	280	163	15·8	.	1	.	3	1	.	12
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	400,570	Nov. 29,	174	122	15·8	.	7	.	2	1	.	4
CHRISTIANIA,	224,909	„ 29,	138	68	15·7	.	11	.	1	2	.	1
ST. PETERSBURG,	1,248,643	„ 22,	582	488	20·3	2	21	8	12	5	13	41
BERLIN,	1,918,980	„ 8,	880	541	14·7	.	4	6	4	5	.	31
HAMBURG,	724,835	„ 29,	.	260	18·7	.	2	13	6†	5	1	7
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH	506,000	Nov. 22,	.	199	20·4	.	2	.	.	3	.	16
VIENNA (with suburbs).	1,744,177	„ 29,	920	687	20·5	.	21	2	16†	3	.	37
BUDA-PESTH,	767,661	„ 22,	408	301	20·3	.	2	6	8†	3	.	15
PRAGUE and Faubourgs.	421,545	„ 22,	212	183	22·6	.	3	6	5†	.	3	10
ROME,	478,790	Sept. 27,	211	116	12·6	.	.	.	.	.	3	16
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Nov. 29,	86	85	26·7	.	4	.	2†	1	.	5
NEW YORK,	3,632,501	„ 22,	1,825	1,073	15·4	.	4	9	37†	5	30	47
PHILADELPHIA,	1,293,697	„ 15,	.	445	17·9	.	1	1	4	.	10	.

* Including 24 deaths from cholera.
† Including deaths from croup.
§ Exclusive of 9 deaths from bubonic fever in Calcutta, and 134 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 13th December, 1902:—

"At first cold and frosty, even on the coast, the weather gradually became milder in Ireland and finally a south-westerly current of warm air became fully established, with its usual concomitants of clouds and rain. Intense cold again prevailed in Central Europe, including France; and Great Britain also, with the exception of the S.W. of England, remained within the zone of influence of the Continental cold. The general distribution of atmospheric pressure was little different from that of the previous week. An anticyclone of considerable intensity was central over the South of Scandinavia, the barometer rising in that district above 30·7 inches on Wednesday morning; on the other hand, areas of comparatively low pressure were observed over the Iberian Peninsula and in the Mediterranean Basin. Finally, a large depression passed northwards outside the west coast of Ireland, bringing with it the mild, dull, damp weather already referred to. Sunday was a particularly cold day in all parts of the United Kingdom, but especially in Central England, where the screened thermometer fell to 14° (at Loughborough, Leicestershire). On Thursday and Friday a local area of extreme cold was reported from Nairn, in the N.E. of Scotland, where the thermometer rose no higher on Thursday than 28°, falling to 18° in the course of the following night. In Dublin the mean atmospheric pressure was 30·124 inches, the barometer rising to 30·361 inches at 9 a.m. of Sunday (wind, S.S.E.) and falling to 29·756 inches at 9 a.m. of Saturday (wind, S.W.). The corrected mean temperature was 41·8°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 42·0°. The screened thermometers rose to 53·1° on Saturday, having fallen to 29·6° on Sunday. The duration of bright sunshine was estimated at 11 hours. The prevalent wind was S.E. Rain fell on three days to the amount of ·090 inch, ·073 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·144 inches. The highest reading (30·381) was on Sunday at 9 a.m., wind S.E., and the lowest (29·765) on Saturday at 9 a.m., wind S.S.W.

The mean temperature for the week was 40·0°, being 2·5° under the average for the corresponding week of the ten years 1892-1901. The temperature was highest on Saturday, on which day the thermometer registered 52·2°, and was lowest on Sunday, the mercury having fallen to 23·9°. The mean of the Dry Bulb for the week was 40·8°, and of the Wet Bulb 38·3°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 7·6 hours. The rainfall measured ·130 inch.

At Greenwich the mean temperature for the week was 36·0°, the maximum 49·8°, and the minimum 24·5°; at Glasgow the maximum was 49·9°, the minimum 17·9°, and the mean 32·9°; and at Edinburgh the maximum was 48·2°, the minimum 24·0°, and the mean 34·5°. The rainfall at Greenwich measured 0·09 inch; at Glasgow 0·02 inch; and at Edinburgh 0·03 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer: Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer: Maximum.	Thermometer: Minimum.	Thermometer: Mean.	Hygrometer: Dry Bulb.	Hygrometer: Wet Bulb.	Hygrometer: Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)	9 A.M.	9 P.M.
Sunday, Dec. 7,	30·373	36·5	23·9	30·2	27·9	26·4	·66	·0	5·8	—	S.E.	Calm.
Monday, " 8,	30·229	41·0	25·1	33·1	39·6	35·9	·72	·1	0·0	—	E.	E.
Tuesday, " 9,	30·253	43·2	37·9	40·6	42·5	38·3	·72	·4	0·1	—	E.	E.
Wednesday, " 10,	30·277	43·7	41·3	42·5	42·6	39·4	·77	·1	0·0	—	E.	E.
Thursday, " 11,	30·135	43·6	39·2	41·4	41·8	40·7	·92	·0	0·0	·005	E.	E
Friday, " 12,	29·874	46·8	41·5	44·2	44·9	43·2	·88	·4	0·0	·005	S.E.	S.
Saturday, " 13,	29·865	52·2	43·6	47·9	46·6	44·4	·84	·8	1·7	·120	S.S.W.	S.W.
Mean,	30·144	43·9	36·1	40·0	40·8	38·3	·79	·3	Total 7·6	·130	Prevailing wind E.	

"*Sunday*—A fine day; night cloudy. *Monday*—Day overcast; night overcast. *Tuesday*—A cloudy day; night overcast. *Wednesday*—A dull day; night overcast. *Thursday*—A dull day; night overcast; showery 11.0 p.m. to 3.0 a.m. *Friday*—A dull day; night cloudy; light rain 1.0 a.m. to 2.30 a.m. *Saturday*—A cloudy and showery day; night cloudy; light rain 2.30 a.m. to 9.0 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

P. 299. 9. 1902. 360

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 20TH DECEMBER, 1902. [No. 51.

General Register Office, Charlemont House
Dublin, 22nd December, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 27·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 29.	Week ending Dec. 6.	Week ending Dec. 13.	Week ending Dec. 20.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 29.	Week ending Dec. 6.	Week ending Dec. 13.	Week ending Dec. 20.	Average Rate for 4 weeks
22 Town Dists.	24·2	24·8	25·8	27·8	25·6	Lisburn,	13·6	18·2	18·2	18·2	17·1
Armagh,	27·5	61·8	34·4	6·9	32·6	Londonderry,	15·4	21·8	16·6	21·8	18·9
Ballymena,	14·4	23·9	14·4	4·8	14·4	Lurgan,	31·0	4·4	8·9	26·6	17·7
Belfast,	21·1	26·6	26·2	25·6	24·9	Newry,	12·6	4·2	33·6	25·2	18·9
Clonmel,	15·4	10·3	15·4	10·3	12·9	Newtownards,	51·5	40·1	5·7	34·3	32·9
Cork,	15·1	11·0	12·3	26·7	16·3	Portadown,	15·5	15·5	10·3	10·3	12·9
Drogheda,	36·8	45·0	45·0	40·9	41·9	Queenstown,	13·2	13·2	13·2	26·4	16·5
Dublin Reg. Area,	30·6	25·9	29·2	30·8	29·1	Sligo,	9·6	19·2	19·2	4·8	13·2
Dundalk,	23·9	27·9	19·9	31·9	25·9	Tralee,	21·1	21·1	21·1	26·4	22·4
Galway,	15·5	15·5	42·7	38·8	28·1	Waterford,	37·0	42·9	11·7	35·1	31·7
Kilkenny,	0·0	14·7	29·5	14·7	14·7	Wexford,	32·7	14·0	28·0	46·7	30·3
Limerick,	26·0	31·4	47·8	41·0	36·5						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·5 per 1,000, the rates varying from 0·0 in thirteen of the districts to 10·9 in Limerick; the 30 deaths from all causes registered in that district including 8 from measles. Among the 176 deaths from all causes registered in Belfast are 22 from measles, 6 from whooping-cough, 2 from diphtheria, 2 from enteric fever, and 2 from diarrhœa; and the 39 deaths from all causes in Cork include one from measles, 2 from whooping-cough, and one from diphtheria.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 161—78 boys and 83 girls; and the deaths to 235—117 males and 118 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 32·4 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 30·8 per 1,000. During the fifty-one weeks ending with Saturday last the death-rate averaged 25·1, and was 1·2 below the mean rate for the corresponding portions of the ten years 1892–1901.

Nine deaths from measles were registered during the week; the deaths from this disease in the preceding 4 weeks were 19, 14, 9, and 10. Scarlet fever, typhus fever, and influ-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

enza caused one death each. Whooping-cough caused 3 deaths, enteric fever caused 3 deaths, and 3 deaths from diarrhœal diseases were registered.

The 39 deaths from tuberculous disease registered comprise 3 deaths from tuberculous phthisis, 25 deaths from *phthisis*, 2 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and 8 deaths from other forms of the disease.

Four deaths were due to carcinoma, and 6 deaths to *malignant disease*, "*cancer*."

There were 25 deaths attributed to diseases of the nervous system, including 9 deaths of children under 5 years of age from *convulsions*.

Diseases of the heart and blood-vessels caused 29 deaths.

Deaths from diseases of the organs of respiration fell from 65 registered in the preceding week to 58 registered during the week under review. This latter figure is equal to an annual rate of 8·0 per 1,000 of the population of the Dublin Registration Area; the annual rate for the corresponding period of the past 10 years was 6·0 per 1,000. The total includes 40 deaths from bronchitis, 7 deaths from broncho-pneumonia, and 6 deaths from *pneumonia*.

There were 6 deaths from accidental cau es.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 5 infants under one year old).

Seventy-five of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 11 were under one month old), and 67 were aged 60 years and upwards, including 36 persons aged 70 and upwards, of whom 12 were octogenarians, and 3 (a man and 2 women) were stated to have been aged 93, 94, and 91 years respectively.

Eighty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and 6 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 30·8 per 1,000; the rate in the City was 32·3 (34·6 on the North side, and 29·9 on the South), and in the Urban Districts 25·7.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·4 (3·8 in the North City Districts, and 3·0 in the South), and for the Urban Districts 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (22) are equal to an annual rate of 40·5 per 1,000. There were 2 deaths from measles, 5 deaths from tuberculous disease, and 7 deaths from diseases of the respiratory system (including 3 deaths from broncho-pneumonia), and one death from accidental violence.

No. 2 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 30·6 per 1,000. There was one death from epidemic diarrhœa, and 3 deaths from *phthisis*, and 9 deaths from diseases of the respiratory system, including one death from broncho-pneumonia, and 2 deaths from *pneumonia*. There were 2 deaths from accidental violence.

No. 2 North City District (Lisburn-street).—The deaths (20) are eqivalent to an annual rate of 34·6 per 1,000. There were 3 deaths from measles, there were 2 deaths from *phthisis*, and one death from tuberculous meningitis; and 6 deaths were due to diseases of the respiratory system, including one death from *pneumonia*.

No. 3 North City District (Blackhall-place).—The deaths (21) represent an annual rate of 34·6 per 1,000. There were 2 deaths from measles, there was one death from dysentery, and 2 deaths were due to *phthisis*; diseases of the respiratory system caused 6 deaths.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 36·4; and Finglas and Glasnevin, part of, 31·3. Of the 6 deaths tabulated for Coolock and Drumcondra, No. 1, part of, one was from *phthisis*, and 3 from diseases of the respiratory system; and of the 4 deaths for Finglas and Glasnevin, part of, one was from measles, one from typhus, and one from carcinoma.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·9 per 1,000. One death was registered, as occurring from each of the following diseases, scarlet fever, whooping-cough, and enteric fever. Tuberculous diseases caused 3 deaths, and diseases of the respiratory system caused 4 deaths.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 42·7 per 1,000. Measles and enteric fever each caused one death, *phthisis* caused 3 deaths, and tuberculous meningitis caused one death. There were 2 deaths from diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·9 per 1,000. Whooping-cough and enteric fever each caused one death; one death was due to tuberculous phthisis, and 3 deaths to other forms of tuberculous disease. There were 8 deaths from diseases of the respiratory system, including one death from broncho-pneumonia, and one death from *pneumonia*.

No. 4 South City District (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·9 per 1,000. Whooping-cough caused one death, *phthisis* caused 5 deaths, and diseases of the respiratory system caused 3 deaths, including one death from *pneumonia*.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 21·4 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 23·6 per 1,000 inhabitants; Pembroke, 20·0; Blackrock, 29·8; and Kingstown, 36·0. The only death from any of the principal epidemic diseases tabulated for these districts was from *diarrhœa* for Rathmines. Among the 15 deaths from all causes tabulated for the last-named district are 2 from diseases of the nervous system, and 3 from diseases of the respiratory system; and of the 12 deaths from all causes for Kingstown there were 2 deaths each from *phthisis*, diseases of the nervous system, and heart and blood-vessels, respectively, and 3 from diseases of the respiratory system.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 29th November,	236 cases.
" " 6th December,	162 cases.
" " 13th December,	191 cases.
" " 20th December,	174 cases.

Of the 174 cases notified during last week, 22 were erysipelas, 30 enteric fever, 44 scarlatina, 59 measles, 9 diphtheria, one varicella (chicken-pox), 2 typhus fever, and 7 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 29th November,	4 cases.
" " 6th December,	8 cases.
" " 13th December,	12 cases.
" " 20th December,	12 cases.

Of the 12 cases notified last week, 6 were measles, 4 scarlet fever, one diphtheria, and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 29th November,	5 cases.
" " 6th December,	12 cases.
" " 13th December,	6 cases.
" " 20th December,	4 cases.

Of the 4 cases notified during last week, one was measles, one scarlet fever, one erysipelas, and one enteric fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 29th November,	59 cases.
" " 6th December,	76 cases.
" " 13th December,	71 cases.
" " 20th December,	55 cases.

Of the 55 cases notified during last week, 12 were enteric fever, 8 erysipelas, 4 diphtheria, 2 membranous croup, 10 continued fever, and 19 scarlet fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th December, 1902.

From this it appears that:—

Twenty-two cases of measles were admitted to hospital, being one under the admissions for the preceding week; 18 were discharged, there was one death, and 78 cases remained under treatment at the close of the week.

Fifteen cases of enteric fever were admitted to hospital, 15 cases were discharged, there was one death, and 74 cases remained under treatment at the close of the week.

Thirty-two cases of scarlatina were admitted to hospital, 38 cases were discharged, there was one death, and 169* cases remained under treatment at the close of the week.

Nine cases of typhus were admitted to hospital, and 12 cases remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital, 12 were discharged, and 33 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 4 patients were discharged, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 19·6), was equal to an average annual death-rate of 19·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·1 per 1,000, the rate for Glasgow being 21·1, and for Edinburgh 20·3.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th December, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 20th December, 1902. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa & Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 20th Dec., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th Dec., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th Dec., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,401	19·2	23·9	27·8	3·5	501	588	121	152	.	43	1	1	13	5	.	5	6	61	156	13	28	161	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	378,761	27·5	22·2	30·8	2·8	161	224	43	66	.	9	1	1	3	.	.	3	3	25	58	5	9	71	§56·2	38·7	46·7	0·99	§52·2	23·9	40·0	0·13	§49·9	26·5	38·5	0·14
City	293,394	37·8	22·2	32·3	3·4	125	182	32	46	.	9	1	1	3	.	.	3	2	23	50	3	7	61	a58·0 / b56·8	40·0 / 39·0	48·9 / 47·3	0·91 / 0·87	a53·1 / b54·1	29·6 / 27·4	41·8 / 41·0	0·09 / 0·10	a50·9 / b48·9	32·9 / 28·2	41·0 / 39·4	0·27 / 0·15
Registrars' Districts. Rathmines,‖	33,208	19·4	22·0	23·6	1·6	14	15	5	5	.	.	.	.	.	.	.	.	1	.	3	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	20·0	20·0	.	10	10	2	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	6·1	23·8	29·8	.	4	5	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	24·0	36·0	.	8	12	3	8	.	.	.	.	.	.	.	.	.	2	3	.	.	5	58	30·5	48·0	0·84	54·5	35·5	43·1	0·10	49·5	34·5	41·7	0·49
Urban Districts.																																			
Belfast	358,693	24·4	25·9	25·6	4·9	178	176	47	30	.	22	.	.	6	2	.	2	2	18	57	5	13	46	55·5	37·0	45·7	1·29	49·0	29·4	38·6	0·06	48·0	32·0	40·8	1·05
Cork	76,122	33·6	19·9	26·7	2·7	29	39	11	7	.	1	.	.	2	1	.	.	.	9	8	1	1	14	55	41	49·2	1·97	53	38	43·6	0·68	53	38	44·3	0·66
Londonderry	40,729	18·8	48·6	21·8	1·3	38	17	2	5	.	.	.	.	.	.	.	.	1	1	5	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	20·5	41·0	10·9	15	30	3	10	.	8	.	.	.	.	.	.	.	2	9	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	7·8	35·1	5·8	4	18	1	7	.	1	.	.	2	.	.	.	.	1	4	.	3	8	.	.	.	.	.	.	.	.	.	.	.	.
Galway	13,426	2·5	35·0	38·8	.	9	10	2	6	.	.	.	.	.	.	.	.	.	.	.	.	.	6	55	38	47	2·24	50	22	37	0·12	52	30	39	0·61
Dundalk	13,076	9·4	16·0	31·9	.	4	8	4	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	28·6	40·9	8·2	7	10	.	1	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	16·8	25·2	.	4	6	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	55·0	37·0	45·1	1·19	49·2	25·2	38·2	0·16	48·0	27·6	38·5	0·41
Lurgan	11,782	13·8	48·7	26·6	4·4	11	6	2	.	.	.	.	.	1	.	.	.	.	1	1	.	.	2	55·0	37·0	45·1	1·19	49·2	25·2	38·2	0·16	48·0	27·6	38·5	0·41
Lisburn	11,461	10·1	22·7	18·2	.	5	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	55·0	37·0	45·1	1·19	49·2	25·2	38·2	0·16	48·0	27·6	38·5	0·41
Wexford	11,168	28·2	28·3	46·7	.	5	10	1	2	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	4·8	4·8	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	9·6	4·8	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·5	36·8	46·3	2·07	47·9	20·5	36·9	0·58	48·3	27·5	37·5	1·05
Kilkenny	10,609	11·5	54·1	14·7	.	11	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	55	39	48·2	1·88	53	22	41·2	0·40	53	29	38·3	0·45
Clonmel	10,167	7·8	25·6	10·3	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	25·8	10·3	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	55·0	37·0	45·1	1·19	49·2	25·2	38·2	0·16	48·0	27·6	38·5	0·41
Tralee	9,867	16·6	6·8	26·4	.	1	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	22·9	34·3	5·7	4	6	.	1	.	.	.	.	.	1	.	.	.	.	4	.	.	1	55	38	45·9	1·20	51	35	41·4	0·18	49	33	41·8	0·91
Queenstown	7,909	14·4	13·2	26·4	.	2	4	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	55	41	49·2	1·97	53	38	43·6	0·68	53	38	44·3	0·66
Armagh	7,588	22·2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·0	37·0	45·1	1·19	49·2	25·2	38·2	0·16	48·0	27·6	38·5	0·41

BLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 20th of December, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.																Urban District of					
	Registration Districts.																					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).		Rathmines.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Measles,	2	.	3	2	.	.	1	.	.	1	.	.	.	.	.		.	.	.	.	9	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		.	.	.	.	1	.
Whooping Cough,	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.		.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.		.	.	.	.	3	.
Diarrhœa, Dysentery,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.		1	.	.	.	3	.
Phthisis,	5	3	2	2	.	1	.	.	1	3	1	5	.	.	.		.	.	.	2	23	3
Other General Diseases,	.	.	4	2	.	1	1	.	4	1	4	3	.	2	.		2	4	1	1	30	2
Total,	7	4	9	7	.	2	3	.	8	6	7	9	.	2	.		3	4	1	3	75	5
B. Local Diseases:																						
Diseases of Nervous System	1	3	2	6	1	1	.	.	.	.	1	3	.	.	.		2	1	2	2	25	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	1
Heart and Blood Vessels,	3	3	1	1	2	.	1	.	3	2	5	2	.	.	.		1	1	.	2	27	2
Respiratory System,	7	9	6	6	.	3	.	.	4	2	8	3	1	1	.		3	1	1	3	58	.
Digestive System,	2	2	1	1	.	.	.	.	1	1	1	.	.	.	.		.	.	.	.	9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.		1	1	.	1	6	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.	.	.	1	.
Total,	13	17	10	14	3	4	1	.	9	5	15	10	1	1	.		8	4	3	8	126	4
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	1	.	1	.	.	1	.	1	2	3	.	3	.	.	.		2	2	1	1	18	1
E. Violent Deaths,	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2	.	.	.	5	1
Deaths from all Causes,	22	23	20	21	3	7	4	1	19	14	22	22	1	3	.		15	10	5	12	224	11
Annual Rate of Mortality in every 1,000 of the population.	40·5	30·6	34·6	34·6	32·5	36·4	31·3	.	25·9	42·7	26·9	32·9	.	21·4	.		23·6	20·0	29·8	36·0	30·8	.
	34·6								29·9								25·7					
	32·3																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS

Public Hospitals, Prisons, and Lunatic Asylums,	2	3	3	3	.	.	.	.	4	3	2	6	1	.	.	2	.	.	.	.	29	10
Workhouse Hospitals,	1	6	5	7	1	.	.	1	5	1	3	4	.	.	.	1	1	1	5		42	1

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re week of the ten years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 51st Week of the 10 years 1892-1901	In the Week ending S 20th December, 1				
												Deaths of Persons of th				
	Dec. 24, 1892.	Dec. 23, 1893.	Dec. 22, 1894	Dec. 21, 1895.	Dec. 19, 1896.	Dec. 25, 1897.	Dec. 24, 1898.	Dec. 23, 1899.	Dec. 22, 1900.	Dec. 21, 1901.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 44·8	° 42·8	° 44·6	° 35·7	° 33·8	° 41·7	° 42·5	° 40·5	° —	° 33·5	° 40·0†	° 46·7				
ALL CAUSES.	179	204	178	168	183	146	169	285	175	196	188·3	235	11	32	32	5
Small Pox, Vaccinated, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small Pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	.	.	.	.	.	24	.	.	2·7	9	.	1	7	.
Scarlet Fever ...	1	.	1	1	5	3	2	1	1	2	1·7	1	.	.	.	1
Typhus, ...	1	1	.	.	1	.	.	.	.	.	·3	1	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	12	1	2	1	2	2	8	1	1	3·0	1	.	.	.	.
Whooping Cough, ...	1	6	5	1	12	.	4	2	6	4	4·1	3	.	3	.	.
Diphtheria, ...	.	.	.	1	1	1	.	3	1	3	1·0	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	1	.	.	.	.	.	.	1	1	·3	.	.	.	.	.
Enteric Fever, ...	8	8	7	3	2	5	1	3	3	4	4·4	3	.	.	.	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	3	3	2	.	4	3	5	4	2	2·7	1	.	1	.	.
												2	1	1	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	1	.	.	.	.	1	1	.	.	·4	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	.	1	.	.	.	.	.	.	2	·4	.	.	.	.	.
												.	.	.	.	.
												.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	4	2	2	1	1	1	.	.	1	1·2	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	.	.	2	1	1	.	.	1	.	·6	.	.	.	.	.
												.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*," ...	20	20	21	24	13	15	15	20	26	24	20·8	3	.	.	1	.
												25	.	.	1	.
Tuberculous Meningitis, (Acute Hydrocephalus).	4	.	3	3	1	3	6	3	2	5	3·0	2	.	.	2	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	3	4	4	3	4	.	7	9	3	2	3·9	1	.	.	1	.
												.	.	.	.	.
Tuberculous Dis. (other), ... Scrofula, ...	6	.	3	4	6	4	5	4	6	3	4·1	8	.	1	1	1
												.	.	.	.	.
Alcoholism ...	1	1	.	.	1	1	.	.	.	1	·5	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	1	.	.	.	2	.	1	·5	.	.	.	.	.
Gout ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

† For nine years only.

* The figures for the years 1892-1900

FIRST WEEK ending Saturday, 20th December, 1902, with the deaths from each cause in the corresponding erage for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 24, 1892.	Dec. 23, 1893.	Dec. 22, 1894.	Dec. 21, 1895.	Dec. 19, 1896.	Dec. 25, 1897.	Dec. 24, 1898.	Dec. 23, 1899.	Dec. 22, 1900.	Dec. 21, 1901.	Averages in 51st Week of the 10 years 1892-1901.	In the Week ending Saturday, 20th December, 1902. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
ean Temperature.	° 44·8	° 42·8	° 44·6	° 35·7	° 33·8	° 41·7	° 42·5	° 40·5	° [illegible]	° 33·5	° 40·0†	Mean Temp. ° 46·7		0 to 5.						
a	2	6	10	4	6	12	4	7	10	7	6·8	4	.	.	.	.	1	2	.	1
... ...												.	.	.	.	.	.	.	.	.
t Dis. "Cancer,"												6	.	.	.	.	1	3	2	.
Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
re Birth	.	.	.	.	3	2	5	2	2	7	2·1	2	2	.	.	.	.	.	.	.
is (not tuberc.)												5	.	1	4	.	.	.	.	.
G. P. of Insane												3	.	.	.	.	.	1	2	.
.. ..												2	.	.	.	.	.	1	1	.
ns												9	3	5	1	.	.	.	.	.
r Ataxy												.	.	.	.	.	.	.	.	.
ia Dis. of Cord												1	.	.	.	.	1	.	.	.
System (other Dis.) ...	41	38	34	44	33	29	43	54	40	42	39·8	5	.	2	1	.	1	.	1	.
., Endocarditis												3	.	.	.	.	1	1	1	.
æm. Thromb.												2	.	.	.	.	.	1	.	1
Hemiplegia												9	.	.	.	.	1	3	5	.
n												1	.	.	.	.	1	.	.	.
, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
d Blood Vessel Dis.												14	.	.	.	.	3	3	7	1
ot Spasm. or Memb.) ...	.	1	1	1	.	.	2	2	.	.	·7	.	.	.	.	.	.	.	.	.
is	24	35	28	25	38	20	24	44	27	21	28·9	40	.	8	3	.	2	10	14	3
Pneumonia												.	.	.	.	.	.	.	.	.
Pneumonia	4	18	10	11	13	10	5	24	6	8	10·9	7	.	1	3	.	1	.	.	2
nia"												6	.	.	1	.	1	2	2	.
Emphysema												1	.	.	1	.	.	.	.	.
... ...	4	.	3	3	3	.	1	3	2	.	1·9	1	.	.	.	.	1	.	.	.
ory Dis. (other)												3	.	.	1	1	.	1	.	.
s, Quinsy	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
(not Epid.)	1	.	.	1	.	.	.	.	.	.	·2	1	.	1	.	.	.	.	.	.
nteritis												.	.	.	.	.	.	.	.	.
is (not Puerp.)	2	1	.	.	.	1	1	.	2	1	·8	.	.	.	.	.	.	.	.	.
of Liver	5	3	2	1	2	3	2	2	6	.	2·6	1	.	.	.	.	.	1	.	.
. (other)												2	.	.	.	.	.	2	.	.
Dis. (other)	2	3	4	1	4	2	3	8	1	10	3·8	5	.	1	.	1	2	.	1	.
, Acute												1	1	.	.	.	.	.	.	.
Dis., Albuminuria ...	9	5	2	5	3	2	2	5	2	9	4·4	4	.	.	.	.	1	2	1	.
Sys. (Other Dis.) ...												2	.	.	.	.	.	.	2	.
ve Organs Dis.	.	.	.	.	1	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
h (Accid. of)	4	1	.	1	2	.	.	1	.	1	1·0	.	.	.	.	.	.	.	.	.
... ...	7	13	7	9	8	10	8	21	3	8	9·4	8	.	.	.	.	.	.	4	4
seases	19	13	18	11	14	10	15	14	12	12	13·8	20	4	6	3	.	1	2	2	2
ACCIDENT.																				
ays	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
les and Horses	.	1	1	.	.	.	2	1	.	.	·5	1	.	.	.	.	1	.	.	.
Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
wning)																				
ng Operations	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
grations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
, Scalds, Explosions ...	.	2	.	.	2	1	1	.	3	4	1·3	2	.	.	1	.	.	.	.	1
ning	1	.	1	.	1	1	1	.	.	3	·8	.	.	.	.	.	.	.	.	.
ation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
aths by Accidents ...	1	2	.	.	1	2	2	1	1	3	1·3	3	.	.	.	.	2	.	1	.
LENCE OTHER THAN ACCIDENTAL.																				
... ...	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
... ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

istration Area as then constituted.

† For nine years only.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902—Week ending																										
	June 28.	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct 4	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Births registered,	213	204	187	196	203	186	244	192	185	209	205	219	221	222	192	162	176	259	188	166	275	184	158	153	258	161
*Average Births in corresponding week of previous 10 years,**	224	186	195	188	195	210	190	200	188	204	198	214	193	210	184	175	193	181	181	184	192	181	189	194	173	154
Deaths registered,	149	149	129	155	150	165	154	145	146	156	170	142	168	213	169	192	200	228	183	228	202	237	230	196	219	235
Annual Death-rate per 1,000,	20·5	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5	30·7	25·2	31·4	27·8	32·6	31·7	27·0	30·1	32·4
*Average Deaths in corresponding week of previous 10 years,**	154	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161	169	175	174	180	183	181	181	180	188
Ages, Under 5 years,	57	41	38	44	46	59	65	55	52	53	57	62	87	98	80	81	100	112	86	96	72	119	95	63	79	75
5—20 "	11	14	10	18	8	14	14	7	15	12	16	9	9	18	12	16	12	15	8	17	13	12	22	11	18	5
20—40 "	28	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16	32	30	39	35	29	26	34	32	41
40—60 "	27	27	29	30	29	24	20	36	32	31	43	23	18	33	34	34	33	26	30	29	29	38	41	42	41	47
60—80 "	26	30	25	27	29	30	29	28	15	26	28	23	23	25	19	22	32	32	21	41	40	32	41	39	36	52
80 years and upwards,	5	7	3	5	13	7	4	2	5	3	6	6	5	9	2	5	6	6	8	6	13	7	5	7	13	15
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11	19	20	16	16	10	19	14	9	10	9
" Scarlet Fever,	2	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2	2	3	4	2	5	8	2	1	1
" Typhus,	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1
" Whooping-cough,	.	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1	1	1	.	1	.	.	.	.	3
" Diphtheria,	.	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1	2	1	3	1	4	4	2	1	.
" Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.
" Enteric Fever,	4	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2	1	1	2	5	4	2	4	2	5	3
" Diarrhœa, Dysentery,	.	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11	14	3	2	3	7	7	1	5	3
" Phthisis,	15	18	14	25	18	19	15	18	21	19	24	14	15	20	18	26	18	17	21	24	19	21	22	26	18	28
" Heart Diseases,	21	1	18	25	18	10	18	21	17	18	24	17	17	21	14	19	20	25	18	27	39	23	22	26	19	29
" Diseases of Respiratory System,	25	30	22	23	17	30	28	19	18	16	20	14	20	27	19	25	42	49	37	57	37	52	53	53	65	58
Violent Deaths,	.	7	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6	3	1	4	2	2	2	2	1	6
Mean Temperature of the Air (Phœnix Park),	60·6	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4	50·7	50·1	47·7	47·9	42·4	43·5	38·5	40·0	46·7
Average Mean Temperature in corresponding week of previous 10 years,	58·7	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3	46·1	46·7	45·6	44·0	44·5	42·8	42·3	42·5	40·0†
Rainfall in inches,	·065	·270	·200	·630	1·650	·105	1·300	·355	·538	·088	1·725	·115	·180	·595	·640	1·150	·600	·298	·068	1·337	·212	·140	·830	·140	·180	·990
Mean Humidity of the Air, complete Saturation 1·0,	·80	·83	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·83	·88	·90	·87	·89	·90	·85	·77	·93	·81	·79	·91

* See note at foot of Table III. † For nine years only.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th December, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH DECEMBER 1902.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	35·4	235	75	5	41	47	52	15	.	9	1	1	3	.	.	3	3	20	28	9	58	6	114
	CLASSES. **Deaths in Families of the—**	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	43·9	13	1	.	.	1	3	8	.	.	.	.	.	.	.	.	1	1	.	.	2	.	10
II.	MIDDLE CLASS,	80,653	22·0	34	6	2	9	11	5	1	.	.	1	1	.	.	.	.	.	2	5	3	8	1	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	27·0	51	13	2	15	18	7	1	.	4	.	.	.	.	.	2	1	7	12	1	7	1	23
IV.	GENERAL SERVICE CLASS,	146,486	47·1	94	51	1	14	10	14	4	.	4	.	.	3	.	.	.	.	7	6	5	31	4	41
V.	INMATES OF WORKHOUSES,	5,191		43	4	.	3	12	23	1	.	1	.	.	.	.	.	1	1	3	5	.	10	.	25
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	1	.	.	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	82·7	9	.	.	.	.	3	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	26·9	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	24·3	12	4	.	1	5	2	.	.	.	.	.	.	.	.	.	.	.	1	2	2	1	6
	6. Clerks and Commercial Assistants,	24,750	31·6	15	2	1	6	4	1	1	.	.	1	1	.	.	.	.	.	2	2	1	3	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	8·6	4	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	7·1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades,	26,030	48·1	24	10	1	1	9	2	1	.	3	.	.	.	.	.	.	1	4	3	.	4	.	13
	10. Clothing Trades,	23,686	22·0	10	.	.	6	1	3	.	.	.	.	.	.	.	.	.	.	.	5	.	1	.	.
	11. Food Supply Trades,	7,869	13·3	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	19·6	10	2	.	5	2	1	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	5
	13. Petty Shopkeepers,	6,771	30·8	4	1	1	1	.	1	.	.	1	.	.	.	.	.	1	.	2	2	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	30·7	8	3	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	3
	15. Domestic Servants,	39,563	11·9	9	2	.	2	.	3	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	43·9	9	4	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	5	.	2
	17. Hawkers, Porters, Labourers, &c.,	82,631	42·9	68	42	1	9	6	9	1	.	4	.	.	3	.	.	.	.	7	3	4	20	2	32
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	43	4	.	3	12	23	1	.	1	.	.	.	.	.	1	1	3	5	.	10	.	25

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate of Mortality from the principal causes, *the Deaths in Public Institutions being* Diseases: with the Mortality from the principal causes of the Provincial County

Districts.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (prior to extension) — Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,339.	Nov. 1,	33·1	11·0	18	.	5	.	.	1	.	.	.	.	2	2	.
	„ 8,	36·8	7·4	20	.	3	.	.	.	.	.	1	.	3	6	.
	„ 15,	38·6	3·7	21	.	.	.	.	.	.	.	1	1	1	6	.
	„ 22,	38·6	3·7	21	.	2	.	.	.	.	.	.	.	2	9	.
	„ 29,	35·0	9·2	19	.	2	1	.	.	2	.	.	.	4	3	.
	Dec. 6,	28·9	1·8	13	.	1	.	.	.	.	.	.	.	1	8	.
	„ 13,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 20,	40·5	3·7	22	.	2	.	.	.	.	.	.	.	5	7	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	Nov. 1,	20·0	5·3	15	.	2	1	.	.	.	.	1	.	2	2	.
	„ 8,	36·0	5·3	27	.	2	.	.	.	.	.	2	.	4	7	.
	„ 15,	33·3	4·0	25	.	2	.	.	.	.	.	1	.	5	4	.
	„ 22,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	4	5	.
	„ 29,	26·6	2·7	20	.	1	.	.	.	.	.	1	.	2	3	.
	Dec. 6,	38·8	5·3	29	.	2	.	.	.	1	1	.	.	4	11	.
	„ 13,	40·0	4·0	30	.	.	.	.	.	.	.	1	2	3	6	.
	„ 20,	30·6	1·3	23	.	.	.	.	.	.	.	.	1	3	9	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Nov. 1,	46·8	1·7	27	.	1	.	.	.	.	.	.	.	4	6	.
	„ 8,	41·6	8·7	24	.	3	.	.	.	1	.	1	.	2	3	.
	„ 15,	46·8	10·4	27	.	3	1	1	.	1	.	.	.	2	6	.
	„ 22,	41·6	8·7	24	.	2	.	.	.	1	.	.	2	2	8	.
	„ 29,	39·8	8·7	23	.	3	1	.	.	1	.	.	.	4	5	.
	Dec. 6,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	.
	„ 13,	36·4	3·5	21	.	2	.	.	.	.	.	.	.	3	5	.
	„ 20,	34·6	5·2	20	.	3	.	.	.	.	.	.	.	2	6	.
North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,678.	Nov. 1,	24·7	6·6	15	.	3	.	.	.	.	.	.	1	1	3	.
	„ 8,	37·9	6·6	23	.	4	.	.	.	.	.	.	.	1	5	.
	„ 15,	37·9	4·9	23	.	3	.	.	.	.	.	.	.	2	4	1
	„ 22,	46·1	16·5	28	.	7	1	.	.	1	.	.	1	1	4	.
	„ 29,	37·9	8·2	23	.	5	.	.	.	.	.	.	.	2	7	.
	Dec. 6,	29·6	4·9	18	.	3	.	.	.	.	.	.	.	3	6	.
	„ 13,	37·9	8·2	23	.	4	.	.	.	.	.	1	.	1	5	1
	„ 20,	34·6	4·9	21	.	2	.	.	.	.	.	.	1	2	6	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 38,813.	Nov. 1,	36·7	6·8	27	.	3	1	.	.	1	.	.	.	5	3	.
	„ 8,	38·1	5·4	28	.	2	.	.	.	2	.	.	.	1	8	2
	„ 15,	23·1	4·1	17	.	2	.	1	.	.	.	.	.	2	2	.
	„ 22,	31·3	5·4	23	.	3	.	.	.	.	.	.	1	2	5	.
	„ 29,	39·5	8·2	29	.	1	2	.	.	1	.	.	2	4	4	.
	Dec. 6,	15·0	2·7	11	.	1	1	.	.	.	.	.	.	1	1	.
	„ 13,	32·7	4·1	24	.	3	.	.	.	.	.	.	.	2	5	.
	„ 20,	25·9	4·1	19	.	.	1	.	1	.	.	1	.	1	4	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	Nov. 1,	33·5	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	„ 8,	51·8	6·1	17	.	1	.	.	.	.	.	.	1	2	6	.
	„ 15,	27·4	6·1	9	.	.	.	.	.	.	.	1	1	1	2	.
	„ 22,	39·6	3·0	13	.	1	.	.	.	.	.	.	.	1	2	.
	„ 29,	45·7	6·1	15	.	.	.	.	.	.	.	1	1	1	5	.
	Dec. 6,	51·8	9·1	17	.	1	.	.	.	.	.	1	1	4	6	.
	„ 13,	36·6	3·0	12	.	.	.	.	.	.	.	.	1	1	3	.
	„ 20,	42·7	6·1	14	.	1	.	.	.	.	.	1	.	3	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 42,575.	Nov. 1,	40·8	3·7	17	2	1	.	.	.	.	.	.	.	1	5	.
	„ 8,	38·0	3·7	31	1	2	.	.	.	.	.	.	.	3	11	.
	„ 15,	30·6	1·2	25	.	.	.	.	1	.	.	.	.	.	5	1
	„ 22,	47·8	3·7	39	.	2	.	.	.	.	.	.	1	2	7	.
	„ 29,	28·2	3·7	23	.	.	.	.	.	.	.	1	2	1	9	.
	Dec. 6,	30·6	.	25	.	.	.	.	.	.	.	.	.	5	8	.
	„ 13,	29·4	.	24	.	.	.	.	.	.	.	.	.	1	14	.
	„ 20,	26·9	2·4	22	.	.	.	.	1	.	.	1	.	1	8	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,898.	Nov. 1,	16·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1
	„ 8,	17·9	1·5	12	.	.	1	.	.	.	.	.	.	2	4	1
	„ 15,	17·9	1·5	12	.	.	.	.	.	.	.	1	.	1	1	.
	„ 22,	22·4	3·0	15	.	.	1	.	.	.	.	1	.	1	4	.
	„ 29,	43·3	3·0	29	.	.	1	.	.	.	.	.	1	.	8	.
	Dec. 6,	29·9	.	20	.	.	.	.	.	.	.	.	.	4	6	1
	„ 13,	31·4	1·5	21	.	.	.	.	.	.	.	1	.	4	7	.
	„ 20,	32·9	1·5	22	.	.	.	.	1	.	.	.	.	5	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	Nov. 1,	7·9	1·6	5	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8	22·0	3·1	14	.	.	.	.	.	.	.	1	1	2	3	.
	„ 15,	17·3		11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	14·1	1·6	9	.	.	.	.	.	1	.	.	.	.	3	.
	„ 29,	18·8	3·1	12	.	.	2	.	.	.	.	.	.	1	2	1
	Dec. 6,	25·1	3·1	16	.	.	1	.	.	.	.	1	.	2	5	1
	„ 13,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	.	3	2
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Nov. 1,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	12·0	2·0	6	.	.	1	.	.		.	.		2	.	.
	„ 15,	16·0	2·0	8	.	.	1	.	.	.	.	.	.	2	2	.
	„ 22,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	2	3	2
	„ 29,	16·0	2·0	8	.	1	.	.	.	.	.	.	.	.	3	.
	Dec. 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	28·0	4·0	14	.	.	.	.	.	.	.	1	1	1	3	.
	„ 20,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.
Kingstown. Pop. in 1902 (Est.) 17,380.	Nov. 1,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 15,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	„ 29,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 6,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	3	.
	„ 20,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	3	.
Belfast. Pop. in 1902 (Est.) 358,693.	Nov. 1,	21·7	3·2	149	.	8	1	.	3	3	.	3	4	14	32	2
	„ 8,	19·8	3·6	136	.	14	1	.	4	2	.	3	1	20	27	.
	„ 15,	23·0	4·7	158	.	16	1	.	5	1	.	5	4	22	44	3
	„ 22,	20·8	5·5	143	.	17	2	.	9	2	2	3	3	13	39	3
	„ 29,	21·1	4·4	145	.	14	.	.	4	1	.	6	5	20	39	6
	Dec. 6,	26·6	5·2	183	.	22	1	.	4	3	.	5	1	23	46	6
	„ 13,	26·2	6·4	180	.	24	.	.	9	1	.	7	3	15	50	6
	„ 20,	25·6	4·9	176	.	22	.	.	6	2	.	2	2	18	57	5
Cork. Pop. (in 1901) 76,122.	Nov. 1,	21·9	2·1	33	.	.	.	.	.	.	.	.	3	2	2	.
	„ 8,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	4	4	1
	„ 15,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	3	6	1
	„ 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	„ 29,	15·1	.	22	.	.	.	.	.	.	.	.	.	9	1	1
	Dec. 6,	11·0	.	16	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13	12·3	.	18	.	.	.	.	.	.	.	.	.	2	2	1
	„ 20,	26·7	2·7	39	.	1	.	.	2	1	.	.	.	9	8	1
Londonderry. Pop. in 1902 (Est.) 40,729.	Nov. 1,	15·4	2·6	12	.	1	.	.	.	.	.	.	1	2	4	.
	„ 8,	17·9	1·8	14	.	.	.	.	.	.	.	1	.	2	6	1
	„ 15,	17·9	1·8	14	.	1	.	.	.	.	.	.	.	3	3	1
	„ 22,	23·0	5·8	18	.	1	.	.	.	.	.	.	2	.	4	.
	„ 29,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	.	1
	Dec. 6,	21·8	.	17	.	.	.	.	.	.	.	.	.	3	2	.
	„ 13,	16·6	2·6	13	.	.	.	.	.	1	.	.	1	4	3	.
	„ 20,	21·8	1·3	17	.	.	.	.	.	.	.	.	1	1	5	.
Limerick. Pop. (in 1901) 38,151.	Nov. 1,	17·8	4·1	13	.	1	.	1	.	.	.	.	1	.	1	.
	„ 8,	13·7	1·4	10	.	1	.	.	.	.	.	.	.	1	4	.
	„ 15,	20·5	8·2	15	.	4	.	1	.	.	.	1	.	1	1	.
	„ 22,	19·1	9·6	14	.	7	.	.	.	.	.	.	.	1	3	.
	„ 29,	26·0	12·3	19	.	9	.	.	.	.	.	.	.	1	3	1
	Dec. 6,	31·4	16·4	23	.	10	.	.	.	.	.	.	2	2	6	.
	„ 13,	47·8	10·9	35	.	8	.	.	.	.	.	.	.	6	10	.
	„ 20,	41·0	10·9	30	.	8	.	.	.	.	.	.	.	2	9	.
Waterford. Pop. (in 1901) 26,769.	Nov. 1,	35·1	13·6	18	.	2	.	.	3	.	.	.	2	2	1	.
	„ 8,	17·5	3·9	9	.	.	1	.	1	.	.	.	.	.	2	.
	„ 15,	27·3	7·8	14	.	1	.	.	2	.	.	1	.	.	1	.
	„ 22,	3·9	3·9	2	.	1	.	.	1	.	.	.	.	.	.	.
	„ 29,	37·0	1·9	19	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 6,	42·9	7·8	23	.	1	.	.	2	.	.	.	1	2	6	1
	„ 13,	11·7	3·9	6	.	.	.	.	1	1	.	.	.	2	1	.
	„ 20,	35·1	5·8	18	.	1	.	.	2	.	.	.	.	1	4	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 20th December, 1902, Deaths in Public Institutions of persons *admitted, from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	13	17·7	3·5	5	1	1	1	2	.	.	.	.	.	.	.	.	1	.	2	.	.	3
" 2 "	47,959	20	26·1	2·2	24	6	6	9	3	.	1	.	.	.	1	.	.	.	4	10	1	2	7
" 3 "	47,214	26	27·6	7·7	25	11	6	5	3	.	5	.	.	1	.	.	1	.	1	6	1	3	4
" 4 "	40,911	15	26·8	3·8	21	5	2	10	4	.	2	.	.	.	.	.	1	.	1	7	.	1	8
" 5 "	17,387	8	30·0	6·0	10	4	3	.	3	.	1	.	.	1	.	.	.	.	2	4	.	1	4
" 6 "	48,122	17	26·0	5·4	24	3	9	9	3	.	5	.	.	.	.	.	.	.	2	10	1	1	7
" 7 "	1,524	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 8 "	5,060	2	20·6	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 9 "	19,569	11	45·3	16·0	17	4	4	6	3	.	4	.	.	.	1	.	.	1	3	4	.	.	6
" 10 "	8,064	18	27·1	6·8	12	2	5	5	.	.	2	.	.	1	.	.	.	.	2	4	.	1	1
" 11 "	34,802	13	28·5	4·5	19	3	4	7	5	.	2	.	.	1	.	.	.	.	2	6	2	3	2
" 12 "	33,588	26	17·1	1·6	11	7	1	2	1	.	.	.	.	1	.	.	.	.	.	3	.	1	1
" 13 "	15,006	8	17·4	3·5	5	.	2	1	2	.	.	.	.	1	.	.	.	.	.	1	.	.	1
14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	178	26·3	5·1	176	47	43	56	30	.	22	.	.	6	2	.	2	2	18	57	5	13	46
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	1	32·4	4·1	8	1	.	6	1	.	1	.	.	.	.	.	.	.	4	2	.	.	2
" 2 "	10,701	4	29.2	4·9	6	3	.	2	1	.	.	.	.	.	1	.	.	.	.	1	.	.	3
" 3 "	9,978	8	26·1	5·2	5	1	.	2	2	.	.	.	.	1	.	.	.	.	1	.	.	.	3
" 4 "	8,666	3	18·1	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1
" 5 "	6,592	.	39.6	.	5	2	1	1	2	.	.	.	.	.	.	.	.	.	1	3	.	.	.
" 6 "	10,702	4	9·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "	16,616	9	31·4	3·1	10	2	1	5	2	.	.	.	.	1	.	.	.	.	1	1	.	.	5
Total,	76,122	29	26·7	2·7	39	11	3	18	7	.	1	.	.	2	1	.	.	.	9	8	1	1	14

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	June 28.	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sep. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered,	175	237	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234	240	190	186	198	180	186	187	180	178
DEATHS registered.	114	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154	146	149	136	158	148	145	183	180	176
Annual Death-rate per 1,000 of estimated Population.	16·6	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	20·9	17·6	19·9	21·5	22·4	21·2	21·7	19·8	23·0	20·8	21·1	26·6	26·2	25·6
AGES, Under 1 year,	22	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45	38	42	36	42	41	40	38	35	47
AGES, 1-5 years,	20	27	23	19	19	22	18	21	17	19	16	20	17	16	26	18	33	27	29	32	36	39	30	39	44	43
AGES, 5-60 years,	50	64	55	45	48	58	62	44	43	51	54	42	60	44	34	57	53	55	53	57	55	45	56	77	74	56
AGES, 60 years and upwards,	22	30	16	23	17	24	21	23	16	20	25	15	21	15	17	19	23	26	25	11	25	18	19	29	27	30
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	6	6	7	7	8	5		3	2	5	6	4	5	4	7	6	8	14	8	14	16	17	14	22	24	22
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	2	.	1	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	7	4	.	2	8	6	2	6	5	6	5	2	4	2	2	6	3	3	4	5	9	4	4	9	6
,, Diphtheria,	2	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2	2	3	2	1	2	1	3	1	2
,, Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
,, Enteric Fever,	5	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5	6	3	3	5	8	6	5	7	2
,, Diarrhœa, Dysentery,	3	4	3	6	6	2	1	5	5	4	4	23	13	12	14	10	7	5	4	1	4	3	5	1	3	2
,, Phthisis	22	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17	19	19	14	10	22	13	20	23	15	18
,, Diseases of Respiratory System,	18	34	22	18	16	29	15	19	9	26	27	15	15	24	28	35	26	36	32	27	44	39	39	46	50	57
Violent Deaths,	1	7	4	1	6	4	.	1	1	1	1	2	6	.	2	3	1	3	2	.	3	3	6	6	6	5

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th December, 1902.

DISTRICT.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	.	.	1	.	.	3
" " 1, West,	.	8	.	3	.	.	1	.	1	5	4	.	.	22
" " 2,	.	2	.	3	.	.	.	.	.	5	1	.	.	11
" " 3,	.	19	.	10	2	.	.	.	5	8	9	.	1	54
Clontarf and Howth No. 1 (part of),	.	10	.	4	.	.	.	.	.	.	1	.	.	15
Coolock and Drumcondra No. 1 (part of),	.	1	.	1	.	.	1	.	.	1	.	.	.	4
Finglas and Glasnevin (part of),	.	.	.	3	.	.	.	.	.	.	.	.	.	3
Blanchardstown and Castleknock (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	10	.	9	.	.	1	.	.	5	3	.	.	28
" " 2,	.	2	.	4	.	.	1	.	.	.	2	.	.	9
" " 3,	.	3	.	4	.	.	3	.	.	3	.	.	.	13
" " 4,	.	1	.	1	.	.	2	.	1	.	.	.	.	5
Palmerston (part of),	.	1	.	2	.	.	.	.	.	3	1	.	.	7
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	59	.	44	2	.	9	.	7	30	22	.	1	174
Total for week ended Dec. 13th, 1902,	.	87	.	40	1	.	13	.	6	20	16	.	8	191
Total for week ended Dec. 6th, 1902.	.	58	.	30	2	.	21	.	.	40	10	.	1	162
Total for week ended Nov. 29th, 1902,	.	135	3	31	.	.	14	.	3	26	22	1	1	236

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th December, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th December.			
	Nov. 29.	Dec. 6.	Dec. 13.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox.	.	.	.	.	.	.	.
Measles.	99	82	75	22	18	1	78
Scarlet Fever,	177	184	176	32	38	1	169*
Typhus "	2	4	3	9	.	.	12
Diphtheria,	54	39	36	9	12	.	33
Enteric Fever,	84	81	75	15	15	1	74
Pneumonia,	5	11	13	6	4	.	15

* Exclusive of 26 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XL.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Dec. 20,	2,407	1,720	19·6	.	67	11	25	40	9	13
EDINBURGH,	317,885	„ 20,	128	126	20·3	.	1	1	.	3	.	2
GLASGOW,	764,423	„ 20,	466	314	21·1	.	2	2	2	22	4	5
CALCUTTA,	847,796	Oct. 25,	.	449	27·5	1	.	.	.	.	147§	66*
BOMBAY,	776,006	Nov. 25,	369	751	50·3	3	26	?	?	1	72§	57*
MADRAS,	509,346	„ 7,	447	426	43·4	.	.	?	?	?	125§	68
PARIS,	2,660,559	Dec. 13,	1,030	1,018	21·0	.	3	2	5†	5	9	33
BRUSSELS (with 8 Faubourgs).	562,893	Nov. 29,	214	199	18·4	.	6	1	4†	2	2	9
AMSTERDAM,	537,798	„ 29,	280	163	15·8	.	1	.	3	1	.	12
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	400,570	Dec. 6,	207	123	16·0	.	4	.	2†	4	.	2
CHRISTIANIA	224,909	„ 6,	160	99	22·9	.	32	.	1	1	.	4
ST. PETERSBURG,	1,248,643	Nov. 29,	753	503	20·9	1	19	3	16	4	6	40
BERLIN,	1,925,203	„ 29,	901	614	16·6	.	7	8	5	11	1	26
HAMBURG,	724,835	Dec. 6.	.	293	21·0	.	10	16	6†	8	1	8
DRESDEN	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH	506,000	Nov. 29,	.	202	20·8	.	4	.	.	4	.	21
VIENNA (with suburbs).	1,744,177	„ 29,	920	687	20·5	.	21	2	16†	3	.	37
BUDA-PESTH	767,661	„ 29,	381	337	22·8	.	5	12	8†	1	3	19
PRAGUE and Faubourgs.	421,545	„ 29,	200	172	21·2	.	2	8	3	.	.	8
ROME,	478,841	Oct. 4,	245	151	16·4	.	.	.	.	1	7	19
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Dec. 6,	64	79	24·8	.	2	.	.	.	.	5
NEW YORK,	3,632,501	Nov. 29,	1,678	1,117	16·0	.	3	7	38†	6	19	32
PHILADELPHIA,	1,349,712	„ 22,	.	448	17·3	.	.	1	11	1	15	1

* Including 16 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
§ Exclusive of 9 deaths from bubonic fever in Calcutta, 119 in Bombay, and one in Madras.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 20th December, 1902:—

"The weather was open throughout, but for the most part very unsettled and boisterous, with frequent falls of rain at first and very unstable temperature. On Sunday, Tuesday and Wednesday the thermometer rose to about 58° in Dublin. In London 56° was touched on Tuesday and 57° on Wednesday. Frost, which had so long held in Central and Eastern Europe broke up on Tuesday, when warm rain began to fall plentifully all over Germany and Austria. At Munich the thermometer fell to 5° on Monday, but rose to 50° on Wednesday and Thursday. These remarkable changes were brought about by the establishment of strong S.W. and W. winds connected with a series of deep cyclonic depressions, which swept north-eastwards in rapid succession along the western shores of Ireland, Scotland and Norway. The most intense of these disturbances was central over the Hebrides at 8 a.m. of Tuesday, when the barometer was down to 28·75 inches at Stornoway, whereas it was 30·53 inches at Biarritz and 30·54 inches at Lyons. Strong southerly to westerly gales raged round the British and Irish coasts, strewing the shores with wreckage in many places. On Thursday the barometer rose fast in Ireland as an anticyclone spread northward from Spain and the Bay of Biscay. But notwithstanding the high atmospheric pressure and a veering of the wind towards N.W. the weather remained mild, dull, damp and breezy to the close of the week. A lunar rainbow was reported as visible at Carrickmines, Co. Dublin, at 9·20 p.m. of Tuesday. In Dublin the mean height of the barometer was 29·962 inches, pressure ranging between 29·550 inches at 9 p.m. of Sunday (wind, W.S.W.) and 30·422 inches about 3 p.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 48·9°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 47·7°. The screened thermometers rose to 58·0° on Wednesday having fallen to 40·0° on Monday. The duration of bright sunshine was estimated at 13¼ hours. The prevailing wind was W.S.W. The rainfall was ·907 inch on 5 days, ·272 inch being measured on Sunday and ·241 inch on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·987 inches. The highest reading (30·426) was on Saturday at 9 p.m., wind W., and the lowest (29·564) on Sunday at 9 p.m., wind S.W.

The mean temperature for the week was 46·7°, being 6·7° over the average for the corresponding week of the 9 years 1892-99 and 1901. The temperature was highest on Wednesday, on which day the thermometer registered 56·3°, and was lowest on Monday, the mercury having fallen to 38·7°. The mean of the Dry Bulb for the week was 46·9°, and of the Wet Bulb 45·6°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 7·7 hours. The rainfall measured ·990 inch.

At Greenwich the mean temperature for the week was 48·2°, the maximum 56·7°, and the minimum 37·9°; at Glasgow the maximum was 54·8°, the minimum 37·8°, and the mean 45·8°; and at Edinburgh the maximum was 53·4°, the minimum 37·6°, and the mean 44·2°. The rainfall at Greenwich measured 0·87 inch; at Glasgow 2·20 inch; and at Edinburgh 0·85 inch.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer: Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer: Maximum.	Thermometer: Minimum.	Thermometer: Mean.	Hygrometer: Dry Bulb.	Hygrometer: Wet Bulb.	Hygrometer: Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Dec. 14,	29·599	55·7	39·5	47·6	49·5	47·7	·88	·8	0·0	·345	S.S.W.	S.W.
Monday, " 15,	29·899	46·3	38·7	42·5	42·3	40·3	·85	·1	3·2	·230	W.	S.S.W.
Tuesday, " 16,	29·618	55·8	39·1	47·5	54·7	53·6	·93	·4	0·0	·225	S.W.	S.W.
Wednesday, " 17,	29·909	56·3	41·8	49·1	42·8	42·2	·96	·4	0·0	·175	W.	Calm.
Thursday, " 18,	30·107	49·0	41·2	45·1	42·5	41·0	·88	·7	4·5	—	W.	W.
Friday, " 19,	30·381	50·0	41·5	45·8	47·2	46·4	·95	·8	0·0	·015	W.	W.
Saturday, " 20,	30·399	52·6	46·6	49·6	49·4	47·8	·89	·9	0·0	—	W.	W.
Mean, . .	29·987	52·2	41·2	46·7	46·9	45·6	·91	·6	Total 7·7	·990	Prevailing wind W.	

Sunday—A dull wet day; night cloudy and showery. *Monday*—A fine but cloudy day; night overcast; heavy rain 8.30 p.m to 2.30 a.m.; showery to 9.0 a.m.; blowing gale 12.0 to 5.30 a.m. *Tuesday*—A dull wet day; night overcast; showery 12.0 to 5 0 a.m. *Wednesday*—A cloudy and showery day; night cloudy and showery. *Thursday*—A fine day; night clear p.m.; cloudy a m. *Friday*—Day overcast; night overcast. *Saturday*—A cloudy day; drizzling showers (inappreciable), night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 299. 9. 1902. 360

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 27TH DECEMBER, 1902. [No. 52.

General Register Office, Charlemont House
Dublin, 29th December, 1902.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Dec. 6.	Week ending Dec. 13.	Week ending Dec. 20.	Week ending Dec. 27.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 6.	Week ending Dec. 13.	Week ending Dec. 20.	Week ending Dec. 27.	Average Rate for 4 weeks
22 Town Dists.	24·8	25·8	27·8	21·9	25·1	Lisburn, . .	18·2	18·2	18·2	18·2	18·2
Armagh, . .	61·8	34·4	6·9	27·5	32·6	Londonderry, .	21·8	16·6	21·8	11·5	17·9
Ballymena, .	23·9	14·4	4·8	14·4	14·4	Lurgan, . .	4·4	8·9	26·6	13·3	13·3
Belfast, . .	26·6	26·2	25·6	21·7	25·0	Newry, . .	4·2	33·6	25·2	21·0	21·0
Clonmel, . .	10·3	15·4	10·3	51·3	21·8	Newtownards, .	40·1	5·7	34·3	11·4	22·9
Cork, . . .	11·0	12·3	26·7	20·5	17·6	Portadown, .	15·5	10·3	10·3	25·8	15·5
Drogheda, . .	45·0	45·0	40·9	49·0	45·0	Queenstown, .	13·2	13·2	26·4	13·2	16·5
Dublin Reg. Area,	25·9	29·2	30·8	24·6	27·6	Sligo, . .	19·2	19·2	4·8	19·2	15·6
Dundalk, . .	27·9	19·9	31·9	27·9	26·9	Tralee, . .	21·1	21·1	26·4	5·3	18·5
Galway, . .	15·5	42·7	38·8	23·3	30·1	Waterford, .	42·9	11·7	35·1	7·8	24·4
Kilkenny, . .	14·7	29·5	14·7	19·7	19·7	Wexford, . .	14·0	28·0	46·7	9·3	24·5
Limerick, . .	31·4	47·8	41·0	19·1	34·8						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 3·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 20·4 in Drogheda; the 12 deaths from all causes registered in that district including 3 from measles and 2 from whooping-cough. Among the 149 deaths from all causes registered in Belfast are 20 from measles, 2 from scarlatina, 5 from whooping-cough, 2 from ill-defined fever, 2 from enteric fever, and one from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 121—72 boys and 49 girls; and the deaths to 188—101 males and 87 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·9 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 24·6 per 1,000. During the fifty-two weeks ending with Saturday last the death-rate averaged 25·1, and was 1·2 under the mean rate for the corresponding portions of the ten years 1892–1901.

Deaths from measles registered in the preceding 4 weeks, namely, 14, 9, 10 and 9, fell

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

in the week under review to 7 deaths. There were 2 deaths from scarlet fever, one death from typhus fever, one death from whooping-cough, 3 deaths from diphtheria, 3 deaths from enteric fever, and 4 deaths from diarrhœal diseases (including one death from epidemic diarrhœa) also registered.

The deaths, 36, caused by tuberculous disease comprise 3 deaths from tuberculous phthisis, 20 deaths from *phthisis*, 4 deaths from tuberculous meningitis, one death from tuberculous peritonitis, one death from *tabes mesenterica*, and 7 deaths from tuberculous disease of other organs or portions of the body.

One death was due to carcinoma, and 4 deaths to *malignant disease*, "*cancer*."

Diseases of the nervous system caused 19 deaths, including 6 deaths from *convulsions*. Five of the latter were of children under 5 years of age.

Diseases of the heart and blood-vessels caused 24 deaths.

Of 42 deaths from diseases of the respiratory system, 25 were due to bronchitis, 7 to broncho-pneumonia, and 8 to *pneumonia*. The total annual rate for this group was 5·8 per 1,000 of the population; the average rate for the corresponding period of the past 10 years was 7·4 per 1,000.

There were 9 deaths from accidental violence.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the deaths of 4 persons aged 60 years and upwards.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 5 were under one month old), and 41 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a man) was stated to have been aged 90 years.

Eighty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·6 per 1,000; the rate in the City was 28·3 (29·1 on the North side, and 27·3 on the South), and in the Urban Districts 12·2.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 2·9 per 1,000 inhabitants, the rate for the City being 3·4 (2·7 in the North City Districts, and 4·1 in the South), and for the Urban Districts 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·6 per 1,000. There was one death from whooping-cough, there were 4 deaths from tuberculous diseases, 6 deaths from diseases of the respiratory system, including one death from broncho-pneumonia and 2 deaths from *pneumonia*.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 21·3 per 1,000. There were 4 deaths from tuberculous diseases, 2 deaths from broncho-pneumonia, one death from *pneumonia*, and 3 deaths from accidental violence.

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 36·4 per 1,000. There were 2 deaths from diarrhœal diseases, 3 deaths from *phthisis*, and 2 deaths from other forms of tuberculous disease, 4 deaths from diseases of the respiratory system, including one death from broncho-pneumonia, and one death from accidental violence.

No. 3 North City District (Blacknall-place).—The deaths (26) represent an annual rate of 42·8 per 1,000. There were 4 deaths from measles and one from diphtheria. There were also 4 deaths from *phthisis*, and 7 deaths from diseases of the respiratory system, including 4 deaths from *pneumonia*; there was, moreover, one death from accidental violence.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 26·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 7·8. Of the 5 deaths tabulated for Coolock and Drumcondra, No. 1, part of, 2 were from diseases of the respiratory system.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 28·6 per 1,000. There were 2 deaths from scarlet fever, one death from diphtheria, one death from enteric fever, 2 deaths from tuberculous diseases, 6 deaths from diseases of the respiratory system, and one death from accidental violence.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 39·6 per 1,000. There was one death from typhus fever, one death from dysentery, and 4 deaths from tuberculous diseases. There were 3 deaths from diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·9 per 1,000. There were 2 deaths from measles, one death from enteric fever, one death from epidemic diarrhœa, 2 deaths from *phthisis*, two deaths from tuberculous disease of other organs, 4 deaths from diseases of the respiratory system, including one death from broncho-pneumonia, and one death from *pneumonia*; also one death from accidental causes.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·9 per 1,000. There was one death from diphtheria; there were 2 deaths from *phthisis*; there were 5 deaths from diseases of the respiratory system, including one death from broncho-pneumonia.

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 7·1 per 1,000 inhabitants.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 17·3 per 1,000 inhabitants; Pembroke, 4·0; Blackrock, 0·0; and Kingstown, 21·0. The deaths from the principal epidemic diseases tabulated for these districts consist of one from measles for Rathmines, and one from enteric fever for Pembroke. Among the 11 deaths from all causes tabulated for Rathmines are 3 from *phthisis* and one from broncho-pneumonia; and of the 7 deaths for Kingstown 3 were from *phthisis*, and 2 from diseases of the nervous system.

NOTE—Names of causes of death printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th December,	162 cases.
" "	13th December,	191 cases.
" "	20th December,	174 cases.
" "	27th December,	136 cases.

Of the 136 cases notified during last week, 18 were erysipelas, 29 enteric fever, 38 scarlatina, 29 measles, 11 diphtheria, 8* typhus fever, one continued fever, one croup, and one small-pox.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th December,	8 cases.
" "	13th December,	12 cases.
" "	20th December,	12 cases.
" "	27th December,	4 cases.

Of the 4 cases notified last week, 2 were measles, one scarlet fever, and one enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th December,	12 cases.
" "	13th December,	6 cases.
" "	20th December,	4 cases.
" "	27th December,	9 cases.

Of the 9 cases notified during last week, one was measles, 4 scarlet fever, one erysipelas, one diphtheria, and 2 chicken-pox.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th December,	76 cases.
" "	13th December,	71 cases.
" "	20th December,	55 cases.
" "	27th December,	52 cases.

Of the 52 cases notified during last week, 7 were enteric fever, 6 erysipelas, 12 diphtheria, 3 membranous croup, 9 continued fever, 14 scarlet fever, and one puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th December, 1902.

From this it appears that:—

One case of small-pox was admitted to hospital.

Fourteen cases of measles were admitted to hospital, being 8 under the admissions for the preceding week; 27 were discharged, there were 3 deaths, and 62 cases remained under treatment at the close of the week.

Ten cases of enteric fever were admitted to hospital, 12 cases were discharged, and 72 cases remained under treatment at the close of the week.

Twenty-two cases of scarlatina were admitted to hospital, 16 cases were discharged, there were 2 deaths, and 173† cases remained under treatment at the close of the week.

Five cases of typhus were admitted to hospital, there was one death, and 16 cases remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 10 were discharged, there were 4 deaths, and 26 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 5 patients were discharged, there were 3 deaths, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·6), was equal to an average annual death-rate of 16·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·3 per 1,000, the rate for Glasgow being 23·0, and for Edinburgh 20·6.

* See note to Table IX. † See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th December, 1902, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 27th December, 1902. Births.	Numbers Registered. Deaths. Total Numbers.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 27th Dec., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Dec., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th Dec., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,092,401	19·2	18·1	21·9	3·1	379	459	81	110	.	34	4	1	9	3	2	6	5	66	95	12	22	189	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	878,761	27·5	16·7	24·6	2·9	121	179	30	36	.	7	2	1	1	3	.	3	4	23	41	9	12	77	§51·6	39·5	46·5	0·24	§56·8	38·7	46·7	0·99	§52·2	23·9	40·0	0·13
City	293,394	37·8	18·0	28·3	3·4	101	159	27	31	.	6	2	1	1	3	.	2	4	17	40	8	11	73	a58·0 / b51·9	40·0 / 40·0	48·6 / 47·2	0·25 / 0·24	a58·0 / b56·8	40·0 / 39·0	48·9 / 47·3	0·91 / 0·87	a58·1 / b54·1	29·6 / 27·4	41·8 / 41·0	0·09 / 0·10
Registrars' Districts. Rathmines,‖	33,208	19·4	12·6	17·3	1·6	8	11	3	2	.	1	.	.	.	.	.	.	.	3	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	14·0	4·0	2·0	7	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,759	8·1	11·9	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	9·0	21·0	.	3	7	.	2	.	.	.	.	.	.	.	.	.	3	.	1	1	.	53·5	35·5	47·1	0·15	58	40·5	48·7	0·84	54·5	35·5	43·1	0·10
Urban Districts.																																			
Belfast	358,693	24·4	19·8	21·7	4·7	136	149	28	30	.	20	2	.	5	.	2	2	1	24	30	4	7	35	.	.	.	.	55·5	37·0	45·7	1·29	49·0	29·4	38·6	0·06
Cork	76,122	33·6	17·1	20·5	.	25	30	2	10	.	.	.	.	.	.	.	.	.	10	2	.	1	11	53	45	49·2	0·06	55	41	49·2	1·97	53	38	43·6	0·68
Londonderry	40,729	18·8	17·9	11·5	.	14	9	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	17·8	19·1	1·4	13	14	3	4	.	1	.	.	.	.	.	.	.	2	8	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	11·7	7·8	.	6	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway	13,426	2·5	46·6	23·8	.	12	6	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	59	41	49	0·29	55	38	47	2·24	50	22	37	0·12
Dundalk	13,076	9·4	27·9	27·9	4·0	7	7	3	1	.	1	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	16·3	49·0	20·4	4	12	1	3	.	3	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	12·6	21·0	.	3	5	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	52·8	39·0	46·5	0·17	55·0	37·0	45·1	1·19	49·2	25·2	38·2	0·16
Lurgan	11,782	13·8	22·1	13·3	.	5	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	52·8	39·0	46·5	0·17	55·0	37·0	45·1	1·19	49·2	25·2	38·2	0·16
Lisburn	11,461	19·1	18·2	18·2	4·5	4	4	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	52·8	39·0	46·5	0·17	55·0	37·0	45·1	1·19	49·2	25·2	38·2	0·16
Wexford	11,168	28·2	9·3	9·3	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	9·6	14·4	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	14·4	19·2	4·8	3	4	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	52·9	42·0	47·2	0·49	55·5	36·8	46·3	2·07	47·9	20·5	36·9	0·58
Kilkenny	10,609	11·5	29·5	19·7	.	6	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	52	38	46·2	0·80	55	39	48·2	1·38	53	22	41·2	0·40
Clonmel	10,167	7·8	15·4	51·3	.	3	10	1	7	.	.	.	.	.	.	.	.	.	.	5	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	31·0	25·8	.	6	5	3	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	52·8	39·0	46·5	0·17	55·0	37·0	45·1	1·19	49·2	25·2	38·2	0·16
Tralee	9,867	16·6	10·6	5·3	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	11·4	11·4	5·7	2	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	52	40	46·4	0·07	55	38	45·9	1·20	51	35	41·4	0·18
Queenstown	7,909	14·4	6·6	13·2	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	53	45	49·2	0·06	55	41	49·2	1·97	53	38	43·6	0·68
Armagh	7,588	22·2	13·7	27·5	6·9	2	4	1	2	.	1	.	.	.	.	.	.	.	1	1	.	.	.	52·8	39·0	46·5	0·17	55·0	37·0	45·1	1·19	49·2	25·2	38·2	0·16

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 27th of December, 1902. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.																Urban District of				
	Registration Districts.																				
	North Side.									South Side.											
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.	Total for Dublin Registration Area.	
A. General Diseases:																					
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	4	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	7	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Whooping Cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	3	.
Diarrhœa, Dysentery,	.	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	4	.
Phthisis,	3	2	3	4	.	.	.	.	.	1	2	2	.	.	.	3	.	.	3	23	.
Other General Diseases,	1	3	2	2	.	1	.	.	3	3	2	2	.	.	.	2	1	.	.	22	1
Total,	5	5	7	11	.	1	.	.	7	6	8	5	.	.	.	6	2	.	3	66	1
B. Local Diseases:																					
Diseases of: Nervous System	1	3	.	4	.	.	.	.	2	2	3	1	.	.	.	1	.	.	2	19	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	5	3	.	.	1	1	2	2	3	1	.	.	.	1	.	.	1	22	2
Respiratory System,	6	3	4	7	.	2	.	.	6	3	4	5	.	.	.	1	.	.	.	41	1
Digestive System,	.	.	1	.	.	.	.	.	1	.	.	3	.	1	.	.	.	.	.	6	3
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	8	11	14	.	2	1	1	12	7	10	10	.	1	.	3	.	.	3	91	7
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	2	.	2	.	.	2	.	.	1	.	3	1	.	.	.	2	.	.	.	13	1
E. Violent Deaths,	.	3	1	1	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1	9	.
Deaths from all Causes,	15	16	21	26	.	5	1	1	21	13	22	16	.	1	1	11	2	.	7	179	9
Annual Rate of Mortality in every 1,000 of the population.	27·6	21·3	36·4	42·8	.	26·0	7·8	.	28·6	39·6	26·9	23·9	.	7·1	.	17·3	4·0	.	21·0	24·6	.
	29·1								27·3							14·2					
	28·3																				

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS and WORKHOUSE HOSPITALS

Public Hospitals, Prisons, and Lunatic Asylums,	2	6	2	8	.	1	.	1	9	3	6	5	.	1	.	2	1	.	.	47	6
Workhouse Hospitals,	2	5	8	4	.	.	.	.	1	4	3	2	.	.	.	1	.	.	.	30	3

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease i
week of the ten yea

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years 1892-1901	In the Week ending 27th December,				
												Deaths of Persons of				
	Dec. 31, 1892.	Dec. 30, 1893.	Dec. 29, 1894	Dec. 28, 1895.	Dec. 26, 1896.	Jan. 1, 1898.	Dec. 31, 1898.	Dec. 30, 1899.	Dec. 29, 1900.	Dec. 28, 1901.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20. 20 and under 40.
Mean Temperature.	° 32·7	° 43·9	° 42·9	° 39·5	° 38·9	° 45·4	° 44·5	° 35·9	° 42·8	° 35·2	° 40·2	Mean Temp. ° 46·5				
ALL CAUSES.	224	247	170	156	178	223	186	280	149	200	201·3	188	5	25	32	12 8
Small Pox, Vaccinated, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	6	1	.	.	.	.	.	.	·7	.	.	.	.	.
Small Pox, No Statement, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	.	.	2	1	.	15	.	.	2·2	7	.	1	5	1
Scarlet Fever	.	2	2	.	3	1	1	1	1	.	1·1	2	.	.	2	.
Typhus, ...	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	12	2	2	2	3	2	9	.	3	3·6	.	.	.	.	.
Whooping Cough, ...	2	6	3	.	15	2	4	2	5	.	3·9	1	.	1	.	.
Diphtheria, ...	.	.	.	1	.	2	1	1	.	2	·7	3	.	1	2	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.
Enteric Fever, ...	4	6	3	1	.	5	1	2	3	5	3·0	3	.	.	.	2
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	5	3	3	.	.	1	2	1	2	3	2·0	1 / 3	. / .	. / 2	1 / .	. / .
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	2	1	.	.	.	2	.	.	.	.	·5	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	3	1	.	.	1	.	.	.	.	·5	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	2	.	.	1	.	.	.	2	·7	2	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	3	.	1	.	1	.	1	1	.	1	·8	. / .	. / .	. / .	. / .	. / .
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Tuberculous Phthisis, ... "*Phthisis*,"	24	25	17	17	15	22	18	28	17	21	20·4	3 / 20	. / .	. / .	. / .	. / 2 1
Tuberculous Meningitis, (Acute Hydrocephalus).	4	3	1	4	8	.	6	6	2	4	3·8	4	.	3	1	.
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	7	5	2	1	4	5	4	5	1	1	3·5	1 / 1	. / .	. / .	. / 1	. / .
Tuberculous Dis. (other), ... Scrofula, ...	8	3	.	.	5	1	5	3	3	4	3·2	7 / .	. / .	1 / .	3 / .	1 / .
Alcoholism	2	1	.	.	1	1	.	2	1	.	·8	.	.	.	.	.
Rheumatic Fever, ...	3	1	.	.	1	1	.	.	.	2	·8	.	.	.	.	.
Gout	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.

* The figures for the years 1892-1900

FTY-SECOND WEEK ending Saturday, 27th December, 1902, with the deaths from each cause in the corresponding
e average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 31, 1892.	Dec. 30, 1893.	Dec. 29, 1894.	Dec. 28, 1895.	Dec. 26, 1896.	Jan. 1, 1898.	Dec. 31, 1898.	Dec. 30, 1899.	Dec. 29, 1900.	Dec. 28, 1901.	Averages in 52nd Week of the 10 years 1892-1901.	In the Week ending Saturday, 27th December, 1902. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 32·7	° 43·9	° 42·9	° 39·5	° 38·9	° 45·4	° 44·5	° 35·9	° 42·8	° 35·2	° 40·2	° 46·5								
inoma												1	.	.	.	.	.	1	.	.
oma	2	9	5	11	1	9	4	5	9	4	5·9	.	.	.	.	.	.	.	.	.
nant Dis. "*Cancer*,"												4	.	.	.	.	1	1	1	1
etes Mellitus	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
natural Birth	2	4	.	.	1	1	6	5	1	1	2·1	.	.	.	.	.	.	.	.	.
ingitis (not tuberc.)												4	.	.	.	1	.	.	.	.
nity, G. P. of Insane												2	.	.	.	.	.	2	.	.
epsy												2	.	.	.	.	.	2	.	.
ulsions												6	1	2	2	1	.	.		.
motor Ataxy												.	.	.	.	.	.	.	.	.
plegia Dis. of Cord												1	.	.	.	.	.	.	.	1
vous System (other Dis.) ...	40	46	35	32	28	48	41	43	36	53	40·2	4	.	.	1	.	2	1	.	.
. Dis., Endocarditis												5	.	.	.	.	3	1	1	.
br. Hæm. Thromb.												.	.	.	.	.	.	.	.	.
lexy, Hemiplegia												3	.	.	.	.	.	1	2	.
rysm												1	.	.	.	.	.	1	.	.
olism, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
t and Blood Vessel Dis.												15	1	.	.	1	1	5	7	.
p (not Spasm. or Memb.) ...	2	2	1	1	.	1	.	.	.	.	·7	1	.	.	1	.	.	.	.	.
chitis	41	28	22	27	37	36	22	72	25	37	34·7	25	1	7	4	.	.	2	9	2
pous Pneumonia												.	.	.	.	.	.	.	.	.
cho-Pneumonia	15	20	13	11	13	14	7	22	12	7	13·4	7	.	2	5	.	.	.	.	.
umonia"												8	.	.	1	.	1	4	1	1
ma, Emphysema												1	.	.	.	.	.	1	.	.
risy	7	6	1	1	2	3	5	4	2	2	3·3	.	.	.	.	.	.	.	.	.
iratory Dis. (other)												.	.	.	.	.	.	.	.	.
illitis, Quinsy	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
ritis (not Epid.)	.	.	.	.	.	1	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
o Enteritis												.	.	.	.	.	.	.	.	.
onitis (not Puerp.)	.	2	.	.	.	2	.	1	.	1	·6	2	.	.	.	.	1	.	1	.
nosis of Liver	1	4	4	4	3	2	5	1	2	2	2·8	1	.	.	.	.	.	1	.	.
r Dis. (other)												1	.	.	.	.	1	.	.	.
stive Dis. (other)	4	3	6	2	1	6	8	5	1	4	4·0	5	.	.	.	.	1	2	2	.
ritis, Acute												.	.	.	.	.	.	.	.	.
t's Dis., Albuminuria ...	2	3	2	9	7	7	3	3	1	5	4·2	3	.	.	.	.	.	2	1	.
ary Sys. (Other Dis.) ...												.	.	.	.	.	.	.	.	.
rative Organs Dis.	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
lbirth (Accid. of)	.	1	.	.	.	1	.	.	1	.	·3	1	.	.	.	.	1	.	.	.
Age	16	12	14	11	6	6	14	22	10	11	12·2	4	.	.	.	.	.	.	4	.
r Diseases	19	15	14	13	12	24	18	14	8	14	15·1	12	2	5	1	.	.	1	3	.
ACCIDENT.																				
ailways	.	1	.	.	.	.	.	.	1	.	·2	1	.	.	.	.	1	.	.	.
ehicles and Horses	.	1	2	1	1	.	.	1	.	1	·7	1	.	.	.	.	.	1	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
uilding Operations	.	.	.	.	.	.	3	1	.	.	·4	.	.	.	.	.	.	.	.	.
onflagrations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	1	3	1	2	5	5	.	1	2	2	2·2	2	.	.	1	.	.	.	1	.
rowning	3	.	1	2	1	1	3	1	.	1	1·3	1	.	.	.	.	1	.	.	.
uffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
r Deaths by Accidents ...	2	8	.	2	1	4	2	3	2	3	2·7	4	.	.	.	.	1	2	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
icide	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
de	.	2	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1902—Week ending																									
	July 5.	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct 4	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov 8,	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered,	204	187	196	208	186	244	192	185	209	205	219	221	222	192	162	176	259	183	166	275	184	158	153	253	161	121
*Average Births in corresponding week of previous 10 years,**	186	195	188	195	210	190	200	188	204	198	214	193	210	184	175	193	181	181	184	192	181	189	194	173	154	176
DEATHS registered,	149	129	155	150	165	154	145	146	156	170	142	168	213	169	192	200	228	183	228	202	237	230	196	219	235	188
Annual Death-rate per 1,000,	20·5	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5	30·7	25·2	31·4	27·8	32·6	31·7	27·0	30·1	32·4	25·9
*Average Deaths in corresponding week of previous 10 years,**	148	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161	169	175	174	180	183	181	181	180	188	201
AGES, Under 5 years,	41	38	44	46	59	65	55	52	53	57	62	87	98	80	81	100	112	86	96	72	119	95	63	79	75	62
5—20 ,,	14	10	13	8	14	14	7	15	12	16	9	9	18	12	16	12	15	8	17	13	12	22	11	18	5	12
20—40 ,,	30	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16	32	30	39	35	29	26	34	32	41	28
40—60 ,,	27	29	30	29	24	20	36	32	31	43	23	18	33	34	34	33	26	30	29	29	38	41	42	41	47	45
60—80 ,,	30	25	27	29	30	29	28	15	26	23	23	23	25	19	22	33	32	21	41	40	32	41	39	36	52	36
80 years and upwards,	7	3	5	13	7	4	2	5	3	6	6	5	9	2	5	6	6	3	6	13	7	5	7	13	15	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	6	6	8	8	18	20	20	16	11	11	6	13	10	8	11	19	20	16	16	10	19	14	9	10	9	7
,, Scarlet Fever,	1	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2	2	3	4	2	5	8	2	1	1	2
,, Typhus,	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1
,, Whooping-cough,	.	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1	1	1	.	1	.	.	.	.	3	1
,, Diphtheria,	.	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1	2	1	3	1	4	4	2	1	.	3
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.
,, Enteric Fever,	2	4	3	1	2	4	1	2	2	3	3	1	8	6	2	1	1	2	5	4	2	4	2	5	3	3
,, Diarrhœa, Dysentery,	2	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11	14	3	2	3	7	7	1	5	3	4
,, Phthisis,	18	14	25	18	19	15	18	21	19	24	14	15	20	18	26	18	17	21	24	19	21	22	26	18	28	23
,, Heart Diseases,	1	18	25	18	10	18	21	17	18	24	17	17	21	14	19	20	25	18	27	39	23	22	26	19	29	24
,, Diseases of Respiratory System,	30	24	23	17	30	28	19	18	16	20	14	20	27	19	25	42	49	37	57	37	52	53	53	65	58	42
Violent Deaths,	7	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6	3	1	4	2	2	2	2	1	6	9
Mean Temperature of the Air (Phœnix Park),	58·9	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4	50·7	50·1	47·7	47·9	42·4	48·5	38·5	40·0	46·7	46·5
Average Mean Temperature in corresponding week of previous 10 years,	58·3	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3	46·1	46·7	45·6	44·0	44·5	42·8	42·3	42·5	40·0†	40·2
Rainfall in inches,	·270	·200	·630	1·650	·105	1·300	·355	·538	·083	1·725	·115	·180	·595	·640	1·150	·600	·298	·068	1·337	·212	·140	·830	·140	·130	·990	·235
Mean Humidity of the Air, complete Saturation 1·0,	·88	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·83	·88	·90	·87	·89	·90	·85	·77	·93	·81	·79	·91	·88

* See note at foot of Table III. † For nine years only.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS [illegible] in the Dublin Registration Area during the Week ending Saturday, 27th December, 1902; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	28.3	188	62	12	28	45	36	5	.	7	2	1	1	3	.	3	4	21	23	6	42	9	87
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,424	13·5	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
II.	MIDDLE CLASS,	80,653	9·1	14	5	1	1	3	4	.	.	1	.	.	.	.	.	.	1	2	1	.	1	.	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	98,374	23·8	43	20	4	4	7	7	1	.	1	2	.	.	.	.	1	1	5	6	4	10	1	17
IV.	GENERAL SERVICE CLASS,	146,486	43·7	94	29	7	19	28	15	1	.	5	.	1	1	3	.	2	.	12	9	2	21	8	42
V.	INMATES OF WORKHOUSES,	5,191		33	8	.	4	10	9	2	.	.	.	.	.	.	.	.	2	2	7	.	10	.	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	19·8	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	9·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	17·9	2	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	2·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	6. Clerks and Commercial Assistants,	24,750	16·9	8	2	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	6·4	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	56·7	8	3	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	3
	9. Building and Furnishing Trades,	26,030	22·0	11	8	1	.	1	1	.	.	1	1	.	.	.	.	1	.	3	.	3	3	.	2
	10. Clothing Trades,	23,686	11·0	5	3	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3
	11. Food Supply Trades,	7,869	33·1	5	2	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	12. Other Trades and Callings ranking with Trades,	26,666	21·5	11	3	2	.	4	2	.	.	.	1	.	.	.	.	.	.	1	3	.	3	1	3
	13. Petty Shopkeepers,	6,771	23·1	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	26·9	7	1	.	2	3	1	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	4
	15. Domestic Servants,	39,563	14·5	11	3	.	3	2	2	1	.	.	.	.	.	.	.	.	.	.	1	.	4	.	6
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	53·6	11	3	.	3	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	9
	17. Hawkers, Porters, Labourers, &c.,	82,631	41·0	65	22	7	11	13	12	.	.	5	.	1	1	2	.	2	.	11	7	2	16	6	33
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	.	33	8	.	4	10	9	2	.	.	.	.	.	.	.	.	2	2	7	.	10	.	14

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN: the Annual Rate D seases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

City of Dublin (prior to extension) — DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.)	Nov. 8,	36·8	7·4	20	.	3	.	.	.	.	.	1	.	3	6	.
	" 15,	38·6	8·7	21	.	.	.	.	.	.	.	1	1	1	6	.
	" 22,	38·6	8·7	21	.	2	.	.	.	.	.	.	.	2	9	.
(*Offices, Clarence-street, Nth.*)	" 29,	35·0	9·2	19	.	2	1	.	.	2	.	.	.	4	3	.
	Dec. 6,	23·9	1·8	13	.	1	.	.	.	.	.	.	.	1	3	.
	" 13,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
Pop. in 1902 (Est.) 28,383.	" 20,	40·5	8·7	22	.	2	.	.	.	.	.	.	.	5	7	1
	" 27,	27·6	1·8	15	.	.	.	.	1	.	.	.	.	3	6	.
North City, No. 1 (W.)	Nov. 8,	36·0	5·3	27	.	2	.	.	.	.	.	2	.	4	7	.
	" 15,	33·3	4·0	25	.	2	.	.	.	.	.	1	.	5	4	.
	" 22,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	4	5	.
(*Offices, Summer-hill.*)	" 29,	26·6	2·7	20	.	1	.	.	.	.	.	1	.	2	3	.
	Dec. 6,	38·6	5·3	29	.	2	.	.	.	1	1	.	.	4	11	.
	" 13,	40·0	4·0	30	.	.	.	.	.	.	.	1	2	3	6	.
	" 20,	30·6	1·3	23	.	.	.	.	.	.	.	.	1	3	9	2
Pop. in 1902 (Est.) 89,146.	" 27,	21·3	.	16	.	.	.	.	.	.	.	.	.	2	3	3
North City, No. 2.	Nov. 8,	41·6	8·7	24	.	3	.	.	.	1	.	1	.	2	3	.
	" 15,	46·8	10·4	27	.	3	1	1	.	1	.	.	.	2	6	.
	" 22,	41·6	8·7	24	.	2	.	.	.	1	.	.	2	2	3	.
(*Offices, Lisburn-street.*)	" 29,	39·8	8·7	23	.	3	1	.	.	1	.	.	.	4	5	.
	Dec. 6,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	.
	" 13,	36·4	3·5	21	.	2	.	.	.	.	.	.	.	3	5	.
	" 20,	34·6	5·2	20	.	3	.	.	.	.	.	.	.	2	3	.
Pop. in 1902 (Est.) 30,107.	" 27,	36·4	3·5	21	.	.	.	.	.	.	.	.	2	3	4	1
North City, No. 3.	Nov. 8,	37·9	6·6	23	.	4	.	.	.	.	.	.	.	1	5	.
	" 15,	37·9	4·9	23	.	3	1	.	.	.	.	.	.	2	4	1
	" 22,	46·1	16·5	28	.	7	.	.	.	1	.	.	1	1	4	.
(*Offices, Blackhall-place.*)	" 29,	37·9	8·2	23	.	5	.	.	.	.	.	.	.	2	7	.
	Dec. 6,	29·6	4·9	18	.	3	.	.	.	.	.	.	.	3	3	.
	" 13,	37·9	8·2	23	.	4	.	.	.	.	.	1	.	1	5	1
	" 20,	34·6	4·9	21	.	2	.	.	.	.	.	.	1	2	6	.
Pop. in 1902 (Est.) 31,678.	" 27,	42·8	8·2	26	.	4	.	.	.	1	.	.	.	4	7	1
South City, No. 1.	Nov. 8,	38·1	5·4	23	.	2	.	.	.	2	.	.	.	1	8	2
	" 15,	23·1	4·1	17	.	2	.	1	.	.	.	.	.	2	2	.
	" 22,	31·3	5·4	23	.	3	.	.	.	.	.	.	1	2	5	.
(*Offices, South Earl-street.*)	" 29,	39·5	8·2	29	.	1	2	.	.	1	.	.	2	4	4	.
	Dec. 6,	15·0	2·7	11	.	1	1	.	.	.	.	.	.	1	1	.
	" 13	32·7	4·1	24	.	3	.	.	.	.	.	.	.	2	5	.
Pop. in 1902 (Est.) 38,313.	" 20,	25·9	4·1	19	.	.	1	.	1	.	.	1	.	1	4	.
	" 27,	28·6	5·4	21	.	.	2	.	.	1	.	1	.	.	6	1
South City, No. 2.	Nov. 8,	51·8	6·1	17	.	1	.	.	.	.	.	.	1	2	6	.
	" 15,	27·4	6·1	9	.	.	.	.	.	.	.	1	1	1	2	.
	" 22,	39·6	3·0	13	.	1	.	.	.	.	.	.	.	1	3	.
(*Offices, Castle-street.*)	" 29,	45·7	6·1	15	.	.	.	.	.	.	.	1	1	1	5	.
	Dec. 6,	51·8	9·1	17	.	1	.	.	.	.	.	1	1	4	6	.
	" 13,	36·6	3·0	12	.	.	.	.	.	.	.	.	1	1	3	.
Pop. in 1902 (Est.) 17,115.	" 20,	42·7	6·1	14	.	1	.	.	.	.	.	1	.	3	3	.
	" 27,	39·6	6·1	13	.	.	.	1	.	.	.	.	1	1	3	.
South City, No. 3.	Nov. 8,	38·0	3·7	31	1	2	.	.	.	.	.	.	.	3	11	.
	" 15,	30·6	1·2	25	.	.	.	.	1	.	.	.	.	.	5	1
	" 22,	47·8	3·7	39	.	2	.	.	.	.	.	.	1	2	7	.
Offices, Peter-street.	" 29,	28·2	3·7	23	.	.	.	.	.	.	.	1	2	1	9	.
	Dec. 6,	30·6	.	25	.	.	.	.	.	.	.	.	.	5	2	.
	" 13,	29·4	.	24	.	.	.	.	.	.	.	.	.	1	14	.
Pop. in 1902 (Est.) 42,575.	" 20,	26·9	2·4	22	.	.	.	.	1	.	.	1	.	1	8	.
	" 27,	26·9	4·9	22	.	2	.	.	.	.	.	1	1	2	4	1
South City, No. 4.	Nov. 8,	17·9	1·5	12	.	.	1	.	.	.	.	.	.	3	4	1
	" 15,	17·9	1·5	12	.	.	.	.	.	.	.	1	.	1	1	.
	" 22,	22·4	3·0	15	.	.	1	.	.	.	.	1	.	1	4	.
(*Offices, Grand Canal-street.*)	" 29,	43·3	3·0	29	.	.	1	.	.	.	.	.	1	.	8	.
	Dec. 6,	29·9	.	20	.	.	.	.	.	.	.	.	.	4	6	1
	" 13,	31·4	1·5	21	.	.	.	.	.	.	.	1	.	4	7	.
Pop. in 1902 (Est.) 34,893.	" 20,	32·9	1·5	22	.	.	.	.	1	.	.	.	.	5	3	.
	" 27,	23·9	1·5	16	.	.	.	.	.	1	.	.	.	2	5	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 38,208.	Nov. 8,	22·0	3·1	14	.	.	.	.	.	.	.	1	1	3	3	.
	„ 15,	17·3		11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	14·1	1·6	9	.	.	.	.	.	1	.	.	.	.	3	.
	„ 29,	18·8	3·1	12	.	.	2	.	.	.	.	.	.	1	2	1
	Dec. 6,	25·1	3·1	16	.	.	1	.	.	.	.	1	.	2	5	1
	„ 13,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	.	3	2
	„ 27,	17·3	1·6	11	.	1	.	.	.	.	.	.	.	3	1	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Nov. 8,	12·0	2·0	6	.	.	1	.	.		.	.	.	2	.	.
	„ 15,	16·0	2·0	8	.	.	1	.	.	.	.	.	.	2	2	.
	„ 22,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	2	3	2
	„ 29,	16·0	2·0	8	.	1	.	.	.	.	.	.	.	.	3	.
	Dec. 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	28·0	4·0	14	.	.	.	.	.	.	.	1	1	1	8	.
	„ 20,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	4·0	2·0	2	.	.	.	.	.	.	.	1	.	.	.	.
Kingstown. Pop. in 1902 (Est.) 17,380.	Nov. 8,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 15,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	„ 29,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 6,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	3	.
	„ 20,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	3	.
	„ 27	21·0	.	7	.	.	.	.	.	.	.	.	.	3	.	1
Belfast. Pop. in 1902 (Est.) 358,693.	Nov. 8,	19·8	3·6	136	.	14	1	.	4	2	.	3	1	20	27	.
	„ 15,	23·0	4·7	158	.	16	1	.	5	1	.	5	4	22	44	3
	„ 22,	20·8	5·5	143	.	17	2	.	9	2	2	3	3	13	39	3
	„ 29,	21·1	4·4	145	.	14	.	.	4	1	.	6	5	20	39	6
	Dec. 6,	26·6	5·2	183	.	22	1	.	4	3	.	5	1	23	46	8
	„ 13,	26·2	6·4	180	.	24	.	.	9	1	.	7	3	15	50	6
	„ 20,	25·6	4·9	176	.	22	.	.	6	2	.	2	2	18	57	5
	„ 27,	21·7	4·7	149	.	20	2	.	5	.	2	2	1	24	30	4
Cork. Pop. (in 1901) 76,122.	Nov. 8,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	4	4	1
	„ 15,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	3	6	1
	„ 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	„ 29,	15·1	.	22	.	.	.	.	.	.	.	.	.	9	1	1
	Dec. 6,	11·0	.	16	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13	12·3	.	18	.	.	.	.	.	.	.	.	.	2	3	1
	„ 20,	26·7	2·7	39	.	1	.	.	3	1	.	.	.	9	8	1
	„ 27,	20·5	.	30	.	.	.	.	.	.	.	.	.	10	2	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Nov. 8,	17·2	1·3	14	.	.	.	.	.	.	.	1	.	2	6	1
	„ 15,	17·2	1·3	14	.	1	.	.	.	.	.	.	.	3	3	1
	„ 22,	23·0	3·8	18	.	1	.	.	.	.	.	.	2	.	4	.
	„ 29,	15·4	.	12	.	.	.	.	.	.	.	.	.	2	.	1
	Dec. 6,	21·8	.	17	.	.	.	.	.	.	.	.	.	3	2	.
	„ 13,	16·6	2·6	13	.	.	.	.	.	1	.	.	1	4	3	.
	„ 20,	21·8	1·3	17	.	.	.	.	.	.	.	.	1	1	3	.
	„ 27,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	.	.
Limerick. Pop. (in 1901) 38,151.	Nov. 8,	13·7	1·4	10	.	1	.	.	.	.	.	.	.	1	4	.
	„ 15,	20·5	8·2	15	.	4	.	1	.	.	.	1	.	1	1	.
	„ 22,	19·1	9·6	14	.	7	.	.	.	.	.	.	.	1	3	.
	„ 29,	26·0	12·3	19	.	9	.	.	.	.	.	.	.	1	3	1
	Dec. 6,	31·4	16·4	23	.	10	.	.	.	.	.	.	2	2	6	.
	„ 13,	47·8	10·9	35	.	8	.	.	.	.	.	.	.	6	10	.
	„ 20,	41·0	10·9	30	.	8	.	.	.	.	.	.	.	2	9	.
	„ 27,	19·1	1·4	14	.	1	.	.	.	.	.	.	.	2	3	.
Waterford. Pop. (in 1901) 26,769.	Nov. 8,	17·5	3·9	9	.		1	.	1	.	.	.	.	.	2	.
	„ 15,	27·3	7·8	14	.	1	.	.	2	.	.	1	.	.	1	.
	„ 22,	3·9	3·9	2	.	1	.	.	1	.	.	.	.	.	.	.
	„ 29,	37·0	1·9	19	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 6,	42·9	7·8	22	.	1	.	.	2	.	.	.	1	2	6	1
	„ 13,	11·7	3·9	6	.	.	.	.	1	1	.	.	.	2	1	.
	„ 20,	35·1	5·8	18	.	1	.	.	2	.	.	.	.	1	4	.
	„ 27,	7·8	.	4	.	.	.	.	.	.	.	.	.	1	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 27th December, 1902, Deaths in Public Institutions of persons *admitted, from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	4	31·9	14·2	9	.	2	5	2	.	1	.	.	.	.	2	.	1	1	3	.	.	3
" 2 "	47,959	17	19·6	5·4	18	2	3	11	2	.	1	2	.	1	.	.	1	.	4	1	1	2	.
" 3 "	47,214	20	22·1	4·4	20	3	7	8	2	.	4	.	.	.	.	.	.	.	6	5	.	.	2
" 4 "	40,911	15	20·4	2·5	16	3	2	5	6	.	2	.	.	.	.	.	.	.	2	5	1	1	8
" 5 "	17,387	10	36·0	9·0	12	1	4	5	2	.	1	.	.	2	.	.	.	.	2	3	.	.	4
" 6 "	48,122	12	28·2	5·4	26	6	4	11	5	.	4	.	.	.	.	.	1	.	5	3	.	2	7
" 7 "	1,524	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 8 "	5,060	.	30·9	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
" 9 "	19,569	6	24·0	5·3	9	1	1	4	3	.	1	.	.	1	.	.	.	.	1	2	.	.	1
" 0 "	3,064	12	9·0	2·3	4	.	1	2	1	.	1	.	.	.	.	.	.	.	.	.	1	1	1
" 11 "	34,862	19	19·5	6·0	13	6	1	3	3	.	4	.	.	.	.	.	.	.	1	3	.	.	2
" 12 "	33,588	14	23·3	1·6	15	5	1	6	3	.	.	.	.	1	.	.	.	.	2	3	1	1	4
" 13 "	15,006	7	10·4	3·5	3	1	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	136	22·3	4·8	149	28	29	62	30	.	20	2	.	5	.	2	2	1	24	30	4	7	35
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	2	32·4	.	8	.	.	5	3	.	.	.	.	.	.	.	.	.	4	1	.	.	4
" 2 "	10,701	2	14·6	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 3 "	9,978	6	31·4	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	3	1	.	.	4
" 4 "	8,666	6	12·0	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	6,592	2	31·6	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	1	1
" 6 "	10,702	3	14·6	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	16,616	4	12·6	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Total,	76,122	25	20·5	.	30	2	2	16	10	.	.	.	.	.	.	.	.	.	10	2	.	1	11

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902—Week ending																									
	July 5.	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sep. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered,	237	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234	240	190	186	198	180	186	187	180	178	186
DEATHS registered.	147	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154	146	149	136	158	143	145	183	180	176	149
Annual Death-rate per 1,000 of estimated Population.	21·4	17·2	16·9	15·6	18·6	17·6	15·7	16·3	16·3	17·9	18·3	20·9	17·6	19·9	21·5	22·4	21·2	21·7	19·8	23·0	20·8	21·1	26·6	26·2	25·6	21·7
AGES, Under 1 year,	26	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45	38	42	36	42	41	40	38	35	47	28
1-5 years,	27	28	19	19	22	13	21	17	19	16	20	17	16	26	18	33	27	29	32	36	39	30	39	44	43	29
5-60 years,	64	55	45	48	58	62	44	43	51	54	42	60	44	54	57	53	55	53	57	55	45	56	77	74	56	62
60 years and upwards,	30	16	23	17	24	21	23	16	20	25	15	21	15	17	19	23	26	25	11	25	18	19	29	27	30	30
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	6	7	7	8	5		3	2	5	6	4	5	4	7	6	8	14	8	14	16	17	14	22	24	22	20
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	2	.	1	.	.	2
,, Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	7	4	.	2	8	6	2	6	5	6	5	2	4	2	2	6	3	3	4	5	9	4	4	9	6	5
,, Diphtheria,	.	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2	2	3	2	1	2	1	3	1	2	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2
,, Enteric Fever,	2	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5	6	3	3	5	3	6	5	7	2	2
,, Diarrhœa, Dysentery,	4	3	6	6	2	1	5	5	4	4	23	13	12	14	10	7	5	4	1	4	3	5	1	3	2	1
,, Phthisis	18	19	23	17	16	30	14	13	13	18	13	24	8	16	17	19	19	14	20	22	13	20	23	15	18	24
,, Diseases of Respiratory System,	34	22	18	16	29	15	19	9	26	27	15	15	24	23	35	26	36	32	27	44	39	39	46	50	57	30
Violent Deaths,	7	4	1	6	4	.	1	1	1	1	2	6	.	2	3	1	3	2	.	3	3	6	6	6	5	4

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th December, 1902.

DISTRICT.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	1	2	.	.	.	.	.	.	.	1	.	.	.	4
" " 1, West,	.	3	.	2	.	.	.	.	.	4	2	.	.	11
" " 2,	.	1	.	3	1	.	.	.	.	5	.	.	.	10
" " 3,	.	3	.	7	3*	.	1	1	.	4	4	.	.	23
Clontarf and Howth No. 1 (part of),	.	1	.	1	.	.	.	.	.	.	1	.	.	3
Coolock and Drumcondra No. 1 (part of),	.	3	.	.	.	.	2	.	.	1	.	.	.	6
Finglas and Glasnevin (part of),	.	1	.	2	.	.	.	.	.	.	.	.	.	3
Blanchardstown and Castleknock (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	8	.	11	.	.	2	.	1	6	4	.	.	32
" " 2,	.	1	.	2	3	.	1	.	.	.	.	.	.	7
" " 3,	.	5	.	5	.	.	2	.	.	3	2	.	.	17
" " 4,	.	1	.	3	1	.	3	.	.	4	5	.	.	17
Palmerston (part of),	.	.	.	1	.	.	.	.	.	1	.	.	.	2
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	1	29	.	38	8*	.	11	1	1	29	18	.	.	136
Total for week ended Dec. 20th, 1902,	.	59	.	44	2	.	9	.	7	30	22	.	1	174
Total for week ended Dec. 13th, 1902,	.	87	.	40	1	.	13	.	6	20	16	.	8	191
Total for week ended Dec. 6th, 1902,	.	58	.	30	2	.	21	.	.	40	10	.	1	162

* Including 3 cases returned under the head of "Continued Fever" in the week ended December 20th.

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th December, 1902, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th December.			
	Dec. 6.	Dec. 13.	Dec. 20.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	1	.	.	1
Measles,	82	75	78	14	27	3	62
Scarlet Fever,	184	176	169	22	16	2	173*
Typhus "	4	3	12	5	.	1	16
Diphtheria,	39	36	33	7	10	4	26
Enteric Fever,	81	75	74	10	12	.	72
Pneumonia,	11	13	15	8	5	3	15

* Exclusive of 27 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn.)	Deaths (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Dec. 27,	1,651	1,458	16·6	.	42	12	22	32	11	15
EDINBURGH,	317,885	„ 27,	108	128	20·6	1	2	1	1	1	1	2
GLASGOW,	764,423	„ 27,	438	343	23·0	.	2	1	3	16	5	11
CALCUTTA,	847,796	Nov. 1,	.	483	29·6	.	.	.	2	1	170§	82*
BOMBAY,	776,006	Dec. 2,	423	702	47·0	2	34	?	?	2	57§	74
MADRAS,	509,346	Nov. 14,	428	459	46·8	.	.	?	?	?	154	53
PARIS,	2,660,559	Dec. 20,	986	1,045	21·6	1	1	1	17†	6	6	26
BRUSSELS (with 8 Faubourgs).	562,893	„ 6,	212	194	17·9	1	10	.	4†	1	1	7
AMSTERDAM,	537,798	„ 6,	273	171	16·5	.	2	.	3†	1	1	9
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	400,570	Dec. 13,	173	152	19·7	.	5	.	.	.	.	7
CHRISTIANIA,	224,909	„ 13,	134	81	18·7	.	17	.	2	5	1	.
ST. PETERSBURG,	1,248,643	„ 6.	562	531	22·1	.	16	11	9	2	13	58
BERLIN,	1,926,100	„ 6,	867	634	17·2	.	5	6	5	12	.	33
HAMBURG,	724,835	„ 13,	.	334	24·0	.	11	18	3†	6	.	7
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.		.	.	.	.	.	.
MUNICH	506,000	Dec. 13,	.	225	23·1	.	2	.	2†	4	.	24
VIENNA (with suburbs).	1,744,177	„ 13,	1,028	716	21·3	.	9	1	15†	3	6	41
BUDA-PESTH,	767,661	„ 6,	449	282	19·1	.	6	7	7†	.	.	8
PRAGUE and Faubourgs.	421,545	„ 6,	194	188	23·2	.	2	6	.	2	2	15
ROME,	478,841	Oct. 11,	215	146	15·9	.	.	.	.	.	8	13
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Dec. 6,	64	79	24·8	.	2	.	.	.	.	5
NEW YORK,	3,632,501	„ 6,	2,117	1,196	17·2	.	6	12	49†	4	19	25
PHILADELPHIA,	1,349,712	Nov. 29,	.	454	17·5	1	2	.	8	2	12	2

* Including 22 deaths from cholera.
† Including deaths from croup.
§ Exclusive of 8 deaths from bubonic fever in Calcutta, and 120 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 27th December, 1902:—

"Singularly open weather held throughout this Christmas week, and the rainfall also was trifling in amount—·011 inch being measured for the first time on Christmas Day, when however a severe westerly gale prevailed. Sunday was a dull, mild day—at 8 a.m. temperature all over the British Isles ranged from 45° to 51° only, so that it was everywhere much above the average. Some local chills were observed on Monday morning, when 31° was reported from Aberdeen and 41° from Birr, King's Co.; but once more temperature ruled far above average. Early on Tuesday morning the thermometer fell to 27° locally at Aberdeen. There were other cold "patches" about North Shields (min. 33°), Bath (min. 31°), and Dublin (min. 40°), but the thermometer was in general high. Gradients now became steep for westerly winds and the isobars ran from W. to E. all across North-western Europe. Strong and squally S.W. to W. winds prevailed, and on Christmas Day a fresh to whole westerly gale was felt in Ireland, the North of England, and Denmark. Friday was cloudy, windy, mild, and rather showery. Saturday was brighter, but squally and unsettled and so the week closed with a more quickly-falling barometer, some heavy showers, and a renewal of the westerly gale. In Dublin the mean height of the barometer was 30·286 inches, the range being from 30·502 inches at 9 a.m. of Tuesday (wind, S.W.) to 29·644 inches at 9 p.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 48·6°, or about 8° above the average. The mean dry bulb reading at 9 a.m. and 9 p.m. was 48·1°. The screened thermometers rose to 53·0° on Thursday (Christmas Day), having fallen to 40·0° on Tuesday. The duration of bright sunshine was estimated at only 6 hours. The rainfall was ·254 inch on two days, ·212 inch being recorded on Saturday. The prevalent wind was W.S.W. On Christmas evening the barometer fell to 28·34 inches at Haparanda in Sweden."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·314 inches. The highest reading (30·532) was on Tuesday at 9 a.m., air calm, and the lowest (29·665) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 46·5°, being 6·3° over the average for the corresponding week of the 10 years 1892-01. The temperature was highest on Thursday, on which day the thermometer registered 51·6°, and was lowest on Tuesday, the mercury having fallen to 39·5°. The mean of the Dry Bulb for the week was 47·2°, and of the Wet Bulb 45·5°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 3·2 hours. The rainfall measured ·235 inch.

At Greenwich the mean temperature for the week was 45·6°, the maximum 51·5°, and the minimum 35·4°; at Glasgow the maximum was 55·5°, the minimum 40·1°, and the mean 47·7°; and at Edinburgh the maximum was 51·3°, the minimum 38·6°, and the mean 45·6°. The rainfall at Greenwich measured 0·00 inch; at Glasgow 0·10 inch; and at Edinburgh 0·33 inch.

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Dec. 21,	30·506	49·6	46·1	47·9	47·3	46·2	·93	·6	0·0	—	W.	Calm.
Monday, „ 22,	30·514	47·3	40·9	44·1	41·6	40·8	·94	·2	0·0	—	S.W.	Calm.
Tuesday, „ 23,	30·529	49·4	39·5	44·5	47·5	44·9	·82	·6	0·1	—	Calm.	S.W.
Wednesday, „ 24,	30·441	49·8	41·3	45·6	48·0	45·8	·85	·9	0·8	·005	S.W.	W.
Thursday, „ 25,	30·139	51·6	45·4	48·5	48·7	46·9	·88	·6	0·0	·035	W.S.W.	W.
Friday, „ 26,	30·178	50·9	42·7	46·8	48·5	46·8	·89	·8	0·0	·010	W.	W.
Saturday, „ 27,	29·890	51·4	45·4	48·4	48·6	46·9	·88	·8	2·3	·185	W.S.W.	S.W.
Mean, . .	30·314	50·0	43·0	46·5	47·2	45·5	·88	·6	Total 3·2	·235	Prevailing wind W.	

Sunday—Day overcast; night overcast. *Monday*—Day overcast; night overcast. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A cloudy day; light showers; night cloudy. *Thursday*—A cloudy day; light rain 4.30 p.m. to 7.30 p.m.; night cloudy. *Friday*—A cloudy day; light showers; night cloudy. *Saturday*—A fine but cloudy day; light rain 6.30 p.m. to 8.30 p.m.; night cloudy; showery 2.30 a.m. to 7 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 299. 9. 1902. 360

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN (EXTENDED BOUNDARY) AND THE URBAN DISTRICTS OF RATHMINES, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] WEEK ENDING SATURDAY, 3RD JANUARY, 1903. [No. 53.

General Register Office, Charlemont House
Dublin, 5th January, 1903.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 28·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,092,401.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Dec. 13.	Week ending Dec. 20.	Week ending Dec. 27.	Week ending Jan. 3.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 13.	Week ending Dec. 20.	Week ending Dec. 27.	Week ending Jan. 3.	Average Rate for 4 weeks
22 Town Dists.	**25·8**	**27·8**	**21·9**	**28·9**	**26·1**	Lisburn, . .	18·2	18·2	18·2	18·2	18·2
Armagh, . .	34·4	6·9	27·5	20·6	22·4	Londonderry, .	16·6	21·8	11·5	26·9	19·2
Ballymena, .	14·4	4·8	14·4	19·2	13·2	Lurgan, . .	8·9	26·6	13·3	26·6	18·9
Belfast, . .	26·2	25·6	21·7	28·6	25·5	Newry, . .	33·6	25·2	21·0	46·2	31·5
Clonmel, . .	15·4	10·3	51·3	5·1	20·5	Newtownards, .	5·7	34·3	11·4	17·2	17·2
Cork, . . .	12·3	26·7	20·5	39·0	24·6	Portadown, .	10·3	10·3	25·8	20·7	16·8
Drogheda, . .	45·0	40·9	49·0	40·9	43·9	Queenstown, .	13·2	26·4	13·2	0·0	13·2
Dublin Reg. Area,	29·2	30·8	24·6	29·5	28·5	Sligo, . .	19·2	4·8	19·2	19·2	15·6
Dundalk, . .	19·9	31·9	27·9	12·0	22·9	Tralee, . .	21·1	26·4	5·3	10·6	15·9
Galway, . .	42·7	38·8	23·3	38·8	35·9	Waterford, .	11·7	35·1	7·8	21·4	19·0
Kilkenny, . .	29·5	14·7	19·7	29·5	23·4	Wexford, . .	28·0	46·7	9·3	23·3	26·8
Limerick, . .	47·8	41·0	19·1	41·0	37·2						

The deaths from certain epidemic diseases registered* in the 22 districts during last week were equal to an annual rate of 4·0 per 1,000, the rates varying from 0·0 in eleven of the districts to 13·3 in Lurgan; the 6 deaths from all causes registered in that district including one from whooping-cough, one from diphtheria, and one from diarrhœa. The 30 deaths from all causes registered in Limerick include 8 from measles and one from enteric fever; and the 197 deaths from all causes in Belfast include 30 from measles, 2 from scarlet fever, 2 from whooping-cough, 3 from diphtheria, one from enteric fever, and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.‡

In the Dublin Registration Area the births registered during the week amounted to 267—152 boys and 115 girls; and the deaths to 224—114 males and 110 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 30·8 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 29·5 per 1,000. During the fifty-three weeks ending with Saturday last the death-rate averaged 25·3, and was 1·1 under the mean annual rate for the ten years 1892–1901.

Of the total 224 deaths, 9 deaths were caused by measles; in the preceding 4 weeks

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See Note (*), Table I.

‡ The Dublin Registration Area now consists of the City of Dublin as extended by the Dublin Corporation Act, 1900, together with the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown.

the deaths from this disease were 9, 10, 9, and 7. There were 4 deaths from scarlet fever, one death from typhus fever, 6 deaths from influenza, 4 deaths from diphtheria, one from whooping-cough, one death from enteric fever, and 3 deaths from *diarrhœa.*

Tuberculous disease caused 37 deaths, namely:—Two deaths from tuberculous phthisis, 24 deaths from *phthisis*, 2 deaths from tuberculous meningitis, one death from tuberculous peritonitis, one death from scrofula, and 7 deaths from other forms of the disease.

Three deaths were due to carcinoma, 2 deaths to sarcoma, and 6 deaths to *malignant disease*, "*cancer.*"

Diseases of the nervous system caused 15 deaths, including 7 deaths of children under one year from *convulsions.*

There were 22 deaths from diseases of the heart and blood-vessels.

Deaths from diseases of the respiratory system rose from 42 in the preceding week to 51. This figure is equal to an annual rate of 7·0 per 1,000 of the population of the Dublin Registration Area; the average rate for the 52nd week of the past 10 years was 7·4 per 1,000. The total (51) includes 34 deaths from bronchitis, one death from croupous pneumonia, 6 deaths from broncho-pneumonia, and 7 deaths from *pneumonia.*

There were 5 deaths from accidental violence.

In 17 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 11 children under one year old and the deaths of 4 persons aged 60 years and upwards.

Fifty-eight of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 10 were under one month old), and 63 were aged 60 years and upwards, including 26 persons aged 70 and upwards, of whom 8 were octogenarians, and 4 (a man and 3 women) were stated to have been aged 100, 98, 92, and 90 years respectively.

Eighty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 21 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 29·5 per 1,000; the rate in the City was 31·3 (30·9 on the North side, and 31·7 on the South), and in the Urban Districts 23·2.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 3·2 per 1,000 inhabitants, the rate for the City being 3·9 (5·5 in the North City Districts, and 2·2 in the South), and for the Urban Districts 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·6 per 1,000. There was one death from scarlet fever, there were 3 deaths from *phthisis*, and 4 deaths from influenza, there were 2 deaths from diseases of the respiratory system, and 3 deaths from accidental violence.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. Measles, whooping-cough, and *diarrhœa* each caused one death, *phthisis* caused one death, and tuberculous peritonitis caused one death; there were 6 deaths from diseases of the respiratory organs, including one death from broncho-pneumonia.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 34·6 per 1,000. There was one death from diphtheria, and 3 deaths from *phthisis*, and 2 deaths from diseases of the respiratory system, including one death from broncho-pneumonia.

No. 3 North City District (Blacknall-place).—The deaths (24) represent an annual rate of 39·5 per 1,000. Scarlet fever, typhus fever, enteric fever, and *diarrhœa* each caused one death, *phthisis* caused 3 deaths, and diseases of the respiratory system caused 4 deaths, including 2 deaths from broncho-pneumonia.

North City Extension.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 41·6; and Finglas and Glasnevin, part of, 39·1. Of the 8 deaths tabulated for Coolock and Drumcondra, No. 1, part of, 3 were from diphtheria and one from measles. There were 3 deaths from measles registered in Blanchardstown and Castleknock, part of.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 32·7 per 1,000. Measles caused 2 deaths, *phthisis* caused 4 deaths, and diseases of the respiratory system caused 9 deaths, including one death from *pneumonia.*

No. 2 South City District (Castle-street).—The deaths (19) are equal to an annual rate of 57·9 per 1,000. Measles caused one death, *phthisis* caused 3 deaths, and diseases of the respiratory system caused 5 deaths, including one death from *pneumonia.*

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·9 per 1,000. Eight deaths were caused by tuberculous diseases, and 4 deaths by diseases of the respiratory system, including one death from *pneumonia.*

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·9 per 1,000. There were 2 deaths from scarlet fever and 2 deaths from *phthisis*, and 3 deaths from diseases of the respiratory system, including one death from *pneumonia.*

South City Extension.—The annual death-rate represented by the deaths recorded last week is:—Palmerston, part of, 21·4 per 1,000 inhabitants. One of the deaths tabulated was from influenza, one from *diarrhœa*, and one from *phthisis.*

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines, 17·3 per 1,000 inhabitants; Pembroke, 16·0; Blackrock, 6·0; and Kingstown, 54·0. The deaths from the principal epidemic diseases tabulated for these districts include one from measles for Rathmines, and one from influenza for Blackrock. Among the 11 deaths from all causes tabulated for Rathmines are 2 from diseases of the nervous system, and 6 from diseases of the respiratory system, the latter including one from lobar-pneumonia, and one from broncho-pneumonia; and the 18 deaths tabulated for Kingstown include 5 from diseases of the heart and blood-vessels, and 4 from diseases of the respiratory system, including 2 from *pneumonia.* There were 2 deaths from accidental violence in Kingstown.

NOTE—Names of causes of deaths printed in italics on this page and in Table III. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to the Public Health Committee of the Corporation of Dublin.

Sir Charles Cameron, C.B., Medical Superintendent Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 13th December,	191 cases.
" " 20th December,	174 cases.
" " 27th December,	136 cases.
" " 3rd January,	119 cases.

Of the 119 cases notified during last week, 13 were erysipelas, 29 enteric fever, 43 scarlatina, 18 measles, 10 diphtheria, one typhus fever, 3 continued fever, and 2 "fever."

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 13th December,	12 cases.
" " 20th December,	12 cases.
" " 27th December,	4 cases.
" " 3rd January,	4 cases.

Of the 4 cases notified last week, 3 were scarlet fever, and one diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 13th December,	6 cases.
" " 20th December,	4 cases.
" " 27th December,	9 cases.
" " 3rd January,	7 cases.

Of the 7 cases notified during last week, 4 were measles, 2 scarlet fever, and one enteric fever.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Medical Superintendent Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 13th December,	71 cases.
" " 20th December,	55 cases.
" " 27th December,	52 cases.
" " 3rd January,	70 cases.

Of the 70 cases notified during last week, 11 were enteric fever, 16 erysipelas, 8 diphtheria, 5 membranous croup, 5 continued fever, 22 scarlet fever, and 3 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd January, 1903.

From this it appears that:—

One case of small-pox remained in hospital at the close of the week.

Nine cases of measles were admitted to hospital, being 5 under the admissions for the preceding week; 12 were discharged, there were 4 deaths, and 55 cases remained under treatment at the close of the week.

Fourteen cases of enteric fever were admitted to hospital, 15 cases were discharged, there was one death, and 70 cases remained under treatment at the close of the week.

Thirty-three cases of scarlatina were admitted to hospital, 33 cases were discharged, there was one death, and 172* cases remained under treatment at the close of the week.

Three cases of typhus were admitted to hospital, 3 were discharged, there was one death, and 15 cases remained under treatment at the close of the week.

Thirteen cases of diphtheria were admitted to hospital, 5 were discharged, there was one death, and 33 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 3 patients were discharged, there was one death, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 20·9), was equal to an average annual death-rate of 20·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·6 per 1,000, the rate for Glasgow being 23·3, and for Edinburgh 18·7.

* See note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd January, 1903, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 3rd January, 1903. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,092,401	19·2	35·9	28·9	4·0	752	606	123	147	.	53	6	1	5	8	.	3	8	61	148	12	32	172
Dublin Registration Area:—																							
Total,‡	378,761	27·5	36·8	29·5	3·2	267	214	37	57	.	9	4	1	1	4	.	1	3	25	48	5	11	77
Registrars' Districts. City	293,394	37·8	40·3	31·3	3·9	227	176	33	42	.	8	4	1	1	4	.	1	3	24	37	3	7	68
Rathmines,‖	33,203	19·4	28·3	17·3	1·6	18	11	1	6	.	1	.	.	.	.	.	.	.	1	6	.	.	5
Donnybrook part of (Pembroke Urban District.)	26,025	16·0	26·0	16·0	.	13	8	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Blackrock,‖	8,759	8·1	11·9	6·0	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown 1 & 2,‖	17,380	11·9	21·0	54·0	.	7	18	2	7	.	.	.	.	.	.	.	.	.	.	4	2	3	4
Urban Districts.																							
Belfast,	358,693	24·4	36·2	28·6	5·8	249	197	40	39	.	30	2	.	2	3	.	1	2	22	50	6	14	43
Cork,	76,122	33·6	43·8	39·0	0·7	64	57	16	10	.	1	.	.	.	.	.	.	.	5	12	.	2	18
Londonderry,	40,729	18·8	23·0	26·9	2·6	18	21	5	8	.	2	.	.	.	.	.	.	.	1	9	.	.	6
Limerick,	38,151	18·1	61·5	41·0	12·3	45	30	8	5	.	8	.	.	.	.	.	1	.	1	6	.	1	10
Waterford	26,769	18·7	17·5	21·4	.	9	11	2	3	.	.	.	.	.	.	.	.	.	2	5	.	.	6
Galway,	18,426	2·5	42·7	38·8	3·9	11	10	3	2	.	.	.	.	.	.	.	.	1	1	1	1	1	2
Dundalk	18,076	9·4	8·0	12·0	4·0	2	3	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.
Drogheda	12,760	8·6	16·3	40·9	8·2	4	10	.	3	.	1	.	.	1	.	.	.	.	.	1	.	.	.
Newry,	12,405	17·8	29·4	46·2	.	7	11	3	2	.	.	.	.	.	.	.	.	.	2	2	.	2	.
Lurgan,	11,782	13·8	35·4	26·6	13·3	8	6	2	2	.	.	.	.	1	1	.	.	1	.	1	.	.	3
Lisburn	11,461	10·1	54·6	18·2	.	12	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Wexford,	11,168	28·2	32·7	23·3	.	7	5	1	2	.	.	.	.	.	.	.	.	.	1	3	.	.	.
Ballymena	10,886	8·9	23·2	19·2	.	5	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	33·6	19·2	4·8	7	4	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Kilkenny,	10,609	11·5	9·8	29·5	.	2	6	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Clonmel,	10,167	7·8	15·4	5·1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	18·2	41·3	20·7	.	8	4	3	1	.	.	.	.	.	.	.	.	.	.	4	.	.	.
Tralee,	9,867	16·6	26·4	10·6	5·3	5	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Newtownards,	9,110	18·9	40·1	17·2	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.
Queenstown,	7,909	14·4	65·9	.	.	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,588	22·2	13·7	20·6	.	2	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1

Towns and Districts.	Meteorology.† Week ending 3rd Jan., 1903. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th Dec., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Dec., 1902. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:—												
Total,‡	§50·1	25·5	38·2	0·66	§51·6	39·5	46·5	0·24	§56·3	38·7	46·7	0·99
City	a51·0	30·8	39·8	0·88	a53·0	40·0	48·6	0·25	a58·0	40·0	48·9	0·91
Rathmines,‖	b49·3	26·0	38·2	0·60	b51·9	40·0	47·2	0·24	b56·8	39·0	47·3	0·87
Donnybrook part of (Pembroke Urban District.)												
Blackrock,‖												
Kingstown 1 & 2,‖												
Urban Districts.												
Belfast,	48	33·5	39·8	0·32	53·5	35·5	47·1	0·15	58	40·5	48·7	0·84
Cork,	52·0	29·0	37·7	1·74	52·5	39·9	46·0	0·02	55·5	37·0	45·7	1·29
Londonderry,	50	32	40·7	1·24	53	45	49·2	0·06	55	41	49·2	1·97
Limerick,												
Waterford												
Galway,												
Dundalk	49	33	41	1·45	59	41	49	0·29	55	38	47	2·24
Drogheda												
Newry,												
Lurgan,	46·0	30·2	37·0	1·35	52·8	39·0	46·5	0·17	55·0	37·0	45·1	1·19
Lisburn	46·0	30·2	37·0	1·35	52·8	39·0	46·5	0·17	55·0	37·0	45·1	1·19
Wexford,	46·0	30·2	37·0	1·35	52·8	39·0	46·5	0·17	55·0	37·0	45·1	1·19
Ballymena												
Sligo,												
Kilkenny,	44·5	29·3	37·9	2·24	52·9	42·0	47·2	0·49	55·5	36·8	46·3	2·07
Clonmel,	49	25	39·2	0·97	52	38	46·2	0·80	55	39	48·2	1·38
Portadown												
Tralee,	46·0	30·2	37·0	1·35	52·8	39·0	46·5	0·17	55·0	37·0	45·1	1·19
Newtownards,												
Queenstown,	45	30	38·2	0·82	52	40	46·4	0·07	55	38	45·9	1·20
Armagh,	50	32	40·7	1·24	53	45	49·2	0·06	55	41	49·2	1·97
	46·0	30·2	37·0	1·35	52·8	39·0	46·5	0·17	55·0	37·0	45·1	1·19

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1902.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 10 deaths of persons (including 6 at 60 years or upwards) admitted to hospital from localities outside the area.

TABLE II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin (Extended Municipal Boundary) and in the Urban Districts of Rathmines, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 3rd of January, 1903. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts.																Urban District of					
	North Side.								South Side.													
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	Blanchardstown & Castleknock (pt. of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	Donnybrook (pt. of).	Palmerston (pt. of).	Crumlin (part of).	Rathmines.	Pembroke.	Blackrock.	Kingstown.			
A. General Diseases:																						
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	1	.	.	.	1	.	3	2	1	.	.	.	.	.	1	.	.	.		9	.
Scarlet Fever (Scarlatina),	1	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.		4	.
Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Whooping Cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diphtheria,	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.		4	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diarrhœa, Dysentery,	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		3	.
Phthisis,	3	1	3	3	.	1	.	.	4	3	3	2	.	1	.	1	.	.	.		25	1
Other General Diseases,	5	2	4	5	.	.	1	.	4	4	7	2	.	1	.	1	2	1	3		42	2
Total,	9	6	8	12	.	5	1	3	10	8	10	6	.	3	.	3	2	1	3		90	3
B. Local Diseases:																						
Diseases of: Nervous System	.	1	2	.	.	1	.	.	1	1	2	1	.	.	.	2	1	.	1		13	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Heart and Blood Vessels,	.	.	2	3	.	.	2	.	3	3	1	2	.	.	.	.	1	.	5		22	.
Respiratory System,	2	6	2	4	.	1	1	.	9	5	4	3	.	.	.	6	1	.	4		48	3
Digestive System,	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	3	.	1		9	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Urinary System,	1	.	2	2	.	1	.	.	.	.	2	2	.	.	.	.	.	.	1		11	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
" Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	.
Total,	3	7	8	10	.	3	4	.	14	10	11	9	.	.	.	8	6	.	12		105	6
C. Other Specified Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
D. Ill-defined and Not Specified Diseases,	.	1	4	2	1	.	.	.	.	1	1	3	.	.	.	.	.	.	1		14	1
E. Violent Deaths,	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2		5	.
Deaths from all Causes,	15	14	20	24	1	8	5	3	24	19	22	18	.	3	.	11	8	1	18		214	10
Annual Rate of Mortality in every 1,000 of the population.	27·6	18·6	34·6	39·5	10·8	41·6	39·1	.	32·7	57·9	26·9	26·9	.	21·4	.	17·3	16·0	6·0	54·0		29·5	.
	30·9								31·7							23·2						
	31·3																					

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS LUNATIC ASYLUMS and WORKHOUSE HOSPITALS

Public Hospitals, Prisons, and Lunatic Asylums,	2	.	4	6	.	5	1	.	5	6	5	3	.	.	.	5	.	.	3		45	7
Workhouse Hospitals,	1	3	3	5	.	.	.	.	7	6	1	4	.	1	.	.	.	.	1		32	3

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist
week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years 1892-1901	In the Week ending Satur 3rd January, 1903. Deaths of Persons of the A					
	Dec. 31, 1892.	Dec. 30, 1893.	Dec. 29, 1894	Dec. 28, 1895.	Dec. 26, 1896.	Jan. 1, 1898.	Dec. 31, 1898.	Dec. 30, 1899.	Dec. 29, 1900.	Dec. 28, 1901.		ALL AGES.	0 to 5.				
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 32·7	° 43·9	° 42·9	° 39·5	° 38·9	° 45·4	° 44·5	° 35·9	° 42·8	° 35·2	° 40·2	° 38·2					
ALL CAUSES.	224	247	170	156	178	223	186	280	149	200	201·3	224	10	27	21	21	40
Small Pox, Vaccinated, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	.
Small Pox, Unvaccinated, ...	.	.	6	1	.	.	.	.	.	.	·7	.	.	.	.	.	.
Small Pox, No Statement, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	.	.	2	1	.	15	.	.	2·2	9	.	6	2	1	.
Scarlet Fever	.	2	2	.	3	1	1	1	1	.	1·1	4	.	1	1	.	2
Typhus, ...	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	12	2	2	2	3	2	9	.	3	3·6	6	.	.	2	1	.
Whooping Cough, ...	2	6	3	.	15	2	4	2	5	.	3·9	1	.	.	1	.	.
Diphtheria, ...	.	.	.	1	.	2	1	1	.	2	·7	4	.	.	2	2	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.
Enteric Fever, ...	4	6	3	1	.	5	1	2	3	5	3·0	1	.	.	.	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	5	3	3	.	.	1	2	1	2	3	2·0	. / 3	.	. / 1	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	2	1	.	.	.	2	.	.	.	.	·5	1	.	.	.	.	1
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	3	1	.	.	1	.	.	.	.	·5	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	2	.	.	1	.	.	.	2	·7	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	3	.	1	.	1	.	1	1	.	1	·8	1 / .	. / .	. / .	. / .	1 / .	. / .
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	24	25	17	17	15	22	18	28	17	21	20·4	2 / 24	. / .	1 / .	. / .	. / 4	. / 12
Tuberculous Meningitis, (Acute Hydrocephalus).	4	3	1	4	8	.	6	6	2	4	3·8	2	.	.	1	.	1
Tuberculous Peritonitis, ... *Tabes Mesenterica*, ...	7	5	2	1	4	5	4	5	1	1	3·5	1 / .	. / .	. / .	1 / .	. / .	. / .
Tuberculous Dis. (other), ... Scrofula, ...	8	3	.	.	5	1	5	3	3	4	3·2	7 / 1	. / .	. / .	4 / .	2 / .	1 / 1
Alcoholism	2	1	.	.	1	1	.	2	1	.	·8	4	.	.	.	.	2
Rheumatic Fever,...	3	1	.	.	1	1	.	.	.	2	·8	.	.	.	.	.	.
Gout	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.

* The figures for the years 1892-1900 ar

-THIRD WEEK ending Saturday, 3rd January, 1903, with the deaths from each cause in the fifty-second
verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 31, 1892.	Dec. 30, 1893.	Dec. 29, 1894.	Dec. 28, 1895.	Dec. 26, 1896.	Jan. 1, 1898.	Dec. 31, 1898.	Dec. 30, 1899.	Dec. 29, 1900.	Dec. 28, 1901.	Averages in 52nd Week of the 10 years 1892-1901.	In the Week ending Saturday, 3rd January, 1903. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 32·7	° 43·9	° 42·9	° 39·5	° 38·9	° 45·4	° 44·5	° 35·9	° 42·8	° 35·2	° 40·2	Mean Temp. ° 38·2								
ma	2	9	5	11	1	9	4	5	9	4	5·9	3	.	.	.	.	.	1	2	.
a												2	.	.	.	.	.	1	1	.
nt Dis. "Cancer,"												6	.	.	.	.	.	3	2	1
s Mellitus	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.
ure Birth	2	4	.	.	1	1	6	5	1	1	2·1	4	4	.	.	.	.	.	.	.
itis (not tuberc.)												3	.	.	.	1	1	.	.	1
y, G. P. of Insane												3	.	.	.	.	.	1	2	.
y												.	.	.	.	.	.	.	.	.
ons												7	1	6	.	.	.	.	.	.
tor Ataxy												.	.	.	.	.	.	.	.	.
gia Dis. of Cord												.	.	.	.	.	.	.	.	.
s System (other Dis.) ...	40	46	35	32	28	48	41	43	36	53	40·2	2	.	.	1	.	.	.	.	1
is., Endocarditis												3	.	.	.	.	.	.	2	1
Hæm. Thromb.												3	.	.	.	.	.	2	1	.
y, *Hemiplegia*												3	.	.	.	.	.	1	1	1
sm												1	.	.	.	.	.	.	1	.
sm, Thromb. (not cerebral)												.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis.												12	.	.	.	.	2	5	5	.
not Spasm. or Memb.) ...	2	2	1	1	.	1	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
itis	41	28	22	27	37	36	22	72	25	37	34·7	34	.	6	1	.	4	9	14	.
ns Pneumonia												1	.	.	.	.	.	.	1	.
o-Pneumonia	15	20	13	11	13	14	7	22	12	7	13·4	6	.	2	1	2	.	.	1	.
onia"												7	.	.	.	2	3	.	2	.
, Emphysema												1	.	.	.	.	.	.	.	1
y	7	6	1	1	2	3	5	4	2	2	3·3	1	.	.	.	.	.	.	1	.
tory Dis. (other)												1	.	.	.	1	.	.	.	.
tis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s (not Epid.)	.	.	.	.	.	1	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
Enteritis												2	.	.	.	1	.	1	.	.
itis (not Puerp.)	.	2	.	.	.	2	.	1	.	1	·6	1	.	1	.	.	.	.	.	.
is of Liver	1	4	4	4	3	2	5	1	2	2	2·8	.	.	.	.	.	.	.	.	.
is. (other)												3	.	.	.	.	1	1	.	1
ve Dis. (other)	4	3	6	2	1	6	8	5	1	4	4·0	4	1	.	.	1	1	1	.	.
is, Acute												5	.	.	1	1	1	2	.	.
s Dis., Albuminuria ...	2	3	2	9	7	7	3	3	1	5	4·2	5	.	.	.	.	3	2	.	.
y Sys. (Other Dis.) ...												1	.	.	.	.	.	.	1	.
tive Organs Dis.	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
rth (Accid. of)	.	1	.	.	.	1	.	.	1	.	·3	1	.	.	.	.	1	.	.	.
... ...	16	12	14	11	6	6	14	22	10	11	12·2	6	.	.	.	.	.	.	2	4
Diseases	19	15	14	13	12	24	18	14	8	14	15·1	14	4	3	2	.	.	.	5	.
ACCIDENT.																				
ways	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
icles and Horses	.	1	2	1	1	.	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
s, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	1	·1	2	.	.	.	.	.	1	1	.
ding Operations	.	.	.	.	.	.	3	1	.	.	·4	.	.	.	.	.	.	.	.	.
lagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	1	3	1	2	5	5	.	1	2	2	2·2	1	.	.	1	.	.	.	.	.
wning	3	.	1	2	1	1	3	1	.	1	1·3	2	.	.	.	.	2	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	2	8	.	2	1	4	2	3	2	3	2·7	.	.	.	.	.	.	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
de	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
... ...	.	2	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
ion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

*Registration Area as then constituted.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1902-3—Week ending																										
	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23	Aug. 30.	Sept. 6.	Sept. 13	Sept 20.	Sept 27.	Oct 4	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53
Births registered,	187	196	203	186	244	192	185	209	205	219	221	222	192	162	176	259	188	166	275	184	158	153	258	161	121	267
*Average Births in corresponding week of previous 10 years,**	195	188	195	210	190	200	188	204	198	214	193	210	184	175	193	181	181	184	192	181	189	194	173	154	176	176
Deaths registered,	129	155	150	165	154	145	146	156	170	142	168	218	169	192	200	228	188	228	202	237	230	196	219	235	188	224
Annual Death-rate per 1,000,	17·7	21·3	20·6	22·7	21·2	20·0	20·1	21·5	23·4	19·5	23·1	29·3	23·3	26·4	27·5	30·7	25·2	31·4	27·8	32·6	31·7	27·0	30·1	32·4	25·9	30·8
*Average Deaths in corresponding week of previous 10 years,**	151	156	164	168	164	159	168	171	173	172	164	158	156	167	161	169	175	174	180	183	181	181	180	188	201	201
Ages, Under 5 years,	38	44	46	59	65	55	52	53	57	62	67	98	80	81	100	112	86	96	72	119	95	68	70	75	62	58
5—20 "	10	18	8	14	14	7	15	12	16	9	9	18	12	16	12	15	8	17	13	12	22	11	18	5	12	21
20—40 "	24	36	25	31	22	17	27	31	25	19	26	30	22	34	16	32	30	39	55	29	26	34	32	41	28	40
40—60 "	29	30	29	24	20	36	32	31	43	23	16	33	34	34	38	26	30	29	29	38	41	42	41	47	45	42
60—80 "	25	27	29	30	29	28	15	26	23	23	23	25	19	22	33	32	21	41	40	32	41	30	36	52	36	51
80 years and upwards,	3	5	13	7	4	2	5	3	6	6	5	9	2	5	6	6	8	6	13	7	5	7	13	15	5	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	6	8	3	18	20	20	16	11	11	6	13	10	8	11	19	20	16	16	10	19	14	9	10	9	7	9
" Scarlet Fever,	.	.	1	2	1	1	.	2	3	.	2	3	.	2	2	2	3	4	2	5	8	2	1	1	2	4
" Typhus,	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	1
" Whooping-cough,	.	1	1	2	1	.	2	.	.	.	1	1	1	.	1	1	1	.	1	.	.	.	.	3	1	1
" Diphtheria,	1	1	1	2	2	.	.	2	2	2	4	5	5	2	1	2	1	3	1	4	4	2	1	.	3	4
" Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.	.
" Enteric Fever,	4	3	1	2	4	1	2	2	8	3	1	8	6	2	1	1	2	5	4	2	4	2	5	3	3	1
" Diarrhœa, Dysentery,	4	1	3	5	3	1	3	7	10	19	20	19	19	17	11	14	3	2	3	7	7	1	5	3	4	3
" Phthisis,	14	25	18	19	15	18	21	19	24	14	15	20	18	26	18	17	21	24	19	21	22	26	18	28	28	26
" Heart Diseases,	18	25	18	10	18	21	17	18	24	17	17	21	14	19	20	25	18	27	39	28	22	26	19	29	24	22
" Diseases of Respiratory System,	24	23	17	30	28	19	18	16	20	14	20	27	19	25	42	49	37	57	37	52	53	53	65	58	42	51
Violent Deaths,	4	3	2	7	2	3	5	4	4	4	2	6	3	2	6	3	1	4	2	2	2	2	1	6	9	5
Mean Temperature of the Air (Phœnix Park),	58·2	58·6	54·0	55·4	54·4	57·0	59·3	53·5	57·2	52·5	52·9	55·5	51·1	48·2	49·4	50·7	50·1	47·7	47·9	42·4	43·5	38·5	40·0	46·7	46·5	38·2
Average Mean Temperature in corresponding week of previous 10 years,	58·7	60·0	59·1	59·7	58·1	59·7	57·9	56·4	55·5	55·8	53·8	52·5	50·3	48·4	47·3	46·1	46·7	45·6	44·0	44·5	42·8	42·3	42·5	40·0†	40·2	40·2
Rainfall in inches,	·200	·680	1·650	·105	1·300	·355	·538	·068	1·725	·115	·180	·595	·640	1·150	·600	·298	·068	1·337	·212	·140	·880	·140	·130	·990	·235	·658
Mean Humidity of the Air, complete Saturation 1·0,	·80	·82	·81	·82	·84	·87	·84	·86	·89	·91	·86	·87	·83	·88	·90	·87	·89	·90	·85	·77	·93	·81	·79	·91	·88	·90

* See note at foot of Table III. † For nine years only.

in the Dublin Registration Area during the Week ending Saturday, 3rd January, 1903; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD JANUARY 1903.

Class	Occupation or Social Position.	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total Cols., 10–18	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	346,128	33·7	224	58	21	40	42	51	12	.	9	4	1	1	4	.	1	3	23	26	7	51	5	112
	CLASSES. Deaths in Families of the—	(Estimated.)																							
I.	Professional and Independent Class,	15,424	50·7	15	1	1	1	3	5	4	.	1	.	.	.	.	.	.	.	1	.	.	3	.	11
II.	Middle Class,	80,653	19·4	30	4	2	6	6	9	3	.	.	2	.	.	.	.	.	1	3	.	.	7	.	20
III.	Artisan Class and Petty Shopkeepers	98,374	27·6	52	15	7	8	9	12	1	.	2	.	.	1	1	.	.	1	5	9	3	9	.	26
IV.	General Service Class,	146,486	43·7	92	36	11	13	15	14	3	.	6	2	1	.	3	.	1	1	14	8	4	20	5	41
V.	Inmates of Workhouses,	5,191		35	2	.	12	9	11	1	.	.	.	.	.	.	.	.	.	.	9	.	12	.	14
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,910	26·4	4	1	1	1	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,838	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,676	101·1	11	.	.	.	3	4	4	.	.	.	.	.	.	.	.	.	.	.	.	3	.	8
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,818	9·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	25,775	18·2	9	1	.	1	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
	6. Clerks and Commercial Assistants,	24,750	21·1	10	1	2	2	1	3	1	.	.	1	.	.	.	.	.	1	2	.	.	2	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,310	21·4	10	2	.	2	1	4	1	.	.	1	.	.	.	.	.	.	1	.	.	3	.	6
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,352	42·6	6	1	1	1	1	2	.	.	1	.	.	.	.	.	.	1	2	.	.	3	.	1
	9. Building and Furnishing Trades,	26,080	30·0	15	9	1	2	1	1	1	.	1	.	.	1	1	.	.	.	3	2	2	1	.	7
	10. Clothing Trades,	23,686	15·4	7	1	1	2	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	5
	11. Food Supply Trades,	7,869	6·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,666	39·1	20	4	3	3	5	5	.	.	.	.	.	.	.	.	.	.	.	4	1	4	.	11
	13. Petty Shopkeepers,	6,771	23·1	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,590	11·5	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
	15. Domestic Servants,	39,563	14·5	11	3	1	.	1	3	3	.	.	.	.	.	1	.	.	.	1	.	1	2	1	6
	16. Coach and Car Drivers, Vanmen, &c.,	10,702	58·5	12	4	3	3	.	2	.	.	.	1	.	.	.	.	.	.	1	.	1	4	.	6
	17. Hawkers, Porters, Labourers, &c.,	82,631	41·6	66	27	7	10	14	8	.	.	6	1	1	.	2	.	1	.	11	8	2	13	4	28
	Inmates of Workhouses.																								
V	18. Workhouse Inmates,	5,191	.	35	2	.	12	9	11	1	.	.	.	.	.	.	.	.	.	.	9	.	12	.	

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of and of the Urban Districts of RATHMINES, PEMBROKE and KINGSTOWN; the Annual Rate Diseases: with the Mortality from the principal causes, *the Deaths in Public Institutions being* of the Provincial County

City of Dublin (prior to extension) — DISTRICTS.	1902-3 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1902 (Est.) 28,383.	Nov. 15,	38·6	3·7	21	.	.	.	.	.	.	.	1	1	1	6	.
	„ 22,	38·6	3·7	21	.	2	.	.	.	.	.	.	.	2	9	.
	„ 29,	35·0	9·2	19	.	2	1	.	.	2	.	.	.	4	3	.
	Dec. 6,	28·9	1·8	18	.	1	.	.	.	.	.	.	.	1	8	.
	„ 13,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 20,	40·5	3·7	22	.	2	.	.	.	.	.	.	.	5	7	1
	„ 27,	27·6	1·8	15	.	.	.	.	1	.	.	.	.	3	6	.
	Jan. 3,	27·6	1·8	15	.	.	1	.	.	.	.	.	.	3	2	3
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1902 (Est.) 39,146.	Nov. 15,	33·3	4·0	25	.	2	.	.	.	.	.	1	.	5	4	.
	„ 22,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	4	5	.
	„ 29,	26·6	2·7	20	.	1	.	.	.	.	.	1	.	2	8	.
	Dec. 6,	38·6	5·3	29	.	2	.	.	.	1	1	.	.	4	11	.
	„ 13,	40·0	4·0	30	.	.	.	.	.	.	.	1	2	5	6	.
	„ 20,	30·6	1·3	23	.	.	.	.	.	.	.	.	1	3	9	2
	„ 27,	21·3	.	16	.	.	.	.	.	.	.	.	.	2	3	3
	Jan. 3,	18·6	4·0	14	.	1	.	.	1	.	.	.	1	1	6	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1902 (Est.) 30,107.	Nov. 15,	46·8	10·4	27	.	3	1	1	.	1	.	.	.	2	6	.
	„ 22,	41·6	8·7	24	.	2	.	.	.	1	.	.	2	2	8	.
	„ 29,	39·8	8·7	23	.	3	1	.	.	1	.	.	.	4	5	.
	Dec. 6,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	.
	„ 13,	36·4	3·5	21	.	2	.	.	.	.	.	.	.	3	5	.
	„ 20,	34·6	5·2	20	.	3	.	.	.	.	.	.	.	2	6	.
	„ 27,	36·4	5·5	21	.	.	.	.	.	.	.	.	2	3	4	1
	Jan. 3,	34·6	1·7	20	.	.	.	.	.	1	.	.	.	3	2	.
North City, No. 3. (*Office, Blackhall-place.*) Pop. in 1902 (Est.) 31,678.	Nov. 15,	37·9	6·6	23	.	3	1	.	.	.	.	.	.	2	4	1
	„ 22,	46·1	16·5	28	.	7	.	.	.	1	.	.	1	1	4	.
	„ 29,	37·9	8·2	23	.	5	.	.	.	.	.	.	.	2	7	.
	Dec. 6,	29·6	4·9	18	.	3	.	.	.	.	.	.	.	3	6	.
	„ 13,	37·9	8·2	23	.	4	.	.	.	.	.	1	.	1	5	1
	„ 20,	34·6	4·9	21	.	2	.	.	.	.	.	.	1	2	6	.
	„ 27,	42·8	8·2	26	.	4	.	.	.	1	.	.	.	4	7	1
	Jan. 3,	39·5	6·6	24	.	.	1	1	.	.	.	1	1	3	4	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1902 (Est.) 38,313.	Nov. 15,	23·1	4·1	17	.	2	.	1	.	.	.	.	.	2	2	.
	„ 22,	31·3	5·4	23	.	3	.	.	.	.	.	.	1	2	5	.
	„ 29,	39·5	8·2	29	.	1	2	.	.	1	.	.	2	4	4	.
	Dec. 6,	15·0	2·7	11	.	1	1	.	.	.	.	.	.	1	1	.
	„ 13,	32·7	4·1	24	.	3	.	.	.	.	.	.	.	2	5	.
	„ 20,	25·9	4·1	19	.	.	1	.	1	.	.	1	.	1	4	.
	„ 27,	28·6	5·4	21	.	.	2	.	.	1	.	1	.	.	6	1
	Jan. 3,	32·7	2·7	24	.	2	.	.	.	.	.	.	.	4	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1902 (Est.) 17,113.	Nov. 15,	27·4	6·1	9	.	.	.	.	.	.	.	1	1	1	2	.
	„ 22,	39·6	3·0	13	.	1	.	.	.	.	.	.	.	1	2	.
	„ 29,	45·7	6·1	15	.	.	.	.	.	.	.	1	1	1	5	.
	Dec. 6,	51·8	9·1	17	.	1	.	.	.	.	.	1	1	4	6	.
	„ 13,	36·6	3·0	12	.	.	.	.	.	.	.	.	1	1	3	.
	„ 20,	42·7	6·1	14	.	1	.	.	.	.	.	1	.	3	2	.
	„ 27,	39·6	6·1	13	.	.	.	1	.	.	.	.	1	1	3	.
	Jan. 3,	57·9	3·0	19	.	1	.	.	.	.	.	.	.	3	5	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1902 (Est.) 42,573.	Ov. 15,	30·6	1·2	25	.	.	.	.	1	.	.	.	.	.	5	1
	22,	47·8	3·7	39	.	2	.	.	.	.	.	.	1	2	7	.
	„ 29,	28·2	3·7	23	.	.	.	.	.	.	.	1	2	1	9	.
	Dec. 6,	30·6	.	25	.	.	.	.	.	.	.	.	.	5	8	.
	„ 13,	29·4	.	24	.	.	.	.	.	.	.	.	.	1	14	.
	„ 20,	26·9	2·4	22	.	.	.	.	1	.	.	1	.	1	8	.
	„ 27,	26·9	4·9	22	.	2	.	.	.	.	.	1	1	2	4	1
	Jan. 3,	26·9	.	22	.	.	.	.	.	.	.	.	.	3	4	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1902 (Est.) 34,893.	Nov. 15,	17·9	1·5	12	.	.	.	.	.	.	.	1	.	1	1	.
	„ 22,	22·4	3·0	15	.	.	1	.	.	.	.	1	.	1	4	.
	„ 29,	43·3	3·0	29	.	.	1	.	.	.	.	.	1	.	3	.
	Dec. 6,	29·9	.	20	.	.	.	.	.	.	.	.	.	4	6	1
	„ 13,	31·4	1·5	21	.	.	.	.	.	.	.	1	.	4	7	.
	„ 20,	32·9	1·5	22	.	.	.	.	1	.	.	.	.	5	3	.
	„ 27,	23·9	1·5	16	.	.	.	.	.	1	.	.	.	2	5	.
	Jan. 3,	26·9	3·0	18	.	.	2	.	.	.	.	.	.	2	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN, prior to extension per 1,000 of the Population represented thereby, and by the Deaths from certain Epidemic *assigned to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1902-3 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths Accidental, Homicidal, and Suicidal.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines. Pop. in 1902 (Est.) 33,203.	Nov. 15,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	14·1	1·6	9	.	.	.	.	.	1	.	.	.	.	3	.
	„ 29,	18·8	3·1	12	.	.	2	.	.	.	.	.	.	1	2	1
	Dec. 6,	25·1	3·1	16	.	.	1	.	.	.	.	1	.	2	5	1
	„ 13,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	28·6	1·6	15	.	.	.	.	.	.	.	.	1	.	3	2
	„ 27,	17·3	1·6	11	.	1	.	.	.	.	.	.	.	3	1	.
	Jan. 3,	17·3	1·6	11	.	1	.	.	.	.	.	.	.	1	6	.
Pembroke Urban District. Pop. in 1902 (Est.) 26,025.	Nov. 15,	16·0	2·0	8	.	.	1	.	.	.	.	.	.	2	2	.
	„ 22,	26·0	4·0	13	.	1	.	.	.	1	.	.	.	2	3	2
	„ 29,	16·0	2·0	8	.	1	.	.	.	.	.	.	.	.	3	.
	Dec. 6,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 13,	28·0	4·0	14	.	.	.	.	.	.	.	1	1	1	3	.
	„ 20,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	4·0	2·0	2	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 3,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.
Kingstown. Pop. in 1902 (Est.) 17,380.	Nov. 15,	21·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 22,	24·0	3·0	8	.	.	.	.	.	.	.	.	1	.	3	.
	„ 29,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 6,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	18·0	3·0	6	.	1	.	.	.	.	.	.	.	.	3	.
	„ 20,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	3	.
	„ 27,	21·0	.	7	.	.	.	.	.	.	.	.	.	3	.	1
	Jan. 3,	54·0	.	18	.	.	.	.	.	.	.	.	.	.	4	2
Belfast. Pop. in 1902 (Est.) 358,693.	Nov. 15,	28·0	4·7	158	.	16	1	.	5	1	.	5	4	22	44	3
	„ 22,	20·8	5·5	143	.	17	2	.	9	2	2	8	8	13	39	3
	„ 29,	21·1	4·4	145	.	14	.	.	4	1	.	6	5	20	39	6
	Dec. 6,	26·6	5·2	183	.	22	1	.	4	8	.	5	1	23	46	6
	„ 13,	26·2	6·4	180	.	24	.	.	9	1	.	7	3	15	50	6
	„ 20,	25·6	4·9	176	.	24	.	.	6	2	.	2	2	18	57	5
	„ 27,	21·7	4·7	149	.	20	2	.	5	.	2	2	1	24	30	4
	Jan. 3,	28·6	5·8	197	.	30	2	.	2	3	.	1	2	22	50	6
Cork. Pop. (in 1901) 76,122.	Nov. 15,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	3	6	1
	„ 22,	15·1	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	„ 29,	15·1	.	22	.	.	.	.	.	.	.	.	.	9	1	1
	Dec. 6,	11·0	.	16	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13	12·3	.	18	.	.	.	.	.	.	.	.	.	2	3	1
	„ 20,	26·7	2·7	39	.	1	.	.	2	1	.	.	.	9	8	1
	„ 27,	20·5	.	30	.	.	.	.	.	.	.	.	.	10	2	.
	Jan. 3,	39·0	0·7	57	.	1	.	.	.	.	.	.	.	5	12	.
Londonderry. Pop. in 1902 (Est.) 40,729.	Nov. 15,	17·9	1·3	14	.	1	.	.	.	.	.	.	.	3	3	1
	„ 22,	28·0	3·3	18	.	1	.	.	.	.	.	.	2	.	4	.
	„ 29,	15·4	.	14	.	.	.	.	.	.	.	.	.	2	.	1
	Dec. 6,	21·8	.	17	.	.	.	.	.	.	.	.	.	3	2	.
	„ 13,	16·6	2·6	13	.	.	.	.	.	1	.	.	1	4	3	.
	„ 20,	21·8	1·3	17	.	.	.	.	.	.	.	.	1	1	5	.
	„ 27,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	.	.
	Jan. 3,	26·9	2·6	21	.	2	.	.	.	.	.	.	.	1	2	.
Limerick. Pop. (in 1901) 38,151.	Nov. 15,	20·5	3·2	15	.	4	.	1	.	.	.	1	.	1	1	.
	„ 22,	19·1	9·6	14	.	7	.	.	.	.	.	.	.	1	3	.
	„ 29,	26·0	12·3	19	.	9	.	.	.	.	.	.	.	1	3	1
	Dec. 6,	31·4	16·4	23	.	10	.	.	.	.	.	.	2	2	6	.
	„ 13,	47·8	10·9	35	.	8	.	.	.	.	.	.	.	6	10	.
	„ 20,	41·0	10·9	30	.	8	.	.	.	.	.	.	.	2	9	.
	„ 27,	19·1	1·4	14	.	1	.	.	.	.	.	.	.	2	3	.
	Jan. 3,	41·0	12·3	30	.	8	.	.	.	.	.	1	.	1	6	.
Waterford. Pop. (in 1901) 26,769.	Nov. 15,	27·3	7·8	14	.	1	.	.	2	.	.	1	.	.	1	.
	„ 22,	3·9	3·9	2	.	1	.	.	1	.	.	.	.	.	.	.
	„ 29,	37·0	1·9	19	.	.	.	.	1	.	.	.	.	2	4	.
	Dec. 6,	42·9	7·8	22	.	1	.	.	2	.	.	.	1	2	6	1
	„ 13,	11·7	3·9	6	.	.	.	.	1	1	.	.	.	2	1	.
	„ 20,	35·1	5·8	18	.	1	.	.	2	.	.	.	.	1	4	.
	„ 27,	7·8	.	4	.	.	.	.	.	.	.	.	.	1	1	.
	Jan. 3,	21·4	.	11	.	.	.	.	.	.	.	.	.	2	5	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 3rd January, 1903, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES. &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards	Deaths from: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	8	38·9	.	11	.	1	7	3	.	.	.	.	.	.	.	.	.	1	5	2	2	4
" 2 "	47,959	43	20·7	3·3	19	4	4	8	3	.	1	1	.	.	1	.	.	.	1	2	.	3	3
" 3 "	47,214	35	27·6	7·7	25	6	7	9	3	.	6	1	.	.	.	.	.	.	5	5	1	1	5
" 4 "	40,911	17	37·0	5·1	29	8	4	14	3	.	3	.	.	.	1	.	.	.	3	9	.	1	6
" 5 "	17,387	14	60·0	15·0	20	5	2	7	6	.	4	.	.	.	.	.	.	1	4	7	1	2	5
" 6 "	48,122	21	27·1	6·5	25	2	6	11	6	.	4	.	.	.	1	.	1	.	2	4	.	1	9
" 7 "	1,524	2	..	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	5,060	4	20·6	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 9 "	19,569	11	32·0	18·7	12	2	7	3	.	.	7	.	.	.	.	.	.	.	2	2	.	.	5
" 0 "	3,064	14	45·2	9·0	20	3	5	3	9	.	3	.	.	.	.	.	..	1	1	6	1	3	.
" 11 "	34,862	21	12·0	3·0	8	3	2	2	1	.	1	.	.	1	.	.	.	.	.	3	.	.	.
" 12 "	33,588	41	29·5	3·1	19	5	2	9	3	.	1	.	.	1	.	.	.	.	2	5	1	1	5
" 13 "	15,006	18	13·9	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 14 "	240	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	349,180	249	29·4	6·0	197	40	40	78	39	.	30	2	.	2	3	.	1	2	22	50	6	14	43
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	6	72·9	4·1	18	5	2	10	1	.	1	.	.	.	.	.	.	.	4	4	.	1	8
" 2 "	10,701	8	63·3	.	13	5	1	4	3	.	.	.	.	.	.	.	.	.	.	5	.	.	3
" 3 "	9,978	13	36·6	.	7	3	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.		2
" 4 "	8,666	4	24·1	.	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2
" 5 "	6,592	3	15·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	10,702	16	39·0	.	8	2	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" 7 "	16,616	14	15·7	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Total,	76,122	64	39·0	0·7	57	16	4	27	10	.	1	.	.	.	.	.	.	.	5	12	.	2	18

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1902-3—Week ending																										
	July 12.	July 19.	July 26.	Aug 2.	Aug. 9.	Aug. 16	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sep . 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53
BIRTHS registered,	208	214	224	200	215	194	200	176	209	219	200	218	181	245	234	240	190	186	198	180	186	187	180	178	136	249
DEATHS registered,	118	116	107	128	121	108	112	112	123	126	144	121	137	148	154	146	149	136	158	143	145	188	180	176	149	197
Annual Death-rate per 1,000 of estimated Population,	17·2	16·9	15·6	18·6	17·6	15·7	16·8	16·3	17·9	18·3	20·9	17·6	19·9	21·5	22·4	21·2	21·7	19·8	23·0	20·8	21·1	26·6	26·2	25·6	21·7	28·6
AGES, Under 1 year,	24	29	23	24	25	20	36	22	28	49	46	46	40	54	45	38	42	36	42	41	40	38	35	47	28	40
1-5 years,	23	19	19	22	13	21	17	19	16	20	17	16	26	18	33	27	29	32	36	39	30	39	44	48	29	40
5-60 years,	55	45	48	58	62	44	48	51	54	42	60	44	54	57	53	55	53	57	55	45	56	77	74	56	62	78
60 years and upwards,	16	23	17	24	21	23	16	20	25	15	21	15	17	19	23	26	25	11	25	18	19	29	27	30	30	39
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	7	7	9	5		3	2	5	6	4	5	4	7	6	8	14	8	14	16	17	14	22	24	22	20	30
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	2	.	1	.	.	2	2
,, Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	4	.	2	3	6	2	6	5	6	5	2	4	2	2	6	3	3	4	5	9	4	4	9	6	5	2
,, Diphtheria,	2	.	.	.	.	2	1	.	1	3	.	.	.	1	2	2	3	2	1	2	1	3	1	2	.	3
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
,, Enteric Fever,	4	3	7	3	4	4	7	4	4	1	3	3	7	1	5	6	3	3	5	3	6	5	7	2	2	1
,, Diarrhœa, Dysentery,	3	6	6	2	1	5	5	4	4	23	13	12	14	10	7	5	4	1	4	3	5	1	3	2	1	2
,, Phthisis	19	23	17	16	30	14	13	13	13	13	24	8	16	17	19	19	14	20	22	13	20	23	15	18	24	22
,, Diseases of Respiratory System,	22	18	16	29	15	19	9	26	27	15	15	24	23	35	26	36	52	27	44	39	39	46	50	57	30	50
Violent Deaths,	4	1	6	4	.	1	1	1	1	2	6	.	2	3	1	3	2	.	3	3	6	6	6	5	4	6

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd January, 1903.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Total.
North City No. 1, East,	.	.	.	5	.	.	1	.	.	1	.	.	.	7
" " 1, West,	.	3	.	2	.	.	1	.	1	4	.	.	.	11
" " 2,	.	2	.	3	.	.	.	.	.	1	.	.	.	6
" " 3,	.	.	.	6	1	.	3	.	2	7	2	.	.	21
Clontarf and Howth No. 1 (part of),	.	1	.	5	.	.	.	.	.	.	1	.	.	7
Coolock and Drumcondra No. 1 (part of),	.	1	.	.	.	.	.	.	.	1	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	3	.	.	.	.	.	.	.	.	.	3
Blanchardstown and Castleknock (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	2	.	4	.	.	1	.	.	5	6	.	.	18
" " 2,	.	3	.	1	.	.	2	.	1	2	.	.	.	9
" " 3,	.	1	.	9	.	.	1	.	.	3	2	.	.	16
" " 4,	.	3	.	4	.	.	1	.	.	3	2	.	.	13
Palmerston (part of),	.	1	.	1	.	.	.	.	1	2	.	.	.	5
Crumlin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	18	.	43	1	.	10	.	5	29	13	.	.	119
Total for week ended Dec. 27th, 1902,	1	29	.	38	8*	.	11	1	1	29	18	.	.	136
Total for week ended Dec. 20th, 1902,	.	59	.	44	2	.	9	.	7	30	22	.	1	174
Total for week ended Dec. 13th, 1902,	.	87	.	40	1	.	13	.	6	20	16	.	8	191

* Including 3 cases returned under the head of "Continued Fever" in the week ended December 20th.

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd ,January 1903, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd January.			
	Dec. 13.	Dec. 20.	Dec. 27.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	1	.	.	.	1
Measles,	76	78	62	9	12	4	55
Scarlet Fever,	176	169	173	33	33	1	172*
Typhus "	3	12	16	3	3	1	15
Diphtheria,	36	33	26	13	5	1	33
Enteric Fever,	75	74	72	14	15	1	70
Pneumonia,	13	15	15	4	3	1	15

* Exclusive of 27 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births (Exclusive of Stillborn).	Deaths (Exclusive of Stillborn).	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa Diseases.
LONDON,	4,579,107	Jan. 3,	2,907	1,834	20·9	.	54	12	29	61	14	20
EDINBURGH,	317,885	„ 3,	123	118	18·7	.	1	.	4	4	.	2
GLASGOW,	764,423	„ 3,	459	352	23·3	.	.	2	4	26	1	7
CALCUTTA,	847,796	Nov. 8,	.	506	31·0	.	1	.	1	1	170§	84*
BOMBAY,	776,006	Dec. 9,	375	751	50·3	7	32	?	?	.	58§	48*
MADRAS,	509,346	Nov. 14,	428	459	46·8	.	.	?	?	?	154	53
PARIS,	2,660,559	Dec. 20,	986	1,045	21·6	1	1	1	17†	6	6	26
BRUSSELS (with 8 Faubourgs).	562,893	„ 13,	241	201	18·6	.	11	.	1†	2	1	17
AMSTERDAM,	537,798	„ 13,	289	164	15·9		6	.	.	2	.	7
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	400,570	Dec. 20,	253	140	18·2	.	9	.	.	2	.	3
CHRISTIANIA	224,909	„ 20,	147	116	26·8	.	36	.	.	1	.	3
ST. PETERSBURG,	1,248,643	„ 13,	699	551	22·9	2	17	8	20	2	11	40
BERLIN,	1,926,100	„ 6,	867	634	17·2	.	5	6	5	12	.	33
HAMBURG,	724,835	„ 20,	.	359	25·8	.	10	14	2†	6	.	5
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH	506,000	Dec. 13,	.	225	23·1	.	2	.	2†	4	.	24
VIENNA (with suburbs).	1,744,177	„ 20,	100	726	21·6	.	16	2	13†	2	.	31
BUDA-PESTH	767,661	„ 13,	395	303	20·5	.	9	8	5†	.	.	14
PRAGUE and Faubourgs.	421,545	„ 6,	194	188	23·2	.	2	6	.	2	2	15
ROME,	478,841	Oct. 18,	220	135	14·7	.	.	.	.	.	12	14
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	165,350	Dec. 6,	64	79	24·8	.	2	.	.	.	.	5
NEW YORK,	3,632,501	„ 13,	1,687	1,229	17·7	.	4	13	54†	3	16	33
PHILADELPHIA,	1,349,712	„ 6,	.	450	17·3	1	2	4	5	5	9	2

* Including 32 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup
§ Exclusive of 10 deaths from bubonic fever in Calcutta, and 133 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 3rd January, 1903:—

"The weather of this period may best be described as eminently unsettled, generally cold and often tempestuous. Atmospheric pressure was throughout in a condition of most unstable equilibrium, and ruled low over the W., N., and centre of Europe—at 8 a.m. of Monday, the barometer was down to 28·25 inches at Wick, and until Wednesday morning the mercury remained below 29 inches over a considerable portion of Great Britain. The week opened with a sudden change from the warmth of the previous period to bitter cold, with squalls of sleet and snow on Sunday. During that day the highest reading of the thermometer in Dublin was 41·0°, whereas it had been 51° in the course of the preceding night. At 7.45 p.m. a blizzard of sleet and snow passed over the city. On Monday also there were showers of sleet and snow. Temperature remained low until the afternoon of New Year's Day, when it rose from a minimum of 30·8° to a maximum of 45·1°. In the course of the following night the thermometer touched 48·8°, only to fall quickly again, the week closing with squally weather, cold showers alternating with fine sunny intervals. The New Year was ushered in by the only calm period of the week, and a few hours of sharp frost, the thermometer falling to 23° at Nairn, 24° at Penrith, 26° at Wick and Leith, 27° at Aberdeen, 28° at Loughborough and Birr, 29° in London, and 30·8° in Dublin. The mean height of the barometer in Dublin was 29·262 inches, pressure fluctuating between 28·871 inches at 2 p.m. of Monday (wind, W.), and 29·549 inches at 9 a.m. of Thursday, January 1 (wind, calm). The corrected mean temperature was 39·8°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 37·5°. The screened thermometers rose to 51·0° on Sunday and fell to 30·8° on Thursday. Bright sunshine was estimated at 16 hours. W.S.W. was the predominant wind. Rain fell on five days to the amount of ·382 inch, ·110 inch being measured on Thursday. Snow and sleet fell on Sunday and Monday, hail on Saturday. Thunder and lightning occurred in several parts of Ireland and England on Friday and Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·286 inches. The highest reading (29·567) was on Thursday at 9 a.m., air calm, and the lowest (29·948) on Monday at 9 a.m., wind W.S.W.

The mean temperature for the week was 38·2°, being 2·0° under the average for the 52nd week of the 10 years 1892-1901. The temperature was highest on Monday, on which day the thermometer registered 50·1°, and was lowest on Thursday, the mercury having fallen to 25·5°. The mean of the Dry Bulb for the week was 36·4°, and of the Wet Bulb 35·2°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 14·7 hours. The rainfall measured ·658 inch.

At Greenwich the mean temperature for the week was 40·8°, the maximum 51·8°, and the minimum 29·5°; at Glasgow the maximum was 52·8°, the minimum 25·2°, and the mean 38·6°; and at Edinburgh the maximum was 49·6°, the minimum 27·6°, and the mean 37·0. The rainfall at Greenwich measured 0·58 inch; at Glasgow 1·63 inches; and at Edinburgh 0·39 inch.

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1902-3 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.)		
Sunday, Dec. 28,	29·391	50·1	32·3	41·2	34·6	33·5	·89	1·0	2·3	·038	W.	W.S.W.
Monday, " 29,	28·956	37·6	29·9	33·8	34·9	33·4	·86	·8	0·4	·115	W.S.W.	W.
Tuesday, " 30,	29·073	39·0	33·3	36·2	35·2	34·4	·93	·3	1·9	—	W.	W.
Wednesday, " 31,	29·465	39·8	31·7	35·8	33·3	32·6	·92	·6	4·7	—	W.	W.
Thursday, Jan. 1,	29·481	44·5	25·5	35·0	36·2	35·2	·91	1·0	0·2	·300	Calm.	S.S.W.
Friday, " 2,	29·222	48·1	39·6	43·9	41·7	40·1	·88	·5	2·7	·150	W.	S.W.
Saturday, " 3,	29·411	45·4	36·9	41·2	38·7	37·2	·88	·7	2·5	·055	W.S.W.	S.W.
Mean, . .	29·286	43·5	32·7	38·2	36·4	35·2	·90	·7	Total 14·7	·658	Prevailing wind W.	

Sunday—A fine but cloudy day; night cloudy p.m. overcast a.m.; light rain and snow 6.30 p.m. to 8.30 p.m. *Monday*—A cloudy day; light rain and snow 9.30 to 10.30 a.m.; heavy showers p.m.; night clear and cloudy a.m. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A fine but cloudy day: night clear. *Thursday*—A fine but cloudy day; showers 6 p.m. to 10.30 p.m.: night cloudy; heavy rain 2 to 4.30 a.m. *Friday*—Bright a.m.; cloudy p.m.; night clear to 2.30 a.m.; heavy rain 3 a.m. to 3.30 a.m. and 8.30 a.m. to 9 a.m. *Saturday*—A cloudy day; heavy rain 11.0 a.m. to 11.30 a.m. and 6.0 p.m. to 7.30 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

P. 299. 9. 1902. 360

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XXXIX.] QUARTER ENDING SATURDAY, 3RD JANUARY, 1903. [No. 53A

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown, the total area thereof being 13,757 statute acres, and the population estimated to the middle of 1902, 378,994, there were registered during the fourteen weeks ended on Saturday, 3rd January, 1903, 2,716 births—1,417 boys and 1,293 girls—being equal to an annual ratio of 1 in 37·7, or 26·6 in every 1,000 of the population.

The number of births registered in the city was 2,279, equivalent to an annual rate of 28·9 in every 1,000 of the population; and in the urban districts named above, 431, equal to an annual rate of 18·7 in every 1,000 of the population.

There were registered in London during the same period 34,150 births—being equal to an annual birth-rate of 27·7 in every 1,000 of the estimated population; in Glasgow there were registered 6,340, being equal to 30·4 per 1,000; and in Edinburgh, 2,033—a number affording an annual birth-rate of 23·4 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,926—1,491 males and 1,435 females—affording an annual ratio of 1 in 34·9, or 28·7 in every 1,000 of the estimated population; omitting the deaths (115) of persons admitted into Public Institutions from localities outside the Area, the rate was 27·5 per 1,000. The annual mortality represented by the deaths registered during the fourth quarter of the ten years 1892–1901 in the Dublin Registration Area as then constituted, was 27·3 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of that portion of the City of Dublin north of the Liffey registered last quarter was 1,254, representing an annual mortality of 30·6 in every 1,000 of the population; and the number in that portion south of the river was 1,150, equivalent to a rate of 30·2 per 1,000. In the urban districts the number of deaths registered was 407, being equal to an annual death-rate of 17·7 in every 1,000.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the quarter was 21,768—a number equal to an annual mortality of 17·7 in every 1,000 of the inhabitants; in Glasgow the number was 4,115, equal to 19·7 in every 1,000; and in Edinburgh, 1,495, affording an annual death-rate of 17·2 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases registered in the Dublin Registration Area during last quarter was 406, being 67 above the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 4·0, being 0·4 over the rate for the preceding three months.

Small-pox.—No death was registered from this disease. From Table I. it appears that two cases were under treatment at the close of the preceding quarter, that one case was admitted to hospital, that 2 cases were discharged from hospital, and that one case remained under treatment in hospital at the close of the quarter.

Measles.—There were 177 deaths registered as occurring from measles. In the four quarterly periods preceding, the deaths registered were 0, 23, 39, and 153 respectively. The total (177) equals an annual rate of 1·7 per 1,000 of the population of the Dublin Registration Area; of the total, 125 deaths appertained to North Dublin City, 46 being referred to No. 3 North City District; of 46 deaths appertaining to South Dublin City, 32 were inhabitants of No. 1 South City District. In the remainder of the Registration Area there were 5 deaths from this disease. There was one death in an institution of a person admitted from without the Dublin Registration Area.

Scarlet Fever.—Deaths from scarlet fever, which in the preceding four quarters had been 6, 11, 11, and 16, rose in the period now under review to 38; of the total 11 appertained to North Dublin City, 18 to South Dublin City, and 6 to the Urban Districts. There were, moreover, 3 deaths of persons in institutions admitted from without the Dublin Registration Area. From Table I. it appears that 172 cases of scarlet fever were under treatment in hospitals at the close of the quarter.

Typhus Fever.—There were 5 deaths from typhus fever; the deaths in the preceding four quarters were, 0, 0, 0, and 3. From Table I. it appears that 15 cases of typhus fever were under treatment in hospitals at the close of the quarter.

Whooping-cough.—Ten deaths were registered as occuring from this disease; in the corresponding period of 1901 the deaths registered from whooping-cough were 19 in number.

Diphtheria.—Of the 33 deaths registered, 16 appertain to North Dublin City, 10 to South Dublin City, and 5 to the Urban Districts; 2 deaths occurred in institutions of persons admitted from without the Registration Area. In the four quarterly periods preceding, the deaths from diphtheria were 19, 14, 16, and 22; it appears from Table I. that 33 persons were being treated for this disease in Dublin hospitals at the close of the quarter.

Simple and Ill-defined Fever.—Three deaths were tabulated under this head.

Enteric Fever.—Of 41 deaths registered from enteric fever, 14 appertain to North Dublin City, 18 to South Dublin, and 7 to the Urban Districts, while 2 deaths were registered of persons who were admitted into institutions from without the Registration Area. In the corresponding quarter of 1901, 39 deaths were registered, and in the preceding three quarterly periods of 1902, 24, 20, and 36 deaths were respectively registered. There were 70 cases of enteric fever under treatment in hospitals at the close of the quarter.

Diarrhœa, Dysentery.—Diarrhœal diseases, which caused 59 deaths in the December quarter of 1901, caused 99 deaths in the period under review; in the preceding quarter 286 deaths were registered from diseases included in this group.

Influenza.—This disease proved fatal in 27 instances. In the preceding quarter the number of deaths from this disease was 10.

Tetanus caused 3 deaths. *Infective endocarditis* caused one death.

Erysipelas caused 6 deaths, and *Varicella* caused one death.

Tuberculous Disease.—The total deaths from tuberculous diseases (454) include 23 from tuberculous phthisis, 284 from *phthisis*, 48 from tuberculous meningitis, 17 from tuberculous peritonitis, 3 from *tabes mesenterica*, 75 deaths from other forms of the disease, and 4 tabulated as scrofula. The total deaths from all forms of tuberculous disease is equal to an annual rate of 4·5 per 1,000 of the population of the Dublin Registration Area. The annual rate for tuberculous phthisis and *phthisis* (307 deaths) is 3·0 per 1,000 of the population of the Dublin Registration Area. The annual rate in the North City for these latter diseases is 3·4 per 1,000, and in the South City is 3·2 per 1,000, while in the remaining Urban Districts the annual death-rate is 1·3 per 1,000 for the period now under review.

Malignant Disease, "Cancer."—Twenty-six deaths were assigned to carcinoma, 4 to sarcoma, and 69 to *malignant disease, "cancer."*

Diseases of the Nervous System.—Two hundred and seventy deaths were assigned to this group; of these 139 were registered as being due to convulsions.

Diseases of the Heart and Blood-vessels.—Three hundred and twenty-eight deaths were caused by diseases of these structures.

Diseases of the Respiratory System.—The total deaths, 640, comprise 401 from bronchitis, 2 from croupous pneumonia, 92 from broncho-pneumonia, 99 from *pneumonia*; the total is equal to an annual rate of 6·3 per 1,000 of the population of the Dublin Registration Area.

Accidental Deaths.—There were 45 deaths assigned to accidental causes; of these 8 were due to burns, scalds, or explosions; of these latter 6 were children under five years of age.

Suicide.—Three deaths from suicide were reported on Coroner's certificates.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (14 weeks) **ended Saturday, 3rd January, 1903.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small-pox, . .	2	1	2	.	1
Measles, . . .	111	442	420	78	55
Scarlet Fever, . .	80	411	291	28	172 *
Typhus „ . .	6	28	15	4	15
Diphtheria, . .	30	154	130	21	33
Enteric Fever, . .	87	235	229	23	70
Pneumonia, . .	9	67	47	14	15

In 147 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 147 cases, 103, or 70·1 per cent., were deaths of children under 5 years of age: these 103 deaths form 8·7 per cent. of the total number of deaths of children of that age. Of the deaths of 144 infants under one month old registered, there were 35 (or 24·3 per cent.) regarding which the cause was uncertified.

From Table II., on page 877, it will be seen that, excluding 115 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,811, equal to an annual rate of 27·5 per 1,000 of the estimated population, and that 397 of these deaths, representing an annual rate of 3·9 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 30·4 per 1,000, and for the urban districts 17·7 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city is 4·5, and in the urban districts 1·7, the rates for the several districts varying from 0·0 in two of the districts to 8·5 in Blanchardstown and Castleknock, part of, the 9 deaths from all causes tabulated for the last-named district including 3 from measles.

Occupations.—Table III., on page 878, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 25·4 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 15·4 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 22·8; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 41·0.

Ages.—Of the 2,926 persons whose deaths were registered in the Dublin Registration Area during the quarter, 1,178 were under 5 years of age, this number being equal to an annual mortality of 114·7 in every 1,000 children at that age (according to the Census of 1901); 194 were between the ages of 5 and 20, representing an annual rate of 6·8 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 35·2 per 1,000 of the population at that age (according to the Census of 1901); 438 or 12·0 per 1,000 persons were between 20 and 40; 511 or 27·7 per 1,000 between 40 and 60; 495 or 75·7 per 1,000 between 60 and 80; 110 or 214·4 per 1,000 were aged 80 and upwards, including 18 persons aged 90 and upwards, of whom one was a man whose age was stated to be 100.

*Exclusive of 27 patients in Beneavin, the convalescent home of Cork-street Fever Hospital. † See note (*) on page 879.

Public Institutions.—Of the 2,926 deaths recorded during the quarter, 1,083, or 37·0 per cent., occurred in public institutions, viz., 655 in the various hospitals, prisons, and lunatic asylums; 214 in the North Dublin Union Workhouse; 200 in the South Dublin Union Workhouse; and 14 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 45·8°. At Greenwich, it was 45·4°; at Glasgow, 45·2°; and at Edinburgh, 43·5°.

The rainfall at Dublin during the fourteen weeks measured 7·428 inches; at Greenwich, 4·21 inches; at Glasgow, 7·98 inches; and at Edinburgh, 3·67 inches.

TABLE II.—Showing, for the **Quarter** (14 weeks) **ended 3rd January, 1903**, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS.	POPULATION, ESTIMATED TO MIDDLE OF 1902 †	QUARTER (14 WEEKS) ENDED 3RD JANUARY, 1903. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES.	FROM DISEASES IN COLS. 5-13.	TOTAL DEATHS.	DEATHS CAUSED BY: Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
NORTH CITY.																
NORTH CITY, No. 1, R.,	28,332	30·7	5·5	234	.	27	3	.	3	2	.	2	5	28	57	4
" " W.	39,146	29·3	3·4	309	.	15	2	.	2	3	1	6	7	41	69	7
" 2,	30,107	37·3	5·8	302	.	29	2	1	.	6	.	2	7	30	63	3
" 3,	31,673	33·3	7·0	284	.	46	2	1	.	2	.	2	7	28	61	4
CLONTARF & HOWTH, No. 1, part of,	4,806	17·8	1·5	23	.	.	.	.	1	.	1	.	.	1	3	.
COOLOCK & DRUMCONDRA, No. 1, part of,	10,017	21·9	3·7	59	.	4	.	.	.	3	.	2	1	8	13	.
FINGLAS AND GLASNEVIN, part of,	6,665	19·0	2·2	34	.	1	2	1	.	.	.	.	.	4	6	.
BLANCHARDSTOWN AND CASTLEKNOCK, part of,	1,303	25·6	8·5	9	.	3	.	.	.	.	.	.	.	.	1	.
SOUTH CITY.																
SOUTH CITY, No. 1,	38,313	31·3	7·1	323	.	32	9	1	1	6	.	4	20	32	57	3
" 2,	17,113	41·5	5·0	191	.	6	.	1	.	1	.	4	11	25	56	.
" 3,	42,575	30·1	3·0	345	.	8	4	.	2	1	.	3	16	29	92	5
" 4,	34,893	25·9	1·7	243	.	.	5	.	1	1	.	6	3	31	58	6
DONNYBROOK, part of,	245	15·2	.	1	.	.	.	.	.	.	.	.	.	.	1	.
PALMERSTON, part of,	7,298	22·4	3·6	44	.	.	.	.	.	1	1	1	4	3	9	.
CRUMLIN, part of,	899	12·4	.	3	.	.	.	.	.	.	.	.	.	.	.	1
URBAN DISTRICTS.																
RATHMINES,	33,203	17·0	1·8	152	.	2	3	.	.	1	.	2	8	12	33	5
PEMBROKE (DONNYBROOK, part of),	26,025	14·7	2·0	103	.	2	3	.	.	2	.	2	5	10	21	3
BLACKROCK,	8,759	17·8	2·1	42	.	.	.	.	.	1	.	3	1	2	6	.
KINGSTOWN, Nos. 1 and 2,	17,622	23·2	1·1	110	.	1	.	.	.	1	.	.	3	7	24	5
TOTAL CITY, NORTH,	152,049	30·6	5·0	1,254	.	125	11	3	6	16	2	14	27	140	273	18
TOTAL CITY, SOUTH,	141,336	30·2	4·0	1,150	.	46	18	2	4	10	1	18	54	120	273	15
TOTAL CITY, N. & S.,	293,385	30·4	4·5	2,404	.	171	29	5	10	26	3	32	81	260	546	33
TOTAL URBAN DISTRICTS,	85,609	17·7	1·7	407	.	5	6	.	.	5	.	7	17	31	84	13
TOTAL REGISTRATION AREA,	378,994	27·5	3·9	2,811	.	176	35	5	10	31	3	39	98	291	630	46
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				115	.	1	3	.	.	2	.	2	1	16	10	2

* See note (*), page 879. † See note (*) on page 880.

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the **14 weeks ending Saturday, 3rd January, 1903**; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class.	Occupation or Social Position [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, 14 Weeks ending Saturday, 3rd January, 1903. Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Tri-febrinel Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total, Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	29·0	2,926	1,178	194	438	511	495	110	.	177	38	5	10	33	3	41	99	406	307	139	640	48	1,386
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	25·4	119	4	4	8	29	38	36	.	1	1	.	.	1	.	.	1	4	7	.	17	3	88
II.	MIDDLE CLASS,	87,188	15·4	361	99	37	76	75	60	14	.	11	14	1	1	4	.	5	5	41	42	12	67	5	194
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	22·8	677	273	47	107	126	108	16	.	39	10	.	4	5	2	13	25	98	76	35	161	8	299
IV.	GENERAL SERVICE CLASS,	154,279	41·0	1341	731	101	170	169	151	19	.	118	13	4	5	23	1	19	57	240	109	90	300	32	570
V.	INMATES OF WORKHOUSES,	6,024		428	71	5	77	112	138	25	.	8	.	.	.	.	.	4	11	23	73	2	95	.	235
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	24·3	51	3	4	4	15	13	12	.	1	1	.	.	.	.	.	1	3	3	.	4	2	39
	2. Merchants and Manufacturers, Higher Class,	1,277	5·8	2	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described,	8,360	29·3	66	1	.	4	12	25	24	.	.	.	.	.	.	.	.	.	.	4	.	13	.	49
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	12·0	25	8	2	3	7	4	1	.	2	.	.	.	.	.	.	.	2	1	.	7	.	15
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	18·1	107	34	8	17	25	21	2	.	.	4	.	.	1	.	3	2	10	8	4	23	2	60
	6. Clerks and Commercial Assistants,	30,432	16·5	135	42	18	36	21	13	5	.	5	8	1	1	2	.	.	3	20	19	7	24	1	64
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	12·9	94	15	9	20	22	22	6	.	4	2	.	.	1	.	2	.	9	14	1	13	2	55
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	25·6	68	32	5	13	10	8	.	.	3	1	.	1	.	.	2	5	12	9	8	22	1	16
	9. Building and Furnishing Trades,	29,801	25·4	201	104	13	21	36	24	6	.	19	2	.	2	2	.	2	5	32	18	13	48	1	92
	10. Clothing Trades,	23,260	19·6	123	35	9	24	22	29	4	.	4	3	.	.	.	.	3	2	12	21	4	28	1	57
	11. Food Supply Trades,	9,212	16·9	42	14	2	6	10	9	1	.	.	.	.	.	.	1	.	3	4	5	.	12	.	21
	12. Other Trades and Callings ranking with Trades,	30,352	24·6	201	72	13	41	38	33	4	.	9	4	.	1	3	1	5	8	31	18	9	45	4	94
	13. Petty Shopkeepers,	7,894	18·4	39	16	5	2	10	5	1	.	4	.	.	.	.	.	1	2	7	5	1	6	1	19
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	31·5	114	45	9	13	19	27	1	.	5	3	.	1	1	.	2	3	15	9	3	35	3	49
	15. Domestic Servants,	36,603	8·4	83	33	4	15	11	14	6	.	1	.	.	.	2	1	3	5	12	9	3	15	4	40
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	33·3	129	58	14	20	20	15	2	.	7	3	.	.	1	.	1	8	20	9	5	31	1	63
	17. Hawkers, Porters, Labourers, &c.,	89,861	42·0	1,015	595	74	122	119	95	10	.	105	7	4	4	19	.	13	41	193	82	79	219	24	418
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates	6,024		428	71	5	77	112	138	25	.	8	.	.	.	.	.	4	11	23	73	2	95	.	235

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 23·6 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—

Ballymena, 11·3; Lisburn, 11·7; Portadown, 12·9; Queenstown, 16·0; Londonderry, 16·3; Tralee, 17·3; Sligo, 18·4; Newry, 18·6; Clonmel, 19·0; Kilkenny, 19·3; Lurgan, 19·5; Cork, 20·3; Dundalk, 20·5; Belfast, 22·8; Waterford, 22·8; Galway, 23·5; Wexford, 23·9; Armagh, 25·0; Newtownards, 25·7; Limerick, 26·1; Dublin Registration Area, 27·5; and Drogheda, 28·8.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 3·6 per 1,000 of the population, the rates varying from 0·0 in Ballymena and Portadown, to 8·3 in Armagh, the 51 deaths from all causes registered in that district including 16 from measles and one from diarrhœa. The 2,201 deaths from all causes in Belfast include 222 from measles, 13 from scarlet fever, 64 from whooping-cough, 23 from diphtheria, 4 from simple fever, 56 from enteric fever, and 62 from diarrhœa.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Small-pox.—No death from this disease was registered during the quarter.

Measles.—Of 333 deaths registered, 222 occurred in Belfast, 65 in Limerick, 16 in Armagh, and 8 in Drogheda.

Scarlet Fever.—Of 20 deaths, 13 took place in Belfast, [illegible] in Lurgan, 2 in Waterford, and one in each of Lisburn and Wexford.

Typhus Fever.—Two deaths occurred in Limerick and one in Sligo.

Whooping-cough.—Of 97 deaths, 64 occurred in Belfast, and 23 in Waterford.

Diphtheria.—Of 32 deaths, 23 occurred in Belfast, 3 in Lurgan, 2 in Dundalk, and one each in Cork, Londonderry, Waterford, and Newtownards.

Simple, Continued, and Ill-defined Fever.—Five deaths were thus assigned.

Enteric Fever.—56 deaths occurred in Belfast, 5 in Limerick, 2 in Waterford, and one each in Londonderry, Drogheda, Newry, and Lisburn.

Diarrhœa, Dysentery.—Of 117 deaths, 62 occurred in Belfast, and 13 in Cork.

Phthisis.—The deaths (770) for 22 towns (population 1,092,621), equal an annual rate of 2·6 per 1,000; for Belfast, 2·7 per 1,000, and for 20 Urban Districts 2·3 per 1,000 of their respective populations.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (14 weeks) **ending Saturday, 3rd January, 1903,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes.

TOWNS AND DISTRICTS	Census Statistics of Districts.* Population.	Persons to an Acre.	REGISTRATION—QUARTER (14 WEEKS) ENDED SATURDAY, 3RD JANUARY, 1903. Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS from All Causes.	DEATHS from Diseases, Cols. 10-18.	NUMBER REGISTERED. BIRTHS.	DEATHS. Total Number.	Under 1 year of Age.	At 60 years and upwards.	Caused by Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
TOTAL OF 22 TOWN DISTRICTS,	1,092,621	19·2	27·1	23·6	3·6	7,966	6,950	1,565	1,462	.	509	55	8	107	63	8	106	215	770	1,521	125	292	1 825
DUBLIN REGISTRATION AREA,	378,994	27·5	26·6	27·5	3·9	2,710	2,811	632	582	.	176	35	5	10	31	3	39	98	291	630	46	98	968
URBAN DISTRICTS.																							
BELFAST,	358,680	24·4	28·7	22·8	4·6	2,770	2,201	566	338	.	222	13	.	64	23	4	56	62	262	554	50	135	425
CORK,	76,122	33·6	27·4	20·3	1·0	562	416	83	112	.	4	.	.	2	1	.	.	13	67	58	9	20	125
LONDONDERRY,	40,729	18·8	25·4	16·3	1·5	278	179	35	52	.	6	.	.	.	1	.	1	8	24	45	4	6	32
LIMERICK,	38,151	18·1	27·5	26·1	7·7	282	268	51	57	.	65	.	2	.	.	.	5	7	27	53	1	3	70
WATERFORD,	26,769	18·7	17·8	22·8	5·6	128	164	32	39	.	7	2	.	23	1	.	2	5	15	30	2	6	52
GALWAY,	13,426	2·5	31·8	23·5	0·8	115	85	20	28	.	.	.	.	.	.	1	.	2	6	13	1	1	28
DUNDALK,	13,076	9·4	18·5	20·5	1·1	65	72	10	27	.	2	.	.	.	2	.	.	.	3	20	2	1	7
DROGHEDA,	12,760	8·6	24·7	28·8	4·1	85	99	8	14	.	8	.	.	5	.	.	1	.	.	3	.	5	7
NEWRY,	12,405	17·8	31·1	18·6	0·6	104	62	12	24	.	.	.	.	.	.	.	1	1	5	11	1	3	1
LURGAN,	11,782	13·8	24·6	19·5	2·8	78	62	12	12	.	.	3	.	1	3	.	.	2	9	10	2	2	18
LISBURN,	11,461	10·1	33·4	11·7	1·0	103	36	7	9	.	.	1	.	.	.	.	1	1	5	4	.	.	5
WEXFORD,	11,168	23·2	21·9	23·9	0·3	66	72	14	24	.	.	1	.	.	.	.	.	.	9	21	2	1	6
BALLYMENA,	10,886	8·9	22·2	11·3	.	65	33	5	12	.	.	.	.	.	.	.	.	.	5	2	.	.	1
SLIGO,	10,870	3·7	23·2	18·4	2·4	68	54	10	20	.	2	.	1	1	.	.	.	3	6	2	1	1	13
KILKENNY,	10,609	11·5	25·2	19·3	0·4	72	55	8	21	.	.	.	.	.	.	.	.	1	6	8	2	2	17
CLONMEL,	10,167	7·8	27·0	19·0	1·1	74	52	6	18	.	.	.	.	.	.	.	.	3	5	8	1	.	24
PORTADOWN,	10,092	13·2	32·8	12·9	.	89	35	11	9	.	.	.	.	.	.	.	.	.	4	14	.	3	.
TRALEE,	9,867	16·6	30·1	17·3	2·3	80	46	10	13	.	1	.	.	.	.	.	.	5	5	5	.	1	8
NEWTOWNARDS,	9,110	18·9	31·4	25·7	0·8	77	63	10	25	.	.	.	.	1	1	.	.	.	6	20	1	1	8
QUEENSTOWN,	7,909	14·4	27·7	16·0	1·4	59	34	10	12	.	.	.	.	.	.	.	.	3	6	6	.	.	2
ARMAGH,	7,588	22·2	17·6	25·0	8·3	36	51	13	14	.	16	.	.	.	.	.	.	1	4	4	.	3	8

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1902; that for each of the other districts is the population according to the Census of 1901.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (14 weeks) ended 3rd JANUARY, 1903, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Epidemic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	14,734	125	27·7	5·5	110	27	26	44	13	.	7	2	.	3	1	2	4	3	15	27	8	12	27
" 2 "	47,959	348	21·2	3·3	274	64	53	120	37	.	19	8	.	4	2	1	4	5	41	70	9	20	51
" 3 "	47,214	383	24·5	7·2	311	79	92	99	41	.	53	2	.	10	3	.	6	18	35	70	4	16	40
" 4 "	40,911	360	28·1	4·2	309	87	54	116	52	.	22	1	.	2	2	.	12	7	26	77	3	14	84
" 5 "	17,387	147	37·8	9·4	177	46	47	55	29	.	32	.	.	7	1	.	3	1	24	48	3	12	43
" 6 "	48,122	262	18·4	3·6	238	45	44	96	53	.	27	.	.	3	2	1	3	10	29	51	2	12	49
" 7 "	1,524	9	29·3	.	12	2	2	5	3	.	.	.	.	.	.	.	.	.	4	3	.	.	3
" 8 "	5,060	22	19·1	0·7	26	6	3	14	3	.	.	.	.	.	.	.	1	.	5	6	.	2	8
" 9 "	19,569	131	25·6	6·1	135	27	29	62	17	.	21	.	.	3	4	.	2	2	22	25	.	2	31
" 10 "	23,064	203	25·3	6·9	157	41	44	48	24	.	25	.	.	6	7	.	3	2	13	50	4	15	15
" 11 "	34,802	293	20·8	4·6	195	61	35	70	29	.	11	.	.	12	1	.	8	11	23	52	6	12	33
" 12 "	33,588	347	21·2	2·4	192	65	22	83	22	.	4	.	.	8	.	.	7	3	19	59	10	16	34
" 13 "	15,006	139	15·8	2·5	64	16	14	19		.	1	.	.	6	.	.	3	.	6	16	1	2	6
" 14 "	240	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	349,180	2,770	23·4	4·7	2,201	566	465	832	338	.	222	13	.	64	23	4	56	62	262	554	50	135	425
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	68	25·4	0·6	88	15	5	48	20	.	2	.	.	.	.	.	.	.	22	12	2	6	35
" 2 "	10,701	95	20·5	2·8	59	17	8	19	15	.	.	.	.	.	1	.	.	7	2	11	2	2	18
" 3 "	9,978	91	22·3	1·9	60	11	6	26	17	.	1	.	.	1	.	.	.	3	11	9	.	.	25
" 4 "	8,666	67	18·4	.	43	8	4	18	13	.	.	.	.	.	.	.	.	.	6	4	2	3	10
" 5 "	6,592	39	16·9	.	30	4	6	13	7	.	.	.	.	.	.	.	.	.	5	9	1	3	2
" 6 "	10,702	88	12·8	0·7	87	9	2	18	8	.	.	.	.	.	.	.	.	2	4	3	.	1	5
" 7 "	16,616	119	22·1	0·7	99	19	3	45	32	.	1	.	.	1	.	.	.	1	17	10	2	5	30
Total,	76,122	562	20·3	1·0	416	83	34	187	112	.	4	.	.	2	1	.	.	13	67	58	9	20	125

GENERAL REGISTER OFFICE,

Charlemont House, Dublin, 29th January, 1903.

ROBERT E. MATHESON,

Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & CO. (Limited), 87, 88, and 89, Abbey-street.

360. Wt. P. 293. 1. 03.—(9. 02).